



SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2507029				Courier : F. Galdun				1 of 7 COCs															
Client ID : GFEL01 Project ID : 10 Eldridge St.				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix															
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				Indoor/Ambient Air Soil Gas															
				Phone Number : 646-542-3465																							
				Fax Number : 973-334-1692																							
				Site Details: 739 NOSTRAND AVE BROOKLYN, NY																							
Analysis Turnaround Time 7 DAY				Standard : 10 Business days OR				Data Package Type : RESULTS ONLY																			
Rush (Specify): 7 Days				EDD Type : PDF																							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15													
SU1	7/28/25	7:26g.26	OVER 30	5	70	70	-30	-42	10226	10607	6 L	50	VL042562.D	/	/												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15)					
	Ambient	Maximum	Minimum																								
Start																											
Stop																											
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.					
	Ambient	Maximum	Minimum																								
Start																											
Stop																											
Special Instructions/QC Requirements & Comments :																											
Suspected Contamination: High Medium Low PID Readings: 0,1																											
Sampling site (State):																											
Quick Connector required : NO																											
Canisters Shipped by: Sam				Date/Time: 7/24/25				Canisters Received by: CP				Date/Time: 7/28/25 13:00															
Samples Relinquished by: FRAN				Date/Time: 7/28/25				Received by:				Date/Time:															
Relinquished by:				Date/Time:				Received by:				Date/Time:															

Client Contact Information				Bottle Order ID : B2507029				Courier : F. Galdun				<u>2</u> of <u>7</u> COCs			
Client ID : GFEL01				Project ID : 10 Exchange St.				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 739 Nostrand Ave Brooklyn, NY											
				Analysis Turnaround Time 1 DAY				Data Package Type : RESULTS ONLY							
				Standard : 30 business days OR				EDD Type : PDF							
Rush (Specify): #7 Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV2	1/28/25	7:36	9:36	0.52	5.5	70	70	-30	-4.7	10649	10282	6 L	50	VL042562.D	1		1

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

**** Submittal of this COC indicates approval of the analysis based on existing conditions.**

REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.1

Sampling site (State):

Quick Connector required : No

Canisters Shipped by: <u>Sam</u>	Date/Time: <u>07/24/25</u>	Canisters Received by:	Date/Time: <u>7/28/25</u> <u>BAO</u>
Samples Relinquished by:	Date/Time:	Received by: <u>CR</u>	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2507029 - 3

Client Contact Information				Bottle Order ID : B2507029				Courier : FGaldun				3 of 7 COCs			
Client ID : GFEL01 Project ID : 10 Eldridge St.				Sampler Name(s) : FRANK Galdun				Analysis				Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 739 NOSTRAND AVE BROOKLYN, NY											
				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY							
				Standard : 16 business days OR				EDD Type : PDF							
Rush (Specify): 7 Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV3	7/28/25	7:41	9:41	30	4	70	70	-30	-5.1	10503	10320	6 L	50	VL042562.D	1		1

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.0

Sampling site (State):

Quick Connector required : **NO**

Canisters Shipped by: Sam	Date/Time: 7/24/25	Canisters Received by: CP	Date/Time: 7/28/25 1300
Samples Relinquished by: FG	Date/Time: 7/28/25	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2507029 - 6

Client Contact Information				Bottle Order ID : B2507029				Courier : FGALDUN				5 of 7 COCs								
Client ID : GFEL01 Project ID : 10 Eldridge St.				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix								
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified				Indoor Ambient Air Soil Gas								
				Phone Number : 646-542-3465																
				Fax Number : 973-334-1692																
				Site Details: 739 Nostrand Ave Brooklyn NY																
Analysis Turnaround Time 7 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY												
Rush (Specify): 7 Days				EDD Type : PDF																
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID			Flow Controller Readout (ml/min)	Can Cert ID	TO-15				
IAZ	7/28/15	7:46	9:46	OVER 30	5	70	70	-30	-5.1	10511	10275	6 L	50	VL042600.D	1	1				
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Sut										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCP, 1,1-DCP, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.										
		Ambient	Maximum	Minimum																
Start																				
Stop																				
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: OP Sampling site (State): Quick Connector required : NO																				
Canisters Shipped by: Sams				Date/Time: 7/24/15				Canisters Received by: OP				Date/Time: 7/28/15 Bca								
Samples Relinquished by: FRANK				Date/Time: 7/28/15				Received by:				Date/Time:								
Relinquished by:				Date/Time:				Received by:				Date/Time:								

Client Contact Information				Bottle Order ID : B2507029				Courier : F GALDUN				6 of 7 COCs			
Client ID : GFEL01				Project ID : 10 Eldridge St.				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 139 Nostrand Ave BROOKLYN, NY											
				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY							
				Standard : 10 business days OR				EDD Type : PDF							
Rush (Specify): 7 Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas
IAB3	7/28/25	9:48	10:48	3.5	3.5	70	70	-30	-4.7	10525	10445	6 L	50	VL042562.D	1	1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	

Special Instructions/QC Requirements & Comments :
Suspected Contamination: High Medium Low PID Readings: 00
Sampling site (State):
Quick Connector required : **No**

Canisters Shipped by:	Date/Time: 07/24/25	Canisters Received by:	Date/Time: 7/28/25 1300
Samples Relinquished by:	Date/Time: 7/28/25	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2507029 - 8

Client Contact Information				Bottle Order ID : B2507029				Courier : FGALDUN				7 of 7 COCs			
Client ID : GFEL01 Project ID : 10 Eldridge St.				Sampler Name(s) FRANK GALDUN				Analysis				Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 739 NOSTRAND AVE BROOKLYN, NY											
				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY							
				Standard : 10 business days OR				EDD Type : PDF							
Rush (Specify): 7 Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
OA1	7/24/25	5:52	9:52	over 30	2			-30	-4.3	10579	10158	6 L	50	VL042562.D	1	1	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start	80			
Stop	83			

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY: PCE, TCE, cis-1,2-DEE, 1,1-DEE, 1,1,1-TCA, VINYL CHLORIDE

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.0

Sampling site (State):

Quick Connector required : No

Canisters Shipped by: <u>Sam</u>	Date/Time: <u>7/24/25</u>	Canisters Received by: <u>OP</u>	Date/Time: <u>7/28/25 1300</u>
Samples Relinquished by: <u>Frank</u>	Date/Time: <u>7/28/25</u>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2507029 - 1

Client Contact Information				Bottle Order ID : B2507029				Courier : FGALDUN				4 of 7 COCs																	
Client ID : GFEL01 Project ID : 10 Bridge St.				Sampler Name(s) : FRANK GILDUN				Analysis				Matrix																	
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 739 Nostrand Ave Brooklyn NY																									
				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY																					
				Standard : to business days OR				EDD Type : PDF																					
Rush (Specify): 7 Days																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
IA1	7/28/15	7:45	7:45	30	4.5	70	70	-30	-3.5	10613	10300	6 L	50	VL042562.D	1	1													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYLCHLORIDE Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : No																													
Canisters Shipped by: SALES				Date/Time: 7/24/15				Canisters Received by: OR				Date/Time: 7/28/15 1300																	
Samples Relinquished by: FOR				Date/Time: 7/28/15				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

New Jersey Department of Environmental Protection

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample			
Laboratory: <u>Chemtech</u>		Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>	
QA66:		Title: <u>Sample Custodian</u>	
Field Sample Seal No. <u>Q2712</u> 739 Nostrand Ave, Brooklyn, NY		Date Broken <u>7/28/2025</u> Military Time Seal Broken: <u>13:00:00</u>	
Case No.: <u>50 Jefferson Blvd, Staten I</u>		Analytical Parameter/Fraction <u>WOCMS Group2</u>	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q2712-01	SV1		
Q2712-02	SV2		
Q2712-03	SV3		
Q2712-04	IA2		
Q2712-05	IA3		
Q2712-06	OA1		
Q2712-07	IA1		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
7/28/25	1415	Signature 	Signature 	
		Printed Name <u>Cassanova Rene</u>	Printed Name <u>San Seth, Yeon</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy