

Client Contact Information				Bottle Order ID : B2507029				Courier : F. Galdun				1 of 7 COCs																												
Client ID : GFEL01 Project ID : 10 Eldridge St.				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix																												
Customer : GFE LLC Name : Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																																
				Phone Number : 646-542-3465																																				
				Fax Number : 973-334-1692																																				
				Site Details: 739 NOSTRAND AVE BROOKLYN, NY																																				
Analysis Turnaround Time 7 DAY				Standard : 10 Business days OR				Data Package Type : RESULTS ONLY																																
Rush (Specify): 7 Days				EDD Type : PDF																																				
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas																								
SU1	7/28/25	7:26g	7:40g	OVER 30	5	70	70	-30	-42	10226	10607	6 L	50	VL042562.D	1	1																								
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop					Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15)						
	Ambient	Maximum	Minimum																																					
Start																																								
Stop																																								
	Ambient	Maximum	Minimum																																					
Start																																								
Stop																																								
										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.																														
Special Instructions/QC Requirements & Comments :																																								
Suspected Contamination: High Medium Low PID Readings: 0,1																																								
Sampling site (State):																																								
Quick Connector required : NO																																								
Canisters Shipped by: Sam				Date/Time: 7/24/25				Canisters Received by: CP				Date/Time: 7/28/25 13:00																												
Samples Relinquished by: FRAN				Date/Time: 7/28/25				Received by:				Date/Time:																												
Relinquished by:				Date/Time:				Received by:				Date/Time:																												
B2507029 - 9																																								

Client Contact Information				Bottle Order ID : B2507029				Courier : F. Galdun				<u>2</u> of <u>7</u> COCs			
Client ID : GFEL01				Project ID : 10 Exchange St.				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 739 Nostrand Ave Brooklyn, NY											
				Analysis Turnaround Time 1 DAY				Data Package Type : RESULTS ONLY							
				Standard : 30 business days OR				EDD Type : PDF							
Rush (Specify): #7 Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV2	1/28/25	7:36	9:36	0.52	5.5	70	70	-30	-4.7	10649	10282	6 L	50	VL042562.D	1		1

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

**** Submittal of this COC indicates approval of the analysis based on existing conditions.**

REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.1

Sampling site (State):

Quick Connector required : No

Canisters Shipped by: <u>Sam</u>	Date/Time: <u>07/24/25</u>	Canisters Received by:	Date/Time: <u>7/28/25</u> <u>BAO</u>
Samples Relinquished by:	Date/Time:	Received by: <u>CR</u>	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

Client Contact Information				Bottle Order ID : B2507029				Courier : FGaldun				<u>3</u> of <u>7</u> COCs			
Client ID : GFEL01 Project ID : 10 Eldridge St.				Sampler Name(s) : FRANK Galdun				Analysis				Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 739 NOSTRAND AVE BROOKLYN, NY											
				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY							
				Standard : 10 business days OR				EDD Type : PDF							
Rush (Specify): 7 Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV3	7/28/25	7:41	9:41	30	4	70	70	-30	-5.1	10503	10320	6 L	50	VL042562.D	/		/

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: 0.0

Sampling site (State):

Quick Connector required : NO

Canisters Shipped by: <u>Sam</u>	Date/Time: <u>7/24/25</u>	Canisters Received by: <u>CP</u>	Date/Time: <u>7/28/25 1300</u>
Samples Relinquished by: <u>FG</u>	Date/Time: <u>7/28/25</u>	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2507029 - 6

Client Contact Information				Bottle Order ID : B2507029				Courier : FGALDUN				5 of 7 COCs																	
Client ID : GFEL01 Project ID : 40 Eldridge St.				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix																	
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 739 Nostrand Ave Brooklyn NY																									
				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY																					
				Standard : 10 business days OR				EDD Type : PDF																					
Rush (Specify): 7 Days																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas												
IAZ	7/28/25	7:46	9:46	OVER 30	5	70	70	-30	-5.1	10511	10275	6 L	50	VL042600.D	1	1													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) Sut							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCP, 1,1-DCP, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: OP																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: Sams				Date/Time: 7/24/25				Canisters Received by: OP				Date/Time: 7/28/25 1300																	
Samples Relinquished by: FRANK				Date/Time: 7/28/25				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2507029				Courier : F GALDUN				6 of 7 COCs			
Client ID : GFEL01				Project ID : 10 Eldridge St.				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Phone Number : 646-542-3465											
				Fax Number : 973-334-1692											
				Site Details: 139 NOSTRAND AVE BROOKLYN, NY											
				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY							
				Standard : 10 business days OR				EDD Type : PDF							
Rush (Specify): 7 Days															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas
IAB3	7/28/25	9:48	10:48	3.5	3.5	70	70	-30	-4.7	10525	10445	6 L	50	VL042562.D	1	1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	

Special Instructions/QC Requirements & Comments :
Suspected Contamination: High Medium Low PID Readings: 00
Sampling site (State):
Quick Connector required : **No**

Canisters Shipped by:	Date/Time: 07/24/25	Canisters Received by:	Date/Time: 7/28/25 1300
Samples Relinquished by:	Date/Time: 7/28/25	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2507029 - 8

Client Contact Information				Bottle Order ID : B2507029				Courier : FGALDUN				<u>7</u> of <u>7</u> COCs																									
Client ID : GFEL01 Project ID : 10 Eldridge St.				Sampler Name(s) FRANK GALDUN				Analysis				Matrix																									
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																													
				Phone Number : 646-542-3465																																	
				Fax Number : 973-334-1692																																	
				Site Details: 739 NOSTRAND AVE BROOKLYN, NY																																	
Analysis Turnaround Time 7 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY																													
Rush (Specify): 7 Days				EDD Type : PDF																																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas																				
OA1	7/24/25	5:52	9:52	over 30	2	---	---	-30	-4.3	10579	10158	6 L	50	VL042562.D	1	1																					
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="5">Temperature (Fahrenheit)</th> </tr> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> <th></th> </tr> <tr> <td>Start</td> <td>80</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>83</td> <td></td> <td></td> <td></td> </tr> </table>										Temperature (Fahrenheit)						Ambient	Maximum	Minimum		Start	80				Stop	83				GC/MS Analyst Signature (TO-15) 							
Temperature (Fahrenheit)																																					
	Ambient	Maximum	Minimum																																		
Start	80																																				
Stop	83																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="5">Pressure (Inches of Hg)</th> </tr> <tr> <th></th> <th>Ambient</th> <th>Maximum</th> <th>Minimum</th> <th></th> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>										Pressure (Inches of Hg)						Ambient	Maximum	Minimum		Start					Stop					** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DEE, 1,1-DEE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.							
Pressure (Inches of Hg)																																					
	Ambient	Maximum	Minimum																																		
Start																																					
Stop																																					
Special Instructions/QC Requirements & Comments :																																					
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																																					
Sampling site (State):																																					
Quick Connector required : <u>No</u>																																					
Canisters Shipped by: <u>Sam</u>				Date/Time: <u>7/24/25</u>				Canisters Received by: <u>OP</u>				Date/Time: <u>7/28/25 1300</u>																									
Samples Relinquished by: <u>Frank</u>				Date/Time: <u>7/28/25</u>				Received by:				Date/Time:																									
Relinquished by:				Date/Time:				Received by:				Date/Time:																									

Client Contact Information				Bottle Order ID : B2507029				Courier : FGALDUN				4 of 7 COCs																	
Client ID : GFEL01 Project ID : 10 Bridge St.				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix																	
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 739 Nostrand Ave Brooklyn NY																									
				Analysis Turnaround Time 7 DAY				Data Package Type : RESULTS ONLY																					
				Standard : to business days OR				EDD Type : PDF																					
Rush (Specify): 7 Days																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
IA1	7/28/15	7:45	7:45	30	4.5	70	70	-30	-3.5	10613	10300	6 L	50	VL042562.D	1	1													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) 							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYLCHLORIDE Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : No																													
Canisters Shipped by: SA				Date/Time: 7/24/15				Canisters Received by: OR				Date/Time: 7/28/15 1300																	
Samples Relinquished by: FOR				Date/Time: 7/28/15				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	