

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	739 Nostrand Ave, Brooklyn, NY	Date Received:	
Client Sample ID:	VL0729ABS01	SDG No.:	Q2712
Lab Sample ID:	VL0729ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	VOCMS Group2
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042775.D	1		07/29/25 10:03	vl072925

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	8.00	20.4		0.080	0.080	ug/m3
75-35-4	1,1-Dichloroethene	8.50	33.7		0.59	1.98	ug/m3
156-59-2	cis-1,2-Dichloroethene	9.60	38.1		0.40	1.98	ug/m3
71-55-6	1,1,1-Trichloroethane	9.50	51.8		0.11	0.16	ug/m3
79-01-6	Trichloroethene	9.70	52.1		0.11	0.16	ug/m3
127-18-4	Tetrachloroethene	9.30	63.1		0.14	0.20	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.5			65 - 135	105%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	148000		2.787			
540-36-3	1,4-Difluorobenzene	406000		3.962			
3114-55-4	Chlorobenzene-d5	362000		8.888			

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements