

Hit Summary Sheet SW-846

SDG No.: Q2729
Client: Tully Environmental, Inc

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: Q2729-01	001 willets Pt Blvd(june) 001 willets Pt Blvd(Water		Toluene	93.4		0.46	5.00	ug/L
			Total Voc :	93.4				
			Total Concentration:	93.4				
Client ID: Q2729-02	002 35th Ave(june) 002 35th Ave(june) Water		Toluene	71.2		0.46	5.00	ug/L
			Total Voc :	71.2				
			Total Concentration:	71.2				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Tully Environmental, Inc		Date Collected:	07/29/25	
Project:	Transfer Station-SPDES		Date Received:	07/30/25	
Client Sample ID:	001 willets Pt Blvd(june)		SDG No.:	Q2729	
Lab Sample ID:	Q2729-01		Matrix:	Water	
Analytical Method:	E624.1		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-BTEX	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087441.D	1	07/30/25 13:45	VN073025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
71-43-2	Benzene	0.45	U	0.45	5.00	ug/L
108-88-3	Toluene	93.4		0.46	5.00	ug/L
100-41-4	Ethyl Benzene	0.56	U	0.56	5.00	ug/L
179601-23-1	m/p-Xylenes	1.30	U	1.30	10.0	ug/L
95-47-6	o-Xylene	0.67	U	0.67	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	30.9		91 - 110	103%	SPK: 30
2037-26-5	Toluene-d8	30.6		91 - 112	102%	SPK: 30
460-00-4	4-Bromofluorobenzene	27.2		63 - 112	91%	SPK: 30
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	40100	7.794			
540-36-3	1,4-Difluorobenzene	218000	9.082			
3114-55-4	Chlorobenzene-d5	192000	11.847			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Tully Environmental, Inc		Date Collected:	07/29/25	
Project:	Transfer Station-SPDES		Date Received:	07/30/25	
Client Sample ID:	002 35th Ave(june)		SDG No.:	Q2729	
Lab Sample ID:	Q2729-02		Matrix:	Water	
Analytical Method:	E624.1		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-BTEX	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087442.D	1	07/30/25 14:06	VN073025

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
71-43-2	Benzene	0.45	U	0.45	5.00	ug/L
108-88-3	Toluene	71.2		0.46	5.00	ug/L
100-41-4	Ethyl Benzene	0.56	U	0.56	5.00	ug/L
179601-23-1	m/p-Xylenes	1.30	U	1.30	10.0	ug/L
95-47-6	o-Xylene	0.67	U	0.67	5.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	32.3		91 - 110	108%	SPK: 30
2037-26-5	Toluene-d8	30.8		91 - 112	103%	SPK: 30
460-00-4	4-Bromofluorobenzene	27.8		63 - 112	93%	SPK: 30
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	47300	7.794			
540-36-3	1,4-Difluorobenzene	268000	9.082			
3114-55-4	Chlorobenzene-d5	236000	11.847			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2729	OrderDate:	7/30/2025 12:23:00 PM
Client:	Tully Environmental, Inc	Project:	Transfer Station-SPDES
Contact:	Dean Devoe	Location:	O21,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2729-01	001 willets Pt Blvd(june)	Water			07/29/25			07/30/25
			VOC-BTEX	624.1			07/30/25	
Q2729-02	002 35th Ave(june)	Water			07/29/25			07/30/25
			VOC-BTEX	624.1			07/30/25	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2729 **Order ID:** Q2729
Client: Tully Environmental, Inc **Project ID:** Transfer Station-SPDES

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : 001 willets Pt Blvd(june)								
Q2729-01	001 willets Pt Blvd(june)	Water	Copper	20.2		1.89	10.0	ug/L
Q2729-01	001 willets Pt Blvd(june)	Water	Iron	3550		18.0	50.0	ug/L
Q2729-01	001 willets Pt Blvd(june)	Water	Lead	13.0		1.21	6.00	ug/L
Client ID : 002 35th Ave(june)								
Q2729-02	002 35th Ave(june)	Water	Copper	21.4		1.89	10.0	ug/L
Q2729-02	002 35th Ave(june)	Water	Iron	3650		18.0	50.0	ug/L
Q2729-02	002 35th Ave(june)	Water	Lead	13.7		1.21	6.00	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	07/29/25
Project:	Transfer Station-SPDES	Date Received:	07/30/25
Client Sample ID:	001 willets Pt Blvd(june)	SDG No.:	Q2729
Lab Sample ID:	Q2729-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	20.2	1	1.89		10.0	ug/L	07/30/25 14:05	07/31/25 15:37	EPA 200.7	
7439-89-6	Iron	3550	1	18.0		50.0	ug/L	07/30/25 14:05	07/31/25 15:37	EPA 200.7	
7439-92-1	Lead	13.0	1	1.21		6.00	ug/L	07/30/25 14:05	07/31/25 15:37	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group 10			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	07/29/25
Project:	Transfer Station-SPDES	Date Received:	07/30/25
Client Sample ID:	002 35th Ave(june)	SDG No.:	Q2729
Lab Sample ID:	Q2729-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-50-8	Copper	21.4		1	1.89	10.0	ug/L	07/30/25 14:05	07/31/25 15:41	EPA 200.7	
7439-89-6	Iron	3650		1	18.0	50.0	ug/L	07/30/25 14:05	07/31/25 15:41	EPA 200.7	
7439-92-1	Lead	13.7		1	1.21	6.00	ug/L	07/30/25 14:05	07/31/25 15:41	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group 10			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2729	OrderDate:	7/30/2025 12:23:00 PM
Client:	Tully Environmental, Inc	Project:	Transfer Station-SPDES
Contact:	Dean Devoe	Location:	O21,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2729-01	001 willets Pt Blvd(june)	Water			07/29/25			07/30/25
			Metals Group 10	200.7		07/30/25	07/31/25	
Q2729-02	002 35th Ave(june)	Water			07/29/25			07/30/25
			Metals Group 10	200.7		07/30/25	07/31/25	



A

B

C

SAMPLE DATA

Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	07/29/25 11:30
Project:	Transfer Station-SPDES	Date Received:	07/30/25
Client Sample ID:	001 willets Pt Blvd(june)	SDG No.:	Q2729
Lab Sample ID:	Q2729-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TSS	61.3		1	1.00	4.00	mg/L		07/31/25 10:00	SM 2540 D-20

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	07/29/25 11:30
Project:	Transfer Station-SPDES	Date Received:	07/30/25
Client Sample ID:	002 35th Ave(june)	SDG No.:	Q2729
Lab Sample ID:	Q2729-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TSS	64.0		1	1.00	4.00	mg/L		07/31/25 10:00	SM 2540 D-20

Comments: _____

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2729	OrderDate:	7/30/2025 12:23:00 PM
Client:	Tully Environmental, Inc	Project:	Transfer Station-SPDES
Contact:	Dean Devoe	Location:	O21,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2729-01	001 willets Pt Blvd(june)	WATER			07/29/25 11:30			07/30/25
			TSS	SM2540 D			07/31/25 10:00	
Q2729-02	002 35th Ave(june)	WATER			07/29/25 11:30			07/30/25
			TSS	SM2540 D			07/31/25 10:00	