

## Cover Page

**Order ID :** Q2730

**Project ID :** Transfer Station-SPDES

**Client :** Tully Environmental, Inc

**Lab Sample Number**

Q2730-01  
Q2730-02

**Client Sample Number**

001 willets Pt Blvd(july)  
002 35th Ave(july)

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 8/4/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

<b>J</b>	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
<b>U</b>	Indicates the analyte was analyzed for, but not detected.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>E</b>	Indicates the reported value is estimated because of the presence of interference
<b>M</b>	Indicates Duplicate injection precision not met.
<b>N</b>	Indicates the spiked sample recovery is not within control limits.
<b>S</b>	Indicates the reported value was determined by the Method of Standard Addition (MSA).
<b>*</b>	Indicates that the duplicate analysis is not within control limits.
<b>+</b>	Indicates the correlation coefficient for the MSA is less than 0.995.
<b>D</b>	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
<b>M</b>	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
<b>OR</b>	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements
<b>H</b>	Sample Analysis Out Of Hold Time

**APPENDIX A**

**QA REVIEW GENERAL DOCUMENTATION**

Project #: Q2730

Completed

For thorough review, the report must have the following:

**GENERAL:**

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

**COVER PAGE:**

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

**CHAIN OF CUSTODY:**

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

**ANALYTICAL:**

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: MAHESH PATEL

Date: 08/04/2025

## LAB CHRONICLE

<b>OrderID:</b>	Q2730	<b>OrderDate:</b>	7/30/2025 12:28:00 PM
<b>Client:</b>	Tully Environmental, Inc	<b>Project:</b>	Transfer Station-SPDES
<b>Contact:</b>	Dean Devoe	<b>Location:</b>	O41,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2730-01	001 willets Pt Blvd(july)	WATER			07/29/25 11:30	07/30/25		07/30/25
			Ammonia	SM4500-NH3				
			BOD5	SM5210 B				
			Oil and Grease	1664A				
			TSS	SM2540 D				
Q2730-01DL	001 willets Pt Blvd(july)DL	WATER			07/29/25 11:30	07/30/25	07/31/25 11:14	07/30/25
			Ammonia	SM4500-NH3				
Q2730-02	002 35th Ave(july)	WATER			07/29/25 11:30	07/30/25	07/31/25 10:38	07/30/25
			Ammonia	SM4500-NH3				
			BOD5	SM5210 B				
			Oil and Grease	1664A				
			TSS	SM2540 D				
Q2730-02DL	002 35th Ave(july)DL	WATER			07/29/25 11:30	07/30/25	07/31/25 11:14	07/30/25
			Ammonia	SM4500-NH3				



# SAMPLE DATA

## Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	07/29/25 11:30
Project:	Transfer Station-SPDES	Date Received:	07/30/25
Client Sample ID:	001 willets Pt Blvd(july)	SDG No.:	Q2730
Lab Sample ID:	Q2730-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	6.30	OR	1	0.030	0.10	mg/L	07/30/25 13:30	07/31/25 10:38	SM 4500-NH3 B plus G-21
BOD5	205		1	0.20	2.00	mg/L		07/30/25 16:40	SM 5210 B-16
Oil and Grease	19.4		1	0.29	5.00	mg/L		07/31/25 09:35	1664A
TSS	279		1	1.00	4.00	mg/L		07/31/25 10:00	SM 2540 D-20

Comments: \_\_\_\_\_

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	07/29/25 11:30
Project:	Transfer Station-SPDES	Date Received:	07/30/25
Client Sample ID:	001 willets Pt Blvd(july)DL	SDG No.:	Q2730
Lab Sample ID:	Q2730-01DL	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	6.00	D	5	0.15	0.50	mg/L	07/30/25 13:30	07/31/25 11:14	SM 4500-NH3 B plus G-21

Comments: \_\_\_\_\_

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

## Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	07/29/25 11:30
Project:	Transfer Station-SPDES	Date Received:	07/30/25
Client Sample ID:	002 35th Ave(july)	SDG No.:	Q2730
Lab Sample ID:	Q2730-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	6.40	OR	1	0.030	0.10	mg/L	07/30/25 13:30	07/31/25 10:38	SM 4500-NH3 B plus G-21
BOD5	232		1	0.20	2.00	mg/L		07/30/25 16:40	SM 5210 B-16
Oil and Grease	18.5		1	0.29	5.00	mg/L		07/31/25 09:35	1664A
TSS	225		1	1.00	4.00	mg/L		07/31/25 10:00	SM 2540 D-20

Comments: \_\_\_\_\_

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



## Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	07/29/25 11:30
Project:	Transfer Station-SPDES	Date Received:	07/30/25
Client Sample ID:	002 35th Ave(july)DL	SDG No.:	Q2730
Lab Sample ID:	Q2730-02DL	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	5.90	D	5	0.15	0.50	mg/L	07/30/25 13:30	07/31/25 11:14	SM 4500-NH3 B plus G-21

Comments: \_\_\_\_\_

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits



# QC RESULT SUMMARY

## Initial and Continuing Calibration Verification

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Project:** Transfer Station-SPDES

**RunNo.:** LB136664

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: <b>ICV1</b> Ammonia as N	mg/L	1	1	100	90-110	07/31/2025
Sample ID: <b>CCV1</b> Ammonia as N	mg/L	1	1	100	90-110	07/31/2025
Sample ID: <b>CCV2</b> Ammonia as N	mg/L	1	1	100	90-110	07/31/2025
Sample ID: <b>CCV3</b> Ammonia as N	mg/L	0.98	1	98	90-110	07/31/2025

## Initial and Continuing Calibration Verification

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Project:** Transfer Station-SPDES

**RunNo.:** LB136664

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
---------	-------	--------	------------	---------------	---------------------------	------------------

### Initial and Continuing Calibration Blank Summary

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Project:** Transfer Station-SPDES

**RunNo.:** LB136664

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: <b>ICB1</b> Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	07/31/2025
Sample ID: <b>CCB1</b> Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	07/31/2025
Sample ID: <b>CCB2</b> Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	07/31/2025
Sample ID: <b>CCB3</b> Ammonia as N	mg/L	< 0.0500	0.0500	U	0.030	0.1	07/31/2025

### Initial and Continuing Calibration Blank Summary

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Project:** Transfer Station-SPDES

**RunNo.:** LB136664

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
---------	-------	--------	----------------------	--------------	-----	-----	------------------

## Preparation Blank Summary

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Project:** Transfer Station-SPDES

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: <b>LB136657BL</b> BOD5	mg/L	< 0.2000	0.2000	U	0.20	2.0	07/30/2025
Sample ID: <b>LB136659BL</b> Oil and Grease	mg/L	< 2.5000	2.5000	U	0.29	5.0	07/31/2025
Sample ID: <b>LB136662BL</b> TSS	mg/L	1	2.0000	J	1	4	07/31/2025
Sample ID: <b>PB169056BL</b> Ammonia as N	mg/L	< 0.0500	0.0500	U	0.03	0.1	07/31/2025

## Matrix Spike Summary

<b>Client:</b>	Tully Environmental, Inc	<b>SDG No.:</b>	Q2730
<b>Project:</b>	Transfer Station-SPDES	<b>Sample ID:</b>	Q2698-01
<b>Client ID:</b>	EFFLUENTMS	<b>Percent Solids for Spike Sample:</b>	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	28.2		8.10		20.0	1	101		07/31/2025



## Matrix Spike Summary

<b>Client:</b>	Tully Environmental, Inc	<b>SDG No.:</b>	Q2730
<b>Project:</b>	Transfer Station-SPDES	<b>Sample ID:</b>	Q2698-01
<b>Client ID:</b>	EFFLUENTMSD	<b>Percent Solids for Spike Sample:</b>	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	28.4		8.10		20.0	1	102		07/31/2025

## Matrix Spike Summary

<b>Client:</b>	Tully Environmental, Inc	<b>SDG No.:</b>	Q2730
<b>Project:</b>	Transfer Station-SPDES	<b>Sample ID:</b>	Q2702-01
<b>Client ID:</b>	MH-7-25-25MS	<b>Percent Solids for Spike Sample:</b>	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	167		147		20.0	1	101		07/31/2025

## Matrix Spike Summary

<b>Client:</b>	Tully Environmental, Inc	<b>SDG No.:</b>	Q2730
<b>Project:</b>	Transfer Station-SPDES	<b>Sample ID:</b>	Q2702-01
<b>Client ID:</b>	MH-7-25-25MSD	<b>Percent Solids for Spike Sample:</b>	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	167		147		20.0	1	101		07/31/2025

### Matrix Spike Summary

<b>Client:</b>	Tully Environmental, Inc	<b>SDG No.:</b>	Q2730
<b>Project:</b>	Transfer Station-SPDES	<b>Sample ID:</b>	Q2730-02
<b>Client ID:</b>	002 35th Ave(july)MS	<b>Percent Solids for Spike Sample:</b>	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Ammonia as N	mg/L	75-125	7.60	OR	6.40	OR	1	1	120		07/31/2025

## Matrix Spike Summary

<b>Client:</b>	Tully Environmental, Inc	<b>SDG No.:</b>	Q2730
<b>Project:</b>	Transfer Station-SPDES	<b>Sample ID:</b>	Q2730-02
<b>Client ID:</b>	002 35th Ave(july)MSD	<b>Percent Solids for Spike Sample:</b>	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Ammonia as N	mg/L	75-125	7.60	OR	6.40	OR	1	1	120		07/31/2025

## Duplicate Sample Summary

<b>Client:</b> Tully Environmental, Inc	<b>SDG No.:</b> Q2730
<b>Project:</b> Transfer Station-SPDES	<b>Sample ID:</b> Q2698-01
<b>Client ID:</b> EFFLUENTMSD	<b>Percent Solids for Spike Sample:</b> 0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Oil and Grease	mg/L	+/-18	28.2		28.4		1	0.71		07/31/2025

### Duplicate Sample Summary

<b>Client:</b>	Tully Environmental, Inc	<b>SDG No.:</b>	Q2730
<b>Project:</b>	Transfer Station-SPDES	<b>Sample ID:</b>	Q2702-01
<b>Client ID:</b>	MH-7-25-25MSD	<b>Percent Solids for Spike Sample:</b>	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Oil and Grease	mg/L	+/-18	167		167		1	0.06		07/31/2025

### Duplicate Sample Summary

<b>Client:</b>	Tully Environmental, Inc	<b>SDG No.:</b>	Q2730
<b>Project:</b>	Transfer Station-SPDES	<b>Sample ID:</b>	Q2725-02
<b>Client ID:</b>	CompDUP	<b>Percent Solids for Spike Sample:</b>	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
TSS	mg/L	+/-5	744		750		1	0.8		07/31/2025



## Duplicate Sample Summary

<b>Client:</b> Tully Environmental, Inc	<b>SDG No.:</b> Q2730
<b>Project:</b> Transfer Station-SPDES	<b>Sample ID:</b> Q2730-01
<b>Client ID:</b> 001 willets Pt Blvd(july)DUP	<b>Percent Solids for Spike Sample:</b> 0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
BOD5	mg/L	+/-20	205		196		1	4.79		07/30/2025

## Duplicate Sample Summary

<b>Client:</b>	Tully Environmental, Inc	<b>SDG No.:</b>	Q2730
<b>Project:</b>	Transfer Station-SPDES	<b>Sample ID:</b>	Q2730-02
<b>Client ID:</b>	002 35th Ave(july)DUP	<b>Percent Solids for Spike Sample:</b>	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Ammonia as N	mg/L	+/-20	6.40	OR	6.50	OR	1	2		07/31/2025
Ammonia as N	mg/L	+/-20	5.90	D	6.30	D	5	7		07/31/2025

### Duplicate Sample Summary

<b>Client:</b>	Tully Environmental, Inc	<b>SDG No.:</b>	Q2730
<b>Project:</b>	Transfer Station-SPDES	<b>Sample ID:</b>	Q2730-02
<b>Client ID:</b>	002 35th Ave(july)MSD	<b>Percent Solids for Spike Sample:</b>	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/ AD	Qual	Analysis Date
Ammonia as N	mg/L	+/-20	7.60	OR	7.60	OR	1	0		07/31/2025

### Laboratory Control Sample Summary

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Project:** Transfer Station-SPDES

**Run No.:** LB136657

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136657BS							
BOD5	mg/L	198	192		97	1	84.6-115.4	07/30/2025

### Laboratory Control Sample Summary

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Project:** Transfer Station-SPDES

**Run No.:** LB136659

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136659BS							
Oil and Grease	mg/L	20.0	16.9		84	1	78-114	07/31/2025

### Laboratory Control Sample Summary

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Project:** Transfer Station-SPDES

**Run No.:** LB136662

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136662BS							
TSS	mg/L	550	533		97	1	90-110	07/31/2025

### Laboratory Control Sample Summary

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Project:** Transfer Station-SPDES

**Run No.:** LB136664

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	PB169056BS							
Ammonia as N	mg/L	1	1.00		100	1	90-110	07/31/2025



# RAW DATA



# BOD5 LOG

ANALYST: rubin  
SUPERVISOR: Iwona

Reviewed By:Iwona  
On:8/4/2025 2:39:03  
PM  
Inst Id :DO METER  
LB :LB136657

QC BATCH ID: LB136657  
BOD Water: WP114126  
Starch: W3149  
Sulfuric acid, 1N: WP112832  
POLYSEED: WP114128  
GGA: WP114127  
Chlorine Strips: W3155  
pH Strips: W3215

Analysis Date: 07/30/2025  
MANGANOUS SULFATE SOLUTION: W3103  
Alkaline Iodide Azide: W3109  
Sodium Thiosulfate, 0.025N: W3105  
NaOH, 1N: WP113878  
IncubatorID: INCUBATOR #3  
GuageID: 0511064  
Zero DO: WP114055

Lab SampleID	Client ID	Bottle No.	VOL. ML	Initial Reading (ML)	Final Reading (ML)	Difference	Average
WINKLER 1	WINKLER 1	1	300	0.0	9.7	9.7	9.7
WINKLER 2	WINKLER 2	2	300	9.9	19.6	9.7	9.7

Meter Calibration1: 9.42      Zero DO Reading1: 0.15 mg/L (<=0.2 Criteria)  
Barometric Pressure1: 760 mmHg      DO Meter BOD fluid reading for winkler comparison: 9.79

## After Incubation

Meter Calibration2: 8.47      Zero DO Reading2: 0.15 mg/L (<=0.2 Criteria)  
Barometric Pressure2: 765 mmHg



QC BATCH ID: LB136657

INCUBATOR TEMP IN(C): 20.5

INCUBATOR TEMP OUT(C): 19.9

TIME IN: 16:40

TIME OUT: 14:00

DATE IN: 07/30/2025

DATE OUT: 08/04/2025

Lab SampleID	Bottle No.	Check CL	Initial PH	Final PH	Temp °C	Sam Vol. (mL)	D.O.1 Initial	D.O.2 Final	Depletion	BOD Result (mg/L)	Avg Result (mg/L)	Comment
LB136657BL	1	No	6.68	N/A	20.90	300	9.78	9.76	0.02	0.02	0.02	
POLYSEED	1					10	9.76	6.43	3.33	0.67	0.7	
POLYSEED	2					15	9.75	4.21	5.54	0.74		
POLYSEED	3					20	9.72	2.90	6.82	0.68		
GGA	1					6	9.75	5.39	4.36	183	192.17	
GGA	2					6	9.75	5.11	4.64	197		
GGA	3					6	9.72	5.09	4.63	196.5		
Q2725-02	1	No	6.03	6.99	20.70	5	9.70	7.54	2.16	876	952	pH Adjusted
Q2725-02	2					10	9.67	5.71	3.96	978		
Q2725-02	3					20	9.62	2.24	7.38	1002		
Q2725-02	4					30	9.57	0.18	-	0		
Q2730-01	1	No	6.30	7.12	20.60	5	9.72	5.60	4.12	205.2	205.2	pH Adjusted
Q2730-01	2					20	9.38	0.19	-	0		
Q2730-01	3					50	8.71	0.14	-	0		
Q2730-01	4					150	5.35	0.11	-	0		
Q2730-01DUP	1	No	6.30	7.12	20.60	5	9.73	5.77	3.96	195.6	195.6	pH Adjusted
Q2730-01DUP	2					20	9.36	0.24	-	0		
Q2730-01DUP	3					50	8.70	0.17	-	0		
Q2730-01DUP	4					150	5.33	0.08	-	0		
Q2730-02	1	No	6.37	6.89	20.70	5	9.69	5.12	4.57	232.2	232.2	pH Adjusted
Q2730-02	2					20	9.40	0.83	-	0		
Q2730-02	3					50	8.98	0.83	-	0		
Q2730-02	4					150	5.28	0.11	-	0		
Q2733-01	1	No	11.90	7.46	20.10	5	9.67	6.39	3.28	154.8	135.68	pH Adjusted
Q2733-01	2					20	9.48	1.01	8.47	116.55		
Q2733-01	3					50	9.45	0.39	-	0		
Q2733-01	4					150	8.82	0.17	-	0		

NOTE: 2ml POLYSEED added to GGA and all the Samples, but not in Blank.

NOTE (For, CBOD5): 0.16 g Nitrification Inhibitor added to GGA and all the Samples, but not in Blank.

# WORKLIST(Hardcopy Internal Chain)

LB136657

WorkList Name : bod5-7-30

WorkList ID : 191027

Department : Wet-Chemistry

Date : 07-30-2025 12:10:48

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2730-01	001 willets Pt Blvd(july)	Water	BOD5	Cool 4 deg C	TULL01	O41	07/29/2025	SM5210 B
Q2730-02	002 35th Ave(july)	Water	BOD5	Cool 4 deg C	TULL01	O41	07/29/2025	SM5210 B

Date/Time 07/30/2025 14:30  
 Raw Sample Received by: RM wec  
 Raw Sample Relinquished by: J86002

Date/Time 07/30/2025 16:30  
 Raw Sample Received by: J86002  
 Raw Sample Relinquished by: RM wec

# WORKLIST(Hardcopy Internal Chain)

LB136657

WorkList Name : bod5-07-30

WorkList ID : 191028

Department : Wet-Chemistry

Date : 07-30-2025 15:40:50

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2725-02	Comp	Water	BOD5	Cool 4 deg C	ARAM01	O22	07/30/2025	SM5210 B
Q2733-01	TW-WTS-12	Water	BOD5	Cool 4 deg C	ENTA05	O11	07/30/2025	SM5210 B

Date/Time 07/30/2025 16:00  
 Raw Sample Received by: RM wts  
 Raw Sample Relinquished by: RM wts

Date/Time 07/30/2025 16:30  
 Raw Sample Received by: RM wts  
 Raw Sample Relinquished by: RM wts

## Extraction and Analytical Summary Report

**Analysis Method:** 1664A  
**Test:** Oil and Grease  
**Run Number:** LB136659  
**Analysis Date:** 07/31/2025  
**BalanceID:** WC-SC-6  
**OvenID:** EXT OVEN-3

**ANALYST:** jignesh  
**REVIEWED BY:** Iwona  
**Extraction Date:** 07/31/2025  
**Extraction IN Time:** 08:05  
**Extraction OUT Time:** 09:00  
**Thermometer ID:** EXT OVEN#3

Dish #	Lab ID	Client ID	Matrix	pH	Sample Vol (ml)	Final Volume (ml)	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Silica Gel Weight (g)	Weight After Drying (g)	Final Weight After Drying (g)	Change Weight (g)	Result in ppm
1	LB136659BL	LB136659BL	WATER	1.3	1000	100	3.1041	3.1041	0	3.1042	3.1042	0.0001	0.1
2	LB136659BS	LB136659BS	WATER	1.3	1000	100	2.7841	2.7841	0	2.8010	2.8010	0.0169	16.9
3	Q2698-01	EFFLUENT	WATER	1.6	1000	100	3.0433	3.0433	0	3.0514	3.0514	0.0081	8.1
4	Q2698-02	Q2698-01MS	WATER	1.6	1000	100	3.1503	3.1503	0	3.1785	3.1785	0.0282	28.2
5	Q2698-03	Q2698-01MSD	WATER	1.6	1000	100	2.7411	2.7411	0	2.7695	2.7695	0.0284	28.4
6	Q2702-01	MH-7-25-25	WATER	1.6	1000	100	3.0454	3.0454	0	3.1924	3.1924	0.1470	147
7	Q2702-02	Q2702-01MS	WATER	1.6	1000	100	3.1985	3.1985	0	3.3656	3.3656	0.1671	167.1
8	Q2702-03	Q2702-01MSD	WATER	1.6	1000	100	2.0363	2.0363	0	2.2035	2.2035	0.1672	167.2
9	Q2730-01	001 willets Pt Blvd(ju	WATER	1.3	1000	100	3.1230	3.1232	0	3.1424	3.1424	0.0194	19.4
10	Q2730-02	002 35th Ave(july)	WATER	1.3	1000	100	3.1239	3.1239	0	3.1424	3.1424	0.0185	18.5

QC Batch# LB136659

**Test:** Oil and Grease

**Analysis Date:** 07/31/2025

### Chemicals Used:

Chemical Name	Chemical Lot #
HEXANE	W3204
pH Paper 0-14	M6069
Sodium Sulfate	EP2629
1:1 HCL	WP112782
Silica Gel	NA
Sand	NA

### Standards Used:

Standard Name	Amount Used	Standard Lot #
LCSW	2.5 ML	WP112783
LCSWD	NA	NA
MS/MSD	2.5 ML	W0112784

### BALANCE CALIBRATION / OVEN Dessicator Data

Analytical Balance ID # : WC SC-6

## Before Analysis

0.0020 gram Balance: 0.0018 (0.0018-0.0022) In OVEN TEMP1 : 71 °C Dessicator Time In1 : 10:26

1.0000 gram Balance: 1.0004 (0.9950-1.0050) In Time1: 09:35

Bal Check Time: 08:15 Out OVEN TEMP1: 71 °C Dessicator Time Out1: 11:00

Out Time1: 10:25

## After Analysis

0.0020 gram Balance: 0.0019 (0.0018-0.0022) In OVEN TEMP2 : 71 °C Dessicator Time In2 : 12:01

1.0000 gram Balance: 1.0003 (0.9950-1.0050) In Time2: 11:30

Bal Check Time: 12:31 Out OVEN TEMP2: 71 °C Dessicator Time Out2: 12:30

Out Time2: 12:00

# WORKLIST(Hardcopy Internal Chain)

LB 136659

WorkList Name : OIL & GREASE Q2730      WorkList ID : 191030      Department : Wet-Chemistry      Date : 07-31-2025 07:50:00

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2698-01	E    EFFLUENT	Water	Oil and Grease	Conc H2SO4 to pH < 2	HOLL01	D21	07/25/2025	1664A
Q2698-02	Q2698-01MS	Water	Oil and Grease	Conc H2SO4 to pH < 2	HOLL01	D21	07/25/2025	1664A
Q2698-03	Q2698-01MSD	Water	Oil and Grease	Conc H2SO4 to pH < 2	HOLL01	D21	07/25/2025	1664A
Q2702-01	A    MH-7-25-25	Water	Oil and Grease	Conc H2SO4 to pH < 2	EURO03	D31	07/25/2025	1664A
Q2702-02	Q2702-01MS	Water	Oil and Grease	Conc H2SO4 to pH < 2	EURO03	D31	07/25/2025	1664A
Q2702-03	Q2702-01MSD	Water	Oil and Grease	Conc H2SO4 to pH < 2	EURO03	D31	07/25/2025	1664A
Q2730-01	D    001 willets Pt Blvd(july)	Water	Oil and Grease	Conc H2SO4 to pH < 2	TULL01	O41	07/29/2025	1664A
Q2730-02	D    002 35th Ave(july)	Water	Oil and Grease	Conc H2SO4 to pH < 2	TULL01	O41	07/29/2025	1664A

Date/Time 07/31/25 08:00  
 Raw Sample Received by: [Signature]  
 Raw Sample Relinquished by: [Signature]

Date/Time 07/31/25 16:00  
 Raw Sample Received by: [Signature]  
 Raw Sample Relinquished by: [Signature]

**TOTAL SUSPENDED SOLIDS - SM2540D**

**SUPERVISOR:** Iwona

**ANALYST:** jignesh

**Date:** 07/30/2025

**Run Number:** LB136662

**BalanceID:** WC-SC-6

**OvenID:** WC OVEN-1

**FilterID:** 17416528

**ThermometerID:** WET OVEN#1

**TEMP1 IN:** 104 °C 07/30/2025 14:00 **TEMP1 OUT:** 103 °C 07/30/2025 15:00  
**TEMP2 IN:** 104 °C 07/30/2025 15:30 **TEMP2 OUT:** 104 °C 07/30/2025 16:30  
**TEMP3 IN:** 104 °C 07/31/2025 10:00 **TEMP3 OUT:** 103 °C 07/31/2025 11:30  
**TEMP4 IN:** 104 °C 07/31/2025 12:00 **TEMP4 OUT:** 103 °C 07/31/2025 13:35

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Volume (ml)	1st Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	2nd Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Final Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Weight (g)	Result mg/L
1	LB136662BL	LB136662BL	1.3562	1.3562	100	1.3563	1.3563	1.3563	0.0001	1
2	LB136662BS	LB136662BS	1.5853	1.5853	100	1.6386	1.6386	1.6386	0.0533	533
3	Q2725-02	Comp	1.4883	1.4883	50	1.5255	1.5255	1.5255	0.0372	744
4	Q2725-02DUP	CompDUP	1.4949	1.4949	50	1.5324	1.5324	1.5324	0.0375	750
5	Q2729-01	001 willets Pt Blvd(june)	1.4909	1.4909	300	1.5093	1.5093	1.5093	0.0184	61.3
6	Q2729-02	002 35th Ave(june)	1.4622	1.4622	400	1.4878	1.4878	1.4878	0.0256	64
7	Q2730-01	001 willets Pt Blvd(july)	1.4924	1.4924	100	1.5203	1.5203	1.5203	0.0279	279
8	Q2730-02	002 35th Ave(july)	1.4901	1.4901	100	1.5126	1.5126	1.5126	0.0225	225
9	Q2733-01	TW-WTS-12	1.4819	1.4819	1300	1.4866	1.4866	1.4866	0.0047	3.6

A = Sample Volume (ml)  
 B = Final Empty Dish Weight (g)  
 C = Final Empty Dish + Sample weight after 1.5 hr drying @105°C(g)  
 D = Weight (g)

**Weight (g) = C - B**

**Result mg/L =  $\frac{D}{A} \times 1000 \times 1000$**



# WORKLIST(Hardcopy Internal Chain)

13662

WorkList Name : TSS Q2729      WorkList ID : 191029      Department : Wet-Chemistry      Date : 07-31-2025 07:49:07

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2725-02	Comp	Water	TSS	Cool 4 deg C	ARAM01	O22	07/30/2025	SM2540 D
Q2729-01	001 willets Pt Blvd(june)	Water	TSS	Cool 4 deg C	TULL01	O21	07/29/2025	SM2540 D
Q2729-02	002 35th Ave(june)	Water	TSS	Cool 4 deg C	TULL01	O21	07/29/2025	SM2540 D
Q2730-01	001 willets Pt Blvd(july)	Water	TSS	Cool 4 deg C	TULL01	O41	07/29/2025	SM2540 D
Q2730-02	002 35th Ave(july)	Water	TSS	Cool 4 deg C	TULL01	O41	07/29/2025	SM2540 D
Q2733-01	C, E, TW-WTS-12	Water	TSS	Cool 4 deg C	ENTA05	O11	07/30/2025	SM2540 D

Date/Time 07/31/25 08:00  
 Raw Sample Received by: JDCSM  
 Raw Sample Relinquished by: JDCSM

Date/Time 07/31/25 13:40  
 Raw Sample Received by: JDCSM  
 Raw Sample Relinquished by: JDCSM

LB136664

Test results

Aquakem 7.2AQ1

Page:

Alliance Technical Group  
284 Sheffield Street, Mountainside, NJ 07092

Reviewed by : RM

Instrument ID : Konelab

7/31/2025 11:17

Test: Ammonia-N

Sample Id	Result	Dil. 1 +	Response	Errors
ICV1	1.008	0.0	0.206	
ICB1	0.005	0.0	0.019	
CCV1	1.014	0.0	0.207	
CCB1	0.003	0.0	0.019	
RL CHECK	0.093	0.0	0.035	
PB169056BL	0.003	0.0	0.018	
PB169056BS	1.020	0.0	0.208	
Q2698-01	9.752	0.0	1.836	Test limit high
Q2698-05	9.032	0.0	1.702	Test limit high
Q2730-01	6.347	0.0	1.201	Test limit high
Q2730-02	6.442	0.0	1.219	Test limit high
Q2730-02DUP	6.459	0.0	1.222	Test limit high
Q2730-02MS	7.634	0.0	1.441	Test limit high
Q2730-02MSD	7.631	0.0	1.441	Test limit high
CCV2	1.004	0.0	0.205	
CCB2	0.007	0.0	0.019	
Q2698-01DLX10	0.887	0.0	0.183	
Q2698-05DLX10	0.801	0.0	0.167	
Q2730-01DLX5	1.191	0.0	0.240	
Q2730-02DLX5	1.182	0.0	0.238	
Q2730-02DUPDLX5	1.269	0.0	0.255	
CCV3	0.985	0.0	0.202	
CCB3	0.004	0.0	0.019	

93% (50-150) 07/31/2025  
RM

N 23  
Mean 2.773  
SD 3.3763  
CV% 121.77

Aquakem v. 7.2AQ1

Results from time period:

Thu Jul 31 09:42:41 2025

Thu Jul 31 11:14:58 2025

Sample Id	Sam/Ctr/c	Test short r	Test typ	Result	Result unit	Result date and time	Stat
0.0PPM	A	Ammonia-† P		0.0076	mg/l	7/31/2025 9:42:41	
0.1PPM	A	Ammonia-† P		0.1014	mg/l	7/31/2025 9:42:42	
0.2PPM	A	Ammonia-† P		0.1969	mg/l	7/31/2025 9:42:43	
0.4PPM	A	Ammonia-† P		0.3983	mg/l	7/31/2025 9:42:44	
1.0PPM	A	Ammonia-† P		0.961	mg/l	7/31/2025 9:42:45	
1.3PPM	A	Ammonia-† P		1.3775	mg/l	7/31/2025 9:42:46	
2.0PPM	A	Ammonia-† P		1.9906	mg/l	7/31/2025 9:42:47	
ICV1	S	Ammonia-† P		1.0076	mg/l	7/31/2025 10:27:32	
ICB1	S	Ammonia-† P		0.0053	mg/l	7/31/2025 10:27:34	
CCV1	S	Ammonia-† P		1.0136	mg/l	7/31/2025 10:27:37	
CCB1	S	Ammonia-† P		0.0028	mg/l	7/31/2025 10:27:39	
RL CHECK	S	Ammonia-† P		0.0927	mg/l	7/31/2025 10:27:40	
PB169056BL	S	Ammonia-† P		0.0026	mg/l	7/31/2025 10:38:14	
PB169056BS	S	Ammonia-† P		1.0202	mg/l	7/31/2025 10:38:16	
Q2698-01	S	Ammonia-† P		9.7521	mg/l	7/31/2025 10:38:19	
Q2698-05	S	Ammonia-† P		9.0317	mg/l	7/31/2025 10:38:20	
Q2730-01	S	Ammonia-† P		6.3471	mg/l	7/31/2025 10:38:21	
Q2730-02	S	Ammonia-† P		6.442	mg/l	7/31/2025 10:38:23	
Q2730-02DUP	S	Ammonia-† P		6.4588	mg/l	7/31/2025 10:38:24	
Q2730-02MS	S	Ammonia-† P		7.6335	mg/l	7/31/2025 10:45:28	
Q2730-02MSD	S	Ammonia-† P		7.631	mg/l	7/31/2025 10:45:29	
CCV2	S	Ammonia-† P		1.0043	mg/l	7/31/2025 10:45:31	
CCB2	S	Ammonia-† P		0.0068	mg/l	7/31/2025 10:45:33	
Q2698-01DLX10	S	Ammonia-† P		0.8873	mg/l	7/31/2025 11:14:52	
Q2698-05DLX10	S	Ammonia-† P		0.8005	mg/l	7/31/2025 11:14:53	
Q2730-01DLX5	S	Ammonia-† P		1.1906	mg/l	7/31/2025 11:14:54	
Q2730-02DLX5	S	Ammonia-† P		1.1822	mg/l	7/31/2025 11:14:55	
Q2730-02DUPDLX5	S	Ammonia-† P		1.2691	mg/l	7/31/2025 11:14:56	
CCV3	S	Ammonia-† P		0.9846	mg/l	7/31/2025 11:14:57	
CCB3	S	Ammonia-† P		0.0038	mg/l	7/31/2025 11:14:58	

Calibration results

Aquakem 7.2AQ1

Page: 1

Alliance Technical Group  
284 Sheffield Street, Mountainside, NJ 07092

Reviewed by : RM

Instrument ID : Konelab

7/31/2025 9:53


Test Ammonia-N

Accepted 7/31/2025 9:53

Factor 5.364  
Bias 0.018

Coeff. of det. 0.998924

Errors



	Calibrator	Response	Calc. con.	Conc.	Errors
1	0.00PPM	0.019	0.0076	0.0000	-
2	NH3-2PPM	0.037	0.1014	0.1000	1.4
3	NH3-2PPM	0.055	0.1969	0.2000	-1.6
4	NH3-2PPM	0.092	0.3983	0.4000	-0.4
5	NH3-2PPM	0.197	0.9610	1.0000	-3.9
6	NH3-2PPM	0.275	1.3775	1.3333	6.0
7	NH3-2PPM	0.389	1.9906	2.0000	-0.5

07/31/2025  
RM

SOP ID : MSM4500-NH3 B,G-Ammonia-18

SDG No : N/A

Start Digest Date: 07/30/2025 Time : 13:30 Temp : 150 °C

Matrix : WATER

End Digest Date: 07/30/2025 Time : 14:30 Temp : 160 °C

Pipette ID : WC

*17 batch*  
07/30/2025 15:00 150 °C  
07/30/2025 16:00 160 °C

Balance ID : N/A

Hood ID : HOOD#2

Digestion tube ID : M5595

Block Thermometer ID : WC CYANIDE

Block ID : WC-DIST-BLOCK-1

Filter paper ID : N/A

Prep Technician Signature: *RY*

Weigh By : RM

pH Meter ID : N/A

Supervisor Signature: *12*

Standard Name	MLS USED	STD REF. # FROM LOG
LCSW	1.0ML	WP113889
MS/MSD SPIKE SOL.	1.0ML	WP113888
PBW	50.0ML	W3112
RL CHECK	0.1ML	WP113888
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
BORATE BUFFER	2.5ML	WP113886
NAOH 6N	0.5-2.0ML	WP113887
H2SO4 0.04N	5.0ML	WP112828
pH strip-Ammonia	N/A	W3133
KI-starch paper	N/A	W3155
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

## Extraction Conformance/Non-Conformance Comments:

ALL GLASSWEAR ARE STEAMED OUT AND THERE WERE NO TRACE OF AMMONIA USING NESLER REAGENT WP114104, Due to bad matrix and client history 1ML was taken as an initial volume for Q2698-01,05

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
07/30/2025 16:15	RM CWG	RY CWG
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB169056BL	PBW056	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
PB169056BS	LCS056	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2698-01	EFFLUENT	1	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2698-05	INFLUENT	1	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2730-01	001 WILLETS PT BLVD(JULY)	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2730-02	002 35TH AVE(JULY)	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2730-02DUP	002 35TH AVE(JULY)DUP	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2730-02MS	002 35TH AVE(JULY)MS	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A
Q2730-02MSD	002 35TH AVE(JULY)MSD	50	50	<2	N/A	Negative	N/A	AFTER ADDING 6N NAOH PH IS 9.5	N/A

**Instrument ID:** DO METER

**Daily Analysis Runlog For Sequence/QC Batch ID # LB136657**

Review By	rubina	Review On	8/4/2025 2:38:55 PM
Supervise By	Iwona	Supervise On	8/4/2025 2:39:03 PM
SubDirectory	LB136657	Test	BOD5
<b>STD. NAME</b>	<b>STD REF.#</b>		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	WP114126,W3149,WP112832,W3103,W3109,W3105,WP114128,WP114127,WP113878		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB136657BL	LB136657BL	MB	07/30/25 16:40		rubina	OK
2	LB136657BS	LB136657BS	LCS	07/30/25 16:40		rubina	OK
3	Q2725-02	Comp	SAM	07/30/25 16:40		rubina	OK
4	Q2730-01	001 willets Pt Blvd(july	SAM	07/30/25 16:40		rubina	OK
5	Q2730-01DUP	001 willets Pt Blvd(july	DUP	07/30/25 16:40		rubina	OK
6	Q2730-02	002 35th Ave(july)	SAM	07/30/25 16:40		rubina	OK
7	Q2733-01	TW-WTS-12	SAM	07/30/25 16:40		rubina	OK

**Instrument ID:** WC SC-3

**Daily Analysis Runlog For Sequence/QC Batch ID # LB136659**

Review By	jignesh	Review On	7/31/2025 9:01:09 AM
Supervise By	Iwona	Supervise On	7/31/2025 11:37:13 AM
SubDirectory	LB136659	Test	Oil and Grease
<b>STD. NAME</b>	<b>STD REF.#</b>		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	W3204,M6069,EP2629,WP112782,NA,NA,WP112783,NA,WO112784		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB136659BL	LB136659BL	MB	07/31/25 09:35		jignesh	OK
2	LB136659BS	LB136659BS	LCS	07/31/25 09:35		jignesh	OK
3	Q2698-01	EFFLUENT	SAM	07/31/25 09:35		jignesh	OK
4	Q2698-02	Q2698-01MS	MS	07/31/25 09:35		jignesh	OK
5	Q2698-03	Q2698-01MSD	MSD	07/31/25 09:35		jignesh	OK
6	Q2702-01	MH-7-25-25	SAM	07/31/25 09:35		jignesh	OK
7	Q2702-02	Q2702-01MS	MS	07/31/25 09:35		jignesh	OK
8	Q2702-03	Q2702-01MSD	MSD	07/31/25 09:35		jignesh	OK
9	Q2730-01	001 willets Pt Blvd(july	SAM	07/31/25 09:35		jignesh	OK
10	Q2730-02	002 35th Ave(july)	SAM	07/31/25 09:35		jignesh	OK



**Instrument ID:** WC SC-3

**Daily Analysis Runlog For Sequence/QC Batch ID # LB136662**

Review By	jignesh	Review On	7/31/2025 11:30:55 AM
Supervise By	Iwona	Supervise On	7/31/2025 11:33:07 AM
SubDirectory	LB136662	Test	TSS
<b>STD. NAME</b>	<b>STD REF.#</b>		
ICAL Standard	N/A		
ICV Standard	N/A		
CCV Standard	N/A		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	N/A		
Chk Standard	N/A		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	LB136662BL	LB136662BL	MB	07/31/25 10:00		jignesh	OK
2	LB136662BS	LB136662BS	LCS	07/31/25 10:00		jignesh	OK
3	Q2725-02	Comp	SAM	07/31/25 10:00		jignesh	OK
4	Q2725-02DUP	CompDUP	DUP	07/31/25 10:00		jignesh	OK
5	Q2729-01	001 willets Pt Blvd(jun	SAM	07/31/25 10:00		jignesh	OK
6	Q2729-02	002 35th Ave(june)	SAM	07/31/25 10:00		jignesh	OK
7	Q2730-01	001 willets Pt Blvd(july	SAM	07/31/25 10:00		jignesh	OK
8	Q2730-02	002 35th Ave(july)	SAM	07/31/25 10:00		jignesh	OK
9	Q2733-01	TW-WTS-12	SAM	07/31/25 10:00		jignesh	OK

**Instrument ID:** KONELAB

**Daily Analysis Runlog For Sequence/QC Batch ID # LB136664**

Review By	rubina	Review On	7/31/2025 1:59:38 PM
Supervise By	Iwona	Supervise On	8/1/2025 8:28:27 AM
SubDirectory	LB136664	Test	Ammonia
<b>STD. NAME</b>	<b>STD REF.#</b>		
ICAL Standard	WP114129		
ICV Standard	WP114131		
CCV Standard	WP114130		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP113889		
Chk Standard	WP113852,WP114133,WP113929,WP114132		

Sr#	SampleId	ClientID	QcType	Date	Comment	Operator	Status
1	0.0PPM	0.0PPM	CAL1	07/31/25 09:42		rubina	OK
2	0.1PPM	0.1PPM	CAL2	07/31/25 09:42		rubina	OK
3	0.2PPM	0.2PPM	CAL3	07/31/25 09:42		rubina	OK
4	0.4PPM	0.4PPM	CAL4	07/31/25 09:42		rubina	OK
5	1.0PPM	1.0PPM	CAL5	07/31/25 09:42		rubina	OK
6	1.3PPM	1.3PPM	CAL6	07/31/25 09:42		rubina	OK
7	2.0PPM	2.0PPM	CAL7	07/31/25 09:42		rubina	OK
8	ICV1	ICV1	ICV	07/31/25 10:27		rubina	OK
9	ICB1	ICB1	ICB	07/31/25 10:27		rubina	OK
10	CCV1	CCV1	CCV	07/31/25 10:27		rubina	OK
11	CCB1	CCB1	CCB	07/31/25 10:27		rubina	OK
12	RL	RL	LOQ	07/31/25 10:27		rubina	OK
13	PB169056BL	PB169056BL	MB	07/31/25 10:38		rubina	OK
14	PB169056BS	PB169056BS	LCS	07/31/25 10:38		rubina	OK
15	Q2698-01	EFFLUENT	SAM	07/31/25 10:38	NH3 is high	rubina	Dilution
16	Q2698-05	INFLUENT	SAM	07/31/25 10:38	NH3 is high	rubina	Dilution
17	Q2730-01	001 willets Pt Blvd(july)	SAM	07/31/25 10:38	NH3 is high	rubina	Dilution
18	Q2730-02	002 35th Ave(july)	SAM	07/31/25 10:38	NH3 is high	rubina	Dilution

Instrument ID: KONELAB

**Daily Analysis Runlog For Sequence/QC Batch ID # LB136664**

Review By	rubina	Review On	7/31/2025 1:59:38 PM
Supervise By	Iwona	Supervise On	8/1/2025 8:28:27 AM
SubDirectory	LB136664	Test	Ammonia
<b>STD. NAME</b>	<b>STD REF.#</b>		
ICAL Standard	WP114129		
ICV Standard	WP114131		
CCV Standard	WP114130		
ICSA Standard	N/A		
CRI Standard	N/A		
LCS Standard	WP113889		
Chk Standard	WP113852,WP114133,WP113929,WP114132		

19	Q2730-02DUP	002 35th Ave(july)DUP	DUP	07/31/25 10:38	NH3 is high	rubina	Dilution
20	Q2730-02MS	002 35th Ave(july)MS	MS	07/31/25 10:45		rubina	OK
21	Q2730-02MSD	002 35th Ave(july)MSD	MSD	07/31/25 10:45		rubina	OK
22	CCV2	CCV2	CCV	07/31/25 10:45		rubina	OK
23	CCB2	CCB2	CCB	07/31/25 10:45		rubina	OK
24	Q2698-01DL	EFFLUENTDL	SAM	07/31/25 11:14	10X For NH3	rubina	Confirms
25	Q2698-05DL	INFLUENTDL	SAM	07/31/25 11:14	10X For NH3	rubina	Confirms
26	Q2730-01DL	001 willets Pt Blvd(july)	SAM	07/31/25 11:14	5X For NH3	rubina	Confirms
27	Q2730-02DL	002 35th Ave(july)DL	SAM	07/31/25 11:14	5X For NH3	rubina	Confirms
28	Q2730-02DUPDL	002 35th Ave(july)DUP	DUP	07/31/25 11:14	5X For NH3	rubina	Confirms
29	CCV3	CCV3	CCV	07/31/25 11:14		rubina	OK
30	CCB3	CCB3	CCB	07/31/25 11:14		rubina	OK

## Prep Standard - Chemical Standard Summary

**Order ID :** Q2730

**Test :** Ammonia,BOD5,Oil and Grease,TSS

**Prepbatch ID :** PB169056,

**Sequence ID/Qc Batch ID:** LB136657, LB136659, LB136662, LB136664,

**Standard ID :**

EP2629, WP112611, WP112612, WP112782, WP112783, WP112828, WP112832, WP113852, WP113878, WP113885, WP113886, WP113887, WP113888, WP113889, WP113929, WP114126, WP114127, WP114128, WP114129, WP114130, WP114131, WP114132, WP114133,

**Chemical ID :**

E3875, E3917, M6041, M6069, M6151, W2653, W2654, W2663, W2666, W2817, W2871, W3103, W3105, W3109, W3112, W3113, W3132, W3133, W3144, W3149, W3155, W3195, W3196, W3201, W3204, W3212, W3222, WO 112784,



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
3923	Baked Sodium Sulfate	<a href="#">EP2629</a>	07/28/2025	01/28/2026	RUPESHKUMAR SHAH	Extraction_SCALE_2 (EX-SC-2)	None	Riteshkumar Patel  07/28/2025
<b><u>FROM</u></b> 4000.00000gram of E3875 = Final Quantity: 4000.000 gram								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
153	Ammonia Stock Std. (1000 ppm)	<a href="#">WP112611</a>	04/07/2025	10/07/2025	Rubina Mughal	WETCHEM_SCALE_8 (WC SC-7)	None	Iwona Zarych 04/07/2025
<b><u>FROM</u></b> 3.81900gram of W3196 + 996.18100ml of W3112 = Final Quantity: 1000.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1895	Ammonia Stock Std, 1000PPM-SS	<a href="#">WP112612</a>	04/07/2025	10/07/2025	Rubina Mughal	WETCHEM_S CALE_8 (WC SC-7)	None	Iwona Zarych  04/07/2025
<u>FROM</u>	3.81900gram of W3195 + 996.18100ml of W3112 = Final Quantity: 1000.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
229	1:1 HCL	<a href="#">WP112782</a>	04/22/2025	08/18/2025	Jignesh Parikh	None	None	Iwona Zarych 04/22/2025
<b><u>FROM</u></b> 500.00000ml of M6151 + 500.00000ml of W3112 = Final Quantity: 1.000 L								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
2470	1664A SPIKING SOLN	<a href="#">WP112783</a>	04/22/2025	10/03/2025	Jignesh Parikh	WETCHEM_SCALE_8 (WCS-7)	None	Iwona Zarych 04/22/2025
<u>FROM</u>	1000.00000ml of E3917 + 4.00000gram of W2817 + 4.00000gram of W2871 = Final Quantity: 1000.000 ml							

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1597	0.04 N H2SO4	<a href="#">WP112828</a>	04/25/2025	10/25/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 04/25/2025
<u>FROM</u>	1.00000ml of M6041 + 999.00000ml of W3112 = Final Quantity: 1000.000 ml							

## Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1841	Sulfuric Acid, 1N	<a href="#">WP112832</a>	04/25/2025	10/25/2025	Rubina Mughal	None	WETCHEM_FIPETTE_3 (WC)	Iwona Zarych 04/25/2025

**FROM** 2.80000ml of M6041 + 97.20000ml of W3112 = Final Quantity: 100.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
740	sodium nitroferricyanide for ammonia	<a href="#">WP113852</a>	07/09/2025	08/09/2025	Rubina Mughal	WETCHEM_SCALE_5 (WC SC-5)	None	Iwona Zarych 07/09/2025

**FROM** 0.05000gram of W2666 + 99.95000ml of W3112 = Final Quantity: 100.000 ml



## Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1571	Sodium hydroxide, 1N	<a href="#">WP113878</a>	07/09/2025	12/31/2025	Iwona Zarych	WETCHEM_SCALE_7 (WC SC-6)	None	Jignesh Parikh 07/09/2025

**FROM** 4.00000gram of W3113 + 96.00000ml of W3112 = Final Quantity: 100.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1796	NaOH, 0.1N	<a href="#">WP113885</a>	07/10/2025	12/31/2025	Rubina Mughal	WETCHEM_SCALE_8 (WC SC-7)	None	Iwona Zarych 07/10/2025

**FROM** 4.00000gram of W3113 + 996.00000ml of W3112 = Final Quantity: 1000.000 ml



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1494	BORATE BUFFER	<a href="#">WP113886</a>	07/10/2025	12/31/2025	Rubina Mughal	WETCHEM_S CALE_8 (WC SC-7)	None	Iwona Zarych  07/10/2025
<b><u>FROM</u></b> 0.90250L of W3112 + 9.50000gram of W3201 + 88.00000ml of WP113885 = Final Quantity: 1.000 L								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1471	NaOH Solution, 6N	<a href="#">WP113887</a>	07/10/2025	12/31/2025	Rubina Mughal	WETCHEM_S CALE_8 (WC SC-7)	None	Iwona Zarych  07/10/2025
<b><u>FROM</u></b> 240.00000gram of W3113 + 760.00000ml of W3112 = Final Quantity: 1000.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1322	Ammonia Intermediate Std, 50PPM	<a href="#">WP113888</a>	07/10/2025	08/10/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3 (WC)	Iwona Zarych  07/10/2025
<b><u>FROM</u></b> 95.00000ml of W3112 + 5.00000ml of WP112611 = Final Quantity: 100.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1639	Ammonia Intermediate Std-Second source, 50PPM	<a href="#">WP113889</a>	07/10/2025	08/10/2025	Rubina Mughal	None	WETCHEM_F IPETTE_3 (WC)	Iwona Zarych  07/10/2025
<b><u>FROM</u></b> 95.00000ml of W3112 + 5.00000ml of WP112612 = Final Quantity: 100.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
290	Phenol reagent for Ammonia	<a href="#">WP113929</a>	07/14/2025	12/31/2025	Rubina Mughal	WETCHEM_S CALE_8 (WC SC-7)	None	Iwona Zarych  07/15/2025
<b><u>FROM</u></b> 3.20000gram of W3113 + 8.30000gram of W2663 + 88.80000ml of W3112 = Final Quantity: 100.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
127	BOD Dilution fluid	<a href="#">WP114126</a>	07/30/2025	07/31/2025	Rubina Mughal	None	None	Iwona Zarych 07/31/2025
<u>FROM</u>	18.00000L of W3112 + 3.00000PILLOW of W3144 = Final Quantity: 18.000 L							



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
129	Glutamic acid-glucose mix for BOD	<a href="#">WP114127</a>	07/30/2025	07/31/2025	Rubina Mughal	WETCHEM_SCALE_7 (WCS-6)	None	Iwona Zarych 07/31/2025
<b><u>FROM</u></b> 0.15000gram of W2653 + 0.15000gram of W2654 + 1000.00000ml of W3112 = Final Quantity: 1000.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
128	polyseed seed control	<a href="#">WP114128</a>	07/30/2025	07/31/2025	Rubina Mughal	None	None	Iwona Zarych 07/31/2025
<b><u>FROM</u></b> 1.00000PILLOW of W3212 + 300.00000ml of WP114126 = Final Quantity: 300.000 ml								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
275	Ammonia Calibration Std. (2 ppm)	<a href="#">WP114129</a>	07/31/2025	08/01/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 07/31/2025
<b><u>FROM</u></b> 48.00000ml of W3112 + 2.00000ml of WP113888 = Final Quantity: 50.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
285	Ammonia CCV Std. (1 ppm)	<a href="#">WP114130</a>	07/31/2025	08/01/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3	Iwona Zarych
<b>FROM</b> 49.00000ml of W3112 + 1.00000ml of WP113888 = Final Quantity: 50.000 ml <div></div>								



<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
286	Ammonia ICV Std. (1 ppm)	<a href="#">WP114131</a>	07/31/2025	08/01/2025	Rubina Mughal	None	WETCHEM_PIPETTE_3 (WC)	Iwona Zarych 07/31/2025
<b><u>FROM</u></b> 49.00000ml of W3112 + 1.00000ml of WP113889 = Final Quantity: 50.000 ml								

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
635	EDTA BUFFER FOR AMMONIA	<a href="#">WP114132</a>	07/31/2025	12/31/2025	Rubina Mughal	WETCHEM_SCALE_8 (WC SC-7)	None	Iwona Zarych 07/31/2025
<b><u>FROM</u></b> 5.50000gram of W3113 + 50.00000gram of W3132 + 950.00000ml of W3112 = Final Quantity: 1000.000 ml								

## Wet Chemistry STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
289	Sodium Hypochlorite for Ammonia	<a href="#">WP114133</a>	07/31/2025	12/31/2025	Rubina Mughal	None	None	Iwona Zarych
								08/04/2025

**FROM** 50.00000ml of W3112 + 50.00000ml of W3222 = Final Quantity: 100.000 ml



## CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19631-100 / SODIUM SULFATE, ANHYDROUS, PEST GRADE, 1	417203	01/28/2026	07/28/2025 / RUPESH	01/29/2025 / Rajesh	E3875

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	24H2762008	10/03/2025	04/03/2025 / Rajesh	03/31/2025 / Rajesh	E3917

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	23D2462010	03/20/2028	08/16/2024 / mohan	08/16/2024 / mohan	M6041

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	140440 / TEST PAPERS,PH,0-2.5,.2SENSI, 100PK	80A0441	02/29/2028	09/03/2024 / jignesh	08/19/2024 / Jaswal	M6069

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	08/18/2025	02/18/2025 / Sagar	01/15/2025 / Sagar	M6151

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AC156212500 / GLUTAMIC ACID BIOCHEM REG, 250G	A0405990	01/24/2030	01/24/2020 / apatel	01/24/2020 / apatel	W2653

## CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	D16-500 / DEXTROSE ANHYDROUS ACS REAGENT, 500G(New)	186122A	01/24/2030	01/24/2020 / apatel	01/24/2020 / apatel	W2654

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	P1060-10 / PHENOL, ACS, 500G	2HD0179	01/27/2030	01/27/2020 / apatel	01/27/2020 / apatel	W2663

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	87683 / Sodium Nitroferricyanide 250g	W12F013	02/10/2030	02/10/2020 / apatel	02/10/2020 / apatel	W2666

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	A12244 / Stearic acid, 98%, 100 g	U20E006	04/02/2026	04/02/2021 / apatel	04/02/2021 / apatel	W2817

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	H223-57 / Hexadecane, 99.0%	0000266903	05/04/2027	09/07/2021 / apatel	08/26/2021 / apatel	W2871

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	4620-32 / MANGANOUS SULFATE SOLUTION-364	2403J02	03/31/2026	04/22/2024 / lwona	04/22/2024 / lwona	W3103

## CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL69870-8 / SODIUM THIOSULFATE,0.025N,4LIT RE	4403S13	09/30/2025	04/22/2024 / lwona	04/22/2024 / lwona	W3105

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL04100-4 / Alkaline Iodide Azide, 1 L	1405D67	04/30/2026	05/23/2024 / lwona	05/23/2024 / lwona	W3109

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / lwona	07/03/2024 / lwona	W3112

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-7 / Sodium Hydroxide Pellets 12 Kg	23B1556310	12/31/2025	07/08/2024 / lwona	07/08/2024 / lwona	W3113

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC05050-1 / EDTA, disodium salt, dihydrate 1 lb	2ND0156	07/10/2026	07/26/2024 / lwona	07/26/2024 / lwona	W3132

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	140476 / Test Paper,PH Short Range 9.0/10.0	L23	08/22/2029	08/22/2024 / lwona	08/22/2024 / lwona	W3133

## CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
HACH	1486266 / BOD Nutrient Buffer Pillows, 6 mL concentrate to make 6 L, 50/pk	A4169	06/30/2029	11/20/2024 / rubina	10/01/2024 / lwona	W3144

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	AL70850-8 / Starch Solution, 4L	4408P62	08/31/2026	10/16/2024 / lwona	10/16/2024 / lwona	W3149

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	140730 / TEST PAPER,POT.IOD-STRCH,P K100,CS12	14-860	12/02/2029	12/02/2024 / lwona	12/02/2024 / lwona	W3155

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J0660-1 / AMMONIUM CHLORIDE, ACS, 500G	24L0356561	08/31/2027	03/19/2025 / lwona	03/19/2025 / lwona	W3195

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J0660-1 / AMMONIUM CHLORIDE, ACS, 500G	MKCV1009	09/30/2026	03/19/2025 / lwona	03/19/2025 / lwona	W3196

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J3568-1 / Sodium Borate, 500 gms	BCCL9613	05/31/2029	04/16/2025 / lwona	04/16/2025 / lwona	W3201

### CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L)	25c0362005	04/30/2026	04/22/2025 / jignesh	04/18/2025 / jignesh	W3204

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	136742-80 / POLYSEED	132409	09/30/2026	05/21/2025 / lwona	05/21/2025 / lwona	W3212

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	J9416-1 / Sodium Hypochlorite 500 ml	2506M51	12/31/2025	07/02/2025 / lwona	07/02/2025 / lwona	W3222



# Certificate Of Analysis

Item Number	P1060	Lot Number	2HD0179
Item	Phenol, Loose Crystal, Reagent, ACS		
CAS Number	108-95-2		
Molecular Formula	C <sub>6</sub> H <sub>6</sub> O	Molecular Weight	94.11

Test	Specification		Result
	min	max	
ASSAY (C <sub>6</sub> H <sub>5</sub> OH)	99.0 %		100.02 %
FREEZING POINT (DRY)	40.5 C		40.5°C
CLARITY OF SOLUTION	TO PASS TEST		PASSES TEST
RESIDUE AFTER EVAPORATION		0.05 %	<0.05 %
WATER		0.5 %	0.0087 %
DATE OF MANUFACTURE			06-MAR-2018

Spectrum Chemical Mfg Corp  
755 Jersey Avenue  
New Brunswick 08901 NJ



Certificate Of Analysis Results Certified by

Ibad Tirmizi  
Director of Quality  
Spectrum Chemical Mfg. Corp.

All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.

Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.

Hexadecane, 99.0%



Material No.: H223-57  
Batch No.: 0000266903  
Manufactured Date: 2020/05/05  
Retest Date: 2027/05/04  
Revision No: 1

## Certificate of Analysis

Test	Specification	Result
Assay (CH <sub>3</sub> (CH <sub>2</sub> ) <sub>14</sub> CH <sub>3</sub> ) (by GC)	>= 99.0 %	99.3
Infrared Spectrum	Passes Test	PT

For Laboratory, Research or Manufacturing Use

Country of Origin: US  
Packaging Site: Paris Mfg Ctr & DC

  
Jamie Ethier  
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700  
Avantor Performance Materials, LLC  
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700

W2666 Recived on 02/10/2020 by AP

Product No.: 87683

Product: Sodium pentacyanonitrosylferrate(III) dihydrate, ACS, 99.0-102.0%

Lot No.: W12F013


Test	Limits	Results
Assay	99.0 - 102.0 %	99.67 %
Insoluble	0.01 % max	0.0079 %
Chloride	0.02 % max	Not detected
Sulfate	To pass test	Passes test
Aqueous solubility	To pass test	Passes test
Limit on Ferricyanide	To pass test	Passes test
Limit on Ferrocyanide	To pass test	Passes test

Order our products online [alfa.com](https://www.alfa.com)


**This document has been electronically generated and does not require a signature.**


This is to certify that units of the lot number above were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the purchaser, formulator or those performing further manufacturing to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The above information is the actual analytical results obtained.





**ACROS ORGANICS**  
part of Thermo Fisher Scientific





**Version** 0

**Molecular weight** 147.13

**Molecular formula** C5 H9 N O4

**CAS No** 56-86-0

**Linear formula** HO2CCH2CH2CH(NH2)CO2H

**Flash point (°C)**

## Certificate of Analysis

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Acros Organics expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to human or animals. It is the responsibility of the purchaser, formulator or those performing further manufacturing to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

<b>Catalog Number</b>	15621	<b>Quality Test / Release Date</b>	13 March 2019
<b>Lot Number</b>	A0405990	<b>Suggested Retest Date</b>	March 2022
<b>Description</b>	L(+)-Glutamic acid, 99%		
<b>Country of Origin</b>	CHINA		
<b>Declaration of Origin</b>	plant		

<b>Origin Comment</b>	The product is made by fermentation of sugar molasses
-----------------------	---

Result Name	Specifications	Test Value
Appearance (Color)	White	White
Appearance (Form)	Powder	Powder
Infrared spectrum	Conforms	Conforms
Titration with NaOH	98.5 to 100.5 % (On dried substance)	99.32 % (On dried substance)
Loss on drying	≤0.5 % (105°C, 3 hrs)	0.002 % (105°C, 3 hrs)
Heavy metals (as Pb)	≤10 ppm	≤10 ppm
Sulfated ash	≤0.1 %	0.08 %
Other amino acids	not detectable	not detectable
Specific optical rotation	+30.5° to +32.5° (20°C, 589 nm) (on dried substance)	+32° (20°C, 589 nm) (on dried substance)
Specific optical rotation	(c=10, 2N HCl)	(c=10, 2N HCl)
Chloride (Cl)	≤200 ppm	≤200 ppm
Iron (Fe)	≤30 ppm	≤10 ppm
Sulfate (SO4)	≤300 ppm	≤200 ppm
Ammonium (NH4)	≤200 ppm	≤200 ppm
Arsenic oxide (As2O3)	≤1 ppm	≤1 ppm



A handwritten signature in black ink, which appears to read "L. Van den Broek".

L. Van den Broek, QA Manager

Issued: 24 January 2020

Acros Organics

ENA23, zone 1, nr 1350, Janssen Pharmaceuticaaan 3a, B-2440 Geel, Belgium

Tel +32 14/57.52.11 - Fax +32 14/59.34.34 Internet: <http://www.acros.com>

1 Reagent Lane, Fair Lawn, NJ 07410, USA Fax 201-796-1329

W2817

REC. 04/02/2021

**Product Name:** Stearic acid, 98%, Thermo Scientific Chemicals  
**Catalog Number:** A12244.14

**CAS Number:** 57-11-4  
**Molecular Formula:** C<sub>18</sub>H<sub>36</sub>O<sub>2</sub>  
**Molecular Weight:** 284.48  
**InChI Key:** QIQXTHQIDYTRH-UHFFFAOYSA-N  
**SMILES:** CCCCCCCCCCCCCCCC(O)=O  
**Synonym:** stearic acid acide stearique hydrofol acid 1855 hydrofol acid 1655 industrene 5016  
stearic acid, ion(1-) (8Cl) glycon TP glycon DP acidum stearinicum hydrofol acid 150

### Product Specification

**Appearance (Color):** White  
**Form:** Crystals or powder or crystalline powder or flakes or waxy solid  
**Assay (Silylated GC):** ≥97.5%  
**Melting Point (clear melt):** 67.0-74.0°C

**Date Of Print:** 11/30/2023

*Product Specifications are subject to amendment and may change over time. Data contained is accurate as of the date printed.*



## Certificate of Analysis

1 Reagent Lane  
Fair Lawn, NJ 07410  
201.796.7100 tel  
201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System  
Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	D16	Quality Test / Release Date	03/19/2019
Lot Number	186122A		
Description	DEXTROSE, ANHYDROUS, A.C.S.		
Country of Origin	United States	Suggested Retest Date	Mar/2022
Chemical Origin	Organic - Plant		
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.		
Chemical Comment			

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	White, granular powder
TITRATABLE ACID	MEQ/G	<= 0.002	<0.002
STARCH		= PASS TEST	pass test
SPECIFIC ROTATION @ 25 C	DEGREES (+ OR -)	Inclusive Between +52.5 - +53.0	53.0
SULFATE & SULFITE	%	<= 0.005	<0.005
IRON (Fe)	ppm	<= 5	<5
CHLORIDE	%	<= 0.01	<0.01
IGNITION RESIDUE	%	<= 0.02	<0.02
IDENTIFICATION	PASS/FAIL	= PASS TEST	pass test
HEAVY METALS (as Pb)	ppm	<= 5	<5
LOSS ON DRYING @ 105 C	%	<= 0.2	<0.2
INSOLUBLE MATTER	%	<= 0.005	0.002

*Jerisa Bailey-Wyche*

Quality Assurance Specialist - Certificate of Analysis Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.  
If there are any questions with this certificate, please call at (800) 227-6701.

\*Based on suggested storage condition.



**PRODUCTOS  
QUÍMICOS  
MONTERREY, S.A. DE C.V.**

MIRADOR 201, COL. MIRADOR  
MONTERREY, N.L. MÉXICO  
CP 64070  
TEL +52 81 13 52 67 67  
www.pqm.com.mx

# CERTIFICATE OF ANALYSIS

PRODUCT :	SODIUM SULFATE CRYSTALS ANHYDROUS		
QUALITY :	ACS (CODE RMB3375)	FORMULA :	Na <sub>2</sub> SO <sub>4</sub>
SPECIFICATION NUMBER:	6399	RELEASE DATE:	MAY/23/2024
LOT NUMBER :	417203		

TEST	SPECIFICATIONS	LOT VALUES
Assay (Na <sub>2</sub> SO <sub>4</sub> )	Min. 99.0%	99.8 %
pH of a 5% solution at 25°C	5.2 - 9.2	6.2
Insoluble matter	Max. 0.01%	0.001 %
Loss on ignition	Max. 0.5%	0.1 %
Chloride (Cl)	Max. 0.001%	<0.001 %
Nitrogen compounds (as N)	Max. 5 ppm	<5 ppm
Phosphate (PO <sub>4</sub> )	Max. 0.001%	<0.001 %
Heavy metals (as Pb)	Max. 5 ppm	<5 ppm
Iron (Fe)	Max. 0.001%	<0.001 %
Calcium (Ca)	Max. 0.01%	0.001 %
Magnesium (Mg)	Max. 0.005%	0.001 %
Potassium (K)	Max. 0.008%	0.001 %
Extraction-concentration suitability	Passes test	Passes test
Appearance	Passes test	Passes test
Identification	Passes test	Passes test
Solubility and foreign matter	Passes test	Passes test
Retained on US Standard No. 10 sieve	Max. 1%	0.2 %
Retained on US Standard No. 60 sieve	Min. 94%	96.2 %
Through US Standard No. 60 sieve	Max. 5%	3.5 %
Through US Standard No. 100 sieve	Max. 10%	0.1 %

## COMMENTS

QC: PhC Irma Belmares

If you need further details, please call our factory or contact our local distributor.

RE-02-01, Ed. 3

E 3875

Acetone

BAKER RESI-ANALYZED® Reagent  
For Organic Residue Analysis

avantor™



Material No.: 9254-03

Batch No.: 24H2762008

Manufactured Date: 2024-04-18

Expiration Date: 2027-04-18

Revision No.: 0

## Certificate of Analysis

Test	Specification	Result
Assay ((CH <sub>3</sub> ) <sub>2</sub> CO) (by GC, corrected for water)	>= 99.4 %	100.0 %
Color (APHA)	<= 10	5
Residue after Evaporation	<= 1.0 ppm	0.0 ppm
Substances Reducing Permanganate	Passes Test	Passes Test
Titration Acid (μeq/g)	<= 0.3	0.2
Titration Base (μeq/g)	<= 0.6	<0.1
Water (H <sub>2</sub> O)	<= 0.5 %	<0.1 %
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	<= 5	1
ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)	<= 10	1

For Laboratory, Research, or Manufacturing Use

MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

Recd by RP on 03/31/25

E3917

Jamie Croak  
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials LLC

Sulfuric Acid  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis  
Low Selenium

avantor™



M 6041-4b  
MS

Material No.: 9673-33  
Batch No.: 23D2462010  
Manufactured Date: 2023-03-22  
Retest Date: 2028-03-20  
Revision No.: 0

## Certificate of Analysis

Test	Specification	Result
ACS – Assay (H <sub>2</sub> SO <sub>4</sub> )	95.0 – 98.0 %	96.1 %
Appearance	Passes Test	Passes Test
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Substances Reducing Permanganate (as SO <sub>2</sub> )	≤ 2 ppm	< 2 ppm
Ammonium (NH <sub>4</sub> )	≤ 1 ppm	1 ppm
Chloride (Cl)	≤ 0.1 ppm	< 0.1 ppm
Nitrate (NO <sub>3</sub> )	≤ 0.2 ppm	< 0.1 ppm
Phosphate (PO <sub>4</sub> )	≤ 0.5 ppm	< 0.1 ppm
Trace Impurities – Aluminum (Al)	≤ 30.0 ppb	< 5.0 ppb
Arsenic and Antimony (as As)	≤ 4.0 ppb	< 2.0 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	8.5 ppb
Trace Impurities – Cadmium (Cd)	≤ 2.0 ppb	< 0.3 ppb
Trace Impurities – Chromium (Cr)	≤ 6.0 ppb	< 0.4 ppb
Trace Impurities – Cobalt (Co)	≤ 0.5 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gold (Au)	≤ 10.0 ppb	0.5 ppb
Heavy Metals (as Pb)	≤ 500.0 ppb	< 100.0 ppb
Trace Impurities – Iron (Fe)	≤ 50.0 ppb	1.3 ppb
Trace Impurities – Lead (Pb)	≤ 0.5 ppb	< 0.5 ppb
Trace Impurities – Magnesium (Mg)	≤ 7.0 ppb	0.8 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	< 0.1 ppb
Trace Impurities – Nickel (Ni)	≤ 2.0 ppb	0.3 ppb
Trace Impurities – Potassium (K)	≤ 500.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se)	≤ 50.0 ppb	< 0.1 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	31.5 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	< 0.3 ppb

>>> Continued on page 2 >>>

Sulfuric Acid  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis  
Low Selenium

 **avantor™**



Material No.: 9673-33  
Batch No.: 23D2462010

Test	Specification	Result
Trace Impurities – Sodium (Na)	$\leq 500.0$ ppb	5.4 ppb
Trace Impurities – Strontium (Sr)	$\leq 5.0$ ppb	< 0.2 ppb
Trace Impurities – Tin (Sn)	$\leq 5.0$ ppb	< 0.8 ppb
Trace Impurities – Zinc (Zn)	$\leq 5.0$ ppb	0.4 ppb

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA  
Packaging Site: Phillipsburg Mfg Ctr & DC

  
Jamie Ethier  
Vice President Global Quality





## Certificate of Analysis

### Product information

Product	pH-Fix 0.3-2.3
REF	92180
LOT	80A0441
Expiration date:	29.02.2028
Date of examination:	23.01.2024
Gradation:	pH 0.3-0.7-1.0-1.3-1.6-1.9-2.3

### Confirmation

Hereby we confirm, that the above mentioned product has successfully passed our quality control system in accordance with ISO 9001 and meets the specific quality criteria.

This document has been produced electronically and is valid without a signature.



Hydrochloric Acid, 36.5–38.0%  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis

 **avantor™**



M6151

R → 11/15/25

Material No.: 9530-33  
Batch No.: 22G2862015  
Manufactured Date: 2022-06-15  
Retest Date: 2027-06-14  
Revision No.: 0

## Certificate of Analysis

Test	Specification	Result
ACS – Assay (as HCl) (by acid–base titrn)	36.5 – 38.0 %	37.9 %
ACS – Color (APHA)	≤ 10	5
ACS – Residue after Ignition	≤ 3 ppm	< 1 ppm
ACS – Specific Gravity at 60°/60°F	1.185 – 1.192	1.191
ACS – Bromide (Br)	≤ 0.005 %	< 0.005 %
ACS – Extractable Organic Substances	≤ 5 ppm	< 1 ppm
ACS – Free Chlorine (as Cl <sub>2</sub> )	≤ 0.5 ppm	< 0.5 ppm
Phosphate (PO <sub>4</sub> )	≤ 0.05 ppm	< 0.03 ppm
Sulfate (SO <sub>4</sub> )	≤ 0.5 ppm	< 0.3 ppm
Sulfite (SO <sub>3</sub> )	≤ 0.8 ppm	0.3 ppm
Ammonium (NH <sub>4</sub> )	≤ 3 ppm	< 1 ppm
Trace Impurities – Arsenic (As)	≤ 0.010 ppm	< 0.003 ppm
Trace Impurities – Aluminum (Al)	≤ 10.0 ppb	1.3 ppb
Arsenic and Antimony (as As)	≤ 5.0 ppb	< 3.0 ppb
Trace Impurities – Barium (Ba)	≤ 1.0 ppb	0.2 ppb
Trace Impurities – Beryllium (Be)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Bismuth (Bi)	≤ 10.0 ppb	< 1.0 ppb
Trace Impurities – Boron (B)	≤ 20.0 ppb	< 5.0 ppb
Trace Impurities – Cadmium (Cd)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Calcium (Ca)	≤ 50.0 ppb	163.0 ppb
Trace Impurities – Chromium (Cr)	≤ 1.0 ppb	0.7 ppb
Trace Impurities – Cobalt (Co)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gallium (Ga)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Germanium (Ge)	≤ 3.0 ppb	< 2.0 ppb
Trace Impurities – Gold (Au)	≤ 4.0 ppb	0.6 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Trace Impurities – Iron (Fe)	≤ 15 ppb	6 ppb

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5–38.0%  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis

 **avantorsm**



Material No.: 9530-33  
Batch No.: 22G2862015

Test	Specification	Result
Trace Impurities – Lead (Pb)	≤ 1.0 ppb	< 0.5 ppb
Trace Impurities – Lithium (Li)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Magnesium (Mg)	≤ 10.0 ppb	2.9 ppb
Trace Impurities – Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	0.1 ppb
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 3.0 ppb
Trace Impurities – Nickel (Ni)	≤ 4.0 ppb	< 0.3 ppb
Trace Impurities – Niobium (Nb)	≤ 1.0 ppb	0.8 ppb
Trace Impurities – Potassium (K)	≤ 9.0 ppb	< 2.0 ppb
Trace Impurities – Selenium (Se), For Information Only		< 1.0 ppb
Trace Impurities – Silicon (Si)	≤ 100.0 ppb	< 10.0 ppb
Trace Impurities – Silver (Ag)	≤ 1.0 ppb	0.5 ppb
Trace Impurities – Sodium (Na)	≤ 100.0 ppb	2.3 ppb
Trace Impurities – Strontium (Sr)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Tantalum (Ta)	≤ 1.0 ppb	1.6 ppb
Trace Impurities – Thallium (Tl)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	4.0 ppb
Trace Impurities – Titanium (Ti)	≤ 1.0 ppb	1.5 ppb
Trace Impurities – Vanadium (V)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.8 ppb
Trace Impurities – Zirconium (Zr)	≤ 1.0 ppb	0.3 ppb

>>> Continued on page 3 >>>

Hydrochloric Acid, 36.5–38.0%  
BAKER INSTRA–ANALYZED® Reagent  
For Trace Metal Analysis



Material No.: 9530-33  
Batch No.: 22G2862015

Test	Specification	Result
------	---------------	--------

For Laboratory, Research, or Manufacturing Use  
Product Information (not specifications):  
Appearance (clear, fuming liquid)  
Meets ACS Specifications  
Storage Condition: Store below 25 °C.

Country of Origin: USA  
Packaging Site: Phillipsburg Mfg Ctr & DC

A handwritten signature in cursive script that reads 'Jamie Ethier'.  
Jamie Ethier  
Vice President Global Quality



# Certificate of Analysis

**Manganous Sulfate Solution, 364 g/L****Lot Number:** 2403J02**Product Number:** 4620**Manufacture Date:** MAR 15, 2024**Expiration Date:** MAR 2026

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Manganous Sulfate Monohydrate	10034-96-5	Reagent
Sulfuric Acid	7664-93-9	ACS

Test	Specification	Result
Appearance	Pink liquid	Passed
Assay (by Refractive Index)	360-368 g/L	367 g/L

Specification	Reference
Manganous Sulfate Solution	ASTM (D 888 A)
Manganous Sulfate Solution	ASTM (D 888 A)
Manganous Sulfate Solution	APHA (4500-O E)
Manganous Sulfate Solution	APHA (4500-O F)
Manganous Sulfate Solution	APHA (4500-O D)
Manganous Sulfate Solution	APHA (4500-O E)
Manganous Sulfate Solution	APHA (4500-O F)
Manganous Sulfate Solution	APHA (4500-O D)
Manganous Sulfate Solution	APHA (4500-O C)
Manganous Sulfate Solution	APHA (4500-O C)
Manganous Sulfate Solution	EPA (360.2)
Manganous Sulfate Solution	EPA (360.2)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
4620-32	1 L natural poly	24 months

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)



Jose Pena (03/15/2024)

Operations Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --  
Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

# Certificate of Analysis

## Sodium Thiosulfate, 0.0250 Normal (N/40)

**Lot Number:** 4403S13

**Product Number:** 7900

**Manufacture Date:** MAR 29, 2024

**Expiration Date:** SEP 2025

This product is specially formulated to increase its stability. A preservative is added to prevent bacterial contamination. However, all Sodium Thiosulfate solutions are subject to slow chemical deterioration and should be restandardized periodically.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Thiosulfate Pentahydrate	10102-17-7	ACS
Organic Preservative	Proprietary	
Sodium Carbonate	497-19-8	ACS

Test	Specification	Result	NIST SRM#
Appearance	Colorless liquid	Passed	
Assay (vs. Potassium Iodate/Starch)	0.02499-0.02501 N at 20°C	0.02501 N at 20°C	136

Specification	Reference
Standard Sodium Thiosulfate Solution, 0.0250 N	APHA (4500-S2- F)
Standard Sodium Thiosulfate Titrant	APHA (4500-O D)
Standard Sodium Thiosulfate Titrant	APHA (4500-O E)
Standard Sodium Thiosulfate Titrant	APHA (4500-O F)
Standard Sodium Thiosulfate Titrant, 0.025 N	APHA (4500-CI B)
Standard Sodium Thiosulfate Titrant	APHA (4500-O C)
Standard Sodium Thiosulfate Titrant, 0.025 M	APHA (5530 C)
Standard Sodium Thiosulfate Solution (0.025 N)	EPA (SW-846) (9031)
Standard Sodium Thiosulfate solution (0.025 N)	EPA (SW-846) (9034)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
7900-1	4 L natural poly	18 months
7900-16	500 mL natural poly	18 months
7900-1CT	4 L Cubitainer®	18 months
7900-32	1 L natural poly	18 months

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)



Paul Brandon (03/29/2024)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --  
Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



# Certificate of Analysis

## Alkaline-Iodide-Azide, Pomeroy Formulation for Dissolved Oxygen (DO) Analysis

**Lot Number:** 1405D67

**Product Number:** 535

**Manufacture Date:** APR 05, 2024

**Expiration Date:** APR 2026

This solution is intended for use with samples with high Dissolved Oxygen content (above 15 mg/L) and for samples with high concentrations of organic material.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Iodide	7681-82-5	ACS
Sodium Hydroxide	1310-73-2	ACS
Sodium Azide	26628-22-8	Reagent

Test	Specification	Result
Appearance	Colorless liquid	Passed
Free Iodine	To Pass Test	Passed

Specification	Reference
Alkaline Iodide-Sodium Azide Solution II	ASTM (D 888 A)
Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.	

Part Number	Size / Package Type	Shelf Life (Unopened Container)
535-32	1 L natural poly	24 months

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)



Heidi J Green (04/05/2024)  
Operations Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



# Certificate of Analysis



## Sodium Hydroxide (Pellets)

**Material:** 0583  
**Grade:** ACS GRADE  
**Batch Number:** 23B1556310

Chemical Formula: NaOH  
Molecular Weight: 40  
CAS #: 1310-73-2  
Appearance:

Manufacture Date: 12/14/2022  
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	<= 0.005 %	<0.005 %	PASS
Chloride	<= 0.005 %	0.002 %	PASS
Heavy Metals	<= 0.002 %	<0.002 %	PASS
Iron	<= 0.001 %	<0.001 %	PASS
Magnesium	<= 0.002 %	<0.002 %	PASS
Mercury	<= 0.1 ppm	<0.1 ppm	PASS
Nickel	<= 0.001 %	<0.001 %	PASS
Nitrogen Compounds	<= 0.001 %	<0.001 %	PASS
Phosphate	<= 0.001 %	<0.001 %	PASS
Potassium	<= 0.02 %	<0.02 %	PASS
Purity	>= 97.0 %	99.2 %	PASS
Sodium Carbonate	<= 1.0 %	0.5 %	PASS
Sulfate	<= 0.003 %	<0.003 %	PASS

Internal ID #: 710

### Signature

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon  
VWR Chemicals, LLC.  
28600 Fountain Parkway, Solon OH 44139 USA

### Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



## Sodium Hydroxide (Pellets)

**Material:** 0583  
**Grade:** ACS GRADE  
**Batch Number:** 23B1556310

Chemical Formula: NaOH  
Molecular Weight: 40  
CAS #: 1310-73-2  
Appearance:

Manufacture Date: 12/14/2022  
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

Spec Set: 0583ACS

Internal ID #: 710

### Signature

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon  
VWR Chemicals, LLC.  
28600 Fountain Parkway, Solon OH 44139 USA

### Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.

Item Number	ED150	Lot Number	2ND0156
Item	Edetate Disodium, Dihydrate, USP	CAS Number	6381-92-6
Molecular Formula	$C_{10}H_{14}N_2Na_2O_8 \cdot 2H_2O$	Molecular Weight	372.24

TEST	SPECIFICATION		RESULT
	MIN	MAX	
ASSAY (DRIED BASIS)	99.0	101.0 %	99.5 %
pH OF A 5% SOLUTION @ 25°C	4.0	6.0	4.6
LOSS ON DRYING	8.7	11.4 %	8.90 %
CALCIUM (Ca)	NO PRECIPITATE IS FORMED		NO PRECIPITATE IS FORMED
ELEMENTAL IMPURITIES:			.
NICKEL (Ni)	AS REPORTED		<0.3 ppm
CHROMIUM (Cr)	AS REPORTED		<0.3 ppm
NITRILOTRIACETIC ACID[n[(HOCOCH <sub>2</sub> ) <sub>3</sub> N]		0.1 %	<0.10 %
IDENTIFICATION A	MATCHES REFERENCE		MATCHES REFERENCE
IDENTIFICATION B	RED COLOR IS DISCHARGED, LEAVING A YELLOWISH SOLUTION		RED COLOR IS DISCHARGED, LEAVING A YELLOWISH SOLUTION
IDENTIFICATION C	MEETS THE REQUIREMENTS FOR SODIUM		MEETS THE REQUIREMENTS FOR SODIUM
CERTIFIED HALAL			CERTIFIED HALAL
EXPIRATION DATE			10-JUL-2026
DATE OF MANUFACTURE			11-JUL-2023
APPEARANCE			WHITE CRYSTALLINE POWDER
RESIDUAL SOLVENTS		AS REPORTED	NO RESIDUAL SOLVENTS PRESENT
MONOGRAPH EDITION			USP 2024

Certificate of Analysis Results Entered By:

CACEVEDO  
Charmian Acevedo  
22-MAY-24 08:12:30

Certificate of Analysis Results Approved By:

GHERRERA  
Genaro Herrera  
22-MAY-24 12:32:01

Spectrum Chemical Mfg Corp  
755 Jersey Avenue  
New Brunswick 08901 NJ



**All pharmaceutical ingredients are tested using current edition of applicable pharmacopeia.**

**Read and understand label and SDS before handling any chemicals. All Spectrum's chemicals are for manufacturing, processing, repacking or research purposes by experienced personnel only. It is the customer's responsibility to provide adequate hazardous material training and ensure that appropriate Personal Protective Equipment (PPE) is used before handling any chemical.**

The Elemental Impurities standards implemented by USP and other Pharmaceutical Compendia reflect a growing understanding of the toxicology of trace levels of elemental impurities that can remain in drug substances originating from either raw materials or manufacturing processes. Identifying and quantifying impurities can be critical to predicting the best possible patient outcomes. Elemental Impurities has been a requirement of all products meeting USP/NF, EP and BP monographs since January 1, 2018. More information can be found in USP sections <232> Elemental Impurities – Limits and <233> Elemental Impurities – Procedures. Data for drug substances furnished by Spectrum Chemical Mfg. Corp can be used to ensure that patient daily exposures by oral administration to the selected elements are not exceeded in the formulation of pharmaceutical products.



An ISO 9001 Certified Company

Loveland, CO 80539

(970) 669-3050

## *Certificate of Analysis*

*This is a Component of 1486266 / LOT A4169*

**PRODUCT:** BOD Nutrient Buffer Pillows

**PRODUCT NUMBER:** 1486227

**LOT NUMBER:** A4169

**MANUFACTURE DATE:** 06/24/2024

**DATE OF ANALYSIS:** 07/03/2024

TEST	SPECIFICATIONS	RESULTS
Calcium Concentration of a diluted pillow	0.93 to 1.29 ppm	0.960 ppm
Magnesium Concentration of a diluted pillow	0.35 to 0.48 ppm	0.390 ppm
pH in a 6 L of DI water	7.1 to 7.6	7.37
Ammonia Concentration of a diluted pillow	0.57 to 0.79 ppm	0.593 ppm
Iron Concentration of a diluted pillow	0.27 to 0.36 ppm	0.311 ppm
Sterility	To Pass	Passed
Phosphorus Concentration of a diluted pillow	7.6 to 10.3 ppm	8.32 ppm
Five Day Change in Dissolved Oxygen Concentration	-0.2 to 0.2 ppm	0.03 ppm

The expiration date is Jun 2029

Certified by: *Scott Als*

Analytical Services Chemist



# Certificate of Analysis

## Starch Indicator, 0.5% (w/v), Mercury Free, for Iodometric Titrations

Lot Number: 4408P62

Product Number: 8000

Manufacture Date: AUG 28, 2024

Expiration Date: AUG 2026

This product is Mercury-free.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Starch, soluble	9005-84-9	ACS
Salicylic Acid	69-72-7	ACS

Test	Specification	Result
Appearance	White translucent liquid	Passed
Suitability for Use	Colorless (Iodine absent) - Blue (Iodine present)	Passed

Specification	Reference
Starch Solution	APHA (4500-S2- F)
Starch Indicator Solution	APHA (4500-CI B)
Starch Indicator	APHA (4500-SO32- B)
Starch indicator solution	APHA (2350 B)
Starch indicator solution	APHA (2350 E)
Starch Solution	APHA (510 B)
Starch Solution	APHA (5530 C)
Starch Indicator	APHA (4500-CI C)
Starch Indicator	EPA (345.1)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
8000-1	4 L natural poly	24 months
8000-16	500 mL natural poly	24 months
8000-32	1 L natural poly	24 months

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)

A handwritten signature in blue ink that reads "Paul Brandon". The signature is fluid and cursive, with the first name "Paul" and last name "Brandon" clearly distinguishable.

Paul Brandon (08/28/2024)  
Production Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



# Certificate of Analysis



Material	BDH9208-500G
Material Description	BDH AMMONIUM CHLORIDE ACS 500G
Grade	U S P REAGENT (ACS GRADE)
Batch	24L0356561
Reassay Date	08/31/2027
CAS Number	12125-02-9
Molecular Formula	NH <sub>4</sub> Cl
Molecular Mass	53.49
Date of Manufacture	08/01/2024
Storage	Room Temperature

Characteristics	Specifications	Measured Values
Appearance	White granular powder	White granular powder
Calcium	<= 0.001 %	0.001 %
Heavy Metals (as Pb)	<= 0.0005 %	<0.0002 %
Insolubles	<= 0.005 %	0.001 %
Iron	<= 0.0002 %	<0.0002 %
Magnesium	<= 0.0005 %	0.0001 %
pH (5%, Water) @25C	4.5 - 5.5	4.8
Phosphate	<= 0.0002 %	<0.0002 %
Purity	>= 99.5 %	99.8 %
Residue on Ignition	<= 0.01 %	0.003 %
Sulfate	<= 0.002 %	<0.002 %
Extra Description:	Meets Reagent Specifications for testing USP/NF monographs	

Internal ID #: 710


Signature	Additional Information
<p>We certify that this batch conforms to the specifications listed above.</p> <p>This document has been electronically produced and is valid without a signature.</p> <p>Leona Edwardson, Quality Control Sr. Manager - Solon VWR Chemicals, LLC. 28600 Fountain Parkway, Solon OH 44139 USA</p>	<p>Analysis may have been rounded to significant digits in specification limits</p> <p>Product meets analytical specifications of the grades listed.</p>

W3196 Received on 03/19/2025 by IZ

## Certificate of Analysis

Product Name:

Ammonium chloride - ACS reagent, ≥99.5%



**Product Number:** 213330  
**Batch Number:** MKCV1009  
**Brand:** SIGALD  
**CAS Number:** 12125-02-9  
**MDL Number:** MFCD00011420  
**Formula:** H4CIN  
**Formula Weight:** 53.49 g/mol  
**Quality Release Date:** 23 OCT 2023  
**Recommended Retest Date:** SEP 2026

Test	Specification	Result
Appearance (Color)	White	White
Appearance (Form)	Powder or Crystals or Chunk(s)	Crystals
Titration by AgNO <sub>3</sub>	≥ 99.5 %	100.2 %
pH	4.5 - 5.5	4.9
@ 25 Deg c (5% Solution)		
Insoluble Matter	≤ 0.005 %	0.001 %
10%, H <sub>2</sub> O		
Residue on ignition (Ash)	≤ 0.01 %	< 0.01 %
Calcium (Ca)	≤ 0.001 %	< 0.001 %
Magnesium (Mg)	≤ 5 ppm	1 ppm
Heavy Metals	≤ 5 ppm	< 1 ppm
by ICP		
Iron (Fe)	≤ 2 ppm	< 1 ppm
Phosphate (PO <sub>4</sub> )	≤ 2 ppm	< 2 ppm
Sulfate (SO <sub>4</sub> )	≤ 0.002 %	< 0.002 %
Meets ACS Requirements	Current ACS Specification	Conforms
Recommended Retest Period	-----	-----
3 Years		



Larry Coers, Director

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at [Sigma-Aldrich.com](http://Sigma-Aldrich.com). For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



## Certificate of Analysis

**Product Number:** 213330  
**Batch Number:** MKCV1009

---

Quality Control  
Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at [Sigma-Aldrich.com](http://Sigma-Aldrich.com). For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.




W3201 Received on 4/16/25 by IZ

## Certificate of Analysis

Product Name:

Sodium tetraborate decahydrate - ACS reagent, ≥99.5%

**Product Number:** S9640  
**Batch Number:** BCCL9613  
**Brand:** SIGALD  
**CAS Number:** 1303-96-4  
**Formula:** B<sub>4</sub>Na<sub>2</sub>O<sub>7</sub> · 10H<sub>2</sub>O  
**Formula Weight:** 381,37 g/mol  
**Quality Release Date:** 05 JUL 2024  
**Recommended Retest Date:** MAY 2029



Test	Specification	Result
Appearance (Color)	White	White
Appearance (Form)	Powder or Crystals	Powder
Titration with NaOH	99.5 - 105.0 %	100.7 %
pH	9.15 - 9.20	9.20
0.01 m Solution at 25 Deg C		
Meets ACS Requirements	Corresponds to Requirements	Corresponds
ACS Specifications	Corresponds to Requirements	Corresponds
Insoluble Matter ≤ 0.005% / Heavy		
Metals (As Pb) ≤ 0.001%		
Calcium (Ca)	≤ 50 mg/kg	< 50 mg/kg
Iron (Fe)	≤ 5 mg/kg	< 5 mg/kg
Total Sulfur	≤ 50 mg/kg	< 50 mg/kg
as SO <sub>4</sub> (ICP)		
Chloride (Cl)	≤ 10 mg/kg	< 10 mg/kg
Phosphate (PO <sub>4</sub> )	≤ 10 mg/kg	< 10 mg/kg

Dr. Reinhold Schwenninger  
Quality Assurance  
Buchs, Switzerland CH

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at [Sigma-Aldrich.com](http://Sigma-Aldrich.com). For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



n-Hexane 95%  
ULTRA RESI-ANALYZED  
For Organic Residue Analysis

avantor™



W3204  
084K: 09/22/2025  
38

Material No.: 9262-03  
Batch No.: 25C0362005  
Manufactured Date: 2025-01-29  
Expiration Date: 2026-04-30  
Revision No.: 0

## Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)	$\leq 5$	1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	$\leq 10$	6
ECD-Sensitive Impurities (as EthyleneDibromide) - Single Impurity Peak (ng/mL)	$\leq 5$	5
Assay (Total Saturated C <sub>6</sub> Isomers) (by GC, corrected for water)	$\geq 99.5 \%$	100.0 %
Assay (as n-Hexane) (by GC, corrected for water)	$\geq 95 \%$	100 %
Color (APHA)	$\leq 10$	10
Residue after Evaporation	$\leq 1.0 \text{ ppm}$	0.1 ppm
Substances Darkened by H <sub>2</sub> SO <sub>4</sub>	Passes Test	Passes Test
Water (by KF, coulometric)	$\leq 0.05 \%$	$< 0.01 \%$

For Laboratory, Research, or Manufacturing Use  
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States  
Packaging Site: Phillipsburg Mfg Ctr & DC

*J. Croak*

Jamie Croak  
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

N3212 Received on 5/21/25 by 12



## CERTIFICATE OF ANALYSIS

PO BOX 130549 Spring, TX 77393  
Phone: (281) 298-9410 Fax: (281) 298-9411

**FINISHED PRODUCT, LOT NUMBER, MFG. /EXP DATE:**

PolySeed® • Part No. P-110 • Lot 132409 • Mfg. Date: 09/2024 • Exp. Date: 09/2026

**FORMULATION:**

The formulation for this product contains a range of naturally occurring microorganisms, which are known to be non-pathogenic to man or animals.

**VIABLE COUNT, FINAL TEST RESULT:**

The product has been fully tested in accordance with Finished Product Specifications and contains a minimum viable count of  $4.00 \times 10^9$  cfu/g.

**GLUCOSE/GLUTAMIC-ACID RESULTS:**

Tested results within acceptable range  $198 \pm 30.5$  mg/L (167.5 - 228.5 mg/L). GGA Lot# 43100020 – Average Test Result: 202.1

See [www.polyseed.com](http://www.polyseed.com) for details.

**SEED CONTROL FACTOR:**

Tested results within acceptable range 0.6 – 1.0 see [www.polyseed.com](http://www.polyseed.com) for details

**SALMONELLA TEST RESULT:**

The product has been shown to be Salmonella negative using procedures recommended in the Microbiology Laboratory Guidebook, published by the USDA Food Safety and Inspection Service.

The purpose of this document is to ensure that the Finished Product conforms to the above specification.

Signature: \_\_\_\_\_

*Quality Control Department*

Date: 09/13/2024

POLYSEED.Ref.1.19

Revised Jan 24

# Certificate of Analysis

## Sodium Hypochlorite Solution, 5% available Chlorine

**Lot Number:** 2506M51**Product Number:** 7495.5**Manufacture Date:** JUN 18, 2025**Expiration Date:** DEC 2025

This solution is subject to slow decomposition upon exposure to air. Keep container tightly capped. Refrigeration may improve stability.  
When used in the Phenate method for Ammonia, APHA recommends replacing this solution about every 2 months.

Name	CAS#	Grade
Water	7732-18-5	Commercial
Sodium Hypochlorite	7681-52-9	Commercial

Test	Specification	Result	NIST SRM#
Appearance	Colorless to greenish-yellow liquid	Passed	
Assay (vs. Sodium Thiosulfate/Starch)	4.75-5.25 % (w/w) Cl <sub>2</sub>	5.17 % (w/w) Cl <sub>2</sub>	136

Specification	Reference
Sodium Hypochlorite, 5%	APHA (4500-NH3 F)
Sodium Hypochlorite	ASTM (D 4785)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
7495.5-1	4 L black poly	6 months
7495.5-16	500 mL amber poly	6 months
7495.5-32	1 L amber poly	6 months

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)

Jose Pena (06/18/2025)  
Operations Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



# SHIPPING DOCUMENTS





### Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

## LOGIN REPORT/SAMPLE TRANSFER

<b>Order ID :</b> Q2730	TULL01	<b>Order Date :</b> 7/30/2025 12:28:00 PM	<b>Project Mgr :</b> Deepak
<b>Client Name :</b> Tully Environmental, Inc		<b>Project Name :</b> Transfer Station-SPDES	<b>Report Type :</b> Results Only
<b>Client Contact :</b> Dean Devoe		<b>Receive DateTime :</b> 7/30/2025 12:02:00 PM	<b>EDD Type :</b> EXCEL NOCLEANUP
<b>Invoice Name :</b> Tully Environmental, Inc		<b>Purchase Order :</b>	<b>Hard Copy Date :</b>
<b>Invoice Contact :</b> Dean Devoe			<b>Date Signoff :</b> 7/30/2025 1:18:36 PM

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q2730-01	001 willets Pt Blvd(july)	Water	07/29/2025	11:30	VOC-BTEX		624.1	5 Bus. Days	
Q2730-02	002 35th Ave(july)	Water	07/29/2025	11:30	VOC-BTEX		624.1	5 Bus. Days	

Relinquished By :

Date / Time :

*al*  
7/30/25 13:25

Received By :

Date / Time :

*Sam*  
07/30/25 13:25 NGH 5

Storage Area : VOA Refridgerator Room