



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

**Metals**

**- 11 -**

**ICP INTERELEMENT CORRECTION FACTORS**

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Contract:** TULL01

**Lab Code:** ACE

**Instrument ID:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Interelement Correction Factors (apparent ppb analyte/ppm interferent )**

| Analyte | Wave-<br>Length<br>(nm) | ICP Interement Correction Factors For: |           |           |           |           |
|---------|-------------------------|----------------------------------------|-----------|-----------|-----------|-----------|
|         |                         | Al                                     | Ca        | Fe        | Mg        | Ag        |
| Copper  | 224.700                 | 0.0000000                              | 0.0000000 | 0.0007850 | 0.0000000 | 0.0000000 |
| Iron    | 240.488                 | 0.0000000                              | 0.0000000 | 0.0000000 | 0.0000000 | 0.0000000 |
| Lead    | 220.353                 | -0.0000920                             | 0.0000000 | 0.0000380 | 0.0000000 | 0.0000000 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## Metals

- 11 -

### ICP INTERELEMENT CORRECTION FACTORS

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Contract:** TULL01

**Lab Code:** ACE

**Instrument ID:**

**Date:**

Interelement Correction Factors (apparent ppb analyte/ppm interferent )

| Analyte | Wave-<br>Length<br>(nm) | ICP Interement Correction Factors For: |           |           |           |            |
|---------|-------------------------|----------------------------------------|-----------|-----------|-----------|------------|
|         |                         | As                                     | Ba        | Be        | Cd        | Co         |
| Copper  | 224.700                 | 0.0000000                              | 0.0000000 | 0.0000000 | 0.0000000 | 0.0009530  |
| Iron    | 240.488                 | 0.0000000                              | 0.0000000 | 0.0000000 | 0.0000000 | -0.0039600 |
| Lead    | 220.353                 | 0.0000000                              | 0.0003170 | 0.0000000 | 0.0000000 | 0.0000000  |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## Metals

- 11 -

### ICP INTERELEMENT CORRECTION FACTORS

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Contract:** TULL01

**Lab Code:** ACE

**Instrument ID:**

**Date:**

Interelement Correction Factors (apparent ppb analyte/ppm interferent )

| Analyte | Wave-<br>Length<br>(nm) | ICP Interelement Correction Factors For: |           |           |           |            |
|---------|-------------------------|------------------------------------------|-----------|-----------|-----------|------------|
|         |                         | Cr                                       | Cu        | K         | Mn        | Mo         |
| Copper  | 224.700                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0006510 | 0.0020500  |
| Iron    | 240.488                 | 0.0000000                                | 0.0000000 | 0.0000730 | 0.0000000 | -0.0015250 |
| Lead    | 220.353                 | 0.0000000                                | 0.0000000 | 0.0000000 | 0.0001400 | -0.0008600 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## Metals

- 11 -

### ICP INTERELEMEN CORRECTION FACTORS

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Contract:** TULL01

**Lab Code:** ACE

**Instrument ID:**

**Date:**

Interement Correction Factors (apparent ppb analyte/ppm interferent )

| Analyte | Wave-<br>Length<br>(nm) | ICP Interement Correction Factors For: |            |           |           |           |
|---------|-------------------------|----------------------------------------|------------|-----------|-----------|-----------|
|         |                         | Na                                     | Ni         | Pb        | Sb        | Se        |
| Copper  | 224.700                 | 0.0000000                              | -0.0047000 | 0.0036100 | 0.0000000 | 0.0000000 |
| Iron    | 240.488                 | 0.0000000                              | -0.0017000 | 0.0000000 | 0.0000000 | 0.0000000 |
| Lead    | 220.353                 | 0.0000000                              | 0.0006580  | 0.0000000 | 0.0000000 | 0.0001290 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

**Metals**

**- 11 -**

**ICP INTERELEMENT CORRECTION FACTORS**

**Client:** Tully Environmental, Inc

**SDG No.:** Q2730

**Contract:** TULL01

**Lab Code:** ACE

**Instrument ID:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Interement Correction Factors (apparent ppb analyte/ppm interferent )**

| Analyte | Wave-<br>Length<br>(nm) | ICP Interement Correction Factors For: |            |           |           |           |
|---------|-------------------------|----------------------------------------|------------|-----------|-----------|-----------|
|         |                         | Sn                                     | Ti         | Tl        | V         | Zn        |
| Copper  | 224.700                 | 0.0000000                              | 0.0003840  | 0.0000000 | 0.0000000 | 0.0000000 |
| Iron    | 240.488                 | 0.0000000                              | 0.0000000  | 0.0000000 | 0.0000000 | 0.0000000 |
| Lead    | 220.353                 | 0.0000000                              | -0.0003610 | 0.0000000 | 0.0000000 | 0.0000000 |