



Report of Analysis

Client: ENTACT Date Collected: 08/11/25

Project: 540 Degraw St, Brooklyn, NY - E9309 Date Received: 08/12/25

Client Sample ID: TG-S02MSD SDG No.: Q2732

Lab Sample ID: Q2832-03MSD Matrix: SOIL

Analytical Method: 8082A % Solid: 94 Decanted:

Sample Wt/Vol: 30.04 Units: g Final Vol: 10000 uL

Soil Aliquot Vol: uL Test: PCB

Extraction Type: Injection Volume:

GPC Factor: 1.0 PH:

Prep Method: SW3541B

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 PP074345.D
 1
 08/13/25 08:33
 08/13/25 14:16
 PB169227

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units(Dry Weight) |
|------------|----------------------|--------|-----------|---------------------|------------|-------------------|
| TARGETS | | | | | | |
| 12674-11-2 | Aroclor-1016 | 0.22 | | 0.0042 | 0.018 | mg/Kg |
| 11104-28-2 | Aroclor-1221 | 0.0043 | U | 0.0043 | 0.018 | mg/Kg |
| 11141-16-5 | Aroclor-1232 | 0.0040 | U | 0.0040 | 0.018 | mg/Kg |
| 53469-21-9 | Aroclor-1242 | 0.0043 | U | 0.0043 | 0.018 | mg/Kg |
| 12672-29-6 | Aroclor-1248 | 0.0063 | U | 0.0063 | 0.018 | mg/Kg |
| 11097-69-1 | Aroclor-1254 | 0.0034 | U | 0.0034 | 0.018 | mg/Kg |
| 37324-23-5 | Aroclor-1262 | 0.0053 | U | 0.0053 | 0.018 | mg/Kg |
| 11100-14-4 | Aroclor-1268 | 0.0038 | U | 0.0038 | 0.018 | mg/Kg |
| 11096-82-5 | Aroclor-1260 | 0.63 | E | 0.0034 | 0.018 | mg/Kg |
| SURROGATES | | | | | | |
| 877-09-8 | Tetrachloro-m-xylene | 24.2 | | 30 (32) - 150 (144) | 121% | SPK: 20 |
| 2051-24-3 | Decachlorobiphenyl | 22.9 | | 30 (32) - 150 (175) | 115% | SPK: 20 |

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit