

## Cover Page

**Order ID :** Q2732

**Project ID :** 540 Degraw St, Brooklyn, NY - E9309

**Client :** ENTACT

**Lab Sample Number**

Q2732-01  
Q2732-02  
Q2732-03  
Q2732-04

**Client Sample Number**

WC-A7-01-G  
WC-A7-01-C  
WC-A7-01-C  
WC-A7-01-C

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 8/21/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## **CASE NARRATIVE**

### **ENTACT**

**Project Name: 540 Degraw St, Brooklyn, NY - E9309**

**Project # N/A**

**Order ID # Q2732**

**Test Name: PCB**

### **A. Number of Samples and Date of Receipt:**

4 Solid samples were received on 08/12/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: PCB. This data package contains results for PCB.

### **C. Analytical Techniques:**

The analyses were performed on instrument GCECD\_P. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analysis of PCBs was based on method 8082A and extraction was done based on method 3541.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis except for WC-A7-01-C [Tetrachloro-m-xylene(2)164%]. This compound did not meet the NJDKQP criteria and in-house criteria. As per method one surrogate allowed to fail to meet the criteria per column. No further corrective action was taken.

The Retention Times were met for all analysis.

The MS {Q2832-03MS} with File ID: PP074344.D recoveries met the requirements for all compounds except for [AR1260(1)153% - AR1260(2)359%], These compounds did not meet the NJDKQP criteria but met the in-house criteria . due to matrix interference.

The MSD {Q2832-03MSD} with File ID: PP074345.D recoveries met the requirements for all compounds except for [AR1260(1)148% - AR1260(2)354%], These compounds did not meet the NJDKQP criteria but met the in-house criteria . due to matrix interference.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

**E. Additional Comments:**

As per special requirement for this project form-1 are reported in mg/l.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following "Results Qualifiers" are used:

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Value | If the result is a value greater than or equal to the detection limit, report the value                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| U     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10 U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.                                                                                                                                                                                                                                 |
| ND    | Indicates the analyte was analyzed for, but not detected                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| J     | Indicates an estimated value. This flag is used:<br>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)<br>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others. |
| B     | Indicates the analyte was found in the blank as well as the sample report as "12 B".                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| E     | Indicates the analyte 's concentration exceeds the calibrated range of the instrument for that specific analysis.                                                                                                                                                                                                                                                                                                                                                                                                                         |
| D     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| P     | This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a "P".                                                                                                                                                                                                                                                                                                                        |
| N     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.                                                                                                                                                                                                                  |
| A     | This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Q     | Indicates the LCS did not meet the control limits requirements                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q2732

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: PRADIP PRAJAPATI

Date: 08/21/2025

## LAB CHRONICLE

|                 |                 |                   |                                     |
|-----------------|-----------------|-------------------|-------------------------------------|
| <b>OrderID:</b> | Q2732           | <b>OrderDate:</b> | 7/30/2025 1:11:00 PM                |
| <b>Client:</b>  | ENTACT          | <b>Project:</b>   | 540 Degraw St, Brooklyn, NY - E9309 |
| <b>Contact:</b> | Austin Farmerie | <b>Location:</b>  | J21                                 |

| LabID    | ClientID   | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|------------|--------|------|--------|-------------|-----------|-----------|----------|
| Q2732-02 | WC-A7-01-C | SOIL   | PCB  | 8082A  | 08/12/25    | 08/13/25  | 08/13/25  | 08/12/25 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q2732

**Order ID:** Q2732

**Client:** ENTACT

**Project ID:** 540 Degraw St, Brooklyn, NY - E9309

---

| Sample ID | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|

**Client ID :**

**Total Concentration:** 0.000



# QC SUMMARY

### Surrogate Summary

SDG No.: Q2732

Client: ENTACT

Analytical Method: 8082A

| Lab Sample ID    | Client ID        | Parameter         | Column | Spike | Result | Recovery(%) | Qual | Limits(%) |           |
|------------------|------------------|-------------------|--------|-------|--------|-------------|------|-----------|-----------|
|                  |                  |                   |        |       |        |             |      | Low       | High      |
| I.BLK-PP074167.D | PIBLK-PP074167.D | Tetrachloro-m-xyl | 1      | 20    | 19.1   | 95          |      | 70 (60)   | 130 (140) |
|                  |                  | Decachlorobiphen  | 1      | 20    | 19.7   | 98          |      | 70 (60)   | 130 (140) |
|                  |                  | Tetrachloro-m-xyl | 2      | 20    | 17.3   | 86          |      | 70 (60)   | 130 (140) |
|                  |                  | Decachlorobiphen  | 2      | 20    | 18.7   | 93          |      | 70 (60)   | 130 (140) |
| I.BLK-PP074337.D | PIBLK-PP074337.D | Tetrachloro-m-xyl | 1      | 20    | 19.3   | 96          |      | 70 (60)   | 130 (140) |
|                  |                  | Decachlorobiphen  | 1      | 20    | 18.5   | 92          |      | 70 (60)   | 130 (140) |
|                  |                  | Tetrachloro-m-xyl | 2      | 20    | 16.4   | 82          |      | 70 (60)   | 130 (140) |
|                  |                  | Decachlorobiphen  | 2      | 20    | 16.2   | 81          |      | 70 (60)   | 130 (140) |
| PB169227BS       | PB169227BS       | Tetrachloro-m-xyl | 1      | 20    | 25.4   | 127         |      | 30 (32)   | 150 (144) |
|                  |                  | Decachlorobiphen  | 1      | 20    | 23.6   | 118         |      | 30 (32)   | 150 (175) |
|                  |                  | Tetrachloro-m-xyl | 2      | 20    | 22.8   | 114         |      | 30 (32)   | 150 (144) |
|                  |                  | Decachlorobiphen  | 2      | 20    | 21.8   | 109         |      | 30 (32)   | 150 (175) |
| Q2732-02         | WC-A7-01-C       | Tetrachloro-m-xyl | 1      | 20    | 18.5   | 92          |      | 30 (32)   | 150 (144) |
|                  |                  | Decachlorobiphen  | 1      | 20    | 21.5   | 108         |      | 30 (32)   | 150 (175) |
|                  |                  | Tetrachloro-m-xyl | 2      | 20    | 32.8   | 164         | *    | 30 (32)   | 150 (144) |
|                  |                  | Decachlorobiphen  | 2      | 20    | 18.9   | 94          |      | 30 (32)   | 150 (175) |
| Q2832-03MS       | TG-S02MS         | Tetrachloro-m-xyl | 1      | 20    | 24.3   | 121         |      | 30 (32)   | 150 (144) |
|                  |                  | Decachlorobiphen  | 1      | 20    | 23.4   | 117         |      | 30 (32)   | 150 (175) |
|                  |                  | Tetrachloro-m-xyl | 2      | 20    | 22.3   | 112         |      | 30 (32)   | 150 (144) |
|                  |                  | Decachlorobiphen  | 2      | 20    | 22.7   | 114         |      | 30 (32)   | 150 (175) |
| Q2832-03MSD      | TG-S02MSD        | Tetrachloro-m-xyl | 1      | 20    | 24.2   | 121         |      | 30 (32)   | 150 (144) |
|                  |                  | Decachlorobiphen  | 1      | 20    | 22.9   | 115         |      | 30 (32)   | 150 (175) |
|                  |                  | Tetrachloro-m-xyl | 2      | 20    | 21.9   | 110         |      | 30 (32)   | 150 (144) |
|                  |                  | Decachlorobiphen  | 2      | 20    | 21.9   | 110         |      | 30 (32)   | 150 (175) |
| I.BLK-PP074351.D | PIBLK-PP074351.D | Tetrachloro-m-xyl | 1      | 20    | 19.5   | 98          |      | 70 (60)   | 130 (140) |
|                  |                  | Decachlorobiphen  | 1      | 20    | 18.2   | 91          |      | 70 (60)   | 130 (140) |
|                  |                  | Tetrachloro-m-xyl | 2      | 20    | 16.7   | 83          |      | 70 (60)   | 130 (140) |
|                  |                  | Decachlorobiphen  | 2      | 20    | 16.3   | 82          |      | 70 (60)   | 130 (140) |
| I.BLK-PP074365.D | PIBLK-PP074365.D | Tetrachloro-m-xyl | 1      | 20    | 19.7   | 99          |      | 70 (60)   | 130 (140) |
|                  |                  | Decachlorobiphen  | 1      | 20    | 18.7   | 94          |      | 70 (60)   | 130 (140) |
|                  |                  | Tetrachloro-m-xyl | 2      | 20    | 17.0   | 85          |      | 70 (60)   | 130 (140) |
|                  |                  | Decachlorobiphen  | 2      | 20    | 16.9   | 84          |      | 70 (60)   | 130 (140) |
| PB169227BL       | PB169227BL       | Tetrachloro-m-xyl | 1      | 20    | 24.6   | 123         |      | 30 (32)   | 150 (144) |
|                  |                  | Decachlorobiphen  | 1      | 20    | 23.4   | 117         |      | 30 (32)   | 150 (175) |
|                  |                  | Tetrachloro-m-xyl | 2      | 20    | 22.3   | 112         |      | 30 (32)   | 150 (144) |
|                  |                  | Decachlorobiphen  | 2      | 20    | 22.1   | 110         |      | 30 (32)   | 150 (175) |
| I.BLK-PP074371.D | PIBLK-PP074371.D | Tetrachloro-m-xyl | 1      | 20    | 19.7   | 99          |      | 70 (60)   | 130 (140) |
|                  |                  | Decachlorobiphen  | 1      | 20    | 18.8   | 94          |      | 70 (60)   | 130 (140) |
|                  |                  | Tetrachloro-m-xyl | 2      | 20    | 16.6   | 83          |      | 70 (60)   | 130 (140) |
|                  |                  | Decachlorobiphen  | 2      | 20    | 17.1   | 86          |      | 70 (60)   | 130 (140) |

### Matrix Spike/Matrix Spike Duplicate Summary

SW-846

|                 |               |                           |                   |
|-----------------|---------------|---------------------------|-------------------|
| <b>SDG No.:</b> | <u>Q2732</u>  | <b>Analytical Method:</b> | <u>8082A</u>      |
| <b>Client:</b>  | <u>ENTACT</u> | <b>DataFile :</b>         | <u>PP074344.D</u> |

|                       | Parameter                    | Spike | Sample Result            | Result          | Units | Rec | Rec Qual | RPD | RPD Qual | Low     | Limits High | RPD |
|-----------------------|------------------------------|-------|--------------------------|-----------------|-------|-----|----------|-----|----------|---------|-------------|-----|
| <b>Lab Sample ID:</b> | <b>Q2832-03MS (Column 1)</b> |       | <b>Client Sample ID:</b> | <b>TG-S02MS</b> |       |     |          |     |          |         |             |     |
|                       | AR1016                       | 177   | 0                        | 223             | ug/kg | 126 |          |     |          | 40 (55) | 140 (146)   |     |
|                       | AR1260                       | 177   | 325                      | 519             | ug/kg | 110 |          |     |          | 40 (54) | 140 (119)   |     |
| <b>Lab Sample ID:</b> | <b>Q2832-03MS (Column 2)</b> |       | <b>Client Sample ID:</b> | <b>TG-S02MS</b> |       |     |          |     |          |         |             |     |
|                       | AR1016                       | 177   | 0                        | 206             | ug/kg | 116 |          |     |          | 40 (55) | 140 (146)   |     |
|                       | AR1260                       | 177   | 365                      | 635             | ug/kg | 152 | *        |     |          | 40 (54) | 140 (119)   |     |

### Matrix Spike/Matrix Spike Duplicate Summary

SW-846

|                 |               |                           |                   |
|-----------------|---------------|---------------------------|-------------------|
| <b>SDG No.:</b> | <u>Q2732</u>  | <b>Analytical Method:</b> | <u>8082A</u>      |
| <b>Client:</b>  | <u>ENTACT</u> | <b>DataFile :</b>         | <u>PP074345.D</u> |

|                       |                    | Sample                   |        |                  |     | Rec  |     | RPD  |         | Limits    |         |
|-----------------------|--------------------|--------------------------|--------|------------------|-----|------|-----|------|---------|-----------|---------|
| Parameter             | Spike              | Result                   | Result | Units            | Rec | Qual | RPD | Qual | Low     | High      | RPD     |
| <b>Lab Sample ID:</b> | <b>Q2832-03MSD</b> | <b>Client Sample ID:</b> |        | <b>TG-S02MSD</b> |     |      |     |      |         |           |         |
| (Column 1)            |                    |                          |        |                  |     |      |     |      |         |           |         |
| AR1016                | 177.1              | 0                        | 221    | ug/kg            | 125 |      | 1   |      | 40 (55) | 140 (146) | 30 (15) |
| AR1260                | 177.1              | 325                      | 505    | ug/kg            | 102 |      | 8   |      | 40 (54) | 140 (119) | 30 (15) |
| <b>Lab Sample ID:</b> | <b>Q2832-03MSD</b> | <b>Client Sample ID:</b> |        | <b>TG-S02MSD</b> |     |      |     |      |         |           |         |
| (Column 2)            |                    |                          |        |                  |     |      |     |      |         |           |         |
| AR1016                | 177.1              | 0                        | 202    | ug/kg            | 114 |      | 2   |      | 40 (55) | 140 (146) | 30 (15) |
| AR1260                | 177.1              | 365                      | 627    | ug/kg            | 147 | *    | 3   |      | 40 (54) | 140 (119) | 30 (15) |

**Laboratory Control Sample/Laboratory Control Sample Duplicate Summary**

**SW-846**

|                 |               |                           |                   |
|-----------------|---------------|---------------------------|-------------------|
| <b>SDG No.:</b> | <u>Q2732</u>  | <b>Analytical Method:</b> | <u>8082A</u>      |
| <b>Client:</b>  | <u>ENTACT</u> | <b>Datafile :</b>         | <u>PP074340.D</u> |

| Lab Sample ID            | Parameter | Spike | Result | Units | Rec | RPD | Qual | RPD  | Limits  |           | RPD |
|--------------------------|-----------|-------|--------|-------|-----|-----|------|------|---------|-----------|-----|
|                          |           |       |        |       |     |     |      | Qual | Low     | High      |     |
| PB169227BS<br>(Column 1) | AR1016    | 166.6 | 193    | ug/kg | 116 |     |      |      | 40 (71) | 140 (120) |     |
|                          | AR1260    | 166.6 | 173    | ug/kg | 104 |     |      |      | 40 (65) | 140 (130) |     |
| PB169227BS<br>(Column 2) | AR1016    | 166.6 | 195    | ug/kg | 117 |     |      |      | 40 (71) | 140 (120) |     |
|                          | AR1260    | 166.6 | 189    | ug/kg | 113 |     |      |      | 40 (65) | 140 (130) |     |

4C

PESTICIDE METHOD BLANK SUMMARY

Client ID

PB169227BL

Lab Name: Alliance

Contract: ENTA05

Lab Code: ACE

SDG NO.: Q2732

Lab Sample ID: PB169227BL

Lab File ID: PP074366.D

Matrix: (soil/water) Solid

Extraction: (Type) SOXH

Sulfur Cleanup: (Y/N) N

Date Extracted: 08/13/2025

Date Analyzed (1): 08/13/2025

Date Analyzed (2): 08/13/2025

Time Analyzed (1): 22:08

Time Analyzed (2): 22:08

Instrument ID (1): ECD\_P

Instrument ID (2): ECD\_P

GC Column (1): ZB-MR1 ID: 0.32 (mm)

GC Column (2): ZB-MR2 ID: 0.32 (mm)

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

| EPA<br>SAMPLE NO. | LAB<br>SAMPLE ID | LAB<br>FILE ID | DATE<br>ANALYZED 1 | DATE<br>ANALYZED 2 |
|-------------------|------------------|----------------|--------------------|--------------------|
| PB169227BS        | PB169227BS       | PP074340.D     | 08/13/2025         | 08/13/2025         |
| WC-A7-01-C        | Q2732-02         | PP074341.D     | 08/13/2025         | 08/13/2025         |
| TG-S02MS          | Q2832-03MS       | PP074344.D     | 08/13/2025         | 08/13/2025         |
| TG-S02MSD         | Q2832-03MSD      | PP074345.D     | 08/13/2025         | 08/13/2025         |

COMMENTS: \_\_\_\_\_  
\_\_\_\_\_



# SAMPLE DATA

## Report of Analysis

|                    |                                     |                    |          |
|--------------------|-------------------------------------|--------------------|----------|
| Client:            | ENTACT                              | Date Collected:    | 08/12/25 |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:     | 08/12/25 |
| Client Sample ID:  | WC-A7-01-C                          | SDG No.:           | Q2732    |
| Lab Sample ID:     | Q2732-02                            | Matrix:            | SOIL     |
| Analytical Method: | 8082A                               | % Solid:           | 96.7     |
| Sample Wt/Vol:     | 30.04                               | Units:             | g        |
| Soil Aliquot Vol:  |                                     |                    | uL       |
| Extraction Type:   |                                     | Test:              | PCB      |
| GPC Factor :       | 1.0                                 | PH :               |          |
| Prep Method :      | SW3541B                             | Injection Volume : |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PP074341.D        | 1         | 08/13/25 08:33 | 08/13/25 13:11 | PB169227      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|--------|-----------|---------------------|------------|-------------------|
| <b>TARGETS</b>    |                      |        |           |                     |            |                   |
| 12674-11-2        | Aroclor-1016         | 0.0041 | U         | 0.0041              | 0.018      | mg/Kg             |
| 11104-28-2        | Aroclor-1221         | 0.0042 | U         | 0.0042              | 0.018      | mg/Kg             |
| 11141-16-5        | Aroclor-1232         | 0.0038 | U         | 0.0038              | 0.018      | mg/Kg             |
| 53469-21-9        | Aroclor-1242         | 0.0041 | U         | 0.0041              | 0.018      | mg/Kg             |
| 12672-29-6        | Aroclor-1248         | 0.0061 | U         | 0.0061              | 0.018      | mg/Kg             |
| 11097-69-1        | Aroclor-1254         | 0.0033 | U         | 0.0033              | 0.018      | mg/Kg             |
| 37324-23-5        | Aroclor-1262         | 0.0052 | U         | 0.0052              | 0.018      | mg/Kg             |
| 11100-14-4        | Aroclor-1268         | 0.0037 | U         | 0.0037              | 0.018      | mg/Kg             |
| 11096-82-5        | Aroclor-1260         | 0.0033 | U         | 0.0033              | 0.018      | mg/Kg             |
| <b>SURROGATES</b> |                      |        |           |                     |            |                   |
| 877-09-8          | Tetrachloro-m-xylene | 32.8   | *         | 30 (32) - 150 (144) | 164%       | SPK: 20           |
| 2051-24-3         | Decachlorobiphenyl   | 21.5   |           | 30 (32) - 150 (175) | 108%       | SPK: 20           |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
 Data File : PP074341.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 13 Aug 2025 13:11  
 Operator : YP\AJ  
 Sample : Q2732-02  
 Misc :  
 ALS Vial : 9 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 WC-A7-01-C

**Manual Integrations**  
**APPROVED**

Reviewed By :Yogesh Patel 08/14/2025  
 Supervised By :mohammad ahmed 08/18/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 13 15:41:36 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Mon Aug 04 11:01:49 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2  | ng/ml   | ng/ml    |
|-----------------------------|--------|-------|----------|---------|---------|----------|
| -----                       |        |       |          |         |         |          |
| System Monitoring Compounds |        |       |          |         |         |          |
| 1) SA Tetrachlo...          | 4.654  | 3.802 | 20659186 | 125.6E6 | 18.474m | 32.747m# |
| 2) SA Decachlor...          | 10.435 | 8.816 | 20906950 | 113.6E6 | 21.528  | 18.888   |

Target Compounds

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074341.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 13:11  
Operator : YP\AJ  
Sample : Q2732-02  
Misc :  
ALS Vial : 9 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
WC-A7-01-C


Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/14/2025  
Supervised By :mohammad ahmed 08/18/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 13 15:41:36 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






## #1 Tetrachloro-m-xylene

R.T.: 4.654 min  
Delta R.T.: -0.006 min  
Response: 20659186  
Conc: 18.47 ng/ml

Instrument :  
ECD\_P  
ClientSampleId :  
WC-A7-01-C


Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/14/2025  
Supervised By :mohammad ahmed 08/18/2025




## #1 Tetrachloro-m-xylene

R.T.: 3.802 min  
Delta R.T.: -0.003 min  
Response: 125564311  
Conc: 32.75 ng/ml m



## #2 Decachlorobiphenyl

R.T.: 10.435 min  
Delta R.T.: -0.003 min  
Response: 20906950  
Conc: 21.53 ng/ml



## #2 Decachlorobiphenyl

R.T.: 8.816 min  
Delta R.T.: -0.010 min  
Response: 113585453  
Conc: 18.89 ng/ml



# CALIBRATION SUMMARY

**Calibration Times:**                      12:05                      20:28

LAB FILE ID: RT 1000 = PP074168.D RT 750 = PP074169.D  
RT 500 = PP074170.D RT 250 = PP074171.D RT 050 = PP074172.D

[illegible]

**Calibration Times:**                      **12:05**                      **20:28**

LAB FILE ID: RT 1000 = PP074168.D RT 750 = PP074169.D  
RT 500 = PP074170.D RT 250 = PP074171.D RT 050 = PP074172.D

[illegible]



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CALIBRATION FACTOR OF INITIAL CALIBRATION

Lab Name: Alliance  
Lab Code: ACE  
Instrument ID: ECD\_P

Contract: ENTA05  
SDG NO.: Q2732

Calibration Date(s): 08/01/2025 08/01/2025  
Calibration Times: 12:05 20:28

GC Column: ZB-MR1 ID: 0.32 (mm)

| LAB FILE ID:               |     | CF 1000 = <u>PP074168.D</u> |            | CF 750 = <u>PP074169.D</u> |            |            |            |
|----------------------------|-----|-----------------------------|------------|----------------------------|------------|------------|------------|
| CF 500 = <u>PP074170.D</u> |     | CF 250 = <u>PP074171.D</u>  |            | CF 050 = <u>PP074172.D</u> |            |            |            |
| COMPOUND                   |     | CF 1000                     | CF 750     | CF 500                     | CF 250     | CF 050     | % RSD      |
| Aroclor-1016-1             | (1) | 35273925                    | 37423669   | 39112938                   | 43859036   | 50614460   | 41256806   |
| Aroclor-1016-2             | (2) | 51795728                    | 55199127   | 58347288                   | 64689960   | 73676540   | 60741729   |
| Aroclor-1016-3             | (3) | 33422245                    | 35685564   | 37869938                   | 42702196   | 48622620   | 39660513   |
| Aroclor-1016-4             | (4) | 27792815                    | 29586895   | 31487664                   | 35862436   | 37992560   | 32544474   |
| Aroclor-1016-5             | (5) | 27690329                    | 29450228   | 31441930                   | 35606544   | 38151200   | 32468046   |
| Aroclor-1260-1             | (1) | 47709498                    | 50888675   | 54142460                   | 59119820   | 69919860   | 56356063   |
| Aroclor-1260-2             | (2) | 56508230                    | 60166887   | 63913596                   | 71401348   | 88771760   | 68152364   |
| Aroclor-1260-3             | (3) | 45067030                    | 48123128   | 50650728                   | 57005548   | 65633220   | 53295931   |
| Aroclor-1260-4             | (4) | 54035441                    | 57066597   | 60264502                   | 66664376   | 75043960   | 62614975   |
| Aroclor-1260-5             | (5) | 97992993                    | 102942959  | 107738868                  | 117332464  | 140517260  | 113304909  |
| Decachlorobiphenyl         |     | 852434670                   | 894679120  | 940440840                  | 1016872040 | 1151380600 | 971161454  |
| Tetrachloro-m-xylene       |     | 994587660                   | 1038636867 | 1076051520                 | 1154524400 | 1327726000 | 1118305289 |
| Aroclor-1242-1             | (1) | 31512428                    | 33419607   | 35918512                   | 39696020   | 45782500   | 37265813   |
| Aroclor-1242-2             | (2) | 47421171                    | 49356251   | 53063334                   | 57890692   | 64313200   | 54408930   |
| Aroclor-1242-3             | (3) | 30290298                    | 32076312   | 34724744                   | 38188808   | 43399140   | 35735860   |
| Aroclor-1242-4             | (4) | 25177060                    | 26633319   | 28691812                   | 30950152   | 34640880   | 29218645   |
| Aroclor-1242-5             | (5) | 29128304                    | 32087727   | 34406488                   | 38696772   | 43470800   | 35558018   |
| Decachlorobiphenyl         |     | 880786000                   | 919506067  | 984418560                  | 1056643120 | 1205252000 | 1009321149 |
| Tetrachloro-m-xylene       |     | 1043240650                  | 1075688493 | 1133074840                 | 1202593000 | 1370780600 | 1165075517 |
| Aroclor-1254-1             | (1) | 49559228                    | 49811068   | 53907260                   | 53993024   | 55934640   | 52641044   |
| Aroclor-1254-2             | (2) | 70079706                    | 72686637   | 78166692                   | 86577056   | 90012700   | 79504558   |
| Aroclor-1254-3             | (3) | 76495408                    | 79340601   | 84479860                   | 93420496   | 102844700  | 87316213   |
| Aroclor-1254-4             | (4) | 57834344                    | 59926583   | 63428804                   | 69599176   | 68258480   | 63809477   |
| Aroclor-1254-5             | (5) | 73335985                    | 76078215   | 80654566                   | 88040632   | 87614400   | 81144760   |
| Decachlorobiphenyl         |     | 901613940                   | 929059080  | 979122040                  | 1057269880 | 1005303000 | 974473588  |
| Tetrachloro-m-xylene       |     | 1055318110                  | 1070331613 | 1114290760                 | 1189360720 | 1187072000 | 1123274641 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CALIBRATION FACTOR OF INITIAL CALIBRATION

Lab Name: Alliance  
Lab Code: ACE  
Instrument ID: ECD\_P

Contract: ENTA05  
SDG NO.: Q2732

Calibration Date(s): 08/01/2025 08/01/2025  
Calibration Times: 12:05 20:28

GC Column: ZB-MR2 ID: 0.32 (mm)

| LAB FILE ID:               |     | CF 1000 = <u>PP074168.D</u> |            | CF 750 = <u>PP074169.D</u> |            |            |            |
|----------------------------|-----|-----------------------------|------------|----------------------------|------------|------------|------------|
| CF 500 = <u>PP074170.D</u> |     | CF 250 = <u>PP074171.D</u>  |            | CF 050 = <u>PP074172.D</u> |            |            |            |
| COMPOUND                   |     | CF 1000                     | CF 750     | CF 500                     | CF 250     | CF 050     | % RSD      |
| Aroclor-1016-1             | (1) | 401748995                   | 398824608  | 399912360                  | 403735356  | 390215520  | 398887368  |
| Aroclor-1016-2             | (2) | 186854426                   | 192495525  | 187577416                  | 198284052  | 173833620  | 187809008  |
| Aroclor-1016-3             | (3) | 104048217                   | 106580327  | 106062448                  | 114925596  | 98731580   | 106069634  |
| Aroclor-1016-4             | (4) | 102945349                   | 106576167  | 111089380                  | 109624088  | 115865320  | 109220061  |
| Aroclor-1016-5             | (5) | 116097268                   | 118066511  | 118643196                  | 118883084  | 113126240  | 116963260  |
| Aroclor-1260-1             | (1) | 398303416                   | 397444124  | 405725820                  | 438106428  | 380206020  | 403957162  |
| Aroclor-1260-2             | (2) | 301304557                   | 308158192  | 308266150                  | 305734868  | 340030740  | 312698901  |
| Aroclor-1260-3             | (3) | 408378449                   | 417603121  | 404068616                  | 383320072  | 357221180  | 394118288  |
| Aroclor-1260-4             | (4) | 295359710                   | 299954812  | 306136602                  | 280781712  | 272663920  | 290979351  |
| Aroclor-1260-5             | (5) | 811772813                   | 805780147  | 794112086                  | 732491376  | 642892660  | 757409816  |
| Decachlorobiphenyl         |     | 6091085760                  | 6145498480 | 6064775080                 | 5991469080 | 5775302800 | 6013626240 |
| Tetrachloro-m-xylene       |     | 4204747790                  | 4209506627 | 3997167900                 | 3658659200 | 3102045200 | 3834425343 |
| Aroclor-1242-1             | (1) | 341272725                   | 348537165  | 356175586                  | 358260688  | 321457320  | 345140697  |
| Aroclor-1242-2             | (2) | 162660327                   | 171629959  | 165033416                  | 168697644  | 148866940  | 163377657  |
| Aroclor-1242-3             | (3) | 93075141                    | 96957855   | 92088854                   | 97223352   | 81897380   | 92248516   |
| Aroclor-1242-4             | (4) | 117292839                   | 116784915  | 126377070                  | 120581608  | 116071680  | 119421622  |
| Aroclor-1242-5             | (5) | 140731652                   | 152438257  | 148354640                  | 155481924  | 150793560  | 149560007  |
| Decachlorobiphenyl         |     | 6182103300                  | 6198353267 | 6343202860                 | 6254049920 | 5638925600 | 6123326989 |
| Tetrachloro-m-xylene       |     | 4380731720                  | 4319851627 | 4244718880                 | 3977934440 | 3138312200 | 4012309773 |
| Aroclor-1254-1             | (1) | 384557283                   | 361450625  | 385081202                  | 377494716  | 322325960  | 366181957  |
| Aroclor-1254-2             | (2) | 284389782                   | 276601852  | 284135592                  | 290728916  | 255228600  | 278216948  |
| Aroclor-1254-3             | (3) | 520239168                   | 520693099  | 508814756                  | 526662268  | 369647720  | 489211402  |
| Aroclor-1254-4             | (4) | 378053305                   | 389619320  | 377098978                  | 394351108  | 298703960  | 367565334  |
| Aroclor-1254-5             | (5) | 425051302                   | 410967521  | 398226716                  | 393575444  | 298014540  | 385167105  |
| Decachlorobiphenyl         |     | 6206832720                  | 6179384467 | 6118770460                 | 6279475360 | 4842174000 | 5925327401 |
| Tetrachloro-m-xylene       |     | 4358828150                  | 4220486587 | 4040036280                 | 3680489520 | 2529500800 | 3765868267 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### INITIAL CALIBRATION OF MULTICOMPONENT ANALYTES

**Lab Name:** Alliance **Contract:** ENTA05  
**Lab Code:** ACE **SDG NO.:** Q2732  
**Instrument ID:** ECD\_P **Date(s) Analyzed:** 08/01/2025 08/01/2025  
**GC Column:** ZB-MR1 **ID:** 0.32 (mm)

| COMPOUND     | AMOUNT<br>(ng) | PEAK | RT    | RT WINDOW |       | CALIBRATION<br>FACTOR |
|--------------|----------------|------|-------|-----------|-------|-----------------------|
|              |                |      |       | FROM      | TO    |                       |
| Aroclor-1221 | 500            | 1    | 4.86  | 4.76      | 4.96  | 16763600              |
|              |                | 2    | 4.94  | 4.84      | 5.04  | 12601100              |
|              |                | 3    | 5.02  | 4.92      | 5.12  | 36635200              |
|              |                | 4    | 0.00  |           |       | 0                     |
|              |                | 5    | 0.00  |           |       | 0                     |
| Aroclor-1232 | 500            | 1    | 5.02  | 4.92      | 5.12  | 29037400              |
|              |                | 2    | 5.55  | 5.45      | 5.65  | 15042700              |
|              |                | 3    | 5.83  | 5.73      | 5.93  | 29001800              |
|              |                | 4    | 5.99  | 5.89      | 6.09  | 15468800              |
|              |                | 5    | 6.08  | 5.98      | 6.18  | 11716000              |
| Aroclor-1248 | 500            | 1    | 5.81  | 5.71      | 5.91  | 28382600              |
|              |                | 2    | 6.08  | 5.98      | 6.18  | 40187600              |
|              |                | 3    | 6.28  | 6.18      | 6.38  | 44640800              |
|              |                | 4    | 6.68  | 6.58      | 6.78  | 51582200              |
|              |                | 5    | 6.72  | 6.62      | 6.82  | 53240200              |
| Aroclor-1262 | 500            | 1    | 8.24  | 8.14      | 8.34  | 75789600              |
|              |                | 2    | 8.56  | 8.46      | 8.66  | 130430000             |
|              |                | 3    | 8.89  | 8.79      | 8.99  | 94070800              |
|              |                | 4    | 8.97  | 8.87      | 9.07  | 72851600              |
|              |                | 5    | 9.65  | 9.55      | 9.75  | 50922600              |
| Aroclor-1268 | 500            | 1    | 8.88  | 8.78      | 8.98  | 158028000             |
|              |                | 2    | 8.98  | 8.88      | 9.08  | 146028000             |
|              |                | 3    | 9.22  | 9.12      | 9.32  | 121402000             |
|              |                | 4    | 9.64  | 9.54      | 9.74  | 59648200              |
|              |                | 5    | 10.08 | 9.98      | 10.18 | 357940000             |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### INITIAL CALIBRATION OF MULTICOMPONENT ANALYTES

**Lab Name:** Alliance **Contract:** ENTA05  
**Lab Code:** ACE **SDG NO.:** Q2732  
**Instrument ID:** ECD\_P **Date(s) Analyzed:** 08/01/2025 08/01/2025  
**GC Column:** ZB-MR2 **ID:** 0.32 (mm)

| COMPOUND     | AMOUNT<br>(ng) | PEAK | RT   | RT WINDOW |      | CALIBRATION<br>FACTOR |
|--------------|----------------|------|------|-----------|------|-----------------------|
|              |                |      |      | FROM      | TO   |                       |
| Aroclor-1221 | 500            | 1    | 4.02 | 3.92      | 4.12 | 49085200              |
|              |                | 2    | 4.10 | 4.00      | 4.20 | 35889400              |
|              |                | 3    | 4.18 | 4.08      | 4.28 | 135225000             |
|              |                | 4    | 0.00 |           |      | 0                     |
|              |                | 5    | 0.00 |           |      | 0                     |
| Aroclor-1232 | 500            | 1    | 4.18 | 4.08      | 4.28 | 101362000             |
|              |                | 2    | 4.90 | 4.80      | 5.00 | 174266000             |
|              |                | 3    | 5.08 | 4.98      | 5.18 | 45816600              |
|              |                | 4    | 5.16 | 5.06      | 5.26 | 58010800              |
|              |                | 5    | 5.34 | 5.24      | 5.44 | 46979400              |
| Aroclor-1248 | 500            | 1    | 4.90 | 4.80      | 5.00 | 223628000             |
|              |                | 2    | 5.12 | 5.02      | 5.22 | 147770000             |
|              |                | 3    | 5.16 | 5.06      | 5.26 | 179546000             |
|              |                | 4    | 5.34 | 5.24      | 5.44 | 167057000             |
|              |                | 5    | 5.73 | 5.63      | 5.83 | 302782000             |
| Aroclor-1262 | 500            | 1    | 6.92 | 6.82      | 7.02 | 563142000             |
|              |                | 2    | 7.18 | 7.08      | 7.28 | 401024000             |
|              |                | 3    | 7.70 | 7.60      | 7.80 | 359470000             |
|              |                | 4    | 7.76 | 7.66      | 7.86 | 666922000             |
|              |                | 5    | 8.26 | 8.16      | 8.36 | 283268000             |
| Aroclor-1268 | 500            | 1    | 7.70 | 7.60      | 7.80 | 1169220000            |
|              |                | 2    | 7.76 | 7.66      | 7.86 | 1148130000            |
|              |                | 3    | 7.97 | 7.87      | 8.07 | 891866000             |
|              |                | 4    | 8.26 | 8.16      | 8.36 | 329470000             |
|              |                | 5    | 8.56 | 8.46      | 8.66 | 2772300000            |

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074168.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 12:05  
 Operator : YP\AJ  
 Sample : AR1660ICC1000  
 Misc :  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1660ICC1000

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 01 13:05:03 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Aug 01 13:02:12 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2  | ng/ml   | ng/ml    |
|-----------------------------|--------|-------|----------|---------|---------|----------|
| -----                       |        |       |          |         |         |          |
| System Monitoring Compounds |        |       |          |         |         |          |
| 1) SA Tetrachlo...          | 4.660  | 3.805 | 99458766 | 420.5E6 | 96.066  | 102.531  |
| 2) SA Decachlor...          | 10.437 | 8.826 | 85243467 | 609.1E6 | 95.091  | 100.216  |
| Target Compounds            |        |       |          |         |         |          |
| 3) L1 AR-1016-1             | 5.812  | 4.905 | 35273925 | 401.7E6 | 948.391 | 1002.291 |
| 4) L1 AR-1016-2             | 5.833  | 4.963 | 51795728 | 186.9E6 | 940.518 | 998.069  |
| 5) L1 AR-1016-3             | 5.896  | 5.083 | 33422245 | 104.0E6 | 937.613 | 990.413  |
| 6) L1 AR-1016-4             | 5.993  | 5.124 | 27792815 | 102.9E6 | 937.672 | 961.950  |
| 7) L1 AR-1016-5             | 6.285  | 5.338 | 27690329 | 116.1E6 | 936.556 | 989.154  |
| 31) L7 AR-1260-1            | 7.403  | 6.555 | 47709498 | 398.3E6 | 936.840 | 990.768  |
| 32) L7 AR-1260-2            | 7.656  | 6.711 | 56508230 | 301.3E6 | 938.505 | 988.580  |
| 33) L7 AR-1260-3            | 8.013  | 6.921 | 45067030 | 408.4E6 | 941.665 | 1005.305 |
| 34) L7 AR-1260-4            | 8.241  | 7.180 | 54035441 | 295.4E6 | 945.503 | 982.083  |
| 35) L7 AR-1260-5            | 8.567  | 7.419 | 97992993 | 811.8E6 | 952.628 | 1010.998 |
| -----                       |        |       |          |         |         |          |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074168.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 12:05  
Operator : YP\AJ  
Sample : AR1660ICC1000  
Misc :  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
AR1660ICC1000

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 01 13:05:03 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Aug 01 13:02:12 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074169.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 12:22  
 Operator : YP\AJ  
 Sample : AR1660ICC750  
 Misc :  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1660ICC750

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 01 13:07:47 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Aug 01 13:02:12 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml   |
|-----------------------------|--------|-------|----------|----------|---------|---------|
| -----                       |        |       |          |          |         |         |
| System Monitoring Compounds |        |       |          |          |         |         |
| 1) SA Tetrachlo...          | 4.662  | 3.804 | 77897765 | 315.7E6  | 75.160  | 76.312  |
| 2) SA Decachlor...          | 10.440 | 8.825 | 67100934 | 460.9E6  | 74.902  | 75.554  |
| Target Compounds            |        |       |          |          |         |         |
| 3) L1 AR-1016-1             | 5.814  | 4.904 | 28067752 | 299.1E6  | 753.089 | 747.493 |
| 4) L1 AR-1016-2             | 5.836  | 4.962 | 41399345 | 144.4E6  | 751.158 | 763.969 |
| 5) L1 AR-1016-3             | 5.898  | 5.082 | 26764173 | 79935245 | 750.553 | 757.223 |
| 6) L1 AR-1016-4             | 5.995  | 5.122 | 22190171 | 79932125 | 749.100 | 747.936 |
| 7) L1 AR-1016-5             | 6.288  | 5.337 | 22087671 | 88549883 | 748.037 | 752.960 |
| 31) L7 AR-1260-1            | 7.405  | 6.554 | 38166506 | 298.1E6  | 749.634 | 744.294 |
| 32) L7 AR-1260-2            | 7.658  | 6.709 | 45125165 | 231.1E6  | 749.634 | 755.513 |
| 33) L7 AR-1260-3            | 8.016  | 6.919 | 36092346 | 313.2E6  | 752.756 | 763.877 |
| 34) L7 AR-1260-4            | 8.244  | 7.178 | 42799948 | 225.0E6  | 749.270 | 748.680 |
| 35) L7 AR-1260-5            | 8.569  | 7.417 | 77207219 | 604.3E6  | 750.374 | 751.765 |
| -----                       |        |       |          |          |         |         |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074169.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 12:22  
Operator : YP\AJ  
Sample : AR1660ICC750  
Misc :  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
AR1660ICC750

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 01 13:07:47 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Aug 01 13:02:12 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074170.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 12:38  
 Operator : YP\AJ  
 Sample : AR1660ICC500  
 Misc :  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1660ICC500

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 01 13:02:29 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Aug 01 13:02:12 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml   |
|-----------------------------|--------|-------|----------|----------|---------|---------|
| -----                       |        |       |          |          |         |         |
| System Monitoring Compounds |        |       |          |          |         |         |
| 1) SA Tetrachlo...          | 4.660  | 3.805 | 53802576 | 199.9E6  | 50.000  | 50.000  |
| 2) SA Decachlor...          | 10.438 | 8.826 | 47022042 | 303.2E6  | 50.000  | 50.000  |
| Target Compounds            |        |       |          |          |         |         |
| 3) L1 AR-1016-1             | 5.812  | 4.906 | 19556469 | 200.0E6  | 500.000 | 500.000 |
| 4) L1 AR-1016-2             | 5.833  | 4.963 | 29173644 | 93788708 | 500.000 | 500.000 |
| 5) L1 AR-1016-3             | 5.896  | 5.083 | 18934969 | 53031224 | 500.000 | 500.000 |
| 6) L1 AR-1016-4             | 5.993  | 5.123 | 15743832 | 55544690 | 500.000 | 500.000 |
| 7) L1 AR-1016-5             | 6.286  | 5.339 | 15720965 | 59321598 | 500.000 | 500.000 |
| 31) L7 AR-1260-1            | 7.403  | 6.555 | 27071230 | 202.9E6  | 500.000 | 500.000 |
| 32) L7 AR-1260-2            | 7.655  | 6.709 | 31956798 | 154.1E6  | 500.000 | 500.000 |
| 33) L7 AR-1260-3            | 8.013  | 6.919 | 25325364 | 202.0E6  | 500.000 | 500.000 |
| 34) L7 AR-1260-4            | 8.242  | 7.179 | 30132251 | 153.1E6  | 500.000 | 500.000 |
| 35) L7 AR-1260-5            | 8.568  | 7.418 | 53869434 | 397.1E6  | 500.000 | 500.000 |
| -----                       |        |       |          |          |         |         |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074170.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 12:38  
Operator : YP\AJ  
Sample : AR1660ICC500  
Misc :  
ALS Vial : 5 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
AR1660ICC500

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 01 13:02:29 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Aug 01 13:02:12 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074171.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 12:54  
 Operator : YP\AJ  
 Sample : AR1660ICC250  
 Misc :  
 ALS Vial : 6 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1660ICC250

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 01 13:10:47 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Aug 01 13:02:12 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml    | ng/ml   |
|-----------------------------|--------|-------|----------|----------|----------|---------|
| -----                       |        |       |          |          |          |         |
| System Monitoring Compounds |        |       |          |          |          |         |
| 1) SA Tetrachlo...          | 4.658  | 3.807 | 28863110 | 91466480 | 27.077   | 22.767  |
| 2) SA Decachlor...          | 10.435 | 8.827 | 25421801 | 149.8E6  | 27.450   | 24.664  |
| Target Compounds            |        |       |          |          |          |         |
| 3) L1 AR-1016-1             | 5.810  | 4.907 | 10964759 | 100.9E6  | 281.744  | 251.671 |
| 4) L1 AR-1016-2             | 5.832  | 4.965 | 16172490 | 49571013 | 281.221  | 259.123 |
| 5) L1 AR-1016-3             | 5.895  | 5.085 | 10675549 | 28731399 | 285.290  | 266.268 |
| 6) L1 AR-1016-4             | 5.991  | 5.126 | 8965609  | 27406022 | 287.521  | 254.800 |
| 7) L1 AR-1016-5             | 6.282  | 5.340 | 8901636  | 29720771 | 287.291m | 252.036 |
| 31) L7 AR-1260-1            | 7.399  | 6.557 | 14779955 | 109.5E6  | 277.879m | 267.207 |
| 32) L7 AR-1260-2            | 7.652  | 6.711 | 17850337 | 76433717 | 284.356m | 249.893 |
| 33) L7 AR-1260-3            | 8.011  | 6.922 | 14251387 | 95830018 | 283.827  | 237.590 |
| 34) L7 AR-1260-4            | 8.240  | 7.182 | 16666094 | 70195428 | 280.066  | 237.501 |
| 35) L7 AR-1260-5            | 8.565  | 7.421 | 29333116 | 183.1E6  | 275.424  | 232.969 |
| -----                       |        |       |          |          |          |         |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074171.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 12:54  
Operator : YP\AJ  
Sample : AR1660ICC250  
Misc :  
ALS Vial : 6 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1660ICC250

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 01 13:10:47 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Aug 01 13:02:12 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074172.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 13:42  
 Operator : YP\AJ  
 Sample : AR1660ICC050  
 Misc :  
 ALS Vial : 50 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1660ICC050

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 01 13:58:51 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Aug 01 13:58:39 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1  | Resp#2   | ng/ml   | ng/ml    |
|-----------------------------|--------|-------|---------|----------|---------|----------|
| -----                       |        |       |         |          |         |          |
| System Monitoring Compounds |        |       |         |          |         |          |
| 1) SA Tetrachlo...          | 4.660  | 3.804 | 6638630 | 15510226 | 5.935m  | 4.043m#  |
| 2) SA Decachlor...          | 10.437 | 8.827 | 5756903 | 28876514 | 5.928   | 4.802    |
| Target Compounds            |        |       |         |          |         |          |
| 3) L1 AR-1016-1             | 5.813  | 4.906 | 2530723 | 19510776 | 61.341  | 48.913   |
| 4) L1 AR-1016-2             | 5.835  | 4.966 | 3683827 | 8691681  | 60.647  | 46.279   |
| 5) L1 AR-1016-3             | 5.897  | 5.084 | 2431131 | 4936579  | 61.299  | 46.541   |
| 6) L1 AR-1016-4             | 5.994  | 5.124 | 1899628 | 5793266  | 58.370  | 53.042   |
| 7) L1 AR-1016-5             | 6.287  | 5.341 | 1907560 | 5656312  | 58.752  | 48.360   |
| 31) L7 AR-1260-1            | 7.404  | 6.556 | 3495993 | 19010301 | 62.034  | 47.060   |
| 32) L7 AR-1260-2            | 7.656  | 6.709 | 4438588 | 17001537 | 64.615m | 54.991m  |
| 33) L7 AR-1260-3            | 8.015  | 6.920 | 3281661 | 17861059 | 61.574  | 45.319 # |
| 34) L7 AR-1260-4            | 8.242  | 7.180 | 3752198 | 13633196 | 59.829m | 46.853   |
| 35) L7 AR-1260-5            | 8.568  | 7.418 | 7025863 | 32144633 | 62.008  | 42.440 # |
| -----                       |        |       |         |          |         |          |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074172.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 13:42  
Operator : YP\AJ  
Sample : AR1660ICC050  
Misc :  
ALS Vial : 50 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1660ICC050

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 01 13:58:51 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Aug 01 13:58:39 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074173.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 13:58  
 Operator : YP\AJ  
 Sample : AR1221ICC500  
 Misc :  
 ALS Vial : 8 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1221ICC500

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 01 15:14:09 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Aug 01 15:13:54 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml   |
|-----------------------------|--------|-------|----------|----------|---------|---------|
| -----                       |        |       |          |          |         |         |
| System Monitoring Compounds |        |       |          |          |         |         |
| 1) SA Tetrachlo...          | 4.658  | 3.803 | 54821028 | 195.8E6  | 50.000  | 50.000  |
| 2) SA Decachlor...          | 10.435 | 8.825 | 46278402 | 298.9E6  | 50.000  | 50.000  |
| Target Compounds            |        |       |          |          |         |         |
| 8) L2 AR-1221-1             | 4.858  | 4.015 | 8381808  | 24542587 | 500.000 | 500.000 |
| 9) L2 AR-1221-2             | 4.944  | 4.100 | 6300527  | 17944660 | 500.000 | 500.000 |
| 10) L2 AR-1221-3            | 5.019  | 4.176 | 18317605 | 67612277 | 500.000 | 500.000 |
| -----                       |        |       |          |          |         |         |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074173.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 13:58  
Operator : YP\AJ  
Sample : AR1221ICC500  
Misc :  
ALS Vial : 8 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
AR1221ICC500

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 01 15:14:09 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Aug 01 15:13:54 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074174.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 14:15  
 Operator : YP\AJ  
 Sample : AR1232ICC500  
 Misc :  
 ALS Vial : 9 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1232ICC500

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 01 15:17:09 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Aug 01 15:13:54 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml    |
|-----------------------------|--------|-------|----------|----------|---------|----------|
| -----                       |        |       |          |          |         |          |
| System Monitoring Compounds |        |       |          |          |         |          |
| 1) SA Tetrachlo...          | 4.660  | 3.804 | 54684846 | 201.8E6  | 50.000  | 50.000   |
| 2) SA Decachlor...          | 10.437 | 8.826 | 47117835 | 301.0E6  | 50.000  | 50.000   |
| Target Compounds            |        |       |          |          |         |          |
| 11) L3 AR-1232-1            | 5.020  | 4.177 | 14518661 | 50681220 | 500.000 | 500.000  |
| 12) L3 AR-1232-2            | 5.546  | 4.904 | 7521357  | 87133099 | 500.000 | 500.000  |
| 13) L3 AR-1232-3            | 5.832  | 5.081 | 14500854 | 22908311 | 500.000 | 500.000  |
| 14) L3 AR-1232-4            | 5.993  | 5.164 | 7734413  | 29005356 | 500.000 | 502.399m |
| 15) L3 AR-1232-5            | 6.082  | 5.338 | 5858006  | 23489726 | 500.000 | 500.000  |
| -----                       |        |       |          |          |         |          |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074174.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 14:15  
Operator : YP\AJ  
Sample : AR1232ICC500  
Misc :  
ALS Vial : 9 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1232ICC500

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 01 15:17:09 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Aug 01 15:13:54 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074175.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 14:31  
 Operator : YP\AJ  
 Sample : AR1242ICC1000  
 Misc :  
 ALS Vial : 10 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1242ICC1000

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 01 15:23:53 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Aug 01 15:20:45 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml    |
|-----------------------------|--------|-------|----------|----------|---------|----------|
| -----                       |        |       |          |          |         |          |
| System Monitoring Compounds |        |       |          |          |         |          |
| 1) SA Tetrachlo...          | 4.659  | 3.804 | 104.3E6  | 438.1E6  | 95.872  | 101.577  |
| 2) SA Decachlor...          | 10.436 | 8.825 | 88078600 | 618.2E6  | 94.444  | 98.714   |
| Target Compounds            |        |       |          |          |         |          |
| 16) L4 AR-1242-1            | 5.811  | 4.905 | 31512428 | 341.3E6  | 934.658 | 978.632  |
| 17) L4 AR-1242-2            | 5.832  | 4.962 | 47421171 | 162.7E6  | 943.850 | 992.758  |
| 18) L4 AR-1242-3            | 5.896  | 5.082 | 30290298 | 93075141 | 931.794 | 1005.327 |
| 19) L4 AR-1242-4            | 5.992  | 5.164 | 25177060 | 117.3E6  | 934.754 | 940.884m |
| 20) L4 AR-1242-5            | 6.721  | 5.686 | 29128304 | 140.7E6  | 916.924 | 973.631  |
| -----                       |        |       |          |          |         |          |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074175.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 14:31  
Operator : YP\AJ  
Sample : AR1242ICC1000  
Misc :  
ALS Vial : 10 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1242ICC1000

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 01 15:23:53 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Aug 01 15:20:45 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074176.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 14:47  
 Operator : YP\AJ  
 Sample : AR1242ICC750  
 Misc :  
 ALS Vial : 11 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1242ICC750

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 01 15:26:53 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Aug 01 15:20:45 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml    |
|-----------------------------|-----------------|--------|-------|----------|----------|---------|----------|
| -----                       |                 |        |       |          |          |         |          |
| System Monitoring Compounds |                 |        |       |          |          |         |          |
| 1)                          | SA Tetrachlo... | 4.662  | 3.803 | 80676637 | 324.0E6  | 74.425  | 75.083   |
| 2)                          | SA Decachlor... | 10.438 | 8.824 | 68962955 | 464.9E6  | 74.295  | 74.485   |
|                             |                 |        |       |          |          |         |          |
| Target Compounds            |                 |        |       |          |          |         |          |
| 16)                         | L4 AR-1242-1    | 5.813  | 4.904 | 25064705 | 261.4E6  | 745.599 | 749.732  |
| 17)                         | L4 AR-1242-2    | 5.835  | 4.960 | 37017188 | 128.7E6  | 741.131 | 773.381  |
| 18)                         | L4 AR-1242-3    | 5.898  | 5.081 | 24057234 | 72718391 | 743.338 | 773.266  |
| 19)                         | L4 AR-1242-4    | 5.995  | 5.163 | 19974989 | 87588686 | 744.389 | 713.205m |
| 20)                         | L4 AR-1242-5    | 6.724  | 5.685 | 24065795 | 114.3E6  | 755.025 | 776.822  |
| -----                       |                 |        |       |          |          |         |          |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074176.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 14:47  
Operator : YP\AJ  
Sample : AR1242ICC750  
Misc :  
ALS Vial : 11 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1242ICC750

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 01 15:26:53 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Aug 01 15:20:45 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074177.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 15:03  
 Operator : YP\AJ  
 Sample : AR1242ICC500  
 Misc :  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1242ICC500

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 01 15:21:01 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Aug 01 15:20:45 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml    |
|-----------------------------|-----------------|--------|-------|----------|----------|---------|----------|
| -----                       |                 |        |       |          |          |         |          |
| System Monitoring Compounds |                 |        |       |          |          |         |          |
| 1)                          | SA Tetrachlo... | 4.657  | 3.805 | 56653742 | 212.2E6  | 50.000  | 50.000   |
| 2)                          | SA Decachlor... | 10.434 | 8.826 | 49220928 | 317.2E6  | 50.000  | 50.000   |
|                             |                 |        |       |          |          |         |          |
| Target Compounds            |                 |        |       |          |          |         |          |
| 16)                         | L4 AR-1242-1    | 5.808  | 4.905 | 17959256 | 178.1E6  | 500.000 | 500.000  |
| 17)                         | L4 AR-1242-2    | 5.830  | 4.963 | 26531667 | 82516708 | 500.000 | 500.000  |
| 18)                         | L4 AR-1242-3    | 5.893  | 5.084 | 17362372 | 46044427 | 500.000 | 500.000  |
| 19)                         | L4 AR-1242-4    | 5.990  | 5.164 | 14345906 | 63188535 | 500.000 | 505.329m |
| 20)                         | L4 AR-1242-5    | 6.719  | 5.687 | 17203244 | 74177320 | 500.000 | 500.000  |
| -----                       |                 |        |       |          |          |         |          |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074177.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 15:03  
Operator : YP\AJ  
Sample : AR1242ICC500  
Misc :  
ALS Vial : 12 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1242ICC500

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 01 15:21:01 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Aug 01 15:20:45 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074178.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 15:19  
 Operator : YP\AJ  
 Sample : AR1242ICC250  
 Misc :  
 ALS Vial : 13 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1242ICC250

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 01 15:30:20 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Aug 01 15:20:45 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml    | ng/ml    |
|-----------------------------|--------|-------|----------|----------|----------|----------|
| -----                       |        |       |          |          |          |          |
| System Monitoring Compounds |        |       |          |          |          |          |
| 1) SA Tetrachlo...          | 4.662  | 3.805 | 30064825 | 99448361 | 26.997   | 23.506   |
| 2) SA Decachlor...          | 10.436 | 8.824 | 26416078 | 156.4E6  | 27.507   | 25.039   |
| Target Compounds            |        |       |          |          |          |          |
| 16) L4 AR-1242-1            | 5.812  | 4.906 | 9924005  | 89565172 | 282.440  | 255.127  |
| 17) L4 AR-1242-2            | 5.834  | 4.964 | 14472673 | 42174411 | 278.680  | 252.533  |
| 18) L4 AR-1242-3            | 5.897  | 5.084 | 9547202  | 24305838 | 282.294  | 256.293  |
| 19) L4 AR-1242-4            | 5.994  | 5.165 | 7737538  | 30145402 | 277.699  | 249.527m |
| 20) L4 AR-1242-5            | 6.721  | 5.687 | 9674193  | 38870481 | 289.648m | 260.436  |
| -----                       |        |       |          |          |          |          |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074178.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 15:19  
Operator : YP\AJ  
Sample : AR1242ICC250  
Misc :  
ALS Vial : 13 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1242ICC250

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 01 15:30:20 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Aug 01 15:20:45 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074179.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 15:36  
 Operator : YP\AJ  
 Sample : AR1242ICC050  
 Misc :  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1242ICC050

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 01 15:58:06 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Aug 01 15:57:36 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1   | RT#2  | Resp#1  | Resp#2   | ng/ml   | ng/ml    |
|-----------------------------|-----------------|--------|-------|---------|----------|---------|----------|
| -----                       |                 |        |       |         |          |         |          |
| System Monitoring Compounds |                 |        |       |         |          |         |          |
| 1)                          | SA Tetrachlo... | 4.657  | 3.802 | 6853903 | 15691561 | 5.892m  | 3.915m#  |
| 2)                          | SA Decachlor... | 10.432 | 8.821 | 6026260 | 28194628 | 5.971   | 4.604    |
|                             |                 |        |       |         |          |         |          |
| Target Compounds            |                 |        |       |         |          |         |          |
| 16)                         | L4 AR-1242-1    | 5.810  | 4.903 | 2289125 | 16072866 | 61.427  | 46.569   |
| 17)                         | L4 AR-1242-2    | 5.832  | 4.962 | 3215660 | 7443347  | 59.102  | 45.559   |
| 18)                         | L4 AR-1242-3    | 5.895  | 5.082 | 2169957 | 4094869  | 60.722  | 44.390 # |
| 19)                         | L4 AR-1242-4    | 5.991  | 5.163 | 1732044 | 5803584  | 59.279  | 48.597   |
| 20)                         | L4 AR-1242-5    | 6.720  | 5.686 | 2173540 | 7539678  | 56.364m | 50.412   |
| -----                       |                 |        |       |         |          |         |          |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074179.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 15:36  
Operator : YP\AJ  
Sample : AR1242ICC050  
Misc :  
ALS Vial : 14 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1242ICC050

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 01 15:58:06 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Aug 01 15:57:36 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074182.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 16:57  
 Operator : YP\AJ  
 Sample : AR1248ICC500  
 Misc :  
 ALS Vial : 17 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1248ICC500

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 01 23:35:19 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Fri Aug 01 23:33:57 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml    |
|-----------------------------|--------|-------|----------|----------|---------|----------|
| -----                       |        |       |          |          |         |          |
| System Monitoring Compounds |        |       |          |          |         |          |
| 1) SA Tetrachlo...          | 4.660  | 3.805 | 54922987 | 197.2E6  | 50.000  | 50.000   |
| 2) SA Decachlor...          | 10.433 | 8.824 | 48401219 | 304.7E6  | 50.000  | 50.000   |
| Target Compounds            |        |       |          |          |         |          |
| 21) L5 AR-1248-1            | 5.810  | 4.903 | 14191296 | 111.8E6  | 500.000 | 500.000  |
| 22) L5 AR-1248-2            | 6.082  | 5.124 | 20093773 | 73885161 | 500.000 | 500.000  |
| 23) L5 AR-1248-3            | 6.284  | 5.164 | 22320416 | 89773071 | 500.000 | 477.333m |
| 24) L5 AR-1248-4            | 6.682  | 5.338 | 25791080 | 83528426 | 500.000 | 500.000  |
| 25) L5 AR-1248-5            | 6.721  | 5.727 | 26620059 | 151.4E6  | 500.000 | 500.000  |
| -----                       |        |       |          |          |         |          |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074182.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 16:57  
Operator : YP\AJ  
Sample : AR1248ICC500  
Misc :  
ALS Vial : 17 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1248ICC500

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 01 23:35:19 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Fri Aug 01 23:33:57 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074185.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 18:02  
 Operator : YP\AJ  
 Sample : AR1254ICC1000  
 Misc :  
 ALS Vial : 20 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1254ICC1000

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 02 00:47:02 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Sat Aug 02 00:46:23 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2  | ng/ml    | ng/ml     |
|-----------------------------|--------|-------|----------|---------|----------|-----------|
| -----                       |        |       |          |         |          |           |
| System Monitoring Compounds |        |       |          |         |          |           |
| 1) SA Tetrachlo...          | 4.660  | 3.805 | 105.5E6  | 435.9E6 | 94.708   | 107.891   |
| 2) SA Decachlor...          | 10.433 | 8.824 | 90161394 | 620.7E6 | 92.084   | 101.439   |
| Target Compounds            |        |       |          |         |          |           |
| 26) L6 AR-1254-1            | 6.658  | 5.689 | 49559228 | 384.6E6 | 913.982m | 998.639   |
| 27) L6 AR-1254-2            | 6.875  | 5.835 | 70079706 | 284.4E6 | 896.542  | 1000.895  |
| 28) L6 AR-1254-3            | 7.237  | 6.238 | 76495408 | 520.2E6 | 905.487  | 1022.453  |
| 29) L6 AR-1254-4            | 7.518  | 6.464 | 57834344 | 378.1E6 | 911.799  | 1002.531  |
| 30) L6 AR-1254-5            | 7.934  | 6.880 | 73335985 | 425.1E6 | 909.260  | 1067.360m |
| -----                       |        |       |          |         |          |           |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074185.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 18:02  
Operator : YP\AJ  
Sample : AR1254ICC1000  
Misc :  
ALS Vial : 20 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1254ICC1000

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 00:47:02 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Sat Aug 02 00:46:23 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074186.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 18:18  
 Operator : YP\AJ  
 Sample : AR1254ICC750  
 Misc :  
 ALS Vial : 21 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1254ICC750

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 02 00:47:20 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Sat Aug 02 00:46:23 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2  | ng/ml    | ng/ml   |
|-----------------------------|--------|-------|----------|---------|----------|---------|
| -----                       |        |       |          |         |          |         |
| System Monitoring Compounds |        |       |          |         |          |         |
| 1) SA Tetrachlo...          | 4.659  | 3.804 | 80274871 | 316.5E6 | 72.041   | 78.350  |
| 2) SA Decachlor...          | 10.433 | 8.823 | 69679431 | 463.5E6 | 71.165   | 75.743  |
| Target Compounds            |        |       |          |         |          |         |
| 26) L6 AR-1254-1            | 6.657  | 5.688 | 37358301 | 271.1E6 | 688.970m | 703.976 |
| 27) L6 AR-1254-2            | 6.874  | 5.835 | 54514978 | 207.5E6 | 697.420  | 730.114 |
| 28) L6 AR-1254-3            | 7.236  | 6.237 | 59505451 | 390.5E6 | 704.374  | 767.509 |
| 29) L6 AR-1254-4            | 7.517  | 6.464 | 44944937 | 292.2E6 | 708.589  | 774.901 |
| 30) L6 AR-1254-5            | 7.933  | 6.881 | 57058661 | 308.2E6 | 707.445  | 773.995 |
| -----                       |        |       |          |         |          |         |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074186.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 18:18  
Operator : YP\AJ  
Sample : AR1254ICC750  
Misc :  
ALS Vial : 21 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1254ICC750

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 00:47:20 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Sat Aug 02 00:46:23 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074187.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 18:34  
 Operator : YP\AJ  
 Sample : AR1254ICC500  
 Misc :  
 ALS Vial : 22 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1254ICC500

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 02 00:47:38 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Sat Aug 02 00:46:23 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1   | RT#2  | Resp#1   | Resp#2  | ng/ml    | ng/ml   |
|-----------------------------|-----------------|--------|-------|----------|---------|----------|---------|
| -----                       |                 |        |       |          |         |          |         |
| System Monitoring Compounds |                 |        |       |          |         |          |         |
| 1)                          | SA Tetrachlo... | 4.658  | 3.803 | 55714538 | 202.0E6 | 50.000   | 50.000  |
| 2)                          | SA Decachlor... | 10.432 | 8.822 | 48956102 | 305.9E6 | 50.000   | 50.000  |
| Target Compounds            |                 |        |       |          |         |          |         |
| 26)                         | L6 AR-1254-1    | 6.657  | 5.687 | 26953630 | 192.5E6 | 497.085m | 500.000 |
| 27)                         | L6 AR-1254-2    | 6.874  | 5.834 | 39083346 | 142.1E6 | 500.000  | 500.000 |
| 28)                         | L6 AR-1254-3    | 7.236  | 6.237 | 42239930 | 254.4E6 | 500.000  | 500.000 |
| 29)                         | L6 AR-1254-4    | 7.517  | 6.463 | 31714402 | 188.5E6 | 500.000  | 500.000 |
| 30)                         | L6 AR-1254-5    | 7.933  | 6.880 | 40327283 | 199.1E6 | 500.000  | 500.000 |
| -----                       |                 |        |       |          |         |          |         |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074187.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 18:34  
Operator : YP\AJ  
Sample : AR1254ICC500  
Misc :  
ALS Vial : 22 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1254ICC500

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 00:47:38 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Sat Aug 02 00:46:23 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074188.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 18:50  
 Operator : YP\AJ  
 Sample : AR1254ICC250  
 Misc :  
 ALS Vial : 23 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1254ICC250

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 02 00:47:59 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Sat Aug 02 00:46:23 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml    | ng/ml   |
|-----------------------------|--------|-------|----------|----------|----------|---------|
| -----                       |        |       |          |          |          |         |
| System Monitoring Compounds |        |       |          |          |          |         |
| 1) SA Tetrachlo...          | 4.658  | 3.803 | 29734018 | 92012238 | 26.684   | 22.775  |
| 2) SA Decachlor...          | 10.431 | 8.821 | 26431747 | 157.0E6  | 26.995   | 25.657  |
| Target Compounds            |        |       |          |          |          |         |
| 26) L6 AR-1254-1            | 6.656  | 5.687 | 13498256 | 94373679 | 248.938m | 245.075 |
| 27) L6 AR-1254-2            | 6.873  | 5.834 | 21644264 | 72682229 | 276.899  | 255.801 |
| 28) L6 AR-1254-3            | 7.235  | 6.236 | 23355124 | 131.7E6  | 276.458  | 258.769 |
| 29) L6 AR-1254-4            | 7.516  | 6.462 | 17399794 | 98587777 | 274.320  | 261.437 |
| 30) L6 AR-1254-5            | 7.932  | 6.879 | 22010158 | 98393861 | 272.894  | 247.080 |
| -----                       |        |       |          |          |          |         |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074188.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 18:50  
Operator : YP\AJ  
Sample : AR1254ICC250  
Misc :  
ALS Vial : 23 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1254ICC250

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 00:47:59 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Sat Aug 02 00:46:23 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074189.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 19:23  
 Operator : YP\AJ  
 Sample : AR1254ICC050  
 Misc :  
 ALS Vial : 48 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1254ICC050

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 02 01:03:58 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Sat Aug 02 01:03:01 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1   | RT#2  | Resp#1  | Resp#2   | ng/ml   | ng/ml    |
|-----------------------------|-----------------|--------|-------|---------|----------|---------|----------|
| -----                       |                 |        |       |         |          |         |          |
| System Monitoring Compounds |                 |        |       |         |          |         |          |
| 1)                          | SA Tetrachlo... | 4.657  | 3.804 | 5935360 | 12647504 | 5.284   | 3.358 #  |
| 2)                          | SA Decachlor... | 10.430 | 8.823 | 5026515 | 24210870 | 5.158   | 4.086    |
|                             |                 |        |       |         |          |         |          |
| Target Compounds            |                 |        |       |         |          |         |          |
| 26)                         | L6 AR-1254-1    | 6.655  | 5.689 | 2796732 | 16116298 | 51.810m | 44.012   |
| 27)                         | L6 AR-1254-2    | 6.872  | 5.836 | 4500635 | 12761430 | 56.609  | 45.869   |
| 28)                         | L6 AR-1254-3    | 7.234  | 6.237 | 5142235 | 18482386 | 58.892  | 37.780 # |
| 29)                         | L6 AR-1254-4    | 7.515  | 6.464 | 3412924 | 14935198 | 53.486  | 40.633   |
| 30)                         | L6 AR-1254-5    | 7.931  | 6.881 | 4380720 | 14900727 | 53.986  | 37.906 # |
| -----                       |                 |        |       |         |          |         |          |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074189.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 19:23  
Operator : YP\AJ  
Sample : AR1254ICC050  
Misc :  
ALS Vial : 48 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1254ICC050

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 01:03:58 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Sat Aug 02 01:03:01 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074190.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 19:39  
 Operator : YP\AJ  
 Sample : AR1262ICC500  
 Misc :  
 ALS Vial : 25 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1262ICC500

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 02 01:10:39 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Sat Aug 02 01:10:03 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2  | ng/ml   | ng/ml   |
|-----------------------------|--------|-------|----------|---------|---------|---------|
| -----                       |        |       |          |         |         |         |
| System Monitoring Compounds |        |       |          |         |         |         |
| 1) SA Tetrachlo...          | 4.657  | 3.802 | 54354703 | 199.7E6 | 50.000  | 50.000  |
| 2) SA Decachlor...          | 10.430 | 8.820 | 48321379 | 306.6E6 | 50.000  | 50.000  |
| Target Compounds            |        |       |          |         |         |         |
| 36) L8 AR-1262-1            | 8.237  | 6.917 | 37894848 | 281.6E6 | 500.000 | 500.000 |
| 37) L8 AR-1262-2            | 8.562  | 7.176 | 65215013 | 200.5E6 | 500.000 | 500.000 |
| 38) L8 AR-1262-3            | 8.888  | 7.698 | 47035440 | 179.7E6 | 500.000 | 500.000 |
| 39) L8 AR-1262-4            | 8.974  | 7.761 | 36425846 | 333.5E6 | 500.000 | 500.000 |
| 40) L8 AR-1262-5            | 9.645  | 8.255 | 25461320 | 141.6E6 | 500.000 | 500.000 |
| -----                       |        |       |          |         |         |         |


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074190.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 19:39  
Operator : YP\AJ  
Sample : AR1262ICC500  
Misc :  
ALS Vial : 25 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
AR1262ICC500

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 01:10:39 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Sat Aug 02 01:10:03 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074193.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 20:28  
 Operator : YP\AJ  
 Sample : AR1268ICC500  
 Misc :  
 ALS Vial : 28 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1268ICC500

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 02 01:15:46 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Sat Aug 02 01:13:43 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml   |
|-----------------------------|--------|-------|----------|----------|---------|---------|
| -----                       |        |       |          |          |         |         |
| System Monitoring Compounds |        |       |          |          |         |         |
| 1) SA Tetrachlo...          | 4.656  | 3.801 | 58418637 | 219.4E6  | 50.000  | 50.000  |
| 2) SA Decachlor...          | 10.429 | 8.820 | 86270477 | 592.0E6  | 50.000  | 50.000  |
| Target Compounds            |        |       |          |          |         |         |
| 41) L9 AR-1268-1            | 8.883  | 7.698 | 79013824 | 584.6E6  | 500.000 | 500.000 |
| 42) L9 AR-1268-2            | 8.978  | 7.762 | 73014004 | 574.1E6  | 500.000 | 500.000 |
| 43) L9 AR-1268-3            | 9.218  | 7.970 | 60700868 | 445.9E6  | 500.000 | 500.000 |
| 44) L9 AR-1268-4            | 9.644  | 8.255 | 29824069 | 164.7E6  | 500.000 | 500.000 |
| 45) L9 AR-1268-5            | 10.075 | 8.556 | 179.0E6  | 1386.1E6 | 500.000 | 500.000 |
| -----                       |        |       |          |          |         |         |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074193.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 20:28  
Operator : YP\AJ  
Sample : AR1268ICC500  
Misc :  
ALS Vial : 28 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
AR1268ICC500

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 01:15:46 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Sat Aug 02 01:13:43 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074196.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 21:16  
 Operator : YP\AJ  
 Sample : PP080125ICV500  
 Misc :  
 ALS Vial : 31 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 ICVPP080125

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 02 01:35:54 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Sat Aug 02 01:33:31 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml   |
|-----------------------------|-----------------|--------|-------|----------|----------|---------|---------|
| -----                       |                 |        |       |          |          |         |         |
| System Monitoring Compounds |                 |        |       |          |          |         |         |
| 1)                          | SA Tetrachlo... | 4.659  | 3.806 | 53809613 | 192.5E6  | 48.117  | 50.193  |
| 2)                          | SA Decachlor... | 10.433 | 8.823 | 46918201 | 290.2E6  | 48.311  | 48.263  |
| Target Compounds            |                 |        |       |          |          |         |         |
| 3)                          | L1 AR-1016-1    | 5.810  | 4.906 | 19711119 | 191.3E6  | 477.766 | 479.651 |
| 4)                          | L1 AR-1016-2    | 5.831  | 4.963 | 29290082 | 90085682 | 482.207 | 479.666 |
| 5)                          | L1 AR-1016-3    | 5.894  | 5.083 | 19171615 | 49893167 | 483.393 | 470.381 |
| 6)                          | L1 AR-1016-4    | 5.991  | 5.124 | 15834175 | 51335124 | 486.540 | 470.016 |
| 7)                          | L1 AR-1016-5    | 6.283  | 5.338 | 15788703 | 57011251 | 486.284 | 487.429 |
| 31)                         | L7 AR-1260-1    | 7.400  | 6.554 | 27159073 | 192.5E6  | 481.919 | 476.633 |
| 32)                         | L7 AR-1260-2    | 7.653  | 6.708 | 31876376 | 149.4E6  | 467.722 | 477.644 |
| 33)                         | L7 AR-1260-3    | 8.010  | 6.918 | 25282960 | 196.9E6  | 474.388 | 499.492 |
| 34)                         | L7 AR-1260-4    | 8.239  | 7.178 | 29964985 | 140.7E6  | 478.559 | 483.661 |
| 35)                         | L7 AR-1260-5    | 8.563  | 7.417 | 53436862 | 370.6E6  | 471.620 | 489.248 |
| -----                       |                 |        |       |          |          |         |         |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074196.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 21:16  
Operator : YP\AJ  
Sample : PP080125ICV500  
Misc :  
ALS Vial : 31 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
ICVPP080125

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 01:35:54 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Sat Aug 02 01:33:31 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074197.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 22:05  
 Operator : YP\AJ  
 Sample : AR1242ICV500  
 Misc :  
 ALS Vial : 32 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 ICVPP080125AR1242

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 02 01:36:23 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Sat Aug 02 01:33:31 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml    |
|-----------------------------|--------|-------|----------|----------|---------|----------|
| -----                       |        |       |          |          |         |          |
| System Monitoring Compounds |        |       |          |          |         |          |
| 1) SA Tetrachlo...          | 4.655  | 3.804 | 55143327 | 198.9E6  | 49.310  | 51.866   |
| 2) SA Decachlor...          | 10.427 | 8.822 | 47800939 | 295.6E6  | 49.220  | 49.156   |
|                             |        |       |          |          |         |          |
| Target Compounds            |        |       |          |          |         |          |
| 16) L4 AR-1242-1            | 5.806  | 4.904 | 17499270 | 167.4E6  | 469.580 | 484.954  |
| 17) L4 AR-1242-2            | 5.827  | 4.962 | 25894594 | 77861664 | 475.925 | 476.575  |
| 18) L4 AR-1242-3            | 5.890  | 5.082 | 17050061 | 43676713 | 477.113 | 473.468  |
| 19) L4 AR-1242-4            | 5.987  | 5.164 | 14124012 | 56465948 | 483.390 | 472.829m |
| 20) L4 AR-1242-5            | 6.716  | 5.686 | 16823190 | 70286035 | 473.119 | 469.952  |
| -----                       |        |       |          |          |         |          |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074197.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 22:05  
Operator : YP\AJ  
Sample : AR1242ICV500  
Misc :  
ALS Vial : 32 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
ICVPP080125AR1242

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 01:36:23 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Sat Aug 02 01:33:31 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074198.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 22:37  
 Operator : YP\AJ  
 Sample : AR1248ICV500  
 Misc :  
 ALS Vial : 33 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 ICVPP080125AR1248

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 02 01:36:51 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Sat Aug 02 01:33:31 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml    |
|-----------------------------|--------|-------|----------|----------|---------|----------|
| -----                       |        |       |          |          |         |          |
| System Monitoring Compounds |        |       |          |          |         |          |
| 1) SA Tetrachlo...          | 4.655  | 3.805 | 53554793 | 191.1E6  | 47.889  | 49.847   |
| 2) SA Decachlor...          | 10.428 | 8.824 | 47537298 | 295.3E6  | 48.949  | 49.101   |
| Target Compounds            |        |       |          |          |         |          |
| 21) L5 AR-1248-1            | 5.806  | 4.904 | 13951339 | 107.6E6  | 498.004 | 503.095  |
| 22) L5 AR-1248-2            | 6.077  | 5.124 | 19721117 | 71900356 | 489.831 | 491.416  |
| 23) L5 AR-1248-3            | 6.280  | 5.165 | 21866877 | 85869463 | 490.580 | 500.813m |
| 24) L5 AR-1248-4            | 6.677  | 5.338 | 24961771 | 82403417 | 479.691 | 495.291  |
| 25) L5 AR-1248-5            | 6.717  | 5.728 | 25702187 | 138.2E6  | 451.365 | 474.938  |
| -----                       |        |       |          |          |         |          |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074198.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 22:37  
Operator : YP\AJ  
Sample : AR1248ICV500  
Misc :  
ALS Vial : 33 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
ICVPP080125AR1248

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/05/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 01:36:51 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Sat Aug 02 01:33:31 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074199.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 23:10  
 Operator : YP\AJ  
 Sample : AR1254ICV500  
 Misc :  
 ALS Vial : 34 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 ICVPP080125AR1254

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/08/2025  
 Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 04 11:04:59 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Mon Aug 04 11:01:49 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2  | ng/ml    | ng/ml   |
|-----------------------------|--------|-------|----------|---------|----------|---------|
| -----                       |        |       |          |         |          |         |
| System Monitoring Compounds |        |       |          |         |          |         |
| 1) SA Tetrachlo...          | 4.656  | 3.803 | 53831323 | 191.6E6 | 48.137   | 49.971  |
| 2) SA Decachlor...          | 10.430 | 8.820 | 47450930 | 299.2E6 | 48.860   | 49.761  |
| Target Compounds            |        |       |          |         |          |         |
| 26) L6 AR-1254-1            | 6.654  | 5.686 | 27290919 | 178.5E6 | 518.434m | 487.493 |
| 27) L6 AR-1254-2            | 6.871  | 5.833 | 37599140 | 134.8E6 | 472.918  | 484.650 |
| 28) L6 AR-1254-3            | 7.233  | 6.235 | 40597005 | 245.2E6 | 464.942  | 501.115 |
| 29) L6 AR-1254-4            | 7.514  | 6.462 | 30708926 | 181.0E6 | 481.260  | 492.525 |
| 30) L6 AR-1254-5            | 7.930  | 6.878 | 38809795 | 188.2E6 | 478.279  | 488.601 |
| -----                       |        |       |          |         |          |         |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074199.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 23:10  
Operator : YP\AJ  
Sample : AR1254ICV500  
Misc :  
ALS Vial : 34 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
ICVPP080125AR1254

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/08/2025  
Supervised By :mohammad ahmed 08/08/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 04 11:04:59 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
 Data File : PP074200.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 01 Aug 2025 23:42  
 Operator : YP\AJ  
 Sample : AR1268ICV500  
 Misc :  
 ALS Vial : 35 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 ICVPP080125AR1268

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 02 01:25:27 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Sat Aug 02 01:23:25 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml   |
|-----------------------------|--------|-------|----------|----------|---------|---------|
| -----                       |        |       |          |          |         |         |
| System Monitoring Compounds |        |       |          |          |         |         |
| 1) SA Tetrachlo...          | 4.654  | 3.804 | 55201921 | 199.0E6  | 48.099  | 50.981  |
| 2) SA Decachlor...          | 10.426 | 8.822 | 82544950 | 560.4E6  | 48.605  | 50.452  |
|                             |        |       |          |          |         |         |
| Target Compounds            |        |       |          |          |         |         |
| 41) L9 AR-1268-1            | 8.879  | 7.701 | 75022320 | 549.0E6  | 482.047 | 503.522 |
| 42) L9 AR-1268-2            | 8.975  | 7.764 | 69343438 | 540.7E6  | 483.480 | 509.488 |
| 43) L9 AR-1268-3            | 9.215  | 7.973 | 57914901 | 420.0E6  | 484.752 | 504.814 |
| 44) L9 AR-1268-4            | 9.641  | 8.257 | 28601597 | 156.0E6  | 486.318 | 506.427 |
| 45) L9 AR-1268-5            | 10.071 | 8.557 | 170.0E6  | 1304.3E6 | 483.271 | 511.465 |
| -----                       |        |       |          |          |         |         |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074200.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 23:42  
Operator : YP\AJ  
Sample : AR1268ICV500  
Misc :  
ALS Vial : 35 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
ICVPP080125AR1268

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 01:25:27 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Sat Aug 02 01:23:25 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

Lab Name: Alliance

Contract: ENTA05

Lab Code: ACE

SDG NO.: Q2732

Continuing Calib Date: 08/13/2025

Initial Calibration Date(s): 08/01/2025

08/01/2025

Continuing Calib Time: 09:04

Initial Calibration Time(s): 12:05

20:28

GC Column: ZB-MR1 ID: 0.32 (mm)

| COMPOUND             |     | CCAL<br>RT | AVG<br>RT | RT WINDOW |       | DIFF<br>RT |
|----------------------|-----|------------|-----------|-----------|-------|------------|
|                      |     |            |           | FROM      | TO    |            |
| Aroclor-1016-1       | (1) | 5.81       | 5.81      | 5.71      | 5.91  | 0.00       |
| Aroclor-1016-2       | (2) | 5.83       | 5.83      | 5.73      | 5.93  | 0.00       |
| Aroclor-1016-3       | (3) | 5.89       | 5.90      | 5.80      | 6.00  | 0.01       |
| Aroclor-1016-4       | (4) | 5.99       | 5.99      | 5.89      | 6.09  | 0.00       |
| Aroclor-1016-5       | (5) | 6.28       | 6.29      | 6.19      | 6.39  | 0.01       |
| Aroclor-1260-1       | (1) | 7.40       | 7.40      | 7.30      | 7.50  | 0.00       |
| Aroclor-1260-2       | (2) | 7.65       | 7.66      | 7.56      | 7.76  | 0.01       |
| Aroclor-1260-3       | (3) | 8.01       | 8.01      | 7.91      | 8.11  | 0.00       |
| Aroclor-1260-4       | (4) | 8.24       | 8.24      | 8.14      | 8.34  | 0.00       |
| Aroclor-1260-5       | (5) | 8.57       | 8.57      | 8.47      | 8.67  | 0.01       |
| Tetrachloro-m-xylene |     | 4.66       | 4.66      | 4.56      | 4.76  | 0.00       |
| Decachlorobiphenyl   |     | 10.44      | 10.44     | 10.34     | 10.54 | 0.00       |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

Lab Name: Alliance

Contract: ENTA05

Lab Code: ACE

SDG NO.: Q2732

Continuing Calib Date: 08/13/2025

Initial Calibration Date(s): 08/01/2025

08/01/2025

Continuing Calib Time: 09:04

Initial Calibration Time(s): 12:05

20:28

GC Column: ZB-MR2 ID: 0.32 (mm)

| COMPOUND             |     | CCAL<br>RT | AVG<br>RT | RT WINDOW |      | DIFF<br>RT |
|----------------------|-----|------------|-----------|-----------|------|------------|
|                      |     |            |           | FROM      | TO   |            |
| Aroclor-1016-1       | (1) | 4.90       | 4.91      | 4.81      | 5.01 | 0.01       |
| Aroclor-1016-2       | (2) | 4.96       | 4.96      | 4.86      | 5.06 | 0.00       |
| Aroclor-1016-3       | (3) | 5.08       | 5.08      | 4.98      | 5.18 | 0.00       |
| Aroclor-1016-4       | (4) | 5.12       | 5.12      | 5.02      | 5.22 | 0.00       |
| Aroclor-1016-5       | (5) | 5.33       | 5.34      | 5.24      | 5.44 | 0.01       |
| Aroclor-1260-1       | (1) | 6.55       | 6.56      | 6.46      | 6.66 | 0.01       |
| Aroclor-1260-2       | (2) | 6.71       | 6.71      | 6.61      | 6.81 | 0.01       |
| Aroclor-1260-3       | (3) | 6.92       | 6.92      | 6.82      | 7.02 | 0.01       |
| Aroclor-1260-4       | (4) | 7.18       | 7.18      | 7.08      | 7.28 | 0.00       |
| Aroclor-1260-5       | (5) | 7.41       | 7.42      | 7.32      | 7.52 | 0.01       |
| Tetrachloro-m-xylene |     | 3.80       | 3.81      | 3.71      | 3.91 | 0.01       |
| Decachlorobiphenyl   |     | 8.82       | 8.83      | 8.73      | 8.93 | 0.01       |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

**Lab Name:** Alliance **Contract:** ENTA05  
**Lab Code:** ACE **SDG NO.:** Q2732  
**GC Column:** ZB-MR1 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 08/01/2025 08/01/2025

**Client Sample No.:** CCAL01 **Date Analyzed:** 08/13/2025  
**Lab Sample No.:** AR1660CCC500 **Data File :** PP074334.D **Time Analyzed:** 09:04

| COMPOUND             | RT     | RT WINDOW |        | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D   |
|----------------------|--------|-----------|--------|--------------------|-------------------|------|
|                      |        | FROM      | TO     |                    |                   |      |
| Aroclor-1016-1       | 5.809  | 5.712     | 5.912  | 519.460            | 500.000           | 3.9  |
| Aroclor-1016-2       | 5.830  | 5.733     | 5.933  | 523.810            | 500.000           | 4.8  |
| Aroclor-1016-3       | 5.893  | 5.796     | 5.996  | 532.470            | 500.000           | 6.5  |
| Aroclor-1016-4       | 5.990  | 5.893     | 6.093  | 534.840            | 500.000           | 7.0  |
| Aroclor-1016-5       | 6.283  | 6.186     | 6.386  | 527.000            | 500.000           | 5.4  |
| Aroclor-1260-1       | 7.400  | 7.303     | 7.503  | 504.090            | 500.000           | 0.8  |
| Aroclor-1260-2       | 7.653  | 7.555     | 7.755  | 484.890            | 500.000           | -3.0 |
| Aroclor-1260-3       | 8.011  | 7.913     | 8.113  | 492.480            | 500.000           | -1.5 |
| Aroclor-1260-4       | 8.239  | 8.142     | 8.342  | 494.160            | 500.000           | -1.2 |
| Aroclor-1260-5       | 8.565  | 8.468     | 8.668  | 474.660            | 500.000           | -5.1 |
| Decachlorobiphenyl   | 10.436 | 10.338    | 10.538 | 48.910             | 50.000            | -2.2 |
| Tetrachloro-m-xylene | 4.657  | 4.560     | 4.760  | 54.280             | 50.000            | 8.6  |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

**Lab Name:** Alliance **Contract:** ENTA05  
**Lab Code:** ACE **SDG NO.:** Q2732  
**GC Column:** ZB-MR2 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 08/01/2025 08/01/2025

**Client Sample No.:** CCAL01 **Date Analyzed:** 08/13/2025  
**Lab Sample No.:** AR1660CCC500 **Data File :** PP074334.D **Time Analyzed:** 09:04

| COMPOUND             | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D   |
|----------------------|-------|-----------|-------|--------------------|-------------------|------|
|                      |       | FROM      | TO    |                    |                   |      |
| Aroclor-1016-1       | 4.900 | 4.806     | 5.006 | 567.910            | 500.000           | 13.6 |
| Aroclor-1016-2       | 4.958 | 4.863     | 5.063 | 577.260            | 500.000           | 15.5 |
| Aroclor-1016-3       | 5.079 | 4.983     | 5.183 | 563.770            | 500.000           | 12.8 |
| Aroclor-1016-4       | 5.119 | 5.023     | 5.223 | 570.360            | 500.000           | 14.1 |
| Aroclor-1016-5       | 5.334 | 5.239     | 5.439 | 591.500            | 500.000           | 18.3 |
| Aroclor-1260-1       | 6.550 | 6.455     | 6.655 | 545.640            | 500.000           | 9.1  |
| Aroclor-1260-2       | 6.705 | 6.609     | 6.809 | 538.090            | 500.000           | 7.6  |
| Aroclor-1260-3       | 6.915 | 6.819     | 7.019 | 564.730            | 500.000           | 12.9 |
| Aroclor-1260-4       | 7.175 | 7.079     | 7.279 | 549.320            | 500.000           | 9.9  |
| Aroclor-1260-5       | 7.414 | 7.318     | 7.518 | 552.870            | 500.000           | 10.6 |
| Decachlorobiphenyl   | 8.819 | 8.726     | 8.926 | 52.780             | 50.000            | 5.6  |
| Tetrachloro-m-xylene | 3.801 | 3.705     | 3.905 | 59.680             | 50.000            | 19.4 |

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
 Data File : PP074334.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 13 Aug 2025 09:04  
 Operator : YP\AJ  
 Sample : AR1660CCC500  
 Misc :  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1660CCC500

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 13 11:44:15 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Mon Aug 04 11:01:49 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml   |
|-----------------------------|--------|-------|----------|----------|---------|---------|
| -----                       |        |       |          |          |         |         |
| System Monitoring Compounds |        |       |          |          |         |         |
| 1) SA Tetrachlo...          | 4.657  | 3.801 | 60699336 | 228.8E6  | 54.278  | 59.683  |
| 2) SA Decachlor...          | 10.436 | 8.819 | 47494711 | 317.4E6  | 48.905  | 52.781  |
| Target Compounds            |        |       |          |          |         |         |
| 3) L1 AR-1016-1             | 5.809  | 4.900 | 21431398 | 226.5E6  | 519.463 | 567.909 |
| 4) L1 AR-1016-2             | 5.830  | 4.958 | 31817130 | 108.4E6  | 523.810 | 577.259 |
| 5) L1 AR-1016-3             | 5.893  | 5.079 | 21118183 | 59799212 | 532.474 | 563.773 |
| 6) L1 AR-1016-4             | 5.990  | 5.119 | 17405958 | 62295116 | 534.836 | 570.363 |
| 7) L1 AR-1016-5             | 6.283  | 5.334 | 17110565 | 69184133 | 526.997 | 591.503 |
| 31) L7 AR-1260-1            | 7.400  | 6.550 | 28408257 | 220.4E6  | 504.085 | 545.642 |
| 32) L7 AR-1260-2            | 7.653  | 6.705 | 33046210 | 168.3E6  | 484.887 | 538.092 |
| 33) L7 AR-1260-3            | 8.011  | 6.915 | 26246958 | 222.6E6  | 492.476 | 564.732 |
| 34) L7 AR-1260-4            | 8.239  | 7.175 | 30941970 | 159.8E6  | 494.162 | 549.315 |
| 35) L7 AR-1260-5            | 8.565  | 7.414 | 53781862 | 418.8E6  | 474.665 | 552.872 |
| -----                       |        |       |          |          |         |         |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074334.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 09:04  
Operator : YP\AJ  
Sample : AR1660CCC500  
Misc :  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
AR1660CCC500

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 13 11:44:15 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

Lab Name: Alliance

Contract: ENTA05

Lab Code: ACE

SDG NO.: Q2732

Continuing Calib Date: 08/13/2025

Initial Calibration Date(s): 08/01/2025 08/01/2025

Continuing Calib Time: 15:54

Initial Calibration Time(s): 12:05 20:28

GC Column: ZB-MR1 ID: 0.32 (mm)

| COMPOUND             |     | CCAL<br>RT | AVG<br>RT | RT WINDOW |       | DIFF<br>RT |
|----------------------|-----|------------|-----------|-----------|-------|------------|
|                      |     |            |           | FROM      | TO    |            |
| Aroclor-1016-1       | (1) | 5.81       | 5.81      | 5.71      | 5.91  | 0.00       |
| Aroclor-1016-2       | (2) | 5.83       | 5.83      | 5.73      | 5.93  | 0.00       |
| Aroclor-1016-3       | (3) | 5.89       | 5.90      | 5.80      | 6.00  | 0.01       |
| Aroclor-1016-4       | (4) | 5.99       | 5.99      | 5.89      | 6.09  | 0.00       |
| Aroclor-1016-5       | (5) | 6.28       | 6.29      | 6.19      | 6.39  | 0.01       |
| Aroclor-1260-1       | (1) | 7.40       | 7.40      | 7.30      | 7.50  | 0.00       |
| Aroclor-1260-2       | (2) | 7.65       | 7.66      | 7.56      | 7.76  | 0.01       |
| Aroclor-1260-3       | (3) | 8.01       | 8.01      | 7.91      | 8.11  | 0.00       |
| Aroclor-1260-4       | (4) | 8.24       | 8.24      | 8.14      | 8.34  | 0.00       |
| Aroclor-1260-5       | (5) | 8.57       | 8.57      | 8.47      | 8.67  | 0.01       |
| Tetrachloro-m-xylene |     | 4.66       | 4.66      | 4.56      | 4.76  | 0.00       |
| Decachlorobiphenyl   |     | 10.44      | 10.44     | 10.34     | 10.54 | 0.00       |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

Lab Name: Alliance

Contract: ENTA05

Lab Code: ACE

SDG NO.: Q2732

Continuing Calib Date: 08/13/2025

Initial Calibration Date(s): 08/01/2025 08/01/2025

Continuing Calib Time: 15:54

Initial Calibration Time(s): 12:05 20:28

GC Column: ZB-MR2 ID: 0.32 (mm)

| COMPOUND             |     | CCAL<br>RT | AVG<br>RT | RT WINDOW |      | DIFF<br>RT |
|----------------------|-----|------------|-----------|-----------|------|------------|
|                      |     |            |           | FROM      | TO   |            |
| Aroclor-1016-1       | (1) | 4.90       | 4.91      | 4.81      | 5.01 | 0.01       |
| Aroclor-1016-2       | (2) | 4.96       | 4.96      | 4.86      | 5.06 | 0.00       |
| Aroclor-1016-3       | (3) | 5.08       | 5.08      | 4.98      | 5.18 | 0.00       |
| Aroclor-1016-4       | (4) | 5.12       | 5.12      | 5.02      | 5.22 | 0.00       |
| Aroclor-1016-5       | (5) | 5.33       | 5.34      | 5.24      | 5.44 | 0.01       |
| Aroclor-1260-1       | (1) | 6.55       | 6.56      | 6.46      | 6.66 | 0.01       |
| Aroclor-1260-2       | (2) | 6.71       | 6.71      | 6.61      | 6.81 | 0.01       |
| Aroclor-1260-3       | (3) | 6.92       | 6.92      | 6.82      | 7.02 | 0.01       |
| Aroclor-1260-4       | (4) | 7.18       | 7.18      | 7.08      | 7.28 | 0.00       |
| Aroclor-1260-5       | (5) | 7.41       | 7.42      | 7.32      | 7.52 | 0.01       |
| Tetrachloro-m-xylene |     | 3.80       | 3.81      | 3.71      | 3.91 | 0.01       |
| Decachlorobiphenyl   |     | 8.82       | 8.83      | 8.73      | 8.93 | 0.01       |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

**Lab Name:** Alliance **Contract:** ENTA05  
**Lab Code:** ACE **SDG NO.:** Q2732  
**GC Column:** ZB-MR1 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 08/01/2025 08/01/2025

**Client Sample No.:** CCAL02 **Date Analyzed:** 08/13/2025  
**Lab Sample No.:** AR1660CCC500 **Data File :** PP074348.D **Time Analyzed:** 15:54

| COMPOUND             | RT     | RT WINDOW |        | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D   |
|----------------------|--------|-----------|--------|--------------------|-------------------|------|
|                      |        | FROM      | TO     |                    |                   |      |
| Aroclor-1016-1       | 5.809  | 5.712     | 5.912  | 539.370            | 500.000           | 7.9  |
| Aroclor-1016-2       | 5.831  | 5.733     | 5.933  | 519.350            | 500.000           | 3.9  |
| Aroclor-1016-3       | 5.894  | 5.796     | 5.996  | 536.400            | 500.000           | 7.3  |
| Aroclor-1016-4       | 5.991  | 5.893     | 6.093  | 538.480            | 500.000           | 7.7  |
| Aroclor-1016-5       | 6.283  | 6.186     | 6.386  | 527.750            | 500.000           | 5.6  |
| Aroclor-1260-1       | 7.400  | 7.303     | 7.503  | 507.600            | 500.000           | 1.5  |
| Aroclor-1260-2       | 7.653  | 7.555     | 7.755  | 482.260            | 500.000           | -3.5 |
| Aroclor-1260-3       | 8.011  | 7.913     | 8.113  | 488.950            | 500.000           | -2.2 |
| Aroclor-1260-4       | 8.239  | 8.142     | 8.342  | 492.340            | 500.000           | -1.5 |
| Aroclor-1260-5       | 8.565  | 8.468     | 8.668  | 476.780            | 500.000           | -4.6 |
| Decachlorobiphenyl   | 10.438 | 10.338    | 10.538 | 48.810             | 50.000            | -2.4 |
| Tetrachloro-m-xylene | 4.657  | 4.560     | 4.760  | 55.460             | 50.000            | 10.9 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

**Lab Name:** Alliance **Contract:** ENTA05  
**Lab Code:** ACE **SDG NO.:** Q2732  
**GC Column:** ZB-MR2 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 08/01/2025 08/01/2025

**Client Sample No.:** CCAL02 **Date Analyzed:** 08/13/2025  
**Lab Sample No.:** AR1660CCC500 **Data File :** PP074348.D **Time Analyzed:** 15:54

| COMPOUND             | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D   |
|----------------------|-------|-----------|-------|--------------------|-------------------|------|
|                      |       | FROM      | TO    |                    |                   |      |
| Aroclor-1016-1       | 4.901 | 4.806     | 5.006 | 574.110            | 500.000           | 14.8 |
| Aroclor-1016-2       | 4.959 | 4.863     | 5.063 | 586.940            | 500.000           | 17.4 |
| Aroclor-1016-3       | 5.078 | 4.983     | 5.183 | 583.830            | 500.000           | 16.8 |
| Aroclor-1016-4       | 5.119 | 5.023     | 5.223 | 582.340            | 500.000           | 16.5 |
| Aroclor-1016-5       | 5.334 | 5.239     | 5.439 | 587.300            | 500.000           | 17.5 |
| Aroclor-1260-1       | 6.551 | 6.455     | 6.655 | 541.220            | 500.000           | 8.2  |
| Aroclor-1260-2       | 6.705 | 6.609     | 6.809 | 539.610            | 500.000           | 7.9  |
| Aroclor-1260-3       | 6.915 | 6.819     | 7.019 | 553.120            | 500.000           | 10.6 |
| Aroclor-1260-4       | 7.175 | 7.079     | 7.279 | 545.680            | 500.000           | 9.1  |
| Aroclor-1260-5       | 7.414 | 7.318     | 7.518 | 545.310            | 500.000           | 9.1  |
| Decachlorobiphenyl   | 8.820 | 8.726     | 8.926 | 51.600             | 50.000            | 3.2  |
| Tetrachloro-m-xylene | 3.800 | 3.705     | 3.905 | 59.690             | 50.000            | 19.4 |

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
 Data File : PP074348.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 13 Aug 2025 15:54  
 Operator : YP\AJ  
 Sample : AR1660CCC500  
 Misc :  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1660CCC500

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 13 23:57:58 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Mon Aug 04 11:01:49 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml   |
|-----------------------------|--------|-------|----------|----------|---------|---------|
| -----                       |        |       |          |          |         |         |
| System Monitoring Compounds |        |       |          |          |         |         |
| 1) SA Tetrachlo...          | 4.657  | 3.800 | 62025915 | 228.9E6  | 55.464  | 59.690  |
| 2) SA Decachlor...          | 10.438 | 8.820 | 47401373 | 310.3E6  | 48.809  | 51.598  |
| Target Compounds            |        |       |          |          |         |         |
| 3) L1 AR-1016-1             | 5.809  | 4.901 | 22252627 | 229.0E6  | 539.369 | 574.107 |
| 4) L1 AR-1016-2             | 5.831  | 4.959 | 31546303 | 110.2E6  | 519.351 | 586.937 |
| 5) L1 AR-1016-3             | 5.894  | 5.078 | 21273833 | 61926803 | 536.398 | 583.832 |
| 6) L1 AR-1016-4             | 5.991  | 5.119 | 17524614 | 63603006 | 538.482 | 582.338 |
| 7) L1 AR-1016-5             | 6.283  | 5.334 | 17134940 | 68692630 | 527.748 | 587.301 |
| 31) L7 AR-1260-1            | 7.400  | 6.551 | 28606206 | 218.6E6  | 507.598 | 541.223 |
| 32) L7 AR-1260-2            | 7.653  | 6.705 | 32867113 | 168.7E6  | 482.259 | 539.612 |
| 33) L7 AR-1260-3            | 8.011  | 6.915 | 26059301 | 218.0E6  | 488.955 | 553.123 |
| 34) L7 AR-1260-4            | 8.239  | 7.175 | 30827910 | 158.8E6  | 492.341 | 545.677 |
| 35) L7 AR-1260-5            | 8.565  | 7.414 | 54021439 | 413.0E6  | 476.779 | 545.306 |
| -----                       |        |       |          |          |         |         |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074348.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 15:54  
Operator : YP\AJ  
Sample : AR1660CCC500  
Misc :  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
AR1660CCC500

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 13 23:57:58 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

Lab Name: Alliance

Contract: ENTA05

Lab Code: ACE

SDG NO.: Q2732

Continuing Calib Date: 08/13/2025

Initial Calibration Date(s): 08/01/2025

08/01/2025

Continuing Calib Time: 20:30

Initial Calibration Time(s): 12:05

20:28

GC Column: ZB-MR1 ID: 0.32 (mm)

| COMPOUND             |     | CCAL<br>RT | AVG<br>RT | RT WINDOW |       | DIFF<br>RT |
|----------------------|-----|------------|-----------|-----------|-------|------------|
|                      |     |            |           | FROM      | TO    |            |
| Aroclor-1016-1       | (1) | 5.81       | 5.81      | 5.71      | 5.91  | 0.00       |
| Aroclor-1016-2       | (2) | 5.83       | 5.83      | 5.73      | 5.93  | 0.00       |
| Aroclor-1016-3       | (3) | 5.90       | 5.90      | 5.80      | 6.00  | 0.01       |
| Aroclor-1016-4       | (4) | 5.99       | 5.99      | 5.89      | 6.09  | 0.00       |
| Aroclor-1016-5       | (5) | 6.29       | 6.29      | 6.19      | 6.39  | 0.01       |
| Aroclor-1260-1       | (1) | 7.40       | 7.40      | 7.30      | 7.50  | 0.00       |
| Aroclor-1260-2       | (2) | 7.65       | 7.66      | 7.56      | 7.76  | 0.01       |
| Aroclor-1260-3       | (3) | 8.01       | 8.01      | 7.91      | 8.11  | 0.00       |
| Aroclor-1260-4       | (4) | 8.24       | 8.24      | 8.14      | 8.34  | 0.00       |
| Aroclor-1260-5       | (5) | 8.57       | 8.57      | 8.47      | 8.67  | 0.00       |
| Tetrachloro-m-xylene |     | 4.66       | 4.66      | 4.56      | 4.76  | 0.00       |
| Decachlorobiphenyl   |     | 10.44      | 10.44     | 10.34     | 10.54 | 0.00       |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

Lab Name: Alliance

Contract: ENTA05

Lab Code: ACE

SDG NO.: Q2732

Continuing Calib Date: 08/13/2025

Initial Calibration Date(s): 08/01/2025

08/01/2025

Continuing Calib Time: 20:30

Initial Calibration Time(s): 12:05

20:28

GC Column: ZB-MR2 ID: 0.32 (mm)

| COMPOUND             |     | CCAL<br>RT | AVG<br>RT | RT WINDOW |      | DIFF<br>RT |
|----------------------|-----|------------|-----------|-----------|------|------------|
|                      |     |            |           | FROM      | TO   |            |
| Aroclor-1016-1       | (1) | 4.90       | 4.91      | 4.81      | 5.01 | 0.01       |
| Aroclor-1016-2       | (2) | 4.96       | 4.96      | 4.86      | 5.06 | 0.00       |
| Aroclor-1016-3       | (3) | 5.08       | 5.08      | 4.98      | 5.18 | 0.00       |
| Aroclor-1016-4       | (4) | 5.12       | 5.12      | 5.02      | 5.22 | 0.00       |
| Aroclor-1016-5       | (5) | 5.33       | 5.34      | 5.24      | 5.44 | 0.01       |
| Aroclor-1260-1       | (1) | 6.55       | 6.56      | 6.46      | 6.66 | 0.01       |
| Aroclor-1260-2       | (2) | 6.71       | 6.71      | 6.61      | 6.81 | 0.00       |
| Aroclor-1260-3       | (3) | 6.92       | 6.92      | 6.82      | 7.02 | 0.00       |
| Aroclor-1260-4       | (4) | 7.18       | 7.18      | 7.08      | 7.28 | 0.00       |
| Aroclor-1260-5       | (5) | 7.42       | 7.42      | 7.32      | 7.52 | 0.01       |
| Tetrachloro-m-xylene |     | 3.80       | 3.81      | 3.71      | 3.91 | 0.01       |
| Decachlorobiphenyl   |     | 8.82       | 8.83      | 8.73      | 8.93 | 0.01       |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

**Lab Name:** Alliance **Contract:** ENTA05  
**Lab Code:** ACE **SDG NO.:** Q2732  
**GC Column:** ZB-MR1 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 08/01/2025 08/01/2025

**Client Sample No.:** CCAL03 **Date Analyzed:** 08/13/2025  
**Lab Sample No.:** AR1660CCC500 **Data File :** PP074362.D **Time Analyzed:** 20:30

| COMPOUND             | RT     | RT WINDOW |        | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D   |
|----------------------|--------|-----------|--------|--------------------|-------------------|------|
|                      |        | FROM      | TO     |                    |                   |      |
| Aroclor-1016-1       | 5.810  | 5.712     | 5.912  | 527.610            | 500.000           | 5.5  |
| Aroclor-1016-2       | 5.832  | 5.733     | 5.933  | 533.020            | 500.000           | 6.6  |
| Aroclor-1016-3       | 5.895  | 5.796     | 5.996  | 544.910            | 500.000           | 9.0  |
| Aroclor-1016-4       | 5.992  | 5.893     | 6.093  | 540.630            | 500.000           | 8.1  |
| Aroclor-1016-5       | 6.285  | 6.186     | 6.386  | 533.180            | 500.000           | 6.6  |
| Aroclor-1260-1       | 7.402  | 7.303     | 7.503  | 509.770            | 500.000           | 2.0  |
| Aroclor-1260-2       | 7.654  | 7.555     | 7.755  | 493.210            | 500.000           | -1.4 |
| Aroclor-1260-3       | 8.013  | 7.913     | 8.113  | 497.710            | 500.000           | -0.5 |
| Aroclor-1260-4       | 8.241  | 8.142     | 8.342  | 500.220            | 500.000           | 0.0  |
| Aroclor-1260-5       | 8.567  | 8.468     | 8.668  | 482.520            | 500.000           | -3.5 |
| Decachlorobiphenyl   | 10.437 | 10.338    | 10.538 | 49.270             | 50.000            | -1.5 |
| Tetrachloro-m-xylene | 4.659  | 4.560     | 4.760  | 55.880             | 50.000            | 11.8 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

**Lab Name:** Alliance **Contract:** ENTA05  
**Lab Code:** ACE **SDG NO.:** Q2732  
**GC Column:** ZB-MR2 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 08/01/2025 08/01/2025

**Client Sample No.:** CCAL03 **Date Analyzed:** 08/13/2025  
**Lab Sample No.:** AR1660CCC500 **Data File :** PP074362.D **Time Analyzed:** 20:30

| COMPOUND             | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D   |
|----------------------|-------|-----------|-------|--------------------|-------------------|------|
|                      |       | FROM      | TO    |                    |                   |      |
| Aroclor-1016-1       | 4.902 | 4.806     | 5.006 | 589.560            | 500.000           | 17.9 |
| Aroclor-1016-2       | 4.961 | 4.863     | 5.063 | 592.870            | 500.000           | 18.6 |
| Aroclor-1016-3       | 5.080 | 4.983     | 5.183 | 589.270            | 500.000           | 17.9 |
| Aroclor-1016-4       | 5.121 | 5.023     | 5.223 | 576.210            | 500.000           | 15.2 |
| Aroclor-1016-5       | 5.334 | 5.239     | 5.439 | 553.350            | 500.000           | 10.7 |
| Aroclor-1260-1       | 6.552 | 6.455     | 6.655 | 560.130            | 500.000           | 12.0 |
| Aroclor-1260-2       | 6.706 | 6.609     | 6.809 | 552.530            | 500.000           | 10.5 |
| Aroclor-1260-3       | 6.916 | 6.819     | 7.019 | 568.070            | 500.000           | 13.6 |
| Aroclor-1260-4       | 7.176 | 7.079     | 7.279 | 559.600            | 500.000           | 11.9 |
| Aroclor-1260-5       | 7.415 | 7.318     | 7.518 | 564.360            | 500.000           | 12.9 |
| Decachlorobiphenyl   | 8.820 | 8.726     | 8.926 | 53.490             | 50.000            | 7.0  |
| Tetrachloro-m-xylene | 3.801 | 3.705     | 3.905 | 59.430             | 50.000            | 18.9 |

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
 Data File : PP074362.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 13 Aug 2025 20:30  
 Operator : YP\AJ  
 Sample : AR1660CCC500  
 Misc :  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1660CCC500

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/14/2025  
 Supervised By :mohammad ahmed 08/18/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 14 00:02:12 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Mon Aug 04 11:01:49 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml    |
|-----------------------------|--------|-------|----------|----------|---------|----------|
| -----                       |        |       |          |          |         |          |
| System Monitoring Compounds |        |       |          |          |         |          |
| 1) SA Tetrachlo...          | 4.659  | 3.801 | 62495053 | 227.9E6  | 55.884  | 59.427m  |
| 2) SA Decachlor...          | 10.437 | 8.820 | 47848347 | 321.7E6  | 49.269  | 53.490   |
| Target Compounds            |        |       |          |          |         |          |
| 3) L1 AR-1016-1             | 5.810  | 4.902 | 21767569 | 235.2E6  | 527.612 | 589.560  |
| 4) L1 AR-1016-2             | 5.832  | 4.961 | 32376709 | 111.3E6  | 533.023 | 592.869  |
| 5) L1 AR-1016-3             | 5.895  | 5.080 | 21611227 | 62504169 | 544.905 | 589.275  |
| 6) L1 AR-1016-4             | 5.992  | 5.121 | 17594613 | 62934228 | 540.633 | 576.215  |
| 7) L1 AR-1016-5             | 6.285  | 5.334 | 17311303 | 64721661 | 533.180 | 553.350m |
| 31) L7 AR-1260-1            | 7.402  | 6.552 | 28728677 | 226.3E6  | 509.771 | 560.132  |
| 32) L7 AR-1260-2            | 7.654  | 6.706 | 33613481 | 172.8E6  | 493.211 | 552.529  |
| 33) L7 AR-1260-3            | 8.013  | 6.916 | 26525957 | 223.9E6  | 497.711 | 568.069  |
| 34) L7 AR-1260-4            | 8.241  | 7.176 | 31321316 | 162.8E6  | 500.221 | 559.605  |
| 35) L7 AR-1260-5            | 8.567  | 7.415 | 54671864 | 427.5E6  | 482.520 | 564.361  |
| -----                       |        |       |          |          |         |          |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074362.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 20:30  
Operator : YP\AJ  
Sample : AR1660CCC500  
Misc :  
ALS Vial : 3 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
AR1660CCC500

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/14/2025  
Supervised By :mohammad ahmed 08/18/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 14 00:02:12 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

Lab Name: Alliance

Contract: ENTA05

Lab Code: ACE

SDG NO.: Q2732

Continuing Calib Date: 08/13/2025

Initial Calibration Date(s): 08/01/2025

08/01/2025

Continuing Calib Time: 23:30

Initial Calibration Time(s): 12:05

20:28

GC Column: ZB-MR1 ID: 0.32 (mm)

| COMPOUND             |     | CCAL<br>RT | AVG<br>RT | RT WINDOW |       | DIFF<br>RT |
|----------------------|-----|------------|-----------|-----------|-------|------------|
|                      |     |            |           | FROM      | TO    |            |
| Aroclor-1016-1       | (1) | 5.81       | 5.81      | 5.71      | 5.91  | 0.00       |
| Aroclor-1016-2       | (2) | 5.83       | 5.83      | 5.73      | 5.93  | 0.00       |
| Aroclor-1016-3       | (3) | 5.90       | 5.90      | 5.80      | 6.00  | 0.01       |
| Aroclor-1016-4       | (4) | 5.99       | 5.99      | 5.89      | 6.09  | 0.00       |
| Aroclor-1016-5       | (5) | 6.28       | 6.29      | 6.19      | 6.39  | 0.01       |
| Aroclor-1260-1       | (1) | 7.40       | 7.40      | 7.30      | 7.50  | 0.00       |
| Aroclor-1260-2       | (2) | 7.65       | 7.66      | 7.56      | 7.76  | 0.01       |
| Aroclor-1260-3       | (3) | 8.01       | 8.01      | 7.91      | 8.11  | 0.00       |
| Aroclor-1260-4       | (4) | 8.24       | 8.24      | 8.14      | 8.34  | 0.00       |
| Aroclor-1260-5       | (5) | 8.57       | 8.57      | 8.47      | 8.67  | 0.00       |
| Tetrachloro-m-xylene |     | 4.66       | 4.66      | 4.56      | 4.76  | 0.00       |
| Decachlorobiphenyl   |     | 10.44      | 10.44     | 10.34     | 10.54 | 0.00       |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

Lab Name: Alliance

Contract: ENTA05

Lab Code: ACE

SDG NO.: Q2732

Continuing Calib Date: 08/13/2025

Initial Calibration Date(s): 08/01/2025 08/01/2025

Continuing Calib Time: 23:30

Initial Calibration Time(s): 12:05 20:28

GC Column: ZB-MR2 ID: 0.32 (mm)

| COMPOUND             |     | CCAL<br>RT | AVG<br>RT | RT WINDOW<br>FROM   TO |      | DIFF<br>RT |
|----------------------|-----|------------|-----------|------------------------|------|------------|
| Aroclor-1016-1       | (1) | 4.90       | 4.91      | 4.81                   | 5.01 | 0.01       |
| Aroclor-1016-2       | (2) | 4.96       | 4.96      | 4.86                   | 5.06 | 0.00       |
| Aroclor-1016-3       | (3) | 5.08       | 5.08      | 4.98                   | 5.18 | 0.00       |
| Aroclor-1016-4       | (4) | 5.12       | 5.12      | 5.02                   | 5.22 | 0.00       |
| Aroclor-1016-5       | (5) | 5.34       | 5.34      | 5.24                   | 5.44 | 0.00       |
| Aroclor-1260-1       | (1) | 6.55       | 6.56      | 6.46                   | 6.66 | 0.01       |
| Aroclor-1260-2       | (2) | 6.71       | 6.71      | 6.61                   | 6.81 | 0.00       |
| Aroclor-1260-3       | (3) | 6.92       | 6.92      | 6.82                   | 7.02 | 0.00       |
| Aroclor-1260-4       | (4) | 7.18       | 7.18      | 7.08                   | 7.28 | 0.00       |
| Aroclor-1260-5       | (5) | 7.41       | 7.42      | 7.32                   | 7.52 | 0.01       |
| Tetrachloro-m-xylene |     | 3.80       | 3.81      | 3.71                   | 3.91 | 0.01       |
| Decachlorobiphenyl   |     | 8.82       | 8.83      | 8.73                   | 8.93 | 0.01       |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

**Lab Name:** Alliance **Contract:** ENTA05  
**Lab Code:** ACE **SDG NO.:** Q2732  
**GC Column:** ZB-MR1 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 08/01/2025 08/01/2025

**Client Sample No.:** CCAL04 **Date Analyzed:** 08/13/2025  
**Lab Sample No.:** AR1660CCC500 **Data File :** PP074368.D **Time Analyzed:** 23:30

| COMPOUND             | RT     | RT WINDOW |        | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D   |
|----------------------|--------|-----------|--------|--------------------|-------------------|------|
|                      |        | FROM      | TO     |                    |                   |      |
| Aroclor-1016-1       | 5.810  | 5.712     | 5.912  | 532.220            | 500.000           | 6.4  |
| Aroclor-1016-2       | 5.832  | 5.733     | 5.933  | 531.780            | 500.000           | 6.4  |
| Aroclor-1016-3       | 5.895  | 5.796     | 5.996  | 543.380            | 500.000           | 8.7  |
| Aroclor-1016-4       | 5.992  | 5.893     | 6.093  | 542.160            | 500.000           | 8.4  |
| Aroclor-1016-5       | 6.284  | 6.186     | 6.386  | 532.190            | 500.000           | 6.4  |
| Aroclor-1260-1       | 7.401  | 7.303     | 7.503  | 512.180            | 500.000           | 2.4  |
| Aroclor-1260-2       | 7.654  | 7.555     | 7.755  | 494.700            | 500.000           | -1.1 |
| Aroclor-1260-3       | 8.012  | 7.913     | 8.113  | 501.400            | 500.000           | 0.3  |
| Aroclor-1260-4       | 8.240  | 8.142     | 8.342  | 507.860            | 500.000           | 1.6  |
| Aroclor-1260-5       | 8.566  | 8.468     | 8.668  | 486.610            | 500.000           | -2.7 |
| Decachlorobiphenyl   | 10.437 | 10.338    | 10.538 | 49.940             | 50.000            | -0.1 |
| Tetrachloro-m-xylene | 4.659  | 4.560     | 4.760  | 55.440             | 50.000            | 10.9 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

### CALIBRATION VERIFICATION SUMMARY

**Lab Name:** Alliance **Contract:** ENTA05  
**Lab Code:** ACE **SDG NO.:** Q2732  
**GC Column:** ZB-MR2 **ID:** 0.32 (mm) **Initi. Calib. Date(s):** 08/01/2025 08/01/2025

**Client Sample No.:** CCAL04 **Date Analyzed:** 08/13/2025  
**Lab Sample No.:** AR1660CCC500 **Data File :** PP074368.D **Time Analyzed:** 23:30

| COMPOUND             | RT    | RT WINDOW |       | CALC<br>AMOUNT(ng) | NOM<br>AMOUNT(ng) | %D   |
|----------------------|-------|-----------|-------|--------------------|-------------------|------|
|                      |       | FROM      | TO    |                    |                   |      |
| Aroclor-1016-1       | 4.902 | 4.806     | 5.006 | 575.690            | 500.000           | 15.1 |
| Aroclor-1016-2       | 4.960 | 4.863     | 5.063 | 595.280            | 500.000           | 19.1 |
| Aroclor-1016-3       | 5.080 | 4.983     | 5.183 | 593.040            | 500.000           | 18.6 |
| Aroclor-1016-4       | 5.121 | 5.023     | 5.223 | 572.950            | 500.000           | 14.6 |
| Aroclor-1016-5       | 5.336 | 5.239     | 5.439 | 591.030            | 500.000           | 18.2 |
| Aroclor-1260-1       | 6.552 | 6.455     | 6.655 | 570.950            | 500.000           | 14.2 |
| Aroclor-1260-2       | 6.706 | 6.609     | 6.809 | 562.770            | 500.000           | 12.6 |
| Aroclor-1260-3       | 6.916 | 6.819     | 7.019 | 577.230            | 500.000           | 15.4 |
| Aroclor-1260-4       | 7.176 | 7.079     | 7.279 | 563.830            | 500.000           | 12.8 |
| Aroclor-1260-5       | 7.414 | 7.318     | 7.518 | 581.180            | 500.000           | 16.2 |
| Decachlorobiphenyl   | 8.819 | 8.726     | 8.926 | 54.620             | 50.000            | 9.2  |
| Tetrachloro-m-xylene | 3.803 | 3.705     | 3.905 | 59.950             | 50.000            | 19.9 |

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
 Data File : PP074368.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 13 Aug 2025 23:30  
 Operator : YP\AJ  
 Sample : AR1660CCC500  
 Misc :  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 AR1660CCC500

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 14 00:29:59 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Mon Aug 04 11:01:49 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml   | ng/ml   |
|-----------------------------|--------|-------|----------|----------|---------|---------|
| -----                       |        |       |          |          |         |         |
| System Monitoring Compounds |        |       |          |          |         |         |
| 1) SA Tetrachlo...          | 4.659  | 3.803 | 61993358 | 229.9E6  | 55.435  | 59.952  |
| 2) SA Decachlor...          | 10.437 | 8.819 | 48496914 | 328.5E6  | 49.937  | 54.624  |
| Target Compounds            |        |       |          |          |         |         |
| 3) L1 AR-1016-1             | 5.810  | 4.902 | 21957828 | 229.6E6  | 532.223 | 575.694 |
| 4) L1 AR-1016-2             | 5.832  | 4.960 | 32300948 | 111.8E6  | 531.775 | 595.285 |
| 5) L1 AR-1016-3             | 5.895  | 5.080 | 21550699 | 62903963 | 543.379 | 593.044 |
| 6) L1 AR-1016-4             | 5.992  | 5.121 | 17644166 | 62577105 | 542.156 | 572.945 |
| 7) L1 AR-1016-5             | 6.284  | 5.336 | 17279312 | 69128339 | 532.194 | 591.026 |
| 31) L7 AR-1260-1            | 7.401  | 6.552 | 28864583 | 230.6E6  | 512.182 | 570.952 |
| 32) L7 AR-1260-2            | 7.654  | 6.706 | 33715207 | 176.0E6  | 494.703 | 562.767 |
| 33) L7 AR-1260-3            | 8.012  | 6.916 | 26722656 | 227.5E6  | 501.401 | 577.231 |
| 34) L7 AR-1260-4            | 8.240  | 7.176 | 31799909 | 164.1E6  | 507.864 | 563.829 |
| 35) L7 AR-1260-5            | 8.566  | 7.414 | 55135126 | 440.2E6  | 486.608 | 581.175 |
| -----                       |        |       |          |          |         |         |



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074368.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 23:30  
Operator : YP\AJ  
Sample : AR1660CCC500  
Misc :  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
AR1660CCC500

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 14 00:29:59 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



## Analytical Sequence

|                                              |                                                                     |
|----------------------------------------------|---------------------------------------------------------------------|
| Client: ENTACT                               | SDG No.: Q2732                                                      |
| Project: 540 Degraw St, Brooklyn, NY - E9309 | Instrument ID: ECD_P                                                |
| GC Column: ZB-MR1                            | ID: 0.32 (mm)      Inst. Calib. Date(s): 08/01/2025      08/01/2025 |

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,  
AND STANDARDS IS GIVEN BELOW:

| CLIENT ID     | LAB<br>SAMPLE ID | DATE<br>ANALYZED | TIME<br>ANALYZED | DATAFILE   | DCB<br>RT # | TCX<br>RT # |
|---------------|------------------|------------------|------------------|------------|-------------|-------------|
| IBLK          | IBLK             | 08/01/2025       | 11:49            | PP074167.D | 10.44       | 4.66        |
| AR1660ICC1000 | AR1660ICC1000    | 08/01/2025       | 12:05            | PP074168.D | 10.44       | 4.66        |
| AR1660ICC750  | AR1660ICC750     | 08/01/2025       | 12:22            | PP074169.D | 10.44       | 4.66        |
| AR1660ICC500  | AR1660ICC500     | 08/01/2025       | 12:38            | PP074170.D | 10.44       | 4.66        |
| AR1660ICC250  | AR1660ICC250     | 08/01/2025       | 12:54            | PP074171.D | 10.44       | 4.66        |
| AR1660ICC050  | AR1660ICC050     | 08/01/2025       | 13:42            | PP074172.D | 10.44       | 4.66        |
| AR1221ICC500  | AR1221ICC500     | 08/01/2025       | 13:58            | PP074173.D | 10.44       | 4.66        |
| AR1232ICC500  | AR1232ICC500     | 08/01/2025       | 14:15            | PP074174.D | 10.44       | 4.66        |
| AR1242ICC1000 | AR1242ICC1000    | 08/01/2025       | 14:31            | PP074175.D | 10.44       | 4.66        |
| AR1242ICC750  | AR1242ICC750     | 08/01/2025       | 14:47            | PP074176.D | 10.44       | 4.66        |
| AR1242ICC500  | AR1242ICC500     | 08/01/2025       | 15:03            | PP074177.D | 10.43       | 4.66        |
| AR1242ICC250  | AR1242ICC250     | 08/01/2025       | 15:19            | PP074178.D | 10.44       | 4.66        |
| AR1242ICC050  | AR1242ICC050     | 08/01/2025       | 15:36            | PP074179.D | 10.43       | 4.66        |
| AR1248ICC500  | AR1248ICC500     | 08/01/2025       | 16:57            | PP074182.D | 10.43       | 4.66        |
| AR1254ICC1000 | AR1254ICC1000    | 08/01/2025       | 18:02            | PP074185.D | 10.43       | 4.66        |
| AR1254ICC750  | AR1254ICC750     | 08/01/2025       | 18:18            | PP074186.D | 10.43       | 4.66        |
| AR1254ICC500  | AR1254ICC500     | 08/01/2025       | 18:34            | PP074187.D | 10.43       | 4.66        |
| AR1254ICC250  | AR1254ICC250     | 08/01/2025       | 18:50            | PP074188.D | 10.43       | 4.66        |
| AR1254ICC050  | AR1254ICC050     | 08/01/2025       | 19:23            | PP074189.D | 10.43       | 4.66        |
| AR1262ICC500  | AR1262ICC500     | 08/01/2025       | 19:39            | PP074190.D | 10.43       | 4.66        |
| AR1268ICC500  | AR1268ICC500     | 08/01/2025       | 20:28            | PP074193.D | 10.43       | 4.66        |
| AR1660CCC500  | AR1660CCC500     | 08/13/2025       | 09:04            | PP074334.D | 10.44       | 4.66        |
| IBLK          | IBLK             | 08/13/2025       | 10:07            | PP074337.D | 10.44       | 4.66        |
| PB169227BS    | PB169227BS       | 08/13/2025       | 12:55            | PP074340.D | 10.44       | 4.66        |
| WC-A7-01-C    | Q2732-02         | 08/13/2025       | 13:11            | PP074341.D | 10.44       | 4.65        |
| TG-S02MS      | Q2832-03MS       | 08/13/2025       | 14:00            | PP074344.D | 10.44       | 4.66        |
| TG-S02MSD     | Q2832-03MSD      | 08/13/2025       | 14:16            | PP074345.D | 10.45       | 4.66        |
| AR1660CCC500  | AR1660CCC500     | 08/13/2025       | 15:54            | PP074348.D | 10.44       | 4.66        |
| IBLK          | IBLK             | 08/13/2025       | 16:42            | PP074351.D | 10.45       | 4.66        |
| AR1660CCC500  | AR1660CCC500     | 08/13/2025       | 20:30            | PP074362.D | 10.44       | 4.66        |
| IBLK          | IBLK             | 08/13/2025       | 21:52            | PP074365.D | 10.44       | 4.66        |
| PB169227BL    | PB169227BL       | 08/13/2025       | 22:08            | PP074366.D | 10.44       | 4.66        |
| AR1660CCC500  | AR1660CCC500     | 08/13/2025       | 23:30            | PP074368.D | 10.44       | 4.66        |
| IBLK          | IBLK             | 08/14/2025       | 00:51            | PP074371.D | 10.44       | 4.66        |

## Analytical Sequence

|                                              |                                                                     |
|----------------------------------------------|---------------------------------------------------------------------|
| Client: ENTACT                               | SDG No.: Q2732                                                      |
| Project: 540 Degraw St, Brooklyn, NY - E9309 | Instrument ID: ECD_P                                                |
| GC Column: ZB-MR2                            | ID: 0.32 (mm)      Inst. Calib. Date(s): 08/01/2025      08/01/2025 |

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,  
AND STANDARDS IS GIVEN BELOW:

| CLIENT ID     | LAB<br>SAMPLE ID | DATE<br>ANALYZED | TIME<br>ANALYZED | DATAFILE   | DCB<br>RT # | TCX<br>RT # |
|---------------|------------------|------------------|------------------|------------|-------------|-------------|
| IBLK          | IBLK             | 08/01/2025       | 11:49            | PP074167.D | 8.83        | 3.80        |
| AR1660ICC1000 | AR1660ICC1000    | 08/01/2025       | 12:05            | PP074168.D | 8.83        | 3.81        |
| AR1660ICC750  | AR1660ICC750     | 08/01/2025       | 12:22            | PP074169.D | 8.83        | 3.80        |
| AR1660ICC500  | AR1660ICC500     | 08/01/2025       | 12:38            | PP074170.D | 8.83        | 3.81        |
| AR1660ICC250  | AR1660ICC250     | 08/01/2025       | 12:54            | PP074171.D | 8.83        | 3.81        |
| AR1660ICC050  | AR1660ICC050     | 08/01/2025       | 13:42            | PP074172.D | 8.83        | 3.80        |
| AR1221ICC500  | AR1221ICC500     | 08/01/2025       | 13:58            | PP074173.D | 8.83        | 3.80        |
| AR1232ICC500  | AR1232ICC500     | 08/01/2025       | 14:15            | PP074174.D | 8.83        | 3.80        |
| AR1242ICC1000 | AR1242ICC1000    | 08/01/2025       | 14:31            | PP074175.D | 8.83        | 3.80        |
| AR1242ICC750  | AR1242ICC750     | 08/01/2025       | 14:47            | PP074176.D | 8.82        | 3.80        |
| AR1242ICC500  | AR1242ICC500     | 08/01/2025       | 15:03            | PP074177.D | 8.83        | 3.81        |
| AR1242ICC250  | AR1242ICC250     | 08/01/2025       | 15:19            | PP074178.D | 8.82        | 3.81        |
| AR1242ICC050  | AR1242ICC050     | 08/01/2025       | 15:36            | PP074179.D | 8.82        | 3.80        |
| AR1248ICC500  | AR1248ICC500     | 08/01/2025       | 16:57            | PP074182.D | 8.82        | 3.81        |
| AR1254ICC1000 | AR1254ICC1000    | 08/01/2025       | 18:02            | PP074185.D | 8.82        | 3.81        |
| AR1254ICC750  | AR1254ICC750     | 08/01/2025       | 18:18            | PP074186.D | 8.82        | 3.80        |
| AR1254ICC500  | AR1254ICC500     | 08/01/2025       | 18:34            | PP074187.D | 8.82        | 3.80        |
| AR1254ICC250  | AR1254ICC250     | 08/01/2025       | 18:50            | PP074188.D | 8.82        | 3.80        |
| AR1254ICC050  | AR1254ICC050     | 08/01/2025       | 19:23            | PP074189.D | 8.82        | 3.80        |
| AR1262ICC500  | AR1262ICC500     | 08/01/2025       | 19:39            | PP074190.D | 8.82        | 3.80        |
| AR1268ICC500  | AR1268ICC500     | 08/01/2025       | 20:28            | PP074193.D | 8.82        | 3.80        |
| AR1660CCC500  | AR1660CCC500     | 08/13/2025       | 09:04            | PP074334.D | 8.82        | 3.80        |
| IBLK          | IBLK             | 08/13/2025       | 10:07            | PP074337.D | 8.82        | 3.80        |
| PB169227BS    | PB169227BS       | 08/13/2025       | 12:55            | PP074340.D | 8.82        | 3.80        |
| WC-A7-01-C    | Q2732-02         | 08/13/2025       | 13:11            | PP074341.D | 8.82        | 3.80        |
| TG-S02MS      | Q2832-03MS       | 08/13/2025       | 14:00            | PP074344.D | 8.82        | 3.80        |
| TG-S02MSD     | Q2832-03MSD      | 08/13/2025       | 14:16            | PP074345.D | 8.83        | 3.80        |
| AR1660CCC500  | AR1660CCC500     | 08/13/2025       | 15:54            | PP074348.D | 8.82        | 3.80        |
| IBLK          | IBLK             | 08/13/2025       | 16:42            | PP074351.D | 8.82        | 3.80        |
| AR1660CCC500  | AR1660CCC500     | 08/13/2025       | 20:30            | PP074362.D | 8.82        | 3.80        |
| IBLK          | IBLK             | 08/13/2025       | 21:52            | PP074365.D | 8.82        | 3.80        |
| PB169227BL    | PB169227BL       | 08/13/2025       | 22:08            | PP074366.D | 8.82        | 3.80        |
| AR1660CCC500  | AR1660CCC500     | 08/13/2025       | 23:30            | PP074368.D | 8.82        | 3.80        |
| IBLK          | IBLK             | 08/14/2025       | 00:51            | PP074371.D | 8.82        | 3.80        |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

IDENTIFICATION SUMMARY  
FOR MULTICOMPONENT ANALYTES

SAMPLE NO.

PB169227BS

Lab Name: Alliance

Contract: ENTA05

Lab Code: ACE

SDG NO.: Q2732

Lab Sample ID: PB169227BS

Date(s) Analyzed: 08/13/2025 08/13/2025

Instrument ID (1): ECD\_P

Instrument ID (2): ECD\_P

GC Column: (1): ZB-MR1 ID: 0.32 (mm)

GC Column: (2): ZB-MR2 ID: 0.32 (mm)

Data file PP074340.D

| ANALYTE      | COL | RT    | RT WINDOW |       | CONCENTRATION | MEAN<br>CONCENTRATION | %RPD |
|--------------|-----|-------|-----------|-------|---------------|-----------------------|------|
|              |     |       | FROM      | TO    |               |                       |      |
| Aroclor-1016 | 1   | 5.813 | 5.763     | 5.863 | 193           | 193                   | 1.03 |
| COLUMN 1     | 2   | 5.834 | 5.784     | 5.884 | 194           |                       |      |
|              | 3   | 5.898 | 5.848     | 5.948 | 194           |                       |      |
|              | 4   | 5.995 | 5.945     | 6.045 | 195           |                       |      |
|              | 5   | 6.287 | 6.237     | 6.337 | 188           |                       |      |
|              | 1   | 4.904 | 4.854     | 4.954 | 198           |                       |      |
| COLUMN 2     | 2   | 4.962 | 4.912     | 5.012 | 194           | 195                   |      |
|              | 3   | 5.081 | 5.031     | 5.131 | 197           |                       |      |
|              | 4   | 5.122 | 5.072     | 5.172 | 192           |                       |      |
|              | 5   | 5.336 | 5.286     | 5.386 | 196           |                       |      |
|              |     |       |           |       |               |                       |      |
| Aroclor-1260 | 1   | 7.405 | 7.355     | 7.455 | 190           | 173                   | 8.84 |
| COLUMN 1     | 2   | 7.658 | 7.608     | 7.708 | 182           |                       |      |
|              | 3   | 8.016 | 7.966     | 8.066 | 158           |                       |      |
|              | 4   | 8.243 | 8.193     | 8.293 | 177           |                       |      |
|              | 5   | 8.57  | 8.52      | 8.62  | 158           |                       |      |
|              | 1   | 6.554 | 6.504     | 6.604 | 199           | 189                   |      |
| COLUMN 2     | 2   | 6.708 | 6.658     | 6.758 | 203           |                       |      |
|              | 3   | 6.918 | 6.868     | 6.968 | 179           |                       |      |
|              | 4   | 7.178 | 7.128     | 7.228 | 182           |                       |      |
|              | 5   | 7.418 | 7.368     | 7.468 | 181           |                       |      |
|              |     |       |           |       |               |                       |      |

IDENTIFICATION SUMMARY  
FOR MULTICOMPONENT ANALYTES

SAMPLE NO.

TG-S02MS

Lab Name: Alliance

Contract: ENTA05

Lab Code: ACE

SDG NO.: Q2732

Lab Sample ID: Q2832-03MS

Date(s) Analyzed: 08/13/2025 08/13/2025

Instrument ID (1): ECD\_P

Instrument ID (2): ECD\_P

GC Column: (1): ZB-MR1 ID: 0.32 (mm)

GC Column: (2): ZB-MR2 ID: 0.32 (mm)

Data file PP074344.D

| ANALYTE      | COL | RT    | RT WINDOW |       | CONCENTRATION | MEAN<br>CONCENTRATION | %RPD |
|--------------|-----|-------|-----------|-------|---------------|-----------------------|------|
|              |     |       | FROM      | TO    |               |                       |      |
| Aroclor-1016 | 1   | 5.809 | 5.759     | 5.859 | 212           | 223                   | 7.93 |
| COLUMN 1     | 2   | 5.831 | 5.781     | 5.881 | 207           |                       |      |
|              | 3   | 5.894 | 5.844     | 5.944 | 225           |                       |      |
|              | 4   | 5.991 | 5.941     | 6.041 | 236           |                       |      |
|              | 5   | 6.284 | 6.234     | 6.334 | 236           |                       |      |
|              | 1   | 4.901 | 4.851     | 4.951 | 202           |                       |      |
| COLUMN 2     | 2   | 4.958 | 4.908     | 5.008 | 207           | 206                   |      |
|              | 3   | 5.079 | 5.029     | 5.129 | 200           |                       |      |
|              | 4   | 5.12  | 5.07      | 5.17  | 211           |                       |      |
|              | 5   | 5.335 | 5.285     | 5.385 | 209           |                       |      |
|              |     |       |           |       |               |                       |      |
| Aroclor-1260 | 1   | 7.402 | 7.352     | 7.452 | 492           | 519                   | 20.1 |
| COLUMN 1     | 2   | 7.654 | 7.604     | 7.704 | 491           |                       |      |
|              | 3   | 8.012 | 7.962     | 8.062 | 463           |                       |      |
|              | 4   | 8.239 | 8.189     | 8.289 | 638           |                       |      |
|              | 5   | 8.566 | 8.516     | 8.616 | 512           |                       |      |
|              | 1   | 6.551 | 6.501     | 6.601 | 622           |                       |      |
| COLUMN 2     | 2   | 6.706 | 6.656     | 6.756 | 520           | 635                   |      |
|              | 3   | 6.914 | 6.864     | 6.964 | 628           |                       |      |
|              | 4   | 7.176 | 7.126     | 7.226 | 696           |                       |      |
|              | 5   | 7.415 | 7.365     | 7.465 | 711           |                       |      |
|              |     |       |           |       |               |                       |      |

IDENTIFICATION SUMMARY  
FOR MULTICOMPONENT ANALYTES

SAMPLE NO.

TG-S02MSD

Lab Name: Alliance

Contract: ENTA05

Lab Code: ACE

SDG NO.: Q2732

Lab Sample ID: Q2832-03MSD

Date(s) Analyzed: 08/13/2025 08/13/2025

Instrument ID (1): ECD\_P

Instrument ID (2): ECD\_P

GC Column: (1): ZB-MR1 ID: 0.32 (mm)

GC Column: (2): ZB-MR2 ID: 0.32 (mm)

Data file PP074345.D

| ANALYTE      | COL | RT    | RT WINDOW |       | CONCENTRATION | MEAN<br>CONCENTRATION | %RPD  |
|--------------|-----|-------|-----------|-------|---------------|-----------------------|-------|
|              |     |       | FROM      | TO    |               |                       |       |
| Aroclor-1016 | 1   | 5.813 | 5.763     | 5.863 | 209           | 221                   | 8.98  |
| COLUMN 1     | 2   | 5.835 | 5.785     | 5.885 | 206           |                       |       |
|              | 3   | 5.898 | 5.848     | 5.948 | 223           |                       |       |
|              | 4   | 5.995 | 5.945     | 6.045 | 234           |                       |       |
|              | 5   | 6.287 | 6.237     | 6.337 | 231           |                       |       |
|              | 1   | 4.905 | 4.855     | 4.955 | 193           |                       |       |
| COLUMN 2     | 2   | 4.962 | 4.912     | 5.012 | 202           | 202                   |       |
|              | 3   | 5.083 | 5.033     | 5.133 | 199           |                       |       |
|              | 4   | 5.124 | 5.074     | 5.174 | 206           |                       |       |
|              | 5   | 5.339 | 5.289     | 5.389 | 211           |                       |       |
|              |     |       |           |       |               |                       |       |
| Aroclor-1260 | 1   | 7.406 | 7.356     | 7.456 | 487           | 505                   | 21.55 |
| COLUMN 1     | 2   | 7.658 | 7.608     | 7.708 | 483           |                       |       |
|              | 3   | 8.016 | 7.966     | 8.066 | 456           |                       |       |
|              | 4   | 8.243 | 8.193     | 8.293 | 596           |                       |       |
|              | 5   | 8.571 | 8.521     | 8.621 | 504           |                       |       |
|              | 1   | 6.555 | 6.505     | 6.605 | 607           | 627                   |       |
| COLUMN 2     | 2   | 6.71  | 6.66      | 6.76  | 513           |                       |       |
|              | 3   | 6.918 | 6.868     | 6.968 | 613           |                       |       |
|              | 4   | 7.18  | 7.13      | 7.23  | 698           |                       |       |
|              | 5   | 7.419 | 7.369     | 7.469 | 702           |                       |       |
|              |     |       |           |       |               |                       |       |



# QC SAMPLE DATA

## Report of Analysis

|                    |                                     |                    |       |
|--------------------|-------------------------------------|--------------------|-------|
| Client:            | ENTACT                              | Date Collected:    |       |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:     |       |
| Client Sample ID:  | PB169227BL                          | SDG No.:           | Q2732 |
| Lab Sample ID:     | PB169227BL                          | Matrix:            | SOIL  |
| Analytical Method: | 8082A                               | % Solid:           | 100   |
| Sample Wt/Vol:     | 30.03                               | Units:             | g     |
| Soil Aliquot Vol:  |                                     |                    | uL    |
| Extraction Type:   |                                     | Test:              | PCB   |
| GPC Factor :       | 1.0                                 | Injection Volume : |       |
| Prep Method :      | SW3541B                             |                    |       |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PP074366.D        | 1         | 08/13/25 08:33 | 08/13/25 22:08 | PB169227      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|--------|-----------|---------------------|------------|-------------------|
| <b>TARGETS</b>    |                      |        |           |                     |            |                   |
| 12674-11-2        | Aroclor-1016         | 0.0039 | U         | 0.0039              | 0.017      | mg/Kg             |
| 11104-28-2        | Aroclor-1221         | 0.0040 | U         | 0.0040              | 0.017      | mg/Kg             |
| 11141-16-5        | Aroclor-1232         | 0.0037 | U         | 0.0037              | 0.017      | mg/Kg             |
| 53469-21-9        | Aroclor-1242         | 0.0040 | U         | 0.0040              | 0.017      | mg/Kg             |
| 12672-29-6        | Aroclor-1248         | 0.0059 | U         | 0.0059              | 0.017      | mg/Kg             |
| 11097-69-1        | Aroclor-1254         | 0.0032 | U         | 0.0032              | 0.017      | mg/Kg             |
| 37324-23-5        | Aroclor-1262         | 0.0050 | U         | 0.0050              | 0.017      | mg/Kg             |
| 11100-14-4        | Aroclor-1268         | 0.0036 | U         | 0.0036              | 0.017      | mg/Kg             |
| 11096-82-5        | Aroclor-1260         | 0.0032 | U         | 0.0032              | 0.017      | mg/Kg             |
| <b>SURROGATES</b> |                      |        |           |                     |            |                   |
| 877-09-8          | Tetrachloro-m-xylene | 24.6   |           | 30 (32) - 150 (144) | 123%       | SPK: 20           |
| 2051-24-3         | Decachlorobiphenyl   | 23.4   |           | 30 (32) - 150 (175) | 117%       | SPK: 20           |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074366.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 22:08  
Operator : YP\AJ  
Sample : PB169227BL  
Misc :  
ALS Vial : 7 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
PB169227BL

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 14 00:03:22 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml  | ng/ml  |
|-----------------------------|--------|-------|----------|----------|--------|--------|
| -----                       |        |       |          |          |        |        |
| System Monitoring Compounds |        |       |          |          |        |        |
| 1) SA Tetrachlo...          | 4.659  | 3.802 | 27492656 | 85552415 | 24.584 | 22.312 |
| 2) SA Decachlor...          | 10.437 | 8.819 | 22739425 | 132.7E6  | 23.415 | 22.068 |

Target Compounds

-----



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074366.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 22:08  
Operator : YP\AJ  
Sample : PB169227BL  
Misc :  
ALS Vial : 7 Sample Multiplier: 1


Instrument :  
ECD\_P  
ClientSampleId :  
PB169227BL

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 14 00:03:22 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Signal: PP074366.D\ECD1A.ch




#1 Tetrachloro-m-xylene

R.T.: 4.659 min  
Delta R.T.: -0.001 min  
Response: 27492656  
Conc: 24.58 ng/ml

Instrument :  
ECD\_P  
ClientSampleId :  
PB169227BL


Signal: PP074366.D\ECD2B.ch



#1 Tetrachloro-m-xylene

R.T.: 3.802 min  
Delta R.T.: -0.003 min  
Response: 85552415  
Conc: 22.31 ng/ml


Signal: PP074366.D\ECD1A.ch



#2 Decachlorobiphenyl

R.T.: 10.437 min  
Delta R.T.: 0.000 min  
Response: 22739425  
Conc: 23.41 ng/ml

Signal: PP074366.D\ECD2B.ch



#2 Decachlorobiphenyl

R.T.: 8.819 min  
Delta R.T.: -0.007 min  
Response: 132708737  
Conc: 22.07 ng/ml

## Report of Analysis

|                    |                                     |                    |          |
|--------------------|-------------------------------------|--------------------|----------|
| Client:            | ENTACT                              | Date Collected:    | 08/01/25 |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:     | 08/01/25 |
| Client Sample ID:  | PIBLK-PP074167.D                    | SDG No.:           | Q2732    |
| Lab Sample ID:     | I.BLK-PP074167.D                    | Matrix:            | WATER    |
| Analytical Method: | 8082A                               | % Solid:           | 0        |
| Sample Wt/Vol:     | 1000                                | Units:             | mL       |
| Soil Aliquot Vol:  |                                     |                    | uL       |
| Extraction Type:   |                                     | Test:              | PCB      |
| GPC Factor :       | 1.0                                 | PH :               |          |
| Prep Method :      | 5030                                | Injection Volume : |          |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PP074167.D        | 1         |           | 08/01/25      | PP080125      |

| CAS Number        | Parameter            | Conc.    | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|----------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |          |           |                     |            |         |
| 12674-11-2        | Aroclor-1016         | 0.000097 | U         | 0.000097            | 0.00050    | mg/L    |
| 11104-28-2        | Aroclor-1221         | 0.00013  | U         | 0.00013             | 0.00050    | mg/L    |
| 11141-16-5        | Aroclor-1232         | 0.000096 | U         | 0.000096            | 0.00050    | mg/L    |
| 53469-21-9        | Aroclor-1242         | 0.00012  | U         | 0.00012             | 0.00050    | mg/L    |
| 12672-29-6        | Aroclor-1248         | 0.000071 | U         | 0.000071            | 0.00050    | mg/L    |
| 11097-69-1        | Aroclor-1254         | 0.000094 | U         | 0.000094            | 0.00050    | mg/L    |
| 11096-82-5        | Aroclor-1260         | 0.000081 | U         | 0.000081            | 0.00050    | mg/L    |
| 37324-23-5        | Aroclor-1262         | 0.00014  | U         | 0.00014             | 0.00050    | mg/L    |
| 11100-14-4        | Aroclor-1268         | 0.00011  | U         | 0.00011             | 0.00050    | mg/L    |
| <b>SURROGATES</b> |                      |          |           |                     |            |         |
| 877-09-8          | Tetrachloro-m-xylene | 17.3     |           | 70 (60) - 130 (140) | 86%        | SPK: 20 |
| 2051-24-3         | Decachlorobiphenyl   | 18.7     |           | 70 (60) - 130 (140) | 93%        | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074167.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 11:49  
Operator : YP\AJ  
Sample : I.BLK  
Misc :  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 01:35:26 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Sat Aug 02 01:33:31 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml  | ng/ml  |
|-----------------------------|-----------------|--------|-------|----------|----------|--------|--------|
| -----                       |                 |        |       |          |          |        |        |
| System Monitoring Compounds |                 |        |       |          |          |        |        |
| 1)                          | SA Tetrachlo... | 4.658  | 3.803 | 21300659 | 66146859 | 19.047 | 17.251 |
| 2)                          | SA Decachlor... | 10.435 | 8.825 | 19096192 | 112.2E6  | 19.663 | 18.655 |

Target Compounds

-----



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP080125\  
Data File : PP074167.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 01 Aug 2025 11:49  
Operator : YP\AJ  
Sample : I.BLK  
Misc :  
ALS Vial : 2 Sample Multiplier: 1


Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 02 01:35:26 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Sat Aug 02 01:33:31 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Response\_ Signal: PP074167.D\ECD1A.ch




#1 Tetrachloro-m-xylene

R.T.: 4.658 min  
Delta R.T.: -0.002 min  
Response: 21300659  
Conc: 19.05 ng/ml

Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK


Response\_ Signal: PP074167.D\ECD2B.ch



#1 Tetrachloro-m-xylene

R.T.: 3.803 min  
Delta R.T.: -0.002 min  
Response: 66146859  
Conc: 17.25 ng/ml


Response\_ Signal: PP074167.D\ECD1A.ch



#2 Decachlorobiphenyl

R.T.: 10.435 min  
Delta R.T.: -0.002 min  
Response: 19096192  
Conc: 19.66 ng/ml

Response\_ Signal: PP074167.D\ECD2B.ch



#2 Decachlorobiphenyl

R.T.: 8.825 min  
Delta R.T.: -0.002 min  
Response: 112184396  
Conc: 18.66 ng/ml

## Report of Analysis

|                    |                                     |                    |          |
|--------------------|-------------------------------------|--------------------|----------|
| Client:            | ENTACT                              | Date Collected:    | 08/13/25 |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:     | 08/13/25 |
| Client Sample ID:  | PIBLK-PP074337.D                    | SDG No.:           | Q2732    |
| Lab Sample ID:     | I.BLK-PP074337.D                    | Matrix:            | WATER    |
| Analytical Method: | 8082A                               | % Solid:           | 0        |
| Sample Wt/Vol:     | 1000                                | Units:             | mL       |
| Soil Aliquot Vol:  |                                     |                    | uL       |
| Extraction Type:   |                                     | Test:              | PCB      |
| GPC Factor :       | 1.0                                 | PH :               |          |
| Prep Method :      | 5030                                | Injection Volume : |          |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PP074337.D        | 1         |           | 08/13/25      | PP081325      |

| CAS Number        | Parameter            | Conc.    | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|----------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |          |           |                     |            |         |
| 12674-11-2        | Aroclor-1016         | 0.000097 | U         | 0.000097            | 0.00050    | mg/L    |
| 11104-28-2        | Aroclor-1221         | 0.00013  | U         | 0.00013             | 0.00050    | mg/L    |
| 11141-16-5        | Aroclor-1232         | 0.000096 | U         | 0.000096            | 0.00050    | mg/L    |
| 53469-21-9        | Aroclor-1242         | 0.00012  | U         | 0.00012             | 0.00050    | mg/L    |
| 12672-29-6        | Aroclor-1248         | 0.000071 | U         | 0.000071            | 0.00050    | mg/L    |
| 11097-69-1        | Aroclor-1254         | 0.000094 | U         | 0.000094            | 0.00050    | mg/L    |
| 11096-82-5        | Aroclor-1260         | 0.000081 | U         | 0.000081            | 0.00050    | mg/L    |
| 37324-23-5        | Aroclor-1262         | 0.00014  | U         | 0.00014             | 0.00050    | mg/L    |
| 11100-14-4        | Aroclor-1268         | 0.00011  | U         | 0.00011             | 0.00050    | mg/L    |
| <b>SURROGATES</b> |                      |          |           |                     |            |         |
| 877-09-8          | Tetrachloro-m-xylene | 16.4     |           | 70 (60) - 130 (140) | 82%        | SPK: 20 |
| 2051-24-3         | Decachlorobiphenyl   | 16.2     |           | 70 (60) - 130 (140) | 81%        | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074337.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 10:07  
Operator : YP\AJ  
Sample : I.BLK  
Misc :  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 13 11:47:13 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml  | ng/ml  |
|-----------------------------|--------|-------|----------|----------|--------|--------|
| -----                       |        |       |          |          |        |        |
| System Monitoring Compounds |        |       |          |          |        |        |
| 1) SA Tetrachlo...          | 4.657  | 3.801 | 21551484 | 62697128 | 19.272 | 16.351 |
| 2) SA Decachlor...          | 10.436 | 8.818 | 17935142 | 97672289 | 18.468 | 16.242 |

Target Compounds

-----



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074337.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 10:07  
Operator : YP\AJ  
Sample : I.BLK  
Misc :  
ALS Vial : 2 Sample Multiplier: 1


Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 13 11:47:13 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



Response\_ Signal: PP074337.D\ECD1A.ch




#1 Tetrachloro-m-xylene

R.T.: 4.657 min  
Delta R.T.: -0.003 min  
Response: 21551484  
Conc: 19.27 ng/ml

Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK


Response\_ Signal: PP074337.D\ECD2B.ch



#1 Tetrachloro-m-xylene

R.T.: 3.801 min  
Delta R.T.: -0.004 min  
Response: 62697128  
Conc: 16.35 ng/ml


Response\_ Signal: PP074337.D\ECD1A.ch



#2 Decachlorobiphenyl

R.T.: 10.436 min  
Delta R.T.: -0.002 min  
Response: 17935142  
Conc: 18.47 ng/ml

Response\_ Signal: PP074337.D\ECD2B.ch



#2 Decachlorobiphenyl

R.T.: 8.818 min  
Delta R.T.: -0.008 min  
Response: 97672289  
Conc: 16.24 ng/ml

## Report of Analysis

|                    |                                     |                    |          |
|--------------------|-------------------------------------|--------------------|----------|
| Client:            | ENTACT                              | Date Collected:    | 08/13/25 |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:     | 08/13/25 |
| Client Sample ID:  | PIBLK-PP074351.D                    | SDG No.:           | Q2732    |
| Lab Sample ID:     | I.BLK-PP074351.D                    | Matrix:            | WATER    |
| Analytical Method: | 8082A                               | % Solid:           | 0        |
| Sample Wt/Vol:     | 1000                                | Units:             | mL       |
| Soil Aliquot Vol:  |                                     |                    | uL       |
| Extraction Type:   |                                     | Test:              | PCB      |
| GPC Factor :       | 1.0                                 | PH :               |          |
| Prep Method :      | 5030                                | Injection Volume : |          |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PP074351.D        | 1         |           | 08/13/25      | pp081325      |

| CAS Number        | Parameter            | Conc.    | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|----------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |          |           |                     |            |         |
| 12674-11-2        | Aroclor-1016         | 0.000097 | U         | 0.000097            | 0.00050    | mg/L    |
| 11104-28-2        | Aroclor-1221         | 0.00013  | U         | 0.00013             | 0.00050    | mg/L    |
| 11141-16-5        | Aroclor-1232         | 0.000096 | U         | 0.000096            | 0.00050    | mg/L    |
| 53469-21-9        | Aroclor-1242         | 0.00012  | U         | 0.00012             | 0.00050    | mg/L    |
| 12672-29-6        | Aroclor-1248         | 0.000071 | U         | 0.000071            | 0.00050    | mg/L    |
| 11097-69-1        | Aroclor-1254         | 0.000094 | U         | 0.000094            | 0.00050    | mg/L    |
| 11096-82-5        | Aroclor-1260         | 0.000081 | U         | 0.000081            | 0.00050    | mg/L    |
| 37324-23-5        | Aroclor-1262         | 0.00014  | U         | 0.00014             | 0.00050    | mg/L    |
| 11100-14-4        | Aroclor-1268         | 0.00011  | U         | 0.00011             | 0.00050    | mg/L    |
| <b>SURROGATES</b> |                      |          |           |                     |            |         |
| 877-09-8          | Tetrachloro-m-xylene | 16.7     |           | 70 (60) - 130 (140) | 83%        | SPK: 20 |
| 2051-24-3         | Decachlorobiphenyl   | 16.3     |           | 70 (60) - 130 (140) | 82%        | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074351.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 16:42  
Operator : YP\AJ  
Sample : I.BLK  
Misc :  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 13 23:58:51 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml  | ng/ml  |
|-----------------------------|-----------------|--------|-------|----------|----------|--------|--------|
| -----                       |                 |        |       |          |          |        |        |
| System Monitoring Compounds |                 |        |       |          |          |        |        |
| 1)                          | SA Tetrachlo... | 4.662  | 3.804 | 21850996 | 63872548 | 19.539 | 16.658 |
| 2)                          | SA Decachlor... | 10.445 | 8.824 | 17692016 | 98086578 | 18.217 | 16.311 |

Target Compounds

-----



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074351.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 16:42  
Operator : YP\AJ  
Sample : I.BLK  
Misc :  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 13 23:58:51 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






## #1 Tetrachloro-m-xylene


R.T.: 4.662 min  
Delta R.T.: 0.002 min  
Response: 21850996  
Conc: 19.54 ng/ml

Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK




## #1 Tetrachloro-m-xylene

R.T.: 3.804 min  
Delta R.T.: -0.002 min  
Response: 63872548  
Conc: 16.66 ng/ml



## #2 Decachlorobiphenyl

R.T.: 10.445 min  
Delta R.T.: 0.007 min  
Response: 17692016  
Conc: 18.22 ng/ml



## #2 Decachlorobiphenyl

R.T.: 8.824 min  
Delta R.T.: -0.002 min  
Response: 98086578  
Conc: 16.31 ng/ml

## Report of Analysis

|                    |                                     |                    |          |
|--------------------|-------------------------------------|--------------------|----------|
| Client:            | ENTACT                              | Date Collected:    | 08/13/25 |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:     | 08/13/25 |
| Client Sample ID:  | PIBLK-PP074365.D                    | SDG No.:           | Q2732    |
| Lab Sample ID:     | I.BLK-PP074365.D                    | Matrix:            | WATER    |
| Analytical Method: | 8082A                               | % Solid:           | 0        |
| Sample Wt/Vol:     | 1000                                | Units:             | mL       |
| Soil Aliquot Vol:  |                                     |                    | uL       |
| Extraction Type:   |                                     | Test:              | PCB      |
| GPC Factor :       | 1.0                                 | PH :               |          |
| Prep Method :      | 5030                                | Injection Volume : |          |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PP074365.D        | 1         |           | 08/13/25      | pp081325      |

| CAS Number        | Parameter            | Conc.    | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|----------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |          |           |                     |            |         |
| 12674-11-2        | Aroclor-1016         | 0.000097 | U         | 0.000097            | 0.00050    | mg/L    |
| 11104-28-2        | Aroclor-1221         | 0.00013  | U         | 0.00013             | 0.00050    | mg/L    |
| 11141-16-5        | Aroclor-1232         | 0.000096 | U         | 0.000096            | 0.00050    | mg/L    |
| 53469-21-9        | Aroclor-1242         | 0.00012  | U         | 0.00012             | 0.00050    | mg/L    |
| 12672-29-6        | Aroclor-1248         | 0.000071 | U         | 0.000071            | 0.00050    | mg/L    |
| 11097-69-1        | Aroclor-1254         | 0.000094 | U         | 0.000094            | 0.00050    | mg/L    |
| 11096-82-5        | Aroclor-1260         | 0.000081 | U         | 0.000081            | 0.00050    | mg/L    |
| 37324-23-5        | Aroclor-1262         | 0.00014  | U         | 0.00014             | 0.00050    | mg/L    |
| 11100-14-4        | Aroclor-1268         | 0.00011  | U         | 0.00011             | 0.00050    | mg/L    |
| <b>SURROGATES</b> |                      |          |           |                     |            |         |
| 877-09-8          | Tetrachloro-m-xylene | 17.0     |           | 70 (60) - 130 (140) | 85%        | SPK: 20 |
| 2051-24-3         | Decachlorobiphenyl   | 16.9     |           | 70 (60) - 130 (140) | 84%        | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074365.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 21:52  
Operator : YP\AJ  
Sample : I.BLK  
Misc :  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 14 00:03:05 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml  | ng/ml  |
|-----------------------------|--------|-------|----------|----------|--------|--------|
| -----                       |        |       |          |          |        |        |
| System Monitoring Compounds |        |       |          |          |        |        |
| 1) SA Tetrachlo...          | 4.660  | 3.802 | 22037511 | 65099108 | 19.706 | 16.978 |
| 2) SA Decachlor...          | 10.438 | 8.820 | 18165129 | 101.6E6  | 18.705 | 16.894 |

Target Compounds

-----



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074365.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 21:52  
Operator : YP\AJ  
Sample : I.BLK  
Misc :  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 14 00:03:05 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






## #1 Tetrachloro-m-xylene


R.T.: 4.660 min  
Delta R.T.: 0.000 min  
Response: 22037511  
Conc: 19.71 ng/ml

Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK




## #1 Tetrachloro-m-xylene

R.T.: 3.802 min  
Delta R.T.: -0.004 min  
Response: 65099108  
Conc: 16.98 ng/ml



## #2 Decachlorobiphenyl

R.T.: 10.438 min  
Delta R.T.: 0.000 min  
Response: 18165129  
Conc: 18.70 ng/ml



## #2 Decachlorobiphenyl

R.T.: 8.820 min  
Delta R.T.: -0.006 min  
Response: 101594212  
Conc: 16.89 ng/ml

## Report of Analysis

|                    |                                     |                    |          |
|--------------------|-------------------------------------|--------------------|----------|
| Client:            | ENTACT                              | Date Collected:    | 08/14/25 |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:     | 08/14/25 |
| Client Sample ID:  | PIBLK-PP074371.D                    | SDG No.:           | Q2732    |
| Lab Sample ID:     | I.BLK-PP074371.D                    | Matrix:            | WATER    |
| Analytical Method: | 8082A                               | % Solid:           | 0        |
| Sample Wt/Vol:     | 1000                                | Units:             | mL       |
| Soil Aliquot Vol:  |                                     |                    | uL       |
| Extraction Type:   |                                     | Test:              | PCB      |
| GPC Factor :       | 1.0                                 | PH :               |          |
| Prep Method :      | 5030                                | Injection Volume : |          |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PP074371.D        | 1         |           | 08/14/25      | pp081325      |

| CAS Number        | Parameter            | Conc.    | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|----------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |          |           |                     |            |         |
| 12674-11-2        | Aroclor-1016         | 0.000097 | U         | 0.000097            | 0.00050    | mg/L    |
| 11104-28-2        | Aroclor-1221         | 0.00013  | U         | 0.00013             | 0.00050    | mg/L    |
| 11141-16-5        | Aroclor-1232         | 0.000096 | U         | 0.000096            | 0.00050    | mg/L    |
| 53469-21-9        | Aroclor-1242         | 0.00012  | U         | 0.00012             | 0.00050    | mg/L    |
| 12672-29-6        | Aroclor-1248         | 0.000071 | U         | 0.000071            | 0.00050    | mg/L    |
| 11097-69-1        | Aroclor-1254         | 0.000094 | U         | 0.000094            | 0.00050    | mg/L    |
| 11096-82-5        | Aroclor-1260         | 0.000081 | U         | 0.000081            | 0.00050    | mg/L    |
| 37324-23-5        | Aroclor-1262         | 0.00014  | U         | 0.00014             | 0.00050    | mg/L    |
| 11100-14-4        | Aroclor-1268         | 0.00011  | U         | 0.00011             | 0.00050    | mg/L    |
| <b>SURROGATES</b> |                      |          |           |                     |            |         |
| 877-09-8          | Tetrachloro-m-xylene | 16.6     |           | 70 (60) - 130 (140) | 83%        | SPK: 20 |
| 2051-24-3         | Decachlorobiphenyl   | 17.1     |           | 70 (60) - 130 (140) | 86%        | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074371.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 14 Aug 2025 00:51  
Operator : YP\AJ  
Sample : I.BLK  
Misc :  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 14 01:51:32 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml  | ng/ml  |
|-----------------------------|-----------------|--------|-------|----------|----------|--------|--------|
| -----                       |                 |        |       |          |          |        |        |
| System Monitoring Compounds |                 |        |       |          |          |        |        |
| 1)                          | SA Tetrachlo... | 4.658  | 3.801 | 22075270 | 63715124 | 19.740 | 16.617 |
| 2)                          | SA Decachlor... | 10.437 | 8.818 | 18298471 | 103.1E6  | 18.842 | 17.152 |

Target Compounds

-----



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074371.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 14 Aug 2025 00:51  
Operator : YP\AJ  
Sample : I.BLK  
Misc :  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 14 01:51:32 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






## #1 Tetrachloro-m-xylene


R.T.: 4.658 min  
Delta R.T.: -0.002 min  
Response: 22075270  
Conc: 19.74 ng/ml

Instrument :  
ECD\_P  
ClientSampleId :  
I.BLK




## #1 Tetrachloro-m-xylene

R.T.: 3.801 min  
Delta R.T.: -0.004 min  
Response: 63715124  
Conc: 16.62 ng/ml



## #2 Decachlorobiphenyl

R.T.: 10.437 min  
Delta R.T.: -0.001 min  
Response: 18298471  
Conc: 18.84 ng/ml



## #2 Decachlorobiphenyl

R.T.: 8.818 min  
Delta R.T.: -0.008 min  
Response: 103145447  
Conc: 17.15 ng/ml

## Report of Analysis

|                    |                                     |                    |       |
|--------------------|-------------------------------------|--------------------|-------|
| Client:            | ENTACT                              | Date Collected:    |       |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:     |       |
| Client Sample ID:  | PB169227BS                          | SDG No.:           | Q2732 |
| Lab Sample ID:     | PB169227BS                          | Matrix:            | SOIL  |
| Analytical Method: | 8082A                               | % Solid:           | 100   |
| Sample Wt/Vol:     | 30.02                               | Units:             | g     |
| Soil Aliquot Vol:  |                                     |                    | uL    |
| Extraction Type:   |                                     | Test:              | PCB   |
| GPC Factor :       | 1.0                                 | Injection Volume : |       |
| PH :               |                                     |                    |       |
| Prep Method :      | SW3541B                             |                    |       |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PP074340.D        | 1         | 08/13/25 08:33 | 08/13/25 12:55 | PB169227      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|--------|-----------|---------------------|------------|-------------------|
| <b>TARGETS</b>    |                      |        |           |                     |            |                   |
| 12674-11-2        | Aroclor-1016         | 0.20   |           | 0.0039              | 0.017      | mg/Kg             |
| 11104-28-2        | Aroclor-1221         | 0.0040 | U         | 0.0040              | 0.017      | mg/Kg             |
| 11141-16-5        | Aroclor-1232         | 0.0037 | U         | 0.0037              | 0.017      | mg/Kg             |
| 53469-21-9        | Aroclor-1242         | 0.0040 | U         | 0.0040              | 0.017      | mg/Kg             |
| 12672-29-6        | Aroclor-1248         | 0.0059 | U         | 0.0059              | 0.017      | mg/Kg             |
| 11097-69-1        | Aroclor-1254         | 0.0032 | U         | 0.0032              | 0.017      | mg/Kg             |
| 37324-23-5        | Aroclor-1262         | 0.0050 | U         | 0.0050              | 0.017      | mg/Kg             |
| 11100-14-4        | Aroclor-1268         | 0.0036 | U         | 0.0036              | 0.017      | mg/Kg             |
| 11096-82-5        | Aroclor-1260         | 0.19   |           | 0.0032              | 0.017      | mg/Kg             |
| <b>SURROGATES</b> |                      |        |           |                     |            |                   |
| 877-09-8          | Tetrachloro-m-xylene | 25.4   |           | 30 (32) - 150 (144) | 127%       | SPK: 20           |
| 2051-24-3         | Decachlorobiphenyl   | 23.6   |           | 30 (32) - 150 (175) | 118%       | SPK: 20           |

**Comments:**

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
 Data File : PP074340.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 13 Aug 2025 12:55  
 Operator : YP\AJ  
 Sample : PB169227BS  
 Misc :  
 ALS Vial : 8 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 PB169227BS

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/14/2025  
 Supervised By :mohammad ahmed 08/18/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 13 15:40:24 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Mon Aug 04 11:01:49 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml    | ng/ml   |
|-----------------------------|--------|-------|----------|----------|----------|---------|
| -----                       |        |       |          |          |          |         |
| System Monitoring Compounds |        |       |          |          |          |         |
| 1) SA Tetrachlo...          | 4.661  | 3.804 | 28352685 | 87432459 | 25.353   | 22.802  |
| 2) SA Decachlor...          | 10.442 | 8.823 | 22930914 | 131.2E6  | 23.612   | 21.822  |
| Target Compounds            |        |       |          |          |          |         |
| 3) L1 AR-1016-1             | 5.813  | 4.904 | 23924041 | 236.9E6  | 579.881  | 593.980 |
| 4) L1 AR-1016-2             | 5.834  | 4.962 | 35302593 | 109.4E6  | 581.192  | 582.355 |
| 5) L1 AR-1016-3             | 5.898  | 5.081 | 23152195 | 62749044 | 583.759  | 591.583 |
| 6) L1 AR-1016-4             | 5.995  | 5.122 | 19044781 | 62848392 | 585.192  | 575.429 |
| 7) L1 AR-1016-5             | 6.287  | 5.336 | 18310597 | 68747144 | 563.957  | 587.767 |
| 31) L7 AR-1260-1            | 7.405  | 6.554 | 32200623 | 241.9E6  | 571.378  | 598.800 |
| 32) L7 AR-1260-2            | 7.658  | 6.708 | 37222394 | 190.9E6  | 546.164  | 610.604 |
| 33) L7 AR-1260-3            | 8.016  | 6.918 | 25253920 | 211.8E6  | 473.843  | 537.418 |
| 34) L7 AR-1260-4            | 8.243  | 7.178 | 33208454 | 159.2E6  | 530.360m | 547.072 |
| 35) L7 AR-1260-5            | 8.570  | 7.418 | 53626648 | 411.3E6  | 473.295  | 543.079 |
| -----                       |        |       |          |          |          |         |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074340.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 12:55  
Operator : YP\AJ  
Sample : PB169227BS  
Misc :  
ALS Vial : 8 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
PB169227BS

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/14/2025  
Supervised By :mohammad ahmed 08/18/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 13 15:40:24 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



## Report of Analysis

|                    |                                     |                    |          |
|--------------------|-------------------------------------|--------------------|----------|
| Client:            | ENTACT                              | Date Collected:    | 08/11/25 |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:     | 08/12/25 |
| Client Sample ID:  | TG-S02MS                            | SDG No.:           | Q2732    |
| Lab Sample ID:     | Q2832-03MS                          | Matrix:            | SOIL     |
| Analytical Method: | 8082A                               | % Solid:           | 94       |
| Sample Wt/Vol:     | 30.06                               | Units:             | g        |
| Soil Aliquot Vol:  |                                     |                    | uL       |
| Extraction Type:   |                                     | Test:              | PCB      |
| GPC Factor :       | 1.0                                 | PH :               |          |
| Prep Method :      | SW3541B                             | Injection Volume : |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PP074344.D        | 1         | 08/13/25 08:33 | 08/13/25 14:00 | PB169227      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|--------|-----------|---------------------|------------|-------------------|
| <b>TARGETS</b>    |                      |        |           |                     |            |                   |
| 12674-11-2        | Aroclor-1016         | 0.22   |           | 0.0042              | 0.018      | mg/Kg             |
| 11104-28-2        | Aroclor-1221         | 0.0043 | U         | 0.0043              | 0.018      | mg/Kg             |
| 11141-16-5        | Aroclor-1232         | 0.0039 | U         | 0.0039              | 0.018      | mg/Kg             |
| 53469-21-9        | Aroclor-1242         | 0.0043 | U         | 0.0043              | 0.018      | mg/Kg             |
| 12672-29-6        | Aroclor-1248         | 0.0063 | U         | 0.0063              | 0.018      | mg/Kg             |
| 11097-69-1        | Aroclor-1254         | 0.0034 | U         | 0.0034              | 0.018      | mg/Kg             |
| 37324-23-5        | Aroclor-1262         | 0.0053 | U         | 0.0053              | 0.018      | mg/Kg             |
| 11100-14-4        | Aroclor-1268         | 0.0038 | U         | 0.0038              | 0.018      | mg/Kg             |
| 11096-82-5        | Aroclor-1260         | 0.64   | E         | 0.0034              | 0.018      | mg/Kg             |
| <b>SURROGATES</b> |                      |        |           |                     |            |                   |
| 877-09-8          | Tetrachloro-m-xylene | 24.3   |           | 30 (32) - 150 (144) | 121%       | SPK: 20           |
| 2051-24-3         | Decachlorobiphenyl   | 23.4   |           | 30 (32) - 150 (175) | 117%       | SPK: 20           |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
 Data File : PP074344.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 13 Aug 2025 14:00  
 Operator : YP\AJ  
 Sample : Q2832-03MS  
 Misc :  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 TG-S02MS

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/14/2025  
 Supervised By :mohammad ahmed 08/18/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 13 15:43:13 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Mon Aug 04 11:01:49 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

|                             | Compound        | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml     | ng/ml      |
|-----------------------------|-----------------|--------|-------|----------|----------|-----------|------------|
| -----                       |                 |        |       |          |          |           |            |
| System Monitoring Compounds |                 |        |       |          |          |           |            |
| 1)                          | SA Tetrachlo... | 4.657  | 3.801 | 27137901 | 85523073 | 24.267    | 22.304     |
| 2)                          | SA Decachlor... | 10.438 | 8.820 | 22761750 | 136.7E6  | 23.438    | 22.730     |
| Target Compounds            |                 |        |       |          |          |           |            |
| 3)                          | L1 AR-1016-1    | 5.809  | 4.901 | 24702756 | 227.5E6  | 598.756   | 570.261    |
| 4)                          | L1 AR-1016-2    | 5.831  | 4.958 | 35595314 | 109.7E6  | 586.011   | 584.342    |
| 5)                          | L1 AR-1016-3    | 5.894  | 5.079 | 25193346 | 60071952 | 635.225   | 566.344    |
| 6)                          | L1 AR-1016-4    | 5.991  | 5.120 | 21671047 | 65149070 | 665.890   | 596.494    |
| 7)                          | L1 AR-1016-5    | 6.284  | 5.335 | 21635201 | 69077190 | 666.354   | 590.589    |
| 31)                         | L7 AR-1260-1    | 7.402  | 6.551 | 78343656 | 710.1E6  | 1390.155  | 1757.831 # |
| 32)                         | L7 AR-1260-2    | 7.654  | 6.706 | 94483862 | 459.6E6  | 1386.362  | 1469.646   |
| 33)                         | L7 AR-1260-3    | 8.012  | 6.914 | 69683337 | 699.7E6  | 1307.480  | 1775.271 # |
| 34)                         | L7 AR-1260-4    | 8.239  | 7.176 | 112.9E6  | 572.5E6  | 1802.938m | 1967.331   |
| 35)                         | L7 AR-1260-5    | 8.566  | 7.415 | 163.8E6  | 1520.9E6 | 1445.878  | 2008.091 # |
| -----                       |                 |        |       |          |          |           |            |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074344.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 14:00  
Operator : YP\AJ  
Sample : Q2832-03MS  
Misc :  
ALS Vial : 12 Sample Multiplier: 1

## Instrument :

ECD\_P

ClientSampleId :

TG-S02MS

## Manual Integrations



APPROVED

Reviewed By :Yogesh Patel 08/14/2025

Supervised By :mohammad ahmed 08/18/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 13 15:43:13 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



## Report of Analysis

|                    |                                     |                    |          |
|--------------------|-------------------------------------|--------------------|----------|
| Client:            | ENTACT                              | Date Collected:    | 08/11/25 |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 | Date Received:     | 08/12/25 |
| Client Sample ID:  | TG-S02MSD                           | SDG No.:           | Q2732    |
| Lab Sample ID:     | Q2832-03MSD                         | Matrix:            | SOIL     |
| Analytical Method: | 8082A                               | % Solid:           | 94       |
| Sample Wt/Vol:     | 30.04                               | Units:             | g        |
| Soil Aliquot Vol:  |                                     |                    | uL       |
| Extraction Type:   |                                     | Test:              | PCB      |
| GPC Factor :       | 1.0                                 | PH :               |          |
| Prep Method :      | SW3541B                             | Injection Volume : |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PP074345.D        | 1         | 08/13/25 08:33 | 08/13/25 14:16 | PB169227      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|--------|-----------|---------------------|------------|-------------------|
| <b>TARGETS</b>    |                      |        |           |                     |            |                   |
| 12674-11-2        | Aroclor-1016         | 0.22   |           | 0.0042              | 0.018      | mg/Kg             |
| 11104-28-2        | Aroclor-1221         | 0.0043 | U         | 0.0043              | 0.018      | mg/Kg             |
| 11141-16-5        | Aroclor-1232         | 0.0040 | U         | 0.0040              | 0.018      | mg/Kg             |
| 53469-21-9        | Aroclor-1242         | 0.0043 | U         | 0.0043              | 0.018      | mg/Kg             |
| 12672-29-6        | Aroclor-1248         | 0.0063 | U         | 0.0063              | 0.018      | mg/Kg             |
| 11097-69-1        | Aroclor-1254         | 0.0034 | U         | 0.0034              | 0.018      | mg/Kg             |
| 37324-23-5        | Aroclor-1262         | 0.0053 | U         | 0.0053              | 0.018      | mg/Kg             |
| 11100-14-4        | Aroclor-1268         | 0.0038 | U         | 0.0038              | 0.018      | mg/Kg             |
| 11096-82-5        | Aroclor-1260         | 0.63   | E         | 0.0034              | 0.018      | mg/Kg             |
| <b>SURROGATES</b> |                      |        |           |                     |            |                   |
| 877-09-8          | Tetrachloro-m-xylene | 24.2   |           | 30 (32) - 150 (144) | 121%       | SPK: 20           |
| 2051-24-3         | Decachlorobiphenyl   | 22.9   |           | 30 (32) - 150 (175) | 115%       | SPK: 20           |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
 Data File : PP074345.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 13 Aug 2025 14:16  
 Operator : YP\AJ  
 Sample : Q2832-03MSD  
 Misc :  
 ALS Vial : 13 Sample Multiplier: 1

Instrument :  
 ECD\_P  
 ClientSampleId :  
 TG-S02MSD

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 08/14/2025  
 Supervised By :mohammad ahmed 08/18/2025

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Aug 13 15:43:47 2025  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
 Quant Title : GC EXTRACTABLES  
 QLast Update : Mon Aug 04 11:01:49 2025  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 2 µl  
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

| Compound                    | RT#1   | RT#2  | Resp#1   | Resp#2   | ng/ml     | ng/ml      |
|-----------------------------|--------|-------|----------|----------|-----------|------------|
| -----                       |        |       |          |          |           |            |
| System Monitoring Compounds |        |       |          |          |           |            |
| 1) SA Tetrachlo...          | 4.661  | 3.804 | 27089049 | 84124648 | 24.223    | 21.939     |
| 2) SA Decachlor...          | 10.445 | 8.825 | 22290571 | 132.0E6  | 22.952    | 21.953     |
| Target Compounds            |        |       |          |          |           |            |
| 3) L1 AR-1016-1             | 5.813  | 4.905 | 24326925 | 217.9E6  | 589.646   | 546.325    |
| 4) L1 AR-1016-2             | 5.835  | 4.962 | 35316025 | 107.2E6  | 581.413   | 570.527    |
| 5) L1 AR-1016-3             | 5.898  | 5.083 | 24991267 | 59697212 | 630.130   | 562.812    |
| 6) L1 AR-1016-4             | 5.995  | 5.124 | 21512751 | 63545144 | 661.026   | 581.808    |
| 7) L1 AR-1016-5             | 6.287  | 5.339 | 21221415 | 69778245 | 653.609   | 596.583    |
| 31) L7 AR-1260-1            | 7.406  | 6.555 | 77444421 | 692.2E6  | 1374.199  | 1713.600   |
| 32) L7 AR-1260-2            | 7.658  | 6.710 | 93011734 | 453.0E6  | 1364.762  | 1448.730   |
| 33) L7 AR-1260-3            | 8.016  | 6.918 | 68577617 | 682.4E6  | 1286.733  | 1731.550 # |
| 34) L7 AR-1260-4            | 8.243  | 7.180 | 105.3E6  | 573.5E6  | 1681.746m | 1970.853   |
| 35) L7 AR-1260-5            | 8.571  | 7.419 | 161.3E6  | 1502.2E6 | 1423.342  | 1983.310 # |
| -----                       |        |       |          |          |           |            |

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_P\Data\PP081325\  
Data File : PP074345.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Aug 2025 14:16  
Operator : YP\AJ  
Sample : Q2832-03MSD  
Misc :  
ALS Vial : 13 Sample Multiplier: 1



Instrument :  
ECD\_P  
ClientSampleId :  
TG-S02MSD

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 08/14/2025  
Supervised By :mohammad ahmed 08/18/2025

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Aug 13 15:43:47 2025  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_P\methods\PP080125.M  
Quant Title : GC EXTRACTABLES  
QLast Update : Mon Aug 04 11:01:49 2025  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 2 µl  
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2  
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm



## Manual Integration Report

Sequence:

PP080125

Instrument

ECD\_p

| Sample ID     | File ID    | Parameter               | Review By | Review On           | Supervised By | Supervised On    | Reason                      |
|---------------|------------|-------------------------|-----------|---------------------|---------------|------------------|-----------------------------|
| AR1660ICC250  | PP074171.D | AR-1016-5               | yogesh    | 8/5/2025 7:23:21 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1660ICC250  | PP074171.D | AR-1260-1               | yogesh    | 8/5/2025 7:23:21 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1660ICC250  | PP074171.D | AR-1260-2               | yogesh    | 8/5/2025 7:23:21 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1660ICC050  | PP074172.D | AR-1260-2               | yogesh    | 8/5/2025 7:22:19 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1660ICC050  | PP074172.D | AR-1260-2 #2            | yogesh    | 8/5/2025 7:22:19 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1660ICC050  | PP074172.D | AR-1260-4               | yogesh    | 8/5/2025 7:22:19 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1660ICC050  | PP074172.D | Tetrachloro-m-xylene    | yogesh    | 8/5/2025 7:22:19 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1660ICC050  | PP074172.D | Tetrachloro-m-xylene #2 | yogesh    | 8/5/2025 7:22:19 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1232ICC500  | PP074174.D | AR-1232-4 #2            | yogesh    | 8/5/2025 7:22:20 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1242ICC1000 | PP074175.D | AR-1242-4 #2            | yogesh    | 8/5/2025 7:22:22 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1242ICC750  | PP074176.D | AR-1242-4 #2            | yogesh    | 8/5/2025 7:22:24 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1242ICC500  | PP074177.D | AR-1242-4 #2            | yogesh    | 8/5/2025 7:22:27 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1242ICC250  | PP074178.D | AR-1242-4 #2            | yogesh    | 8/5/2025 7:22:29 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |

## Manual Integration Report

|           |          |            |       |
|-----------|----------|------------|-------|
| Sequence: | PP080125 | Instrument | ECD_p |
|-----------|----------|------------|-------|

| Sample ID     | File ID    | Parameter               | Review By | Review On           | Supervised By | Supervised On    | Reason                      |
|---------------|------------|-------------------------|-----------|---------------------|---------------|------------------|-----------------------------|
| AR1242ICC250  | PP074178.D | AR-1242-5               | yogesh    | 8/5/2025 7:22:29 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1242ICC050  | PP074179.D | AR-1242-5               | yogesh    | 8/5/2025 7:22:32 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1242ICC050  | PP074179.D | Tetrachloro-m-xylene    | yogesh    | 8/5/2025 7:22:32 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1242ICC050  | PP074179.D | Tetrachloro-m-xylene #2 | yogesh    | 8/5/2025 7:22:32 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1248ICC500  | PP074182.D | AR-1248-3 #2            | yogesh    | 8/5/2025 7:22:38 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1254ICC1000 | PP074185.D | AR-1254-1               | yogesh    | 8/5/2025 7:22:44 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1254ICC1000 | PP074185.D | AR-1254-5 #2            | yogesh    | 8/5/2025 7:22:44 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1254ICC750  | PP074186.D | AR-1254-1               | yogesh    | 8/5/2025 7:22:45 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1254ICC500  | PP074187.D | AR-1254-1               | yogesh    | 8/5/2025 7:22:47 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1254ICC250  | PP074188.D | AR-1254-1               | yogesh    | 8/5/2025 7:22:49 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1254ICC050  | PP074189.D | AR-1254-1               | yogesh    | 8/5/2025 7:22:51 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1242ICV500  | PP074197.D | AR-1242-4 #2            | yogesh    | 8/5/2025 7:22:52 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |
| AR1248ICV500  | PP074198.D | AR-1248-3 #2            | yogesh    | 8/5/2025 7:22:54 AM | mohammad      | 8/8/2025 7:37:53 | Peak Integrated by Software |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## Manual Integration Report

Sequence:

PP080125

Instrument

ECD\_p

Sample ID

File ID

Parameter

Review By

Review On

Supervised  
By

Supervised On

Reason

AR1254ICV500

PP074199.D

AR-1254-1

yogesh

8/8/2025 7:32:21  
AM

mohammad

8/8/2025 7:37:53

Peak Integrated by Software

## Manual Integration Report

Sequence:

PP081325

Instrument

ECD\_p

| Sample ID    | File ID    | Parameter               | Review By | Review On            | Supervised By | Supervised On     | Reason                      |
|--------------|------------|-------------------------|-----------|----------------------|---------------|-------------------|-----------------------------|
| AR1242CCC500 | PP074335.D | AR-1242-2 #2            | yogesh    | 8/14/2025 7:43:22 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1242CCC500 | PP074335.D | AR-1242-3 #2            | yogesh    | 8/14/2025 7:43:22 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1242CCC500 | PP074335.D | AR-1242-4 #2            | yogesh    | 8/14/2025 7:43:22 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1242CCC500 | PP074335.D | AR-1242-5 #2            | yogesh    | 8/14/2025 7:43:22 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1242CCC500 | PP074335.D | Tetrachloro-m-xylene #2 | yogesh    | 8/14/2025 7:43:22 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1254CCC500 | PP074336.D | AR-1254-1               | yogesh    | 8/14/2025 7:43:24 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1254CCC500 | PP074336.D | AR-1254-1 #2            | yogesh    | 8/14/2025 7:43:24 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1254CCC500 | PP074336.D | AR-1254-3 #2            | yogesh    | 8/14/2025 7:43:24 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| PB169227BS   | PP074340.D | AR-1260-4               | yogesh    | 8/14/2025 7:43:27 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| Q2732-02     | PP074341.D | Tetrachloro-m-xylene    | yogesh    | 8/14/2025 7:43:29 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| Q2732-02     | PP074341.D | Tetrachloro-m-xylene #2 | yogesh    | 8/14/2025 7:43:29 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| Q2832-03MS   | PP074344.D | AR-1260-4               | yogesh    | 8/14/2025 7:43:36 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| Q2832-03MSD  | PP074345.D | AR-1260-4               | yogesh    | 8/14/2025 7:44:31 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |

## Manual Integration Report

|           |          |            |       |
|-----------|----------|------------|-------|
| Sequence: | PP081325 | Instrument | ECD_p |
|-----------|----------|------------|-------|

| Sample ID    | File ID    | Parameter               | Review By | Review On            | Supervised By | Supervised On     | Reason                      |
|--------------|------------|-------------------------|-----------|----------------------|---------------|-------------------|-----------------------------|
| AR1242CCC500 | PP074349.D | AR-1242-4 #2            | yogesh    | 8/14/2025 7:43:43 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1254CCC500 | PP074350.D | AR-1254-1               | yogesh    | 8/14/2025 7:43:45 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1254CCC500 | PP074350.D | AR-1254-5 #2            | yogesh    | 8/14/2025 7:43:45 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1660CCC500 | PP074362.D | AR-1016-5 #2            | yogesh    | 8/14/2025 7:44:07 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1660CCC500 | PP074362.D | Tetrachloro-m-xylene #2 | yogesh    | 8/14/2025 7:44:07 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1242CCC500 | PP074363.D | AR-1242-4 #2            | yogesh    | 8/14/2025 7:44:08 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1254CCC500 | PP074364.D | AR-1254-1               | yogesh    | 8/14/2025 7:44:10 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1242CCC500 | PP074369.D | AR-1242-4 #2            | yogesh    | 8/14/2025 7:44:12 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |
| AR1254CCC500 | PP074370.D | AR-1254-1               | yogesh    | 8/14/2025 7:44:14 AM | mohammad      | 8/18/2025 1:43:29 | Peak Integrated by Software |

Instrument ID: ECD\_P

**Daily Analysis Runlog For Sequence/QC Batch ID # PP080125**

|                          |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------------------|
| Review By                | yogesh                                                                                                                                                                                                                                                                                                                          | Review On         | 8/1/2025 3:30:36 PM           |
| Supervise By             | mohammad                                                                                                                                                                                                                                                                                                                        | Supervise On      | 8/8/2025 7:37:53 AM           |
| SubDirectory             | PP080125                                                                                                                                                                                                                                                                                                                        | HP Acquire Method | HP Processing Method PP080125 |
| <b>STD. NAME</b>         | <b>STD REF.#</b>                                                                                                                                                                                                                                                                                                                |                   |                               |
| Tune/Reschk              |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| Initial Calibration Stds | PP24330,PP24331,PP24332,PP24333,PP24334,PP24335,PP24336,PP24337,PP24338,PP24339,PP24340,PP24341,PP24342,PP24343,PP24344,PP24345,PP24346,PP24347,PP24348,PP24349,PP24350,PP24351,PP24352,PP24353,PP24354,PP24355,PP24356,PP24357,PP24358,PP24359,PP24360,PP24361,PP24362,PP24363,PP24364,PP24365,PP24366,PP24367,PP24368,PP24369 |                   |                               |
| CCC                      | PP24332,PP24347,PP24352,PP24357                                                                                                                                                                                                                                                                                                 |                   |                               |
| Internal Standard/PEM    |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| ICV/I.BLK                | PP24370,PP24371,PP24372,PP24373,PP24374,PP24375,PP24376,PP24377,PP24378,PP24379,PP24380,PP24381,PP24382,PP24384,PP24385,PP24386,PP2                                                                                                                                                                                             |                   |                               |
| Surrogate Standard       |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| MS/MSD Standard          |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| LCS Standard             |                                                                                                                                                                                                                                                                                                                                 |                   |                               |

| Sr# | Sampleld      | Data File Name | Date-Time         | Operator | Status |
|-----|---------------|----------------|-------------------|----------|--------|
| 1   | HEXANE        | PP074166.D     | 01 Aug 2025 11:33 | YP\AJ    | Ok     |
| 2   | I.BLK         | PP074167.D     | 01 Aug 2025 11:49 | YP\AJ    | Ok     |
| 3   | AR1660ICC1000 | PP074168.D     | 01 Aug 2025 12:05 | YP\AJ    | Ok     |
| 4   | AR1660ICC750  | PP074169.D     | 01 Aug 2025 12:22 | YP\AJ    | Ok     |
| 5   | AR1660ICC500  | PP074170.D     | 01 Aug 2025 12:38 | YP\AJ    | Ok     |
| 6   | AR1660ICC250  | PP074171.D     | 01 Aug 2025 12:54 | YP\AJ    | Ok,M   |
| 7   | AR1660ICC050  | PP074172.D     | 01 Aug 2025 13:42 | YP\AJ    | Ok,M   |
| 8   | AR1221ICC500  | PP074173.D     | 01 Aug 2025 13:58 | YP\AJ    | Ok     |
| 9   | AR1232ICC500  | PP074174.D     | 01 Aug 2025 14:15 | YP\AJ    | Ok,M   |
| 10  | AR1242ICC1000 | PP074175.D     | 01 Aug 2025 14:31 | YP\AJ    | Ok,M   |
| 11  | AR1242ICC750  | PP074176.D     | 01 Aug 2025 14:47 | YP\AJ    | Ok,M   |
| 12  | AR1242ICC500  | PP074177.D     | 01 Aug 2025 15:03 | YP\AJ    | Ok,M   |
| 13  | AR1242ICC250  | PP074178.D     | 01 Aug 2025 15:19 | YP\AJ    | Ok,M   |
| 14  | AR1242ICC050  | PP074179.D     | 01 Aug 2025 15:36 | YP\AJ    | Ok,M   |
| 15  | AR1248ICC1000 | PP074180.D     | 01 Aug 2025 16:24 | YP\AJ    | Not Ok |
| 16  | AR1248ICC750  | PP074181.D     | 01 Aug 2025 16:41 | YP\AJ    | Not Ok |
| 17  | AR1248ICC500  | PP074182.D     | 01 Aug 2025 16:57 | YP\AJ    | Ok,M   |
| 18  | AR1248ICC250  | PP074183.D     | 01 Aug 2025 17:13 | YP\AJ    | Not Ok |
| 19  | AR1248ICC050  | PP074184.D     | 01 Aug 2025 17:45 | YP\AJ    | Not Ok |
| 20  | AR1254ICC1000 | PP074185.D     | 01 Aug 2025 18:02 | YP\AJ    | Ok,M   |
| 21  | AR1254ICC750  | PP074186.D     | 01 Aug 2025 18:18 | YP\AJ    | Ok,M   |

Instrument ID: ECD\_P

**Daily Analysis Runlog For Sequence/QC Batch ID # PP080125**

|                          |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------------------|
| Review By                | yogesh                                                                                                                                                                                                                                                                                                                          | Review On         | 8/1/2025 3:30:36 PM           |
| Supervise By             | mohammad                                                                                                                                                                                                                                                                                                                        | Supervise On      | 8/8/2025 7:37:53 AM           |
| SubDirectory             | PP080125                                                                                                                                                                                                                                                                                                                        | HP Acquire Method | HP Processing Method PP080125 |
| <b>STD. NAME</b>         | <b>STD REF.#</b>                                                                                                                                                                                                                                                                                                                |                   |                               |
| Tune/Reschk              |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| Initial Calibration Stds | PP24330,PP24331,PP24332,PP24333,PP24334,PP24335,PP24336,PP24337,PP24338,PP24339,PP24340,PP24341,PP24342,PP24343,PP24344,PP24345,PP24346,PP24347,PP24348,PP24349,PP24350,PP24351,PP24352,PP24353,PP24354,PP24355,PP24356,PP24357,PP24358,PP24359,PP24360,PP24361,PP24362,PP24363,PP24364,PP24365,PP24366,PP24367,PP24368,PP24369 |                   |                               |
| CCC                      | PP24332,PP24347,PP24352,PP24357                                                                                                                                                                                                                                                                                                 |                   |                               |
| Internal Standard/PEM    |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| ICV/I.BLK                | PP24370,PP24371,PP24372,PP24373,PP24374,PP24375,PP24376,PP24377,PP24378,PP24379,PP24380,PP24381,PP24382,PP24384,PP24385,PP24386,PP2                                                                                                                                                                                             |                   |                               |
| Surrogate Standard       |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| MS/MSD Standard          |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| LCS Standard             |                                                                                                                                                                                                                                                                                                                                 |                   |                               |

|    |                |            |                   |       |        |
|----|----------------|------------|-------------------|-------|--------|
| 22 | AR1254ICC500   | PP074187.D | 01 Aug 2025 18:34 | YP\AJ | Ok,M   |
| 23 | AR1254ICC250   | PP074188.D | 01 Aug 2025 18:50 | YP\AJ | Ok,M   |
| 24 | AR1254ICC050   | PP074189.D | 01 Aug 2025 19:23 | YP\AJ | Ok,M   |
| 25 | AR1262ICC500   | PP074190.D | 01 Aug 2025 19:39 | YP\AJ | Ok     |
| 26 | AR1268ICC1000  | PP074191.D | 01 Aug 2025 19:55 | YP\AJ | Not Ok |
| 27 | AR1268ICC750   | PP074192.D | 01 Aug 2025 20:11 | YP\AJ | Not Ok |
| 28 | AR1268ICC500   | PP074193.D | 01 Aug 2025 20:28 | YP\AJ | Ok     |
| 29 | AR1268ICC250   | PP074194.D | 01 Aug 2025 20:44 | YP\AJ | Not Ok |
| 30 | AR1268ICC050   | PP074195.D | 01 Aug 2025 21:00 | YP\AJ | Not Ok |
| 31 | PP080125ICV500 | PP074196.D | 01 Aug 2025 21:16 | YP\AJ | Ok     |
| 32 | AR1242ICV500   | PP074197.D | 01 Aug 2025 22:05 | YP\AJ | Ok,M   |
| 33 | AR1248ICV500   | PP074198.D | 01 Aug 2025 22:37 | YP\AJ | Not Ok |
| 34 | AR1254ICV500   | PP074199.D | 01 Aug 2025 23:10 | YP\AJ | Ok,M   |
| 35 | AR1268ICV500   | PP074200.D | 01 Aug 2025 23:42 | YP\AJ | Not Ok |
| 36 | DDT ANALOG     | PP074201.D | 02 Aug 2025 00:15 | YP\AJ | Ok     |

M : Manual Integration

Instrument ID: ECD\_P

**Daily Analysis Runlog For Sequence/QC Batch ID # PP081325**

|                          |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------------------|
| Review By                | yogesh                                                                                                                                                                                                                                                                                                                          | Review On         | 8/13/2025 9:52:10 AM          |
| Supervise By             | mohammad                                                                                                                                                                                                                                                                                                                        | Supervise On      | 8/18/2025 1:43:29 AM          |
| SubDirectory             | PP081325                                                                                                                                                                                                                                                                                                                        | HP Acquire Method | HP Processing Method PP080125 |
| <b>STD. NAME</b>         | <b>STD REF.#</b>                                                                                                                                                                                                                                                                                                                |                   |                               |
| Tune/Reschk              |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| Initial Calibration Stds | PP24330,PP24331,PP24332,PP24333,PP24334,PP24335,PP24336,PP24337,PP24338,PP24339,PP24340,PP24341,PP24342,PP24343,PP24344,PP24345,PP24346,PP24347,PP24348,PP24349,PP24350,PP24351,PP24352,PP24353,PP24354,PP24355,PP24356,PP24357,PP24358,PP24359,PP24360,PP24361,PP24362,PP24363,PP24364,PP24365,PP24366,PP24367,PP24368,PP24369 |                   |                               |
| CCC                      | PP24332,PP24347,PP24352,PP24357                                                                                                                                                                                                                                                                                                 |                   |                               |
| Internal Standard/PEM    |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| ICV/I.BLK                | PP24370,PP24371,PP24372,PP24373,PP24374,PP24375,PP24376,PP24377,PP24378,PP24379,PP24380,PP24381,PP24382,PP24384,PP24385,PP24386,PP2                                                                                                                                                                                             |                   |                               |
| Surrogate Standard       |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| MS/MSD Standard          |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| LCS Standard             |                                                                                                                                                                                                                                                                                                                                 |                   |                               |

| Sr# | Sampleld     | Data File Name | Date-Time         | Operator | Status   |
|-----|--------------|----------------|-------------------|----------|----------|
| 1   | HEXANE       | PP074333.D     | 13 Aug 2025 08:47 | YP\AJ    | Ok       |
| 2   | AR1660CCC500 | PP074334.D     | 13 Aug 2025 09:04 | YP\AJ    | Ok       |
| 3   | AR1242CCC500 | PP074335.D     | 13 Aug 2025 09:35 | YP\AJ    | Ok,M     |
| 4   | AR1254CCC500 | PP074336.D     | 13 Aug 2025 09:51 | YP\AJ    | Ok,M     |
| 5   | I.BLK        | PP074337.D     | 13 Aug 2025 10:07 | YP\AJ    | Ok       |
| 6   | DDT ANALOG   | PP074338.D     | 13 Aug 2025 10:23 | YP\AJ    | Ok       |
| 7   | PB169227BL   | PP074339.D     | 13 Aug 2025 12:38 | YP\AJ    | Not Ok   |
| 8   | PB169227BS   | PP074340.D     | 13 Aug 2025 12:55 | YP\AJ    | Ok,M     |
| 9   | Q2732-02     | PP074341.D     | 13 Aug 2025 13:11 | YP\AJ    | Ok,M     |
| 10  | Q2832-01     | PP074342.D     | 13 Aug 2025 13:27 | YP\AJ    | Ok,M     |
| 11  | Q2832-03     | PP074343.D     | 13 Aug 2025 13:44 | YP\AJ    | Dilution |
| 12  | Q2832-03MS   | PP074344.D     | 13 Aug 2025 14:00 | YP\AJ    | Ok,M     |
| 13  | Q2832-03MSD  | PP074345.D     | 13 Aug 2025 14:16 | YP\AJ    | Ok,M     |
| 14  | Q2832-05     | PP074346.D     | 13 Aug 2025 14:32 | YP\AJ    | Dilution |
| 15  | Q2820-09     | PP074347.D     | 13 Aug 2025 15:05 | YP\AJ    | Not Ok   |
| 16  | AR1660CCC500 | PP074348.D     | 13 Aug 2025 15:54 | YP\AJ    | Ok       |
| 17  | AR1242CCC500 | PP074349.D     | 13 Aug 2025 16:10 | YP\AJ    | Ok,M     |
| 18  | AR1254CCC500 | PP074350.D     | 13 Aug 2025 16:26 | YP\AJ    | Ok,M     |
| 19  | I.BLK        | PP074351.D     | 13 Aug 2025 16:42 | YP\AJ    | Ok       |
| 20  | PB169224BL   | PP074352.D     | 13 Aug 2025 16:59 | YP\AJ    | Ok       |
| 21  | PB169224BS   | PP074353.D     | 13 Aug 2025 17:15 | YP\AJ    | Not Ok   |

Instrument ID: ECD\_P

**Daily Analysis Runlog For Sequence/QC Batch ID # PP081325**

|                          |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------------------|
| Review By                | yogesh                                                                                                                                                                                                                                                                                                                          | Review On         | 8/13/2025 9:52:10 AM          |
| Supervise By             | mohammad                                                                                                                                                                                                                                                                                                                        | Supervise On      | 8/18/2025 1:43:29 AM          |
| SubDirectory             | PP081325                                                                                                                                                                                                                                                                                                                        | HP Acquire Method | HP Processing Method PP080125 |
| <b>STD. NAME</b>         | <b>STD REF.#</b>                                                                                                                                                                                                                                                                                                                |                   |                               |
| Tune/Reschk              |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| Initial Calibration Stds | PP24330,PP24331,PP24332,PP24333,PP24334,PP24335,PP24336,PP24337,PP24338,PP24339,PP24340,PP24341,PP24342,PP24343,PP24344,PP24345,PP24346,PP24347,PP24348,PP24349,PP24350,PP24351,PP24352,PP24353,PP24354,PP24355,PP24356,PP24357,PP24358,PP24359,PP24360,PP24361,PP24362,PP24363,PP24364,PP24365,PP24366,PP24367,PP24368,PP24369 |                   |                               |
| CCC                      | PP24332,PP24347,PP24352,PP24357                                                                                                                                                                                                                                                                                                 |                   |                               |
| Internal Standard/PEM    |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| ICV/I.BLK                | PP24370,PP24371,PP24372,PP24373,PP24374,PP24375,PP24376,PP24377,PP24378,PP24379,PP24380,PP24381,PP24382,PP24384,PP24385,PP24386,PP2                                                                                                                                                                                             |                   |                               |
| Surrogate Standard       |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| MS/MSD Standard          |                                                                                                                                                                                                                                                                                                                                 |                   |                               |
| LCS Standard             |                                                                                                                                                                                                                                                                                                                                 |                   |                               |

|    |              |            |                   |       |        |
|----|--------------|------------|-------------------|-------|--------|
| 22 | PB169224BSD  | PP074354.D | 13 Aug 2025 17:31 | YPIAJ | Not Ok |
| 23 | Q2815-21     | PP074355.D | 13 Aug 2025 17:47 | YPIAJ | Ok,M   |
| 24 | Q2815-23     | PP074356.D | 13 Aug 2025 18:04 | YPIAJ | Ok,M   |
| 25 | Q2815-26     | PP074357.D | 13 Aug 2025 18:20 | YPIAJ | Ok,M   |
| 26 | Q2821-05     | PP074358.D | 13 Aug 2025 18:36 | YPIAJ | Ok,M   |
| 27 | Q2821-08     | PP074359.D | 13 Aug 2025 18:52 | YPIAJ | Ok,M   |
| 28 | Q2821-09     | PP074360.D | 13 Aug 2025 19:09 | YPIAJ | Not Ok |
| 29 | Q2822-01     | PP074361.D | 13 Aug 2025 19:25 | YPIAJ | Ok,M   |
| 30 | AR1660CCC500 | PP074362.D | 13 Aug 2025 20:30 | YPIAJ | Ok,M   |
| 31 | AR1242CCC500 | PP074363.D | 13 Aug 2025 21:19 | YPIAJ | Ok,M   |
| 32 | AR1254CCC500 | PP074364.D | 13 Aug 2025 21:35 | YPIAJ | Ok,M   |
| 33 | I.BLK        | PP074365.D | 13 Aug 2025 21:52 | YPIAJ | Ok     |
| 34 | PB169227BL   | PP074366.D | 13 Aug 2025 22:08 | YPIAJ | Ok     |
| 35 | Q2820-09     | PP074367.D | 13 Aug 2025 22:24 | YPIAJ | Ok     |
| 36 | AR1660CCC500 | PP074368.D | 13 Aug 2025 23:30 | YPIAJ | Ok     |
| 37 | AR1242CCC500 | PP074369.D | 14 Aug 2025 00:18 | YPIAJ | Ok,M   |
| 38 | AR1254CCC500 | PP074370.D | 14 Aug 2025 00:35 | YPIAJ | Ok,M   |
| 39 | I.BLK        | PP074371.D | 14 Aug 2025 00:51 | YPIAJ | Ok     |

M : Manual Integration

Instrument ID: ECD\_P

**Daily Analysis Runlog For Sequence/QC Batch ID # PP080125**

|              |          |                   |                               |
|--------------|----------|-------------------|-------------------------------|
| Review By    | yogesh   | Review On         | 8/1/2025 3:30:36 PM           |
| Supervise By | mohammad | Supervise On      | 8/8/2025 7:37:53 AM           |
| SubDirectory | PP080125 | HP Acquire Method | HP Processing Method PP080125 |

| STD. NAME                | STD REF.#                                                                                                                                                                                                                                                                                                                               |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tune/Reschk              |                                                                                                                                                                                                                                                                                                                                         |
| Initial Calibration Stds | PP24330,PP24331,PP24332,PP24333,PP24334,PP24335,PP24336,PP24337,PP24338,PP24339,PP24340,PP24341,PP24342,PP24343,PP24344,P<br>P24345,PP24346,PP24347,PP24348,PP24349,PP24350,PP24351,PP24352,PP24353,PP24354,PP24355,PP24356,PP24357,PP24358,PP24359,PP<br>24360,PP24361,PP24362,PP24363,PP24364,PP24365,PP24366,PP24367,PP24368,PP24369 |
| CCC                      | PP24332,PP24347,PP24352,PP24357                                                                                                                                                                                                                                                                                                         |
| Internal Standard/PEM    |                                                                                                                                                                                                                                                                                                                                         |
| ICV/I.BLK                | PP24370,PP24371,PP24372,PP24373,PP24374,PP24375,PP24376,PP24377,PP24378,PP24379,PP24380,PP24381,PP24382,PP24384,PP24385,PP24386,PP24387                                                                                                                                                                                                 |
| Surrogate Standard       |                                                                                                                                                                                                                                                                                                                                         |
| MS/MSD Standard          |                                                                                                                                                                                                                                                                                                                                         |
| LCS Standard             |                                                                                                                                                                                                                                                                                                                                         |

| Sr# | SampleId      | ClientID      | Data File Name | Date-Time         | Comment | Operator | Status |
|-----|---------------|---------------|----------------|-------------------|---------|----------|--------|
| 1   | HEXANE        | HEXANE        | PP074166.D     | 01 Aug 2025 11:33 |         | YP\AJ    | Ok     |
| 2   | I.BLK         | I.BLK         | PP074167.D     | 01 Aug 2025 11:49 |         | YP\AJ    | Ok     |
| 3   | AR1660ICC1000 | AR1660ICC1000 | PP074168.D     | 01 Aug 2025 12:05 |         | YP\AJ    | Ok     |
| 4   | AR1660ICC750  | AR1660ICC750  | PP074169.D     | 01 Aug 2025 12:22 |         | YP\AJ    | Ok     |
| 5   | AR1660ICC500  | AR1660ICC500  | PP074170.D     | 01 Aug 2025 12:38 |         | YP\AJ    | Ok     |
| 6   | AR1660ICC250  | AR1660ICC250  | PP074171.D     | 01 Aug 2025 12:54 |         | YP\AJ    | Ok,M   |
| 7   | AR1660ICC050  | AR1660ICC050  | PP074172.D     | 01 Aug 2025 13:42 |         | YP\AJ    | Ok,M   |
| 8   | AR1221ICC500  | AR1221ICC500  | PP074173.D     | 01 Aug 2025 13:58 |         | YP\AJ    | Ok     |
| 9   | AR1232ICC500  | AR1232ICC500  | PP074174.D     | 01 Aug 2025 14:15 |         | YP\AJ    | Ok,M   |
| 10  | AR1242ICC1000 | AR1242ICC1000 | PP074175.D     | 01 Aug 2025 14:31 |         | YP\AJ    | Ok,M   |
| 11  | AR1242ICC750  | AR1242ICC750  | PP074176.D     | 01 Aug 2025 14:47 |         | YP\AJ    | Ok,M   |
| 12  | AR1242ICC500  | AR1242ICC500  | PP074177.D     | 01 Aug 2025 15:03 |         | YP\AJ    | Ok,M   |
| 13  | AR1242ICC250  | AR1242ICC250  | PP074178.D     | 01 Aug 2025 15:19 |         | YP\AJ    | Ok,M   |
| 14  | AR1242ICC050  | AR1242ICC050  | PP074179.D     | 01 Aug 2025 15:36 |         | YP\AJ    | Ok,M   |
| 15  | AR1248ICC1000 | AR1248ICC1000 | PP074180.D     | 01 Aug 2025 16:24 | Not Use | YP\AJ    | Not Ok |
| 16  | AR1248ICC750  | AR1248ICC750  | PP074181.D     | 01 Aug 2025 16:41 | Not Use | YP\AJ    | Not Ok |
| 17  | AR1248ICC500  | AR1248ICC500  | PP074182.D     | 01 Aug 2025 16:57 |         | YP\AJ    | Ok,M   |
| 18  | AR1248ICC250  | AR1248ICC250  | PP074183.D     | 01 Aug 2025 17:13 | Not Use | YP\AJ    | Not Ok |

Instrument ID: ECD\_P

**Daily Analysis Runlog For Sequence/QC Batch ID # PP080125**

|                          |                                                                                                                                                                                                                                                                                                                                         |                   |                               |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------------------|
| Review By                | yogesh                                                                                                                                                                                                                                                                                                                                  | Review On         | 8/1/2025 3:30:36 PM           |
| Supervise By             | mohammad                                                                                                                                                                                                                                                                                                                                | Supervise On      | 8/8/2025 7:37:53 AM           |
| SubDirectory             | PP080125                                                                                                                                                                                                                                                                                                                                | HP Acquire Method | HP Processing Method PP080125 |
| <b>STD. NAME</b>         | <b>STD REF.#</b>                                                                                                                                                                                                                                                                                                                        |                   |                               |
| Tune/Reschk              |                                                                                                                                                                                                                                                                                                                                         |                   |                               |
| Initial Calibration Stds | PP24330,PP24331,PP24332,PP24333,PP24334,PP24335,PP24336,PP24337,PP24338,PP24339,PP24340,PP24341,PP24342,PP24343,PP24344,P<br>P24345,PP24346,PP24347,PP24348,PP24349,PP24350,PP24351,PP24352,PP24353,PP24354,PP24355,PP24356,PP24357,PP24358,PP24359,PP<br>24360,PP24361,PP24362,PP24363,PP24364,PP24365,PP24366,PP24367,PP24368,PP24369 |                   |                               |
| CCC                      | PP24332,PP24347,PP24352,PP24357                                                                                                                                                                                                                                                                                                         |                   |                               |
| Internal Standard/PEM    |                                                                                                                                                                                                                                                                                                                                         |                   |                               |
| ICV/I.BLK                | PP24370,PP24371,PP24372,PP24373,PP24374,PP24375,PP24376,PP24377,PP24378,PP24379,PP24380,PP24381,PP24382,PP24384,PP24385,PP24386,PP24387                                                                                                                                                                                                 |                   |                               |
| Surrogate Standard       |                                                                                                                                                                                                                                                                                                                                         |                   |                               |
| MS/MSD Standard          |                                                                                                                                                                                                                                                                                                                                         |                   |                               |
| LCS Standard             |                                                                                                                                                                                                                                                                                                                                         |                   |                               |

|    |                |                   |            |                   |         |       |        |
|----|----------------|-------------------|------------|-------------------|---------|-------|--------|
| 19 | AR1248ICC050   | AR1248ICC050      | PP074184.D | 01 Aug 2025 17:45 | Not Use | YPIAJ | Not Ok |
| 20 | AR1254ICC1000  | AR1254ICC1000     | PP074185.D | 01 Aug 2025 18:02 |         | YPIAJ | Ok,M   |
| 21 | AR1254ICC750   | AR1254ICC750      | PP074186.D | 01 Aug 2025 18:18 |         | YPIAJ | Ok,M   |
| 22 | AR1254ICC500   | AR1254ICC500      | PP074187.D | 01 Aug 2025 18:34 |         | YPIAJ | Ok,M   |
| 23 | AR1254ICC250   | AR1254ICC250      | PP074188.D | 01 Aug 2025 18:50 |         | YPIAJ | Ok,M   |
| 24 | AR1254ICC050   | AR1254ICC050      | PP074189.D | 01 Aug 2025 19:23 |         | YPIAJ | Ok,M   |
| 25 | AR1262ICC500   | AR1262ICC500      | PP074190.D | 01 Aug 2025 19:39 |         | YPIAJ | Ok     |
| 26 | AR1268ICC1000  | AR1268ICC1000     | PP074191.D | 01 Aug 2025 19:55 | Not Use | YPIAJ | Not Ok |
| 27 | AR1268ICC750   | AR1268ICC750      | PP074192.D | 01 Aug 2025 20:11 | Not Use | YPIAJ | Not Ok |
| 28 | AR1268ICC500   | AR1268ICC500      | PP074193.D | 01 Aug 2025 20:28 |         | YPIAJ | Ok     |
| 29 | AR1268ICC250   | AR1268ICC250      | PP074194.D | 01 Aug 2025 20:44 | Not Use | YPIAJ | Not Ok |
| 30 | AR1268ICC050   | AR1268ICC050      | PP074195.D | 01 Aug 2025 21:00 | Not Use | YPIAJ | Not Ok |
| 31 | PP080125ICV500 | ICVPP080125       | PP074196.D | 01 Aug 2025 21:16 |         | YPIAJ | Ok     |
| 32 | AR1242ICV500   | ICVPP080125AR1242 | PP074197.D | 01 Aug 2025 22:05 |         | YPIAJ | Ok,M   |
| 33 | AR1248ICV500   | ICVPP080125AR1248 | PP074198.D | 01 Aug 2025 22:37 | Not Use | YPIAJ | Not Ok |
| 34 | AR1254ICV500   | ICVPP080125AR1254 | PP074199.D | 01 Aug 2025 23:10 |         | YPIAJ | Ok,M   |
| 35 | AR1268ICV500   | ICVPP080125AR1268 | PP074200.D | 01 Aug 2025 23:42 | Not Use | YPIAJ | Not Ok |
| 36 | DDT ANALOG     | DDT ANALOG        | PP074201.D | 02 Aug 2025 00:15 |         | YPIAJ | Ok     |

M : Manual Integration

Instrument ID: ECD\_P

**Daily Analysis Runlog For Sequence/QC Batch ID # PP081325**

|              |          |                   |                               |
|--------------|----------|-------------------|-------------------------------|
| Review By    | yogesh   | Review On         | 8/13/2025 9:52:10 AM          |
| Supervise By | mohammad | Supervise On      | 8/18/2025 1:43:29 AM          |
| SubDirectory | PP081325 | HP Acquire Method | HP Processing Method PP080125 |

| STD. NAME                | STD REF.#                                                                                                                                                                                                                                                                                                                       |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tune/Reschk              |                                                                                                                                                                                                                                                                                                                                 |
| Initial Calibration Stds | PP24330,PP24331,PP24332,PP24333,PP24334,PP24335,PP24336,PP24337,PP24338,PP24339,PP24340,PP24341,PP24342,PP24343,PP24344,PP24345,PP24346,PP24347,PP24348,PP24349,PP24350,PP24351,PP24352,PP24353,PP24354,PP24355,PP24356,PP24357,PP24358,PP24359,PP24360,PP24361,PP24362,PP24363,PP24364,PP24365,PP24366,PP24367,PP24368,PP24369 |
| CCC                      | PP24332,PP24347,PP24352,PP24357                                                                                                                                                                                                                                                                                                 |
| Internal Standard/PEM    |                                                                                                                                                                                                                                                                                                                                 |
| ICV/I.BLK                | PP24370,PP24371,PP24372,PP24373,PP24374,PP24375,PP24376,PP24377,PP24378,PP24379,PP24380,PP24381,PP24382,PP24384,PP24385,PP24386,PP24387                                                                                                                                                                                         |
| Surrogate Standard       |                                                                                                                                                                                                                                                                                                                                 |
| MS/MSD Standard          |                                                                                                                                                                                                                                                                                                                                 |
| LCS Standard             |                                                                                                                                                                                                                                                                                                                                 |

| Sr# | SampleID     | ClientID     | Data File Name | Date-Time         | Comment                    | Operator | Status   |
|-----|--------------|--------------|----------------|-------------------|----------------------------|----------|----------|
| 1   | HEXANE       | HEXANE       | PP074333.D     | 13 Aug 2025 08:47 |                            | YPIAJ    | Ok       |
| 2   | AR1660CCC500 | AR1660CCC500 | PP074334.D     | 13 Aug 2025 09:04 |                            | YPIAJ    | Ok       |
| 3   | AR1242CCC500 | AR1242CCC500 | PP074335.D     | 13 Aug 2025 09:35 |                            | YPIAJ    | Ok,M     |
| 4   | AR1254CCC500 | AR1254CCC500 | PP074336.D     | 13 Aug 2025 09:51 |                            | YPIAJ    | Ok,M     |
| 5   | I.BLK        | I.BLK        | PP074337.D     | 13 Aug 2025 10:07 |                            | YPIAJ    | Ok       |
| 6   | DDT ANALOG   | DDT ANALOG   | PP074338.D     | 13 Aug 2025 10:23 |                            | YPIAJ    | Ok       |
| 7   | PB169227BL   | PB169227BL   | PP074339.D     | 13 Aug 2025 12:38 | Run with clean up sample   | YPIAJ    | Not Ok   |
| 8   | PB169227BS   | PB169227BS   | PP074340.D     | 13 Aug 2025 12:55 |                            | YPIAJ    | Ok,M     |
| 9   | Q2732-02     | WC-A7-01-C   | PP074341.D     | 13 Aug 2025 13:11 |                            | YPIAJ    | Ok,M     |
| 10  | Q2832-01     | TG-S01       | PP074342.D     | 13 Aug 2025 13:27 | AR1260 Hit                 | YPIAJ    | Ok,M     |
| 11  | Q2832-03     | TG-S02       | PP074343.D     | 13 Aug 2025 13:44 | AR1260 Hit, Need 2X        | YPIAJ    | Dilution |
| 12  | Q2832-03MS   | TG-S02MS     | PP074344.D     | 13 Aug 2025 14:00 | Aroclor-1260 recovery fail | YPIAJ    | Ok,M     |
| 13  | Q2832-03MSD  | TG-S02MSD    | PP074345.D     | 13 Aug 2025 14:16 | Aroclor-1260 recovery fail | YPIAJ    | Ok,M     |
| 14  | Q2832-05     | TG-S03       | PP074346.D     | 13 Aug 2025 14:32 | AR1260 Hit, Need 2X        | YPIAJ    | Dilution |
| 15  | Q2820-09     | 705R-S       | PP074347.D     | 13 Aug 2025 15:05 | need cleanup               | YPIAJ    | Not Ok   |
| 16  | AR1660CCC500 | AR1660CCC500 | PP074348.D     | 13 Aug 2025 15:54 |                            | YPIAJ    | Ok       |
| 17  | AR1242CCC500 | AR1242CCC500 | PP074349.D     | 13 Aug 2025 16:10 |                            | YPIAJ    | Ok,M     |
| 18  | AR1254CCC500 | AR1254CCC500 | PP074350.D     | 13 Aug 2025 16:26 |                            | YPIAJ    | Ok,M     |

Instrument ID: ECD\_P

**Daily Analysis Runlog For Sequence/QC Batch ID # PP081325**

| Review By                | yogesh                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Review On         | 8/13/2025 9:52:10 AM          |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------------------|
| Supervise By             | mohammad                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Supervise On      | 8/18/2025 1:43:29 AM          |
| SubDirectory             | PP081325                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | HP Acquire Method | HP Processing Method PP080125 |
| STD. NAME                | STD REF.#                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                   |                               |
| Tune/Reschk              | PP24330,PP24331,PP24332,PP24333,PP24334,PP24335,PP24336,PP24337,PP24338,PP24339,PP24340,PP24341,PP24342,PP24343,PP24344,P<br>P24345,PP24346,PP24347,PP24348,PP24349,PP24350,PP24351,PP24352,PP24353,PP24354,PP24355,PP24356,PP24357,PP24358,PP24359,PP<br>24360,PP24361,PP24362,PP24363,PP24364,PP24365,PP24366,PP24367,PP24368,PP24369<br><br>PP24332,PP24347,PP24352,PP24357<br><br>PP24370,PP24371,PP24372,PP24373,PP24374,PP24375,PP24376,PP24377,PP24378,PP24379,PP24380,PP24381,PP24382,PP24384,PP24385,PP24386,PP24387 |                   |                               |
| Initial Calibration Stds |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                   |                               |
| CCC                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                   |                               |
| Internal Standard/PEM    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                   |                               |
| ICV/I.BLK                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                   |                               |
| Surrogate Standard       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                   |                               |
| MS/MSD Standard          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                   |                               |
| LCS Standard             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                   |                               |

|    |              |              |            |                   |                                                    |       |        |
|----|--------------|--------------|------------|-------------------|----------------------------------------------------|-------|--------|
| 19 | I.BLK        | I.BLK        | PP074351.D | 13 Aug 2025 16:42 |                                                    | YPIAJ | Ok     |
| 20 | PB169224BL   | PB169224BL   | PP074352.D | 13 Aug 2025 16:59 |                                                    | YPIAJ | Ok     |
| 21 | PB169224BS   | PB169224BS   | PP074353.D | 13 Aug 2025 17:15 | AR1016 recovery fail                               | YPIAJ | Not Ok |
| 22 | PB169224BSD  | PB169224BSD  | PP074354.D | 13 Aug 2025 17:31 | AR1016 recovery fail                               | YPIAJ | Not Ok |
| 23 | Q2815-21     | TW-11M-E     | PP074355.D | 13 Aug 2025 17:47 |                                                    | YPIAJ | Ok,M   |
| 24 | Q2815-23     | TW-11M-N     | PP074356.D | 13 Aug 2025 18:04 |                                                    | YPIAJ | Ok,M   |
| 25 | Q2815-26     | FB           | PP074357.D | 13 Aug 2025 18:20 |                                                    | YPIAJ | Ok,M   |
| 26 | Q2821-05     | GW-COMP      | PP074358.D | 13 Aug 2025 18:36 |                                                    | YPIAJ | Ok,M   |
| 27 | Q2821-08     | DM-COMP      | PP074359.D | 13 Aug 2025 18:52 |                                                    | YPIAJ | Ok,M   |
| 28 | Q2821-09     | 50668        | PP074360.D | 13 Aug 2025 19:09 | DCB low in both column , TCMX<br>low in 2nd column | YPIAJ | Not Ok |
| 29 | Q2822-01     | NWB-2185     | PP074361.D | 13 Aug 2025 19:25 |                                                    | YPIAJ | Ok,M   |
| 30 | AR1660CCC500 | AR1660CCC500 | PP074362.D | 13 Aug 2025 20:30 |                                                    | YPIAJ | Ok,M   |
| 31 | AR1242CCC500 | AR1242CCC500 | PP074363.D | 13 Aug 2025 21:19 |                                                    | YPIAJ | Ok,M   |
| 32 | AR1254CCC500 | AR1254CCC500 | PP074364.D | 13 Aug 2025 21:35 |                                                    | YPIAJ | Ok,M   |
| 33 | I.BLK        | I.BLK        | PP074365.D | 13 Aug 2025 21:52 |                                                    | YPIAJ | Ok     |
| 34 | PB169227BL   | PB169227BL   | PP074366.D | 13 Aug 2025 22:08 |                                                    | YPIAJ | Ok     |
| 35 | Q2820-09     | 705R-S       | PP074367.D | 13 Aug 2025 22:24 |                                                    | YPIAJ | Ok     |
| 36 | AR1660CCC500 | AR1660CCC500 | PP074368.D | 13 Aug 2025 23:30 |                                                    | YPIAJ | Ok     |
| 37 | AR1242CCC500 | AR1242CCC500 | PP074369.D | 14 Aug 2025 00:18 |                                                    | YPIAJ | Ok,M   |

Instrument ID: ECD\_P

**Daily Analysis Runlog For Sequence/QC Batch ID # PP081325**

|              |          |                   |                               |
|--------------|----------|-------------------|-------------------------------|
| Review By    | yogesh   | Review On         | 8/13/2025 9:52:10 AM          |
| Supervise By | mohammad | Supervise On      | 8/18/2025 1:43:29 AM          |
| SubDirectory | PP081325 | HP Acquire Method | HP Processing Method PP080125 |

| STD. NAME                | STD REF.#                                                                                                                                                                                                                                                                                                                               |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tune/Reschk              |                                                                                                                                                                                                                                                                                                                                         |
| Initial Calibration Stds | PP24330,PP24331,PP24332,PP24333,PP24334,PP24335,PP24336,PP24337,PP24338,PP24339,PP24340,PP24341,PP24342,PP24343,PP24344,P<br>P24345,PP24346,PP24347,PP24348,PP24349,PP24350,PP24351,PP24352,PP24353,PP24354,PP24355,PP24356,PP24357,PP24358,PP24359,PP<br>24360,PP24361,PP24362,PP24363,PP24364,PP24365,PP24366,PP24367,PP24368,PP24369 |
| CCC                      | PP24332,PP24347,PP24352,PP24357                                                                                                                                                                                                                                                                                                         |
| Internal Standard/PEM    |                                                                                                                                                                                                                                                                                                                                         |
| ICV/I.BLK                | PP24370,PP24371,PP24372,PP24373,PP24374,PP24375,PP24376,PP24377,PP24378,PP24379,PP24380,PP24381,PP24382,PP24384,PP24385,PP24386,PP24387                                                                                                                                                                                                 |
| Surrogate Standard       |                                                                                                                                                                                                                                                                                                                                         |
| MS/MSD Standard          |                                                                                                                                                                                                                                                                                                                                         |
| LCS Standard             |                                                                                                                                                                                                                                                                                                                                         |

|    |              |              |            |                   |  |       |      |
|----|--------------|--------------|------------|-------------------|--|-------|------|
| 38 | AR1254CCC500 | AR1254CCC500 | PP074370.D | 14 Aug 2025 00:35 |  | YP\AJ | Ok,M |
| 39 | I.BLK        | I.BLK        | PP074371.D | 14 Aug 2025 00:51 |  | YP\AJ | Ok   |

M : Manual Integration

# PERCENT SOLID

Supervisor: rubina  
Analyst: jignesh  
Date: 8/13/2025

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:30  
In Date: 08/12/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:22  
Out Date: 08/13/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % solids-oven

QC:LB136783

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| Q2732-02 | WC-A7-01-C      | 74     | 1.15           | 10.37        | 11.52                   | 11.18                     | 96.7    |          |
| Q2819-01 | 22BP-N          | 1      | 1.15           | 10.16        | 11.31                   | 9.57                      | 82.9    |          |
| Q2819-02 | 22BP-E          | 2      | 1.16           | 10.67        | 11.83                   | 10.3                      | 85.7    |          |
| Q2819-03 | 22BP-W          | 3      | 1.16           | 10.83        | 11.99                   | 10.45                     | 85.8    |          |
| Q2819-04 | 22BP-S          | 4      | 1.15           | 9.96         | 11.11                   | 9.92                      | 88.1    |          |
| Q2819-05 | 11M-W           | 5      | 1.14           | 10.45        | 11.59                   | 10.7                      | 91.5    |          |
| Q2819-06 | 11M-S           | 6      | 1.16           | 10.83        | 11.99                   | 10.96                     | 90.5    |          |
| Q2819-07 | 11M-N           | 7      | 1.16           | 10.81        | 11.97                   | 9.37                      | 75.9    |          |
| Q2819-08 | 11M-E           | 8      | 1.17           | 10.27        | 11.44                   | 8.54                      | 71.8    |          |
| Q2819-09 | 84SB-E          | 9      | 1.13           | 10.62        | 11.75                   | 5.12                      | 37.6    |          |
| Q2819-10 | 84SB-S          | 10     | 1.18           | 10.11        | 11.29                   | 10.51                     | 92.3    |          |
| Q2819-11 | 84SB-W          | 11     | 1.14           | 10.14        | 11.28                   | 9.94                      | 86.8    |          |
| Q2819-12 | 17M-S           | 12     | 1.19           | 118.66       | 119.85                  | 11.15                     | 8.4     |          |
| Q2819-13 | 17M-E           | 13     | 1.17           | 10.38        | 11.55                   | 9.86                      | 83.7    |          |
| Q2819-14 | 17M-W           | 14     | 1.15           | 10.46        | 11.61                   | 10.1                      | 85.6    |          |
| Q2819-15 | 17M-N           | 15     | 1.15           | 10.57        | 11.72                   | 9.96                      | 83.3    |          |
| Q2819-16 | 38M-S           | 16     | 1.15           | 10.77        | 11.92                   | 11.1                      | 92.4    |          |
| Q2819-17 | 38M-N           | 17     | 1.16           | 10.41        | 11.57                   | 10.27                     | 87.5    |          |
| Q2819-18 | 38M-W           | 18     | 1.14           | 10.66        | 11.8                    | 10.34                     | 86.3    |          |
| Q2819-19 | 38M-E           | 19     | 1.13           | 10.13        | 11.26                   | 10.02                     | 87.8    |          |
| Q2819-20 | 82H-E           | 20     | 1.17           | 10.64        | 11.81                   | 9.38                      | 77.2    |          |
| Q2820-01 | 82H-S           | 21     | 1.16           | 10.76        | 11.92                   | 10.04                     | 82.5    |          |
| Q2820-02 | 82H-W           | 22     | 1.15           | 11.21        | 12.36                   | 10.51                     | 83.5    |          |
| Q2820-03 | 82H-N           | 23     | 1.16           | 11.14        | 12.3                    | 10.9                      | 87.4    |          |
| Q2820-04 | SOIL-DUP-1      | 24     | 1.16           | 10.83        | 11.99                   | 10.56                     | 86.8    |          |
| Q2820-05 | 518R-E          | 25     | 1.16           | 10.40        | 11.56                   | 6.23                      | 48.8    |          |
| Q2820-06 | 518R-N          | 26     | 1.18           | 10.55        | 11.73                   | 9.35                      | 77.4    |          |
| Q2820-07 | 518R-S          | 27     | 1.17           | 10.52        | 11.69                   | 9.44                      | 78.6    |          |

# PERCENT SOLID

Supervisor: rubina  
Analyst: jignesh  
Date: 8/13/2025

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:30  
In Date: 08/12/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:22  
Out Date: 08/13/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % solids-oven

QC:LB136783

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| Q2820-08 | 518R-W          | 28     | 1.13           | 10.80        | 11.93                   | 10.74                     | 89.0    |          |
| Q2820-09 | 705R-S          | 29     | 1.14           | 10.59        | 11.73                   | 7.05                      | 55.8    |          |
| Q2820-10 | SOIL-DUP-2      | 30     | 1.15           | 10.87        | 12.02                   | 6.41                      | 48.4    |          |
| Q2820-11 | 10PC-W          | 31     | 1.11           | 10.25        | 11.36                   | 10.58                     | 92.4    |          |
| Q2820-12 | 10PC-S          | 32     | 1.19           | 10.52        | 11.71                   | 10.88                     | 92.1    |          |
| Q2820-13 | 10P-W           | 33     | 1.14           | 10.09        | 11.23                   | 10.34                     | 91.2    |          |
| Q2820-14 | 10P-E           | 34     | 1.19           | 10.37        | 11.56                   | 9.62                      | 81.3    |          |
| Q2820-15 | 10P-S           | 35     | 1.18           | 10.21        | 11.39                   | 10.22                     | 88.5    |          |
| Q2820-16 | 10P-N           | 36     | 1.11           | 10.09        | 11.2                    | 9.81                      | 86.2    |          |
| Q2820-17 | 88H-E           | 37     | 1.16           | 10.42        | 11.58                   | 9.77                      | 82.6    |          |
| Q2820-18 | 88H-N           | 38     | 1.16           | 10.90        | 12.06                   | 10.57                     | 86.3    |          |
| Q2820-19 | 88H-W           | 39     | 1.18           | 10.66        | 11.84                   | 10.62                     | 88.6    |          |
| Q2820-20 | 88H-S           | 40     | 1.18           | 10.12        | 11.3                    | 9.74                      | 84.6    |          |
| Q2820-21 | 22M-N           | 41     | 1.14           | 11.06        | 12.2                    | 11.34                     | 92.2    |          |
| Q2820-22 | 22M-W           | 42     | 1.17           | 10.90        | 12.07                   | 6.94                      | 52.9    |          |
| Q2820-23 | 22M-E           | 43     | 1.17           | 10.27        | 11.44                   | 4.66                      | 34.0    |          |
| Q2820-24 | 22M-S           | 44     | 1.13           | 10.68        | 11.81                   | 10.63                     | 89.0    |          |
| Q2832-01 | TG-S01          | 45     | 1.15           | 10.46        | 11.61                   | 10.92                     | 93.4    |          |
| Q2832-03 | TG-S02          | 46     | 1.18           | 10.41        | 11.59                   | 10.97                     | 94.0    |          |
| Q2832-05 | TG-S03          | 47     | 1.15           | 10.50        | 11.65                   | 11.00                     | 93.8    |          |
| Q2832-07 | TG-S04          | 48     | 1.17           | 10.58        | 11.75                   | 11.02                     | 93.1    |          |
| Q2832-09 | TG-S05          | 49     | 1.15           | 10.40        | 11.55                   | 10.6                      | 90.9    |          |
| Q2836-02 | WC-A2-15-C      | 75     | 1.18           | 10.38        | 11.56                   | 9.67                      | 81.8    |          |
| Q2836-06 | WC-A2-16-C      | 76     | 1.19           | 10.43        | 11.62                   | 10.66                     | 90.8    |          |
| Q2836-10 | WC-A2-17-C      | 77     | 1.19           | 10.48        | 11.67                   | 10.96                     | 93.2    |          |
| Q2836-14 | WC-A5-02-C      | 78     | 1.19           | 10.17        | 11.36                   | 8.8                       | 74.8    |          |
| Q2838-01 | TP-11           | 50     | 1.14           | 10.60        | 11.74                   | 10.44                     | 87.7    |          |
| Q2838-02 | TP-11-EPH       | 51     | 1.14           | 10.85        | 11.99                   | 9.57                      | 77.7    |          |

# PERCENT SOLID

Supervisor: rubina  
Analyst: jignesh  
Date: 8/13/2025

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:30  
In Date: 08/12/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:22  
Out Date: 08/13/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % solids-oven

QC:LB136783

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| Q2838-03 | TP-11-VOC       | 52     | 1.19           | 11.24        | 12.43                   | 9.97                      | 78.1    |          |
| Q2838-05 | TP-10           | 53     | 1.14           | 11.08        | 12.22                   | 10.75                     | 86.7    |          |
| Q2838-06 | TP-10-EPH       | 54     | 1.18           | 10.42        | 11.6                    | 7.63                      | 61.9    |          |
| Q2838-07 | TP-10-VOC       | 55     | 1.18           | 10.50        | 11.68                   | 8.68                      | 71.4    |          |
| Q2839-01 | BC274436-1-1    | 56     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-02 | BC274436-1-2    | 57     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-03 | BC151973-1-1    | 58     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-04 | BC151973-1-2    | 59     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-05 | BC271336-1-1    | 60     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-06 | BC271336-1-2    | 61     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-07 | BC271242-1-1    | 62     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-08 | BC271242-1-2    | 63     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-09 | BC271242-2-1    | 64     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-10 | BC271242-2-2    | 65     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-11 | BC226751-1-1    | 66     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-12 | BC226751-1-2    | 67     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-13 | BC226751-2-1    | 68     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-14 | BC226751-2-2    | 69     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-15 | JEC773V-1-1     | 70     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2839-16 | JEC773V-1-2     | 71     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q2840-01 | 0804-SOIL       | 72     | 1.12           | 11.32        | 12.44                   | 10.42                     | 82.2    |          |
| Q2840-02 | 0804-D          | 73     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | debris   |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

136783

WorkList Name : %1-081225

WorkList ID : 191210

Department : Wet-Chemistry

Date : 08-12-2025 07:56:53

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| Q2820-06 | 518R-N          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/07/2025   | Chemtech -SO |
| Q2820-07 | 518R-S          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/07/2025   | Chemtech -SO |
| Q2820-08 | 518R-W          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/07/2025   | Chemtech -SO |
| Q2820-09 | 705R-S          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/07/2025   | Chemtech -SO |
| Q2820-10 | SOIL-DUP-2      | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/07/2025   | Chemtech -SO |
| Q2819-19 | 38M-E           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/06/2025   | Chemtech -SO |
| Q2819-20 | 82H-E           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/06/2025   | Chemtech -SO |
| Q2820-01 | 82H-S           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/06/2025   | Chemtech -SO |
| Q2820-02 | 82H-W           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/06/2025   | Chemtech -SO |
| Q2820-03 | 82H-N           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/06/2025   | Chemtech -SO |
| Q2820-04 | SOIL-DUP-1      | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/06/2025   | Chemtech -SO |
| Q2819-13 | 17M-E           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/06/2025   | Chemtech -SO |
| Q2819-14 | 17M-W           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/05/2025   | Chemtech -SO |
| Q2819-15 | 17M-N           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/05/2025   | Chemtech -SO |
| Q2819-16 | 38M-S           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/05/2025   | Chemtech -SO |
| Q2819-17 | 38M-N           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/06/2025   | Chemtech -SO |
| Q2819-18 | 38M-W           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/06/2025   | Chemtech -SO |
| Q2819-07 | 11M-N           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/05/2025   | Chemtech -SO |
| Q2819-08 | 11M-E           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/05/2025   | Chemtech -SO |
| Q2819-09 | 84SB-E          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/05/2025   | Chemtech -SO |
| Q2819-10 | 84SB-S          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/05/2025   | Chemtech -SO |

Date/Time 08/12/25 15:40  
 Raw Sample Received by: SP WCL  
 Raw Sample Relinquished by: CP

Date/Time

08/12/25

Raw Sample Received by:

CP

Raw Sample Relinquished by:

SP WCL

# WORKLIST(Hardcopy Internal Chain)

136783

WorkList Name : %1-081225

WorkList ID : 191210

Department : Wet-Chemistry

Date : 08-12-2025 07:56:53

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| Q2819-01 | 22BP-N          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/04/2025   | Chemtech -SO |
| Q2819-02 | 22BP-E          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/04/2025   | Chemtech -SO |
| Q2819-03 | 22BP-W          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/04/2025   | Chemtech -SO |
| Q2819-04 | 22BP-S          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/04/2025   | Chemtech -SO |
| Q2819-05 | 11M-W           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/05/2025   | Chemtech -SO |
| Q2819-06 | 11M-S           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/05/2025   | Chemtech -SO |
| Q2820-23 | 22M-E           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/05/2025   | Chemtech -SO |
| Q2820-24 | 22M-S           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/08/2025   | Chemtech -SO |
| Q2820-17 | 88H-E           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/08/2025   | Chemtech -SO |
| Q2820-18 | 88H-N           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/08/2025   | Chemtech -SO |
| Q2820-19 | 88H-W           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/08/2025   | Chemtech -SO |
| Q2820-20 | 88H-S           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/08/2025   | Chemtech -SO |
| Q2820-21 | 22M-N           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/08/2025   | Chemtech -SO |
| Q2820-22 | 22M-W           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/08/2025   | Chemtech -SO |
| Q2820-11 | 10PC-W          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/07/2025   | Chemtech -SO |
| Q2820-12 | 10PC-S          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/07/2025   | Chemtech -SO |
| Q2820-13 | 10P-W           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/07/2025   | Chemtech -SO |
| Q2820-14 | 10P-E           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/07/2025   | Chemtech -SO |
| Q2820-15 | 10P-S           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/07/2025   | Chemtech -SO |
| Q2820-16 | 10P-N           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/07/2025   | Chemtech -SO |
| Q2820-05 | 518R-E          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/07/2025   | Chemtech -SO |

Date/Time 08/12/25 15:00

Raw Sample Received by: 88 WSC

Raw Sample Relinquished by: [Signature]

Date/Time 08/12/25

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: 88 WSC

# WORKLIST(Hardcopy Internal Chain)

136783

WorkList Name : %1-081225      WorkList ID : 191210      Department : Wet-Chemistry      Date : 08-12-2025 07:56:53

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| Q2839-04 | BC151973-1-2    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-05 | BC271336-1-1    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-06 | BC271336-1-2    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-07 | BC271242-1-1    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-08 | BC271242-1-2    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-09 | BC271242-2-1    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-10 | BC271242-2-2    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-11 | BC226751-1-1    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-12 | BC226751-1-2    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-13 | BC226751-2-1    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-14 | BC226751-2-2    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-15 | JEC773V-1-1     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-16 | JEC773V-1-1     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2840-01 | 0804-SOIL       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D31                         | 08/12/2025   | Chemtech -SO |
| Q2840-02 | 0804-D          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D31                         | 08/12/2025   | Chemtech -SO |

Date/Time 08/12/25 15:00

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

Date/Time 08/12/25 17:35

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

# WORKLIST(Hardcopy Internal Chain)

W 131783

WorkList Name : %1-081225      WorkList ID : 191210      Department : Wet-Chemistry      Date : 08-12-2025 07:56:53

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| Q2819-11 | 84SB-W          | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/05/2025   | Chemtech -SO |
| Q2819-12 | 17M-S           | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | D31                         | 08/05/2025   | Chemtech -SO |
| Q2832-01 | TG-S01          | Solid  | Percent Solids | Cool 4 deg C | PORT06   | J21                         | 08/11/2025   | Chemtech -SO |
| Q2732-02 | WC-A7-01-C      | Solid  | Percent Solids | Cool 4 deg C | ENTA05   | J21                         | 08/12/2025   | Chemtech -SO |
| Q2832-03 | TG-S02          | Solid  | Percent Solids | Cool 4 deg C | PORT06   | J21                         | 08/11/2025   | Chemtech -SO |
| Q2832-05 | TG-S03          | Solid  | Percent Solids | Cool 4 deg C | PORT06   | J21                         | 08/11/2025   | Chemtech -SO |
| Q2832-07 | TG-S04          | Solid  | Percent Solids | Cool 4 deg C | PORT06   | J21                         | 08/11/2025   | Chemtech -SO |
| Q2832-09 | TG-S05          | Solid  | Percent Solids | Cool 4 deg C | PORT06   | J21                         | 08/12/2025   | Chemtech -SO |
| Q2836-02 | WC-A2-15-C      | Solid  | Percent Solids | Cool 4 deg C | ENTA05   | J23                         | 08/12/2025   | Chemtech -SO |
| Q2836-06 | WC-A2-16-C      | Solid  | Percent Solids | Cool 4 deg C | ENTA05   | J23                         | 08/12/2025   | Chemtech -SO |
| Q2836-10 | WC-A2-17-C      | Solid  | Percent Solids | Cool 4 deg C | ENTA05   | J23                         | 08/12/2025   | Chemtech -SO |
| Q2836-14 | WC-A5-02-C      | Solid  | Percent Solids | Cool 4 deg C | ENTA05   | J23                         | 08/12/2025   | Chemtech -SO |
| Q2838-01 | TP-11           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/12/2025   | Chemtech -SO |
| Q2838-02 | TP-11-EPH       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/12/2025   | Chemtech -SO |
| Q2838-03 | TP-11-VOC       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/12/2025   | Chemtech -SO |
| Q2838-05 | TP-10           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/12/2025   | Chemtech -SO |
| Q2838-06 | TP-10-EPH       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/12/2025   | Chemtech -SO |
| Q2838-07 | TP-10-VOC       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | D21                         | 08/12/2025   | Chemtech -SO |
| Q2839-01 | BC274436-1-1    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-02 | BC274436-1-2    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |
| Q2839-03 | BC151973-1-1    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | L11                         | 08/12/2025   | Chemtech -SO |

Date/Time 08/12/25 15:00      Date/Time 08/12/25 17:35  
 Raw Sample Received by: SP WOC      Raw Sample Received by: CP SM  
 Raw Sample Relinquished by: CP SM      Raw Sample Relinquished by: SP WOC

**SOP ID:** M3541-ASE Extraction-15

**Clean Up SOP #:** Acid Cleanup **Extraction Start Date :** 08/13/2025

**Matrix :** Solid **Extraction Start Time :** 08:33

**Weigh By:** RJ **Extraction By:** RJ **Extraction End Date :** 08/13/2025

**Balance check:** RJ **Filter By:** RJ **Extraction End Time :** 11:45

**Balance ID:** EX-SC-2 **pH Meter ID:** N/A **Concentration By:** RS

**pH Strip Lot#:** N/A **Hood ID:** 3,7 **Supervisor By :** RUPESH

**Extraction Method:** ☐ Separatory Funnel ☐ Continuous Liquid/Liquid ☐ Sonication ☐ Waste Dilution ☒ Soxhlet

| Standard Name | MLS USED | Concentration ug/mL | STD REF. # FROM LOG |
|---------------|----------|---------------------|---------------------|
| Spike Sol 1   | 1.0ML    | 5000 PPB            | PP24650             |
| Surrogate     | 1.0ML    | 200 PPB             | PP24663             |
| N/A           | N/A      | N/A                 | N/A                 |
| N/A           | N/A      | N/A                 | N/A                 |
| N/A           | N/A      | N/A                 | N/A                 |

| Chemical Used      | ML/SAMPLE USED | Lot Number |
|--------------------|----------------|------------|
| Hexane/Acetone/1:1 | N/A            | EP2627     |
| Baked Na2SO4       | N/A            | EP2632     |
| Sand               | N/A            | E3951      |
| Hexane             | N/A            | E3962      |
| H2SO4 1:1          | N/A            | EP2610     |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |
| N/A                | N/A            | N/A        |

**Extraction Conformance/Non-Conformance Comments:**

40ML Vial Lot # 03-40BTS721, Q2840-02 used Limited volume as sample is Oily Debris.

**KD Bath ID:** N/A **Envap ID:** NEVAP-02

**KD Bath Temperature:** N/A **Envap Temperature:** 40 °C

| Date / Time | Prepped Sample Relinquished By/Location | Received By/Location |
|-------------|-----------------------------------------|----------------------|
| 8/13/25     | RS (But Lab)                            | RS - Pest/PCB Lab    |
| 11:50       | Preparation Group                       | Analysis Group       |

Analytical Method: M3541-ASE Extraction-15

Concentration Date: 08/13/2025

| Sample ID    | Client Sample ID | Test | g/mL  | PH  | Surr/Spike By: |            | Final Vol.<br>(mL) | JarID | Comments    | Prep Pos |
|--------------|------------------|------|-------|-----|----------------|------------|--------------------|-------|-------------|----------|
|              |                  |      |       |     | AddedBy        | VerifiedBy |                    |       |             |          |
| PB169227BL   | ABLK227          | PCB  | 30.03 | N/A | ritesh         | RUPESH     | 10                 |       |             | U3-1     |
| PB169227BS   | ALCS227          | PCB  | 30.02 | N/A | ritesh         | RUPESH     | 10                 |       |             | 2        |
| Q2732-02     | WC-A7-01-C       | PCB  | 30.04 | N/A | ritesh         | RUPESH     | 10                 | B     |             | 3        |
| Q2820-09     | 705R-S           | PCB  | 30.06 | N/A | ritesh         | RUPESH     | 10                 | E     |             | 4        |
| Q2832-01     | TG-S01           | PCB  | 30.07 | N/A | ritesh         | RUPESH     | 10                 | F     |             | 5        |
| Q2832-03     | TG-S02           | PCB  | 30.08 | N/A | ritesh         | RUPESH     | 10                 | F     |             | 6        |
| Q2832-03MS   | TG-S02MS         | PCB  | 30.06 | N/A | ritesh         | RUPESH     | 10                 | F     |             | U6-1     |
| Q2832-03MS D | TG-S02MSD        | PCB  | 30.04 | N/A | ritesh         | RUPESH     | 10                 | F     |             | 2        |
| Q2832-05     | TG-S03           | PCB  | 30.02 | N/A | ritesh         | RUPESH     | 10                 | F     |             | 3        |
| Q2832-07     | TG-S04           | PCB  | 30.09 | N/A | ritesh         | RUPESH     | 10                 | F     |             | 4        |
| Q2832-09     | TG-S05           | PCB  | 30.07 | N/A | ritesh         | RUPESH     | 10                 | F     |             | 5        |
| Q2836-02     | WC-A2-15-C       | PCB  | 30.03 | N/A | ritesh         | RUPESH     | 10                 | B     |             | 6        |
| Q2836-06     | WC-A2-16-C       | PCB  | 30.01 | N/A | ritesh         | RUPESH     | 10                 | F     |             | U1-1     |
| Q2836-10     | WC-A2-17-C       | PCB  | 30.04 | N/A | ritesh         | RUPESH     | 10                 | E     |             | 2        |
| Q2836-14     | WC-A5-02-C       | PCB  | 30.05 | N/A | ritesh         | RUPESH     | 10                 | B     |             | 3        |
| Q2838-01     | TP-11            | PCB  | 30.02 | N/A | ritesh         | RUPESH     | 10                 | B     |             | 4        |
| Q2838-05     | TP-10            | PCB  | 30.06 | N/A | ritesh         | RUPESH     | 10                 | B     |             | 5        |
| Q2840-01     | 0804-SOIL        | PCB  | 30.08 | N/A | ritesh         | RUPESH     | 10                 | B     |             | 6        |
| Q2840-02     | 0804-D           | PCB  | 5.08  | N/A | ritesh         | RUPESH     | 10                 | B     | Oily Debris | U2-1     |

\* Extracts relinquished on the same date as received.

## RE-EXTRACTION NOTIFICATION

Initiated by: Y.P.

Fraction: PCB

Reason: ✓ Low Surrogate Recovery

\_\_\_\_\_ Other \_\_\_\_\_

| Samples affected: | Matrix | Sample Date | Prep. Batch | Extra Sample Yes No | Verified By | New Prep. Batch |
|-------------------|--------|-------------|-------------|---------------------|-------------|-----------------|
|-------------------|--------|-------------|-------------|---------------------|-------------|-----------------|

02820-09 Soil. 08107125 PB169205 YES. R-G. PB169227

8112

Extraction Supervisor Signature: RC Date: 8/13/25

Form Initiator's Signature: Y.P. Date: 08/13/25

169228  
8:23

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : Q2836      WorkList ID : 191243      Department : Extraction      Date : 08-13-2025 08:28:00

| Sample   | Customer Sample | Matrix | Test | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method |
|----------|-----------------|--------|------|--------------|----------|-----------------------------|--------------|--------|
| Q2732-02 | WC-A7-01-C      | Solid  | PCB  | Cool 4 deg C | ENTA05   | J21                         | 08/12/2025   | 8082A  |
| Q2820-09 | 705R-S          | Solid  | PCB  | Cool 4 deg C | FIRS02   | D31                         | 08/07/2025   | 8082A  |
| Q2832-01 | TG-S01          | Solid  | PCB  | Cool 4 deg C | PORT06   | J21                         | 08/11/2025   | 8082A  |
| Q2832-03 | TG-S02          | Solid  | PCB  | Cool 4 deg C | PORT06   | J21                         | 08/11/2025   | 8082A  |
| Q2832-05 | TG-S03          | Solid  | PCB  | Cool 4 deg C | PORT06   | J21                         | 08/11/2025   | 8082A  |
| Q2832-07 | TG-S04          | Solid  | PCB  | Cool 4 deg C | PORT06   | J21                         | 08/11/2025   | 8082A  |
| Q2832-09 | TG-S05          | Solid  | PCB  | Cool 4 deg C | PORT06   | J21                         | 08/11/2025   | 8082A  |
| Q2836-02 | WC-A2-15-C      | Solid  | PCB  | Cool 4 deg C | ENTA05   | J23                         | 08/12/2025   | 8082A  |
| Q2836-06 | WC-A2-16-C      | Solid  | PCB  | Cool 4 deg C | ENTA05   | J23                         | 08/12/2025   | 8082A  |
| Q2836-10 | WC-A2-17-C      | Solid  | PCB  | Cool 4 deg C | ENTA05   | J23                         | 08/12/2025   | 8082A  |
| Q2836-14 | WC-A5-02-C      | Solid  | PCB  | Cool 4 deg C | ENTA05   | J23                         | 08/12/2025   | 8082A  |
| Q2838-01 | TP-11           | Solid  | PCB  | Cool 4 deg C | PSEG03   | D21                         | 08/12/2025   | 8082A  |
| Q2838-05 | TP-10           | Solid  | PCB  | Cool 4 deg C | PSEG03   | D21                         | 08/12/2025   | 8082A  |
| Q2840-01 | 0804-SOIL       | Solid  | PCB  | Cool 4 deg C | PSEG03   | D31                         | 08/12/2025   | 8082A  |
| Q2840-02 | 0804-D          | Solid  | PCB  | Cool 4 deg C | PSEG03   | D31                         | 08/12/2025   | 8082A  |

Date/Time      08/13/25      8:28  
Raw Sample Received by:      RJ (Ext 640)  
Raw Sample Relinquished by:      CP SR

Date/Time      8/13/25      8:50  
Raw Sample Received by:      CP SR  
Raw Sample Relinquished by:      RJ (Ext 640)

## Prep Standard - Chemical Standard Summary

**Order ID :** Q2732

**Test :** PCB

**Prepbatch ID :** PB169227,

**Sequence ID/Qc Batch ID:** PP081325,

**Standard ID :**

EP2610,EP2627,EP2632,PP24329,PP24330,PP24331,PP24332,PP24333,PP24334,PP24335,PP24336,PP24337,PP24338,PP24339,PP24340,PP24341,PP24342,PP24343,PP24344,PP24345,PP24346,PP24347,PP24348,PP24349,PP24350,PP24351,PP24352,PP24353,PP24354,PP24355,PP24356,PP24357,PP24358,PP24359,PP24360,PP24361,PP24362,PP24363,PP24364,PP24365,PP24366,PP24367,PP24368,PP24369,PP24370,PP24371,PP24372,PP24373,PP24374,PP24375,PP24376,PP24377,PP24378,PP24379,PP24380,PP24381,PP24382,PP24384,PP24385,PP24386,PP24387,PP24650,PP24663,

**Chemical ID :**

E3804,E3875,E3877,E3940,E3944,E3949,E3950,E3951,E3962,M6157,P11522,P12699,P12702,P12931,P12936,P12949,P12950,P12957,P13356,P13373,P13381,P13589,P13591,P13697,P13702,P13786,P13830,P13878,P13883,W3112,W3177,



| <u>Recipe ID</u> | <u>NAME</u>                                                                 | <u>NO.</u>             | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u>                  | <u>PipetteID</u> | <u>Supervised By</u>            |
|------------------|-----------------------------------------------------------------------------|------------------------|------------------|------------------------|--------------------|---------------------------------|------------------|---------------------------------|
| 314              | 1.1 H2SO4 SOLN                                                              | <a href="#">EP2610</a> | 05/07/2025       | 11/07/2025             | RUPESHKUMAR SHAH   | Extraction_SCALE_2<br>(EX-SC-2) | None             | Riteshkumar Patel<br>05/07/2025 |
| <u>FROM</u>      | 1000.00000ml of M6157 + 1000.00000ml of W3112 = Final Quantity: 2000.000 ml |                        |                  |                        |                    |                                 |                  |                                 |

| <u>Recipe ID</u>                                                                               | <u>NAME</u>       | <u>NO.</u>             | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u>            |
|------------------------------------------------------------------------------------------------|-------------------|------------------------|------------------|------------------------|--------------------|----------------|------------------|---------------------------------|
| 230                                                                                            | 1:1ACETONE/HEXANE | <a href="#">EP2627</a> | 07/15/2025       | 01/15/2026             | RUPESHKUMAR SHAH   | None           | None             | Riteshkumar Patel<br>07/15/2025 |
| <b><u>FROM</u></b> 4000.00000ml of E3949 + 4000.00000ml of E3950 = Final Quantity: 8000.000 ml |                   |                        |                  |                        |                    |                |                  |                                 |

## Extractions STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>          | <u>NO.</u>             | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u>                      | <u>PipetteID</u> | <u>Supervised By</u>                |
|------------------|----------------------|------------------------|------------------|------------------------|--------------------|-------------------------------------|------------------|-------------------------------------|
| 3923             | Baked Sodium Sulfate | <a href="#">EP2632</a> | 08/11/2025       | 01/28/2026             | RUPESHKUMAR SHAH   | Extraction_SC<br>ALE_2<br>(EX-SC-2) | None             | Riteshkumar Patel<br><br>08/11/2025 |

**FROM** 4000.00000gram of E3875 = Final Quantity: 4000.000 gram

| <u>Recipe ID</u> | <u>NAME</u>                     | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u>          |
|------------------|---------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|-------------------------------|
| 84               | Pest/PCB Surrogate Stock 20 PPM | <a href="#">PP24329</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza<br><br>04/03/2025 |

**FROM** 1.00000ml of P13356 + 9.00000ml of W3177 = Final Quantity: 10.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>                                     | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-------------------------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 202              | AR1660 1000/100 ppb working solution 1st source | <a href="#">PP24330</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                                                 |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.10000ml of P13697 + 99.40000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 203              | AR1660 750 PPB STD | <a href="#">PP24331</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.25000ml of W3177 + 0.75000ml of PP24330 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 204              | AR1660 500 PPB STD | <a href="#">PP24332</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24330 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 205              | AR1660 250 PPB STD | <a href="#">PP24333</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.75000ml of W3177 + 0.25000ml of PP24330 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>       | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 206              | AR1660 50 PPB STD | <a href="#">PP24334</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                   |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.90000ml of W3177 + 0.10000ml of PP24332 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                      | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|----------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 213              | AR1221 1000 PPB WORKING SOLUTION | <a href="#">PP24335</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                                  |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.10000ml of P13702 + 99.40000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1079             | AR1221 750 PPB STD | <a href="#">PP24336</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.25000ml of W3177 + 0.75000ml of PP24335 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 222              | AR1221 500 PPB STD | <a href="#">PP24337</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24335 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1080             | AR1221 250 PPB STD | <a href="#">PP24338</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.75000ml of W3177 + 0.25000ml of PP24335 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>       | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1081             | AR1221 50 PPB STD | <a href="#">PP24339</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                   |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.90000ml of W3177 + 0.10000ml of PP24337 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>                      | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|----------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 214              | AR1232 1000 PPB WORKING SOLUTION | <a href="#">PP24340</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                                  |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.10000ml of P13878 + 99.40000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1063             | AR1232 750 PPB STD | <a href="#">PP24341</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.25000ml of W3177 + 0.75000ml of PP24340 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 223              | AR1232 500 PPB STD | <a href="#">PP24342</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24340 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1064             | AR1232 250 PPB STD | <a href="#">PP24343</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.75000ml of W3177 + 0.25000ml of PP24340 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>       | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1065             | AR1232 50 PPB STD | <a href="#">PP24344</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                   |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.90000ml of W3177 + 0.10000ml of PP24342 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                 | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 215              | AR1242 1000 PPB WORKING STD | <a href="#">PP24345</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                             |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.10000ml of P12931 + 99.40000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1067             | AR1242 750 PPB STD | <a href="#">PP24346</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.75000ml of W3177 + 0.75000ml of PP24345 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 224              | AR1242 500 PPB STD | <a href="#">PP24347</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24345 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1068             | AR1242 250 PPB STD | <a href="#">PP24348</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.75000ml of W3177 + 0.25000ml of PP24345 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>       | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1069             | AR1242 50 PPB STD | <a href="#">PP24349</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                   |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.90000ml of W3177 + 0.10000ml of PP24347 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>                 | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 216              | AR1248 1000 PPB WORKING STD | <a href="#">PP24350</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                             |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.10000ml of P12936 + 99.40000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1075             | AR1248 750 PPB STD | <a href="#">PP24351</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.25000ml of W3177 + 0.75000ml of PP24350 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 225              | AR1248 500 PPB STD | <a href="#">PP24352</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24350 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1076             | AR1248 250 PPB STD | <a href="#">PP24353</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.75000ml of W3177 + 0.25000ml of PP24350 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>       | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1077             | AR1248 50 PPB STD | <a href="#">PP24354</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                   |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.90000ml of W3177 + 0.10000ml of PP24352 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                 | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-----------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 217              | AR1254 1000 PPB WORKING STD | <a href="#">PP24355</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                             |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.10000ml of P13830 + 99.40000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1071             | AR1254 750 PPB STD | <a href="#">PP24356</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.25000ml of W3177 + 0.75000ml of PP24355 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 226              | AR1254 500 PPB STD | <a href="#">PP24357</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24355 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1072             | AR1254 250 PPB STD | <a href="#">PP24358</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.75000ml of W3177 + 0.25000ml of PP24355 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>       | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1073             | AR1254 50 PPB STD | <a href="#">PP24359</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                   |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.90000ml of W3177 + 0.10000ml of PP24357 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>                      | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|----------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1529             | AR1262 1000 PPB Working Solution | <a href="#">PP24360</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                                  |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.10000ml of P13883 + 99.40000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3753             | AR1262 750 PPB STD | <a href="#">PP24361</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.25000ml of W3177 + 0.75000ml of PP24360 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1530             | AR1262 500 PPB STD | <a href="#">PP24362</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24360 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3754             | AR1262 250 PPB STD | <a href="#">PP24363</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.75000ml of W3177 + 0.25000ml of PP24360 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>       | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3755             | AR1262 50 PPB STD | <a href="#">PP24364</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                   |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.90000ml of W3177 + 0.10000ml of PP24362 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                      | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|----------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1532             | AR1268 1000 PPB Working Solution | <a href="#">PP24365</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                                  |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.10000ml of P13381 + 99.40000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3820             | AR1268 750 PPB STD | <a href="#">PP24366</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.25000ml of W3177 + 0.75000ml of PP24365 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1533             | AR1268 500 PPB STD | <a href="#">PP24367</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24365 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3821             | AR1268 250 PPB STD | <a href="#">PP24368</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.75000ml of W3177 + 0.25000ml of PP24365 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>       | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3822             | AR1268 50 PPB STD | <a href="#">PP24369</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                   |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.90000ml of W3177 + 0.10000ml of PP24367 = Final Quantity: 1.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>                                 | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u>      |
|------------------|---------------------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|---------------------------|
| 404              | AR1660 100 PPM Stock Solution<br>2nd Source | <a href="#">PP24370</a> | 03/18/2025       | 09/18/2025             | Yogesh Patel       | None           | None             | Abdul Mirza<br>04/03/2025 |

**FROM** 1.00000ml of P12949 + 9.00000ml of E3804 = Final Quantity: 10.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                 | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u>      |
|------------------|-----------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|---------------------------|
| 405              | AR1660 1000/100 PPB ICV STD | <a href="#">PP24371</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza<br>04/03/2025 |

**FROM** 98.50000ml of W3177 + 0.50000ml of PP24329 + 1.00000ml of PP24370 = Final Quantity: 100.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 406              | AR1660 500 PPB ICV | <a href="#">PP24372</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24371 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                                     | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|-------------------------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3789             | AR1221 1000 PPB WORKING SOL.2ND SOURCE(AGILENT) | <a href="#">PP24373</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                                                 |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 1.00000ml of P13373 + 98.50000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1886             | AR1221 500 PPB ICV | <a href="#">PP24374</a> | 03/18/2025       | 08/12/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of E3877 + 0.50000ml of W3177 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                                | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1887             | AR1232 1000 PPB Working Sol.<br>2nd Source | <a href="#">PP24375</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                                            |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 1.00000ml of P12699 + 98.50000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1888             | AR1232 500 PPB ICV | <a href="#">PP24376</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24375 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                                | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1889             | AR1242 1000 PPB Working Sol.<br>2nd Source | <a href="#">PP24377</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                                            |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 1.00000ml of P13589 + 98.50000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1891             | AR1242 500 PPB ICV | <a href="#">PP24378</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24377 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                                | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1890             | AR1248 1000 PPB Working Sol.<br>2nd Source | <a href="#">PP24379</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                                            |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 1.00000ml of P13591 + 98.50000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1892             | AR1248 500 PPB ICV | <a href="#">PP24380</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24379 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                                | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1893             | AR1254 1000 PPB Working Sol.<br>2nd Source | <a href="#">PP24381</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                                            |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 1.00000ml of P12957 + 98.50000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>        | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1894             | AR1254 500 PPB ICV | <a href="#">PP24382</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                    |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24381 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                                    | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|------------------------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3757             | AR1262 1000 PPB Working Solution second source | <a href="#">PP24384</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                                                |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 1.00000ml of P12702 + 98.50000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>            | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3758             | AR1262 500 PPB STD ICV | <a href="#">PP24385</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                        |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24384 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                                 | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|---------------------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3817             | AR1268 1000 ppb Working Soln.<br>2nd source | <a href="#">PP24386</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                                             |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 1.00000ml of P11522 + 98.50000ml of W3177 + 0.50000ml of PP24329 = Final Quantity: 100.000 ml

## Pest/Pcb STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>            | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3823             | AR1268 500 PPB STD ICV | <a href="#">PP24387</a> | 03/18/2025       | 08/22/2025             | Yogesh Patel       | None           | None             | Abdul Mirza          |
|                  |                        |                         |                  |                        |                    |                |                  | 04/03/2025           |

**FROM** 0.50000ml of W3177 + 0.50000ml of PP24386 = Final Quantity: 1.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                            | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|----------------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 3857             | 5000 PPB PCB SPIKE SOLUTION 2ND SOURCE | <a href="#">PP24650</a> | 06/16/2025       | 12/11/2025             | Abdul Mirza        | None           | None             | Yogesh Patel         |
|                  |                                        |                         |                  |                        |                    |                |                  | 07/21/2025           |

**FROM** 0.50000ml of P12950 + 99.50000ml of E3940 = Final Quantity: 100.000 ml



| <u>Recipe ID</u>                                                                            | <u>NAME</u>                      | <u>NO.</u>              | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u>       |
|---------------------------------------------------------------------------------------------|----------------------------------|-------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------------|
| 465                                                                                         | 200 PPB Pest/PCB Surrogate Spike | <a href="#">PP24663</a> | 06/24/2025       | 12/24/2025             | Abdul Mirza        | None           | None             | Yogesh Patel<br>07/21/2025 |
| <b><u>FROM</u></b> 1.00000ml of P13786 + 999.00000ml of E3944 = Final Quantity: 1000.000 ml |                                  |                         |                  |                        |                    |                |                  |                            |

## CHEMICAL RECEIPT LOG BOOK

| Supplier         | ItemCode / ItemName               | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|-----------------------------------|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | 9005-05 / Acetone Ultra (cs/4x4L) | 24E0761004 | 11/05/2025      | 10/01/2024 / Rajesh     | 09/25/2024 / Rajesh         | E3804          |

| Supplier                    | ItemCode / ItemName                                    | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|--------------------------------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | PC19631-100 / SODIUM SULFATE, ANHYDROUS, PEST GRADE, 1 | 417203 | 01/28/2026      | 07/28/2025 / RUPESH     | 01/29/2025 / Rajesh         | E3875          |

| Supplier         | ItemCode / ItemName                       | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|-------------------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L) | 243570 | 08/12/2025      | 02/12/2025 / Rajesh     | 02/12/2025 / Rajesh         | E3877          |

| Supplier         | ItemCode / ItemName                        | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|--------------------------------------------|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9254-03 / Acetone, Ultra Resi (cs/4x4L) | 24H1462005 | 12/11/2025      | 06/11/2025 / Rajesh     | 06/04/2025 / Rajesh         | E3940          |

| Supplier         | ItemCode / ItemName                        | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|--------------------------------------------|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9254-03 / Acetone, Ultra Resi (cs/4x4L) | 24H1462005 | 05/24/2027      | 06/20/2025 / RUPESH     | 05/14/2025 / RUPESH         | E3944          |

| Supplier         | ItemCode / ItemName                        | Lot #      | Expiration Date | Date Opened / Opened By  | Received Date / Received By | Chemtech Lot # |
|------------------|--------------------------------------------|------------|-----------------|--------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9254-03 / Acetone, Ultra Resi (cs/4x4L) | 24H2762008 | 04/18/2027      | 07/08/2025 / RITESHKUMAR | 07/03/2025 / RUPESH         | E3949          |

## CHEMICAL RECEIPT LOG BOOK

| Supplier         | ItemCode / ItemName                       | Lot #      | Expiration Date | Date Opened / Opened By  | Received Date / Received By | Chemtech Lot # |
|------------------|-------------------------------------------|------------|-----------------|--------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L) | 25C0362005 | 04/30/2026      | 07/08/2025 / RITESHKUMAR | 07/03/2025 / RUPESH         | E3950          |

| Supplier         | ItemCode / ItemName                      | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|------------------------------------------|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-3382-05 / Sand, Purified (cs/4x2.5kg) | 25A2756718 | 12/31/2028      | 07/09/2025 / RUPESH     | 04/28/2020 / RUPESH         | E3951          |

| Supplier         | ItemCode / ItemName                       | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|-------------------------------------------|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L) | 25C0362005 | 04/30/2026      | 08/05/2025 / RUPESH     | 07/30/2025 / RUPESH         | E3962          |

| Supplier         | ItemCode / ItemName                                     | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|---------------------------------------------------------|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L) | 24i1262013 | 11/07/2025      | 05/07/2025 / RUPESH     | 02/18/2025 / Mohan          | M6157          |

| Supplier             | ItemCode / ItemName     | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------------------|-------------------------|------------|-----------------|-------------------------|-----------------------------|----------------|
| Agilent Technologies | PP-382-1 / Aroclor 1268 | 0006587800 | 09/18/2025      | 03/18/2025 / yogesh     | 02/21/2022 / Ankita         | P11522         |

| Supplier                | ItemCode / ItemName            | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------------|--------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc | 91867 / Aroclor 1232 100 ug/mL | 020823 | 09/18/2025      | 03/18/2025 / yogesh     | 08/07/2023 / Ankita         | P12699         |

## CHEMICAL RECEIPT LOG BOOK

| Supplier                | ItemCode / ItemName            | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-------------------------|--------------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc | x9166 / Aroclor 1262 100 ug/mL | 060523 | 09/18/2025      | 03/18/2025 / yogesh     | 08/07/2023 / Ankita         | P12702         |

| Supplier | ItemCode / ItemName                                         | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|-------------------------------------------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek   | 32009 / PCB Mix, Aroclor 1242, 1000ug/mL, Hexane, 1mL/ampul | a0203672 | 09/18/2025      | 03/18/2025 / yogesh     | 12/07/2023 / Ankita         | P12931         |

| Supplier | ItemCode / ItemName                                         | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|-------------------------------------------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek   | 32010 / PCB Mix, Aroclor 1248, 1000ug/mL, Hexane, 1mL/ampul | a0202803 | 09/18/2025      | 03/18/2025 / yogesh     | 12/07/2023 / Ankita         | P12936         |

| Supplier                 | ItemCode / ItemName       | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|---------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 20064 / Aroclor 1016/1260 | 022023 | 09/18/2025      | 03/18/2025 / yogesh     | 12/20/2023 / Yogesh         | P12949         |

| Supplier                 | ItemCode / ItemName       | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|---------------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | 20064 / Aroclor 1016/1260 | 022023 | 12/16/2025      | 06/16/2025 / Abdul      | 12/20/2023 / Yogesh         | P12950         |

| Supplier                 | ItemCode / ItemName | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------|---------------------|--------|-----------------|-------------------------|-----------------------------|----------------|
| Absolute Standards, Inc. | / Aroclor 1254      | 121823 | 04/03/2025      | 10/03/2024 / Ankita     | 12/20/2023 / Yogesh         | P12957         |

## CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName                                                                | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|------------------------------------------------------------------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek   | 32000 / Pesticide Mix, CLP method, Pesticide Surrogate Mix, 200ug/mL, Acetone, 1mL | A0206810 | 09/18/2025      | 03/18/2025 / yogesh     | 04/22/2024 / Abdul          | P13356         |

| Supplier             | ItemCode / ItemName     | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------------------|-------------------------|------------|-----------------|-------------------------|-----------------------------|----------------|
| Agilent Technologies | PP-292-1 / Aroclor 1221 | 0006783205 | 09/18/2025      | 03/18/2025 / yogesh     | 05/02/2024 / Ankita         | P13373         |

| Supplier | ItemCode / ItemName                                       | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|-----------------------------------------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek   | 32410 / PCB Stock Solution, Aroclor 1268 Std, 1mL, Hexane | A0207475 | 09/18/2025      | 03/18/2025 / yogesh     | 05/03/2024 / Abdul          | P13381         |

| Supplier             | ItemCode / ItemName     | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------------------|-------------------------|------------|-----------------|-------------------------|-----------------------------|----------------|
| Agilent Technologies | PP-312-1 / Aroclor 1242 | 0006665550 | 09/18/2025      | 03/18/2025 / yogesh     | 10/14/2024 / Ankita         | P13589         |

| Supplier             | ItemCode / ItemName     | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------------------|-------------------------|------------|-----------------|-------------------------|-----------------------------|----------------|
| Agilent Technologies | PP-342-1 / Aroclor 1248 | 0006726317 | 09/18/2025      | 03/18/2025 / yogesh     | 10/14/2024 / Ankita         | P13591         |

| Supplier | ItemCode / ItemName                                              | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|------------------------------------------------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek   | 32039 / PCB Mix, Aroclor 1016/1260, 1000ug/mL, hexane, 1mL/ampul | A0210629 | 09/18/2025      | 03/18/2025 / yogesh     | 10/17/2024 / yogesh         | P13697         |

## CHEMICAL RECEIPT LOG BOOK

| Supplier | ItemCode / ItemName                                         | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|-------------------------------------------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek   | 32007 / PCB Mix, Aroclor 1221, 1000ug/mL, Hexane, 1mL/ampul | A0215270 | 09/18/2025      | 03/18/2025 / yogesh     | 10/17/2024 / yogesh         | P13702         |

| Supplier | ItemCode / ItemName                                                                | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|------------------------------------------------------------------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek   | 32000 / Pesticide Mix, CLP method, Pesticide Surrogate Mix, 200ug/mL, Acetone, 1mL | A0214495 | 12/24/2025      | 06/24/2025 / Abdul      | 11/19/2024 / Ankita         | P13786         |

| Supplier | ItemCode / ItemName                                         | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|-------------------------------------------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek   | 32011 / PCB Mix, Aroclor 1254, 1000ug/mL, Hexane, 1mL/ampul | A0217391 | 09/18/2025      | 03/18/2025 / yogesh     | 12/09/2024 / Ankita         | P13830         |

| Supplier | ItemCode / ItemName                                         | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|-------------------------------------------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek   | 32008 / PCB Mix, Aroclor 1232, 1000ug/mL, Hexane, 1mL/ampul | A0219655 | 09/18/2025      | 03/18/2025 / yogesh     | 01/23/2025 / Ankita         | P13878         |

| Supplier | ItemCode / ItemName                                       | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|-----------------------------------------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| Restek   | 32409 / PCB Stock Solution, Aroclor 1262 Std, 1mL, Hexane | A0220950 | 09/18/2025      | 03/18/2025 / yogesh     | 01/23/2025 / Ankita         | P13883         |

| Supplier         | ItemCode / ItemName | Lot #               | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|---------------------|---------------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | DIW / DI Water      | Daily Lab-Certified | 07/03/2029      | 07/03/2024 / lwona      | 07/03/2024 / lwona          | W3112          |

**CHEMICAL RECEIPT LOG BOOK**

| Supplier         | ItemCode / ItemName                          | Lot #      | Expiration Date | Date Opened /<br>Opened By | Received Date /<br>Received By | Chemtech<br>Lot # |
|------------------|----------------------------------------------|------------|-----------------|----------------------------|--------------------------------|-------------------|
| Seidler Chemical | BA-9262-03 / Hexane,<br>Ultra-Resi (cs/4x4L) | 24G1962003 | 08/22/2025      | 02/03/2025 /<br>jignesh    | 01/31/2025 /<br>jignesh        | W3177             |

Material No.: 9005-05  
Batch No.: 24E0761004  
Manufactured Date: 2024-05-02  
Retest Date: 2029-05-01  
Revision No.: 0

## Certificate of Analysis

| Test                                                                    | Specification | Result      |
|-------------------------------------------------------------------------|---------------|-------------|
| Assay ((CH <sub>3</sub> ) <sub>2</sub> CO) (by GC, corrected for water) | ≥ 99.5 %      | 99.8 %      |
| Color (APHA)                                                            | ≤ 10          | < 5         |
| Residue after Evaporation                                               | ≤ 5 ppm       | < 1 ppm     |
| Titration Acid (μeq/g)                                                  | ≤ 0.3         | 0.1         |
| Titration Base (μeq/g)                                                  | ≤ 0.5         | 0.1         |
| Water (H <sub>2</sub> O)                                                | ≤ 0.5 %       | 0.1 %       |
| Solubility in H <sub>2</sub> O                                          | Passes Test   | Passes Test |
| Chloride (Cl)                                                           | ≤ 0.2 ppm     | < 0.2 ppm   |
| Phosphate (PO <sub>4</sub> )                                            | ≤ 0.05 ppm    | < 0.05 ppm  |
| Trace Impurities – Aluminum (Al)                                        | ≤ 50.0 ppb    | < 5.0 ppb   |
| Arsenic and Antimony (as As)                                            | ≤ 5.0 ppb     | < 5.0 ppb   |
| Trace Impurities – Barium (Ba)                                          | ≤ 20.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Beryllium (Be)                                       | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Bismuth (Bi)                                         | ≤ 20.0 ppb    | < 10.0 ppb  |
| Trace Impurities – Boron (B)                                            | ≤ 10.0 ppb    | < 5.0 ppb   |
| Trace Impurities – Cadmium (Cd)                                         | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Calcium (Ca)                                         | ≤ 25.0 ppb    | 3.6 ppb     |
| Trace Impurities – Chromium (Cr)                                        | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Cobalt (Co)                                          | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Copper (Cu)                                          | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Gallium (Ga)                                         | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Germanium (Ge)                                       | ≤ 10.0 ppb    | < 10.0 ppb  |
| Trace Impurities – Gold (Au)                                            | ≤ 20 ppb      | < 5 ppb     |
| Trace Impurities – Iron (Fe)                                            | ≤ 20.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Lead (Pb)                                            | ≤ 10.0 ppb    | < 10.0 ppb  |
| Trace Impurities – Lithium (Li)                                         | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Magnesium (Mg)                                       | ≤ 20 ppb      | < 1 ppb     |
| Trace Impurities – Manganese (Mn)                                       | ≤ 10.0 ppb    | < 1.0 ppb   |

Recd by RP on 9/25/24

E 3804

>>> Continued on page 2 >>>

Acetone  
CMOS

 **avantor™**



Material No.: 9005-05  
Batch No.: 24E0761004

| Test                                              | Specification | Result     |
|---------------------------------------------------|---------------|------------|
| Trace Impurities – Molybdenum (Mo)                | ≤ 10.0 ppb    | < 5.0 ppb  |
| Trace Impurities – Nickel (Ni)                    | ≤ 10.0 ppb    | < 5.0 ppb  |
| Trace Impurities – Niobium (Nb)                   | ≤ 50.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Potassium (K)                  | ≤ 10.0 ppb    | < 10.0 ppb |
| Trace Impurities – Silicon (Si)                   | ≤ 50 ppb      | < 10 ppb   |
| Trace Impurities – Silver (Ag)                    | ≤ 10.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Sodium (Na)                    | ≤ 10.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Strontium (Sr)                 | ≤ 10.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Tantalum (Ta)                  | ≤ 50.0 ppb    | < 5.0 ppb  |
| Trace Impurities – Thallium (Tl)                  | ≤ 10.0 ppb    | < 5.0 ppb  |
| Trace Impurities – Tin (Sn)                       | ≤ 20.0 ppb    | < 10.0 ppb |
| Trace Impurities – Titanium (Ti)                  | ≤ 10.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Vanadium (V)                   | ≤ 10.0 ppb    | < 1.0 ppb  |
| Trace Impurities – Zinc (Zn)                      | ≤ 20.0 ppb    | 7.9 ppb    |
| Trace Impurities – Zirconium (Zr)                 | ≤ 10.0 ppb    | < 1.0 ppb  |
| Particle Count – 0.5 µm and greater (Rion KS42AF) | ≤ 100 par/ml  | 8 par/ml   |
| Particle Count – 1.0 µm and greater (Rion KS42AF) | ≤ 8 par/ml    | 2 par/ml   |

>>> Continued on page 3 >>>

Acetone  
CMOS

 **avantor™**



Material No.: 9005-05  
Batch No.: 24E0761004

| Test | Specification | Result |
|------|---------------|--------|
|------|---------------|--------|

For Microelectronic Use

Country of Origin: USA  
Packaging Site: Paris Mfg Ctr & DC



Michelle Bales  
Sr. Manager, Quality Assurance



**PRODUCTOS  
QUÍMICOS  
MONTERREY, S.A. DE C.V.**

MIRADOR 201, COL. MIRADOR  
MONTERREY, N.L. MÉXICO  
CP 64070  
TEL +52 81 13 52 67 67  
www.pqm.com.mx

# CERTIFICATE OF ANALYSIS

|                       |                                   |               |                                 |
|-----------------------|-----------------------------------|---------------|---------------------------------|
| PRODUCT :             | SODIUM SULFATE CRYSTALS ANHYDROUS |               |                                 |
| QUALITY :             | ACS (CODE RMB3375)                | FORMULA :     | Na <sub>2</sub> SO <sub>4</sub> |
| SPECIFICATION NUMBER: | 6399                              | RELEASE DATE: | MAY/23/2024                     |
| LOT NUMBER :          | 417203                            |               |                                 |

| TEST                                     | SPECIFICATIONS | LOT VALUES  |
|------------------------------------------|----------------|-------------|
| Assay (Na <sub>2</sub> SO <sub>4</sub> ) | Min. 99.0%     | 99.8 %      |
| pH of a 5% solution at 25°C              | 5.2 - 9.2      | 6.2         |
| Insoluble matter                         | Max. 0.01%     | 0.001 %     |
| Loss on ignition                         | Max. 0.5%      | 0.1 %       |
| Chloride (Cl)                            | Max. 0.001%    | <0.001 %    |
| Nitrogen compounds (as N)                | Max. 5 ppm     | <5 ppm      |
| Phosphate (PO <sub>4</sub> )             | Max. 0.001%    | <0.001 %    |
| Heavy metals (as Pb)                     | Max. 5 ppm     | <5 ppm      |
| Iron (Fe)                                | Max. 0.001%    | <0.001 %    |
| Calcium (Ca)                             | Max. 0.01%     | 0.001 %     |
| Magnesium (Mg)                           | Max. 0.005%    | 0.001 %     |
| Potassium (K)                            | Max. 0.008%    | 0.001 %     |
| Extraction-concentration suitability     | Passes test    | Passes test |
| Appearance                               | Passes test    | Passes test |
| Identification                           | Passes test    | Passes test |
| Solubility and foreign matter            | Passes test    | Passes test |
| Retained on US Standard No. 10 sieve     | Max. 1%        | 0.2 %       |
| Retained on US Standard No. 60 sieve     | Min. 94%       | 96.2 %      |
| Through US Standard No. 60 sieve         | Max. 5%        | 3.5 %       |
| Through US Standard No. 100 sieve        | Max. 10%       | 0.1 %       |

## COMMENTS

QC: PhC Irma Belmares

If you need further details, please call our factory or contact our local distributor.

RE-02-01, Ed. 3

E 3875

## Certificate of Analysis

1 Reagent Lane  
 Fair Lawn, NJ 07410  
 201.796.7100 tel  
 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System  
 Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120633

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

|                   |                                                                                                                                                                                                   |                             |            |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------|
| Catalog Number    | H303                                                                                                                                                                                              | Quality Test / Release Date | 11/07/2024 |
| Lot Number        | 243570                                                                                                                                                                                            |                             |            |
| Description       | HEXANES - OPTIMA                                                                                                                                                                                  |                             |            |
| Country of Origin | United States                                                                                                                                                                                     | Suggested Retest Date       | Nov/2029   |
| Chemical Origin   | Organic - non animal                                                                                                                                                                              |                             |            |
| BSE/TSE Comment   | No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product. |                             |            |

| N/A                         |            |                                 |                         |
|-----------------------------|------------|---------------------------------|-------------------------|
| Result Name                 | Units      | Specifications                  | Test Value              |
| APPEARANCE                  |            | REPORT                          | Clear, colorless liquid |
| ASSAY (N-HEXANE)            | %          | >= 60                           | 69                      |
| ASSAY (SUM C6 HYDROCARBONS) | %          | >= 99.9                         | >99.9                   |
| COLOR                       | APHA       | <= 5                            | <5                      |
| DENSITY AT 25 DEGREES C     | GM/ML      | Inclusive Between 0.653 - 0.673 | 0.669                   |
| EVAPORATION RESIDUE         | ppm        | <= 1                            | <1                      |
| FLUORESCENCE BACKGROUND     | ppb        | <= 1                            | <1                      |
| IDENTIFICATION              | PASS/FAIL  | = PASS TEST                     | PASS TEST               |
| OPTICAL ABS AT 195 NM       | ABS. UNITS | <= 1                            | 0.74                    |
| OPTICAL ABS AT 210 NM       | ABS. UNITS | <= 0.25                         | 0.17                    |
| OPTICAL ABS AT 220 NM       | ABS. UNITS | <= 0.07                         | 0.05                    |
| OPTICAL ABS AT 254 NM       | ABS. UNITS | <= 0.005                        | 0.001                   |
| PESTICIDE RESIDUE ANALYSIS  | NG/L       | <= 10                           | <10                     |
| REFRACTIVE INDEX @ 25 DEG C |            | Inclusive Between 1.375 - 1.385 | 1.379                   |
| SUITABILITY FOR GC/MS       |            | = PASS TEST                     | PASS TEST               |
| SULFUR COMPOUNDS            | %          | <= 0.005                        | <0.005                  |
| THIOPHENE                   | PASS/FAIL  | = PASS TEST                     | PASS TEST               |
| WATER (H2O)                 | %          | <= 0.01                         | <0.01                   |
| WATER-SOLUBLE TITRABLE ACID | MEQ/G      | <= 0.0003                       | 0.0001                  |

Recd. by RP on 2/12/25

 E3877

Harout Sahagian - Quality Control Manager - Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.

If there are any questions with this certificate, please call at (800) 227-6701.

\*Based on suggested storage condition.

Acetone

BAKER RESI-ANALYZED® Reagent

For Organic Residue Analysis

Avantor™



Material No.: 9254-03

Batch No.: 24H1462005

Manufactured Date: 2024-05-24

Expiration Date: 2027-05-24

Revision No.: 0

## Certificate of Analysis

| Test                                                                    | Specification | Result      |
|-------------------------------------------------------------------------|---------------|-------------|
| Assay ((CH <sub>3</sub> ) <sub>2</sub> CO) (by GC, corrected for water) | >= 99.4 %     | 99.8 %      |
| Color (APHA)                                                            | <= 10         | 5           |
| Residue after Evaporation                                               | <= 1.0 ppm    | 0.2 ppm     |
| Substances Reducing Permanganate                                        | Passes Test   | Passes Test |
| Titration Acid (µeq/g)                                                  | <= 0.3        | 0.2         |
| Titration Base (µeq/g)                                                  | <= 0.6        | <0.1        |
| Water (H <sub>2</sub> O)                                                | <= 0.5 %      | 0.2 %       |
| FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)    | <= 5          | <1          |
| ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)    | <= 10         | 1           |

For Laboratory, Research, or Manufacturing Use

MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

Rec'd by RP on 6/11/25

E3940

*J. Croak*

Jamie Croak

Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials LLC

Acetone

BAKER RESI-ANALYZED® Reagent

For Organic Residue Analysis

Avantor™



Material No.: 9254-03

Batch No.: 24H1462005

Manufactured Date: 2024-05-24

Expiration Date: 2027-05-24

Revision No.: 0

## Certificate of Analysis

| Test                                                                    | Specification | Result      |
|-------------------------------------------------------------------------|---------------|-------------|
| Assay ((CH <sub>3</sub> ) <sub>2</sub> CO) (by GC, corrected for water) | >= 99.4 %     | 99.8 %      |
| Color (APHA)                                                            | <= 10         | 5           |
| Residue after Evaporation                                               | <= 1.0 ppm    | 0.2 ppm     |
| Substances Reducing Permanganate                                        | Passes Test   | Passes Test |
| Titration Acid (μeq/g)                                                  | <= 0.3        | 0.2         |
| Titration Base (μeq/g)                                                  | <= 0.6        | <0.1        |
| Water (H <sub>2</sub> O)                                                | <= 0.5 %      | 0.2 %       |
| FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)    | <= 5          | <1          |
| ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)    | <= 10         | 1           |

For Laboratory, Research, or Manufacturing Use

MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

E3944

Jamie Croak

Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials LLC

Acetone

BAKER RESI-ANALYZED® Reagent  
For Organic Residue Analysis

Avantor™



Material No.: 9254-03

Batch No.: 24H2762008

Manufactured Date: 2024-04-18

Expiration Date: 2027-04-18

Revision No.: 0

## Certificate of Analysis

| Test                                                                    | Specification | Result      |
|-------------------------------------------------------------------------|---------------|-------------|
| Assay ((CH <sub>3</sub> ) <sub>2</sub> CO) (by GC, corrected for water) | >= 99.4 %     | 100.0 %     |
| Color (APHA)                                                            | <= 10         | 5           |
| Residue after Evaporation                                               | <= 1.0 ppm    | 0.0 ppm     |
| Substances Reducing Permanganate                                        | Passes Test   | Passes Test |
| Titration Acid (µeq/g)                                                  | <= 0.3        | 0.2         |
| Titration Base (µeq/g)                                                  | <= 0.6        | <0.1        |
| Water (H <sub>2</sub> O)                                                | <= 0.5 %      | <0.1 %      |
| FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)    | <= 5          | 1           |
| ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)    | <= 10         | 1           |

For Laboratory, Research, or Manufacturing Use

MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

Reed on 7/2/25

E3949

J. Croak

Jamie Croak

Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials LLC

n-Hexane 95%  
ULTRA RESI-ANALYZED  
For Organic Residue Analysis



Material No.: 9262-03

Batch No.: 25C0362005

Manufactured Date: 2025-01-29

Expiration Date: 2026-04-30

Revision No.: 0

## Certificate of Analysis

| Test                                                                            | Specification  | Result      |
|---------------------------------------------------------------------------------|----------------|-------------|
| FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)            | $\leq 5$       | 1           |
| ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)            | $\leq 10$      | 6           |
| ECD-Sensitive Impurities (as Ethylene Dibromide) - Single Impurity Peak (ng/mL) | $\leq 5$       | 5           |
| Assay (Total Saturated C <sub>6</sub> Isomers) (by GC, corrected for water)     | $\geq 99.5 \%$ | 100.0 %     |
| Assay (as n-Hexane) (by GC, corrected for water)                                | $\geq 95 \%$   | 100 %       |
| Color (APHA)                                                                    | $\leq 10$      | 10          |
| Residue after Evaporation                                                       | $\leq 1.0$ ppm | 0.1 ppm     |
| Substances Darkened by H <sub>2</sub> SO <sub>4</sub>                           | Passes Test    | Passes Test |
| Water (by KF, coulometric)                                                      | $\leq 0.05 \%$ | $< 0.01 \%$ |

For Laboratory, Research, or Manufacturing Use

MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

3950

Recd on 7/02/25

Jamie Croak  
Director Quality Operations, Bioscience Production



|                      |                                |
|----------------------|--------------------------------|
| Material             | BDH9274-2.5KG                  |
| Material Description | BDH SAND STDD OTTAWA W+I 2.5KG |
| Grade                | NOT APPLICABLE                 |
| Batch                | 25A2756718                     |
| Reassay Date         | 12/31/2028                     |
| CAS Number           | 14808-60-7                     |
| Molecular Formula    | SiO <sub>2</sub>               |
| Molecular Mass       | 60.09                          |
| Date of Manufacture  | 12/05/2024                     |
| Storage              | Room Temperature               |

| Characteristics               | Specifications  | Measured Values |
|-------------------------------|-----------------|-----------------|
| Appearance                    | Beige granules. | Beige granules. |
| Moisture                      | <= 0.1 %        | 0.1 %           |
| Particle Size 30-40 mesh      | >= 80 %         | 99 %            |
| CUSTOMER PART # BDH9274-2.5KG |                 |                 |

*Received on 1/12/25.*

**E3951**

Internal ID #: 793

| Signature                                                                                                                                                                                                                                                                                                   | Additional Information                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>We certify that this batch conforms to the specifications listed above.</p> <p>This document has been electronically produced and is valid without a signature.</p> <p>Leona Edwardson, Quality Control Sr. Manager - Solon<br/> VWR Chemicals, LLC.<br/> 28600 Fountain Parkway, Solon OH 44139 USA</p> | <p>Analysis may have been rounded to significant digits in specification limits</p> <p>Product meets analytical specifications of the grades listed.</p> |

n-Hexane 95%  
ULTRA RESI-ANALYZED  
For Organic Residue Analysis



Material No.: 9262-03  
Batch No.: 25C0362005  
Manufactured Date: 2025-01-29  
Expiration Date: 2026-04-30  
Revision No.: 0

## Certificate of Analysis

| Test                                                                           | Specification  | Result      |
|--------------------------------------------------------------------------------|----------------|-------------|
| FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)           | $\leq 5$       | 1           |
| ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)            | $\leq 10$      | 6           |
| ECD-Sensitive Impurities (as EthyleneDibromide) - Single Impurity Peak (ng/mL) | $\leq 5$       | 5           |
| Assay (Total Saturated C <sub>6</sub> Isomers) (by GC, corrected for water)    | $\geq 99.5 \%$ | 100.0 %     |
| Assay (as n-Hexane) (by GC, corrected for water)                               | $\geq 95 \%$   | 100 %       |
| Color (APHA)                                                                   | $\leq 10$      | 10          |
| Residue after Evaporation                                                      | $\leq 1.0$ ppm | 0.1 ppm     |
| Substances Darkened by H <sub>2</sub> SO <sub>4</sub>                          | Passes Test    | Passes Test |
| Water (by KF, coulometric)                                                     | $\leq 0.05 \%$ | $< 0.01 \%$ |

For Laboratory, Research, or Manufacturing Use  
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States  
Packaging Site: Phillipsburg Mfg Ctr & DC

*Received on 7/30/25*

E3962

Jamie Croak  
Director Quality Operations, Bioscience Production

Sulfuric Acid  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis  
Low Selenium

avantor™



MG157  
MS

Material No.: 9673-33

Batch No.: 24I1262013

Manufactured Date: 2024-08-07

Retest Date: 2029-08-06

Revision No.: 0

## Certificate of Analysis

| Test                                                        | Specification | Result      |
|-------------------------------------------------------------|---------------|-------------|
| ACS – Assay (H <sub>2</sub> SO <sub>4</sub> )               | 95.0 – 98.0 % | 96.2 %      |
| Appearance                                                  | Passes Test   | Passes Test |
| ACS – Color (APHA)                                          | <= 10         | 5           |
| ACS – Residue after Ignition                                | <= 3 ppm      | <1 ppm      |
| ACS – Substances Reducing Permanganate(as SO <sub>2</sub> ) | <= 2 ppm      | <2 ppm      |
| Ammonium (NH <sub>4</sub> )                                 | <= 1 ppm      | <1 ppm      |
| Chloride (Cl)                                               | <= 0.1 ppm    | <0.1 ppm    |
| Nitrate (NO <sub>3</sub> )                                  | <= 0.2 ppm    | 0.1 ppm     |
| Phosphate (PO <sub>4</sub> )                                | <= 0.5 ppm    | <0.1 ppm    |
| Trace Impurities – Aluminum (Al)                            | <= 30.0 ppb   | <5.0 ppb    |
| Arsenic & Antimony (as As)                                  | <= 4.0 ppb    | <2.0 ppb    |
| Trace Impurities – Boron (B)                                | <= 10.0 ppb   | <5.0 ppb    |
| Trace Impurities – Cadmium (Cd)                             | <= 2.0 ppb    | <1.0 ppb    |
| Trace Impurities – Chromium (Cr)                            | <= 6.0 ppb    | <1.0 ppb    |
| Trace Impurities – Cobalt (Co)                              | <= 0.5 ppb    | <0.3 ppb    |
| Trace Impurities – Copper (Cu)                              | <= 1.0 ppb    | <1.0 ppb    |
| Trace Impurities – Gold (Au)                                | <= 10.0 ppb   | <5.0 ppb    |
| Heavy Metals (as Pb)                                        | <= 500.0 ppb  | <100.0 ppb  |
| Trace Impurities – Iron (Fe)                                | <= 50.0 ppb   | <1.0 ppb    |
| Trace Impurities – Lead (Pb)                                | <= 0.5 ppb    | <0.5 ppb    |
| Trace Impurities – Magnesium (Mg)                           | <= 7.0 ppb    | <1.0 ppb    |
| Trace Impurities – Manganese (Mn)                           | <= 1.0 ppb    | <1.0 ppb    |
| Trace Impurities – Mercury (Hg)                             | <= 0.5 ppb    | <0.1 ppb    |
| Trace Impurities – Nickel (Ni)                              | <= 2.0 ppb    | <0.3 ppb    |
| Trace Impurities – Potassium (K)                            | <= 500.0 ppb  | <10.0 ppb   |
| Trace Impurities – Selenium (Se)                            | <= 50.0 ppb   | 7.2 ppb     |
| Trace Impurities – Silicon (Si)                             | <= 100.0 ppb  | 12.8 ppb    |
| Trace Impurities – Silver (Ag)                              | <= 1.0 ppb    | <1.0 ppb    |

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials LLC

Sulfuric Acid  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis  
Low Selenium

 **avantor**™



Material No.: 9673-33

Batch No.: 2411262013

| Test                              | Specification    | Result      |
|-----------------------------------|------------------|-------------|
| Trace Impurities – Sodium (Na)    | $\leq 500.0$ ppb | $< 5.0$ ppb |
| Trace Impurities – Strontium (Sr) | $\leq 5.0$ ppb   | $< 1.0$ ppb |
| Trace Impurities – Tin (Sn)       | $\leq 5.0$ ppb   | 1.1 ppb     |
| Trace Impurities – Zinc (Zn)      | $\leq 5.0$ ppb   | $< 1.0$ ppb |

For Laboratory, Research, or Manufacturing Use

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC



Jamie Croak  
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials LLC



# Certificate of Analysis

P11518  
↓  
P11522  
AJ  
02/21/22

**Product Name:** Aroclor 1268 Standard

**Product Number:** PP-382-1

**Lot Issue Date:** 09-Feb-2021

**Lot Number:** 0006587800

**Expiration Date:** 31-Mar-2029

**Description:**

This analytical reference material (RM) was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

| Analyte      | CAS#        | Analyte Lot | Concentration ± Uncertainty |
|--------------|-------------|-------------|-----------------------------|
| Aroclor 1268 | 011100-14-4 | RM00937     | 100.0 ± 0.5 µg/mL           |

**Matrix:** isooctane (2,2,4-trimethylpentane)

**Storage Conditions:** Store at Room Temperature (15° to 30°C).

**Traceability:**

The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

**Homogeneity:**

This RM was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

**Intended Use:**

This RM is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

**Instructions for Use:**

Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

**Hazards:**

Refer to the Safety Data Sheet on [www.agilent.com](http://www.agilent.com) for information regarding this RM.


**Expiration of Certification:**

The certification of this RM is valid until the expiration date specified above, provided the RM is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the RM is damaged, contaminated, or otherwise modified.

**Maintenance of Certification:**

If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

**Sample lot approver:**

  
Monica Bourgeois  
QMS Representative



ISO 17034 Cert  
No. AR-1936

RM was produced in accordance with TUV USA Inc registered ISO 9001 Quality Management System. Cert # 56 100 18560026  
Page: 1 of 1

[www.agilent.com/quality/](http://www.agilent.com/quality/)  
CSD-QA-015.1



ISO 17025 Cert  
No. AT-1937



## CERTIFIED WEIGHT REPORT

Part Number: **91867**  
 Lot Number: **020823**  
 Description: **WP 037 - Aroclor 1232**  
**PCB Technical Mixture**  
 Expiration Date: **020833**  
 Recommended Storage: **Ambient (20 °C)**  
 Nominal Concentration ( $\mu\text{g/mL}$ ): **100**  
 NIST Test ID#: **6UTB**

Solvent(  
Aceton


Weight(s) shown below were combined and diluted to (mL): **100.0**  
 5E-05 Balance Uncertainty  
 0.057 Flask Uncertainty

| Compound        | RM# | Lot Number | Nominal Conc ( $\mu\text{g/mL}$ ) | Purity (%) | Uncertainty Purity | Target Weight (g) |
|-----------------|-----|------------|-----------------------------------|------------|--------------------|-------------------|
| 1. Aroclor 1232 | 17  | 45-6A      | 100                               | 100        | 0.5                | 0.01000           |

- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measure Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

## Comments

GC3-M1 Analysis by Melissa Stonier  
 Column ID SPB-608 30 meter X 0.53mm X 5 $\mu\text{m}$  film thickness  
 Flow rates: Helium (carrier) = 5mL/min, Helium (make-up) = 25mL/min  
 Hydrogen (make-up) = 30mL/min, Air (make-up) = 350mL/min  
 Oven Profile: Temp 1 = 150°C (Time 1 = 4 min), Temp 2 = 290°C (Time 2 = 13.5 min)  
 Rate = 8°C/min, Total run time = 35 min  
 Injector temp. = 200°C, FID Temp. = 300°C. FID Signal = Edaq Channel 1  
 Standard injection = 1.5 $\mu\text{L}$ , Range=3






110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

*chromatographic plus*



### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No.:** 32009 **Lot No.:** A0203672

**Description:** Aroclor® 1242 Standard

Aroclor® 1242 Standard 1,000 µg/mL, Hexane, 1mL/ampul

**Container Size:** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date:** January 31, 2030 **Storage:** 25°C nominal

**Handling:** This product contains PCBs. **Ship:** Ambient

p12928

→

p12932

AJ

12/27/23

### CERTIFIED VALUES

| Elution Order | Compound     | CAS #      | Lot # | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty* (95% C.L.; K=2) |
|---------------|--------------|------------|-------|--------|-----------------------------|---------------------------------------|
| 1             | Aroclor 1242 | 53469-21-9 | 01141 | —%     | 1,004.7 µg/mL               | +/- 55.7515                           |

**Solvent:** Hexane

**CAS #** 110-54-3

**Purity** 99%

\* Expanded Uncertainty displayed in same units as Grav. Conc.

## Quality Confirmation Test

**Column:**

30m x .25mm x .2um  
Rtx-CLP II (cat.# 11323)

**Carrier Gas:**

helium-constant pressure 20 psi.

**Temp. Program:**

200°C to 300°C  
@ 25°C/min. ( hold 10 min.)

**Inj. Temp:**

250°C

**Det. Temp:**

300°C

**Det. Type:**


ECD

**Split Vent:**

10 ml/min.

**Inj. Vol**

0.2ul



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

*Russ Boothamer*

Russ Boothamer - Operations Technician I

Date Mixed: 26-Oct-2023

Balance Serial #

B442140311

*Jennifer Polino*

Jennifer Polino - Operations Tech III - ARM QC

Date Passed: 06-Nov-2023

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FW 80397




110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

*chromatographic plus*



### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No.:** 32010 **Lot No.:** A0202803

**Description:** Aroclor® 1248 Standard

Aroclor® 1248 Standard 1,000µg/mL, Hexane, 1mL/ampul

**Container Size:** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date:** January 31, 2030 **Storage:** 25°C nominal

**Handling:** This product contains PCBs. **Ship:** Ambient

P1219697  
P1219697  
A1  
12104123

### CERTIFIED VALUES

| Elution Order | Compound     | CAS #      | Lot #    | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|--------------|------------|----------|--------|-----------------------------|----------------------------------------|
| 1             | Aroclor 1248 | 12672-29-6 | 13897600 | ---%   | 1,001.7 µg/mL               | +/- 55.5850                            |

**Solvent:** Hexane

**CAS #** 110-54-3

**Purity** 99%

\* Expanded Uncertainty displayed in same units as Grav. Conc.

## Quality Confirmation Test

**Column:**

30m x .25mm x .2um  
Rtx-CLP II (cat.# 11323)

**Carrier Gas:**

helium-constant pressure 20 psi.

**Temp. Program:**

200°C to 300°C  
@ 25°C/min. (hold 10 min.)

**Inj. Temp:**

250°C

**Det. Temp:**

300°C

**Det. Type:**


ECD

**Split Vent:**

10 ml/min.

**Inj. Vol**

0.2ul



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

*[Signature]*  
Laith Clemente - Operations Technician I

Date Mixed: 03-Oct-2023

Balance Serial # 1128360905

*[Signature]*  
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 09-Oct-2023

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FW 80397



Certified Reference Material CRM

CERTIFIED WEIGHT REPORT

Part Number:  
20064

Lot Number:  
022023

Description:  
CLP PCB'S - Aroclor Mix  
Aroclors 1016 & 1260

Expiration Date:  
022033

Recommended Storage:  
Ambient (20 °C)

Nominal Concentration (µg/mL):  
1000

NIST Test ID#:  
6UTB

Solvent(s):  
Hexane

Lot#  
273615

Formulated By:  
Benson Chan

Reviewed By:  
Pedro L. Rentas

DATE  
022023

DATE  
022023

5E-05 Balance Uncertainty  
0.010 Flask Uncertainty

Nominal Conc (µg/mL):  
200.0

Weight(s) shown below were combined and diluted to (mL):

Part Number:  
20064

Lot Number:  
022023

Description:  
CLP PCB'S - Aroclor Mix  
Aroclors 1016 & 1260

Expiration Date:  
022033

Recommended Storage:  
Ambient (20 °C)

Nominal Concentration (µg/mL):  
1000

NIST Test ID#:  
6UTB

Solvent(s):  
Hexane

Lot#  
273615

Formulated By:  
Benson Chan

Reviewed By:  
Pedro L. Rentas

DATE  
022023

DATE  
022023

5E-05 Balance Uncertainty  
0.010 Flask Uncertainty


Nominal Conc (µg/mL):  
200.0

Weight(s) shown below were combined and diluted to (mL):

| Compound        | RM# | Lot Number | Nominal Conc (µg/mL) | Purity (%) | Purity Uncertainty | Target Weight(g) | Actual Weight(g) | Actual Conc (µg/mL) | Expanded Uncertainty (+/-) (µg/mL) | CAS#       | OSHA PEL (TWA) | LD50              |
|-----------------|-----|------------|----------------------|------------|--------------------|------------------|------------------|---------------------|------------------------------------|------------|----------------|-------------------|
| 1. Aroclor 1016 | 15  | 020491JC   | 1000                 | 100        | 0.2                | 0.20004          | 0.20060          | 1002.8              | 4.0                                | 12674-11-2 | N/A            | N/A               |
| 2. Aroclor 1260 | 21  | 020491JC   | 1000                 | 100        | 0.2                | 0.20004          | 0.20081          | 1003.9              | 4.0                                | 11086-82-5 | 0.5mg/m3       | orl-rat 1315mg/kg |

\* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.  
\* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).  
\* All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.  
\* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

Comments  
GC3-M1 Analysis by Melissa Stortier  
Column ID SPB-608 30 meter X 0.53mm X5µm film thickness  
Flow rates: Helium (carrier) = 5mL/min, Helium (make-up) = 25mL/min  
Hydrogen (make-up) = 30mL/min, Air (make-up) = 350mL/min  
Oven Profile: Temp 1 = 150°C (Time 1 = 4 min), Temp 2 = 280°C (Time 2 = 13.5 min)  
Rate = 8°C/min, Total run time = 35 min  
Injector temp. = 200°C, FID Temp. = 300°C, FID Signal = Etdaq Channel 1  
Standard Injection = 1.5µL, Range=3







Certified Reference Material CRM

CERTIFIED WEIGHT REPORT

Part Number:  
20064

Solvent(s):  
Hexane

Lot#  
273615

Lot Number:  
022023

CLP PCB'S - Aroclor Mix

Description:  
Aroclors 1016 & 1260

022033

Expiration Date:  
Ambient (20 °C)

5E-05 Balance Uncertainty

Recommended Storage:  
Nominal Concentration (µg/mL):  
200.0

0.010 Flask Uncertainty

Nominal Concentration (µg/mL):  
1000

6UTB

NIST Test ID#:  
20064

022023

Weight(s) shown below were combined and diluted to (mL):

200.0

Formulated By:  
*Benson Chan*

022023

DATE

Reviewed By:  
*Pedro L. Rentas*

022023


DATE

PR2946 7/18  
↓  
12/20/23  
P12955

| Compound        | RM# | Lot Number | Nominal Conc (µg/mL) | Purity (%) | Purity Uncertainty (%) | Target Weight(g) | Actual Weight(g) | Actual Conc (µg/mL) | Expanded Uncertainty (+/-) (µg/mL) | SDS Information                        |          |                     |
|-----------------|-----|------------|----------------------|------------|------------------------|------------------|------------------|---------------------|------------------------------------|----------------------------------------|----------|---------------------|
|                 |     |            |                      |            |                        |                  |                  |                     |                                    | (Solvent Safety Info. On Attached pg.) | CAS#     | OSHA PEL (TWA) LD50 |
| 1. Aroclor 1016 | 15  | 020491JC   | 1000                 | 100        | 0.2                    | 0.20004          | 0.20060          | 1002.8              | 4.0                                | 12674-11-2                             | N/A      | N/A                 |
| 2. Aroclor 1260 | 21  | 020491JC   | 1000                 | 100        | 0.2                    | 0.20004          | 0.20081          | 1003.9              | 4.0                                | 11086-82-5                             | 0.5mg/m3 | orl-rat 1315mg/kg   |

\* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.  
\* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).  
\* All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.  
\* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

Comments  
GC3-M1 Analysis by Melissa Stortier  
Column ID SPB-608 30 meter X 0.53mm X5µm film thickness  
Flow rates: Helium (carrier) = 5mL/min, Helium (make-up) = 25mL/min  
Hydrogen (make-up) = 30mL/min, Air (make-up) = 350mL/min  
Oven Profile: Temp 1 = 150°C (Time 1 = 4 min), Temp 2 = 280°C (Time 2 = 13.5 min)  
Rate = 8°C/min, Total run time = 35 min  
Injector temp. = 200°C, FID Temp. = 300°C, FID Signal = Etdaq Channel 1  
Standard Injection = 1.5µL, Range=3







CERTIFIED WEIGHT REPORT

Part Number: 99139  
Lot Number: 121823  
Description: Aroclor 1254

Solvent(s): Iso-octane

Lot# 82227

Expiration Date: 121833  
Recommended Storage: Ambient (20 °C)  
Nominal Concentration (µg/mL): 100  
NIST Test ID#: 6UTB

Volume(s) shown below were combined and diluted to (mL): 20.0  
Note: Aroclor 1254 is a mix of isomers.

5E-05 Balance Uncertainty  
0.003 Flask Uncertainty

Part Number Lot Number Dilution Factor Vol. (mL) Initial Uncertainty

Initial Uncertainty

Conc. (µg/mL) Initial Conc. (µg/mL)

Final Conc. (µg/mL)

Expanded Uncertainty (+/-) (µg/mL)

CAS# OSHA PEL (TWA) LD50

Formulated By: Anthony Mahoney

Reviewed By: Pedro L. Rentas


121823 DATE  
121823 DATE

|                 |       |        |      |      |       |        |       |     |            |                 |                  |
|-----------------|-------|--------|------|------|-------|--------|-------|-----|------------|-----------------|------------------|
| 1. Aroclor 1254 | 79100 | 121823 | 0.10 | 2.00 | 0.017 | 1003.3 | 100.1 | 1.8 | 11097-69-1 | 0.5mg/m3 (skin) | or-rat 1295mg/kg |
|-----------------|-------|--------|------|------|-------|--------|-------|-----|------------|-----------------|------------------|

\* The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.  
\* Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).  
\* Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.  
\* All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.  
\* Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

Comments  
GC3-M1 Analysis by Melissa Stonier  
Column ID SPB-608 30 meter X 0.53mm X5µm film thickness  
Flow rates: Helium (carrier) = 5mL/min, Helium (make-up) = 25mL/min  
Hydrogen (make-up) = 30mL/min, Air (make-up) = 350mL/min  
Oven Profile: Temp 1 = 150 °C (Time 1 = 4 min), Temp 2 = 280 °C (Time 2 = 13.5 min)  
Rate = 8 °C/min, Total run time = 35 min  
Injector temp. = 200 °C, FID Temp. = 300 °C, FID Signal = Edaq Channel 1  
Standard injection = 1.5µL, Range=3

| Peak No. | Name               | FID RT (min.) |
|----------|--------------------|---------------|
| 1        | Total Aroclor 1254 | 18.12         |







110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

www.restek.com

## CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

chromatographic plus



### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 32000 **Lot No.:** A0206810

**Description :** Pesticide Surrogate Mix  
Pesticide Surrogate Mix 200 µg/mL, Acetone, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** April 30, 2030 **Storage:** 10°C or colder

**Handling:** Contains PCBs - sonicate prior to use. **Ship:** Ambient

P13348  
↓  
P13357  
10  
DAUF  
04/25/2024

### CERTIFIED VALUES

| Elution Order | Compound                     | CAS #     | Lot #    | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------------|-----------|----------|--------|-----------------------------|----------------------------------------|
| 1             | 2,4,5,6-Tetrachloro-m-xylene | 877-09-8  | RP220407 | 99%    | 200.3 µg/mL                 | +/- 11.1143                            |
| 2             | Decachlorobiphenyl (BZ# 209) | 2051-24-3 | 30638    | 99%    | 200.6 µg/mL                 | +/- 11.1298                            |

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** Acetone  
**CAS #** 67-64-1  
**Purity** 99%

### Tech Tips:

Decachlorobiphenyl has poor solubility in most organic solvents. The maximum concentration that can be prepared in acetone, hexane, or isooctane is 200µg/mL. Temperature will affect the solubility as well. Storing solutions at reduced temperatures will cause decachlorobiphenyl to precipitate.

Products containing decachlorobiphenyl must be sonicated for a minimum of 10 minutes prior to opening the ampul. Because each ultrasonic bath operates at a different energy level, 10 minutes is a guideline only. Longer sonication time will not affect product quality.

These precautions apply to working solutions prepared in your laboratory as well. The amount of compound that precipitates depends on concentration AND temperature. If you store your standards at a temperature lower than 4°C (even dilute solutions), allow extra sonication time.

## Quality Confirmation Test

**Column:**

30m x .25mm x .2um  
Rtx-CLP II (cat.# 11323)

**Carrier Gas:**

helium-constant pressure 20 psi.

**Temp. Program:**

200°C to 300°C  
@ 25°C/min. ( hold 10 min.)

**Inj. Temp:**

250°C

**Det. Temp:**

300°C

**Det. Type:**


ECD

**Split Vent:**


10 ml/min.

**Inj. Vol**

1µl




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

  
Laith Clemente - Operations Technician I

Date Mixed: 22-Jan-2024


Balance Serial # 1128360905

  
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 24-Jan-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

P 13348  
↓  
P 13357  
10

  
SAUF  
04/25/2025



ISO 17034

## Reference Material Certificate

### Product Information Sheet

**Product Name:** Aroclor 1221 Standard  
**Product Number:** PP-292-1  
**Storage Conditions:** Store at Room Temperature (15° to 30°C).

**Lot Number:** 0006783205  
**Lot Issue Date:** 20-Feb-2024  
**Expiration Date:** 31-Mar-2032

| Component Name | Concentration | Uncertainty | CAS#        | Analyte Lot |
|----------------|---------------|-------------|-------------|-------------|
| Aroclor 1221   | 100.3 ±       | 0.5 µg/mL   | 011104-28-2 | NT01017     |

**Matrix:** isooctane (2,2,4-trimethylpentane)

#### Description:

This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

#### Traceability:

The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

#### Homogeneity:

This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

#### Instructions for Use:

Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

#### Safety:

Refer to the Safety Data Sheet on [www.agilent.com](http://www.agilent.com) for information regarding this analytical reference material.

#### Intended Use:

This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

#### Expiration of Certification:

The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

P13342  
AJ  
05106124  
P13343

Page: 1 of 2

CSD-QA-015.2

ISO 17025

Cert No. AT-1937


250 Smith Street North Kingstown, Rhode Island 02852 [www.agilent.com/quality](http://www.agilent.com/quality)



**Maintenance of Certification:**

If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

**Sample lot approver:**

  
Monica Bourgeois  
QMS Representative



ISO 17034  
Cert No. AR-1936

RM was produced in accordance with the TUV/SUD registered ISO  
9001:2015 Quality Management System. Cert# 951215321

Page: 2 of 2

[www.agilent.com/quality/](http://www.agilent.com/quality/)  
CSD-QA-015.2

ISO 17025  
Cert No. AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 [www.agilent.com/quality](http://www.agilent.com/quality)



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

www.restek.com

## CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

chromatographic plus



### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 32410 **Lot No.:** A0207475

**Description :** Aroclor® 1268 Standard

Aroclor® 1268 Standard 1,000 µg/mL, 1mL/ampul, Hexane

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2030 **Storage:** 25°C nominal

**Handling:** This product contains PCBs. **Ship:** Ambient

### CERTIFIED VALUES

| Elution Order | Compound     | CAS #      | Lot #    | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|--------------|------------|----------|--------|-----------------------------|----------------------------------------|
| 1             | Aroclor 1268 | 11100-14-4 | 10947000 | ---%   | 1,000.0 µg/mL               | +/- 55.4925                            |

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** Hexane  
**CAS #** 110-54-3  
**Purity** 99%

P 13380  
↓  
P 13381  
↓  
SAZU  
05/6/2024



## Quality Confirmation Test

**Column:**

30m x .25mm x .2um  
Rtx-CLP II (cat.# 11323)

**Carrier Gas:**

helium-constant pressure 20 psi.

**Temp. Program:**

200°C to 300°C  
@ 25°C/min. ( hold 10 min.)

**Inj. Temp:**

250°C

**Det. Temp:**

300°C

**Det. Type:**


ECD

**Split Vent:**

Split ratio 500:1

**Inj. Vol**

0.2µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

*Michael Maye*  
Michael Maye - Operations Tech I

Date Mixed: 06-Feb-2024

Balance Serial # B442140311

*Dillon Murphy*  
Dillon Murphy - Operations Technician I

Date Passed: 09-Feb-2024


Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

P13380 } ②  
↓  
P13381  
1

*[Signature]*  
05/6/2024



ISO 17034



Agilent

Trusted Answers

## Reference Material Certificate

Product Name: Aroclor 1242 Standard

Lot Number: 0006665550

Product Number: PP-312-1

Lot Issue Date: 08-Feb-2022

Storage Conditions: Store at Room Temperature (15° to 30°C).

Expiration Date: 31-Jan-2027

| Component Name | CERTIFIED VALUES |                      | CAS#        | Analyte Lot |
|----------------|------------------|----------------------|-------------|-------------|
|                | Concentration    | Expanded Uncertainty |             |             |
| Aroclor 1242   | 100.4            | ± 0.5 µg/mL          | 053469-21-9 | NT01020     |

Matrix: isooctane (2,2,4-trimethylpentane)

**Description:**

This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above.

**Traceability:**

The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

**Homogeneity:**

This analytical reference standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

**Instructions for Use:**

Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

**Safety:**

Refer to the Safety Data Sheet on [www.agilent.com](http://www.agilent.com) for information regarding this analytical reference material.

**Intended Use:**

This analytical reference standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

**Expiration of Certification:**

The certification of this analytical reference standard is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

P13589  
↓  
P13590AJ  
10/14/24

ISO 17034



**Maintenance of Certification:**

If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

**Sample lot approver:**

Monica Bourgeois  
QMS Representative



ISO 17034 Cert  
No. AR-1936

RM was produced in accordance with the TUV/SUD registered ISO 9001:2015  
Quality Management System. Cert# 95T215321

Page: 2 of 2

[www.agilent.com/quality/](http://www.agilent.com/quality/)  
CSD-QA-015.1



ISO 17025  
Cert No. AT-

**Reference Material Certificate**  
**Product Information Sheet**

**Product Name:** Aroclor 1248 Standard

**Lot Number:** 0006726317

**Product Number:** PP-342-1

**Lot Issue Date:** 27-Jan-2023

**Storage Conditions:** Store at Room Temperature (15° to 30°C).

**Expiration Date:** 28-Feb-2031

| Component Name | Concentration | Uncertainty | CAS#        | Analyte Lot |
|----------------|---------------|-------------|-------------|-------------|
| Aroclor 1248   | 100.3 ±       | 0.5 µg/mL   | 012672-29-6 | NT01582     |

**Matrix:** isooctane (2,2,4-trimethylpentane)

**Description:**

This document is prepared in accordance with ISO 17034 and Guide 31. This analytical reference material (RM) standard was manufactured and verified in accordance with an ISO 9001 registered quality system and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed above. Purity values are taken from approved vendor raw material certificates.

**Traceability:**

The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

**Homogeneity:**

This analytical reference (RM) standard was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

**Instructions for Use:**

Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

**Safety:**

Refer to the Safety Data Sheet on [www.agilent.com](http://www.agilent.com) for information regarding this analytical reference material.

**Intended Use:**

This analytical reference (RM) standard is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

**Expiration of Certification:**

The certification of this analytical reference standard (RM) is valid until the expiration date specified above, provided the material is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the material is damaged, contaminated, or otherwise modified.

P13591  
↓  
P13592

AS  
10/14/2024



**Maintenance of Certification:**

If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

---

**Sample lot approver:**

Monica Bourgeois  
QMS Representative



ISO 17034 Cert  
No. AR-1936

RM was produced in accordance with the TUV/SUD registered ISO  
9001:2015 Quality Management System. Cert# 951215321

Page: 2 of 2

[www.agilent.com/quality/](http://www.agilent.com/quality/)

CSD-QA-015.1

ISO 17025



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

www.restek.com

## CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

chromatographic plus



### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 32039 **Lot No.:** A0210629

**Description :** Aroclor® 1016/1260 Mix  
Aroclor® 1016/1260 Mix 1,000 µg/mL, Hexane, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** July 31, 2030 **Storage:** 25°C nominal

**Handling:** This product contains PCBs. **Ship:** Ambient

P13697  
↓  
P13701 } Y.P.  
10/19/24

### CERTIFIED VALUES

| Elution Order | Compound     | CAS #      | Lot #   | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|--------------|------------|---------|--------|-----------------------------|----------------------------------------|
| 1             | Aroclor 1016 | 12674-11-2 | 07      | ----%  | 1,005.3 µg/mL               | +/- 55.7809                            |
| 2             | Aroclor 1260 | 11096-82-5 | 1320657 | ----%  | 1,000.0 µg/mL               | +/- 55.4850                            |

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** Hexane  
**CAS #** 110-54-3  
**Purity** 99%

## Quality Confirmation Test

**Column:**

30m x .25mm x .2um  
Rtx-CLP II (cat.# 11323)

**Carrier Gas:**

helium-constant pressure 20 psi.

**Temp. Program:**

200°C to 300°C  
@ 25°C/min. ( hold 10 min.)

**Inj. Temp:**

250°C

**Det. Temp:**

300°C

**Det. Type:**


ECD

**Split Vent:**


10 ml/min.

**Inj. Vol**

0.2µl




This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

  
Laith Clemente - Operations Technician I

**Date Mixed:** 22-Apr-2024

**Balance Serial #** B442140311

  
Dillan Murphy - Operations Technician I

**Date Passed:** 24-Apr-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

## General Certified Reference Material Notes

### Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

### Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

### Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

$k$  is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

### Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

### Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.





110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

www.restek.com

## CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

*chromatographic plus*



### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 32007 **Lot No.:** A0215270

**Description :** Aroclor® 1221 Standard  
Aroclor® 1221 Standard 1,000 µg/mL, Hexane, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** November 30, 2030 **Storage:** 25°C nominal

**Handling:** This product contains PCBs. **Ship:** Ambient

P13902 } Y.P.  
P13703 } 10/17/24

### CERTIFIED VALUES

| Elution Order | Compound     | CAS #      | Lot #    | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|--------------|------------|----------|--------|-----------------------------|----------------------------------------|
| 1             | Aroclor 1221 | 11104-28-2 | 14969200 | ----%  | 1,005.0 µg/mL               | +/- 55.7700                            |

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** Hexane  
**CAS #** 110-54-3  
**Purity** 99%

## Quality Confirmation Test

**Column:**

30m x .25mm x .2um  
Rtx-CLP II (cat.# 11323)

**Carrier Gas:**

helium-constant pressure 20 psi.

**Temp. Program:**

200°C to 300°C  
@ 25°C/min. ( hold 10 min.)

**Inj. Temp:**

250°C

**Det. Temp:**

300°C

**Det. Type:**


ECD

**Split Vent:**

10 ml/min.

**Inj. Vol**

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

*Michael Maye*  
Michael Maye - Operations Tech I

Date Mixed: 16-Aug-2024

Balance Serial # 1128360905

*Jennifer Pollino*  
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 20-Aug-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

## General Certified Reference Material Notes

### Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

### Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

### Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

$k$  is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

### Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

### Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.






110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

## Certificate of Analysis

chromatographic plus



### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 32000 **Lot No.:** A0214495

**Description :** Pesticide Surrogate Mix

Pesticide Surrogate Mix 200 µg/mL, Acetone, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** October 31, 2030 **Storage:** 10°C or colder

**Handling:** Contains PCBs - sonicate prior to use. **Ship:** Ambient

P19785  
AJ  
11/19/24  
P19789

### CERTIFIED VALUES

| Elution Order | Compound                     | CAS #     | Lot #    | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|------------------------------|-----------|----------|--------|-----------------------------|----------------------------------------|
| 1             | 2,4,5,6-Tetrachloro-m-xylene | 877-09-8  | RP220407 | 99%    | 200.2 µg/mL                 | +/- 11.1087                            |
| 2             | Decachlorobiphenyl (BZ# 209) | 2051-24-3 | 30679    | 99%    | 201.4 µg/mL                 | +/- 11.1753                            |

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** Acetone  
**CAS #** 67-64-1  
**Purity** 99%

### Tech Tips:

Decachlorobiphenyl has poor solubility in most organic solvents. The maximum concentration that can be prepared in acetone, hexane, or isooctane is 200µg/mL. Temperature will affect the solubility as well. Storing solutions at reduced temperatures will cause decachlorobiphenyl to precipitate.

Products containing decachlorobiphenyl must be sonicated for a minimum of 10 minutes prior to opening the ampul. Because each ultrasonic bath operates at a different energy level, 10 minutes is a guideline only. Longer sonication time will not affect product quality.

These precautions apply to working solutions prepared in your laboratory as well. The amount of compound that precipitates depends on concentration AND temperature. If you store your standards at a temperature lower than 4°C (even dilute solutions), allow extra sonication time.

## Quality Confirmation Test

**Column:**  
30m x 25mm x 2um  
Rtx-CLP II (cat.# 11323)

**Carrier Gas:**  
helium-constant pressure 20 psi.

**Temp. Program:**  
200°C to 300°C  
@ 25°C/min. (hold 10 min.)


**Inj. Temp:**  
250°C

**Det. Temp:**  
300°C

**Det. Type:**  
ECD

**Split Vent:**  
10 ml/min.

**Inj. Vol**  
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

*A. O. P.*  
**Aaron Enyart - Operations Tech I**

**Date Mixed:** 29-Jul-2024      **Balance Serial #** B345965662

*Jennifer Pollino*  
**Jennifer Pollino - Operations Tech III - ARM QC**

**Date Passed:** 01-Aug-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

*chromatographic plus*



**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 32011 **Lot No.:** A0217391

**Description :** Aroclor® 1254 Standard

Aroclor® 1254 Standard 1,000 µg/mL, Hexane, 1mL/ampul

**Container Size :** 2 mL **Pkg Amt:** > 1 mL

**Expiration Date :** January 31, 2031 **Storage:** 25°C nominal

**Handling:** This product contains PCBs. **Ship:** Ambient

**CERTIFIED VALUES**

| Elution Order | Compound     | CAS #      | Lot #     | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|--------------|------------|-----------|--------|-----------------------------|----------------------------------------|
| 1             | Aroclor 1254 | 11097-69-1 | 124-191-B | ----%  | 1,004.7 µg/mL               | +/- 55.7515                            |

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** Hexane  
**CAS #** 110-54-3  
**Purity** 99%

P13830  
↓  
P13832  
AJ  
12/09/24

# Quality Confirmation Test

**Column:**

30m x .25mm x .2um  
Rtx-CLP II (cat.# 11323)

**Carrier Gas:**

helium-constant pressure 20 psi.

**Temp. Program:**

200°C to 300°C  
@ 25°C/min. ( hold 10 min.)

**Inj. Temp:**

250°C

**Det. Temp:**

300°C

**Det. Type:**


ECD

**Split Vent:**

300 ml/min.

**Inj. Vol**

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

*Michael Maye*  
**Michael Maye - Operations Tech I**

**Date Mixed:** 02-Oct-2024

**Balance Serial #** C322230531

*Jennifer Pollino*  
**Jennifer Pollino - Operations Tech III - ARM QC**

**Date Passed:** 07-Oct-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397




110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

**CERTIFIED REFERENCE MATERIAL**

# Certificate of Analysis

*chromatographic plus*



## FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 32008

**Lot No.:** A0219655

**Description :** Aroclor® 1232 Standard

Aroclor® 1232 Standard 1,000 µg/mL, Hexane, 1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** March 31, 2031

**Storage:** 25°C nominal

**Handling:**

This product contains PCBs.

**Ship:** Ambient

### CERTIFIED VALUES

| Elution Order | Compound     | CAS #      | Lot #    | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|--------------|------------|----------|--------|-----------------------------|----------------------------------------|
| 1             | Aroclor 1232 | 11141-16-5 | 15665-01 | ---%   | 1,007.0 µg/mL               | +/- 55.8810                            |

**Solvent:** Hexane

**CAS #** 110-54-3

**Purity** 99%

\* Expanded Uncertainty displayed in same units as Grav. Conc.

P13878



AJ  
01/28/25

P13880

## Quality Confirmation Test

**Column:**

30m x .25mm x .2um  
Rtx-CLP II (cat.# 11323)

**Carrier Gas:**

helium-constant pressure 20 psi.

**Temp. Program:**

200°C to 300°C  
@ 25°C/min. ( hold 10 min.)

**Inj. Temp:**

250°C

**Det. Temp:**

300°C

**Det. Type:**


ECD

**Split Vent:**

10 ml/min.

**Inj. Vol**

1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

*Michael Maye*  
**Michael Maye - Operations Tech I**

**Date Mixed:** 02-Dec-2024

**Balance Serial #**

C322230531

*Brittany Federhik*

**Brittany Federhiko - Operations Tech I**

**Date Passed:** 05-Dec-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397




110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

## Certificate of Analysis

*chromatographic plus*



### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No.:** 32409      **Lot No.:** A0220950

**Description:** Aroclor® 1262 Standard

Aroclor® 1262 Standard 1,000 µg/mL, 1mL/ampul, Hexane

**Container Size:** 2 mL      **Pkg Amt:** > 1 mL

**Expiration Date:** April 30, 2031      **Storage:** 25°C nominal

**Handling:** This product contains PCBs.      **Ship:** Ambient

### CERTIFIED VALUES

| Elution Order | Compound     | CAS #      | Lot #    | Purity | Grav. Conc. (weight/volume) | Expanded Uncertainty * (95% C.L.; K=2) |
|---------------|--------------|------------|----------|--------|-----------------------------|----------------------------------------|
| 1             | Aroclor 1262 | 37324-23-5 | 10849100 | ----%  | 1,002.0 µg/mL               | +/- 55.6035                            |

**Solvent:** Hexane

**CAS #** 110-54-3  
**Purity** 99%

\* Expanded Uncertainty displayed in same units as Grav. Conc.

P13882

↓

AJ  
01/28/25

P13883

## Quality Confirmation Test

**Column:**

30m x .25mm x .2um  
Rtx-CLP II (cat.# 11323)

**Carrier Gas:**

helium-constant pressure 20 psi.

**Temp. Program:**

200°C to 300°C  
@ 25°C/min. (hold 10 min.)

**Inj. Temp:**

250°C

**Det. Temp:**

300°C

**Det. Type:**


ECD

**Split Vent:**

300 ml/min.

**Inj. Vol**

0.2µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

  
Tom Suckal - Mix Technician

Date Mixed: 09-Jan-2025 Balance Serial # C322230531



Britiany Federinko - Operations Tech I

Date Passed: 14-Jan-2025

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

n-Hexane 95%  
ULTRA RESI-ANALYZED  
For Organic Residue Analysis



Material No.: 9262-03  
Batch No.: 24G1962003  
Manufactured Date: 2024-05-23  
Expiration Date: 2025-08-22  
Revision No.: 0

## Certificate of Analysis

| Test                                                                            | Specification  | Result      |
|---------------------------------------------------------------------------------|----------------|-------------|
| FID-Sensitive Impurities (as 2-Octanol) Single Impurity Peak (ng/mL)            | $\leq 5$       | 3           |
| ECD Sensitive Impurities (as Heptachlor Epoxide) Single Peak (pg/mL)            | $\leq 10$      | 1           |
| ECD-Sensitive Impurities (as Ethylene Dibromide) - Single Impurity Peak (ng/mL) | $\leq 5$       | 1           |
| Assay (Total Saturated C <sub>6</sub> Isomers) (by GC, corrected for water)     | $\geq 99.5 \%$ | 99.7 %      |
| Assay (as n-Hexane) (by GC, corrected for water)                                | $\geq 95 \%$   | 98 %        |
| Color (APHA)                                                                    | $\leq 10$      | 5           |
| Residue after Evaporation                                                       | $\leq 1.0$ ppm | 0.1 ppm     |
| Substances Darkened by H <sub>2</sub> SO <sub>4</sub>                           | Passes Test    | Passes Test |
| Water (by KF, coulometric)                                                      | $\leq 0.05 \%$ | < 0.01 %    |

For Laboratory, Research, or Manufacturing Use  
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: USA  
Packaging Site: Phillipsburg Mfg Ctr & DC

Jamie Croak  
Director Quality Operations, Bioscience Production



# SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092

(908) 789-8900 Fax: (908) 788-9222

www.chemtech.net

## CHAIN OF CUSTODY RECORD

Alliance Project Number:

2 2732

COC Number: 2042113

Page 1 of 2

## CLIENT INFORMATION

COMPANY: ENTACT, LLC

ADDRESS: 150 Bay Street, Suite 806

CITY: Jersey City STATE: NJ ZIP: 07302

ATTENTION: Austin Farmerie

PHONE: 412-716-1366

FAX:

## PROJECT INFORMATION

PROJECT NAME: 540 Degraw St Brooklyn, NY

PROJECT #: E9309

LOCATION: Brooklyn, NY

PROJECT MANAGER: Austin Farmerie

E-MAIL: afarmerie@entact.com

PHONE: 412-716-1366

FAX:

## BILLING INFORMATION

BILL TO: ENTACT, LLC

PO# E9309

ADDRESS: 999 Oakmont Plaza Drive, Suite 300

CITY: Westmont

STATE: IL ZIP: 60559

ATTENTION: Wendy Murray

PHONE: 800-936-8228

## ANALYSIS

| TCLP VOCs | TCLP ICP Metals +<br>Cu, Ni, Zn | TCLP Herb | TCLP Pest | TCLP SVOCs | TCLP pH * | I/C/R | PCBs | Oil & Grease |
|-----------|---------------------------------|-----------|-----------|------------|-----------|-------|------|--------------|
| 1         | 2                               | 3         | 4         | 5          | 6         | 7     | 8    | 9            |

\* For TCLP pH -  
include preparatory  
information for TCLP  
leachate

## PRESERVATIVES

## COMMENTS

<-- Specify Preservatives  
A-HCl B-HNO3  
C-H2SO4 D-NaOH  
E-ICE F-Other

## DATA TURNAROUND INFORMATION

FAX: \_\_\_\_\_ 3 \_\_\_\_\_ DAYS\*  
HARD COPY: \_\_\_\_\_ DAYS\*  
EDD \_\_\_\_\_ 3 \_\_\_\_\_ DAYS\*  
\* TO BE APPROVED BY ALLIANCE  
STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

## DATA DELIVERABLE INFORMATION

- ☐ RESULTS ONLY ☐ USEPA CLP  
☐ RESULTS + QC ☐ New York State ASP "B"  
☐ New Jersey REDUCED ☐ New York State ASP "A"  
☐ New Jersey CLP ☐ Other \_\_\_\_\_  
☐ EDD Format \_\_\_\_\_

| CHEMTECH<br>SAMPLE<br>ID | PROJECT<br>SAMPLE IDENTIFICATION | SAMPLE<br>MATRIX | SAMPLE<br>TYPE |      | SAMPLE<br>COLLECTION |       | # of Bottles |   |   |   |   |   |   |   |   |   |  |
|--------------------------|----------------------------------|------------------|----------------|------|----------------------|-------|--------------|---|---|---|---|---|---|---|---|---|--|
|                          |                                  |                  | COMP           | GRAB | DATE                 | TIME  |              | E | E | E | E | E | E | E | E | E |  |
| 1.                       | WC-A7-01-G                       | Soil             |                | X    | 8/12                 | 12:00 | 1            | X |   |   |   |   |   |   |   |   |  |
| 2.                       | WC-A7-01-C                       | Soil             | X              |      | 8/12                 | 12:00 | 11           |   | X | X | X | X | X | X | X | X |  |
| 3.                       |                                  |                  |                |      |                      |       |              |   |   |   |   |   |   |   |   |   |  |
| 4.                       |                                  |                  |                |      |                      |       |              |   |   |   |   |   |   |   |   |   |  |
| 5.                       |                                  |                  |                |      |                      |       |              |   |   |   |   |   |   |   |   |   |  |
| 6.                       |                                  |                  |                |      |                      |       |              |   |   |   |   |   |   |   |   |   |  |
| 7.                       |                                  |                  |                |      |                      |       |              |   |   |   |   |   |   |   |   |   |  |
| 8.                       |                                  |                  |                |      |                      |       |              |   |   |   |   |   |   |   |   |   |  |
| 9.                       |                                  |                  |                |      |                      |       |              |   |   |   |   |   |   |   |   |   |  |
| 10.                      |                                  |                  |                |      |                      |       |              |   |   |   |   |   |   |   |   |   |  |

## SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

|                                               |                            |                                             |                                                                                                                                                                                                                     |
|-----------------------------------------------|----------------------------|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RELINQUISHED BY SAMPLER<br>1. Austin Farmerie | DATE/TIME<br>8-12-25 12:11 | RECEIVED BY<br>1. [Signature] 8-12-25 12:11 | Conditions of bottles or coolers at receipt: <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant <input type="checkbox"/> Cooler Temp. 5.1°C<br><input type="checkbox"/> Ice in Cooler? _____ |
| RELINQUISHED BY                               | DATE/TIME                  | RECEIVED BY                                 | Comments:                                                                                                                                                                                                           |
| 2. [Signature]                                |                            | 2. [Signature]                              |                                                                                                                                                                                                                     |
| RELINQUISHED BY                               | DATE/TIME                  | RECEIVED FOR LAB BY                         |                                                                                                                                                                                                                     |
| 3. [Signature]                                | 8-12-25 14:14              | 3. [Signature]                              |                                                                                                                                                                                                                     |

Page \_\_\_\_\_ of \_\_\_\_\_

SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ Overnight  
ALLIANCE: ☐ Picked Up ☐ Overnight

Shipment Complete  
☐ YES ☐ NO

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT

YELLOW - ALLIANCE COPY

PINK - SAMPLER COPY



### Laboratory Certification

| Certified By         | License No.      |
|----------------------|------------------|
|                      |                  |
| CAS EPA CLP Contract | 68HERH20D0011    |
|                      |                  |
| Connecticut          | PH-0830          |
|                      |                  |
| DOD ELAP (ANAB)      | L2219            |
|                      |                  |
| Maine                | 2024021          |
|                      |                  |
| Maryland             | 296              |
|                      |                  |
| New Hampshire        | 255424 Rev 1     |
|                      |                  |
| New Jersey           | 20012            |
|                      |                  |
| New York             | 11376            |
|                      |                  |
| Pennsylvania         | 68-00548         |
|                      |                  |
| Soil Permit          | 525-24-234-08441 |
|                      |                  |
| Texas                | T104704488       |