

Report of Analysis

Client:	ENTACT		Date Collected:		
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:		
Client Sample ID:	VN0813WBSD01		SDG No.:	Q2732	
Lab Sample ID:	VN0813WBSD01		Matrix:	TCLP	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	TCLP VOA	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087530.D	1	08/13/25 13:23	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-01-4	Vinyl Chloride	0.020		0.00026	0.0010	mg/L
75-35-4	1,1-Dichloroethene	0.019		0.00023	0.0010	mg/L
78-93-3	2-Butanone	0.11		0.00098	0.0050	mg/L
56-23-5	Carbon Tetrachloride	0.018		0.00025	0.0010	mg/L
67-66-3	Chloroform	0.021		0.00025	0.0010	mg/L
71-43-2	Benzene	0.019		0.00015	0.0010	mg/L
107-06-2	1,2-Dichloroethane	0.021		0.00022	0.0010	mg/L
79-01-6	Trichloroethene	0.017		0.000090	0.0010	mg/L
127-18-4	Tetrachloroethene	0.017		0.00023	0.0010	mg/L
108-90-7	Chlorobenzene	0.018		0.00012	0.0010	mg/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.9		70 (74) - 130 (125)	112%	SPK: 50
1868-53-7	Dibromofluoromethane	48.9		70 (75) - 130 (124)	98%	SPK: 50
2037-26-5	Toluene-d8	48.7		70 (86) - 130 (113)	97%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.7		70 (77) - 130 (121)	103%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	267000	8.212			
540-36-3	1,4-Difluorobenzene	512000	9.083			
3114-55-4	Chlorobenzene-d5	464000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	234000	13.771			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products