

Report of Analysis

Client:	ENTACT		Date Collected:	
Project:	540 Degraw St, Brooklyn, NY - E9309		Date Received:	
Client Sample ID:	PB169087BSD		SDG No.:	Q2733
Lab Sample ID:	PB169087BSD		Matrix:	Water
Analytical Method:	8270E		% Solid:	0
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group4
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143282.D	1	08/01/25 08:48	08/01/25 15:05	PB169087

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
108-95-2	Phenol	46.2		0.91	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	43.5		0.53	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	43.9		0.54	5.00	ug/L
91-20-3	Naphthalene	44.6		0.50	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	131		15 (23) - 110 (138)	87%	SPK: 150
13127-88-3	Phenol-d6	129		15 (10) - 110 (134)	86%	SPK: 150
4165-60-0	Nitrobenzene-d5	84.9		30 (67) - 130 (132)	85%	SPK: 100
321-60-8	2-Fluorobiphenyl	81.8		30 (52) - 130 (132)	82%	SPK: 100
118-79-6	2,4,6-Tribromophenol	135		15 (44) - 110 (137)	90%	SPK: 150
1718-51-0	Terphenyl-d14	100		30 (42) - 130 (152)	100%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	107000	6.963			
1146-65-2	Naphthalene-d8	413000	8.239			
15067-26-2	Acenaphthene-d10	189000	9.998			
1517-22-2	Phenanthrene-d10	318000	11.486			
1719-03-5	Chrysene-d12	191000	14.127			
1520-96-3	Perylene-d12	199000	15.627			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products