

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143147.D
 Acq On : 17 Jul 2025 14:34
 Operator : RC/JU
 Sample : SSTDICC080
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080

Quant Time: Jul 17 15:05:57 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	145034	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	544516	20.000	ng	0.00
39) Acenaphthene-d10	10.004	164	275619	20.000	ng	0.00
64) Phenanthrene-d10	11.486	188	429046	20.000	ng	0.00
76) Chrysene-d12	14.127	240	245351	20.000	ng	0.00
86) Perylene-d12	15.627	264	296687	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.587	112	1300344	141.880	ng	0.00
7) Phenol-d6	6.593	99	1639937	142.159	ng	0.00
23) Nitrobenzene-d5	7.534	82	1644581	150.551	ng	0.01
42) 2,4,6-Tribromophenol	10.792	330	437054	153.498	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	2623071	130.157	ng	0.00
79) Terphenyl-d14	13.069	244	2202828	133.606	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.793	88	323993	74.710	ng	99
3) Pyridine	3.569	79	842446	74.844	ng	99
4) n-Nitrosodimethylamine	3.528	42	445612	76.677	ng	97
6) Aniline	6.628	93	1170943	72.831	ng	98
8) 2-Chlorophenol	6.751	128	699193	72.781	ng	99
9) Benzaldehyde	6.516	77	493544	57.055	ng	99
10) Phenol	6.610	94	927252	73.783	ng	88
11) bis(2-Chloroethyl)ether	6.698	93	697645	72.503	ng	100
12) 1,3-Dichlorobenzene	6.910	146	734699	70.400	ng	100
13) 1,4-Dichlorobenzene	6.987	146	739462	70.360	ng	99
14) 1,2-Dichlorobenzene	7.140	146	709300	70.958	ng	100
15) Benzyl Alcohol	7.104	79	661847	75.139	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.240	45	1265589	70.902	ng	99
17) 2-Methylphenol	7.210	107	595477	73.719	ng	99
18) Hexachloroethane	7.481	117	266665	73.293	ng	99
19) n-Nitroso-di-n-propyla...	7.387	70	528820	71.452	ng	99
20) 3+4-Methylphenols	7.369	107	673906	68.763	ng	# 87
22) Acetophenone	7.375	105	890890	69.107	ng	# 95
24) Nitrobenzene	7.551	77	751964	73.836	ng	100
25) Isophorone	7.792	82	1453353	75.366	ng	99
26) 2-Nitrophenol	7.863	139	364951	82.568	ng	100
27) 2,4-Dimethylphenol	7.898	122	649144	72.050	ng	99
28) bis(2-Chloroethoxy)met...	7.992	93	834021	72.134	ng	99
29) 2,4-Dichlorophenol	8.104	162	558665	73.527	ng	99
30) 1,2,4-Trichlorobenzene	8.187	180	588333	71.673	ng	99
31) Naphthalene	8.269	128	1854387	69.150	ng	100
32) Benzoic acid	8.028	122	409976	77.395	ng	99
33) 4-Chloroaniline	8.310	127	787243	71.895	ng	98
34) Hexachlorobutadiene	8.392	225	368327	73.453	ng	99
35) Caprolactam	8.698	113	178271	77.644	ng	96
36) 4-Chloro-3-methylphenol	8.792	107	614048	74.354	ng	99
37) 2-Methylnaphthalene	8.957	142	1137176	69.687	ng	100
38) 1-Methylnaphthalene	9.057	142	1168702	69.550	ng	100
40) 1,2,4,5-Tetrachloroben...	9.128	216	568070	71.389	ng	99
41) Hexachlorocyclopentadiene	9.122	237	412756	79.719	ng	100
43) 2,4,6-Trichlorophenol	9.234	196	412148	74.838	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF071725\
 Data File : BF143147.D
 Acq On : 17 Jul 2025 14:34
 Operator : RC/JU
 Sample : SSTDICC080
 Misc :
 ALS Vial : 10 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080

Quant Time: Jul 17 15:05:57 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 17 14:54:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.275	196	423565	76.888	ng	99
46) 1,1'-Biphenyl	9.428	154	1492094	69.388	ng	100
47) 2-Chloronaphthalene	9.451	162	1131626	71.122	ng	100
48) 2-Nitroaniline	9.534	65	404023	80.971	ng	96
49) Acenaphthylene	9.869	152	1868062	70.057	ng	100
50) Dimethylphthalate	9.728	163	1288559	71.723	ng	99
51) 2,6-Dinitrotoluene	9.781	165	292718	80.093	ng	99
52) Acenaphthene	10.039	154	1120315	71.086	ng	99
53) 3-Nitroaniline	9.951	138	333980	78.128	ng	98
54) 2,4-Dinitrophenol	10.051	184	133446	80.516	ng	# 40
55) Dibenzofuran	10.210	168	1615399	69.038	ng	99
56) 4-Nitrophenol	10.098	139	252698	79.161	ng	99
57) 2,4-Dinitrotoluene	10.186	165	376124	82.029	ng	96
58) Fluorene	10.551	166	1197731	68.203	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.322	232	340118	74.533	ng	100
60) Diethylphthalate	10.422	149	1276217	71.870	ng	99
61) 4-Chlorophenyl-phenyle...	10.539	204	614962	70.326	ng	99
62) 4-Nitroaniline	10.569	138	291926	79.680	ng	98
63) Azobenzene	10.704	77	1318720	71.255	ng	99
65) 4,6-Dinitro-2-methylph...	10.592	198	186415	78.948	ng	98
66) n-Nitrosodiphenylamine	10.663	169	1087990	72.014	ng	98
67) 4-Bromophenyl-phenylether	11.033	248	382122	74.734	ng	98
68) Hexachlorobenzene	11.104	284	399107	74.680	ng	96
69) Atrazine	11.180	200	324126	77.819	ng	99
70) Pentachlorophenol	11.286	266	257176	81.829	ng	98
71) Phenanthrene	11.516	178	1602208	70.331	ng	100
72) Anthracene	11.563	178	1641264	70.640	ng	100
73) Carbazole	11.710	167	1435444	70.754	ng	99
74) Di-n-butylphthalate	12.045	149	1699503	74.034	ng	100
75) Fluoranthene	12.698	202	1498103	71.645	ng	99
77) Benzidine	12.810	184	496717	52.548	ng	100
78) Pyrene	12.927	202	1466205	70.021	ng	100
80) Butylbenzylphthalate	13.539	149	521631	81.353	ng	99
81) Benzo(a)anthracene	14.116	228	1212056	73.788	ng	100
82) 3,3'-Dichlorobenzidine	14.074	252	393448	71.867	ng	99
83) Chrysene	14.151	228	1105636	74.863	ng	100
84) Bis(2-ethylhexyl)phtha...	14.104	149	774366	79.790	ng	99
85) Di-n-octyl phthalate	14.716	149	1434055	81.519	ng	99
87) Indeno(1,2,3-cd)pyrene	17.174	276	1604969	76.718	ng	99
88) Benzo(b)fluoranthene	15.186	252	1438518	79.367	ng	100
89) Benzo(k)fluoranthene	15.216	252	1111726	68.737	ng	100
90) Benzo(a)pyrene	15.568	252	1269253	76.006	ng	99
91) Dibenzo(a,h)anthracene	17.198	278	1289789	75.746	ng	99
92) Benzo(g,h,i)perylene	17.645	276	1265778	76.846	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Jul 17 15:05:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF071725.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 17 14:54:43 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:152 Resp: 145034
Ion Ratio Lower Upper
152 100
150 159.0 128.2 192.4
115 60.4 47.9 71.9



#2
1,4-Dioxane
Concen: 74.710 ng
RT: 2.793 min Scan# 102
Delta R.T. -0.029 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion: 88 Resp: 323993
Ion Ratio Lower Upper
88 100
58 86.8 70.2 105.2
43 33.6 27.1 40.7









#3
Pyridine
Concen: 74.844 ng
RT: 3.569 min Scan# 21
Delta R.T. -0.018 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion: 79 Resp: 842446
Ion Ratio Lower Upper
79 100
52 85.3 69.4 104.2
51 41.4 33.5 50.3



#4
n-Nitrosodimethylamine
Concen: 76.677 ng
RT: 3.528 min Scan# 227
Delta R.T. -0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion: 42 Resp: 445612
Ion Ratio Lower Upper
42 100
74 118.0 91.7 137.5
44 6.9 5.6 8.4









#5
2-Fluorophenol
Concen: 141.880 ng
RT: 5.587 min Scan# 511
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:112 Resp: 1300344
Ion Ratio Lower Upper
112 100
64 66.6 53.1 79.7
63 33.6 26.6 40.0



#6
Aniline
Concen: 72.831 ng
RT: 6.628 min Scan# 754
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion: 93 Resp: 1170943
Ion Ratio Lower Upper
93 100
66 42.9 33.2 49.8
65 21.6 16.9 25.3









#7
Phenol-d6
Concen: 142.159 ng
RT: 6.593 min Scan# 747
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 99 Resp: 1639937
Ion Ratio Lower Upper
99 100
42 21.1 17.0 25.6
71 35.0 27.7 41.5



#8
2-Chlorophenol
Concen: 72.781 ng
RT: 6.751 min Scan# 775
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:128 Resp: 699193
Ion Ratio Lower Upper
128 100
130 32.9 12.3 52.3
64 55.5 35.9 75.9








#9
Benzaldehyde
Concen: 57.055 ng
RT: 6.516 min Scan# 711
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion: 77 Resp: 493544
Ion Ratio Lower Upper
77 100
105 96.2 76.8 116.8
106 93.1 74.4 114.4



#10
Phenol
Concen: 73.783 ng
RT: 6.610 min Scan# 751
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion: 94 Resp: 927252
Ion Ratio Lower Upper
94 100
65 34.9 10.0 50.0
66 50.1 20.8 60.8





#11

bis(2-Chloroethyl)ether

Concen: 72.503 ng

RT: 6.698 min Scan# 766

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion: 93 Resp: 697645

Ion Ratio Lower Upper

93 100

63 83.6 63.4 103.4

95 32.6 12.4 52.4



#12

1,3-Dichlorobenzene

Concen: 70.400 ng

RT: 6.910 min Scan# 802

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:146 Resp: 734699

Ion Ratio Lower Upper

146 100

148 63.2 50.6 76.0

75 33.9 27.4 41.2








#13
1,4-Dichlorobenzene
Concen: 70.360 ng
RT: 6.987 min Scan# 814
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:146 Resp: 739462
Ion Ratio Lower Upper
146 100
148 64.1 50.3 75.5
111 43.4 34.4 51.6



#14
1,2-Dichlorobenzene
Concen: 70.958 ng
RT: 7.140 min Scan# 841
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:146 Resp: 709300
Ion Ratio Lower Upper
146 100
148 63.2 50.7 76.1
111 45.3 36.6 54.8









#15
Benzyl Alcohol
Concen: 75.139 ng
RT: 7.104 min Scan# 81
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion: 79 Resp: 661847
Ion Ratio Lower Upper
79 100
108 75.8 61.1 91.7
77 61.6 48.9 73.3



#16
2,2'-oxybis(1-Chloropropane)
Concen: 70.902 ng
RT: 7.240 min Scan# 858
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion: 45 Resp: 1265589
Ion Ratio Lower Upper
45 100
77 11.8 0.0 31.2
79 9.0 0.0 28.5









#17
2-Methylphenol
Concen: 73.719 ng
RT: 7.210 min Scan# 810
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:	107	Resp:	595477
Ion Ratio	Lower	Upper	
107	100		
108	115.6	91.8	137.6
77	46.2	37.0	55.6
79	47.1	36.9	55.3



#18
Hexachloroethane
Concen: 73.293 ng
RT: 7.481 min Scan# 899
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:	117	Resp:	266665
Ion Ratio	Lower	Upper	
117	100		
119	96.9	77.8	116.8
201	94.3	77.0	115.4









#19
n-Nitroso-di-n-propylamine
Concen: 71.452 ng
RT: 7.387 min Scan# 81
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:	70	Resp:	528820
Ion	Ratio	Lower	Upper
70	100		
42	64.4	52.5	78.7
101	9.9	7.6	11.4
130	20.4	16.1	24.1



#20
3+4-Methylphenols
Concen: 68.763 ng
RT: 7.369 min Scan# 880
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:	107	Resp:	673906
Ion	Ratio	Lower	Upper
107	100		
108	90.3	70.0	110.0
77	105.4	57.8	97.8#
79	30.4	9.5	49.5








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1029
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:	136	Resp:	544516
Ion Ratio	Lower	Upper	
136	100		
137	11.1	8.6	13.0
54	10.6	8.2	12.2
68	6.9	5.4	8.2



#22
Acetophenone
Concen: 69.107 ng
RT: 7.375 min Scan# 881
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:	105	Resp:	890890
Ion Ratio	Lower	Upper	
105	100		
71	4.8	5.8	8.6#
51	41.6	30.2	45.2
120	23.0	18.2	27.4





#23

Nitrobenzene-d5

Concen: 150.551 ng

RT: 7.534 min Scan# 906

Delta R.T. 0.012 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :





BNA_F

ClientSampleId :

SSTDICC080

Tgt Ion: 82 Resp: 1644581

Ion	Ratio	Lower	Upper
82	100		
128	43.4	33.6	50.4
54	57.5	47.1	70.7



#24

Nitrobenzene

Concen: 73.836 ng

RT: 7.551 min Scan# 911




Delta R.T. 0.006 min


Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Tgt Ion: 77 Resp: 751964

Ion	Ratio	Lower	Upper
77	100		
123	45.2	36.1	54.1
65	14.4	11.4	17.2








#25
Isophorone
Concen: 75.366 ng
RT: 7.792 min Scan# 91
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion: 82 Resp: 1453353
Ion Ratio Lower Upper
82 100
95 7.2 5.5 8.3
138 17.6 13.8 20.8



#26
2-Nitrophenol
Concen: 82.568 ng
RT: 7.863 min Scan# 964
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:139 Resp: 364951
Ion Ratio Lower Upper
139 100
109 29.7 23.6 35.4
65 53.4 42.6 64.0





#27

2,4-Dimethylphenol

Concen: 72.050 ng

RT: 7.898 min Scan# 91

Delta R.T. 0.012 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:122 Resp: 649144

Ion Ratio Lower Upper

122 100

107 115.7 91.8 137.6

121 58.0 46.3 69.5



#28

bis(2-Chloroethoxy)methane

Concen: 72.134 ng

RT: 7.992 min Scan# 986

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion: 93 Resp: 834021


Ion Ratio Lower Upper

93 100

95 32.7 25.8 38.6

123 12.2 9.7 14.5





#29

2,4-Dichlorophenol

Concen: 73.527 ng

RT: 8.104 min Scan# 1005

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080




Tgt Ion:162 Resp: 558665

Ion Ratio Lower Upper

162 100

164 63.9 44.2 84.2

98 38.5 17.9 57.9



#30

1,2,4-Trichlorobenzene

Concen: 71.673 ng

RT: 8.187 min Scan# 1019

Delta R.T. 0.000 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:180 Resp: 588333


Ion Ratio Lower Upper

180 100

182 94.9 76.2 114.2

145 32.7 25.0 37.6








#31
Naphthalene
Concen: 69.150 ng
RT: 8.269 min Scan# 1033
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:128 Resp: 1854387
Ion Ratio Lower Upper
128 100
129 11.3 9.0 13.4
127 13.3 10.6 16.0



#32
Benzoic acid
Concen: 77.395 ng
RT: 8.028 min Scan# 992
Delta R.T. 0.036 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:122 Resp: 409976
Ion Ratio Lower Upper
122 100
105 126.7 104.8 144.8
77 98.6 77.6 117.6









#33
4-Chloroaniline
Concen: 71.895 ng
RT: 8.310 min Scan# 1040
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:	127	Resp:	787243
Ion	Ratio	Lower	Upper
127	100		
129	32.6	26.0	39.0
65	35.9	27.4	41.2
92	21.7	16.8	25.2



#34
Hexachlorobutadiene
Concen: 73.453 ng
RT: 8.392 min Scan# 1054
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:	225	Resp:	368327
Ion	Ratio	Lower	Upper
225	100		
223	63.6	49.8	74.6
227	63.7	50.2	75.4








#35
 Caprolactam
 Concen: 77.644 ng
 RT: 8.698 min Scan# 1106
 Delta R.T. 0.018 min
 Lab File: BF143147.D
 Acq: 17 Jul 2025 14:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080

Tgt Ion:113 Resp: 178271
 Ion Ratio Lower Upper
 113 100
 55 200.6 174.0 214.0
 56 152.0 126.6 166.6



#36
 4-Chloro-3-methylphenol
 Concen: 74.354 ng
 RT: 8.792 min Scan# 1122
 Delta R.T. 0.012 min
 Lab File: BF143147.D
 Acq: 17 Jul 2025 14:34

Tgt Ion:107 Resp: 614048
 Ion Ratio Lower Upper
 107 100
 144 24.9 19.8 29.6
 142 76.9 60.6 90.8





#37

2-Methylnaphthalene

Concen: 69.687 ng

RT: 8.957 min Scan# 1150

Delta R.T. 0.000 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :





SSTDICC080

Tgt Ion:142 Resp: 1137176

Ion Ratio Lower Upper

142 100

141 87.7 69.9 104.9



#38

1-Methylnaphthalene

Concen: 69.550 ng

RT: 9.057 min Scan# 1167

Delta R.T. 0.000 min

Lab File: BF143147.D




Acq: 17 Jul 2025 14:34


Tgt Ion:142 Resp: 1168702

Ion Ratio Lower Upper

142 100

141 90.4 72.3 108.5








#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.004 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:164 Resp: 275619
Ion Ratio Lower Upper
164 100
162 99.2 79.0 118.6
160 44.5 35.1 52.7



#40
1,2,4,5-Tetrachlorobenzene
Concen: 71.389 ng
RT: 9.128 min Scan# 1179
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:216 Resp: 568070
Ion Ratio Lower Upper
216 100
214 78.9 63.8 95.8
179 20.4 16.4 24.6
108 19.3 15.6 23.4









#41
Hexachlorocyclopentadiene
Concen: 79.719 ng
RT: 9.122 min Scan# 1177
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:237 Resp: 412756
Ion Ratio Lower Upper
237 100
235 63.2 43.0 83.0
272 13.6 0.0 33.3



#42
2,4,6-Tribromophenol
Concen: 153.498 ng
RT: 10.792 min Scan# 1462
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:330 Resp: 437054
Ion Ratio Lower Upper
330 100
332 96.6 76.7 115.1
141 27.7 23.3 34.9









#43
2,4,6-Trichlorophenol
Concen: 74.838 ng
RT: 9.234 min Scan# 1196
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:196 Resp: 412148
Ion Ratio Lower Upper
196 100
198 95.2 76.2 114.2
200 30.6 23.9 35.9



#44
2,4,5-Trichlorophenol
Concen: 76.888 ng
RT: 9.275 min Scan# 1204
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:196 Resp: 423565
Ion Ratio Lower Upper
196 100
198 95.6 77.3 115.9
97 50.1 40.3 60.5
132 28.8 23.1 34.7









#45
2-Fluorobiphenyl
Concen: 130.157 ng
RT: 9.322 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:172 Resp: 2623071
Ion Ratio Lower Upper
172 100
171 36.0 28.6 42.8
170 23.7 18.8 28.2



#46
1,1'-Biphenyl
Concen: 69.388 ng
RT: 9.428 min Scan# 1230
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:154 Resp: 1492094
Ion Ratio Lower Upper
154 100
153 40.5 20.3 60.3
76 13.3 0.0 33.3





#47

2-Chloronaphthalene

Concen: 71.122 ng

RT: 9.451 min Scan# 1

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:162 Resp: 1131626

Ion Ratio Lower Upper

162 100

127 42.2 33.4 50.2

164 32.8 26.2 39.2



#48

2-Nitroaniline

Concen: 80.971 ng

RT: 9.534 min Scan# 1248

Delta R.T. 0.000 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion: 65 Resp: 404023


Ion Ratio Lower Upper

65 100

92 64.0 52.4 78.6

138 97.3 82.3 123.5





#49

Acenaphthylene

Concen: 70.057 ng

RT: 9.869 min Scan# 11

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:152 Resp: 1868062

Ion Ratio Lower Upper

152 100

151 20.5 16.2 24.2

153 13.4 10.6 16.0



#50

Dimethylphthalate

Concen: 71.723 ng

RT: 9.728 min Scan# 1281

Delta R.T. 0.012 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:163 Resp: 1288559

Ion Ratio Lower Upper

163 100

194 4.6 3.4 5.2

164 10.0 8.3 12.5









#51
2,6-Dinitrotoluene
Concen: 80.093 ng
RT: 9.781 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:165 Resp: 292718
Ion Ratio Lower Upper
165 100
63 62.6 49.4 74.2
89 57.2 46.2 69.2



#52
Acenaphthene
Concen: 71.086 ng
RT: 10.039 min Scan# 1334
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:154 Resp: 1120315
Ion Ratio Lower Upper
154 100
153 106.1 86.6 129.8
152 50.4 40.4 60.6





#53

3-Nitroaniline

Concen: 78.128 ng

RT: 9.951 min Scan# 1319

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:138 Resp: 333980

Ion Ratio Lower Upper

138 100

108 10.9 9.0 13.6

92 114.1 93.0 139.4



#54

2,4-Dinitrophenol

Concen: 80.516 ng

RT: 10.051 min Scan# 1336

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:184 Resp: 133446


Ion Ratio Lower Upper

184 100

63 86.6 81.8 122.6

154 321.6 412.2 618.4#









#55
Dibenzofuran
Concen: 69.038 ng
RT: 10.210 min Scan# 1363
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:168 Resp: 1615399
Ion Ratio Lower Upper
168 100
139 37.5 29.5 44.3
169 13.8 10.9 16.3



#56
4-Nitrophenol
Concen: 79.161 ng
RT: 10.098 min Scan# 1344
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:139 Resp: 252698
Ion Ratio Lower Upper
139 100
109 68.4 48.5 88.5
65 101.3 83.4 123.4









#57
2,4-Dinitrotoluene
Concen: 82.029 ng
RT: 10.186 min Scan# 1359
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:165 Resp: 376124
Ion Ratio Lower Upper
165 100
63 48.1 41.0 61.4
89 72.5 61.1 91.7
182 3.0 2.3 3.5



#58
Fluorene
Concen: 68.203 ng
RT: 10.551 min Scan# 1421
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:166 Resp: 1197731
Ion Ratio Lower Upper
166 100
165 92.5 73.7 110.5
167 13.8 10.6 16.0









#59
2,3,4,6-Tetrachlorophenol
Concen: 74.533 ng
RT: 10.322 min Scan# 1382
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:232 Resp: 340118
Ion Ratio Lower Upper
232 100
131 44.5 35.3 52.9
130 2.4 1.7 2.5
166 29.4 23.4 35.2



#60
Diethylphthalate
Concen: 71.870 ng
RT: 10.422 min Scan# 1399
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:149 Resp: 1276217
Ion Ratio Lower Upper
149 100
177 22.4 17.5 26.3
150 13.0 10.2 15.2









#61
4-Chlorophenyl-phenylether
Concen: 70.326 ng
RT: 10.539 min Scan# 1419
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:204 Resp: 614962
Ion Ratio Lower Upper
204 100
206 32.4 25.8 38.8
141 60.3 47.0 70.4



#62
4-Nitroaniline
Concen: 79.680 ng
RT: 10.569 min Scan# 1424
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:138 Resp: 291926
Ion Ratio Lower Upper
138 100
92 50.4 29.3 69.3
108 70.7 48.3 88.3









#63
 Azobenzene
 Concen: 71.255 ng
 RT: 10.704 min Scan# 1446
 Delta R.T. 0.006 min
 Lab File: BF143147.D
 Acq: 17 Jul 2025 14:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080


Tgt Ion: 77 Resp: 1318720
 Ion Ratio Lower Upper
 77 100
 182 25.9 4.6 44.6
 105 21.9 1.4 41.4
 51 33.5 13.7 53.7



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.486 min Scan# 1580
 Delta R.T. 0.000 min
 Lab File: BF143147.D
 Acq: 17 Jul 2025 14:34

Tgt Ion: 188 Resp: 429046
 Ion Ratio Lower Upper
 188 100
 94 10.6 8.3 12.5
 80 11.8 9.0 13.6









#65
4,6-Dinitro-2-methylphenol
Concen: 78.948 ng
RT: 10.592 min Scan# 1427
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:198 Resp: 186415
Ion Ratio Lower Upper
198 100
51 58.9 37.2 77.2
105 46.0 24.8 64.8



#66
n-Nitrosodiphenylamine
Concen: 72.014 ng
RT: 10.663 min Scan# 1440
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:169 Resp: 1087990
Ion Ratio Lower Upper
169 100
168 66.8 52.1 78.1
167 36.1 28.2 42.2









#67
4-Bromophenyl-phenylether
Concen: 74.734 ng
RT: 11.033 min Scan# 1503
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:248 Resp: 382122
Ion Ratio Lower Upper
248 100
250 98.3 78.3 117.5
141 69.8 59.2 88.8



#68
Hexachlorobenzene
Concen: 74.680 ng
RT: 11.104 min Scan# 1515
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:284 Resp: 399107
Ion Ratio Lower Upper
284 100
142 30.7 27.0 40.6
249 30.5 25.0 37.6





#69

Atrazine

Concen: 77.819 ng

RT: 11.180 min Scan# 1528

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:200 Resp: 324126

Ion Ratio Lower Upper

200 100

173 28.3 7.9 47.9

215 49.8 30.1 70.1



#70

Pentachlorophenol

Concen: 81.829 ng

RT: 11.286 min Scan# 1546

Delta R.T. 0.000 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:266 Resp: 257176


Ion Ratio Lower Upper

266 100

268 62.2 51.9 77.9

264 62.9 51.0 76.6





#71

Phenanthrene

Concen: 70.331 ng

RT: 11.516 min Scan# 1584

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:178 Resp: 1602208

Ion Ratio Lower Upper

178 100

176 19.1 15.3 22.9

179 15.5 12.5 18.7



#72

Anthracene

Concen: 70.640 ng

RT: 11.563 min Scan# 1593

Delta R.T. 0.000 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:178 Resp: 1641264


Ion Ratio Lower Upper

178 100

176 18.7 15.0 22.4

179 15.8 12.5 18.7









#73
 Carbazole
 Concen: 70.754 ng
 RT: 11.710 min Scan# 1618
 Delta R.T. 0.000 min
 Lab File: BF143147.D
 Acq: 17 Jul 2025 14:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080


Tgt Ion:167 Resp: 1435444
 Ion Ratio Lower Upper
 167 100
 166 21.6 17.0 25.6
 139 13.1 10.0 15.0



#74
 Di-n-butylphthalate
 Concen: 74.034 ng
 RT: 12.045 min Scan# 1675
 Delta R.T. 0.006 min
 Lab File: BF143147.D
 Acq: 17 Jul 2025 14:34

Tgt Ion:149 Resp: 1699503
 Ion Ratio Lower Upper
 149 100
 150 9.2 7.4 11.2
 104 4.9 3.8 5.8









#75
Fluoranthene
Concen: 71.645 ng
RT: 12.698 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:202 Resp: 1498103
Ion Ratio Lower Upper
202 100
101 11.9 0.0 31.7
203 17.8 0.0 37.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.127 min Scan# 2029
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:240 Resp: 245351
Ion Ratio Lower Upper
240 100
120 11.2 9.4 14.2
236 25.2 20.2 30.4









#77
Benzidine
Concen: 52.548 ng
RT: 12.810 min Scan# 1805
Delta R.T. -0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:184 Resp: 496717
Ion Ratio Lower Upper
184 100
185 15.1 12.2 18.4
183 11.0 9.0 13.4



#78
Pyrene
Concen: 70.021 ng
RT: 12.927 min Scan# 1825
Delta R.T. 0.000 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:202 Resp: 1466205
Ion Ratio Lower Upper
202 100
200 20.0 15.7 23.5
203 17.7 14.2 21.2









#79
 Terphenyl-d14
 Concen: 133.606 ng
 RT: 13.069 min Scan# 1849
 Delta R.T. 0.000 min
 Lab File: BF143147.D
 Acq: 17 Jul 2025 14:34




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC080


Tgt Ion:244 Resp: 2202828
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.2 7.8
 122 10.4 8.2 12.2



#80
 Butylbenzylphthalate
 Concen: 81.353 ng
 RT: 13.539 min Scan# 1929
 Delta R.T. 0.000 min
 Lab File: BF143147.D
 Acq: 17 Jul 2025 14:34

Tgt Ion:149 Resp: 521631
 Ion Ratio Lower Upper
 149 100
 91 72.9 57.9 86.9
 206 21.5 17.0 25.4









#81
Benzo(a)anthracene
Concen: 73.788 ng
RT: 14.116 min Scan# 2026
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:228 Resp: 1212056
Ion Ratio Lower Upper
228 100
226 27.4 21.7 32.5
229 19.8 15.8 23.6



#82
3,3'-Dichlorobenzidine
Concen: 71.867 ng
RT: 14.074 min Scan# 2020
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:252 Resp: 393448
Ion Ratio Lower Upper
252 100
254 65.3 51.7 77.5
126 10.9 9.4 14.0





#83

Chrysene

Concen: 74.863 ng

RT: 14.151 min Scan# 2033

Delta R.T. 0.000 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:228 Resp: 1105636

Ion Ratio Lower Upper

228 100

226 29.8 23.8 35.8

229 19.9 15.6 23.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 79.790 ng

RT: 14.104 min Scan# 2025

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:149 Resp: 774366


Ion Ratio Lower Upper

149 100

167 28.1 22.3 33.5

279 4.9 3.6 5.4





#85

Di-n-octyl phthalate

Concen: 81.519 ng

RT: 14.716 min Scan# 21

Delta R.T. 0.000 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:149 Resp: 1434055

Ion Ratio Lower Upper

149 100

167 1.6 1.1 1.7

43 11.9 9.7 14.5



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.627 min Scan# 2284

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:264 Resp: 296687


Ion Ratio Lower Upper

264 100

260 23.2 18.5 27.7

265 21.1 17.4 26.2









#87
Indeno(1,2,3-cd)pyrene
Concen: 76.718 ng
RT: 17.174 min Scan# 21
Delta R.T. 0.012 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34




Instrument :
BNA_F
ClientSampleId :
SSTDICC080


Tgt Ion:276 Resp: 1604969
Ion Ratio Lower Upper
276 100
138 26.5 21.8 32.6
277 25.5 20.0 30.0



#88
Benzo(b)fluoranthene
Concen: 79.367 ng
RT: 15.186 min Scan# 2209
Delta R.T. 0.006 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:252 Resp: 1438518
Ion Ratio Lower Upper
252 100
253 22.1 17.5 26.3
125 10.0 8.0 12.0





#89

Benzo(k)fluoranthene

Concen: 68.737 ng

RT: 15.216 min Scan# 21

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34

Instrument :

BNA_F

ClientSampleId :

SSTDICC080





Tgt Ion:252 Resp: 1111726

Ion Ratio Lower Upper

252 100

253 22.1 17.8 26.6

125 10.4 8.1 12.1



#90

Benzo(a)pyrene

Concen: 76.006 ng

RT: 15.568 min Scan# 2274

Delta R.T. 0.006 min

Lab File: BF143147.D

Acq: 17 Jul 2025 14:34




Tgt Ion:252 Resp: 1269253


Ion Ratio Lower Upper

252 100

253 21.9 17.3 25.9

125 10.8 8.6 13.0









#91
Dibenzo(a,h)anthracene
Concen: 75.746 ng
RT: 17.198 min Scan# 21
Delta R.T. 0.018 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:278 Resp: 1289789
Ion Ratio Lower Upper
278 100
139 16.7 14.1 21.1
279 23.8 18.6 28.0



#92
Benzo(g,h,i)perylene
Concen: 76.846 ng
RT: 17.645 min Scan# 2627
Delta R.T. 0.018 min
Lab File: BF143147.D
Acq: 17 Jul 2025 14:34

Tgt Ion:276 Resp: 1265778
Ion Ratio Lower Upper
276 100
277 24.0 19.1 28.7
138 23.7 18.9 28.3

