

SOP ID : M3010A-Digestion-17

SDG No : N/A

Matrix : WATER

Pipette ID: ICP A

Balance ID : N/A

Filter paper ID : N/A

pH Strip ID : M6069

Hood ID : #3

Block ID: 1. HOT BLOCK #1 2. N/A

Start Digest Date: 08/01/2025 **Time :** 10:05 **Temp :** 96 °C

End Digest Date: 08/01/2025 **Time :** 13:10 **Temp :** 96 °C

Digestion tube ID: M5595

Block thermometer ID: MET-DIG. #1

Dig Technician Signature: *SLB*

Supervisor Signature: *[Signature]*

Temp : 1. 96°C 2. N/A

Standard Name	MLS USED	STD REF. # FROM LOG
LFS-1	0.25	M6007
LFS-2	0.25	M6015
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
Conc. HNO3	3.00	M6158
1:1 HCL	5.00	MP85156
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK# CELL#50 96C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
08/01/25 14:16	SLB met dig	<i>[Signature]</i>
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
PB169078BL	PBW078	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	15
PB169078BS	LCS078	<2	50	25	Colorless	Colorless	Clear	Clear	M6007,M6015	16
Q2733-01MS	TW-WTS-12MS	<2	50	25	Colorless	Colorless	Clear	Clear	M6007,M6015	19
Q2733-01MSD	TW-WTS-12MSD	<2	50	25	Colorless	Colorless	Clear	Clear	M6007,M6015	20
Q2733-01DUP	TW-WTS-12DUP	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	18
Q2733-01	TW-WTS-12	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	17
Q2742-01	9 BANKER	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	21