

Report of Analysis

Client:	Tetra Tech NUS, Inc.	Date Collected:	07/31/25
Project:	NWIRP Bethpage - CTO WE13 1132341 WR6	Date Received:	08/01/25
Client Sample ID:	RW8-SP303-20250731	SDG No.:	Q2745
Lab Sample ID:	Q2745-02	Matrix:	Water
Analytical Method:	SW8270ESIM	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-SIMGroup1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN037562.D	1	08/04/25 08:40	08/05/25 11:23	PB169094

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
123-91-1	1,4-Dioxane	0.070	U	0.070	0.20	ug/L
SURROGATES						
7297-45-2	2-Methylnaphthalene-d10	0.30		20 - 139	75%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0.35		54 - 157	88%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0.32		27 - 154	80%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0.36		30 - 155	90%	SPK: 0.4
1718-51-0	Terphenyl-d14	0.47		54 - 175	116%	SPK: 0.4
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	1760	7.724			
1146-65-2	Naphthalene-d8	4430	10.498			
15067-26-2	Acenaphthene-d10	2200	14.345			
1517-22-2	Phenanthrene-d10	4200	17.086			
1719-03-5	Chrysene-d12	3120	21.277			
1520-96-3	Perylene-d12	2700	23.508			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products