

Hit Summary Sheet SW-846

SDG No.: Q2747

Order ID: Q2747

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : OU4-TS-GRILLO-OG2-073125									
Q2747-02	OU4-TS-GRILLO-OG2-073125	Water	Arsenic	13.0	D	0.45	1.25	5.00	ug/L
Q2747-02	OU4-TS-GRILLO-OG2-073125	Water	Barium	142	D	1.05	6.25	50.0	ug/L
Q2747-02	OU4-TS-GRILLO-OG2-073125	Water	Chromium	2.40	JD	1.05	3.75	10.0	ug/L
Q2747-02	OU4-TS-GRILLO-OG2-073125	Water	Copper	9.95	JD	1.50	7.50	10.0	ug/L
Q2747-02	OU4-TS-GRILLO-OG2-073125	Water	Lead	3.80	JD	1.05	3.75	5.00	ug/L
Q2747-02	OU4-TS-GRILLO-OG2-073125	Water	Nickel	19.1	D	1.35	3.75	5.00	ug/L
Q2747-02	OU4-TS-GRILLO-OG2-073125	Water	Vanadium	6.00	JD	0.39	1.25	25.0	ug/L
Q2747-02	OU4-TS-GRILLO-OG2-073125	Water	Zinc	1180	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-OG3-073125									
Q2747-04	OU4-TS-GRILLO-OG3-073125	Water	Arsenic	20.9	D	0.45	1.25	5.00	ug/L
Q2747-04	OU4-TS-GRILLO-OG3-073125	Water	Barium	112	D	1.05	6.25	50.0	ug/L
Q2747-04	OU4-TS-GRILLO-OG3-073125	Water	Beryllium	3.55	JD	1.60	3.75	5.00	ug/L
Q2747-04	OU4-TS-GRILLO-OG3-073125	Water	Cadmium	4.75	JD	1.70	2.50	5.00	ug/L
Q2747-04	OU4-TS-GRILLO-OG3-073125	Water	Chromium	10.8	D	1.05	3.75	10.0	ug/L
Q2747-04	OU4-TS-GRILLO-OG3-073125	Water	Copper	20.8	D	1.50	7.50	10.0	ug/L
Q2747-04	OU4-TS-GRILLO-OG3-073125	Water	Lead	17.6	D	1.05	3.75	5.00	ug/L
Q2747-04	OU4-TS-GRILLO-OG3-073125	Water	Nickel	52.4	D	1.35	3.75	5.00	ug/L
Q2747-04	OU4-TS-GRILLO-OG3-073125	Water	Vanadium	36.5	D	0.39	1.25	25.0	ug/L
Q2747-04	OU4-TS-GRILLO-OG3-073125	Water	Zinc	1480	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-OG4-073125									
Q2747-06	OU4-TS-GRILLO-OG4-073125	Water	Arsenic	22.3	D	0.45	1.25	5.00	ug/L
Q2747-06	OU4-TS-GRILLO-OG4-073125	Water	Barium	110	D	1.05	6.25	50.0	ug/L
Q2747-06	OU4-TS-GRILLO-OG4-073125	Water	Beryllium	3.80	JD	1.60	3.75	5.00	ug/L
Q2747-06	OU4-TS-GRILLO-OG4-073125	Water	Cadmium	4.20	JD	1.70	2.50	5.00	ug/L
Q2747-06	OU4-TS-GRILLO-OG4-073125	Water	Chromium	10.1	D	1.05	3.75	10.0	ug/L
Q2747-06	OU4-TS-GRILLO-OG4-073125	Water	Copper	21.4	D	1.50	7.50	10.0	ug/L
Q2747-06	OU4-TS-GRILLO-OG4-073125	Water	Lead	18.8	D	1.05	3.75	5.00	ug/L
Q2747-06	OU4-TS-GRILLO-OG4-073125	Water	Nickel	53.0	D	1.35	3.75	5.00	ug/L
Q2747-06	OU4-TS-GRILLO-OG4-073125	Water	Mercury	0.17	J	0.076	0.16	0.20	ug/L
Q2747-06	OU4-TS-GRILLO-OG4-073125	Water	Vanadium	37.8	D	0.39	1.25	25.0	ug/L
Q2747-06	OU4-TS-GRILLO-OG4-073125	Water	Zinc	1580	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP01-073125									
Q2747-08	OU4-TS-GRILLO-TSCP01-0731	Water	Arsenic	21.3	D	0.45	1.25	5.00	ug/L
Q2747-08	OU4-TS-GRILLO-TSCP01-0731	Water	Barium	178	D	1.05	6.25	50.0	ug/L
Q2747-08	OU4-TS-GRILLO-TSCP01-0731	Water	Beryllium	1.60	JD	1.60	3.75	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2747

Order ID: Q2747

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2747-08	OU4-TS-GRILLO-TSCP01-0731	Water	Cadmium	4.45	JD	1.70	2.50	5.00	ug/L
Q2747-08	OU4-TS-GRILLO-TSCP01-0731	Water	Chromium	2.90	JD	1.05	3.75	10.0	ug/L
Q2747-08	OU4-TS-GRILLO-TSCP01-0731	Water	Copper	13.3	D	1.50	7.50	10.0	ug/L
Q2747-08	OU4-TS-GRILLO-TSCP01-0731	Water	Lead	9.85	D	1.05	3.75	5.00	ug/L
Q2747-08	OU4-TS-GRILLO-TSCP01-0731	Water	Nickel	20.8	D	1.35	3.75	5.00	ug/L
Q2747-08	OU4-TS-GRILLO-TSCP01-0731	Water	Vanadium	7.75	JD	0.39	1.25	25.0	ug/L
Q2747-08	OU4-TS-GRILLO-TSCP01-0731	Water	Zinc	1510	D	6.25	7.50	25.0	ug/L
Client ID : OU4-TS-GRILLO-TSCP02-073125									
Q2747-10	OU4-TS-GRILLO-TSCP02-0731	Water	Arsenic	19.7	D	0.45	1.25	5.00	ug/L
Q2747-10	OU4-TS-GRILLO-TSCP02-0731	Water	Barium	113	D	1.05	6.25	50.0	ug/L
Q2747-10	OU4-TS-GRILLO-TSCP02-0731	Water	Beryllium	7.60	D	1.60	3.75	5.00	ug/L
Q2747-10	OU4-TS-GRILLO-TSCP02-0731	Water	Cadmium	7.65	D	1.70	2.50	5.00	ug/L
Q2747-10	OU4-TS-GRILLO-TSCP02-0731	Water	Chromium	11.5	D	1.05	3.75	10.0	ug/L
Q2747-10	OU4-TS-GRILLO-TSCP02-0731	Water	Copper	68.6	D	1.50	7.50	10.0	ug/L
Q2747-10	OU4-TS-GRILLO-TSCP02-0731	Water	Lead	48.8	D	1.05	3.75	5.00	ug/L
Q2747-10	OU4-TS-GRILLO-TSCP02-0731	Water	Nickel	45.5	D	1.35	3.75	5.00	ug/L
Q2747-10	OU4-TS-GRILLO-TSCP02-0731	Water	Vanadium	82.9	D	0.39	1.25	25.0	ug/L
Q2747-10	OU4-TS-GRILLO-TSCP02-0731	Water	Zinc	1680	D	6.25	7.50	25.0	ug/L



SAMPLE DATA

Report of Analysis

Client:	Nobis Group	Date Collected:	07/31/25
Project:	Raymark Superfund Site	Date Received:	08/01/25
Client Sample ID:	OU4-TS-GRILLO-OG2-073125	SDG No.:	Q2747
Lab Sample ID:	Q2747-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UDN5	0.55	1.25	10.0	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	
7440-38-2	Arsenic	13.0	DN*5	0.45	1.25	5.00	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	
7440-39-3	Barium	142	DN 5	1.05	6.25	50.0	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	
7440-41-7	Beryllium	3.75	UD 5	1.60	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	
7440-43-9	Cadmium	2.50	UD 5	1.70	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	
7440-47-3	Chromium	2.40	JDN 5	1.05	3.75	10.0	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	
7440-50-8	Copper	9.95	JD 5	1.50	7.50	10.0	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	
7439-92-1	Lead	3.80	JD 5	1.05	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	
7439-97-6	Mercury	0.16	U 1	0.076	0.16	0.20	ug/L	08/06/25 12:30	08/07/25 10:12	7470A		
7440-02-0	Nickel	19.1	D 5	1.35	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	
7782-49-2	Selenium	22.5	UD 5	14.5	22.5	25.0	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	
7440-22-4	Silver	2.50	UDN5	0.30	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	
7440-28-0	Thallium	2.50	UDN5	0.30	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	
7440-62-2	Vanadium	6.00	JDN 5	0.39	1.25	25.0	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	
7440-66-6	Zinc	1180	DN 5	6.25	7.50	25.0	ug/L	08/05/25 12:30	08/05/25 17:09	6020B	3010A	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/31/25
Project:	Raymark Superfund Site	Date Received:	08/01/25
Client Sample ID:	OU4-TS-GRILLO-OG3-073125	SDG No.:	Q2747
Lab Sample ID:	Q2747-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UDN5		0.55	1.25	10.0	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A
7440-38-2	Arsenic	20.9	DN*5		0.45	1.25	5.00	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A
7440-39-3	Barium	112	DN 5		1.05	6.25	50.0	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A
7440-41-7	Beryllium	3.55	JD 5		1.60	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A
7440-43-9	Cadmium	4.75	JD 5		1.70	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A
7440-47-3	Chromium	10.8	DN 5		1.05	3.75	10.0	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A
7440-50-8	Copper	20.8	D 5		1.50	7.50	10.0	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A
7439-92-1	Lead	17.6	D 5		1.05	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A
7439-97-6	Mercury	0.16	U 1		0.076	0.16	0.20	ug/L	08/06/25 12:30	08/07/25 10:14	7470A	
7440-02-0	Nickel	52.4	D 5		1.35	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A
7782-49-2	Selenium	22.5	UD 5		14.5	22.5	25.0	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A
7440-28-0	Thallium	2.50	UDN5		0.30	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A
7440-62-2	Vanadium	36.5	DN 5		0.39	1.25	25.0	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A
7440-66-6	Zinc	1480	DN 5		6.25	7.50	25.0	ug/L	08/05/25 12:30	08/05/25 17:12	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/31/25
Project:	Raymark Superfund Site	Date Received:	08/01/25
Client Sample ID:	OU4-TS-GRILLO-OG4-073125	SDG No.:	Q2747
Lab Sample ID:	Q2747-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UDN5		0.55	1.25	10.0	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A
7440-38-2	Arsenic	22.3	DN*5		0.45	1.25	5.00	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A
7440-39-3	Barium	110	DN 5		1.05	6.25	50.0	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A
7440-41-7	Beryllium	3.80	JD 5		1.60	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A
7440-43-9	Cadmium	4.20	JD 5		1.70	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A
7440-47-3	Chromium	10.1	DN 5		1.05	3.75	10.0	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A
7440-50-8	Copper	21.4	D 5		1.50	7.50	10.0	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A
7439-92-1	Lead	18.8	D 5		1.05	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A
7439-97-6	Mercury	0.17	J 1		0.076	0.16	0.20	ug/L	08/06/25 12:30	08/07/25 10:17	7470A	
7440-02-0	Nickel	53.0	D 5		1.35	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A
7782-49-2	Selenium	22.5	UD 5		14.5	22.5	25.0	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A
7440-28-0	Thallium	2.50	UDN5		0.30	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A
7440-62-2	Vanadium	37.8	DN 5		0.39	1.25	25.0	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A
7440-66-6	Zinc	1580	DN 5		6.25	7.50	25.0	ug/L	08/05/25 12:30	08/05/25 17:15	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/31/25
Project:	Raymark Superfund Site	Date Received:	08/01/25
Client Sample ID:	OU4-TS-GRILLO-TSCP01-073125	SDG No.:	Q2747
Lab Sample ID:	Q2747-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UDN5	0.55	1.25	10.0	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	
7440-38-2	Arsenic	21.3	DN*5	0.45	1.25	5.00	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	
7440-39-3	Barium	178	DN 5	1.05	6.25	50.0	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	
7440-41-7	Beryllium	1.60	JD 5	1.60	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	
7440-43-9	Cadmium	4.45	JD 5	1.70	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	
7440-47-3	Chromium	2.90	JDN 5	1.05	3.75	10.0	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	
7440-50-8	Copper	13.3	D 5	1.50	7.50	10.0	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	
7439-92-1	Lead	9.85	D 5	1.05	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	
7439-97-6	Mercury	0.16	U 1	0.076	0.16	0.20	ug/L	08/06/25 12:30	08/07/25 10:19	7470A		
7440-02-0	Nickel	20.8	D 5	1.35	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	
7782-49-2	Selenium	22.5	UD 5	14.5	22.5	25.0	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	
7440-22-4	Silver	2.50	UDN5	0.30	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	
7440-28-0	Thallium	2.50	UDN5	0.30	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	
7440-62-2	Vanadium	7.75	JDN 5	0.39	1.25	25.0	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	
7440-66-6	Zinc	1510	DN 5	6.25	7.50	25.0	ug/L	08/05/25 12:30	08/05/25 17:18	6020B	3010A	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	07/31/25
Project:	Raymark Superfund Site	Date Received:	08/01/25
Client Sample ID:	OU4-TS-GRILLO-TSCP02-073125	SDG No.:	Q2747
Lab Sample ID:	Q2747-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UDN5		0.55	1.25	10.0	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A
7440-38-2	Arsenic	19.7	DN*5		0.45	1.25	5.00	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A
7440-39-3	Barium	113	DN 5		1.05	6.25	50.0	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A
7440-41-7	Beryllium	7.60	D 5		1.60	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A
7440-43-9	Cadmium	7.65	D 5		1.70	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A
7440-47-3	Chromium	11.5	DN 5		1.05	3.75	10.0	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A
7440-50-8	Copper	68.6	D 5		1.50	7.50	10.0	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A
7439-92-1	Lead	48.8	D 5		1.05	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A
7439-97-6	Mercury	0.16	U 1		0.076	0.16	0.20	ug/L	08/06/25 12:30	08/07/25 10:21	7470A	
7440-02-0	Nickel	45.5	D 5		1.35	3.75	5.00	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A
7782-49-2	Selenium	22.5	UD 5		14.5	22.5	25.0	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A
7440-22-4	Silver	2.50	UDN5		0.30	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A
7440-28-0	Thallium	2.50	UDN5		0.30	2.50	5.00	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A
7440-62-2	Vanadium	82.9	DN 5		0.39	1.25	25.0	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A
7440-66-6	Zinc	1680	DN 5		6.25	7.50	25.0	ug/L	08/05/25 12:30	08/05/25 17:21	6020B	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2747	OrderDate:	8/1/2025 10:40:00 AM
Client:	Nobis Group	Project:	Raymark Superfund Site
Contact:	Adam Roy	Location:	O32,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2747-02	OU4-TS-GRILLO-OG2-073125	Water			07/31/25			08/01/25
			SPLP Mercury	7470A		08/06/25	08/07/25	
			SPLP MetalGroup3	6020B		08/05/25	08/05/25	
Q2747-04	OU4-TS-GRILLO-OG3-073125	Water			07/31/25			08/01/25
			SPLP Mercury	7470A		08/06/25	08/07/25	
			SPLP MetalGroup3	6020B		08/05/25	08/05/25	
Q2747-06	OU4-TS-GRILLO-OG4-073125	Water			07/31/25			08/01/25
			SPLP Mercury	7470A		08/06/25	08/07/25	
			SPLP MetalGroup3	6020B		08/05/25	08/05/25	
Q2747-08	OU4-TS-GRILLO-TSCP 01-073125	Water			07/31/25			08/01/25
			SPLP Mercury	7470A		08/06/25	08/07/25	
			SPLP MetalGroup3	6020B		08/05/25	08/05/25	
Q2747-10	OU4-TS-GRILLO-TSCP 02-073125	Water			07/31/25			08/01/25
			SPLP Mercury	7470A		08/06/25	08/07/25	
			SPLP MetalGroup3	6020B		08/05/25	08/05/25	