

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

## **Report of Analysis**

Client: PSEG Date Collected:

Project: Port Street Substation 69kV Date Received:

Client Sample ID: PB169120BL SDG No.: Q2753
Lab Sample ID: PB169120BL Matrix: Solid

Analytical Method: NJEPH % Solid: 100

Sample Wt/Vol: 30.01 Units: g Final Vol: 2000 uL

Soil Aliquot Vol: uL Test: EPH\_NF

Prep Method:

Prep Date : Date Analyzed : Prep Batch ID

08/05/25 09:20 08/05/25 13:53 PB169120

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C28-C40	Aliphatic C28-C40	2.00	U	1	1.18	2.00	mg/kg F	FE055128.D
Aliphatic C9-C28	Aliphatic C9-C28	4.00	U	1	0.91	4.00	mg/kg F	FE055128.D
Total AliphaticEPI	H Total AliphaticEPH	6.00	U		2.09	6.00	mg/kg	
Total EPH	Total EPH	6.00	U		2.09	6.00	mg/kg	

<sup>\*</sup> As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

**Datafile** 

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

## **Report of Analysis**

Client: PSEG Date Collected:

Project: Port Street Substation 69kV Date Received:

Client Sample ID: PB169120BL SDG No.: Q2753
Lab Sample ID: PB169120BL Matrix: Solid

Analytical Method: NJEPH % Solid: 100

Sample Wt/Vol: 30.01 Units: g Final Vol: 2000 uL

Soil Aliquot Vol: uL Test: EPH\_NF

Prep Method:

Prep Date : Date Analyzed : Prep Batch ID

08/05/25 08:00 08/05/25 13:53 PB169120

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C28-C	40 Aliphatic C28-C40	1.18	U	1	1.18	2.00	mg/kg FE055128.D	
Aliphatic C9-C2	8 Aliphatic C9-C28	0.91	U	1	0.91	4.00	mg/kg FE055128.D	
Total AliphaticEl	PH Total AliphaticEPH	2.09	U		2.09	6.00	mg/kg	
Total EPH	Total EPH	2.09	U		2.09	6.00	mg/kg	

<sup>\*</sup> As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

**Datafile** 

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## **Report of Analysis**

Client:			Date Collected:	
Project:			Date Received:	
Client Sample ID:			SDG No.:	
Lab Sample ID:			Matrix:	
Analytical Method:	NJEPH			
Sample Wt/Vol:	Units:		Final Vol:	
Soil Aliquot Vol:		uL	Test:	
Prep Method:				
Prep Date :		Date Analyzed:		Prep Batch ID

CAS Number Parameter Conc. Qualifier Dilution MDL LOQ/CRQL

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

**Datafile** 

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution



2000

uL

Final Vol:



## **Report of Analysis**

Client: PSEG Date Collected:

Project: Port Street Substation 69kV Date Received:

g

30.01

Units:

Client Sample ID: PB169120BL SDG No.: Q2753
Lab Sample ID: PB169120BL Matrix: Solid

Analytical Method: NJEPH % Solid: 100

Soil Aliquot Vol: uL Test: EPH\_NF

Prep Method:

Sample Wt/Vol:

 File ID :
 Dilution:
 Prep Date :
 Date Analyzed :
 Prep Batch ID

 FE055128.D
 1
 08/05/25
 08/05/25
 PB169120

CAS Number	Parameter		Conc. Q	ualifier	MDL	LOQ / CRQL	Units
TARGETS							
Aliphatic C9-C2	28	Aliphatic C9-C28	0.000	U	0.91	4.00	mg/kg
Aliphatic C28-C	C40	Aliphatic C28-C40	1.18	U	1.18	2.00	mg/kg
SURROGATES							
3383-33-2		1-chlorooctadecane (SURR)	46.8		40 - 140	94%	SPK: 50
84-15-1		ortho-Terphenyl (SURR)	45.3		40 - 140	90%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

# Quantitation Report For Aliphatic EPH Range.

Lab Sample ID: PB169120BL Acq On: 05 Aug 2025 13:53

Client Sample ID: PB169120BL Operator: YP\AJ

Data file: FE055128.D Misc:

Instrument: FID\_E ALS Vial: 11

Dilution Factor: 1 Sample Multiplier: 1.00

R.T.		Response	Conc	highest_standard	Units
3.325	6.958	0	0	300	ug/ml
6.959	10.410	0	0	200	ug/ml
10.411	13.789	0	0	300	ug/ml
13.790	17.459	0	0	400	ug/ml
17.460	22.481	0	0	600	ug/ml
3.325	22.481	0	0		ug/ml
12.092	12.092	6461864	45.25		ug/ml
13.529	13.529	5032560	46.8		ug/ml
3.325	17.459	0	0	1200	ug/ml
	3.325 6.959 10.411 13.790 17.460 3.325 12.092 13.529	3.325 6.958 6.959 10.410 10.411 13.789 13.790 17.459 17.460 22.481 3.325 22.481 12.092 12.092 13.529 13.529	3.325       6.958       0         6.959       10.410       0         10.411       13.789       0         13.790       17.459       0         17.460       22.481       0         3.325       22.481       0         12.092       12.092       6461864         13.529       13.529       5032560	3.325       6.958       0       0         6.959       10.410       0       0         10.411       13.789       0       0         13.790       17.459       0       0         17.460       22.481       0       0         3.325       22.481       0       0         12.092       12.092       6461864       45.25         13.529       13.529       5032560       46.8	3.325     6.958     0     0     300       6.959     10.410     0     0     200       10.411     13.789     0     0     300       13.790     17.459     0     0     400       17.460     22.481     0     0     600       3.325     22.481     0     0       12.092     12.092     6461864     45.25       13.529     13.529     5032560     46.8