

DATA PACKAGE

GC SEMI-VOLATILES
VOLATILE ORGANICS

PROJECT NAME : 11 NEWMAN AVE NUTLEY

SCIACCA GENERAL CONTRACTORS, LLC

2 Shaw Court

Fairfield, NJ - 07004

Phone No: 201-933-6100

ORDER ID : Q2757

ATTENTION : Rosanne Scirica



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) VOC-TCLVOA-10- Case Narrative	4
2.2) TPH GC- Case Narrative	6
2.3) EPH_F2- Case Narrative	8
3) Qualifier Page	10
4) QA Checklist	11
5) VOC-TCLVOA-10 Data	12
6) TPH GC Data	18
7) EPH_F2 Data	21
8) Shipping Document	40
8.1) CHAIN OF CUSTODY	41
8.2) Lab Certificate	42
8.3) Internal COC	43

1
2
3
4
5
6
7
8

Cover Page

Order ID : Q2757

Project ID : 11 Newman Ave Nutley

Client : Sciacca General Contractors, LLC

Lab Sample Number

Q2757-01
Q2757-02
Q2757-03
Q2757-04
Q2757-05
Q2757-06
Q2757-07

Client Sample Number

WASTE
VOC
1
2
3
4
5

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 8/14/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Sciacca General Contractors, LLC
Project Name: 11 Newman Ave Nutley
Project # N/A
Order ID # Q2757
Test Name: VOC-TCLVOA-10

A. Number of Samples and Date of Receipt:

1 Solid sample was received on 08/01/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: VOC-TCLVOA-10. This data package contains results for VOC-TCLVOA-10.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_W were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of VOC-TCLVOA-10 was based on method 8260D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.
The Surrogate recoveries were met for all analysis.
The Internal Standards Areas were met for all analysis.
The Retention Times were met for all analysis.

The RPD for {VW0805SBSD01} with File ID: VW032007.D met criteria except for Methyl Acetate[30%] due to difference in results of BS and BSD.

The Blank Spike met requirements for all compounds.
The Blank Spike Duplicate met requirements for all compounds.
The Blank analysis did not indicate the presence of lab contamination.

The %RSD is greater than 20% in the Initial Calibration method (82W072225S.M) for Methylene Chloride passing on Linear regression.

The Continuous Calibration met the requirements.
The Tuning criteria met requirements.

E. Additional Comments:

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

The soil samples results are based on a dry weight basis.
Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

CASE NARRATIVE

Sciacca General Contractors, LLC
Project Name: 11 Newman Ave Nutley
Project # N/A
Order ID # Q2757
Test Name: TPH GC

A. Number of Samples and Date of Receipt:

1 Solid sample was received on 08/01/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested:
TPH GC. This data package contains results for TPH GC.

C. Analytical Techniques:

The analysis were performed on instrument FID_G. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 13302. The analysis of TPH GC was based on method 8015D and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.
The Surrogate recoveries were met for all analysis.
The Retention Times were met for all analysis.

The MS {Q2757-01MS} with File ID: FG016359.D recoveries met the requirements for all compounds except for Petroleum Hydrocarbons[391%] due to matrix interference.

The MSD {Q2757-01MSD} with File ID: FG016360.D recoveries met the requirements for all compounds except for Petroleum Hydrocarbons[310%] due to matrix interference.

The RPD for {Q2757-01MSD} with File ID: FG016360.D met criteria except for Petroleum Hydrocarbons[23.1%], due to difference in MS and MSD concentrations.

The Blank Spike met requirements for all compounds.
The Blank analysis did not indicate the presence of lab contamination.
The Initial Calibration met the requirements.
The Continuous Calibration met the requirements.

E. Additional Comments:

The soil samples results are based on a dry weight basis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

CASE NARRATIVE

Sciacca General Contractors, LLC
Project Name: 11 Newman Ave Nutley
Project # N/A
Order ID # Q2757
Test Name: EPH_F2

A. Number of Samples and Date of Receipt:

5 Solid samples were received on 08/01/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested:
EPH_F2. This data package contains results for EPH_F2.

C. Analytical Techniques:

The analysis were performed on instrument FID_E. The column is RXI-1MS which is 20 meters, 0.18mm ID, 0.18 um df, catalog 10224. The analysis of EPH_F2s was based on method NJEPH and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.
The Surrogate recoveries were met for all analysis.
The Retention Times were met for all analysis.

The MS {Q2757-07MS} with File ID: FE055257.D recoveries met the requirements for all compounds except for [n-Decane (C10)- 181%], [n-Tetracosane (C24)- 171%], [n-Dotriacontane (C32)- 155%], [n-Tetratriacontane (C34)- 152%], [n-Hexatriacontane (C36)- 175%], , [n-Octatriacontane (C38)- 151%] due to matrix interference.

The MSD {Q2757-07MSD} with File ID: FE055258.D recoveries met the requirements for all compounds except for [n-Decane (C10)- 184%], [n-Tetracosane (C24)- 156%], [n-Octacosane (C28)- 143%], [n-Tricontane (C30)- 141%], [n-Dotriacontane (C32)- 160%], [n-Tetratriacontane (C34)- 153%], [n-Hexatriacontane (C36)- 185%], [n-Octatriacontane (C38)- 153%] due to matrix interference.

The RPD were met for all analysis.
The Blank Spike met requirements for all compounds.
The Blank Spike Duplicate met requirements for all compounds.
The Blank analysis did not indicate the presence of lab contamination.
The Initial Calibration met the requirements.
The Continuous Calibration met the requirements.

Sample 3 was diluted due to high concentration.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

E. Additional Comments:

The soil samples results are based on a dry weight basis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: <ol style="list-style-type: none"> (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2757

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 08/14/2025

Hit Summary Sheet SW-846

SDG No.: Q2757
Client: Sciacca General Contractors, LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	VOC							
Q2757-02	VOC	SOIL	Naphthalene, 1-methyl-	* 41.2	J	0	0	ug/Kg
Q2757-02	VOC	SOIL	Naphthalene, 2-methyl-	* 23.8	J	0	0	ug/Kg
Q2757-02	VOC	SOIL	Benzene, 2-ethenyl-1,3,5-trime	* 8.00	J	0	0	ug/Kg
Q2757-02	VOC	SOIL	Benzene, (1,2-dimethyl-1-prop	* 6.90	J	0	0	ug/Kg
Q2757-02	VOC	SOIL	Benzene, 2-ethenyl-1,4-dimeth	* 13.8	J	0	0	ug/Kg
Q2757-02	VOC	SOIL	1H-Indene, 2,3-dihydro-1,2-din	* 8.90	J	0	0	ug/Kg
Q2757-02	VOC	SOIL	1H-Indene, 2,3-dihydro-1,6-din	* 6.10	J	0	0	ug/Kg
Q2757-02	VOC	SOIL	Benzene, 1-methyl-2-(1-methyl	* 8.70	J	0	0	ug/Kg
Q2757-02	VOC	SOIL	Naphthalene	* 16.7	J	3.00	5.90	ug/Kg
Total Tics :					134			
Total Concentration:					134			



SAMPLE DATA

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	08/01/25	
Project:	11 Newman Ave Nutley		Date Received:	08/01/25	
Client Sample ID:	VOC		SDG No.:	Q2757	
Lab Sample ID:	Q2757-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	81.4	
Sample Wt/Vol:	5.2	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VW032009.D	1	08/05/25 12:35	VW080525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.30	U	1.30	5.90	ug/Kg
74-87-3	Chloromethane	1.30	U	1.30	5.90	ug/Kg
75-01-4	Vinyl Chloride	0.93	U	0.93	5.90	ug/Kg
74-83-9	Bromomethane	1.30	U	1.30	5.90	ug/Kg
75-00-3	Chloroethane	1.50	U	1.50	5.90	ug/Kg
75-69-4	Trichlorofluoromethane	1.40	U	1.40	5.90	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.30	U	1.30	5.90	ug/Kg
75-35-4	1,1-Dichloroethene	1.20	U	1.20	5.90	ug/Kg
67-64-1	Acetone	5.60	U	5.60	29.5	ug/Kg
75-15-0	Carbon Disulfide	1.30	U	1.30	5.90	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.86	U	0.86	5.90	ug/Kg
79-20-9	Methyl Acetate	1.80	U	1.80	5.90	ug/Kg
75-09-2	Methylene Chloride	4.20	U	4.20	11.8	ug/Kg
156-60-5	trans-1,2-Dichloroethene	1.00	U	1.00	5.90	ug/Kg
75-34-3	1,1-Dichloroethane	0.95	U	0.95	5.90	ug/Kg
110-82-7	Cyclohexane	0.93	U	0.93	5.90	ug/Kg
78-93-3	2-Butanone	7.70	U	7.70	29.5	ug/Kg
56-23-5	Carbon Tetrachloride	1.10	U	1.10	5.90	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.89	U	0.89	5.90	ug/Kg
74-97-5	Bromochloromethane	1.40	U	1.40	5.90	ug/Kg
67-66-3	Chloroform	0.99	U	0.99	5.90	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.10	U	1.10	5.90	ug/Kg
108-87-2	Methylcyclohexane	1.10	U	1.10	5.90	ug/Kg
71-43-2	Benzene	0.93	U	0.93	5.90	ug/Kg
107-06-2	1,2-Dichloroethane	0.93	U	0.93	5.90	ug/Kg
79-01-6	Trichloroethene	0.96	U	0.96	5.90	ug/Kg
78-87-5	1,2-Dichloropropane	1.10	U	1.10	5.90	ug/Kg
75-27-4	Bromodichloromethane	0.92	U	0.92	5.90	ug/Kg
108-10-1	4-Methyl-2-Pentanone	4.20	U	4.20	29.5	ug/Kg
108-88-3	Toluene	0.92	U	0.92	5.90	ug/Kg

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	08/01/25	
Project:	11 Newman Ave Nutley		Date Received:	08/01/25	
Client Sample ID:	VOC		SDG No.:	Q2757	
Lab Sample ID:	Q2757-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	81.4	
Sample Wt/Vol:	5.2	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VW032009.D	1	08/05/25 12:35	VW080525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.77	U	0.77	5.90	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.73	U	0.73	5.90	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.10	U	1.10	5.90	ug/Kg
591-78-6	2-Hexanone	4.40	U	4.40	29.5	ug/Kg
124-48-1	Dibromochloromethane	1.00	U	1.00	5.90	ug/Kg
106-93-4	1,2-Dibromoethane	1.00	U	1.00	5.90	ug/Kg
127-18-4	Tetrachloroethene	1.20	U	1.20	5.90	ug/Kg
108-90-7	Chlorobenzene	1.10	U	1.10	5.90	ug/Kg
100-41-4	Ethyl Benzene	0.79	U	0.79	5.90	ug/Kg
179601-23-1	m/p-Xylenes	1.50	U	1.50	11.8	ug/Kg
95-47-6	o-Xylene	0.97	U	0.97	5.90	ug/Kg
100-42-5	Styrene	0.84	U	0.84	5.90	ug/Kg
75-25-2	Bromoform	1.00	U	1.00	5.90	ug/Kg
98-82-8	Isopropylbenzene	0.92	U	0.92	5.90	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.40	U	1.40	5.90	ug/Kg
541-73-1	1,3-Dichlorobenzene	2.00	U	2.00	5.90	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.80	U	1.80	5.90	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.70	U	1.70	5.90	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.20	U	2.20	5.90	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.50	U	3.50	5.90	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.80	U	3.80	5.90	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	47.3		63 - 155	95%	SPK: 50
1868-53-7	Dibromofluoromethane	47.1		70 - 134	94%	SPK: 50
2037-26-5	Toluene-d8	45.1		74 - 123	90%	SPK: 50
460-00-4	4-Bromofluorobenzene	42.0		17 - 146	84%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	143000	7.959			
540-36-3	1,4-Difluorobenzene	291000	8.855			
3114-55-4	Chlorobenzene-d5	270000	11.635			
3855-82-1	1,4-Dichlorobenzene-d4	133000	13.556			
TENTATIVE IDENTIFIED COMPOUNDS						

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	08/01/25	
Project:	11 Newman Ave Nutley		Date Received:	08/01/25	
Client Sample ID:	VOC		SDG No.:	Q2757	
Lab Sample ID:	Q2757-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	81.4	
Sample Wt/Vol:	5.2	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VW032009.D	1	08/05/25 12:35	VW080525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
002039-89-6	Benzene, 2-ethenyl-1,4-dimethyl-	13.8	J		14.8	ug/Kg
017057-82-8	1H-Indene, 2,3-dihydro-1,2-dimethy	8.90	J		15.1	ug/Kg
097664-19-2	Benzene, 1-methyl-2-(1-methyl-2-pr	8.70	J		15.2	ug/Kg
91-20-3	Naphthalene	16.7	J		15.4	ug/Kg
000769-57-3	Benzene, (1,2-dimethyl-1-propenyl)	6.90	J		15.6	ug/Kg
017059-48-2	1H-Indene, 2,3-dihydro-1,6-dimethy	6.10	J		15.8	ug/Kg
000769-25-5	Benzene, 2-ethenyl-1,3,5-trimethyl	8.00	J		16.0	ug/Kg
000090-12-0	Naphthalene, 1-methyl-	41.2	J		16.4	ug/Kg
000091-57-6	Naphthalene, 2-methyl-	23.8	J		16.6	ug/Kg

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2757	OrderDate:	8/1/2025 4:13:00 PM
Client:	Sciacca General Contractors, LLC	Project:	11 Newman Ave Nutley
Contact:	Rosanne Scirica	Location:	D31,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2757-02	VOC	SOIL	VOC-TCLVOA-10	8260D	08/01/25		08/05/25	08/01/25



SAMPLE DATA

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	08/01/25
Project:	11 Newman Ave Nutley	Date Received:	08/01/25
Client Sample ID:	WASTE	SDG No.:	Q2757
Lab Sample ID:	Q2757-01	Matrix:	SOIL
Analytical Method:	8015D TPH	% Solid:	81.5
Sample Wt/Vol:	30.09	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	TPH GC
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG016357.D	1	08/06/25 08:20	08/06/25 12:36	PB169135

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
PHC	Petroleum Hydrocarbons	35600		470	3470	ug/kg
SURROGATES						
16416-32-3	TETRACOSANE-d50	15.1		37 - 130	76%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q2757	OrderDate:	8/1/2025 4:13:00 PM
Client:	Sciacca General Contractors, LLC	Project:	11 Newman Ave Nutley
Contact:	Rosanne Scirica	Location:	D31,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2757-01	WASTE	SOIL	TPH GC	8015D	08/01/25	08/06/25	08/06/25	08/01/25



SAMPLE DATA

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	08/01/25
Project:	11 Newman Ave Nutley	Date Received:	08/01/25
Client Sample ID:	1	SDG No.:	Q2757
Lab Sample ID:	Q2757-03	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	82.3
Sample Wt/Vol:	30.06	Units:	g
Soil Aliquot Vol:		Final Vol:	2000 uL
Prep Method :		Test:	EPH_F2

Prep Date :	Date Analyzed :	Prep Batch ID
08/11/25 11:45	08/12/25 11:21	PB169208

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	12.2		1	1.10	4.85	mg/kg	FE055250.D
Total EPH	Total EPH	12.2			1.10	4.85	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	08/01/25
Project:	11 Newman Ave Nutley	Date Received:	08/01/25
Client Sample ID:	1	SDG No.:	Q2757
Lab Sample ID:	Q2757-03	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	82.3
Sample Wt/Vol:	30.06 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055250.D	1	08/11/25	08/12/25	PB169208

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	12.2		1.10	4.85	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	27.6		1.43	2.43	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	28.9		40 - 140	58%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	29.6		40 - 140	59%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2757-03	Acq On:	12 Aug 2025 11:21
Client Sample ID:	1	Operator:	YP\AJ
Data file:	FE055250.D	Misc:	
Instrument:	FID_E	ALS Vial:	17
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.323	6.959	1400348	11.991	300	ug/ml
Aliphatic C12-C16	6.960	10.413	9389476	74.98	200	ug/ml
Aliphatic C16-C21	10.414	13.793	5291412	41.861	300	ug/ml
Aliphatic C21-C28	13.794	17.466	2727256	22.632	400	ug/ml
Aliphatic C28-C40	17.467	22.498	38946018	341.67	600	ug/ml
Aliphatic EPH	3.323	22.498	57754510	493.133		ug/ml
ortho-Terphenyl (SURR)	12.089	12.089	4227337	29.6		ug/ml
1-chlorooctadecane (SURR)	13.526	13.526	3103526	28.86		ug/ml
Aliphatic C9-C28	3.323	17.466	18808492	151.464	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	08/01/25
Project:	11 Newman Ave Nutley	Date Received:	08/01/25
Client Sample ID:	2	SDG No.:	Q2757
Lab Sample ID:	Q2757-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	82.5
Sample Wt/Vol:	30.08 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
08/11/25 11:45	08/12/25 11:52	PB169208

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	8.98		1	1.10	4.84	mg/kg	FE055251.D
Total EPH	Total EPH	8.98			1.10	4.84	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected	J = Estimated Value
LOQ = Limit of Quantitation	B = Analyte Found in Associated Method Blank
MDL = Method Detection Limit	N = Presumptive Evidence of a Compound
LOD = Limit of Detection	* = Values outside of QC limits
E = Value Exceeds Calibration Range	D = Dilution
Q = indicates LCS control criteria did not meet requirements	

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	08/01/25
Project:	11 Newman Ave Nutley	Date Received:	08/01/25
Client Sample ID:	2	SDG No.:	Q2757
Lab Sample ID:	Q2757-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	82.5
Sample Wt/Vol:	30.08 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055251.D	1	08/11/25	08/12/25	PB169208

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	8.98		1.10	4.84	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	24.0		1.43	2.42	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	56.7		40 - 140	113%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	27.4		40 - 140	55%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2757-04	Acq On:	12 Aug 2025 11:52
Client Sample ID:	2	Operator:	YP\AJ
Data file:	FE055251.D	Misc:	
Instrument:	FID_E	ALS Vial:	18
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.323	6.959	1030188	8.821	300	ug/ml
Aliphatic C12-C16	6.960	10.413	7166262	57.226	200	ug/ml
Aliphatic C16-C21	10.414	13.793	4026183	31.851	300	ug/ml
Aliphatic C21-C28	13.794	17.466	1623033	13.469	400	ug/ml
Aliphatic C28-C40	17.467	22.498	33986904	298.164	600	ug/ml
Aliphatic EPH	3.323	22.498	47832570	409.532		ug/ml
ortho-Terphenyl (SURR)	12.089	12.089	3918936	27.44		ug/ml
1-chlorooctadecane (SURR)	13.528	13.528	6094054	56.68		ug/ml
Aliphatic C9-C28	3.323	17.466	13845666	111.367	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	08/01/25
Project:	11 Newman Ave Nutley	Date Received:	08/01/25
Client Sample ID:	3	SDG No.:	Q2757
Lab Sample ID:	Q2757-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	81.4
Sample Wt/Vol:	30.03 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
08/11/25 11:45	08/13/25 8:47	PB169208

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	113		2	2.23	9.81	mg/kg	FE055282.D
Total EPH	Total EPH	113			2.23	9.81	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	08/01/25
Project:	11 Newman Ave Nutley	Date Received:	08/01/25
Client Sample ID:	3	SDG No.:	Q2757
Lab Sample ID:	Q2757-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	81.4
Sample Wt/Vol:	30.03 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055252.D	1	08/11/25	08/12/25	PB169208

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	109	E	1.12	4.92	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	182	E	1.45	2.45	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	39.1		40 - 140	78%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	35.3		40 - 140	71%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2757-05	Acq On:	12 Aug 2025 12:22
Client Sample ID:	3	Operator:	YP\AJ
Data file:	FE055252.D	Misc:	
Instrument:	FID_E	ALS Vial:	19
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.323	6.959	1059224	9.07	300	ug/ml
Aliphatic C12-C16	6.960	10.413	1994231	15.925	200	ug/ml
Aliphatic C16-C21	10.414	13.793	7954846	62.931	300	ug/ml
Aliphatic C21-C28	13.794	17.466	150939281	1250	400	ug/ml
Aliphatic C28-C40	17.467	22.498	253740703	2230	600	ug/ml
Aliphatic EPH	3.323	22.498	415688285	3570		ug/ml
ortho-Terphenyl (SURR)	12.090	12.090	5038962	35.29		ug/ml
1-chlorooctadecane (SURR)	13.527	13.527	4200300	39.06		ug/ml
Aliphatic C9-C28	3.323	17.466	161947582	1340	1200	ug/ml

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	08/01/25
Project:	11 Newman Ave Nutley	Date Received:	08/01/25
Client Sample ID:	3DL	SDG No.:	Q2757
Lab Sample ID:	Q2757-05DL	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	81.4
Sample Wt/Vol:	30.03 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055282.D	2	08/11/25	08/13/25	PB169208

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	113		2.23	9.81	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	175	E	2.90	4.91	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	19.4		40 - 140	78%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	17.3		40 - 140	69%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2757-05DL	Acq On:	13 Aug 2025 08:47
Client Sample ID:	3DL	Operator:	YP\AJ
Data file:	FE055282.D	Misc:	
Instrument:	FID_E	ALS Vial:	11
Dilution Factor:	2	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.320	6.955	542645	4.647	300	ug/ml
Aliphatic C12-C16	6.956	10.408	1060210	8.466	200	ug/ml
Aliphatic C16-C21	10.409	13.788	5334396	42.201	300	ug/ml
Aliphatic C21-C28	13.789	17.461	76852505	637.75	400	ug/ml
Aliphatic C28-C40	17.462	22.486	122073021	1070	600	ug/ml
Aliphatic EPH	3.320	22.486	205862777	1760		ug/ml
ortho-Terphenyl (SURR)	12.085	12.085	2462658	17.25		ug/ml
1-chlorooctadecane (SURR)	13.523	13.523	2087767	19.42		ug/ml
Aliphatic C9-C28	3.320	17.461	83789756	693.064	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	08/01/25
Project:	11 Newman Ave Nutley	Date Received:	08/01/25
Client Sample ID:	4	SDG No.:	Q2757
Lab Sample ID:	Q2757-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	80.5
Sample Wt/Vol:	30.04 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
08/11/25 11:45	08/12/25 14:25	PB169208

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	16.1		1	1.13	4.96	mg/kg	FE055255.D
Total EPH	Total EPH	16.1			1.13	4.96	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	08/01/25
Project:	11 Newman Ave Nutley	Date Received:	08/01/25
Client Sample ID:	4	SDG No.:	Q2757
Lab Sample ID:	Q2757-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	80.5
Sample Wt/Vol:	30.04 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055255.D	1	08/11/25	08/12/25	PB169208

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	16.1		1.13	4.96	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	18.7		1.46	2.48	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	33.3		40 - 140	67%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	33.5		40 - 140	67%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2757-06	Acq On:	12 Aug 2025 14:25
Client Sample ID:	4	Operator:	YP\AJ
Data file:	FE055255.D	Misc:	
Instrument:	FID_E	ALS Vial:	20
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.323	6.959	1956470	16.753	300	ug/ml
Aliphatic C12-C16	6.960	10.413	13778085	110.025	200	ug/ml
Aliphatic C16-C21	10.414	13.793	6634972	52.49	300	ug/ml
Aliphatic C21-C28	13.794	17.466	1804812	14.977	400	ug/ml
Aliphatic C28-C40	17.467	22.498	25750334	225.905	600	ug/ml
Aliphatic EPH	3.323	22.498	49924673	420.15		ug/ml
ortho-Terphenyl (SURR)	12.088	12.088	4788659	33.53		ug/ml
1-chlorooctadecane (SURR)	13.525	13.525	3584568	33.34		ug/ml
Aliphatic C9-C28	3.323	17.466	24174339	194.245	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC		Date Collected:	08/01/25	
Project:	11 Newman Ave Nutley		Date Received:	08/01/25	
Client Sample ID:	5		SDG No.:	Q2757	
Lab Sample ID:	Q2757-07		Matrix:	Solid	
Analytical Method:	NJEPH		% Solid:	81.2	
Sample Wt/Vol:	30.09	Units: g	Final Vol:	2000	uL
Soil Aliquot Vol:		uL	Test:	EPH_F2	
Prep Method :					

Prep Date :	Date Analyzed :	Prep Batch ID
08/11/25 11:45	08/12/25 14:55	PB169208

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	49.0		1	1.12	4.92	mg/kg	FE055256.D
Total EPH	Total EPH	49.0			1.12	4.92	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	08/01/25
Project:	11 Newman Ave Nutley	Date Received:	08/01/25
Client Sample ID:	5	SDG No.:	Q2757
Lab Sample ID:	Q2757-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	81.2
Sample Wt/Vol:	30.09 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055256.D	1	08/11/25	08/12/25	PB169208

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	49.0		1.12	4.92	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	89.5	E	1.45	2.46	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	45.4		40 - 140	91%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	42.7		40 - 140	85%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2757-07	Acq On:	12 Aug 2025 14:55
Client Sample ID:	5	Operator:	YP\AJ
Data file:	FE055256.D	Misc:	
Instrument:	FID_E	ALS Vial:	21
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.323	6.959	1344684	11.514	300	ug/ml
Aliphatic C12-C16	6.960	10.413	3098531	24.743	200	ug/ml
Aliphatic C16-C21	10.414	13.793	3745716	29.633	300	ug/ml
Aliphatic C21-C28	13.794	17.466	64171793	532.521	400	ug/ml
Aliphatic C28-C40	17.467	22.498	124616143	1090	600	ug/ml
Aliphatic EPH	3.323	22.498	196976867	1690		ug/ml
ortho-Terphenyl (SURR)	12.090	12.090	6101386	42.73		ug/ml
1-chlorooctadecane (SURR)	13.526	13.526	4882975	45.41		ug/ml
Aliphatic C9-C28	3.323	17.466	72360724	598.411	1200	ug/ml

LAB CHRONICLE

OrderID:	Q2757	OrderDate:	8/1/2025 4:13:00 PM
Client:	Sciaccia General Contractors, LLC	Project:	11 Newman Ave Nutley
Contact:	Rosanne Scirica	Location:	D31,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2757-01	WASTE	SOIL	TPH GC	8015D	08/01/25	08/06/25	08/06/25	08/01/25
Q2757-03	1	Solid	EPH_F2	NJEPH	08/01/25	08/11/25	08/12/25	08/01/25
Q2757-04	2	Solid	EPH_F2	NJEPH	08/01/25	08/11/25	08/12/25	08/01/25
Q2757-05	3	Solid	EPH_F2	NJEPH	08/01/25	08/11/25	08/12/25	08/01/25
Q2757-05DL	3DL	Solid	EPH_F2	NJEPH	08/01/25	08/11/25	08/13/25	08/01/25
Q2757-06	4	Solid	EPH_F2	NJEPH	08/01/25	08/11/25	08/12/25	08/01/25
Q2757-07	5	Solid	EPH_F2	NJEPH	08/01/25	08/11/25	08/12/25	08/01/25



SHIPPING DOCUMENTS

CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax (908) 789-8922
www.chemtech.net

Chemtech Project Number

COC Number

Q2757
11 Neuman Ave

CLIENT INFORMATION

Report to be sent to:

COMPANY: _____
ADDRESS: _____
CITY: _____ STATE: _____ ZIP: _____
ATTENTION: _____
PHONE: _____ FAX: _____

PROJECT INFORMATION

PROJECT NAME: _____
PROJECT #: _____
PROJECT MANAGER: _____
E-MAIL: _____
PHONE: _____ FAX: _____

BILLING INFORMATION

BILL TO: _____ PO# _____
ADDRESS: _____
CITY: _____ STATE: _____ ZIP: _____
ATTENTION: _____
PHONE: _____

DATA TURNAROUND INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): _____ DAYS*
EDD: _____ DAYS*
TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC + Raw Data) ☐ NYS ASP A ☐ NYS ASP B
☐ EDD FORMAT ☐ Other _____

ANALYSIS

1 TPH GC
2 VOC
3 EPH-F2
4
5
6
7
8
9
PRESERVATIVES

COMMENTS

<- Specify Preservatives
A-HCl D-NaOH
B-HNO3 E-ICE
C-H2SO4 F-OTHER

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY	DATE/TIME	1533	RECEIVED BY	DATE/TIME	1533	RECEIVED FOR LAB BY	DATE/TIME	1533	RECEIVED FOR LAB BY	DATE/TIME	1533	Comments:
1. RELINQUISHED BY	8-1-25		2. RECEIVED BY	8-1-25		3. RECEIVED FOR LAB BY	8-1-25		3. RECEIVED FOR LAB BY	8-1-25		
2. RELINQUISHED BY			3. RECEIVED BY			4. RECEIVED FOR LAB BY			4. RECEIVED FOR LAB BY			
3. RELINQUISHED BY			4. RECEIVED BY			5. RECEIVED FOR LAB BY			5. RECEIVED FOR LAB BY			

WHITE - CHEMTECH COPY FOR RETURN TO CLIENT

YELLOW - CHEMTECH COPY

PINK - SAMPLER COPY

CLIENT: ☐ Hand Delivered ☐ Other: _____
CHEMTECH: ☐ Picked Up ☐ Shipment Complete
☐ YES ☐ NO

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q2757	SCIA01	Order Date : 8/1/2025 4:13:00 PM 11 Newman Ave Nutley	Project Mgr :
Client Name : Sciacca General Contractor:		Project Name : 89 E. Centre St, Nutley	Report Type : Results Only
Client Contact : Rosanne Scirica		Receive DateTime : 8/1/2025 12:00:00 AM	EDD Type : EXCEL NJCLEANUP
Invoice Name : Sciacca General Contractor:		Purchase Order : 04:40:00 PM	Hard Copy Date :
Invoice Contact : Rosanne Scirica			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q2757-02	VOC	Solid	08/01/2025	08:15	VOC-TCLVOA-10		8260D		10 Bus. Days

Relinquished By :

Date / Time :

SN
8/4/25 1040

Received By :

Date / Time :

Sam
08/04/25 10:40 *RGH b*
F22

Storage Area : VOA Refridgator Room