

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q2757</u>	Analytical Method:	<u>SW8260D</u>
Client:	<u>Sciacca General Contractors, LLC</u>	Datafile :	<u>VW032006.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VW0805SBS01	Dichlorodifluoromethane	20	17.0	ug/Kg	85			64	136	
	Chloromethane	20	18.8	ug/Kg	94			52	151	
	Vinyl chloride	20	18.9	ug/Kg	95			56	148	
	Bromomethane	20	19.5	ug/Kg	98			58	141	
	Chloroethane	20	19.9	ug/Kg	100			69	130	
	Trichlorofluoromethane	20	15.1	ug/Kg	76			69	134	
	1,1,2-Trichlorotrifluoroethane	20	19.2	ug/Kg	96			81	123	
	1,1-Dichloroethene	20	19.4	ug/Kg	97			79	121	
	Acetone	100	110	ug/Kg	110			40	171	
	Carbon disulfide	20	18.3	ug/Kg	92			59	130	
	Methyl tert-butyl Ether	20	20.8	ug/Kg	104			77	129	
	Methyl Acetate	20	21.9	ug/Kg	110			69	149	
	Methylene Chloride	20	17.7	ug/Kg	89			72	131	
	trans-1,2-Dichloroethene	20	19.4	ug/Kg	97			80	123	
	1,1-Dichloroethane	20	20.0	ug/Kg	100			82	123	
	Cyclohexane	20	18.3	ug/Kg	92			76	122	
	2-Butanone	100	100	ug/Kg	100			69	131	
	Carbon Tetrachloride	20	19.2	ug/Kg	96			76	129	
	cis-1,2-Dichloroethene	20	20.2	ug/Kg	101			82	123	
	Bromochloromethane	20	16.5	ug/Kg	83			80	127	
	Chloroform	20	21.0	ug/Kg	105			82	125	
	1,1,1-Trichloroethane	20	20.0	ug/Kg	100			80	126	
	Methylcyclohexane	20	17.9	ug/Kg	90			77	123	
	Benzene	20	19.8	ug/Kg	99			84	121	
	1,2-Dichloroethane	20	20.4	ug/Kg	102			81	126	
	Trichloroethene	20	19.9	ug/Kg	100			83	122	
	1,2-Dichloropropane	20	20.3	ug/Kg	102			83	122	
	Bromodichloromethane	20	20.6	ug/Kg	103			82	123	
	4-Methyl-2-Pentanone	100	110	ug/Kg	110			70	135	
	Toluene	20	19.5	ug/Kg	98			83	122	
	t-1,3-Dichloropropene	20	19.2	ug/Kg	96			78	124	
	cis-1,3-Dichloropropene	20	19.5	ug/Kg	98			81	122	
	1,1,2-Trichloroethane	20	21.5	ug/Kg	108			82	125	
	2-Hexanone	100	100	ug/Kg	100			66	138	
	Dibromochloromethane	20	20.3	ug/Kg	102			79	125	
	1,2-Dibromoethane	20	21.1	ug/Kg	106			80	125	
	Tetrachloroethene	20	19.3	ug/Kg	97			83	125	
	Chlorobenzene	20	19.3	ug/Kg	97			84	122	
	Ethyl Benzene	20	18.7	ug/Kg	94			82	124	
	m/p-Xylenes	40	37.7	ug/Kg	94			83	124	
	o-Xylene	20	19.3	ug/Kg	97			83	123	
	Styrene	20	19.8	ug/Kg	99			82	124	
	Bromoform	20	20.7	ug/Kg	104			75	127	
	Isopropylbenzene	20	17.6	ug/Kg	88			82	124	
	1,1,2,2-Tetrachloroethane	20	20.4	ug/Kg	102			77	127	
	1,3-Dichlorobenzene	20	19.4	ug/Kg	97			83	122	
	1,4-Dichlorobenzene	20	18.8	ug/Kg	94			84	121	
	1,2-Dichlorobenzene	20	19.9	ug/Kg	100			83	124	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.:	<u>Q2757</u>	Analytical Method:	<u>SW8260D</u>
Client:	<u>Sciacca General Contractors, LLC</u>	Datafile :	<u>VW032006.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VW0805SBS01	1,2-Dibromo-3-Chloropropane	20	18.5	ug/Kg	93			66	134	
	1,2,4-Trichlorobenzene	20	18.7	ug/Kg	94			78	127	
	1,2,3-Trichlorobenzene	20	19.1	ug/Kg	96			70	137	