

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-21

SDG No : N/A

Start Digest Date: 08/04/2025 Time : 15:15 Temp : N/A

Matrix : WATER

End Digest Date: 08/04/2025 Time : 16:45 Temp : N/A

Pipette ID : N/A

Balance ID : N/A

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: *RM*

Weigh By : N/A

pH Meter ID : N/A

Supervisor Signature: *12*

Standard Name	MLS USED	STD REF. # FROM LOG
PBW	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
08/04/2025 15:25	<i>RM CW</i>	<i>RM CW</i>
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Vol (ml)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB169112BL	PBW112	50	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2751-01DUP	ROLL-OFF-LIQUIDDUP	50	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2751-01	ROLL-OFF-LIQUID	50	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2754-02	OILY-WATER	50	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2759-04	LIQUID-DRUMS	50	50	N/A	N/A	N/A	N/A	N/A	N/A