

Report of Analysis

Client:	PSEG	Date Collected:	08/05/25
Project:	Bridgewater Switch	Date Received:	08/05/25
Client Sample ID:	R5-E2	SDG No.:	Q2774
Lab Sample ID:	Q2774-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	76.9
Sample Wt/Vol:	30.04	Units:	g
Soil Aliquot Vol:			uL
Prep Method :		Final Vol:	2000
		Test:	EPH_NF

Prep Date :	Date Analyzed :	Prep Batch ID
08/06/25 09:25	08/06/25 17:06	PB169139

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS							
Aliphatic C28-C40	Aliphatic C28-C40	33.7		1	1.53	2.60	mg/kg
Aliphatic C9-C28	Aliphatic C9-C28	70.0		1	1.18	5.20	mg/kg
Total AliphaticEPH	Total AliphaticEPH	104			2.71	7.80	mg/kg
Total EPH	Total EPH	104			2.71	7.80	mg/kg

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	PSEG	Date Collected:	08/05/25
Project:	Bridgewater Switch	Date Received:	08/05/25
Client Sample ID:	R5-E2	SDG No.:	Q2774
Lab Sample ID:	Q2774-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	76.9
Sample Wt/Vol:	30.04	Units:	g
Soil Aliquot Vol:		Final Vol:	2000 uL
Prep Method :		Test:	EPH_NF

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE055153.D	1	08/06/25	08/06/25	PB169139

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	70.0		1.18	5.20	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	33.7		1.53	2.60	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	34.9		40 - 140	70%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	31.0		40 - 140	62%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2774-06	Acq On:	06 Aug 2025 17:06
Client Sample ID:	R5-E2	Operator:	YP\AJ
Data file:	FE055153.D	Misc:	
Instrument:	FID_E	ALS Vial:	16
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.325	6.958	506835	4.34	300	ug/ml
Aliphatic C12-C16	6.959	10.409	5150421	41.129	200	ug/ml
Aliphatic C16-C21	10.410	13.787	69696088	551.372	300	ug/ml
Aliphatic C21-C28	13.788	17.457	25565228	212.15	400	ug/ml
Aliphatic C28-C40	17.458	22.476	44376190	389.309	600	ug/ml
Aliphatic EPH	3.325	22.476	145294762	1200		ug/ml
ortho-Terphenyl (SURR)	12.086	12.086	4424390	30.98		ug/ml
1-chlorooctadecane (SURR)	13.522	13.522	3757104	34.94		ug/ml
Aliphatic C9-C28	3.325	17.457	100918572	808.991	1200	ug/ml