

Report of Analysis

Client:	PSEG	Date Collected:	08/05/25
Project:	Bridgewater Switch	Date Received:	08/05/25
Client Sample ID:	RT3826	SDG No.:	Q2774
Lab Sample ID:	Q2774-07	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	81.3
Sample Wt/Vol:	50.06	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143334.D	1	08/06/25 08:54	08/06/25 17:13	PB169138

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	0.24	U	0.11	0.24	mg/Kg
108-95-2	Phenol	0.13	U	0.016	0.13	mg/Kg
111-44-4	bis(2-Chloroethyl)ether	0.13	U	0.018	0.13	mg/Kg
95-57-8	2-Chlorophenol	0.13	U	0.018	0.13	mg/Kg
95-48-7	2-Methylphenol	0.13	U	0.022	0.13	mg/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	0.13	U	0.028	0.13	mg/Kg
98-86-2	Acetophenone	0.13	U	0.022	0.13	mg/Kg
65794-96-9	3+4-Methylphenols	0.24	U	0.030	0.24	mg/Kg
621-64-7	n-Nitroso-di-n-propylamine	0.059	U	0.035	0.059	mg/Kg
67-72-1	Hexachloroethane	0.13	U	0.013	0.13	mg/Kg
98-95-3	Nitrobenzene	0.13	U	0.014	0.13	mg/Kg
78-59-1	Isophorone	0.13	U	0.024	0.13	mg/Kg
88-75-5	2-Nitrophenol	0.13	U	0.043	0.13	mg/Kg
105-67-9	2,4-Dimethylphenol	0.13	U	0.048	0.13	mg/Kg
111-91-1	bis(2-Chloroethoxy)methane	0.13	U	0.023	0.13	mg/Kg
120-83-2	2,4-Dichlorophenol	0.13	U	0.021	0.13	mg/Kg
91-20-3	Naphthalene	0.13	U	0.017	0.13	mg/Kg
106-47-8	4-Chloroaniline	0.13	U	0.026	0.13	mg/Kg
87-68-3	Hexachlorobutadiene	0.13	U	0.019	0.13	mg/Kg
105-60-2	Caprolactam	0.24	U	0.038	0.24	mg/Kg
59-50-7	4-Chloro-3-methylphenol	0.13	U	0.021	0.13	mg/Kg
91-57-6	2-Methylnaphthalene	0.13	U	0.019	0.13	mg/Kg
77-47-4	Hexachlorocyclopentadiene	0.24	U	0.086	0.24	mg/Kg
88-06-2	2,4,6-Trichlorophenol	0.13	U	0.015	0.13	mg/Kg
95-95-4	2,4,5-Trichlorophenol	0.13	U	0.022	0.13	mg/Kg
92-52-4	1,1-Biphenyl	0.13	U	0.016	0.13	mg/Kg
91-58-7	2-Chloronaphthalene	0.13	U	0.017	0.13	mg/Kg
88-74-4	2-Nitroaniline	0.13	U	0.036	0.13	mg/Kg
131-11-3	Dimethylphthalate	0.13	U	0.020	0.13	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	08/05/25
Project:	Bridgewater Switch	Date Received:	08/05/25
Client Sample ID:	RT3826	SDG No.:	Q2774
Lab Sample ID:	Q2774-07	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	81.3
Sample Wt/Vol:	50.06	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	1.0	GPC Cleanup : N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143334.D	1	08/06/25 08:54	08/06/25 17:13	PB169138

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	0.13	U	0.021	0.13	mg/Kg
606-20-2	2,6-Dinitrotoluene	0.13	U	0.025	0.13	mg/Kg
99-09-2	3-Nitroaniline	0.13	U	0.034	0.13	mg/Kg
83-32-9	Acenaphthene	0.13	U	0.016	0.13	mg/Kg
51-28-5	2,4-Dinitrophenol	0.24	U	0.17	0.24	mg/Kg
100-02-7	4-Nitrophenol	0.24	U	0.079	0.24	mg/Kg
132-64-9	Dibenzofuran	0.13	U	0.017	0.13	mg/Kg
121-14-2	2,4-Dinitrotoluene	0.13	U	0.037	0.13	mg/Kg
84-66-2	Diethylphthalate	0.13	U	0.021	0.13	mg/Kg
7005-72-3	4-Chlorophenyl-phenylether	0.13	U	0.020	0.13	mg/Kg
86-73-7	Fluorene	0.13	U	0.019	0.13	mg/Kg
100-01-6	4-Nitroaniline	0.13	U	0.047	0.13	mg/Kg
534-52-1	4,6-Dinitro-2-methylphenol	0.24	U	0.076	0.24	mg/Kg
86-30-6	n-Nitrosodiphenylamine	0.13	U	0.024	0.13	mg/Kg
101-55-3	4-Bromophenyl-phenylether	0.13	U	0.021	0.13	mg/Kg
118-74-1	Hexachlorobenzene	0.13	U	0.019	0.13	mg/Kg
1912-24-9	Atrazine	0.13	U	0.025	0.13	mg/Kg
87-86-5	Pentachlorophenol	0.24	U	0.038	0.24	mg/Kg
85-01-8	Phenanthrene	0.49		0.015	0.13	mg/Kg
120-12-7	Anthracene	0.13	U	0.025	0.13	mg/Kg
86-74-8	Carbazole	0.13	U	0.023	0.13	mg/Kg
84-74-2	Di-n-butylphthalate	0.13	U	0.035	0.13	mg/Kg
206-44-0	Fluoranthene	0.99		0.022	0.13	mg/Kg
129-00-0	Pyrene	0.42		0.027	0.13	mg/Kg
85-68-7	Butylbenzylphthalate	0.13	U	0.053	0.13	mg/Kg
91-94-1	3,3-Dichlorobenzidine	0.24	U	0.027	0.24	mg/Kg
56-55-3	Benzo(a)anthracene	0.23		0.017	0.13	mg/Kg
218-01-9	Chrysene	0.23		0.015	0.13	mg/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	0.13	U	0.044	0.13	mg/Kg
117-84-0	Di-n-octyl phthalate	0.24	U	0.064	0.24	mg/Kg
205-99-2	Benzo(b)fluoranthene	0.33		0.014	0.13	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	08/05/25
Project:	Bridgewater Switch	Date Received:	08/05/25
Client Sample ID:	RT3826	SDG No.:	Q2774
Lab Sample ID:	Q2774-07	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	81.3
Sample Wt/Vol:	50.06	Units:	g
Soil Aliquot Vol:			uL
Extraction Type :		Decanted :	N
Injection Volume :		GPC Factor :	1.0
Prep Method :	SW3541	Level :	LOW
		Test:	SVOC-TCL BNA -20
		Final Vol:	1000
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143334.D	1	08/06/25 08:54	08/06/25 17:13	PB169138

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	0.14		0.017	0.13	mg/Kg
50-32-8	Benzo(a)pyrene	0.19		0.022	0.13	mg/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	0.096	J	0.022	0.13	mg/Kg
53-70-3	Dibenzo(a,h)anthracene	0.13	U	0.020	0.13	mg/Kg
191-24-2	Benzo(g,h,i)perylene	0.11	J	0.019	0.13	mg/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	0.13	U	0.019	0.13	mg/Kg
123-91-1	1,4-Dioxane	0.13	U	0.033	0.13	mg/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	0.13	U	0.020	0.13	mg/Kg

SURROGATES

367-12-4	2-Fluorophenol	72.5		18 - 112	48%	SPK: 150
13127-88-3	Phenol-d6	65.7		15 - 107	44%	SPK: 150
4165-60-0	Nitrobenzene-d5	44.6		18 - 107	45%	SPK: 100
321-60-8	2-Fluorobiphenyl	60.0		20 - 109	60%	SPK: 100
118-79-6	2,4,6-Tribromophenol	75.1		10 - 116	50%	SPK: 150
1718-51-0	Terphenyl-d14	38.0		10 - 105	38%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	84300	6.963
1146-65-2	Naphthalene-d8	312000	8.239
15067-26-2	Acenaphthene-d10	126000	10.004
1517-22-2	Phenanthrene-d10	163000	11.504
1719-03-5	Chrysene-d12	166000	14.145
1520-96-3	Perylene-d12	139000	15.651

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	730	J	2.29	ug/Kg
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	170	A	5.19	ug/Kg
000104-76-7	1-Hexanol, 2-ethyl-	200	J	7.02	ug/Kg
024139-37-5	1,3,6-Trimethyladamantane	52.8	J	8.71	ug/Kg
	unknown8.875	58.2	J	8.88	ug/Kg
	unknown9.239	67.8	J	9.24	ug/Kg
1000387-33-4	2H-Spiro[1-benzofuran-3,2-[1,3]di	160	J	9.40	ug/Kg

Report of Analysis

Client:	PSEG	Date Collected:	08/05/25
Project:	Bridgewater Switch	Date Received:	08/05/25
Client Sample ID:	RT3826	SDG No.:	Q2774
Lab Sample ID:	Q2774-07	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	81.3
Sample Wt/Vol:	50.06	Units:	g
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	1.0	GPC Cleanup :
		N	PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143334.D	1	08/06/25 08:54	08/06/25 17:13	PB169138

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
	unknown9.516	62.9	J		9.52	ug/Kg
	unknown9.710	290	J		9.71	ug/Kg
080655-44-3	Decahydro-1,1,4a,5,6-pentamethylna	240	J		9.87	ug/Kg
	unknown9.916	410	J		9.92	ug/Kg
1000280-67-9	4-Fluorobenzoic acid, 3-tridecyl e	470	J		10.4	ug/Kg

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products