

Report of Analysis

Client:	PSEG	Date Collected:	08/05/25 08:10
Project:	PSEG Metro Way	Date Received:	08/05/25
Client Sample ID:	TP-3	SDG No.:	Q2780
Lab Sample ID:	Q2780-04	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	8.30	H	1	0	0	pH		08/06/25 10:15	9045D
Ignitability	NO		1	0	0	oC		08/06/25 11:57	1030
Reactive Cyanide	0.13		1	0.0084	0.050	mg/Kg	08/07/25 08:50	08/07/25 11:17	9012B
Reactive Sulfide	3.17	J	1	0.20	10.0	mg/Kg	08/07/25 08:50	08/07/25 11:16	9034

Comments: pH result reported at temperature 21.7 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits