

Report of Analysis

Client:	Garden State Laboratories, Inc.		Date Collected:	08/06/25	
Project:	Waste Water 2025		Date Received:	08/07/25	
Client Sample ID:	250806078-01 VOADL		SDG No.:	Q2790	
Lab Sample ID:	Q2790-01DL		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group2	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047259.D	10	08/07/25 13:48	VX080725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	2.20	UD	2.20	10.0	ug/L
74-87-3	Chloromethane	3.20	UD	3.20	10.0	ug/L
75-01-4	Vinyl Chloride	2.60	UD	2.60	10.0	ug/L
74-83-9	Bromomethane	14.4	UD	14.4	50.0	ug/L
75-00-3	Chloroethane	4.70	UD	4.70	10.0	ug/L
75-69-4	Trichlorofluoromethane	3.30	UD	3.30	10.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2.50	UD	2.50	10.0	ug/L
75-35-4	1,1-Dichloroethene	2.30	UD	2.30	10.0	ug/L
67-64-1	Acetone	1100	D	15.1	50.0	ug/L
75-15-0	Carbon Disulfide	8.60	JD	2.10	10.0	ug/L
1634-04-4	Methyl tert-butyl Ether	1.60	UD	1.60	10.0	ug/L
79-20-9	Methyl Acetate	2.70	UD	2.70	10.0	ug/L
75-09-2	Methylene Chloride	2.80	UD	2.80	10.0	ug/L
156-60-5	trans-1,2-Dichloroethene	2.30	UD	2.30	10.0	ug/L
75-34-3	1,1-Dichloroethane	2.30	UD	2.30	10.0	ug/L
110-82-7	Cyclohexane	14.5	UD	14.5	50.0	ug/L
78-93-3	2-Butanone	1300	D	9.80	50.0	ug/L
56-23-5	Carbon Tetrachloride	2.50	UD	2.50	10.0	ug/L
156-59-2	cis-1,2-Dichloroethene	1.90	UD	1.90	10.0	ug/L
74-97-5	Bromochloromethane	2.20	UD	2.20	10.0	ug/L
67-66-3	Chloroform	2.50	UD	2.50	10.0	ug/L
71-55-6	1,1,1-Trichloroethane	2.00	UD	2.00	10.0	ug/L
108-87-2	Methylcyclohexane	1.60	UD	1.60	10.0	ug/L
71-43-2	Benzene	3.00	JD	1.50	10.0	ug/L
107-06-2	1,2-Dichloroethane	2.20	UD	2.20	10.0	ug/L
79-01-6	Trichloroethene	0.93	UD	0.93	10.0	ug/L
78-87-5	1,2-Dichloropropane	2.00	UD	2.00	10.0	ug/L
75-27-4	Bromodichloromethane	2.20	UD	2.20	10.0	ug/L
108-10-1	4-Methyl-2-Pentanone	9.70	JD	6.80	50.0	ug/L
108-88-3	Toluene	5.20	JD	1.40	10.0	ug/L

Report of Analysis

Client:	Garden State Laboratories, Inc.		Date Collected:	08/06/25	
Project:	Waste Water 2025		Date Received:	08/07/25	
Client Sample ID:	250806078-01 VOADL		SDG No.:	Q2790	
Lab Sample ID:	Q2790-01DL		Matrix:	Water	
Analytical Method:	8260D		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group2	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047259.D	10	08/07/25 13:48	VX080725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	1.70	UD	1.70	10.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.60	UD	1.60	10.0	ug/L
79-00-5	1,1,2-Trichloroethane	2.10	UD	2.10	10.0	ug/L
591-78-6	2-Hexanone	8.90	UD	8.90	50.0	ug/L
124-48-1	Dibromochloromethane	1.80	UD	1.80	10.0	ug/L
106-93-4	1,2-Dibromoethane	1.50	UD	1.50	10.0	ug/L
127-18-4	Tetrachloroethene	2.30	UD	2.30	10.0	ug/L
108-90-7	Chlorobenzene	1.20	UD	1.20	10.0	ug/L
100-41-4	Ethyl Benzene	6.50	JD	1.30	10.0	ug/L
179601-23-1	m/p-Xylenes	5.70	JD	2.40	20.0	ug/L
95-47-6	o-Xylene	3.50	JD	1.20	10.0	ug/L
100-42-5	Styrene	1.50	UD	1.50	10.0	ug/L
75-25-2	Bromoform	1.90	UD	1.90	10.0	ug/L
98-82-8	Isopropylbenzene	1.20	UD	1.20	10.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	2.60	UD	2.60	10.0	ug/L
541-73-1	1,3-Dichlorobenzene	1.60	UD	1.60	10.0	ug/L
106-46-7	1,4-Dichlorobenzene	1.90	UD	1.90	10.0	ug/L
95-50-1	1,2-Dichlorobenzene	1.60	UD	1.60	10.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	5.30	UD	5.30	10.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	2.00	UD	2.00	10.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	2.00	UD	2.00	10.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.4		74 - 125	111%	SPK: 50
1868-53-7	Dibromofluoromethane	50.3		75 - 124	101%	SPK: 50
2037-26-5	Toluene-d8	51.5		86 - 113	103%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.8		77 - 121	102%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	317000	5.562			
540-36-3	1,4-Difluorobenzene	603000	6.769			
3114-55-4	Chlorobenzene-d5	548000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	268000	12.018			

Report of Analysis

Client:	Garden State Laboratories, Inc.	Date Collected:	08/06/25
Project:	Waste Water 2025	Date Received:	08/07/25
Client Sample ID:	250806078-01 VOADL	SDG No.:	Q2790
Lab Sample ID:	Q2790-01DL	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047259.D	10	08/07/25 13:48	VX080725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products