

SOP ID : M9030B-Sulfide-13

SDG No : N/A

Start Digest Date: 08/15/2025 Time : 12:40 Temp : N/A

Matrix : SOIL

End Digest Date: 08/15/2025 Time : 14:10 Temp : N/A

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1,MC-2

Filter paper ID : N/A

Prep Technician Signature: *JO*

Weigh By : JP

pH Meter ID : N/A

Supervisor Signature: *RM*

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP113086
FORMALDEHYDE	2.0ML	W3220
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

JO
08/15/2025

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB169254BL	PBS254	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2791-01	SLUDGE	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2843-01	NEWPCP-SS-1 14-16	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2843-02	NEWPCP-SS-2 8-10	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2843-03	NEWPCP-SS-2 6-8	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2843-04	NEWPCP-SS-5 12-14	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2844-03	MOO-25-0224-0225	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2844-05	MOO-25-0234-0235	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2844-08	MOO-25-0223	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2844-10	MOO-25-0226	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2844-12	MOO-25=0228	5.06	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2855-02	#454	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2856-05	#455	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2865-02	ARS10-0047	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2874-01	COMP-1	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2874-02	ELI-25-0086	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2874-02DUP	ELI-25-0086DUP	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2884-04	302	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A