

Client Contact Information				Bottle Order ID : B2507029				Courier : FGaldun				1 of 2 COCs																															
Client ID : GFEL01 Project ID : 10-21-2015				Sampler Name: FRANK GALDUN				Analysis				Matrix																															
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																																			
				Phone Number : 646-542-3465																																							
				Fax Number : 973-334-1692																																							
				Site Details: 233 FLORIDA ST ELIZABETH, NJ																																							
Analysis Turnaround Time 7 DAY				Data Package Type RESULTS ONLY																																							
Standard : 10 business days OR				Rush (Specify): 1 Days				EDD Type : PDP																																			
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas																										
TA1	8/7/23	8:09	10:09	30	6	70	70	-30	-5.5	10707	10285	6 L	50	VL042600.D	1	1																											
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop					Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) [Signature]									
	Ambient	Maximum	Minimum																																								
Start																																											
Stop																																											
	Ambient	Maximum	Minimum																																								
Start																																											
Stop																																											
										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.																																	
Special Instructions/QC Requirements & Comments :																																											
Suspected Contamination: High Medium Low PID Readings:																																											
Sampling site (State):																																											
Quick Connector required : NO																																											
Canisters Shipped by: Sam					Date/Time: 8/24/23					Canisters Received by: CP					Date/Time: 8/7/25 10:26																												
Samples Relinquished by:					Date/Time:					Received by:					Date/Time:																												
Relinquished by:					Date/Time:					Received by:					Date/Time:																												

Client Contact Information				Bottle Order ID : B2507029				Courier : FGALDUN				2 of 2 COCs																	
Client ID : GFEL01				Project ID : 40 Eldridge St.				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix															
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 233 FORDA ST ELIZABETH, NJ																									
				Analysis Turnaround Time 7 DAY																									
				Standard : 10 business days OR				Data Package Type : RESULTS ONLY																					
				Rush (Specify): 7 Days				EDD Type : PDF																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
OAI	8/7/25	10:05	10:50	30	4.5	/	/	-30	-5.1	10185	10333	6 L	50	VL042562.D	1	1													
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>71</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>74</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	71			Stop	74			GC/MS Analyst Signature (TO-15) [Signature]							
	Ambient	Maximum	Minimum																										
Start	71																												
Stop	74																												
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: 0.0																													
Sampling site (State):																													
Quick Connector required : No																													
Canisters Shipped by: [Signature]				Date/Time: 8/7/25				Canisters Received by: [Signature]				Date/Time: 8/7/25 1026																	
Samples Relinquished by: [Signature]				Date/Time: 8/7/25				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	