



SHIPPING DOCUMENTS

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: Verina Consulting Group
ADDRESS: 1011 US Highway 22, Suite 302
CITY Bridgewater STATE: NJ ZIP: 08807
ATTENTION: Michael Vauenzi
PHONE: 908-864-4400 FAX: 908-864-4401

CLIENT PROJECT INFORMATION

PROJECT NAME: Rotax Clip
PROJECT NO.: 5183-0001 LOCATION: NJ
PROJECT MANAGER: Michael Vauenzi
e-mail: mvauenzi@vcg-llc.com
PHONE: 908-864-4400 FAX: 908-864-4401

CLIENT BILLING INFORMATION

BILL TO: See Left PO#:
ADDRESS:
CITY STATE: ZIP:
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) 5 DAYS*
HARDCOPY (DATA PACKAGE): 5 DAYS*
EDD: 5 DAYS*

*TO BE APPROVED BY CHEMTECH

STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☒ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☐ EDD FORMAT

Cr, Cu, Ni, Zn
Chromium Demand
Ammonia
1 2 3 4 5 6 7 8 9

PRESERVATIVES

COMMENTS

← Specify Preservatives
A-HCl D-NaOH
B-HNO3 E-ICE
C-H2SO4 F-OTHER

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS		
			COMP	GRAB	DATE	TIME		B	E	C								← Specify Preservatives A-HCl B-HNO3 C-H2SO4	D-NaOH E-ICE F-OTHER
								1	2	3	4	5	6	7	8	9			
1.	Water Treatment Discharge	WW	X		8/7/25	10:48	3	X	X	X									
2.																			
3.																			
4.																			
5.																			
6.																			
7.																			
8.																			
9.																			
10.																			

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <u>Muhl Val</u>	DATE/TIME: <u>8/7/25</u> <u>11:30</u>	RECEIVED BY: <u>[Signature]</u> <u>8-7-25</u>	Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP <u>30.2</u> °C
RELINQUISHED BY SAMPLER: 2. <u>[Signature]</u>	DATE/TIME:	RECEIVED BY:	Comments: <u>Flow Rate = 3G</u> <u>pH = 9.1</u> <u>Temperature = 76.3°F</u> <u>Cr, Cu, Ni, Zn = Metals Group 4</u>
RELINQUISHED BY SAMPLER: 3. <u>[Signature]</u>	DATE/TIME: <u>8-7-25</u>	RECEIVED BY:	Page <u>1</u> of <u>1</u> CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete
☐ YES ☐ NO

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488