

Report of Analysis

Client:	PSEG	Date Collected:	08/08/25
Project:	Oradell Gas and Appliance Service MA00006789	Date Received:	08/08/25
Client Sample ID:	OR-03-08082025	SDG No.:	Q2809
Lab Sample ID:	Q2809-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	93.6
Sample Wt/Vol:	50.02 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025358.D	5	08/11/25 09:32	08/11/25 21:40	PB169189

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	0.50	U	0.50	1.10	mg/Kg
108-95-2	Phenol	0.071	U	0.071	0.54	mg/Kg
111-44-4	bis(2-Chloroethyl)ether	0.078	U	0.078	0.54	mg/Kg
95-57-8	2-Chlorophenol	0.078	U	0.078	0.54	mg/Kg
95-48-7	2-Methylphenol	0.096	U	0.096	0.54	mg/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	0.12	U	0.12	0.54	mg/Kg
98-86-2	Acetophenone	0.095	U	0.095	0.54	mg/Kg
65794-96-9	3+4-Methylphenols	0.13	U	0.13	1.10	mg/Kg
621-64-7	n-Nitroso-di-n-propylamine	0.15	U	0.15	0.26	mg/Kg
67-72-1	Hexachloroethane	0.056	U	0.056	0.54	mg/Kg
98-95-3	Nitrobenzene	0.059	U	0.059	0.54	mg/Kg
78-59-1	Isophorone	0.11	U	0.11	0.54	mg/Kg
88-75-5	2-Nitrophenol	0.19	U	0.19	0.54	mg/Kg
105-67-9	2,4-Dimethylphenol	0.21	U	0.21	0.54	mg/Kg
111-91-1	bis(2-Chloroethoxy)methane	0.099	U	0.099	0.54	mg/Kg
120-83-2	2,4-Dichlorophenol	0.091	U	0.091	0.54	mg/Kg
91-20-3	Naphthalene	0.073	U	0.073	0.54	mg/Kg
106-47-8	4-Chloroaniline	0.11	U	0.11	0.54	mg/Kg
87-68-3	Hexachlorobutadiene	0.081	U	0.081	0.54	mg/Kg
105-60-2	Caprolactam	0.17	U	0.17	1.10	mg/Kg
59-50-7	4-Chloro-3-methylphenol	0.092	U	0.092	0.54	mg/Kg
91-57-6	2-Methylnaphthalene	0.082	U	0.082	0.54	mg/Kg
77-47-4	Hexachlorocyclopentadiene	0.37	U	0.37	1.10	mg/Kg
88-06-2	2,4,6-Trichlorophenol	0.063	U	0.063	0.54	mg/Kg
95-95-4	2,4,5-Trichlorophenol	0.093	U	0.093	0.54	mg/Kg
92-52-4	1,1-Biphenyl	0.070	U	0.070	0.54	mg/Kg
91-58-7	2-Chloronaphthalene	0.072	U	0.072	0.54	mg/Kg
88-74-4	2-Nitroaniline	0.15	U	0.15	0.54	mg/Kg
131-11-3	Dimethylphthalate	0.087	U	0.087	0.54	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	08/08/25
Project:	Oradell Gas and Appliance Service MA00006789	Date Received:	08/08/25
Client Sample ID:	OR-03-08082025	SDG No.:	Q2809
Lab Sample ID:	Q2809-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	93.6
Sample Wt/Vol:	50.02 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025358.D	5	08/11/25 09:32	08/11/25 21:40	PB169189

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	0.50	J	0.093	0.54	mg/Kg
606-20-2	2,6-Dinitrotoluene	0.11	U	0.11	0.54	mg/Kg
99-09-2	3-Nitroaniline	0.15	U	0.15	0.54	mg/Kg
83-32-9	Acenaphthene	0.28	J	0.068	0.54	mg/Kg
51-28-5	2,4-Dinitrophenol	0.73	U	0.73	1.10	mg/Kg
100-02-7	4-Nitrophenol	0.34	U	0.34	1.10	mg/Kg
132-64-9	Dibenzofuran	0.073	U	0.073	0.54	mg/Kg
121-14-2	2,4-Dinitrotoluene	0.16	U	0.16	0.54	mg/Kg
84-66-2	Diethylphthalate	0.091	U	0.091	0.54	mg/Kg
7005-72-3	4-Chlorophenyl-phenylether	0.086	U	0.086	0.54	mg/Kg
86-73-7	Fluorene	0.60		0.081	0.54	mg/Kg
100-01-6	4-Nitroaniline	0.21	U	0.21	0.54	mg/Kg
534-52-1	4,6-Dinitro-2-methylphenol	0.33	U	0.33	1.10	mg/Kg
86-30-6	n-Nitrosodiphenylamine	0.11	U	0.11	0.54	mg/Kg
101-55-3	4-Bromophenyl-phenylether	0.089	U	0.089	0.54	mg/Kg
118-74-1	Hexachlorobenzene	0.081	U	0.081	0.54	mg/Kg
1912-24-9	Atrazine	0.11	U	0.11	0.54	mg/Kg
87-86-5	Pentachlorophenol	0.16	U	0.16	1.10	mg/Kg
85-01-8	Phenanthrene	4.10		0.067	0.54	mg/Kg
120-12-7	Anthracene	1.50		0.11	0.54	mg/Kg
86-74-8	Carbazole	0.10	U	0.10	0.54	mg/Kg
84-74-2	Di-n-butylphthalate	0.15	U	0.15	0.54	mg/Kg
206-44-0	Fluoranthene	5.60		0.096	0.54	mg/Kg
129-00-0	Pyrene	4.80		0.12	0.54	mg/Kg
85-68-7	Butylbenzylphthalate	0.23	U	0.23	0.54	mg/Kg
91-94-1	3,3-Dichlorobenzidine	0.12	U	0.12	1.10	mg/Kg
56-55-3	Benzo(a)anthracene	2.60		0.074	0.54	mg/Kg
218-01-9	Chrysene	2.40		0.064	0.54	mg/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	0.19	U	0.19	0.54	mg/Kg
117-84-0	Di-n-octyl phthalate	0.28	U	0.28	1.10	mg/Kg
205-99-2	Benzo(b)fluoranthene	2.80		0.061	0.54	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	08/08/25
Project:	Oradell Gas and Appliance Service MA00006789	Date Received:	08/08/25
Client Sample ID:	OR-03-08082025	SDG No.:	Q2809
Lab Sample ID:	Q2809-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	93.6
Sample Wt/Vol:	50.02 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025358.D	5	08/11/25 09:32	08/11/25 21:40	PB169189

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	1.10		0.072	0.54	mg/Kg
50-32-8	Benzo(a)pyrene	2.50		0.095	0.54	mg/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	1.30		0.093	0.54	mg/Kg
53-70-3	Dibenzo(a,h)anthracene	0.40	J	0.088	0.54	mg/Kg
191-24-2	Benzo(g,h,i)perylene	1.50		0.082	0.54	mg/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	0.082	U	0.082	0.54	mg/Kg
123-91-1	1,4-Dioxane	0.14	U	0.14	0.54	mg/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	0.088	U	0.088	0.54	mg/Kg

SURROGATES

367-12-4	2-Fluorophenol	63.7		18 - 112	42%	SPK: 150
13127-88-3	Phenol-d6	54.9		15 - 107	37%	SPK: 150
4165-60-0	Nitrobenzene-d5	42.4		18 - 107	42%	SPK: 100
321-60-8	2-Fluorobiphenyl	43.6		20 - 109	44%	SPK: 100
118-79-6	2,4,6-Tribromophenol	81.8		10 - 116	55%	SPK: 150
1718-51-0	Terphenyl-d14	47.8		10 - 105	48%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	247000	7.796
1146-65-2	Naphthalene-d8	939000	10.572
15067-26-2	Acenaphthene-d10	577000	14.413
1517-22-2	Phenanthrene-d10	1160000	17.213
1719-03-5	Chrysene-d12	1190000	21.654
1520-96-3	Perylene-d12	1400000	25.036

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	410	J	3.05	ug/Kg
000275-51-4	Azulene	220	J	10.6	ug/Kg
002443-58-5	2-Hydroxyfluorene	350	J	15.8	ug/Kg
000132-65-0	Dibenzothiophene	310	J	17.0	ug/Kg
002531-84-2	Phenanthrene, 2-methyl-	630	J	18.1	ug/Kg
000613-12-7	Anthracene, 2-methyl-	1000	J	18.2	ug/Kg
000832-71-3	Phenanthrene, 3-methyl-	470	J	18.3	ug/Kg

Report of Analysis

Client:	PSEG	Date Collected:	08/08/25
Project:	Oradell Gas and Appliance Service MA00006789	Date Received:	08/08/25
Client Sample ID:	OR-03-08082025	SDG No.:	Q2809
Lab Sample ID:	Q2809-01	Matrix:	SOIL
Analytical Method:	8270E	% Solid:	93.6
Sample Wt/Vol:	50.02 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025358.D	5	08/11/25 09:32	08/11/25 21:40	PB169189

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
000203-64-5	4H-Cyclopenta[def]phenanthrene	1600	J		18.3	ug/Kg
000832-69-9	Phenanthrene, 1-methyl-	380	J		18.4	ug/Kg
000612-94-2	Naphthalene, 2-phenyl-	360	J		18.6	ug/Kg
003674-66-6	Phenanthrene, 2,5-dimethyl-	440	J		19.1	ug/Kg
034373-96-1	9,10-Bis(bromomethyl)anthracene	350	J		19.1	ug/Kg
002381-21-7	Pyrene, 1-methyl-	250	J		20.1	ug/Kg
000243-17-4	11H-Benzo[b]fluorene	440	J		20.2	ug/Kg
000238-84-6	11H-Benzo[a]fluorene	440	J		20.3	ug/Kg
033543-31-6	Fluoranthene, 2-methyl-	230	J		20.4	ug/Kg

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products