

DATA PACKAGE

GENERAL CHEMISTRY

PROJECT NAME : MCUA PERMIT NO 14241 - 571 JERSEY AVE NB NJ

EUROPASTRY

571 Jersey Ave

New Brunswick, NJ - 08901

Phone No: 631-563-6262 x2602

ORDER ID : Q2810

ATTENTION : Kevin Carlucci



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	5
2.1) Genchem- Case Narrative	5
3) Qualifier Page	7
4) QA Checklist	8
5) Genchem Data	9
6) Shipping Document	37
6.1) CHAIN OF CUSTODY	38
6.2) Lab Certificate	41

DATA OF KNOWN QUALITY CONFORMANCE/NON-CONFORMANCE SUMMARY QUESTIONNAIRE

1

Laboratory Name : Alliance Technical Group LLC Client : Europastry
 Project Location : NJ Project Number : MCUA Permit No 14241 - 571 Jersey Ave NB
 Laboratory Sample ID(s) : Q2810 Sampling Date(s) : 08/08/2025

List DKQP Methods Used (e.g., 8260,8270, et Cetra) **1664A,9040C,Sampling,SM2540 D,SM5210 B,SM5220 D,SOP**

1	For each analytical method referenced in this laboratory report package, were all specified QA/QC performance criteria followed, including the requirement to explain any criteria falling outside of acceptable guidelines, as specified in the NJDEP Data of Known Quality performance standards?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
1A	Were the method specified handling, preservation, and holding time requirements met?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
1B	EPH Method: Was the EPH method conducted without significant modifications (see Section 11.3 of respective DKQ methods)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
2	Were all samples received by the laboratory in a condition consistent with that described on the associated chain-of-custody document(s)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
3	Were samples received at an appropriate temperature (4±2° C)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
4	Were all QA/QC performance criteria specified in the NJDEP DKQP standards achieved?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
5	a)Were reporting limits specified or referenced on the chain-of-custody or communicated to the laboratory prior to sample receipt? b)Were these reporting limits met?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
6	For each analytical method referenced in this laboratory report package, were results reported for all constituents identified in the method-specific analyte lists presented in the DKQP documents and/or site-specific QAPP?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
7	Are project-specific matrix spikes and/or laboratory duplicates included in this data set?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Notes: For all questions to which the response was "No" (with the exception of question #7), additional information should be provided in an attached narrative. If the answer to question #1, #1A, or #1B is "No", the data package does not meet the requirements for "Data of Known Quality."

Cover Page

Order ID : Q2810

Project ID : MCUA Permit No 14241 - 571 Jersey Ave NB NJ

Client : Europastry

Lab Sample Number

Q2810-01
Q2810-02
Q2810-03

Client Sample Number

MH-892025
MH-892025MS
MH-892025MSD

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 8/18/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Europastry

Project Name: MCUA Permit No 14241 - 571 Jersey Ave NB NJ

Project # N/A

Order ID # Q2810

Test Name: BOD5,COD,Oil and Grease,pH,TPH,TSS

A. Number of Samples and Date of Receipt:

3 Water samples were received on 08/08/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested:

BOD5,COD,Oil and Grease,pH,TPH,TSS. This data package contains results for

BOD5,COD,Oil and Grease,pH,TPH,TSS.

C. Analytical Techniques:

The analysis of Oil and Grease,TPH was based on method 1664A, The analysis of pH was based on method 9040C, The analysis of TSS was based on method SM2540 D, The analysis of BOD5 was based on method SM5210 B and The analysis of COD was based on method SM5220 D.

D. QA/ QC Samples:

The Holding Times were met for all samples except for MH-892025 of pH as sample was receive out of holding time.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

As per method 1664A (TPH), MS/MSD is required to be performed with the sample analysis. However, Lab did not receive sufficient volume to perform the MS/MSD therefore MS/MSD were not performed for this project.

Sample Q2810-01 analyzed straight 20X dilution for COD parameter because the original samples were reading over range; only 20X has been reported.



I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2810

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 08/18/2025

LAB CHRONICLE

OrderID:	Q2810	OrderDate:	8/8/2025 12:37:00 PM
Client:	Europastry	Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ
Contact:	Kevin Carlucci	Location:	D21

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2810-01	MH-892025	WATER			08/08/25 11:48			08/08/25
			BOD5	SM5210 B			08/08/25 15:50	
			COD	SM5220 D			08/15/25 11:02	
			Oil and Grease	1664A			08/11/25 09:37	
			pH	9040C			08/12/25 08:30	
			TPH	1664A			08/11/25 09:45	
			TSS	SM2540 D			08/11/25 10:00	



SAMPLE DATA

Report of Analysis

Client:	Europastry	Date Collected:	08/08/25 11:48
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Date Received:	08/08/25
Client Sample ID:	MH-892025	SDG No.:	Q2810
Lab Sample ID:	Q2810-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
BOD5	499		1	0.20	2.00	mg/L		08/08/25 15:50	SM 5210 B-16
COD	1550	D	20	30.0	200	mg/L		08/15/25 11:02	SM 5220 D-11
Oil and Grease	345		1	0.29	5.00	mg/L		08/11/25 09:37	1664A
pH	4.80	H	1	0	0	pH		08/12/25 08:30	9040C
TPH	121		1	0.29	5.00	mg/L		08/11/25 09:45	1664A
TSS	274		1	1.00	4.00	mg/L		08/11/25 10:00	SM 2540 D-20

Comments: pH result reported at temperature 20.5 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits



QC RESULT SUMMARY

Initial and Continuing Calibration Verification

Client: Europastry

SDG No.: Q2810

Project: MCUA Permit No 14241 - 571 Jersey Ave NB NJ

RunNo.: LB136780

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV pH	pH	7.01	7	100	90-110	08/12/2025
Sample ID: CCV1 pH	pH	2.01	2.00	101	90-110	08/12/2025
Sample ID: CCV2 pH	pH	12.02	12.00	100	90-110	08/12/2025

Initial and Continuing Calibration Verification

Client: Europastry

SDG No.: Q2810

Project: MCUA Permit No 14241 - 571 Jersey Ave NB NJ

RunNo.: LB136825

Analyte	Units	Result	True Value	% Recovery	Acceptance Window (%R)	Analysis Date
Sample ID: ICV COD	mg/L	50.962	50	102	95-105	05/28/2025
Sample ID: CCV1 COD	mg/L	48.931	50	98	95-105	08/15/2025
Sample ID: CCV2 COD	mg/L	48.931	50	98	95-105	08/15/2025
Sample ID: CCV3 COD	mg/L	49.946	50	100	95-105	08/15/2025

Initial and Continuing Calibration Blank Summary

Client: Europastry

SDG No.: Q2810

Project: MCUA Permit No 14241 - 571 Jersey Ave NB NJ

RunNo.: LB136825

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: ICB COD	mg/L	< 5.0000	5.0000	U	1.50	10	05/28/2025
Sample ID: CCB1 COD	mg/L	< 5.0000	5.0000	U	1.50	10	08/15/2025
Sample ID: CCB2 COD	mg/L	< 5.0000	5.0000	U	1.50	10	08/15/2025
Sample ID: CCB3 COD	mg/L	< 5.0000	5.0000	U	1.50	10	08/15/2025

Preparation Blank Summary

Client: Europastry

SDG No.: Q2810

Project: MCUA Permit No 14241 - 571 Jersey Ave NB NJ

Analyte	Units	Result	Acceptance Limits	Conc Qual	MDL	RDL	Analysis Date
Sample ID: LB136764BL BOD5	mg/L	< 0.2000	0.2000	U	0.20	2.0	08/08/2025
Sample ID: LB136765BL TSS	mg/L	< 2.0000	2.0000	U	1	4	08/11/2025
Sample ID: LB136766BL Oil and Grease	mg/L	< 2.5000	2.5000	U	0.29	5.0	08/11/2025
Sample ID: LB136767BL TPH	mg/L	< 2.5000	2.5000	U	0.29	5.0	08/11/2025
Sample ID: LB136825BL COD	mg/L	< 5.0000	5.0000	U	1.5	10.0	08/15/2025

A

B

C

D

Matrix Spike Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Sample ID:	Q2810-01
Client ID:	MH-8-9-2025MS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	365		345		20.0	1	100		08/11/2025

Matrix Spike Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Sample ID:	Q2810-01
Client ID:	MH-8-9-2025MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	366		345		20.0	1	101		08/11/2025

Matrix Spike Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Sample ID:	Q2813-01
Client ID:	Q2813-1MS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	43.9		24.0		20.0	1	100		08/11/2025

Matrix Spike Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Sample ID:	Q2813-01
Client ID:	Q2813-1MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
Oil and Grease	mg/L	78-114	43.8		24.0		20.0	1	99		08/11/2025

Matrix Spike Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Sample ID:	Q2862-05
Client ID:	DSN003MS	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
COD	mg/L	75-125	80.4		29.6		50.0	1	102		08/15/2025

Matrix Spike Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Sample ID:	Q2862-05
Client ID:	DSN003MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit %R	Spiked Result	Conc. Qualifier	Sample Result	Conc. Qualifier	Spike Added	Dilution Factor	% Rec	Qual	Analysis Date
COD	mg/L	75-125	78.4		29.6		50.0	1	98		08/15/2025

Duplicate Sample Summary

Client: Europastry Project: MCUA Permit No 14241 - 571 Jersey Ave NB NJ Client ID: LB136767BSD	SDG No.: Q2810 Sample ID: LB136767BS Percent Solids for Spike Sample: 0
---	--

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
TPH	mg/L	+/-18	17.1		16.9		1	1.18		08/11/2025

Duplicate Sample Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Sample ID:	Q2789-02
Client ID:	CompDUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
TSS	mg/L	+/-5	377		387		1	2.62		08/11/2025

Duplicate Sample Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Sample ID:	Q2810-01
Client ID:	MH-8-9-2025MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Oil and Grease	mg/L	+/-18	365		366		1	0.05		08/11/2025

Duplicate Sample Summary

Client: Europastry Project: MCUA Permit No 14241 - 571 Jersey Ave NB NJ Client ID: EFF-WASTE WATERDUP	SDG No.: Q2810 Sample ID: Q2811-02 Percent Solids for Spike Sample: 0
--	--

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
BOD5	mg/L	+/-20	605		617		1	2		08/08/2025

Duplicate Sample Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Sample ID:	Q2813-01
Client ID:	Q2813-1MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
Oil and Grease	mg/L	+/-18	43.9		43.8		1	0.23		08/11/2025

Duplicate Sample Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Sample ID:	Q2822-01
Client ID:	NWB-2185DUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
pH	pH	+/-20	6.57		6.59		1	0.3		08/12/2025

Duplicate Sample Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Sample ID:	Q2862-05
Client ID:	DSN003DUP	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
COD	mg/L	+/-20	29.6		29.6		1	0		08/15/2025

Duplicate Sample Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Sample ID:	Q2862-05
Client ID:	DSN003MSD	Percent Solids for Spike Sample:	0

Analyte	Units	Acceptance Limit	Sample Result	Conc. Qualifier	Duplicate Result	Conc. Qualifier	Dilution Factor	RPD/AD	Qual	Analysis Date
COD	mg/L	+/-20	80.4		78.4		1	2.52		08/15/2025

Laboratory Control Sample Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Run No.:	LB136764

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136764BS							
BOD5	mg/L	198	208		105	1	84.6-115.4	08/08/2025

Laboratory Control Sample Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Run No.:	LB136765

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136765BS							
TSS	mg/L	550	531		96	1	90-110	08/11/2025

Laboratory Control Sample Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Run No.:	LB136766

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136766BS							
Oil and Grease	mg/L	20.0	16.8		84	1	78-114	08/11/2025

Laboratory Control Sample Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Run No.:	LB136767

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136767BS							
TPH	mg/L	20.0	17.1		86	1	78-114	08/11/2025

Laboratory Control Sample Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Run No.:	LB136767

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136767BSD							
TPH	mg/L	20.0	16.9		84	1	78-114	08/11/2025

Laboratory Control Sample Summary

Client:	Europastry	SDG No.:	Q2810
Project:	MCUA Permit No 14241 - 571 Jersey Ave NB NJ	Run No.:	LB136825

Analyte	Units	True Value	Result	Conc. Qualifier	% Recovery	Dilution Factor	Acceptance Limit %R	Analysis Date
Sample ID	LB136825BS							
COD	mg/L	50	47.9		96	1	90-110	08/15/2025



SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

ALLIANCE PROJECT NO.
QUOTE NO.

COC Number 2045305

Q2810

CLIENT INFORMATION

CLIENT PROJECT INFORMATION

CLIENT BILLING INFORMATION

COMPANY: EUROPEAN
ADDRESS: 571 JERSEY AVE
CITY: NEW BRUNSWICK STATE: NJ ZIP: 08901
ATTENTION: KIM CARRUCCI
PHONE: 631-563-6262 FAX: 2602

PROJECT NAME: MCVA PROJECT NO. 14741 - 571 JERSEY AVE - NJ
PROJECT NO.: _____ LOCATION: _____
PROJECT MANAGER: _____
e-mail: _____
PHONE: _____ FAX: _____

BILL TO: _____ PO#: _____
ADDRESS: _____
CITY: _____ STATE: _____ ZIP: _____
ATTENTION: _____ PHONE: _____

DATA TURNAROUND INFORMATION

DATA DELIVERABLE INFORMATION

ANALYSIS

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): _____ DAYS*
EDD: _____ DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

- ☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC + Raw Data) ☐ NYS ASP A ☐ NYS ASP B
☐ EDD FORMAT ☐ Other

PH
BOD5, TSS
COD
TPH
O & G

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		E	E	C	C	C					
1.	14-8-9-2025	W		X	8/8	1148	8	X	X	X	X	X					PH. 5.16 / 30.7 °C
2.																	
3.																	
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: _____ DATE/TIME: 8/8/25 1200
1. [Signature]
RELINQUISHED BY SAMPLER: _____ DATE/TIME: _____
2. _____
RELINQUISHED BY SAMPLER: _____ DATE/TIME: 8/8/25
3. [Signature]

RECEIVED BY: _____
1. [Signature]
RECEIVED BY: _____
2. _____
RECEIVED BY: _____
3. _____

Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP 5.7 °C
Comments: _____

Page 1 of 1 CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete
☐ YES ☐ NO

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT
YELLOW - ALLIANCE COPY
PINK - SAMPLER COPY

Alliance Technical Group, LLC-Newark

284 Sheffield Street, Mountainside, NJ 07092 Tel. 908-789-8900 Fax 908-789-8922

FIELD SAMPLING LOGClient Name: EuropharmProject Name: New Permit No. 14741-531 Twp. Mt. NJClient Address: 571 Jersey AveProject Location: New BrunswickClient Rep-on Site: Kevin CarlucciCooler Custody Seal: N/ASampling Date: 8-8-25Temperature Correction Factor (°C): 0Arrival Time: 1130Departure Time: 1200**FIELD EQUIPMENT CALIBRATION****pH Calibration (SM4500-H B/9040C)**

Calibration				ICV (± 0.1 pH unit)
	7.00 Buffer	4.00 Buffer	10.00 Buffer	7.00 Buffer
Time	W 3217 0939	W 3178 0941	W 3191 0943	W 3093 0945
Temp °C	15.6°C	15.7°C	15.7°C	15.7°C
pH	6.99	4.01	10.11	7.01

FIELD EQUIPMENT CALIBRATION**Specific Conductance (mS/cm) (99% -101%)/(mmho/cm) (SM2510 B/120.1/9050A)**

Calibration (± 1%) (99% -101%)		ICV (± 1%) (99% -101%)
	WP	WP
Time		
Temp °C		
Reading (mS/cm)		

Sampler Signature/Date: [Signature] 8/8/25

Supervisor Review/Date: _____

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488