

## **DATA PACKAGE**

GENERAL CHEMISTRY  
METALS  
SEMI-VOLATILE ORGANICS  
VOLATILE ORGANICS

**PROJECT NAME : PVSC MONTHLY 2025**

**ARDMORE CHEMICAL**

**29 Riverside Avenue**

**Newark, NJ - 07104-**

**Phone No: 973-481-2406**

**ORDER ID : Q2811**

**ATTENTION : Michael Sharphouse**



**Laboratory Certification ID # 20012**



|                                    |    |
|------------------------------------|----|
| 1) Signature Page                  | 3  |
| 2) Case Narrative                  | 4  |
| 2.1) VOC-PP- Case Narrative        | 4  |
| 2.2) SVOCMS Group1- Case Narrative | 6  |
| 2.3) Metals-AES- Case Narrative    | 8  |
| 2.4) Genchem- Case Narrative       | 9  |
| 3) Qualifier Page                  | 10 |
| 4) QA Checklist                    | 12 |
| 5) VOC-PP Data                     | 13 |
| 6) SVOCMS Group1 Data              | 18 |
| 7) Metals-AES Data                 | 24 |
| 8) Genchem Data                    | 28 |
| 9) Shipping Document               | 32 |
| 9.1) CHAIN OF CUSTODY              | 33 |
| 9.2) Lab Certificate               | 34 |
| 9.3) Internal COC                  | 35 |

|   |
|---|
| 1 |
| 2 |
| 3 |
| 4 |
| 5 |
| 6 |
| 7 |
| 8 |
| 9 |

## Cover Page

**Order ID :** Q2811

**Project ID :** PVSC Monthly 2025

**Client :** Ardmore Chemical

**Lab Sample Number**

Q2811-01  
Q2811-02

**Client Sample Number**

EFF-WASTE WATER  
EFF-WASTE WATER

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 10:10 am, Aug 20, 2025*

Date: 8/20/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## **CASE NARRATIVE**

### **Ardmore Chemical**

**Project Name: PVSC Monthly 2025**

**Project # N/A**

**Order ID # Q2811**

**Test Name: VOC-PP**

### **A. Number of Samples and Date of Receipt:**

1 Water sample was received on 08/08/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: VOC-PP. This data package contains results for VOC-PP.

### **C. Analytical Techniques:**

The analysis performed on instrument MSVOA\_N were done using GC column Rxi-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of VOC-PP was based on method 624.1.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank Spike Duplicate met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

Samples EFF-WASTE WATER was diluted due to foamy nature of the sample.

### **E. Additional Comments:**

“As per method, MS/MSD is required to be performed with the sample analysis.

However, Lab did not receive sufficient volume to perform the MS/MSD therefore MS/MSD were not performed for this project. However, Lab has performed LCS/LCSD instead.”

Trip Blank was not provided with this set of samples.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <35% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 35% for the Initial Calibration curve for SW-846 analysis.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 10:10 am, Aug 20, 2025*

## **CASE NARRATIVE**

### **Ardmore Chemical**

**Project Name: PVSC Monthly 2025**

**Project # N/A**

**Order ID # Q2811**

**Test Name: SVOCMS Group1**

### **A. Number of Samples and Date of Receipt:**

1 Water sample was received on 08/08/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: SVOCMS Group1. This data package contains results for SVOCMS Group1.

### **C. Analytical Techniques:**

The samples were analyzed on instrument BNA\_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The analysis of SVOCMS Group1 was based on method 625.1 and extraction was done based on method 3510.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis except for EFF-WASTE WATER [2-Fluorophenol - 50%, Phenol-d6 - 32%], due to matrix interference therefore no corrective action was taken.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank Spike Duplicate met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

### **E. Additional Comments:**

As per method, MS/MSD is required to be performed with the sample analysis. However, Lab did not receive sufficient volume to perform the MS/MSD therefore MS/MSD were not performed for this project. However, Lab has performed LCS/LCSD instead.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <35% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount

for all compounds using Linear Regression when the %RSD value for a compound is > 35% for the Initial Calibration curve for SW-846 analysis.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 10:10 am, Aug 20, 2025*



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

### **Ardmore Chemical**

**Project Name: PVSC Monthly 2025**

**Project # N/A**

**Order ID # Q2811**

**Test Name: Metals Group3**

#### **A. Number of Samples and Date of Receipt:**

1 Water sample was received on 08/08/2025.

#### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: BOD5, Cyanide, Mercury, Metals Group3, SVOCMS Group1, TSS and VOC-PP. This data package contains results for Metals Group3.

#### **C. Analytical Techniques:**

The analysis and digestion of Metals Group3 was based on method 200.7.

#### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate (EFF-WASTE WATERMSD) analysis met criteria for all compounds except for Zinc due to Chemical Interference during Digestion Process.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

#### **E. Additional Comments:**

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 10:10 am, Aug 20, 2025*

Signature\_\_\_\_\_





284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

**Ardmore Chemical**

**Project Name: PVSC Monthly 2025**

**Project # N/A**

**Order ID # Q2811**

**Test Name: BOD5,Cyanide,TSS**

### **A. Number of Samples and Date of Receipt:**

1 Water sample was received on 08/08/2025.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: BOD5,Cyanide,TSS. This data package contains results for BOD5,Cyanide,TSS.

### **C. Analytical Techniques:**

The analysis of TSS was based on method SM2540 D, The analysis of Cyanide was based on method SM4500-CN C,E and The analysis of BOD5 was based on method SM5210 B.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike analysis met criteria for all compounds.

The Matrix Spike Duplicate analysis met criteria for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

### **E. Additional Comments:**

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 10:10 am, Aug 20, 2025*

## DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

|           |   |
|-----------|---|
| <b>J</b>  | Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).  |
| <b>U</b>  | Indicates the analyte was analyzed for, but not detected.   |
| <b>ND</b> | Indicates the analyte was analyzed for, but not detected  |
| <b>E</b>  | Indicates the reported value is estimated because of the presence of interference   |
| <b>M</b>  | Indicates Duplicate injection precision not met.  |
| <b>N</b>  | Indicates the spiked sample recovery is not within control limits.  |
| <b>S</b>  | Indicates the reported value was determined by the Method of Standard Addition (MSA).   |
| <b>*</b>  | Indicates that the duplicate analysis is not within control limits.   |
| <b>+</b>  | Indicates the correlation coefficient for the MSA is less than 0.995.   |
| <b>D</b>  | Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.   |
| <b>M</b>  | Method qualifiers<br>“P” for ICP instrument<br>“PM” for ICP when Microwave Digestion is used<br>“CV” for Manual Cold Vapor AA<br>“AV” for automated Cold Vapor AA<br>“CA” for MIDI-Distillation Spectrophotometric<br>“AS” for Semi -Automated Spectrophotometric<br>“C” for Manual Spectrophotometric<br>“T” for Titrimetric<br>“NR” for analyte not required to be analyzed |
| <b>OR</b> | Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.  |
| <b>Q</b>  | Indicates the LCS did not meet the control limits requirements  |
| <b>H</b>  | Sample Analysis Out Of Hold Time  |

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

|       |  |
|-------|--|
| Value | If the result is a value greater than or equal to the detection limit, report the value  |
| U     | Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.  |
| ND    | Indicates the analyte was analyzed for, but not detected   |
| J     | Indicates an estimated value. This flag is used: <ol style="list-style-type: none"> <li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li> <li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.</li> </ol> |
| B     | Indicates the analyte was found in the blank as well as the sample report as “12 B”.   |
| E     | Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.  |
| D     | This flag identifies all compounds identified in an analysis at a secondary dilution factor.   |
| P     | This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.   |
| N     | This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.   |
| A     | This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.  |
| Q     | Indicates the LCS did not meet the control limits requirements   |

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q2811

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 08/20/2025

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q2811  
**Client:** Ardmore Chemical

| Sample ID                   | Client ID              | Matrix | Parameter          | Concentration | C | MDL  | RDL  | Units |
|-----------------------------|------------------------|--------|--------------------|---------------|---|------|------|-------|
| <b>Client ID:</b>           | <b>EFF-WASTE WATER</b> |        |                    |               |   |      |      |       |
| Q2811-01                    | EFF-WASTE WATER        | Water  | Acrolein           | 100           | J | 33.1 | 130  | ug/L  |
| Q2811-01                    | EFF-WASTE WATER        | Water  | Methylene Chloride | 13.5          | J | 4.30 | 25.0 | ug/L  |
| Q2811-01                    | EFF-WASTE WATER        | Water  | Chloroform         | 20.8          | J | 2.80 | 25.0 | ug/L  |
| <b>Total Voc :</b>          |                        |        |                    | 134           |   |      |      |       |
| <b>Total Concentration:</b> |                        |        |                    | 134           |   |      |      |       |



# SAMPLE DATA

## Report of Analysis

|                    |                   |                 |          |
|--------------------|-------------------|-----------------|----------|
| Client:            | Ardmore Chemical  | Date Collected: | 08/08/25 |
| Project:           | PVSC Monthly 2025 | Date Received:  | 08/08/25 |
| Client Sample ID:  | EFF-WASTE WATER   | SDG No.:        | Q2811    |
| Lab Sample ID:     | Q2811-01          | Matrix:         | Water    |
| Analytical Method: | E624.1            | % Solid:        | 0        |
| Sample Wt/Vol:     | 5 Units: mL       | Final Vol:      | 5000 uL  |
| Soil Aliquot Vol:  | uL                | Test:           | VOC-PP   |
| GC Column:         | RXI-624 ID : 0.25 | Level :         | LOW      |
| Prep Method :      |                   |                 |          |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VN087499.D        | 5         | 08/08/25 15:30 | VN080825      |

| CAS Number     | Parameter                 | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|----------------|---------------------------|-------|-----------|------|------------|-------|
| <b>TARGETS</b> |                           |       |           |      |            |       |
| 74-87-3        | Chloromethane             | 3.20  | U         | 3.20 | 25.0       | ug/L  |
| 75-01-4        | Vinyl Chloride            | 4.20  | U         | 4.20 | 25.0       | ug/L  |
| 74-83-9        | Bromomethane              | 4.00  | U         | 4.00 | 25.0       | ug/L  |
| 75-00-3        | Chloroethane              | 11.6  | U         | 11.6 | 25.0       | ug/L  |
| 75-69-4        | Trichlorofluoromethane    | 4.00  | U         | 4.00 | 25.0       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene        | 3.80  | U         | 3.80 | 25.0       | ug/L  |
| 107-02-8       | Acrolein                  | 100   | J         | 33.1 | 130        | ug/L  |
| 107-13-1       | Acrylonitrile             | 14.0  | U         | 14.0 | 130        | ug/L  |
| 75-09-2        | Methylene Chloride        | 13.5  | J         | 4.30 | 25.0       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene  | 4.10  | U         | 4.10 | 25.0       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane        | 3.40  | U         | 3.40 | 25.0       | ug/L  |
| 56-23-5        | Carbon Tetrachloride      | 3.70  | U         | 3.70 | 25.0       | ug/L  |
| 67-66-3        | Chloroform                | 20.8  | J         | 2.80 | 25.0       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane     | 3.20  | U         | 3.20 | 25.0       | ug/L  |
| 71-43-2        | Benzene                   | 2.30  | U         | 2.30 | 25.0       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane        | 2.50  | U         | 2.50 | 25.0       | ug/L  |
| 79-01-6        | Trichloroethene           | 2.50  | U         | 2.50 | 25.0       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane       | 2.30  | U         | 2.30 | 25.0       | ug/L  |
| 75-27-4        | Bromodichloromethane      | 3.20  | U         | 3.20 | 25.0       | ug/L  |
| 108-88-3       | Toluene                   | 2.30  | U         | 2.30 | 25.0       | ug/L  |
| 10061-02-6     | t-1,3-Dichloropropene     | 3.60  | U         | 3.60 | 25.0       | ug/L  |
| 10061-01-5     | cis-1,3-Dichloropropene   | 3.40  | U         | 3.40 | 25.0       | ug/L  |
| 79-00-5        | 1,1,2-Trichloroethane     | 2.30  | U         | 2.30 | 25.0       | ug/L  |
| 110-75-8       | 2-Chloroethyl vinyl ether | 23.2  | U         | 23.2 | 130        | ug/L  |
| 124-48-1       | Dibromochloromethane      | 3.30  | U         | 3.30 | 25.0       | ug/L  |
| 127-18-4       | Tetrachloroethene         | 4.20  | U         | 4.20 | 25.0       | ug/L  |
| 108-90-7       | Chlorobenzene             | 2.40  | U         | 2.40 | 25.0       | ug/L  |
| 100-41-4       | Ethyl Benzene             | 2.80  | U         | 2.80 | 25.0       | ug/L  |
| 179601-23-1    | m/p-Xylenes               | 6.50  | U         | 6.50 | 50.0       | ug/L  |
| 95-47-6        | o-Xylene                  | 3.40  | U         | 3.40 | 25.0       | ug/L  |

## Report of Analysis

|                    |                   |           |                 |          |    |
|--------------------|-------------------|-----------|-----------------|----------|----|
| Client:            | Ardmore Chemical  |           | Date Collected: | 08/08/25 |    |
| Project:           | PVSC Monthly 2025 |           | Date Received:  | 08/08/25 |    |
| Client Sample ID:  | EFF-WASTE WATER   |           | SDG No.:        | Q2811    |    |
| Lab Sample ID:     | Q2811-01          |           | Matrix:         | Water    |    |
| Analytical Method: | E624.1            |           | % Solid:        | 0        |    |
| Sample Wt/Vol:     | 5                 | Units: mL | Final Vol:      | 5000     | uL |
| Soil Aliquot Vol:  |                   | uL        | Test:           | VOC-PP   |    |
| GC Column:         | RXI-624           | ID : 0.25 | Level :         | LOW      |    |
| Prep Method :      |                   |           |                 |          |    |

|                   |           |                |               |
|-------------------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Date Analyzed  | Prep Batch ID |
| VN087499.D        | 5         | 08/08/25 15:30 | VN080825      |

| CAS Number                | Parameter                 | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|---------------------------|--------|-----------|----------|------------|---------|
| 75-25-2                   | Bromoform                 | 4.70   | U         | 4.70     | 25.0       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane | 2.20   | U         | 2.20     | 25.0       | ug/L    |
| 541-73-1                  | 1,3-Dichlorobenzene       | 3.40   | U         | 3.40     | 25.0       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene       | 4.10   | U         | 4.10     | 25.0       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene       | 3.40   | U         | 3.40     | 25.0       | ug/L    |
| <b>SURROGATES</b>         |                           |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4     | 31.3   |           | 91 - 110 | 104%       | SPK: 30 |
| 2037-26-5                 | Toluene-d8                | 30.4   |           | 91 - 112 | 101%       | SPK: 30 |
| 460-00-4                  | 4-Bromofluorobenzene      | 28.3   |           | 63 - 112 | 94%        | SPK: 30 |
| <b>INTERNAL STANDARDS</b> |                           |        |           |          |            |         |
| 74-97-5                   | Bromochloromethane        | 57000  | 7.8       |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene       | 316000 | 9.082     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5          | 280000 | 11.847    |          |            |         |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



LAB CHRONICLE

|          |                    |            |                     |
|----------|--------------------|------------|---------------------|
| OrderID: | Q2811              | OrderDate: | 8/8/2025 1:07:00 PM |
| Client:  | Ardmore Chemical   | Project:   | PVSC Monthly 2025   |
| Contact: | Michael Sharphouse | Location:  | J21,VOA Lab         |

| LabID    | ClientID        | Matrix | Test   | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-----------------|--------|--------|--------|-------------|-----------|-----------|----------|
| Q2811-01 | EFF-WASTE WATER | Water  | VOC-PP | 624.1  | 08/08/25    |           | 08/08/25  | 08/08/25 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Hit Summary Sheet**  
**SW-846**

**SDG No.:** Q2811  
**Client:** Ardmore Chemical

| Sample ID   | Client ID | Matrix | Parameter            | Concentration | C | MDL  | RDL | Units |
|-------------|-----------|--------|----------------------|---------------|---|------|-----|-------|
| Client ID : |           |        |                      |               |   |      |     |       |
|             |           |        |                      | 0.000         |   |      |     |       |
|             |           |        | Total Svoc :         |               |   | 0.00 |     |       |
|             |           |        | Total Concentration: |               |   | 0.00 |     |       |



# SAMPLE DATA

## Report of Analysis

|                    |                   |                 |               |
|--------------------|-------------------|-----------------|---------------|
| Client:            | Ardmore Chemical  | Date Collected: | 08/08/25      |
| Project:           | PVSC Monthly 2025 | Date Received:  | 08/08/25      |
| Client Sample ID:  | EFF-WASTE WATER   | SDG No.:        | Q2811         |
| Lab Sample ID:     | Q2811-02          | Matrix:         | Water         |
| Analytical Method: | 625.1             | % Solid:        | 0             |
| Sample Wt/Vol:     | 960 Units: mL     | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                | Test:           | SVOCMS Group1 |
| Extraction Type :  | Decanted : N      | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0  | GPC Cleanup :   | N PH :        |
| Prep Method :      | 3510C             |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF143437.D        | 1         | 08/14/25 10:35 | 08/18/25 13:08 | PB169256      |

| CAS Number     | Parameter                   | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|----------------|-----------------------------|-------|-----------|------|------------|-------|
| <b>TARGETS</b> |                             |       |           |      |            |       |
| 62-75-9        | n-Nitrosodimethylamine      | 0.90  | U         | 0.90 | 10.4       | ug/L  |
| 108-95-2       | Phenol                      | 0.95  | U         | 0.95 | 5.20       | ug/L  |
| 111-44-4       | bis(2-Chloroethyl)ether     | 0.84  | U         | 0.84 | 5.20       | ug/L  |
| 95-57-8        | 2-Chlorophenol              | 0.60  | U         | 0.60 | 5.20       | ug/L  |
| 108-60-1       | 2,2-oxybis(1-Chloropropane) | 1.30  | U         | 1.30 | 5.20       | ug/L  |
| 621-64-7       | n-Nitroso-di-n-propylamine  | 1.50  | U         | 1.50 | 5.20       | ug/L  |
| 67-72-1        | Hexachloroethane            | 0.68  | U         | 0.68 | 5.20       | ug/L  |
| 98-95-3        | Nitrobenzene                | 0.79  | U         | 0.79 | 5.20       | ug/L  |
| 78-59-1        | Isophorone                  | 0.78  | U         | 0.78 | 5.20       | ug/L  |
| 88-75-5        | 2-Nitrophenol               | 1.80  | U         | 1.80 | 5.20       | ug/L  |
| 105-67-9       | 2,4-Dimethylphenol          | 1.90  | U         | 1.90 | 5.20       | ug/L  |
| 111-91-1       | bis(2-Chloroethoxy)methane  | 0.71  | U         | 0.71 | 5.20       | ug/L  |
| 120-83-2       | 2,4-Dichlorophenol          | 0.54  | U         | 0.54 | 5.20       | ug/L  |
| 120-82-1       | 1,2,4-Trichlorobenzene      | 0.56  | U         | 0.56 | 5.20       | ug/L  |
| 91-20-3        | Naphthalene                 | 0.52  | U         | 0.52 | 5.20       | ug/L  |
| 87-68-3        | Hexachlorobutadiene         | 0.56  | U         | 0.56 | 5.20       | ug/L  |
| 59-50-7        | 4-Chloro-3-methylphenol     | 0.61  | U         | 0.61 | 5.20       | ug/L  |
| 77-47-4        | Hexachlorocyclopentadiene   | 3.80  | U         | 3.80 | 10.4       | ug/L  |
| 88-06-2        | 2,4,6-Trichlorophenol       | 0.53  | U         | 0.53 | 5.20       | ug/L  |
| 91-58-7        | 2-Chloronaphthalene         | 0.64  | U         | 0.64 | 5.20       | ug/L  |
| 131-11-3       | Dimethylphthalate           | 0.64  | U         | 0.64 | 5.20       | ug/L  |
| 208-96-8       | Acenaphthylene              | 0.78  | U         | 0.78 | 5.20       | ug/L  |
| 606-20-2       | 2,6-Dinitrotoluene          | 0.96  | U         | 0.96 | 5.20       | ug/L  |
| 83-32-9        | Acenaphthene                | 0.57  | U         | 0.57 | 5.20       | ug/L  |
| 51-28-5        | 2,4-Dinitrophenol           | 6.20  | U         | 6.20 | 10.4       | ug/L  |
| 100-02-7       | 4-Nitrophenol               | 2.50  | U         | 2.50 | 10.4       | ug/L  |
| 121-14-2       | 2,4-Dinitrotoluene          | 1.30  | U         | 1.30 | 5.20       | ug/L  |
| 84-66-2        | Diethylphthalate            | 0.72  | U         | 0.72 | 5.20       | ug/L  |
| 7005-72-3      | 4-Chlorophenyl-phenylether  | 0.71  | U         | 0.71 | 5.20       | ug/L  |

## Report of Analysis

|                    |                   |                 |               |
|--------------------|-------------------|-----------------|---------------|
| Client:            | Ardmore Chemical  | Date Collected: | 08/08/25      |
| Project:           | PVSC Monthly 2025 | Date Received:  | 08/08/25      |
| Client Sample ID:  | EFF-WASTE WATER   | SDG No.:        | Q2811         |
| Lab Sample ID:     | Q2811-02          | Matrix:         | Water         |
| Analytical Method: | 625.1             | % Solid:        | 0             |
| Sample Wt/Vol:     | 960 Units: mL     | Final Vol:      | 1000 uL       |
| Soil Aliquot Vol:  | uL                | Test:           | SVOCMS Group1 |
| Extraction Type :  | Decanted : N      | Level :         | LOW           |
| Injection Volume : | GPC Factor : 1.0  | GPC Cleanup :   | N PH :        |
| Prep Method :      | 3510C             |                 |               |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF143437.D        | 1         | 08/14/25 10:35 | 08/18/25 13:08 | PB169256      |

| CAS Number | Parameter                  | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|------------|----------------------------|-------|-----------|------|------------|-------|
| 86-73-7    | Fluorene                   | 0.66  | U         | 0.66 | 5.20       | ug/L  |
| 534-52-1   | 4,6-Dinitro-2-methylphenol | 3.00  | U         | 3.00 | 10.4       | ug/L  |
| 86-30-6    | n-Nitrosodiphenylamine     | 0.60  | U         | 0.60 | 5.20       | ug/L  |
| 103-33-3   | Azobenzene                 | 0.84  | U         | 0.84 | 5.20       | ug/L  |
| 101-55-3   | 4-Bromophenyl-phenylether  | 0.42  | U         | 0.42 | 5.20       | ug/L  |
| 118-74-1   | Hexachlorobenzene          | 0.54  | U         | 0.54 | 5.20       | ug/L  |
| 87-86-5    | Pentachlorophenol          | 1.60  | U         | 1.60 | 10.4       | ug/L  |
| 85-01-8    | Phenanthrene               | 0.52  | U         | 0.52 | 5.20       | ug/L  |
| 120-12-7   | Anthracene                 | 0.64  | U         | 0.64 | 5.20       | ug/L  |
| 84-74-2    | Di-n-butylphthalate        | 1.30  | U         | 1.30 | 5.20       | ug/L  |
| 206-44-0   | Fluoranthene               | 0.85  | U         | 0.85 | 5.20       | ug/L  |
| 92-87-5    | Benzidine                  | 4.50  | U         | 4.50 | 10.4       | ug/L  |
| 129-00-0   | Pyrene                     | 0.52  | U         | 0.52 | 5.20       | ug/L  |
| 85-68-7    | Butylbenzylphthalate       | 2.00  | U         | 2.00 | 5.20       | ug/L  |
| 91-94-1    | 3,3-Dichlorobenzidine      | 0.97  | U         | 0.97 | 10.4       | ug/L  |
| 56-55-3    | Benzo(a)anthracene         | 0.47  | U         | 0.47 | 5.20       | ug/L  |
| 218-01-9   | Chrysene                   | 0.46  | U         | 0.46 | 5.20       | ug/L  |
| 117-81-7   | Bis(2-ethylhexyl)phthalate | 1.70  | U         | 1.70 | 5.20       | ug/L  |
| 117-84-0   | Di-n-octyl phthalate       | 2.40  | U         | 2.40 | 10.4       | ug/L  |
| 205-99-2   | Benzo(b)fluoranthene       | 0.51  | U         | 0.51 | 5.20       | ug/L  |
| 207-08-9   | Benzo(k)fluoranthene       | 0.50  | U         | 0.50 | 5.20       | ug/L  |
| 50-32-8    | Benzo(a)pyrene             | 0.57  | U         | 0.57 | 5.20       | ug/L  |
| 193-39-5   | Indeno(1,2,3-cd)pyrene     | 0.61  | U         | 0.61 | 5.20       | ug/L  |
| 53-70-3    | Dibenzo(a,h)anthracene     | 0.70  | U         | 0.70 | 5.20       | ug/L  |
| 191-24-2   | Benzo(g,h,i)perylene       | 0.72  | U         | 0.72 | 5.20       | ug/L  |

### SURROGATES

|            |                  |      |   |          |     |          |
|------------|------------------|------|---|----------|-----|----------|
| 367-12-4   | 2-Fluorophenol   | 49.9 | * | 60 - 140 | 50% | SPK: 100 |
| 13127-88-3 | Phenol-d6        | 31.9 | * | 60 - 140 | 32% | SPK: 100 |
| 4165-60-0  | Nitrobenzene-d5  | 97.5 |   | 60 - 140 | 98% | SPK: 100 |
| 321-60-8   | 2-Fluorobiphenyl | 95.7 |   | 60 - 140 | 96% | SPK: 100 |

## Report of Analysis

|                    |                   |                  |                 |               |      |
|--------------------|-------------------|------------------|-----------------|---------------|------|
| Client:            | Ardmore Chemical  |                  | Date Collected: | 08/08/25      |      |
| Project:           | PVSC Monthly 2025 |                  | Date Received:  | 08/08/25      |      |
| Client Sample ID:  | EFF-WASTE WATER   |                  | SDG No.:        | Q2811         |      |
| Lab Sample ID:     | Q2811-02          |                  | Matrix:         | Water         |      |
| Analytical Method: | 625.1             |                  | % Solid:        | 0             |      |
| Sample Wt/Vol:     | 960               | Units: mL        | Final Vol:      | 1000          | uL   |
| Soil Aliquot Vol:  |                   | uL               | Test:           | SVOCMS Group1 |      |
| Extraction Type :  |                   | Decanted : N     | Level :         | LOW           |      |
| Injection Volume : |                   | GPC Factor : 1.0 | GPC Cleanup :   | N             | PH : |
| Prep Method :      | 3510C             |                  |                 |               |      |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| BF143437.D        | 1         | 08/14/25 10:35 | 08/18/25 13:08 | PB169256      |

| CAS Number | Parameter            | Conc. | Qualifier | MDL      | LOQ / CRQL | Units    |
|------------|----------------------|-------|-----------|----------|------------|----------|
| 118-79-6   | 2,4,6-Tribromophenol | 95.8  |           | 60 - 140 | 96%        | SPK: 100 |
| 1718-51-0  | Terphenyl-d14        | 76.1  |           | 60 - 140 | 76%        | SPK: 100 |

### INTERNAL STANDARDS

|            |                        |        |        |
|------------|------------------------|--------|--------|
| 3855-82-1  | 1,4-Dichlorobenzene-d4 | 92200  | 6.928  |
| 1146-65-2  | Naphthalene-d8         | 319000 | 8.204  |
| 15067-26-2 | Acenaphthene-d10       | 159000 | 9.957  |
| 1517-22-2  | Phenanthrene-d10       | 244000 | 11.451 |
| 1719-03-5  | Chrysene-d12           | 246000 | 14.086 |
| 1520-96-3  | Perylene-d12           | 314000 | 15.574 |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

|          |                    |            |                     |
|----------|--------------------|------------|---------------------|
| OrderID: | Q2811              | OrderDate: | 8/8/2025 1:07:00 PM |
| Client:  | Ardmore Chemical   | Project:   | PVSC Monthly 2025   |
| Contact: | Michael Sharphouse | Location:  | J21,VOA Lab         |

| LabID    | ClientID        | Matrix | Test          | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-----------------|--------|---------------|--------|-------------|-----------|-----------|----------|
| Q2811-02 | EFF-WASTE WATER | Water  | SVOCMS Group1 | 625.1  | 08/08/25    | 08/14/25  | 08/18/25  | 08/08/25 |



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Hit Summary Sheet**  
**SW-846**

|                 |                  |                    |                   |
|-----------------|------------------|--------------------|-------------------|
| <b>SDG No.:</b> | Q2811            | <b>Order ID:</b>   | Q2811             |
| <b>Client:</b>  | Ardmore Chemical | <b>Project ID:</b> | PVSC Monthly 2025 |

| Sample ID                          | Client ID       | Matrix | Parameter | Concentration | C | MDL  | RDL  | Units |
|------------------------------------|-----------------|--------|-----------|---------------|---|------|------|-------|
| <b>Client ID : EFF-WASTE WATER</b> |                 |        |           |               |   |      |      |       |
| Q2811-02                           | EFF-WASTE WATER | Water  | Lead      | 1.76          | J | 1.21 | 6.00 | ug/L  |
| Q2811-02                           | EFF-WASTE WATER | Water  | Zinc      | 203           |   | 2.00 | 20.0 | ug/L  |





# SAMPLE DATA

## Report of Analysis

|                   |                   |                 |          |
|-------------------|-------------------|-----------------|----------|
| Client:           | Ardmore Chemical  | Date Collected: | 08/08/25 |
| Project:          | PVSC Monthly 2025 | Date Received:  | 08/08/25 |
| Client Sample ID: | EFF-WASTE WATER   | SDG No.:        | Q2811    |
| Lab Sample ID:    | Q2811-02          | Matrix:         | Water    |
| Level (low/med):  | low               | % Solid:        | 0        |

| Cas       | Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.  | Prep Met. |
|-----------|-----------|-------|------|----|------|------------|-------|----------------|----------------|-----------|-----------|
| 7439-92-1 | Lead      | 1.76  | J    | 1  | 1.21 | 6.00       | ug/L  | 08/11/25 12:55 | 08/12/25 13:32 | EPA 200.7 |           |
| 7440-66-6 | Zinc      | 203   | N    | 1  | 2.00 | 20.0       | ug/L  | 08/11/25 12:55 | 08/12/25 13:32 | EPA 200.7 |           |

|               |               |                 |       |            |
|---------------|---------------|-----------------|-------|------------|
| Color Before: | Colorless     | Clarity Before: | Clear | Texture:   |
| Color After:  | Colorless     | Clarity After:  | Clear | Artifacts: |
| Comments:     | Metals Group3 |                 |       |            |

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

|          |                    |            |                     |
|----------|--------------------|------------|---------------------|
| OrderID: | Q2811              | OrderDate: | 8/8/2025 1:07:00 PM |
| Client:  | Ardmore Chemical   | Project:   | PVSC Monthly 2025   |
| Contact: | Michael Sharphouse | Location:  | J21,VOA Lab         |

| LabID    | ClientID        | Matrix | Test          | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|-----------------|--------|---------------|--------|-------------|-----------|-----------|----------|
| Q2811-02 | EFF-WASTE WATER | Water  | Metals Group3 | 200.7  | 08/08/25    | 08/11/25  | 08/12/25  | 08/08/25 |



# SAMPLE DATA

## Report of Analysis

|                   |                   |                 |                |
|-------------------|-------------------|-----------------|----------------|
| Client:           | Ardmore Chemical  | Date Collected: | 08/08/25 11:00 |
| Project:          | PVSC Monthly 2025 | Date Received:  | 08/08/25       |
| Client Sample ID: | EFF-WASTE WATER   | SDG No.:        | Q2811          |
| Lab Sample ID:    | Q2811-01          | Matrix:         | WATER          |
|                   |                   | % Solid:        | 0              |

| Parameter | Conc.  | Qua. | DF | MDL    | LOQ / CRQL | Units | Prep Date      | Date Ana.      | Ana Met.                     |
|-----------|--------|------|----|--------|------------|-------|----------------|----------------|------------------------------|
| Cyanide   | 0.0020 | J    | 1  | 0.0012 | 0.0050     | mg/L  | 08/11/25 08:10 | 08/11/25 12:47 | SM 4500-CN<br>C-21 plus E-21 |

Comments:

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
D = Dilution  
Q = indicates LCS control criteria did not meet requirements  
H = Sample Analysis Out Of Hold Time

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
\* = indicates the duplicate analysis is not within control limits.  
E = Indicates the reported value is estimated because of the presence of interference.  
OR = Over Range  
N = Spiked sample recovery not within control limits

## Report of Analysis

|                   |                   |                 |                |
|-------------------|-------------------|-----------------|----------------|
| Client:           | Ardmore Chemical  | Date Collected: | 08/08/25 11:00 |
| Project:          | PVSC Monthly 2025 | Date Received:  | 08/08/25       |
| Client Sample ID: | EFF-WASTE WATER   | SDG No.:        | Q2811          |
| Lab Sample ID:    | Q2811-02          | Matrix:         | WATER          |
|                   |                   | % Solid:        | 0              |

| Parameter | Conc. | Qua. | DF | MDL  | LOQ / CRQL | Units | Prep Date | Date Ana.      | Ana Met.     |
|-----------|-------|------|----|------|------------|-------|-----------|----------------|--------------|
| BOD5      | 605   |      | 1  | 0.20 | 2.00       | mg/L  |           | 08/08/25 15:50 | SM 5210 B-16 |
| TSS       | 30.0  |      | 1  | 1.00 | 4.00       | mg/L  |           | 08/11/25 10:00 | SM 2540 D-20 |

Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 D = Dilution  
 Q = indicates LCS control criteria did not meet requirements  
 H = Sample Analysis Out Of Hold Time

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 \* = indicates the duplicate analysis is not within control limits.  
 E = Indicates the reported value is estimated because of the presence of interference.  
 OR = Over Range  
 N = Spiked sample recovery not within control limits

### LAB CHRONICLE

|                 |                   |                   |                     |
|-----------------|-------------------|-------------------|---------------------|
| <b>OrderID:</b> | Q2811             | <b>OrderDate:</b> | 8/8/2025 1:07:00 PM |
| <b>Client:</b>  | Ardmore Chemical  | <b>Project:</b>   | PVSC Monthly 2025   |
| <b>Contact:</b> | Michael Sharpouse | <b>Location:</b>  | J21,VOA Lab         |

| LabID           | ClientID               | Matrix       | Test    | Method           | Sample Date               | Prep Date | Anal Date         | Received        |
|-----------------|------------------------|--------------|---------|------------------|---------------------------|-----------|-------------------|-----------------|
| <b>Q2811-01</b> | <b>EFF-WASTE WATER</b> | <b>WATER</b> |         |                  | <b>08/08/25<br/>11:00</b> |           |                   | <b>08/08/25</b> |
|                 |                        |              | Cyanide | SM4500-CN<br>C,E |                           | 08/11/25  | 08/11/25<br>12:47 |                 |
| <b>Q2811-02</b> | <b>EFF-WASTE WATER</b> | <b>WATER</b> |         |                  | <b>08/08/25<br/>11:00</b> |           |                   | <b>08/08/25</b> |
|                 |                        |              | BOD5    | SM5210 B         |                           |           | 08/08/25<br>15:50 |                 |
|                 |                        |              | TSS     | SM2540 D         |                           |           | 08/11/25<br>10:00 |                 |



# SHIPPING DOCUMENTS



CLIENT INFORMATION

CLIENT PROJECT INFORMATION

CLIENT BILLING INFORMATION

REPORT TO BE SENT TO:

COMPANY: **ARDMORE INC**  
ADDRESS: **29 RIVERSIDE AVE Bldg #14**  
CITY: **Newark** STATE: **NJ** ZIP: **07104**  
ATTENTION: **Michael Sharpousse**  
PHONE: **973 481 2406** FAX:

PROJECT NAME:  
PROJECT NO.: LOCATION:  
PROJECT MANAGER:  
e-mail:  
PHONE: FAX:

BILL TO: PO#:  
ADDRESS:  
CITY STATE: ZIP:  
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

DATA DELIVERABLE INFORMATION

FAX (RUSH) \_\_\_\_\_ DAYS\*  
HARDCOPY (DATA PACKAGE): \_\_\_\_\_ DAYS\*  
EDD: **STANDARD** DAYS\*  
\*TO BE APPROVED BY CHEMTECH  
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)  
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP  
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B  
+ Raw Data ☐ Other \_\_\_\_\_  
☐ EDD FORMAT \_\_\_\_\_

**VOA CN SVOA BOD HSS METALS**  
1 2 3 4 5 6 7 8 9

PRESERVATIVES

COMMENTS

| ALLIANCE<br>SAMPLE<br>ID | PROJECT<br>SAMPLE IDENTIFICATION | SAMPLE<br>MATRIX | SAMPLE<br>TYPE |      | SAMPLE<br>COLLECTION |          | # OF BOTTLES |   |   |   |   |   |   |   |   |   | ← Specify Preservatives<br>A-HCl D-NaOH<br>B-HNO3 E-ICE<br>C-H2SO4 F-OTHER |
|--------------------------|----------------------------------|------------------|----------------|------|----------------------|----------|--------------|---|---|---|---|---|---|---|---|---|--|
|                          |                                  |                  | COMP           | GRAB | DATE                 | TIME     |              | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |  |
| 1.                       | EFF-WASTE WATER                  | WW               |                | X    | 8/8/25               | 11:00 AM |              | X | X |   |   |   |   |   |   |   |  |
| 2.                       | EFF-WASTE WATER                  | WW               | X              |      | 8/8/25               | 11:00 AM |              |   |   | X | X | X |   |   |   |   |  |
| 3.                       |                                  |                  |                |      |                      |          |              |   |   |   |   |   |   |   |   |   |  |
| 4.                       |                                  |                  |                |      |                      |          |              |   |   |   |   |   |   |   |   |   |  |
| 5.                       |                                  |                  |                |      |                      |          |              |   |   |   |   |   |   |   |   |   |  |
| 6.                       |                                  |                  |                |      |                      |          |              |   |   |   |   |   |   |   |   |   |  |
| 7.                       |                                  |                  |                |      |                      |          |              |   |   |   |   |   |   |   |   |   |  |
| 8.                       |                                  |                  |                |      |                      |          |              |   |   |   |   |   |   |   |   |   |  |
| 9.                       |                                  |                  |                |      |                      |          |              |   |   |   |   |   |   |   |   |   |  |
| 10.                      |                                  |                  |                |      |                      |          |              |   |   |   |   |   |   |   |   |   |  |

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

|   |                                  |                                       |  |
|---|----------------------------------|---------------------------------------|--|
| RELINQUISHED BY SAMPLER:<br>1. <b>Albert Sharpousse</b> | DATE/TIME:<br><b>8/8/25 1250</b> | RECEIVED BY:<br>1. <b>[Signature]</b> | Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <b>2.3 °C</b>        |
| RELINQUISHED BY SAMPLER:<br>2. <b>[Signature]</b>       | DATE/TIME:                       | RECEIVED BY:<br>2. <b>[Signature]</b> | Comments: <b>metals LEAD ZINC</b>  |
| RELINQUISHED BY SAMPLER:<br>3. <b>[Signature]</b>       | DATE/TIME:                       | RECEIVED BY:<br>3. <b>[Signature]</b> | Page ____ of CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other <b>Shipment Complete</b><br><input type="checkbox"/> YES <input type="checkbox"/> NO |

### Laboratory Certification

| Certified By         | License No.      |
|----------------------|------------------|
|                      |                  |
| CAS EPA CLP Contract | 68HERH20D0011    |
|                      |                  |
| Connecticut          | PH-0830          |
|                      |                  |
| DOD ELAP (ANAB)      | L2219            |
|                      |                  |
| Maine                | 2024021          |
|                      |                  |
| Maryland             | 296              |
|                      |                  |
| New Hampshire        | 255424 Rev 1     |
|                      |                  |
| New Jersey           | 20012            |
|                      |                  |
| New York             | 11376            |
|                      |                  |
| Pennsylvania         | 68-00548         |
|                      |                  |
| Soil Permit          | 525-24-234-08441 |
|                      |                  |
| Texas                | T104704488       |

## LOGIN REPORT/SAMPLE TRANSFER

|   |        |  |                              |
|---|--------|--|------------------------------|
| <b>Order ID :</b> Q2811                     | ARDM01 | <b>Order Date :</b> 8/8/2025 1:07:00 PM        | <b>Project Mgr :</b>         |
| <b>Client Name :</b> Ardmore Chemical       |        | <b>Project Name :</b> PVSC Monthly 2025        | <b>Report Type :</b> Level 1 |
| <b>Client Contact :</b> Michael Sharphouse  |        | <b>Receive DateTime :</b> 8/8/2025 12:50:00 PM | <b>EDD Type :</b> NONE       |
| <b>Invoice Name :</b> Ardmore Chemical      |        | <b>Purchase Order :</b>                        | <b>Hard Copy Date :</b>      |
| <b>Invoice Contact :</b> Michael Sharphouse |        |  | <b>Date Signoff :</b>        |

| LAB ID   | CLIENT ID       | MATRIX | SAMPLE<br>DATE | SAMPLE<br>TIME | TEST   | TEST GROUP | METHOD | FAX DATE | DUE<br>DATES |
|----------|-----------------|--------|----------------|----------------|--------|------------|--------|----------|--------------|
| Q2811-01 | EFF-WASTE WATER | Water  | 08/08/2025     | 11:00          | VOC-PP |            | 624.1  |          | 10 Bus. Days |

Relinquished By :

Date / Time : 8/8/25 1330

Received By :

Date / Time : 8/8/25 1330

Storage Area : VOA Refridgerator Room