

DATA PACKAGE

GC SEMI-VOLATILES
SEMI-VOLATILE ORGANICS
VOLATILE ORGANICS

PROJECT NAME : WEEKLY STORAGE BLANKS

CHEMTECH CONSULTING GROUP

284 Sheffield St,

Mountainside, NJ - 07092

Phone No: 908-789-8900

ORDER ID : Q2812

ATTENTION : QA Officer



Laboratory Certification ID # 20012



1) Signature Page	3
2) Qualifier Page	4
3) QA Checklist	5
4) VOC- Chemtech Full Data	6
5) SVOC-Chemtech Full -25 Data	25
6) Pesticide-TCL Data	32
7) Shipping Document	39
7.1) CHAIN OF CUSTODY	40
7.2) Lab Certificate	42

1
2
3
4
5
6
7

Cover Page

Order ID : Q2812

Project ID : Weekly Storage Blanks

Client : Chemtech Consulting Group

Lab Sample Number

Q2812-01
Q2812-02
Q2812-03
Q2812-04
Q2812-08
Q2812-09
Q2812-10

Client Sample Number

STORAGE-BLANK-SOIL-REF-6
STORAGE-BLANK-WATER-REF-5
STORAGE-BLANK-WATER-REF-4
STORAGE-BLANK-SAMPLE-MANAGEMENT
SVOC-GPC2-BLANK
PEST-GPC2-BLANK
PEST -GPC2-BLANK-SPIKE

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 8:14 am, Sep 18, 2025

Date: 9/18/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2812

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: SOHIL JODHANI

Date: 09/18/2025

Hit Summary Sheet
SW-846

SDG No.: Q2812

Client: Chemtech Consulting Group

A

B

C

D

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID:

0

Total Voc :

Total Concentration:



SAMPLE DATA

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-SOIL-REF-6	SDG No.:	Q2812
Lab Sample ID:	Q2812-01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047278.D	1	08/08/25 17:36	VX080825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
141-78-6	Ethyl Acetate	0.31	U	0.31	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-65-0	Tert butyl alcohol	5.50	U	5.50	25.0	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
107-02-8	Acrolein	7.10	U	7.10	25.0	ug/L
107-13-1	Acrylonitrile	0.83	U	0.83	5.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
108-05-4	Vinyl Acetate	0.66	U	0.66	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
594-20-7	2,2-Dichloropropane	0.21	U	0.21	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
563-58-6	1,1-Dichloropropene	0.15	U	0.15	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-SOIL-REF-6	SDG No.:	Q2812
Lab Sample ID:	Q2812-01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047278.D	1	08/08/25 17:36	VX080825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
74-95-3	Dibromomethane	0.25	U	0.25	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
142-28-9	1,3-Dichloropropane	0.19	U	0.19	1.00	ug/L
110-75-8	2-Chloroethyl Vinyl ether	0.30	U	0.30	5.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.19	U	0.19	1.00	ug/L
67-72-1	Hexachloroethane	0.32	U	0.32	0	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
96-18-4	1,2,3-Trichloropropane	0.35	U	0.35	1.00	ug/L
108-86-1	Bromobenzene	0.24	U	0.24	1.00	ug/L
103-65-1	n-propylbenzene	0.13	U	0.13	1.00	ug/L
95-49-8	2-Chlorotoluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-SOIL-REF-6	SDG No.:	Q2812
Lab Sample ID:	Q2812-01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047278.D	1	08/08/25 17:36	VX080825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-WATER-REF-5	SDG No.:	Q2812
Lab Sample ID:	Q2812-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047279.D	1	08/08/25 17:57	VX080825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
141-78-6	Ethyl Acetate	0.31	U	0.31	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-65-0	Tert butyl alcohol	5.50	U	5.50	25.0	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
107-02-8	Acrolein	7.10	U	7.10	25.0	ug/L
107-13-1	Acrylonitrile	0.83	U	0.83	5.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
108-05-4	Vinyl Acetate	0.66	U	0.66	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
594-20-7	2,2-Dichloropropane	0.21	U	0.21	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
563-58-6	1,1-Dichloropropene	0.15	U	0.15	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-WATER-REF-5	SDG No.:	Q2812
Lab Sample ID:	Q2812-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047279.D	1	08/08/25 17:57	VX080825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
74-95-3	Dibromomethane	0.25	U	0.25	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
142-28-9	1,3-Dichloropropane	0.19	U	0.19	1.00	ug/L
110-75-8	2-Chloroethyl Vinyl ether	0.30	U	0.30	5.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.19	U	0.19	1.00	ug/L
67-72-1	Hexachloroethane	0.32	U	0.32	0	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
96-18-4	1,2,3-Trichloropropane	0.35	U	0.35	1.00	ug/L
108-86-1	Bromobenzene	0.24	U	0.24	1.00	ug/L
103-65-1	n-propylbenzene	0.13	U	0.13	1.00	ug/L
95-49-8	2-Chlorotoluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-WATER-REF-5	SDG No.:	Q2812
Lab Sample ID:	Q2812-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047279.D	1	08/08/25 17:57	VX080825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
108-67-8	1,3,5-Trimethylbenzene	0.15	U	0.15	1.00	ug/L
106-43-4	4-Chlorotoluene	0.13	U	0.13	1.00	ug/L
98-06-6	tert-Butylbenzene	0.14	U	0.14	1.00	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.14	U	0.14	1.00	ug/L
135-98-8	sec-Butylbenzene	0.13	U	0.13	1.00	ug/L
99-87-6	p-Isopropyltoluene	0.13	U	0.13	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
104-51-8	n-Butylbenzene	0.15	U	0.15	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-68-3	Hexachlorobutadiene	0.30	U	0.30	1.00	ug/L
91-20-3	Naphthalene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	46.8		74 - 125	94%	SPK: 50
1868-53-7	Dibromofluoromethane	48.6		75 - 124	97%	SPK: 50
2037-26-5	Toluene-d8	44.3		86 - 113	89%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.0		77 - 121	100%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	244000	5.562			
540-36-3	1,4-Difluorobenzene	416000	6.769			
3114-55-4	Chlorobenzene-d5	373000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	193000	12.018			

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-WATER-REF-5	SDG No.:	Q2812
Lab Sample ID:	Q2812-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047279.D	1	08/08/25 17:57	VX080825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-WATER-REF-4	SDG No.:	Q2812
Lab Sample ID:	Q2812-03	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047280.D	1	08/08/25 18:18	VX080825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
141-78-6	Ethyl Acetate	0.31	U	0.31	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-65-0	Tert butyl alcohol	5.50	U	5.50	25.0	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
107-02-8	Acrolein	7.10	U	7.10	25.0	ug/L
107-13-1	Acrylonitrile	0.83	U	0.83	5.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
108-05-4	Vinyl Acetate	0.66	U	0.66	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
594-20-7	2,2-Dichloropropane	0.21	U	0.21	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
563-58-6	1,1-Dichloropropene	0.15	U	0.15	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-WATER-REF-4	SDG No.:	Q2812
Lab Sample ID:	Q2812-03	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047280.D	1	08/08/25 18:18	VX080825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
74-95-3	Dibromomethane	0.25	U	0.25	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
142-28-9	1,3-Dichloropropane	0.19	U	0.19	1.00	ug/L
110-75-8	2-Chloroethyl Vinyl ether	0.30	U	0.30	5.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.19	U	0.19	1.00	ug/L
67-72-1	Hexachloroethane	0.32	U	0.32	0	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
96-18-4	1,2,3-Trichloropropane	0.35	U	0.35	1.00	ug/L
108-86-1	Bromobenzene	0.24	U	0.24	1.00	ug/L
103-65-1	n-propylbenzene	0.13	U	0.13	1.00	ug/L
95-49-8	2-Chlorotoluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-WATER-REF-4	SDG No.:	Q2812
Lab Sample ID:	Q2812-03	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047280.D	1	08/08/25 18:18	VX080825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
108-67-8	1,3,5-Trimethylbenzene	0.15	U	0.15	1.00	ug/L
106-43-4	4-Chlorotoluene	0.13	U	0.13	1.00	ug/L
98-06-6	tert-Butylbenzene	0.14	U	0.14	1.00	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.14	U	0.14	1.00	ug/L
135-98-8	sec-Butylbenzene	0.13	U	0.13	1.00	ug/L
99-87-6	p-Isopropyltoluene	0.13	U	0.13	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
104-51-8	n-Butylbenzene	0.15	U	0.15	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-68-3	Hexachlorobutadiene	0.30	U	0.30	1.00	ug/L
91-20-3	Naphthalene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	49.1		74 - 125	98%	SPK: 50
1868-53-7	Dibromofluoromethane	50.0		75 - 124	100%	SPK: 50
2037-26-5	Toluene-d8	44.8		86 - 113	90%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.6		77 - 121	101%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	235000	5.562			
540-36-3	1,4-Difluorobenzene	404000	6.769			
3114-55-4	Chlorobenzene-d5	364000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	188000	12.018			

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-WATER-REF-4	SDG No.:	Q2812
Lab Sample ID:	Q2812-03	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047280.D	1	08/08/25 18:18	VX080825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-SAMPLE-MANAGEMENT	SDG No.:	Q2812
Lab Sample ID:	Q2812-04	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047289.D	1	08/12/25 12:22	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.22	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.32	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	0.26	U	0.26	1.00	ug/L
141-78-6	Ethyl Acetate	0.31	U	0.31	1.00	ug/L
74-83-9	Bromomethane	1.40	U	1.40	5.00	ug/L
75-00-3	Chloroethane	0.47	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.33	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-65-0	Tert butyl alcohol	5.50	U	5.50	25.0	ug/L
75-35-4	1,1-Dichloroethene	0.23	U	0.23	1.00	ug/L
107-02-8	Acrolein	7.10	UQ	7.10	25.0	ug/L
107-13-1	Acrylonitrile	0.83	U	0.83	5.00	ug/L
67-64-1	Acetone	1.50	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	0.21	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.27	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	0.28	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.23	U	0.23	1.00	ug/L
108-05-4	Vinyl Acetate	0.66	U	0.66	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.50	U	1.50	5.00	ug/L
78-93-3	2-Butanone	0.98	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
594-20-7	2,2-Dichloropropane	0.21	U	0.21	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.19	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	0.22	U	0.22	1.00	ug/L
67-66-3	Chloroform	0.25	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.20	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	0.16	U	0.16	1.00	ug/L
563-58-6	1,1-Dichloropropene	0.15	U	0.15	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-SAMPLE-MANAGEMENT	SDG No.:	Q2812
Lab Sample ID:	Q2812-04	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047289.D	1	08/12/25 12:22	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
71-43-2	Benzene	0.15	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.22	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	0.090	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.20	U	0.20	1.00	ug/L
74-95-3	Dibromomethane	0.25	U	0.25	1.00	ug/L
75-27-4	Bromodichloromethane	0.22	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	0.68	U	0.68	5.00	ug/L
108-88-3	Toluene	0.14	U	0.14	1.00	ug/L
10061-02-6	t-1,3-Dichloropropene	0.17	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.16	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
142-28-9	1,3-Dichloropropane	0.19	U	0.19	1.00	ug/L
110-75-8	2-Chloroethyl Vinyl ether	0.30	U	0.30	5.00	ug/L
591-78-6	2-Hexanone	0.89	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.15	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	0.23	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	0.12	U	0.12	1.00	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	0.19	U	0.19	1.00	ug/L
67-72-1	Hexachloroethane	0.32	U	0.32	0	ug/L
100-41-4	Ethyl Benzene	0.13	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	0.24	U	0.24	2.00	ug/L
95-47-6	o-Xylene	0.12	U	0.12	1.00	ug/L
100-42-5	Styrene	0.15	U	0.15	1.00	ug/L
75-25-2	Bromoform	0.19	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	0.12	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.26	U	0.26	1.00	ug/L
96-18-4	1,2,3-Trichloropropane	0.35	U	0.35	1.00	ug/L
108-86-1	Bromobenzene	0.24	U	0.24	1.00	ug/L
103-65-1	n-propylbenzene	0.13	U	0.13	1.00	ug/L
95-49-8	2-Chlorotoluene	0.14	U	0.14	1.00	ug/L

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-SAMPLE-MANAGEMENT	SDG No.:	Q2812
Lab Sample ID:	Q2812-04	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC- Chemtech Full
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047289.D	1	08/12/25 12:22	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
108-67-8	1,3,5-Trimethylbenzene	0.15	U	0.15	1.00	ug/L
106-43-4	4-Chlorotoluene	0.13	U	0.13	1.00	ug/L
98-06-6	tert-Butylbenzene	0.14	U	0.14	1.00	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.14	U	0.14	1.00	ug/L
135-98-8	sec-Butylbenzene	0.13	U	0.13	1.00	ug/L
99-87-6	p-Isopropyltoluene	0.13	U	0.13	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.19	U	0.19	1.00	ug/L
104-51-8	n-Butylbenzene	0.15	U	0.15	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.16	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.53	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
87-68-3	Hexachlorobutadiene	0.30	U	0.30	1.00	ug/L
91-20-3	Naphthalene	0.20	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.20	U	0.20	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.3		74 - 125	105%	SPK: 50
1868-53-7	Dibromofluoromethane	48.4		75 - 124	97%	SPK: 50
2037-26-5	Toluene-d8	53.8		86 - 113	108%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.6		77 - 121	105%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	334000	5.556			
540-36-3	1,4-Difluorobenzene	624000	6.763			
3114-55-4	Chlorobenzene-d5	598000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	297000	12.018			

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	STORAGE-BLANK-SAMPLE-MANAGEMENT	SDG No.:	Q2812
Lab Sample ID:	Q2812-04	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047289.D	1	08/12/25 12:22	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2812	OrderDate:	8/8/2025 1:16:00 PM
Client:	Chemtech Consulting Group	Project:	Weekly Storage Blanks
Contact:	QA Officer	Location:	J11,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2812-01	STORAGE-BLANK-SOI L-REF-6	Water			08/01/25			08/08/25
			VOC- Chemtech Full	8260-Low			08/08/25	
Q2812-02	STORAGE-BLANK-WAT ER-REF-5	Water			08/01/25			08/08/25
			VOC- Chemtech Full	8260-Low			08/08/25	
Q2812-03	STORAGE-BLANK-WAT ER-REF-4	Water			08/01/25			08/08/25
			VOC- Chemtech Full	8260-Low			08/08/25	
Q2812-04	STORAGE-BLANK-SAM PLE-MANAGEMENT	Water			08/01/25			08/08/25
			VOC- Chemtech Full	8260-Low			08/12/25	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2812
Client: Chemtech Consulting Group

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :				0.000				
Total Svoc :					0.00			
Total Concentration:					0.00			



SAMPLE DATA

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	SVOC-GPC2-BLANK	SDG No.:	Q2812
Lab Sample ID:	Q2812-08	Matrix:	SOIL
Analytical Method:	SFAM_SVOC	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOC-Chemtech Full -25
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 2.0	GPC Cleanup :	Y PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025699.D	1	08/11/25 10:32	09/09/25 15:41	PB169192

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
123-91-1	1,4-Dioxane	33.0	U	33.0	200	ug/Kg
100-52-7	Benzaldehyde	130	U	130	990	ug/Kg
108-95-2	Phenol	93.0	U	93.0	990	ug/Kg
111-44-4	Bis(2-Chloroethyl)ether	78.0	U	78.0	990	ug/Kg
95-57-8	2-Chlorophenol	60.0	U	60.0	510	ug/Kg
95-48-7	2-Methylphenol	84.0	U	84.0	990	ug/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	130	U	130	990	ug/Kg
98-86-2	Acetophenone	81.0	U	81.0	990	ug/Kg
106-44-5	4-Methylphenol	72.0	U	72.0	990	ug/Kg
621-64-7	N-Nitroso-di-n-propylamine	110	U	110	510	ug/Kg
67-72-1	Hexachloroethane	51.0	U	51.0	510	ug/Kg
98-95-3	Nitrobenzene	110	U	110	510	ug/Kg
78-59-1	Isophorone	110	U	110	510	ug/Kg
88-75-5	2-Nitrophenol	100	U	100	510	ug/Kg
105-67-9	2,4-Dimethylphenol	180	U	180	510	ug/Kg
111-91-1	Bis(2-Chloroethoxy)methane	93.0	U	93.0	510	ug/Kg
120-83-2	2,4-Dichlorophenol	69.0	U	69.0	510	ug/Kg
91-20-3	Naphthalene	60.0	U	60.0	510	ug/Kg
106-47-8	4-Chloroaniline	63.0	U	63.0	990	ug/Kg
87-68-3	Hexachlorobutadiene	110	U	110	510	ug/Kg
105-60-2	Caprolactam	220	U	220	990	ug/Kg
59-50-7	4-Chloro-3-methylphenol	99.0	U	99.0	510	ug/Kg
91-57-6	2-Methylnaphthalene	60.0	U	60.0	510	ug/Kg
77-47-4	Hexachlorocyclopentadiene	230	U	230	990	ug/Kg
88-06-2	2,4,6-Trichlorophenol	110	U	110	510	ug/Kg
95-95-4	2,4,5-Trichlorophenol	90.0	U	90.0	510	ug/Kg
92-52-4	1,1-Biphenyl	57.0	U	57.0	510	ug/Kg
91-58-7	2-Chloronaphthalene	57.0	U	57.0	510	ug/Kg
88-74-4	2-Nitroaniline	87.0	U	87.0	510	ug/Kg

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	SVOC-GPC2-BLANK	SDG No.:	Q2812
Lab Sample ID:	Q2812-08	Matrix:	SOIL
Analytical Method:	SFAM_SVOC	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOC-Chemtech Full -25
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 2.0	GPC Cleanup :	Y PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025699.D	1	08/11/25 10:32	09/09/25 15:41	PB169192

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
131-11-3	Dimethylphthalate	78.0	U	78.0	510	ug/Kg
606-20-2	2,6-Dinitrotoluene	120	U	120	510	ug/Kg
208-96-8	Acenaphthylene	78.0	U	78.0	510	ug/Kg
99-09-2	3-Nitroaniline	99.0	U	99.0	990	ug/Kg
83-32-9	Acenaphthene	66.0	U	66.0	510	ug/Kg
51-28-5	2,4-Dinitrophenol	260	U	260	990	ug/Kg
100-02-7	4-Nitrophenol	180	U	180	990	ug/Kg
132-64-9	Dibenzofuran	81.0	U	81.0	510	ug/Kg
121-14-2	2,4-Dinitrotoluene	140	U	140	510	ug/Kg
84-66-2	Diethylphthalate	99.0	U	99.0	510	ug/Kg
86-73-7	Fluorene	75.0	U	75.0	510	ug/Kg
7005-72-3	4-Chlorophenyl-phenylether	78.0	U	78.0	510	ug/Kg
100-01-6	4-Nitroaniline	99.0	U	99.0	990	ug/Kg
534-52-1	4,6-Dinitro-2-methylphenol	150	U	150	990	ug/Kg
86-30-6	N-Nitrosodiphenylamine	69.0	U	69.0	510	ug/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	66.0	U	66.0	510	ug/Kg
101-55-3	4-Bromophenyl-phenylether	78.0	U	78.0	510	ug/Kg
118-74-1	Hexachlorobenzene	78.0	U	78.0	510	ug/Kg
1912-24-9	Atrazine	200	U	200	990	ug/Kg
87-86-5	Pentachlorophenol	270	U	270	990	ug/Kg
85-01-8	Phenanthrene	66.0	U	66.0	510	ug/Kg
120-12-7	Anthracene	75.0	U	75.0	510	ug/Kg
86-74-8	Carbazole	72.0	U	72.0	990	ug/Kg
84-74-2	Di-n-butylphthalate	150	U	150	510	ug/Kg
206-44-0	Fluoranthene	100	U	100	510	ug/Kg
129-00-0	Pyrene	96.0	U	96.0	510	ug/Kg
85-68-7	Butylbenzylphthalate	180	U	180	510	ug/Kg
91-94-1	3,3-Dichlorobenzidine	99.0	U	99.0	990	ug/Kg
56-55-3	Benzo(a)anthracene	66.0	U	66.0	510	ug/Kg
218-01-9	Chrysene	78.0	U	78.0	510	ug/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	210	U	210	510	ug/Kg

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	SVOC-GPC2-BLANK	SDG No.:	Q2812
Lab Sample ID:	Q2812-08	Matrix:	SOIL
Analytical Method:	SFAM_SVOC	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOC-Chemtech Full -25
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 2.0	GPC Cleanup :	Y PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025699.D	1	08/11/25 10:32	09/09/25 15:41	PB169192

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
117-84-0	Di-n-octyl phthalate	180	U	180	990	ug/Kg
205-99-2	Benzo(b)fluoranthene	75.0	U	75.0	510	ug/Kg
207-08-9	Benzo(k)fluoranthene	87.0	U	87.0	510	ug/Kg
50-32-8	Benzo(a)pyrene	66.0	U	66.0	510	ug/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	78.0	U	78.0	510	ug/Kg
53-70-3	Dibenzo(a,h)anthracene	96.0	U	96.0	510	ug/Kg
191-24-2	Benzo(g,h,i)perylene	81.0	U	81.0	510	ug/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	130	U	130	510	ug/Kg
SURROGATES						
17647-74-4	1,4-Dioxane-d8	0	*	15 - 120	0%	SPK: 8
7291-22-7	Pyridine-d5	0.34	*	20 - 120	0%	SPK: 40
4165-62-2	Phenol-d5	0	*	10 - 130	0%	SPK: 40
93952-02-4	Bis-(2-Chloroethyl)ether-d8	0	*	10 - 150	0%	SPK: 40
93951-73-6	2-Chlorophenol-d4	0	*	15 - 120	0%	SPK: 40
190780-66-6	4-Methylphenol-d8	0	*	10 - 140	0%	SPK: 40
4165-60-0	Nitrobenzene-d5	0	*	10 - 135	0%	SPK: 40
93951-78-1	2-Nitrophenol-d4	0	*	10 - 120	0%	SPK: 40
93951-74-7	2,4-Dichlorophenol-d3	0	*	10 - 140	0%	SPK: 40
191656-33-4	4-Chloroaniline-d4	0	*	1 - 145	0%	SPK: 40
85448-30-2	Dimethylphthalate-d6	0	*	10 - 145	0%	SPK: 40
93951-97-4	Acenaphthylene-d8	0	*	15 - 120	0%	SPK: 40
93951-79-2	4-Nitrophenol-d4	0	*	10 - 150	0%	SPK: 40
81103-79-9	Fluorene-d10	0	*	20 - 140	0%	SPK: 40
93951-76-9	4,6-Dinitro-2-methylphenol-d2	0	*	10 - 130	0%	SPK: 40
1719-06-8	Anthracene-d10	0	*	10 - 150	0%	SPK: 40
1718-52-1	Pyrene-d10	0	*	10 - 130	0%	SPK: 40
63466-71-7	Benzo(a)pyrene-d12	0	*	10 - 140	0%	SPK: 40
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	99900	7.76			
1146-65-2	Naphthalene-d8	363000	10.531			

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	SVOC-GPC2-BLANK	SDG No.:	Q2812
Lab Sample ID:	Q2812-08	Matrix:	SOIL
Analytical Method:	SFAM_SVOC	% Solid:	100
Sample Wt/Vol:	10 Units: g	Final Vol:	500 uL
Soil Aliquot Vol:	uL	Test:	SVOC-Chemtech Full -25
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 2.0	GPC Cleanup :	Y PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025699.D	1	08/11/25 10:32	09/09/25 15:41	PB169192

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
15067-26-2	Acenaphthene-d10	320000	14.377			
1517-22-2	Phenanthrene-d10	655000	17.177			
1719-03-5	Chrysene-d12	749000	21.612			
1520-96-3	Perylene-d12	796000	24.977			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2812	OrderDate:	8/8/2025 1:16:00 PM
Client:	Chemtech Consulting Group	Project:	Weekly Storage Blanks
Contact:	QA Officer	Location:	J11,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2812-08	SVOC-GPC2-BLANK	SOIL	SVOC-Chemtech Full -25	SFAM_SVOC	08/01/25	08/11/25	09/09/25	08/08/25

Hit Summary Sheet
SW-846

SDG No.: Q2812

Order ID: Q2812

Client: Chemtech Consulting Group

Project ID: Weekly Storage Blanks

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : PEST -GPC2-BLANK-SPIKE								
Q2812-10	PEST -GPC2-BLANK SOIL		gamma-BHC (Lindane)	19.0		0.48	5.10	ug/kg
Q2812-10	PEST -GPC2-BLANK SOIL		Heptachlor	18.0		0.57	5.10	ug/kg
Q2812-10	PEST -GPC2-BLANK SOIL		Aldrin	19.0		0.39	5.10	ug/kg
Q2812-10	PEST -GPC2-BLANK SOIL		Dieldrin	38.0		0.45	9.90	ug/kg
Q2812-10	PEST -GPC2-BLANK SOIL		Endrin	34.0		0.63	9.90	ug/kg
Q2812-10	PEST -GPC2-BLANK SOIL		4,4-DDT	34.0		0.63	9.90	ug/kg
Total Concentration:				162.000				



SAMPLE DATA

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	PEST-GPC2-BLANK	SDG No.:	Q2812
Lab Sample ID:	Q2812-09	Matrix:	SOIL
Analytical Method:	SFAM_PEST	% Solid:	100
Sample Wt/Vol:	10 Units: g	Decanted:	
Soil Aliquot Vol:	uL	Final Vol:	5000 uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	2.0	Injection Volume :	
PH :			
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PD089856.D	1	08/11/25 10:33	08/12/25 11:35	PB169193

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.39	U	0.39	5.10	ug/kg
319-85-7	beta-BHC	0.39	U	0.39	5.10	ug/kg
319-86-8	delta-BHC	1.40	U	1.40	5.10	ug/kg
58-89-9	gamma-BHC (Lindane)	0.48	U	0.48	5.10	ug/kg
76-44-8	Heptachlor	0.57	U	0.57	5.10	ug/kg
309-00-2	Aldrin	0.39	U	0.39	5.10	ug/kg
1024-57-3	Heptachlor epoxide	0.42	U	0.42	5.10	ug/kg
959-98-8	Endosulfan I	0.39	U	0.39	5.10	ug/kg
60-57-1	Dieldrin	0.45	U	0.45	9.90	ug/kg
72-55-9	4,4-DDE	0.48	U	0.48	9.90	ug/kg
72-20-8	Endrin	0.63	U	0.63	9.90	ug/kg
33213-65-9	Endosulfan II	0.57	U	0.57	9.90	ug/kg
72-54-8	4,4-DDD	0.57	U	0.57	9.90	ug/kg
1031-07-8	Endosulfan Sulfate	0.60	U	0.60	9.90	ug/kg
50-29-3	4,4-DDT	0.63	U	0.63	9.90	ug/kg
72-43-5	Methoxychlor	0.75	U	0.75	51.0	ug/kg
53494-70-5	Endrin ketone	0.45	U	0.45	9.90	ug/kg
7421-93-4	Endrin Aldehyde	0.54	U	0.54	9.90	ug/kg
5103-71-9	cis-Chlordane	0.39	U	0.39	5.10	ug/kg
5103-74-2	trans-Chlordane	0.39	U	0.39	5.10	ug/kg
8001-35-2	Toxaphene	24.0	U	24.0	510	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	30 - 150	%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	30 - 150	%	SPK: 40

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	PEST-GPC2-BLANK	SDG No.:	Q2812
Lab Sample ID:	Q2812-09	Matrix:	SOIL
Analytical Method:	SFAM_PEST	% Solid:	100
Sample Wt/Vol:	10 Units: g	Decanted:	
Soil Aliquot Vol:	uL	Final Vol:	5000 uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	2.0	Injection Volume :	
PH :			
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PD089856.D	1	08/11/25 10:33	08/12/25 11:35	PB169193

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	PEST -GPC2-BLANK-SPIKE	SDG No.:	Q2812
Lab Sample ID:	Q2812-10	Matrix:	SOIL
Analytical Method:	SFAM_PEST	% Solid:	100
Sample Wt/Vol:	10 Units: g	Decanted:	
Soil Aliquot Vol:	uL	Final Vol:	5000 uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	2.0	Injection Volume :	
PH :			
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PD089857.D	1	08/11/25 10:33	08/12/25 12:10	PB169193

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	0.39	U	0.39	5.10	ug/kg
319-85-7	beta-BHC	0.39	U	0.39	5.10	ug/kg
319-86-8	delta-BHC	1.40	U	1.40	5.10	ug/kg
58-89-9	gamma-BHC (Lindane)	19.0		0.48	5.10	ug/kg
76-44-8	Heptachlor	18.0		0.57	5.10	ug/kg
309-00-2	Aldrin	19.0		0.39	5.10	ug/kg
1024-57-3	Heptachlor epoxide	0.42	U	0.42	5.10	ug/kg
959-98-8	Endosulfan I	0.39	U	0.39	5.10	ug/kg
60-57-1	Dieldrin	38.0		0.45	9.90	ug/kg
72-55-9	4,4-DDE	0.48	U	0.48	9.90	ug/kg
72-20-8	Endrin	34.0		0.63	9.90	ug/kg
33213-65-9	Endosulfan II	0.57	U	0.57	9.90	ug/kg
72-54-8	4,4-DDD	0.57	U	0.57	9.90	ug/kg
1031-07-8	Endosulfan Sulfate	0.60	U	0.60	9.90	ug/kg
50-29-3	4,4-DDT	34.0		0.63	9.90	ug/kg
72-43-5	Methoxychlor	0.75	U	0.75	51.0	ug/kg
53494-70-5	Endrin ketone	0.45	U	0.45	9.90	ug/kg
7421-93-4	Endrin Aldehyde	0.54	U	0.54	9.90	ug/kg
5103-71-9	cis-Chlordane	0.39	U	0.39	5.10	ug/kg
5103-74-2	trans-Chlordane	0.39	U	0.39	5.10	ug/kg
8001-35-2	Toxaphene	24.0	U	24.0	510	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	0	*	30 - 150	%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	30 - 150	%	SPK: 40

Report of Analysis

Client:	Chemtech Consulting Group	Date Collected:	08/01/25
Project:	Weekly Storage Blanks	Date Received:	08/08/25
Client Sample ID:	PEST -GPC2-BLANK-SPIKE	SDG No.:	Q2812
Lab Sample ID:	Q2812-10	Matrix:	SOIL
Analytical Method:	SFAM_PEST	% Solid:	100
Sample Wt/Vol:	10 Units: g	Decanted:	
Soil Aliquot Vol:	uL	Final Vol:	5000 uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	2.0	Injection Volume :	
PH :			
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PD089857.D	1	08/11/25 10:33	08/12/25 12:10	PB169193

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q2812	OrderDate:	8/8/2025 1:16:00 PM
Client:	Chemtech Consulting Group	Project:	Weekly Storage Blanks
Contact:	QA Officer	Location:	J11,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2812-09	PEST-GPC2-BLANK	SOIL	Pesticide-TCL	SFAM_PEST	08/01/25	08/11/25	08/12/25	08/08/25
Q2812-10	PEST -GPC2-BLANK-SPIKE	SOIL	Pesticide-TCL	SFAM_PEST	08/01/25	08/11/25	08/12/25	08/08/25



SHIPPING DOCUMENTS



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax: (908) 78-8922
www.chemtech.net

Alliance Project Number:

22812

COC Number:

CHAIN OF CUSTODY RECORD

CLIENT INFORMATION			PROJECT INFORMATION				BILLING INFORMATION																																																																									
COMPANY: Alliance Technical Group			PROJECT NAME: Weekly Storage Blanks				BILL TO: Same						PO#																																																																			
ADDRESS: 284 Sheffield Street			PROJECT #: LOCATION:				ADDRESS:																																																																									
CITY Mountainside STATE: NJ ZIP: 07092			PROJECT MANAGER:				CITY:						STATE: ZIP:																																																																			
ATTENTION: QA Officer			E-MAIL:				ATTENTION:						PHONE:																																																																			
PHONE: 908-789-8900 FAX: 908-788-9222			PHONE: FAX:																																																																													
DATA TURNAROUND INFORMATION			DATA DELIVERABLE INFORMATION				ANALYSIS																																																																									
FAX: 10 DAYS* HARD COPY: 10 DAYS* EDD DAYS* * TO BE APPROVED BY ALLIANCE STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS			☐ RESULTS ONLY (L1) ☐ US EPA CLP (L4) ☐ RESULTS + QC (L2) ☐ NYS ASP "A" (L2) ☐ NJ REDUCED (L3) ☐ NYS ASP "B" (L4) ☐ NJ FULL (L4) ☐ Other _____ ☐ EDD Format _____				<table border="1"><thead><tr><th>VOC-Drinking H2O</th><th>SVOC-Full+25-8270</th><th>PESTICIDE-TCL</th><th>PCB</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th><th>7</th><th>8</th><th>9</th><th colspan="6"></th></tr></thead><tbody><tr><td colspan="15">PRESERVATIVES</td><td colspan="2">COMMENTS</td></tr><tr><td colspan="15">← Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-Other</td></tr></tbody></table>												VOC-Drinking H2O	SVOC-Full+25-8270	PESTICIDE-TCL	PCB												1	2	3	4	5	6	7	8	9							PRESERVATIVES															COMMENTS		← Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-Other														
VOC-Drinking H2O	SVOC-Full+25-8270	PESTICIDE-TCL	PCB																																																																													
1	2	3	4	5	6	7	8	9																																																																								
PRESERVATIVES															COMMENTS																																																																	
← Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-Other																																																																																
ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles	PRESERVATIVES									COMMENTS																																																															
			COMP	GRAB	DATE	TIME		A/E	1	2	3	4	5	6	7	8		9																																																														
1.	Storage-Blank-SOIL-REF-6	AQ		X			2	X																																																																								
2.	Storage-Blank-WATER-REF-5	AQ		X			2	X																																																																								
3.	Storage-Blank-WATER-REF-4	AQ		X			2	X																																																																								
4.	Storage-Blank-SAMPLE-MANAGEMENT	AQ		X			2	X																																																																								
5.	SVOC-GPC-BLANK	SO		X			1		X																																																																							
6.	PEST-GPC-BLANK	SO		X			1			X																																																																						
7.	PEST-GPC-BLANK-SPIKE	SO		X			1			X																																																																						
8.	PCB-GPC-BLANK	SO		X			1				X																																																																					
9.	PCB-GPC-BLANK-SPIKE	SO		X			1				X																																																																					
10.	SVOC-GPC2-BLANK	SO		X			1		X																																																																							
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY																																																																																
RELINQUISHED BY SAMPLER		DATE/TIME	RECEIVED BY		Conditions of bottles or coolers at receipt: ☐ Compliant ☐ Non Compliant ☐ Cooler Temp _____ MeOH extraction requires an additional 4oz. Jar for percent solid Comments:																																																																											
1. Sam		08/18/2019	1.																																																																													
RELINQUISHED BY		DATE/TIME	RECEIVED BY																																																																													
2.			2.																																																																													
RELINQUISHED BY		DATE/TIME	RECEIVED FOR LAB BY		SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ Overnight ALLIANCE: ☐ Picked Up ☐ Overnight																																																																											
3.			3.		Shipment Complete ☐ YES ☐ NO																																																																											
Page 1 of 2																																																																																
WHITE - ALLIANCE COPY FOR RETURN TO CLIENT YELLOW - ALLIANCE COPY PINK - SAMPLER COPY																																																																																



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax: (908) 78-8922
www.chemtech.net

CHAIN OF CUSTODY RECORD

Alliance Project Number:

Q 2812

COC Number:

CLIENT INFORMATION

COMPANY: Alliance Technical Group
ADDRESS: 284 Sheffield Street
CITY Mountainside STATE: NJ ZIP: 07092
ATTENTION: QA Officer
PHO: 908-789-8900 FAX: 908-788-9222

PROJECT INFORMATION

PROJECT NAME: Weekly Storage Blanks
PROJECT #: LOCATION:
PROJECT MANAGER:
E-MAIL:
PHONE: FAX:

BILLING INFORMATION

BILL TO: Same PO#
ADDRESS:
CITY: STATE: ZIP:
ATTENTION: PHONE:

DATA TURNAROUND INFORMATION

FAX: 10 DAYS*
HARD COPY: 10 DAYS*
EDD DAYS*
* TO BE APPROVED BY ALLIANCE
STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ RESULTS ONLY (L1) ☐ US EPA CLP (L4)
☐ RESULTS + QC (L2) ☐ NYS ASP "A" (L2)
☐ NJ REDUCED (L3) ☐ NYS ASP "B" (L4)
☐ NJ FULL (L4) ☐ Other _____
☐ EDD Format _____

ANALYSIS

VOC-Drinking H2O	SVOC-Full+25-8270	PESTICIDE-TCL	PCB						
1	2	3	4	5	6	7	8	9	

PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles	PRESERVATIVES									COMMENTS ← Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-Other	
			COMP	GRAB	DATE	TIME		A/E										
								1	2	3	4	5	6	7	8	9		
1.	PEST-GPC2-BLANK	SO		X			1			X								
2.	PEST-GPC2-BLANK-SPIKE	SO		X			1			X								
3.	PCB-GPC2-BLANK	SO		X			1				X							
4.	PCB-GPC2-BLANK-SPIKE	SO		X			1				X							
5.																		
6.																		
7.																		
8.																		
9.																		
10.																		

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER	DATE/TIME	RECEIVED BY	Conditions of bottles or coolers at receipt: ☐ Compliant ☐ Non Compliant ☐ Cooler Temp _____ MeOH extraction requires an additional 4oz. Jar for percent solid Comments:	
1. Sam	08/08/09	1. dd		
RELINQUISHED BY	DATE/TIME	RECEIVED BY		
2.		2.	SHIPPED VIA: CLIENT: ☐ Hand Delivered ☐ Overnight ALLIANCE: ☐ Picked Up ☐ Overnight	
RELINQUISHED BY	DATE/TIME	RECEIVED FOR LAB BY		
3.		3.	Page 2 of 2	Shipment Complete ☐ YES ☐ NO

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT

YELLOW - ALLIANCE COPY

PINK - SAMPLER COPY

Laboratory Certification

Certified By	License No.
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255425
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	TX-C25-00189
Virginia	460312