



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

First Environment, Inc.

Project Name: USACE018-44 DOD

Project # N/A

Order ID # Q2814

Test Name: VOC-TCLVOA-10

A. Number of Samples and Date of Receipt:

21 Water samples were received on 08/08/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: VOC-TCLVOA-10. This data package contains results for VOC-TCLVOA-10.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_X were done using GC column DB-624UI 20m 0.18mm 1.0 um. Cat#121-1324UI. The analysis of VOC-TCLVOA-10 was based on method 8260D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis except for

TW-82H-S [Toluene-d8 - 79%],

TW-82H-SRE [1,2-Dichloroethane-d4 - 119%],

TW-82H-W [Toluene-d8 - 75%],

TW-82H-WRE [1,2-Dichloroethane-d4 - 124%]

TW-BP-S [1,2-Dichloroethane-d4 - 143%, 4-Bromofluorobenzene - 135%,

Dibromofluoromethane - 142%, Toluene-d8 - 122%],

TW-BP-SRE [1,2-Dichloroethane-d4 - 119%]

TW-518R-N [1,2-Dichloroethane-d4 - 124%],

TW-518R-NRE [Toluene-d8 - 113%],

TW-518R-E [1,2-Dichloroethane-d4 - 123%],

TW-518R-ERE [1 and 2-Dichloroethane-d4 - 119%].

samples were reanalyzed to confirm the failure and reported.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.

The Blank Spike Duplicate met requirements for all compounds.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

The Continuous Calibration File ID VX047309.D met the requirements except for Methyl Acetate is failing high but no positive hit in associate sample therefore no corrective action taken.

The Tuning criteria met requirements.

E. Additional Comments:

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

The not QT review data is reported in the Miscellaneous.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____