

Hit Summary Sheet
SW-846

SDG No.: Q2814

Client: First Environment, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID:	TW-84SB-E								
Q2814-01	TW-84SB-E	Water	Acetone	5.30		1.50	3.80	5.00	ug/L
Q2814-01	TW-84SB-E	Water	Carbon Disulfide	0.44	J	0.21	0.75	1.00	ug/L
			Total Voc :	5.74					
			Total Concentration:	5.74					
Client ID:	TW-17M-N								
Q2814-02	TW-17M-N	Water	Acetone	4.40	J	1.50	3.80	5.00	ug/L
Q2814-02	TW-17M-N	Water	Carbon Disulfide	0.65	J	0.21	0.75	1.00	ug/L
			Total Voc :	5.05					
			Total Concentration:	5.05					
Client ID:	TW-17M-W								
Q2814-03	TW-17M-W	Water	Acetone	4.50	J	1.50	3.80	5.00	ug/L
			Total Voc :	4.50					
			Total Concentration:	4.50					
Client ID:	TW-82H-N								
Q2814-04	TW-82H-N	Water	Acetone	12.4		1.50	3.80	5.00	ug/L
Q2814-04	TW-82H-N	Water	Methylene Chloride	0.31	J	0.28	0.50	1.00	ug/L
			Total Voc :	12.7					
			Total Concentration:	12.7					
Client ID:	TW-82H-E								
Q2814-05	TW-82H-E	Water	Acetone	9.70		1.50	3.80	5.00	ug/L
Q2814-05	TW-82H-E	Water	Carbon Disulfide	0.27	J	0.21	0.75	1.00	ug/L
Q2814-05	TW-82H-E	Water	Methyl tert-butyl Ether	0.66	J	0.16	0.50	1.00	ug/L
			Total Voc :	10.6					
			Total Concentration:	10.6					
Client ID:	TW-82H-S								
Q2814-06	TW-82H-S	Water	Acetone	6.00		1.50	3.80	5.00	ug/L
			Total Voc :	6.00					
			Total Concentration:	6.00					
Client ID:	TW-82H-SRE								
Q2814-06RE	TW-82H-SRE	Water	Acetone	9.10		1.50	3.80	5.00	ug/L
			Total Voc :	9.10					
			Total Concentration:	9.10					
Client ID:	TW-82H-W								
Q2814-07	TW-82H-W	Water	Acetone	5.50		1.50	3.80	5.00	ug/L
Q2814-07	TW-82H-W	Water	Carbon Disulfide	1.40		0.21	0.75	1.00	ug/L
Q2814-07	TW-82H-W	Water	Toluene	24.6		0.14	0.50	1.00	ug/L
Q2814-07	TW-82H-W	Water	Ethyl Benzene	0.34	J	0.13	0.50	1.00	ug/L
			Total Voc :	31.8					
Q2814-07	TW-82H-W	Water	Sulfur dioxide	* 94.6	J	0		0	ug/L

Hit Summary Sheet SW-846

SDG No.: Q2814

Client: First Environment, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Total Tics :				94.6					
Total Concentration:				126					
Client ID:	TW-82H-WRE								
Q2814-07RE	TW-82H-WRE	Water	Acetone	17.3		1.50	3.80	5.00	ug/L
Q2814-07RE	TW-82H-WRE	Water	Carbon Disulfide	2.00		0.21	0.75	1.00	ug/L
Q2814-07RE	TW-82H-WRE	Water	Methylene Chloride	0.42	J	0.28	0.50	1.00	ug/L
Q2814-07RE	TW-82H-WRE	Water	Toluene	38.8		0.14	0.50	1.00	ug/L
Q2814-07RE	TW-82H-WRE	Water	Ethyl Benzene	0.44	J	0.13	0.50	1.00	ug/L
Total Voc :				59.0					
Total Concentration:				59.0					
Client ID:	TW-38M-E								
Q2814-08	TW-38M-E	Water	Acetone	4.00	J	1.50	3.80	5.00	ug/L
Q2814-08	TW-38M-E	Water	Carbon Disulfide	0.50	J	0.21	0.75	1.00	ug/L
Q2814-08	TW-38M-E	Water	Methylene Chloride	0.28	J	0.28	0.50	1.00	ug/L
Total Voc :				4.78					
Q2814-08	TW-38M-E	Water	Sulfur dioxide	* 7.30	J	0		0	ug/L
Total Tics :				7.30					
Total Concentration:				12.1					
Client ID:	TW-38M-W								
Q2814-09	TW-38M-W	Water	Acetone	4.90	J	1.50	3.80	5.00	ug/L
Q2814-09	TW-38M-W	Water	Carbon Disulfide	0.45	J	0.21	0.75	1.00	ug/L
Q2814-09	TW-38M-W	Water	Methylene Chloride	0.30	J	0.28	0.50	1.00	ug/L
Total Voc :				5.65					
Total Concentration:				5.65					
Client ID:	TW-38M-N								
Q2814-10	TW-38M-N	Water	Acetone	4.40	J	1.50	3.80	5.00	ug/L
Q2814-10	TW-38M-N	Water	Carbon Disulfide	0.36	J	0.21	0.75	1.00	ug/L
Total Voc :				4.76					
Total Concentration:				4.76					
Client ID:	TW-38M-S								
Q2814-11	TW-38M-S	Water	Acetone	4.70	J	1.50	3.80	5.00	ug/L
Q2814-11	TW-38M-S	Water	Methylene Chloride	0.34	J	0.28	0.50	1.00	ug/L
Total Voc :				5.04					
Total Concentration:				5.04					
Client ID:	TW-BP-S								
Q2814-12	TW-BP-S	Water	Acetone	16.5		1.50	3.80	5.00	ug/L
Q2814-12	TW-BP-S	Water	Carbon Disulfide	0.73	J	0.21	0.75	1.00	ug/L
Q2814-12	TW-BP-S	Water	Toluene	0.33	J	0.14	0.50	1.00	ug/L
Total Voc :				17.6					
Total Concentration:				17.6					

Hit Summary Sheet
SW-846

SDG No.: Q2814

Client: First Environment, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID: Q2814-12RE	TW-BP-SRE TW-BP-SRE	Water	Acetone	7.80		1.50	3.80	5.00	ug/L
			Total Voc :	7.80					
			Total Concentration:	7.80					
Client ID: Q2814-13	TW-BP-N TW-BP-N	Water	Acetone	9.90		1.50	3.80	5.00	ug/L
			Total Voc :	9.90					
			Total Concentration:	9.90					
Client ID: Q2814-14	TW-BP-E TW-BP-E	Water	Acetone	6.60		1.50	3.80	5.00	ug/L
			Total Voc :	6.60					
			Total Concentration:	6.60					
Client ID: Q2814-15	TW-BP-W TW-BP-W	Water	Acetone	6.00		1.50	3.80	5.00	ug/L
			Total Voc :	6.00					
			Total Concentration:	6.00					
Client ID: Q2814-16	FB FB	Water	Acetone	6.30		1.50	3.80	5.00	ug/L
			Total Voc :	6.30					
			Total Concentration:	6.30					
Client ID: Q2814-17	TW-518R-S TW-518R-S	Water	Acetone	7.60		1.50	3.80	5.00	ug/L
Q2814-17	TW-518R-S	Water	Carbon Disulfide	0.94	J	0.21	0.75	1.00	ug/L
			Total Voc :	8.54					
			Total Concentration:	8.54					
Client ID: Q2814-18	TW-518R-N TW-518R-N	Water	Acetone	8.80		1.50	3.80	5.00	ug/L
Q2814-18	TW-518R-N	Water	Carbon Disulfide	0.69	J	0.21	0.75	1.00	ug/L
Q2814-18	TW-518R-N	Water	Methylene Chloride	0.38	J	0.28	0.50	1.00	ug/L
			Total Voc :	9.87					
Q2814-18	TW-518R-N	Water	Sulfur dioxide	* 8.60	J	0		0	ug/L
			Total Tics :	8.60					
			Total Concentration:	18.5					
Client ID: Q2814-18RE	TW-518R-NRE TW-518R-NRE	Water	Acetone	7.20		1.50	3.80	5.00	ug/L
Q2814-18RE	TW-518R-NRE	Water	Carbon Disulfide	0.50	J	0.21	0.75	1.00	ug/L
			Total Voc :	7.70					
			Total Concentration:	7.70					
Client ID: Q2814-19	TW-518R-E TW-518R-E	Water	Acetone	6.40		1.50	3.80	5.00	ug/L
Q2814-19	TW-518R-E	Water	Carbon Disulfide	1.70		0.21	0.75	1.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2814

Client: First Environment, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2814-19	TW-518R-E	Water	Methylene Chloride	0.43	J	0.28	0.50	1.00	ug/L
			Total Voc :	8.53					
Q2814-19	TW-518R-E	Water	Sulfur dioxide	* 210	J	0		0	ug/L
			Total Tics :	210					
			Total Concentration:	219					
Client ID:	TW-518R-ERE								
Q2814-19RE	TW-518R-ERE	Water	Acetone	5.20		1.50	3.80	5.00	ug/L
Q2814-19RE	TW-518R-ERE	Water	Carbon Disulfide	1.90		0.21	0.75	1.00	ug/L
			Total Voc :	7.10					
			Total Concentration:	7.10					
Client ID:	TW-518R-W								
Q2814-20	TW-518R-W	Water	Acetone	8.00		1.50	3.80	5.00	ug/L
Q2814-20	TW-518R-W	Water	Carbon Disulfide	0.81	J	0.21	0.75	1.00	ug/L
Q2814-20	TW-518R-W	Water	Methyl tert-butyl Ether	0.49	J	0.16	0.50	1.00	ug/L
Q2814-20	TW-518R-W	Water	Methylene Chloride	0.33	J	0.28	0.50	1.00	ug/L
			Total Voc :	9.63					
Q2814-20	TW-518R-W	Water	Sulfur dioxide	* 70.5	J	0		0	ug/L
			Total Tics :	70.5					
			Total Concentration:	80.1					
Client ID:	TB								
Q2814-21	TB	Water	Acetone	3.60	J	1.50	3.80	5.00	ug/L
			Total Voc :	3.60					
			Total Concentration:	3.60					



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047290.D	1	08/12/25 12:43	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	5.30		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.44	J	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047290.D	1	08/12/25 12:43	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	50.2		81 - 118		100%	SPK: 50
1868-53-7	Dibromofluoromethane	50.9		80 - 119		102%	SPK: 50
2037-26-5	Toluene-d8	45.0		89 - 112		90%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.6		85 - 114		101%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	249000	5.562				
540-36-3	1,4-Difluorobenzene	430000	6.769				
3114-55-4	Chlorobenzene-d5	386000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	201000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047291.D	1	08/12/25 13:05	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	4.40	J	1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.65	J	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047291.D	1	08/12/25 13:05	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	54.2		81 - 118		108%	SPK: 50
1868-53-7	Dibromofluoromethane	49.7		80 - 119		99%	SPK: 50
2037-26-5	Toluene-d8	55.6		89 - 112		111%	SPK: 50
460-00-4	4-Bromofluorobenzene	54.0		85 - 114		108%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	351000	5.562				
540-36-3	1,4-Difluorobenzene	661000	6.769				
3114-55-4	Chlorobenzene-d5	652000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	323000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-03	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047293.D	1	08/12/25 13:51	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	4.50	J	1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.75	U	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-03	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047293.D	1	08/12/25 13:51	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	49.9		81 - 118		100%	SPK: 50
1868-53-7	Dibromofluoromethane	52.2		80 - 119		104%	SPK: 50
2037-26-5	Toluene-d8	45.6		89 - 112		91%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.4		85 - 114		103%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	251000	5.562				
540-36-3	1,4-Difluorobenzene	435000	6.769				
3114-55-4	Chlorobenzene-d5	391000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	201000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-03	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047293.D	1	08/12/25 13:51	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-04	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047294.D	1	08/12/25 14:13	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	12.4		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.75	U	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.31	J	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-04	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047294.D	1	08/12/25 14:13	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	50.1		81 - 118		100%	SPK: 50
1868-53-7	Dibromofluoromethane	52.6		80 - 119		105%	SPK: 50
2037-26-5	Toluene-d8	46.0		89 - 112		92%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.5		85 - 114		103%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	249000	5.568				
540-36-3	1,4-Difluorobenzene	420000	6.769				
3114-55-4	Chlorobenzene-d5	379000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	197000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-04	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047294.D	1	08/12/25 14:13	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-05	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047295.D	1	08/12/25 14:34	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	9.70		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.27	J	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.66	J	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-05	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047295.D	1	08/12/25 14:34	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	48.0		81 - 118		96%	SPK: 50
1868-53-7	Dibromofluoromethane	50.7		80 - 119		101%	SPK: 50
2037-26-5	Toluene-d8	44.5		89 - 112		89%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.6		85 - 114		101%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	247000	5.568				
540-36-3	1,4-Difluorobenzene	418000	6.769				
3114-55-4	Chlorobenzene-d5	380000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	197000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-06	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047296.D	1	08/12/25 14:56	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	6.00		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.75	U	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-06	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047296.D	1	08/12/25 14:56	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	43.1		81 - 118		86%	SPK: 50
1868-53-7	Dibromofluoromethane	45.4		80 - 119		91%	SPK: 50
2037-26-5	Toluene-d8	39.5	*	89 - 112		79%	SPK: 50
460-00-4	4-Bromofluorobenzene	44.2		85 - 114		88%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	288000	5.568				
540-36-3	1,4-Difluorobenzene	492000	6.775				
3114-55-4	Chlorobenzene-d5	447000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	229000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-06	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047296.D	1	08/12/25 14:56	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-SRE	SDG No.:	Q2814
Lab Sample ID:	Q2814-06RE	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047317.D	1	08/13/25 13:18	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	9.10		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.75	U	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-SRE	SDG No.:	Q2814
Lab Sample ID:	Q2814-06RE	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047317.D	1	08/13/25 13:18	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	59.7	*	81 - 118		119%	SPK: 50
1868-53-7	Dibromofluoromethane	57.2		80 - 119		114%	SPK: 50
2037-26-5	Toluene-d8	48.0		89 - 112		96%	SPK: 50
460-00-4	4-Bromofluorobenzene	55.5		85 - 114		111%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	190000	5.568				
540-36-3	1,4-Difluorobenzene	346000	6.775				
3114-55-4	Chlorobenzene-d5	321000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	165000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-SRE	SDG No.:	Q2814
Lab Sample ID:	Q2814-06RE	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047317.D	1	08/13/25 13:18	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-07	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047297.D	1	08/12/25 15:18	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	5.50		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	1.40		0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	24.6		0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-07	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047297.D	1	08/12/25 15:18	VX081225

[illegible]



A
B
C
D

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047297.D	1	08/12/25 15:18	VX081225

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-WRE	SDG No.:	Q2814
Lab Sample ID:	Q2814-07RE	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047318.D	1	08/13/25 13:40	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	17.3		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	2.00		0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.42	J	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	38.8		0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-WRE	SDG No.:	Q2814
Lab Sample ID:	Q2814-07RE	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047318.D	1	08/13/25 13:40	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.44	J	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	62.2	*	81 - 118		124%	SPK: 50
1868-53-7	Dibromofluoromethane	57.6		80 - 119		115%	SPK: 50
2037-26-5	Toluene-d8	47.5		89 - 112		95%	SPK: 50
460-00-4	4-Bromofluorobenzene	55.6		85 - 114		111%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	176000	5.568				
540-36-3	1,4-Difluorobenzene	327000	6.775				
3114-55-4	Chlorobenzene-d5	307000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	157000	12.018				



A
B
C
D

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047318.D	1	08/13/25 13:40	VX081325

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-08	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047298.D	1	08/12/25 15:39	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	4.00	J	1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.50	J	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.28	J	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-08	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047298.D	1	08/12/25 15:39	VX081225

[illegible]

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-08	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047298.D	1	08/12/25 15:39	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
007446-09-5	Sulfur dioxide	7.30	J			1.31	ug/L

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-09	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047299.D	1	08/12/25 16:01	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	4.90	J	1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.45	J	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.30	J	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-09	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047299.D	1	08/12/25 16:01	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	52.7		81 - 118		105%	SPK: 50
1868-53-7	Dibromofluoromethane	54.4		80 - 119		109%	SPK: 50
2037-26-5	Toluene-d8	47.7		89 - 112		95%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.1		85 - 114		106%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	225000	5.568				
540-36-3	1,4-Difluorobenzene	391000	6.775				
3114-55-4	Chlorobenzene-d5	353000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	180000	12.018				



A
B
C
D

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047299.D	1	08/12/25 16:01	VX081225

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-10	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047300.D	1	08/12/25 16:23	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	4.40	J	1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.36	J	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-10	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047300.D	1	08/12/25 16:23	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	50.1		81 - 118		100%	SPK: 50
1868-53-7	Dibromofluoromethane	51.7		80 - 119		103%	SPK: 50
2037-26-5	Toluene-d8	45.1		89 - 112		90%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.3		85 - 114		101%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	257000	5.568				
540-36-3	1,4-Difluorobenzene	442000	6.769				
3114-55-4	Chlorobenzene-d5	402000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	206000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-11	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047301.D	1	08/12/25 16:44	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	4.70	J	1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.75	U	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.34	J	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-11	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047301.D	1	08/12/25 16:44	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	54.0		81 - 118		108%	SPK: 50
1868-53-7	Dibromofluoromethane	55.4		80 - 119		111%	SPK: 50
2037-26-5	Toluene-d8	48.4		89 - 112		97%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.9		85 - 114		108%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	218000	5.574				
540-36-3	1,4-Difluorobenzene	375000	6.775				
3114-55-4	Chlorobenzene-d5	340000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	176000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-12	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047302.D	1	08/12/25 17:06	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	16.5		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.73	J	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.33	J	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-12	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047302.D	1	08/12/25 17:06	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	71.5	*	81 - 118		143%	SPK: 50
1868-53-7	Dibromofluoromethane	71.2	*	80 - 119		142%	SPK: 50
2037-26-5	Toluene-d8	60.9	*	89 - 112		122%	SPK: 50
460-00-4	4-Bromofluorobenzene	67.5	*	85 - 114		135%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	131000	5.568				
540-36-3	1,4-Difluorobenzene	232000	6.769				
3114-55-4	Chlorobenzene-d5	208000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	107000	12.024				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-12	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047302.D	1	08/12/25 17:06	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-SRE	SDG No.:	Q2814
Lab Sample ID:	Q2814-12RE	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047314.D	1	08/13/25 12:13	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	7.80		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.75	U	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-SRE	SDG No.:	Q2814
Lab Sample ID:	Q2814-12RE	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047314.D	1	08/13/25 12:13	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	59.6	*	81 - 118		119%	SPK: 50
1868-53-7	Dibromofluoromethane	57.4		80 - 119		115%	SPK: 50
2037-26-5	Toluene-d8	48.3		89 - 112		97%	SPK: 50
460-00-4	4-Bromofluorobenzene	55.1		85 - 114		110%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	179000	5.568				
540-36-3	1,4-Difluorobenzene	320000	6.769				
3114-55-4	Chlorobenzene-d5	302000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	155000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-13	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047303.D	1	08/12/25 17:28	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	9.90		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.75	U	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-13	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047303.D	1	08/12/25 17:28	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	52.5		81 - 118		105%	SPK: 50
1868-53-7	Dibromofluoromethane	54.3		80 - 119		109%	SPK: 50
2037-26-5	Toluene-d8	46.2		89 - 112		92%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.2		85 - 114		104%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	227000	5.568				
540-36-3	1,4-Difluorobenzene	393000	6.775				
3114-55-4	Chlorobenzene-d5	357000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	180000	12.024				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-14	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047304.D	1	08/12/25 17:49	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	6.60		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.75	U	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-14	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047304.D	1	08/12/25 17:49	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	50.3		81 - 118		101%	SPK: 50
1868-53-7	Dibromofluoromethane	52.9		80 - 119		106%	SPK: 50
2037-26-5	Toluene-d8	46.0		89 - 112		92%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.2		85 - 114		102%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	231000	5.568				
540-36-3	1,4-Difluorobenzene	392000	6.775				
3114-55-4	Chlorobenzene-d5	358000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	182000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-14	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW
		Final Vol:	5000 uL
		Test:	VOC-TCLVOA-10

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047304.D	1	08/12/25 17:49	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-15	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047305.D	1	08/12/25 18:11	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	6.00		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.75	U	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-15	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047305.D	1	08/12/25 18:11	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	50.9		81 - 118		102%	SPK: 50
1868-53-7	Dibromofluoromethane	52.1		80 - 119		104%	SPK: 50
2037-26-5	Toluene-d8	45.0		89 - 112		90%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.0		85 - 114		102%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	226000	5.568				
540-36-3	1,4-Difluorobenzene	390000	6.775				
3114-55-4	Chlorobenzene-d5	350000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	181000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-15	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047305.D	1	08/12/25 18:11	VX081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2814
Lab Sample ID:	Q2814-16	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047315.D	1	08/13/25 12:35	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	6.30		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.75	U	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2814
Lab Sample ID:	Q2814-16	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047315.D	1	08/13/25 12:35	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	56.7		81 - 118		113%	SPK: 50
1868-53-7	Dibromofluoromethane	55.1		80 - 119		110%	SPK: 50
2037-26-5	Toluene-d8	46.3		89 - 112		93%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.2		85 - 114		106%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	198000	5.568				
540-36-3	1,4-Difluorobenzene	356000	6.775				
3114-55-4	Chlorobenzene-d5	329000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	170000	12.018				



- A
- B
- C
- D

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047315.D	1	08/13/25 12:35	VX081325

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products



A
B
C
D

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047341.D	1	08/14/25 13:58	VX081425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	7.60		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.94	J	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-17	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047341.D	1	08/14/25 13:58	VX081425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	55.7		81 - 118		111%	SPK: 50
1868-53-7	Dibromofluoromethane	49.6		80 - 119		99%	SPK: 50
2037-26-5	Toluene-d8	55.0		89 - 112		110%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.4		85 - 114		107%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	230000	5.568				
540-36-3	1,4-Difluorobenzene	440000	6.769				
3114-55-4	Chlorobenzene-d5	435000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	217000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-18	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047320.D	1	08/13/25 14:24	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	8.80		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.69	J	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.38	J	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-18	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047320.D	1	08/13/25 14:24	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	62.0	*	81 - 118		124%	SPK: 50
1868-53-7	Dibromofluoromethane	56.7		80 - 119		113%	SPK: 50
2037-26-5	Toluene-d8	46.4		89 - 112		93%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.8		85 - 114		108%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	181000	5.568				
540-36-3	1,4-Difluorobenzene	338000	6.775				
3114-55-4	Chlorobenzene-d5	317000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	159000	12.018				

TENTATIVE IDENTIFIED COMPOUNDS

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-NRE	SDG No.:	Q2814
Lab Sample ID:	Q2814-18RE	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047344.D	1	08/14/25 17:05	VX081425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	7.20		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.50	J	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-NRE	SDG No.:	Q2814
Lab Sample ID:	Q2814-18RE	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047344.D	1	08/14/25 17:05	VX081425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	58.3		81 - 118		117%	SPK: 50
1868-53-7	Dibromofluoromethane	50.1		80 - 119		100%	SPK: 50
2037-26-5	Toluene-d8	56.5	*	89 - 112		113%	SPK: 50
460-00-4	4-Bromofluorobenzene	54.7		85 - 114		109%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	239000	5.568				
540-36-3	1,4-Difluorobenzene	456000	6.769				
3114-55-4	Chlorobenzene-d5	448000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	229000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-19	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047321.D	1	08/13/25 14:45	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	6.40		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	1.70		0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.43	J	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-19	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047321.D	1	08/13/25 14:45	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	61.3	*	81 - 118		123%	SPK: 50
1868-53-7	Dibromofluoromethane	55.7		80 - 119		111%	SPK: 50
2037-26-5	Toluene-d8	45.6		89 - 112		91%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.3		85 - 114		107%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	178000	5.568				
540-36-3	1,4-Difluorobenzene	335000	6.775				
3114-55-4	Chlorobenzene-d5	312000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	156000	12.024				

TENTATIVE IDENTIFIED COMPOUNDS

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-19	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047321.D	1	08/13/25 14:45	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
007446-09-5	Sulfur dioxide	210	J			1.28	ug/L

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-ERE	SDG No.:	Q2814
Lab Sample ID:	Q2814-19RE	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047345.D	1	08/14/25 17:26	VX081425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	5.20		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	1.90		0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-ERE	SDG No.:	Q2814
Lab Sample ID:	Q2814-19RE	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047345.D	1	08/14/25 17:26	VX081425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	59.5	*	81 - 118		119%	SPK: 50
1868-53-7	Dibromofluoromethane	49.6		80 - 119		99%	SPK: 50
2037-26-5	Toluene-d8	54.3		89 - 112		109%	SPK: 50
460-00-4	4-Bromofluorobenzene	54.2		85 - 114		108%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	230000	5.568				
540-36-3	1,4-Difluorobenzene	444000	6.775				
3114-55-4	Chlorobenzene-d5	448000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	232000	12.018				



A
B
C
D

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047345.D	1	08/14/25 17:26	VX081425

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-20	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047322.D	1	08/13/25 15:07	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	8.00		1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.81	J	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.49	J	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.33	J	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-20	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047322.D	1	08/13/25 15:07	VX081325

[illegible]

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-20	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047322.D	1	08/13/25 15:07	VX081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
007446-09-5	Sulfur dioxide	70.5	J			1.28	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TB	SDG No.:	Q2814
Lab Sample ID:	Q2814-21	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047339.D	1	08/14/25 12:47	VX081425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.50	U	0.22	0.50	1.00	ug/L
74-87-3	Chloromethane	0.50	U	0.32	0.50	1.00	ug/L
75-01-4	Vinyl Chloride	0.75	U	0.26	0.75	1.00	ug/L
74-83-9	Bromomethane	3.80	U	1.40	3.80	5.00	ug/L
75-00-3	Chloroethane	0.75	U	0.47	0.75	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.50	U	0.33	0.50	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.50	U	0.25	0.50	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.23	0.75	1.00	ug/L
67-64-1	Acetone	3.60	J	1.50	3.80	5.00	ug/L
75-15-0	Carbon Disulfide	0.75	U	0.21	0.75	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.50	U	0.16	0.50	1.00	ug/L
79-20-9	Methyl Acetate	0.75	U	0.27	0.75	1.00	ug/L
75-09-2	Methylene Chloride	0.50	U	0.28	0.50	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.50	U	0.23	0.50	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.50	U	0.23	0.50	1.00	ug/L
110-82-7	Cyclohexane	2.50	U	1.50	2.50	5.00	ug/L
78-93-3	2-Butanone	2.50	U	0.98	2.50	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.75	U	0.19	0.75	1.00	ug/L
74-97-5	Bromochloromethane	0.50	U	0.22	0.50	1.00	ug/L
67-66-3	Chloroform	0.50	U	0.25	0.50	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.50	U	0.20	0.50	1.00	ug/L
108-87-2	Methylcyclohexane	0.50	U	0.16	0.50	1.00	ug/L
71-43-2	Benzene	0.50	U	0.15	0.50	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.50	U	0.22	0.50	1.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.090	0.75	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.50	U	0.20	0.50	1.00	ug/L
75-27-4	Bromodichloromethane	0.50	U	0.22	0.50	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	2.50	U	0.68	2.50	5.00	ug/L
108-88-3	Toluene	0.50	U	0.14	0.50	1.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TB	SDG No.:	Q2814
Lab Sample ID:	Q2814-21	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047339.D	1	08/14/25 12:47	VX081425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	0.50	U	0.17	0.50	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.50	U	0.16	0.50	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.50	U	0.21	0.50	1.00	ug/L
591-78-6	2-Hexanone	2.50	U	0.89	2.50	5.00	ug/L
124-48-1	Dibromochloromethane	0.50	U	0.18	0.50	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.50	U	0.15	0.50	1.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.23	0.50	1.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.12	0.50	1.00	ug/L
100-41-4	Ethyl Benzene	0.50	U	0.13	0.50	1.00	ug/L
179601-23-1	m/p-Xylenes	1.00	U	0.24	1.00	2.00	ug/L
95-47-6	o-Xylene	0.50	U	0.12	0.50	1.00	ug/L
100-42-5	Styrene	0.50	U	0.15	0.50	1.00	ug/L
75-25-2	Bromoform	0.50	U	0.19	0.50	1.00	ug/L
98-82-8	Isopropylbenzene	0.50	U	0.12	0.50	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.50	U	0.26	0.50	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.50	U	0.19	0.50	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	0.50	U	0.16	0.50	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.75	U	0.53	0.75	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.50	U	0.20	0.50	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.75	U	0.20	0.75	1.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	57.1		81 - 118		114%	SPK: 50
1868-53-7	Dibromofluoromethane	50.3		80 - 119		101%	SPK: 50
2037-26-5	Toluene-d8	54.9		89 - 112		110%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.8		85 - 114		104%	SPK: 50
INTERNAL STANDARDS							
363-72-4	Pentafluorobenzene	229000	5.562				
540-36-3	1,4-Difluorobenzene	436000	6.763				
3114-55-4	Chlorobenzene-d5	425000	10.055				
3855-82-1	1,4-Dichlorobenzene-d4	212000	12.018				

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TB	SDG No.:	Q2814
Lab Sample ID:	Q2814-21	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VX047339.D	1	08/14/25 12:47	VX081425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2814	OrderDate:	8/11/2025 10:31:02 AM
Client:	First Environment, Inc.	Project:	USACE018-44 DOD
Contact:	Al Smith	Location:	D31,D41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2814-01	TW-84SB-E	Water	VOC-TCLVOA-10	8260-Low	08/05/25		08/12/25	08/08/25
Q2814-02	TW-17M-N	Water	VOC-TCLVOA-10	8260-Low	08/05/25		08/12/25	08/08/25
Q2814-03	TW-17M-W	Water	VOC-TCLVOA-10	8260-Low	08/05/25		08/12/25	08/08/25
Q2814-04	TW-82H-N	Water	VOC-TCLVOA-10	8260-Low	08/06/25		08/12/25	08/08/25
Q2814-05	TW-82H-E	Water	VOC-TCLVOA-10	8260-Low	08/06/25		08/12/25	08/08/25
Q2814-06	TW-82H-S	Water	VOC-TCLVOA-10	8260-Low	08/06/25		08/12/25	08/08/25
Q2814-06RE	TW-82H-SRE	Water	VOC-TCLVOA-10	8260-Low	08/06/25		08/13/25	08/08/25
Q2814-07	TW-82H-W	Water	VOC-TCLVOA-10	8260-Low	08/06/25		08/12/25	08/08/25
Q2814-07RE	TW-82H-WRE	Water	VOC-TCLVOA-10	8260-Low	08/06/25		08/13/25	08/08/25
Q2814-08	TW-38M-E	Water	VOC-TCLVOA-10	8260-Low	08/06/25		08/12/25	08/08/25
Q2814-09	TW-38M-W	Water	VOC-TCLVOA-10	8260-Low	08/06/25		08/12/25	08/08/25
Q2814-10	TW-38M-N	Water			08/06/25			08/08/25

LAB CHRONICLE

			VOC-TCLVOA-10	8260-Low		08/12/25	
Q2814-11	TW-38M-S	Water			08/06/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/12/25	
Q2814-12	TW-BP-S	Water			08/04/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/12/25	
Q2814-12RE	TW-BP-SRE	Water			08/04/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/13/25	
Q2814-13	TW-BP-N	Water			08/04/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/12/25	
Q2814-14	TW-BP-E	Water			08/04/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/12/25	
Q2814-15	TW-BP-W	Water			08/04/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/12/25	
Q2814-16	FB	Water			08/04/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/13/25	
Q2814-17	TW-518R-S	Water			08/05/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/14/25	
Q2814-18	TW-518R-N	Water			08/05/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/13/25	
Q2814-18RE	TW-518R-NRE	Water			08/05/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/14/25	
Q2814-19	TW-518R-E	Water			08/05/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/13/25	
Q2814-19RE	TW-518R-ERE	Water			08/05/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/14/25	
Q2814-20	TW-518R-W	Water			08/05/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/13/25	
Q2814-21	TB	Water			08/08/25		08/08/25
			VOC-TCLVOA-10	8260-Low		08/14/25	

Hit Summary Sheet SW-846

SDG No.: Q2814
Client: First Environment, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : TW-84SB-E									
Q2814-01	TW-84SB-E	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	8.300	AB	0	0	ug/L
Q2814-01	TW-84SB-E	WATER	Benzophenone	*	2.700	J	0	0	ug/L
Q2814-01	TW-84SB-E	WATER	Butane, 2-methoxy-2-methyl-	*	110.000	JB	0	0	ug/L
Total Tics :					121.00				
Total Concentration:					121.00				
Client ID : TW-17M-N									
Q2814-02	TW-17M-N	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	7.900	AB	0	0	ug/L
Q2814-02	TW-17M-N	WATER	Benzophenone	*	6.800	J	0	0	ug/L
Q2814-02	TW-17M-N	WATER	Butane, 2-methoxy-2-methyl-	*	100.000	JB	0	0	ug/L
Q2814-02	TW-17M-N	WATER	Heptadecyl heptafluorobutyrate	*	4.000	J	0	0	ug/L
Q2814-02	TW-17M-N	WATER	n-Hexadecanoic acid	*	5.000	J	0	0	ug/L
Total Tics :					123.70				
Total Concentration:					123.70				
Client ID : TW-17M-W									
Q2814-03	TW-17M-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	8.500	AB	0	0	ug/L
Q2814-03	TW-17M-W	WATER	Benzophenone	*	6.500	J	0	0	ug/L
Q2814-03	TW-17M-W	WATER	Butane, 2-methoxy-2-methyl-	*	99.800	JB	0	0	ug/L
Q2814-03	TW-17M-W	WATER	Heptadecyl heptafluorobutyrate	*	4.300	J	0	0	ug/L
Q2814-03	TW-17M-W	WATER	n-Hexadecanoic acid	*	5.400	J	0	0	ug/L
Total Tics :					124.50				
Total Concentration:					124.50				
Client ID : TW-82H-N									
Q2814-04	TW-82H-N	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	12.000	AB	0	0	ug/L
Q2814-04	TW-82H-N	WATER	Benzophenone	*	5.700	J	0	0	ug/L
Q2814-04	TW-82H-N	WATER	Butane, 2-methoxy-2-methyl-	*	100.000	JB	0	0	ug/L
Q2814-04	TW-82H-N	WATER	Heptadecyl heptafluorobutyrate	*	3.700	J	0	0	ug/L
Q2814-04	TW-82H-N	WATER	n-Hexadecanoic acid	*	7.200	J	0	0	ug/L
Total Tics :					128.60				
Total Concentration:					128.60				
Client ID : TW-82H-E									
Q2814-05	TW-82H-E	WATER	1-Decanol, 2-hexyl-	*	4.200	J	0	0	ug/L
Q2814-05	TW-82H-E	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	7.700	AB	0	0	ug/L
Q2814-05	TW-82H-E	WATER	Benzophenone	*	9.000	J	0	0	ug/L
Q2814-05	TW-82H-E	WATER	Butane, 2-methoxy-2-methyl-	*	83.300	JB	0	0	ug/L
Q2814-05	TW-82H-E	WATER	n-Hexadecanoic acid	*	4.800	J	0	0	ug/L
Total Tics :					109.00				

Hit Summary Sheet SW-846

SDG No.: Q2814
Client: First Environment, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	LOD	RDL	Units
			Total Concentration:	109.00					
Client ID :	TW-82H-S								
Q2814-06	TW-82H-S	WATER	2-Pentanone, 4-hydroxy-4-methyl *	7.100	AB	0		0	ug/L
Q2814-06	TW-82H-S	WATER	Benzophenone *	9.600	J	0		0	ug/L
Q2814-06	TW-82H-S	WATER	Butane, 2-methoxy-2-methyl- *	90.900	JB	0		0	ug/L
Q2814-06	TW-82H-S	WATER	Carbonic acid, eicosyl vinyl ester *	5.600	J	0		0	ug/L
Q2814-06	TW-82H-S	WATER	Hentriacontane *	2.400	J	0		0	ug/L
Q2814-06	TW-82H-S	WATER	n-Hexadecanoic acid *	6.400	J	0		0	ug/L
Q2814-06	TW-82H-S	WATER	unknown8.328 *	4.600	J	0		0	ug/L
			Total Tics :	126.60					
			Total Concentration:	126.60					
Client ID :	TW-82H-W								
Q2814-07	TW-82H-W	WATER	2-Pentanone, 4-hydroxy-4-methyl *	7.800	AB	0		0	ug/L
Q2814-07	TW-82H-W	WATER	3-Ethoxy-4-hydroxyphenylacetone *	2.900	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	4-(7-Methyloctyl)phenol *	6.300	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	5-(4-Trifluormethylsulfonylpheny *	4.900	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	Acetamide, N-(3-methylphenyl)- *	6.400	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	Benzophenone *	8.900	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	Butane, 2-methoxy-2-methyl- *	80.600	JB	0		0	ug/L
Q2814-07	TW-82H-W	WATER	Cholesterol *	7.600	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	Heptadecyl heptafluorobutyrate *	3.600	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	Ibuprofen *	5.100	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	Morpholine, 2,6-dimethyl- *	7.700	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	n-Hexadecanoic acid *	7.700	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	Pentanoic acid, 5-hydroxy-, p-t-bu *	3.600	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	Phenol, 2-(1,1,3,3-tetramethylbuty *	6.500	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	unknown10.886 *	4.200	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	unknown11.116 *	3.800	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	unknown14.251 *	3.100	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	unknown14.551 *	2.900	J	0		0	ug/L
Q2814-07	TW-82H-W	WATER	unknown16.386 *	5.500	J	0		0	ug/L
			Total Tics :	179.10					
			Total Concentration:	179.10					
Client ID :	TW-38M-E								
Q2814-08	TW-38M-E	WATER	2-Pentanone, 4-hydroxy-4-methyl *	7.500	AB	0		0	ug/L
Q2814-08	TW-38M-E	WATER	Benzophenone *	6.000	J	0		0	ug/L
Q2814-08	TW-38M-E	WATER	Butane, 2-methoxy-2-methyl- *	100.000	JB	0		0	ug/L
			Total Tics :	113.50					

Hit Summary Sheet SW-846

SDG No.: Q2814
Client: First Environment, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	LOD	RDL	Units	
			Total Concentration:	113.50						
Client ID :	TW-38M-W									
Q2814-09	TW-38M-W	WATER	1-Dodecanol, 2-hexyl-	*	4.200	J	0	0	ug/L	
Q2814-09	TW-38M-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	6.900	AB	0	0	ug/L	
Q2814-09	TW-38M-W	WATER	Benzophenone	*	9.900	J	0	0	ug/L	
Q2814-09	TW-38M-W	WATER	Butane, 2-methoxy-2-methyl-	*	80.600	JB	0	0	ug/L	
Q2814-09	TW-38M-W	WATER	n-Hexadecanoic acid	*	4.100	J	0	0	ug/L	
			Total Tics :	105.70						
			Total Concentration:	105.70						
Client ID :	TW-38M-N									
Q2814-10	TW-38M-N	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	9.700	AB	0	0	ug/L	
Q2814-10	TW-38M-N	WATER	Benzophenone	*	9.300	J	0	0	ug/L	
Q2814-10	TW-38M-N	WATER	Butane, 2-methoxy-2-methyl-	*	93.000	JB	0	0	ug/L	
Q2814-10	TW-38M-N	WATER	Hexatriacontyl pentafluoropropior	*	4.400	J	0	0	ug/L	
Q2814-10	TW-38M-N	WATER	n-Hexadecanoic acid	*	5.300	J	0	0	ug/L	
			Total Tics :	121.70						
			Total Concentration:	121.70						
Client ID :	TW-38M-S									
Q2814-11	TW-38M-S	WATER	Bis(2-ethylhexyl)phthalate		4.900	J	1.6	4	5	ug/L
			Total Svoc :	4.90						
Q2814-11	TW-38M-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	9.500	AB	0	0	ug/L	
Q2814-11	TW-38M-S	WATER	Benzophenone	*	6.700	J	0	0	ug/L	
Q2814-11	TW-38M-S	WATER	Butane, 2-methoxy-2-methyl-	*	100.000	JB	0	0	ug/L	
Q2814-11	TW-38M-S	WATER	n-Hexadecanoic acid	*	2.800	J	0	0	ug/L	
Q2814-11	TW-38M-S	WATER	Tricyclo[5.2.1.0(2,6)]dec-3-en-10-	*	2.800	J	0	0	ug/L	
Q2814-11	TW-38M-S	WATER	unknown8.328	*	2.300	J	0	0	ug/L	
			Total Tics :	124.10						
			Total Concentration:	129.00						
Client ID :	TW-BP-S									
Q2814-12	TW-BP-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	9.800	AB	0	0	ug/L	
Q2814-12	TW-BP-S	WATER	Benzophenone	*	12.400	J	0	0	ug/L	
Q2814-12	TW-BP-S	WATER	Butane, 2-methoxy-2-methyl-	*	79.800	JB	0	0	ug/L	
Q2814-12	TW-BP-S	WATER	n-Hexadecanoic acid	*	8.700	J	0	0	ug/L	
Q2814-12	TW-BP-S	WATER	Pentadecafluorooctanoic acid, oct:	*	5.700	J	0	0	ug/L	
			Total Tics :	116.40						
			Total Concentration:	116.40						
Client ID :	TW-BP-N									
Q2814-13	TW-BP-N	WATER	1-Octadecanol	*	2.200	J	0	0	ug/L	

Hit Summary Sheet SW-846

SDG No.: Q2814
Client: First Environment, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2814-13	TW-BP-N	WATER	2-Pentanone, 4-hydroxy-4-methyl *	7.600	AB	0		0	ug/L
Q2814-13	TW-BP-N	WATER	Benzophenone *	6.900	J	0		0	ug/L
Q2814-13	TW-BP-N	WATER	Butane, 2-methoxy-2-methyl- *	100.000	JB	0		0	ug/L
Q2814-13	TW-BP-N	WATER	Diethyltoluamide *	6.300	J	0		0	ug/L
Q2814-13	TW-BP-N	WATER	n-Hexadecanoic acid *	2.200	J	0		0	ug/L
Total Tics :				125.20					
Total Concentration:				125.20					
Client ID : TW-BP-E									
Q2814-14	TW-BP-E	WATER	2-Pentanone, 4-hydroxy-4-methyl *	6.700	AB	0		0	ug/L
Q2814-14	TW-BP-E	WATER	Benzophenone *	3.500	J	0		0	ug/L
Q2814-14	TW-BP-E	WATER	Butane, 2-methoxy-2-methyl- *	110.000	JB	0		0	ug/L
Q2814-14	TW-BP-E	WATER	n-Hexadecanoic acid *	2.800	J	0		0	ug/L
Total Tics :				123.00					
Total Concentration:				123.00					
Client ID : TW-BP-W									
Q2814-15	TW-BP-W	WATER	2-Pentanone, 4-hydroxy-4-methyl *	7.100	AB	0		0	ug/L
Q2814-15	TW-BP-W	WATER	Benzophenone *	5.900	J	0		0	ug/L
Q2814-15	TW-BP-W	WATER	Butane, 2-methoxy-2-methyl- *	98.200	JB	0		0	ug/L
Q2814-15	TW-BP-W	WATER	Eicosane *	3.500	J	0		0	ug/L
Q2814-15	TW-BP-W	WATER	n-Hexadecanoic acid *	3.500	J	0		0	ug/L
Total Tics :				118.20					
Total Concentration:				118.20					
Client ID : FB									
Q2814-16	FB	WATER	1-(1-tert-Butoxypropan-2-yloxy)p *	2.800	J	0		0	ug/L
Q2814-16	FB	WATER	2-Pentanone, 4-hydroxy-4-methyl *	9.800	AB	0		0	ug/L
Q2814-16	FB	WATER	2-Propanol, 1-(2-butoxy-1-methyl *	5.500	J	0		0	ug/L
Q2814-16	FB	WATER	Butane, 2-methoxy-2-methyl- *	96.900	JB	0		0	ug/L
Q2814-16	FB	WATER	Hexanoic acid, 2-ethyl- *	21.400	J	0		0	ug/L
Q2814-16	FB	WATER	unknown15.680 *	4.700	J	0		0	ug/L
Q2814-16	FB	WATER	unknown8.581 *	4.700	J	0		0	ug/L
Total Tics :				145.80					
Total Concentration:				145.80					
Client ID : TW-518R-S									
Q2814-17	TW-518R-S	WATER	Bis(2-ethylhexyl)phthalate	6.300		1.6	4	5.1	ug/L
Total Svoc :				6.30					
Q2814-17	TW-518R-S	WATER	1-(4-Pyridinyl)piperazine *	5.800	J	0		0	ug/L
Q2814-17	TW-518R-S	WATER	2-Pentanone, 4-hydroxy-4-methyl *	5.800	AB	0		0	ug/L
Q2814-17	TW-518R-S	WATER	4-(1,1-Dimethylheptyl)phenol *	8.400	J	0		0	ug/L
Q2814-17	TW-518R-S	WATER	4-(7-Methyloctyl)phenol *	8.900	J	0		0	ug/L

Hit Summary Sheet SW-846

SDG No.: Q2814
Client: First Environment, Inc.

Sample ID	Client ID	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2814-17	TW-518R-S	WATER 5H-Pyrrolo(3,2-d)pyrimidine-2,4-	*	14.000	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER 6-Amino-1-methylpurine	*	5.100	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER Acetamide, N-(2,5-dimethylpheny	*	4.900	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER Acetamide, N-(3-methylphenyl)-	*	3.200	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER Benzophenone	*	7.100	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER Butane, 2-methoxy-2-methyl-	*	73.300	JB	0	0	ug/L
Q2814-17	TW-518R-S	WATER Dimantine	*	5.500	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER Ethanol, 2-(tetradecyloxy)-	*	6.500	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER Hexacosane	*	2.500	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER n-Hexadecanoic acid	*	10.600	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER Octadecanoic acid	*	5.200	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER Phenol, 4-(1,1,3,3-tetramethylbuty	*	8.200	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER Supraene	*	2.400	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER unknown16.331	*	13.600	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER unknown16.436	*	7.600	J	0	0	ug/L
Q2814-17	TW-518R-S	WATER unknown16.483	*	5.700	J	0	0	ug/L
Total Tics :				204.30				
Total Concentration:				210.60				

Client ID : TW-518R-N

Q2814-18	TW-518R-N	WATER 10,18-Bisnorabieta-8,11,13-triene	*	2.400	J	0	0	ug/L
Q2814-18	TW-518R-N	WATER 1-Docosene	*	12.600	J	0	0	ug/L
Q2814-18	TW-518R-N	WATER 2-Pentanone, 4-hydroxy-4-methyl	*	7.000	AB	0	0	ug/L
Q2814-18	TW-518R-N	WATER 9,12-Octadecadienoic acid (Z,Z)-	*	2.100	J	0	0	ug/L
Q2814-18	TW-518R-N	WATER 9-Octadecenoic acid	*	2.200	J	0	0	ug/L
Q2814-18	TW-518R-N	WATER Benzophenone	*	15.600	J	0	0	ug/L
Q2814-18	TW-518R-N	WATER Butane, 2-methoxy-2-methyl-	*	82.500	JB	0	0	ug/L
Q2814-18	TW-518R-N	WATER Eicosane	*	2.200	J	0	0	ug/L
Q2814-18	TW-518R-N	WATER Heneicosane	*	4.400	J	0	0	ug/L
Q2814-18	TW-518R-N	WATER Methanone, (1-hydroxycyclohexy	*	2.500	J	0	0	ug/L
Q2814-18	TW-518R-N	WATER n-Hexadecanoic acid	*	14.400	J	0	0	ug/L
Q2814-18	TW-518R-N	WATER Nonadecane	*	2.700	J	0	0	ug/L
Q2814-18	TW-518R-N	WATER Octadecanoic acid	*	5.100	J	0	0	ug/L
Q2814-18	TW-518R-N	WATER Squalene	*	3.800	J	0	0	ug/L
Q2814-18	TW-518R-N	WATER Tetracosane	*	3.500	J	0	0	ug/L
Q2814-18	TW-518R-N	WATER unknown10.049	*	3.200	J	0	0	ug/L
Total Tics :				166.20				
Total Concentration:				166.20				

Client ID : TW-518R-E

Q2814-19	TW-518R-E	WATER 2-Pentanone, 4-hydroxy-4-methyl	*	7.700	AB	0	0	ug/L
----------	-----------	---------------------------------------	---	-------	----	---	---	------

Hit Summary Sheet SW-846

SDG No.: Q2814
Client: First Environment, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2814-19	TW-518R-E	WATER	Benzophenone	*	9.000 J	0		0	ug/L
Q2814-19	TW-518R-E	WATER	Butane, 2-methoxy-2-methyl-	*	95.700 JB	0		0	ug/L
Q2814-19	TW-518R-E	WATER	Eicosane	*	2.100 J	0		0	ug/L
Q2814-19	TW-518R-E	WATER	Ethanol, 2-(2-butoxyethoxy)-	*	2.800 J	0		0	ug/L
Q2814-19	TW-518R-E	WATER	Heneicosane	*	2.300 J	0		0	ug/L
Q2814-19	TW-518R-E	WATER	Hentriacontane	*	2.300 J	0		0	ug/L
Q2814-19	TW-518R-E	WATER	Hexadecanoic acid, 2-methylpropyl	*	2.300 J	0		0	ug/L
Q2814-19	TW-518R-E	WATER	Hexadecanoic acid, butyl ester	*	5.000 J	0		0	ug/L
Q2814-19	TW-518R-E	WATER	Methanone, (1-hydroxycyclohexyl)	*	2.100 J	0		0	ug/L
Q2814-19	TW-518R-E	WATER	n-Hexadecanoic acid	*	6.100 J	0		0	ug/L
Q2814-19	TW-518R-E	WATER	Octadecanoic acid, butyl ester	*	3.200 J	0		0	ug/L
Q2814-19	TW-518R-E	WATER	Pentacosane	*	2.600 J	0		0	ug/L
Q2814-19	TW-518R-E	WATER	Tetratetracontane	*	2.900 J	0		0	ug/L

Total Tics : **146.10**

Total Concentration: **146.10**

Client ID : **TW-518R-W**

Q2814-20	TW-518R-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	8.300 AB	0		0	ug/L
Q2814-20	TW-518R-W	WATER	3-Eicosene, (E)-	*	3.000 J	0		0	ug/L
Q2814-20	TW-518R-W	WATER	Benzophenone	*	7.300 J	0		0	ug/L
Q2814-20	TW-518R-W	WATER	Butane, 2-methoxy-2-methyl-	*	76.300 JB	0		0	ug/L
Q2814-20	TW-518R-W	WATER	Diethyltoluamide	*	2.100 J	0		0	ug/L
Q2814-20	TW-518R-W	WATER	n-Hexadecanoic acid	*	5.200 J	0		0	ug/L

Total Tics : **102.20**

Total Concentration: **102.20**



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143379.D	1	08/12/25 09:55	08/14/25 13:55	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143379.D	1	08/12/25 09:55	08/14/25 13:55	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143379.D	1	08/12/25 09:55	08/14/25 13:55	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	85.9		19 - 119		57%	SPK: 150
13127-88-3	Phenol-d6	63.4		10 - 130		42%	SPK: 150
4165-60-0	Nitrobenzene-d5	118		44 - 120		118%	SPK: 100
321-60-8	2-Fluorobiphenyl	103		44 - 119		103%	SPK: 100
118-79-6	2,4,6-Tribromophenol	203		43 - 140		135%	SPK: 150
1718-51-0	Terphenyl-d14	112		50 - 134		112%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	146000	6.934				
1146-65-2	Naphthalene-d8	556000	8.216				
15067-26-2	Acenaphthene-d10	300000	9.969				
1517-22-2	Phenanthrene-d10	475000	11.457				
1719-03-5	Chrysene-d12	287000	14.098				
1520-96-3	Perylene-d12	274000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	110	JB			2.27	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	8.30	AB			5.16	ug/L
000119-61-9	Benzophenone	2.70	J			10.7	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143379.D	1	08/12/25 09:55	08/14/25 13:55	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-02	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143380.D	1	08/12/25 09:55	08/14/25 14:25	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-02	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143380.D	1	08/12/25 09:55	08/14/25 14:25	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-02	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143380.D	1	08/12/25 09:55	08/14/25 14:25	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	61.0		19 - 119		41%	SPK: 150
13127-88-3	Phenol-d6	42.6		10 - 130		28%	SPK: 150
4165-60-0	Nitrobenzene-d5	105		44 - 120		105%	SPK: 100
321-60-8	2-Fluorobiphenyl	92.4		44 - 119		92%	SPK: 100
118-79-6	2,4,6-Tribromophenol	147		43 - 140		98%	SPK: 150
1718-51-0	Terphenyl-d14	98.9		50 - 134		99%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	148000	6.934				
1146-65-2	Naphthalene-d8	580000	8.216				
15067-26-2	Acenaphthene-d10	307000	9.969				
1517-22-2	Phenanthrene-d10	472000	11.457				
1719-03-5	Chrysene-d12	277000	14.098				
1520-96-3	Perylene-d12	297000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	100	JB		2.27		ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.90	AB		5.16		ug/L
000119-61-9	Benzophenone	6.80	J		10.7		ug/L
000057-10-3	n-Hexadecanoic acid	5.00	J		12.0		ug/L
959085-66-6	Heptadecyl heptafluorobutyrate	4.00	J		13.9		ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-02	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143380.D	1	08/12/25 09:55	08/14/25 14:25	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-03	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143381.D	1	08/12/25 09:55	08/14/25 14:55	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-03	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143381.D	1	08/12/25 09:55	08/14/25 14:55	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-03	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143381.D	1	08/12/25 09:55	08/14/25 14:55	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	89.0		19 - 119		59%	SPK: 150
13127-88-3	Phenol-d6	68.5		10 - 130		46%	SPK: 150
4165-60-0	Nitrobenzene-d5	115		44 - 120		115%	SPK: 100
321-60-8	2-Fluorobiphenyl	100		44 - 119		100%	SPK: 100
118-79-6	2,4,6-Tribromophenol	194		43 - 140		129%	SPK: 150
1718-51-0	Terphenyl-d14	110		50 - 134		110%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	152000		6.934			
1146-65-2	Naphthalene-d8	588000		8.21			
15067-26-2	Acenaphthene-d10	307000		9.969			
1517-22-2	Phenanthrene-d10	468000		11.457			
1719-03-5	Chrysene-d12	269000		14.098			
1520-96-3	Perylene-d12	301000		15.592			
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	99.8	JB			2.28	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	8.50	AB			5.17	ug/L
000119-61-9	Benzophenone	6.50	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	5.40	J			12.0	ug/L
959085-66-6	Heptadecyl heptafluorobutyrate	4.30	J			13.9	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-03	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143381.D	1	08/12/25 09:55	08/14/25 14:55	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-04	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	870 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143382.D	1	08/12/25 09:55	08/14/25 15:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	9.20	U	4.50	9.20	11.5	ug/L
108-95-2	Phenol	4.60	U	1.00	4.60	5.70	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.60	U	0.93	4.60	5.70	ug/L
95-57-8	2-Chlorophenol	4.60	U	0.67	4.60	5.70	ug/L
95-48-7	2-Methylphenol	4.60	U	1.30	4.60	5.70	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.60	U	1.50	4.60	5.70	ug/L
98-86-2	Acetophenone	4.60	U	0.85	4.60	5.70	ug/L
65794-96-9	3+4-Methylphenols	9.20	U	1.30	9.20	11.5	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.90	U	1.60	2.90	2.90	ug/L
67-72-1	Hexachloroethane	4.60	U	0.75	4.60	5.70	ug/L
98-95-3	Nitrobenzene	4.60	U	0.87	4.60	5.70	ug/L
78-59-1	Isophorone	4.60	U	0.86	4.60	5.70	ug/L
88-75-5	2-Nitrophenol	4.60	U	2.00	4.60	5.70	ug/L
105-67-9	2,4-Dimethylphenol	4.60	U	2.10	4.60	5.70	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.60	U	0.78	4.60	5.70	ug/L
120-83-2	2,4-Dichlorophenol	4.60	U	0.60	4.60	5.70	ug/L
91-20-3	Naphthalene	4.60	U	0.57	4.60	5.70	ug/L
106-47-8	4-Chloroaniline	4.60	U	0.97	4.60	5.70	ug/L
87-68-3	Hexachlorobutadiene	4.60	U	0.62	4.60	5.70	ug/L
105-60-2	Caprolactam	9.20	U	1.30	9.20	11.5	ug/L
59-50-7	4-Chloro-3-methylphenol	4.60	U	0.68	4.60	5.70	ug/L
91-57-6	2-Methylnaphthalene	4.60	U	0.64	4.60	5.70	ug/L
77-47-4	Hexachlorocyclopentadiene	9.20	U	4.20	9.20	11.5	ug/L
88-06-2	2,4,6-Trichlorophenol	4.60	U	0.59	4.60	5.70	ug/L
95-95-4	2,4,5-Trichlorophenol	4.60	U	0.71	4.60	5.70	ug/L
92-52-4	1,1-Biphenyl	4.60	U	0.61	4.60	5.70	ug/L
91-58-7	2-Chloronaphthalene	4.60	U	0.70	4.60	5.70	ug/L
88-74-4	2-Nitroaniline	4.60	U	1.40	4.60	5.70	ug/L
131-11-3	Dimethylphthalate	4.60	U	0.70	4.60	5.70	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-04	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	870 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143382.D	1	08/12/25 09:55	08/14/25 15:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.60	U	0.86	4.60	5.70	ug/L
606-20-2	2,6-Dinitrotoluene	4.60	U	1.10	4.60	5.70	ug/L
99-09-2	3-Nitroaniline	4.60	U	1.20	4.60	5.70	ug/L
83-32-9	Acenaphthene	4.60	U	0.63	4.60	5.70	ug/L
51-28-5	2,4-Dinitrophenol	9.20	U	6.90	9.20	11.5	ug/L
100-02-7	4-Nitrophenol	9.20	U	2.70	9.20	11.5	ug/L
132-64-9	Dibenzofuran	4.60	U	0.70	4.60	5.70	ug/L
121-14-2	2,4-Dinitrotoluene	4.60	U	1.40	4.60	5.70	ug/L
84-66-2	Diethylphthalate	4.60	U	0.79	4.60	5.70	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.60	U	0.78	4.60	5.70	ug/L
86-73-7	Fluorene	4.60	U	0.72	4.60	5.70	ug/L
100-01-6	4-Nitroaniline	4.60	U	1.70	4.60	5.70	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	9.20	U	3.30	9.20	11.5	ug/L
86-30-6	n-Nitrosodiphenylamine	4.60	U	0.67	4.60	5.70	ug/L
101-55-3	4-Bromophenyl-phenylether	4.60	U	0.46	4.60	5.70	ug/L
118-74-1	Hexachlorobenzene	4.60	U	0.60	4.60	5.70	ug/L
1912-24-9	Atrazine	4.60	U	1.20	4.60	5.70	ug/L
87-86-5	Pentachlorophenol	9.20	U	1.80	9.20	11.5	ug/L
85-01-8	Phenanthrene	4.60	U	0.57	4.60	5.70	ug/L
120-12-7	Anthracene	4.60	U	0.70	4.60	5.70	ug/L
86-74-8	Carbazole	4.60	U	0.83	4.60	5.70	ug/L
84-74-2	Di-n-butylphthalate	4.60	U	1.40	4.60	5.70	ug/L
206-44-0	Fluoranthene	4.60	U	0.94	4.60	5.70	ug/L
129-00-0	Pyrene	4.60	U	0.57	4.60	5.70	ug/L
85-68-7	Butylbenzylphthalate	4.60	U	2.20	4.60	5.70	ug/L
91-94-1	3,3-Dichlorobenzidine	9.20	U	1.10	9.20	11.5	ug/L
56-55-3	Benzo(a)anthracene	4.60	U	0.52	4.60	5.70	ug/L
218-01-9	Chrysene	4.60	U	0.51	4.60	5.70	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.60	U	1.80	4.60	5.70	ug/L
117-84-0	Di-n-octyl phthalate	9.20	U	2.70	9.20	11.5	ug/L
205-99-2	Benzo(b)fluoranthene	4.60	U	0.56	4.60	5.70	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-04	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	870 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143382.D	1	08/12/25 09:55	08/14/25 15:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.60	U	0.55	4.60	5.70	ug/L
50-32-8	Benzo(a)pyrene	4.60	U	0.63	4.60	5.70	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.60	U	0.68	4.60	5.70	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.60	U	0.77	4.60	5.70	ug/L
191-24-2	Benzo(g,h,i)perylene	4.60	U	0.79	4.60	5.70	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.60	U	0.60	4.60	5.70	ug/L
123-91-1	1,4-Dioxane	4.60	UQ	1.10	4.60	5.70	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.60	U	0.83	4.60	5.70	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	76.7		19 - 119		51%	SPK: 150
13127-88-3	Phenol-d6	60.5		10 - 130		40%	SPK: 150
4165-60-0	Nitrobenzene-d5	89.1		44 - 120		89%	SPK: 100
321-60-8	2-Fluorobiphenyl	80.2		44 - 119		80%	SPK: 100
118-79-6	2,4,6-Tribromophenol	155		43 - 140		104%	SPK: 150
1718-51-0	Terphenyl-d14	85.2		50 - 134		85%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	153000	6.934				
1146-65-2	Naphthalene-d8	588000	8.21				
15067-26-2	Acenaphthene-d10	318000	9.969				
1517-22-2	Phenanthrene-d10	485000	11.457				
1719-03-5	Chrysene-d12	295000	14.098				
1520-96-3	Perylene-d12	317000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	100	JB		2.26		ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	12.0	AB		5.16		ug/L
000119-61-9	Benzophenone	5.70	J		10.7		ug/L
000057-10-3	n-Hexadecanoic acid	7.20	J		12.0		ug/L
959085-66-6	Heptadecyl heptafluorobutyrate	3.70	J		13.9		ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-04	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	870 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143382.D	1	08/12/25 09:55	08/14/25 15:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-05	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143383.D	1	08/12/25 09:55	08/14/25 15:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-05	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143383.D	1	08/12/25 09:55	08/14/25 15:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-05	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143383.D	1	08/12/25 09:55	08/14/25 15:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	47.1		19 - 119		31%	SPK: 150
13127-88-3	Phenol-d6	41.8		10 - 130		28%	SPK: 150
4165-60-0	Nitrobenzene-d5	43.7		44 - 120		44%	SPK: 100
321-60-8	2-Fluorobiphenyl	40.0	*	44 - 119		40%	SPK: 100
118-79-6	2,4,6-Tribromophenol	68.3		43 - 140		46%	SPK: 150
1718-51-0	Terphenyl-d14	43.7	*	50 - 134		44%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	146000		6.934			
1146-65-2	Naphthalene-d8	556000		8.21			
15067-26-2	Acenaphthene-d10	299000		9.969			
1517-22-2	Phenanthrene-d10	461000		11.457			
1719-03-5	Chrysene-d12	255000		14.098			
1520-96-3	Perylene-d12	257000		15.592			
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	83.3	JB			2.26	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.70	AB			5.16	ug/L
000119-61-9	Benzophenone	9.00	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	4.80	J			12.0	ug/L
002425-77-6	1-Decanol, 2-hexyl-	4.20	J			13.9	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-05	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143383.D	1	08/12/25 09:55	08/14/25 15:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-ERE	SDG No.:	Q2814
Lab Sample ID:	Q2814-05RE	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025426.D	1	08/12/25 09:55	08/15/25 14:08	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-ERE	SDG No.:	Q2814
Lab Sample ID:	Q2814-05RE	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025426.D	1	08/12/25 09:55	08/15/25 14:08	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-ERE	SDG No.:	Q2814
Lab Sample ID:	Q2814-05RE	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025426.D	1	08/12/25 09:55	08/15/25 14:08	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	44.2		19 - 119		29%	SPK: 150
13127-88-3	Phenol-d6	38.7		10 - 130		26%	SPK: 150
4165-60-0	Nitrobenzene-d5	34.6	*	44 - 120		35%	SPK: 100
321-60-8	2-Fluorobiphenyl	31.4	*	44 - 119		31%	SPK: 100
118-79-6	2,4,6-Tribromophenol	53.9	*	43 - 140		36%	SPK: 150
1718-51-0	Terphenyl-d14	32.8	*	50 - 134		33%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	138000	7.79				
1146-65-2	Naphthalene-d8	541000	10.554				
15067-26-2	Acenaphthene-d10	371000	14.401				
1517-22-2	Phenanthrene-d10	763000	17.201				
1719-03-5	Chrysene-d12	865000	21.63				
1520-96-3	Perylene-d12	963000	24.989				

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-06	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143384.D	1	08/12/25 09:55	08/14/25 16:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-06	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143384.D	1	08/12/25 09:55	08/14/25 16:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-06	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143384.D	1	08/12/25 09:55	08/14/25 16:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	62.0		19 - 119		41%	SPK: 150
13127-88-3	Phenol-d6	53.1		10 - 130		35%	SPK: 150
4165-60-0	Nitrobenzene-d5	59.1		44 - 120		59%	SPK: 100
321-60-8	2-Fluorobiphenyl	50.4		44 - 119		50%	SPK: 100
118-79-6	2,4,6-Tribromophenol	88.9		43 - 140		59%	SPK: 150
1718-51-0	Terphenyl-d14	47.7	*	50 - 134		48%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	144000		6.934			
1146-65-2	Naphthalene-d8	564000		8.216			
15067-26-2	Acenaphthene-d10	297000		9.969			
1517-22-2	Phenanthrene-d10	452000		11.457			
1719-03-5	Chrysene-d12	249000		14.098			
1520-96-3	Perylene-d12	291000		15.592			
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	90.9	JB			2.26	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.10	AB			5.16	ug/L
	unknown8.328	4.60	J			8.33	ug/L
000119-61-9	Benzophenone	9.60	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	6.40	J			12.0	ug/L
1000382-54-3	Carbonic acid, eicosyl vinyl ester	5.60	J			13.9	ug/L
000630-04-6	Hentriacontane	2.40	J			14.6	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-06	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143384.D	1	08/12/25 09:55	08/14/25 16:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-07	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143534.D	1	08/12/25 09:55	08/21/25 17:07	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-07	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143534.D	1	08/12/25 09:55	08/21/25 17:07	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-07	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143534.D	1	08/12/25 09:55	08/21/25 17:07	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	86.2		19 - 119		57%	SPK: 150
13127-88-3	Phenol-d6	73.4		10 - 130		49%	SPK: 150
4165-60-0	Nitrobenzene-d5	97.1		44 - 120		97%	SPK: 100
321-60-8	2-Fluorobiphenyl	94.6		44 - 119		95%	SPK: 100
118-79-6	2,4,6-Tribromophenol	139		43 - 140		93%	SPK: 150
1718-51-0	Terphenyl-d14	75.7		50 - 134		76%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	108000		6.928			
1146-65-2	Naphthalene-d8	408000		8.204			
15067-26-2	Acenaphthene-d10	213000		9.963			
1517-22-2	Phenanthrene-d10	291000		11.451			
1719-03-5	Chrysene-d12	216000		14.092			
1520-96-3	Perylene-d12	249000		15.592			
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	80.6	JB			2.29	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.80	AB			5.16	ug/L
000141-91-3	Morpholine, 2,6-dimethyl-	7.70	J			8.32	ug/L
003884-95-5	Phenol, 2-(1,1,3,3-tetramethylbuty	6.50	J			10.5	ug/L
015687-27-1	Ibuprofen	5.10	J			10.5	ug/L
000119-61-9	Benzophenone	8.90	J			10.7	ug/L
	unknown10.886	4.20	J			10.9	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-82H-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-07	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143534.D	1	08/12/25 09:55	08/21/25 17:07	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
187338-96-1	5-(4-Trifluoromethylsulfonylphenyl)	4.90	J			10.9	ug/L
000537-92-8	Acetamide, N-(3-methylphenyl)-	6.40	J			11.0	ug/L
024518-48-7	4-(7-Methyloctyl)phenol	6.30	J			11.0	ug/L
	unknown11.116	3.80	J			11.1	ug/L
166273-37-6	Pentanoic acid, 5-hydroxy-, p-t-bu	3.60	J			11.2	ug/L
205748-01-2	3-Ethoxy-4-hydroxyphenylacetone	2.90	J			11.2	ug/L
000057-10-3	n-Hexadecanoic acid	7.70	J			12.0	ug/L
959085-66-6	Heptadecyl heptafluorobutyrate	3.60	J			14.0	ug/L
	unknown14.251	3.10	J			14.3	ug/L
	unknown14.551	2.90	J			14.6	ug/L
	unknown16.386	5.50	J			16.4	ug/L
000057-88-5	Cholesterol	7.60	J			16.5	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-08	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143386.D	1	08/12/25 09:55	08/14/25 17:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-08	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143386.D	1	08/12/25 09:55	08/14/25 17:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-08	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143386.D	1	08/12/25 09:55	08/14/25 17:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	77.8		19 - 119		52%	SPK: 150
13127-88-3	Phenol-d6	57.1		10 - 130		38%	SPK: 150
4165-60-0	Nitrobenzene-d5	105		44 - 120		105%	SPK: 100
321-60-8	2-Fluorobiphenyl	93.8		44 - 119		94%	SPK: 100
118-79-6	2,4,6-Tribromophenol	176		43 - 140		117%	SPK: 150
1718-51-0	Terphenyl-d14	102		50 - 134		102%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	141000	6.934				
1146-65-2	Naphthalene-d8	547000	8.216				
15067-26-2	Acenaphthene-d10	290000	9.969				
1517-22-2	Phenanthrene-d10	435000	11.457				
1719-03-5	Chrysene-d12	245000	14.098				
1520-96-3	Perylene-d12	277000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	100	JB			2.26	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.50	AB			5.16	ug/L
000119-61-9	Benzophenone	6.00	J			10.7	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-08	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143386.D	1	08/12/25 09:55	08/14/25 17:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-09	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143387.D	1	08/12/25 09:55	08/14/25 17:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-09	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143387.D	1	08/12/25 09:55	08/14/25 17:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-09	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143387.D	1	08/12/25 09:55	08/14/25 17:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L

SURROGATES

367-12-4	2-Fluorophenol	61.3		19 - 119		41%	SPK: 150
13127-88-3	Phenol-d6	47.0		10 - 130		31%	SPK: 150
4165-60-0	Nitrobenzene-d5	79.3		44 - 120		79%	SPK: 100
321-60-8	2-Fluorobiphenyl	74.1		44 - 119		74%	SPK: 100
118-79-6	2,4,6-Tribromophenol	132		43 - 140		88%	SPK: 150
1718-51-0	Terphenyl-d14	82.1		50 - 134		82%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	148000	6.934
1146-65-2	Naphthalene-d8	566000	8.216
15067-26-2	Acenaphthene-d10	302000	9.969
1517-22-2	Phenanthrene-d10	462000	11.457
1719-03-5	Chrysene-d12	251000	14.098
1520-96-3	Perylene-d12	284000	15.592

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	80.6	JB		2.26	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	6.90	AB		5.16	ug/L
000119-61-9	Benzophenone	9.90	J		10.7	ug/L
000057-10-3	n-Hexadecanoic acid	4.10	J		12.0	ug/L
110225-00-8	1-Dodecanol, 2-hexyl-	4.20	J		13.9	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-09	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143387.D	1	08/12/25 09:55	08/14/25 17:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-10	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143388.D	1	08/12/25 09:55	08/14/25 18:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.20	U	4.00	8.20	10.2	ug/L
108-95-2	Phenol	4.10	U	0.93	4.10	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.10	U	0.83	4.10	5.10	ug/L
95-57-8	2-Chlorophenol	4.10	U	0.59	4.10	5.10	ug/L
95-48-7	2-Methylphenol	4.10	U	1.10	4.10	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.10	U	1.30	4.10	5.10	ug/L
98-86-2	Acetophenone	4.10	U	0.76	4.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.20	U	1.10	8.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.60	U	1.40	2.60	2.60	ug/L
67-72-1	Hexachloroethane	4.10	U	0.66	4.10	5.10	ug/L
98-95-3	Nitrobenzene	4.10	U	0.78	4.10	5.10	ug/L
78-59-1	Isophorone	4.10	U	0.77	4.10	5.10	ug/L
88-75-5	2-Nitrophenol	4.10	U	1.80	4.10	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.10	U	1.90	4.10	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.10	U	0.69	4.10	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.10	U	0.53	4.10	5.10	ug/L
91-20-3	Naphthalene	4.10	U	0.51	4.10	5.10	ug/L
106-47-8	4-Chloroaniline	4.10	U	0.86	4.10	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.10	U	0.55	4.10	5.10	ug/L
105-60-2	Caprolactam	8.20	U	1.20	8.20	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	4.10	U	0.60	4.10	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.10	U	0.57	4.10	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.20	U	3.70	8.20	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	4.10	U	0.52	4.10	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.10	U	0.63	4.10	5.10	ug/L
92-52-4	1,1-Biphenyl	4.10	U	0.54	4.10	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.10	U	0.62	4.10	5.10	ug/L
88-74-4	2-Nitroaniline	4.10	U	1.30	4.10	5.10	ug/L
131-11-3	Dimethylphthalate	4.10	U	0.62	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-10	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143388.D	1	08/12/25 09:55	08/14/25 18:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.10	U	0.77	4.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.10	U	0.94	4.10	5.10	ug/L
99-09-2	3-Nitroaniline	4.10	U	1.10	4.10	5.10	ug/L
83-32-9	Acenaphthene	4.10	U	0.56	4.10	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.20	U	6.10	8.20	10.2	ug/L
100-02-7	4-Nitrophenol	8.20	U	2.40	8.20	10.2	ug/L
132-64-9	Dibenzofuran	4.10	U	0.62	4.10	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.10	U	1.20	4.10	5.10	ug/L
84-66-2	Diethylphthalate	4.10	U	0.70	4.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.10	U	0.69	4.10	5.10	ug/L
86-73-7	Fluorene	4.10	U	0.64	4.10	5.10	ug/L
100-01-6	4-Nitroaniline	4.10	U	1.50	4.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.20	U	2.90	8.20	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	4.10	U	0.59	4.10	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.10	U	0.41	4.10	5.10	ug/L
118-74-1	Hexachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
1912-24-9	Atrazine	4.10	U	1.00	4.10	5.10	ug/L
87-86-5	Pentachlorophenol	8.20	U	1.60	8.20	10.2	ug/L
85-01-8	Phenanthrene	4.10	U	0.51	4.10	5.10	ug/L
120-12-7	Anthracene	4.10	U	0.62	4.10	5.10	ug/L
86-74-8	Carbazole	4.10	U	0.73	4.10	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.10	U	1.20	4.10	5.10	ug/L
206-44-0	Fluoranthene	4.10	U	0.84	4.10	5.10	ug/L
129-00-0	Pyrene	4.10	U	0.51	4.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.10	U	2.00	4.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.20	U	0.95	8.20	10.2	ug/L
56-55-3	Benzo(a)anthracene	4.10	U	0.46	4.10	5.10	ug/L
218-01-9	Chrysene	4.10	U	0.45	4.10	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.10	U	1.60	4.10	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.20	U	2.40	8.20	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	4.10	U	0.50	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-10	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143388.D	1	08/12/25 09:55	08/14/25 18:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.10	U	0.49	4.10	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.10	U	0.56	4.10	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.10	U	0.60	4.10	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.10	U	0.68	4.10	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.10	U	0.70	4.10	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
123-91-1	1,4-Dioxane	4.10	UQ	1.00	4.10	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.10	U	0.73	4.10	5.10	ug/L

SURROGATES

367-12-4	2-Fluorophenol	77.7		19 - 119	52%	SPK: 150
13127-88-3	Phenol-d6	65.3		10 - 130	44%	SPK: 150
4165-60-0	Nitrobenzene-d5	89.7		44 - 120	90%	SPK: 100
321-60-8	2-Fluorobiphenyl	79.7		44 - 119	80%	SPK: 100
118-79-6	2,4,6-Tribromophenol	149		43 - 140	99%	SPK: 150
1718-51-0	Terphenyl-d14	88.9		50 - 134	89%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	144000	6.934
1146-65-2	Naphthalene-d8	556000	8.21
15067-26-2	Acenaphthene-d10	299000	9.969
1517-22-2	Phenanthrene-d10	455000	11.457
1719-03-5	Chrysene-d12	258000	14.098
1520-96-3	Perylene-d12	286000	15.592

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	93.0	JB	2.28	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	9.70	AB	5.16	ug/L
000119-61-9	Benzophenone	9.30	J	10.7	ug/L
000057-10-3	n-Hexadecanoic acid	5.30	J	12.0	ug/L
1000351-89-0	Hexatriacontyl pentafluoropropiona	4.40	J	13.9	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-10	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143388.D	1	08/12/25 09:55	08/14/25 18:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-11	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143389.D	1	08/12/25 09:55	08/14/25 18:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-11	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143389.D	1	08/12/25 09:55	08/14/25 18:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.90	J	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-11	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143389.D	1	08/12/25 09:55	08/14/25 18:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	86.2		19 - 119		57%	SPK: 150
13127-88-3	Phenol-d6	65.7		10 - 130		44%	SPK: 150
4165-60-0	Nitrobenzene-d5	112		44 - 120		112%	SPK: 100
321-60-8	2-Fluorobiphenyl	97.7		44 - 119		98%	SPK: 100
118-79-6	2,4,6-Tribromophenol	189		43 - 140		126%	SPK: 150
1718-51-0	Terphenyl-d14	110		50 - 134		110%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	150000	6.934				
1146-65-2	Naphthalene-d8	583000	8.21				
15067-26-2	Acenaphthene-d10	312000	9.969				
1517-22-2	Phenanthrene-d10	485000	11.457				
1719-03-5	Chrysene-d12	274000	14.098				
1520-96-3	Perylene-d12	288000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	100	JB		2.27		ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	9.50	AB		5.16		ug/L
	unknown8.328	2.30	J		8.33		ug/L
1000289-10-5	Tricyclo[5.2.1.0(2,6)]dec-3-en-10-	2.80	J		8.80		ug/L
000119-61-9	Benzophenone	6.70	J		10.7		ug/L
000057-10-3	n-Hexadecanoic acid	2.80	J		12.0		ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-38M-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-11	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143389.D	1	08/12/25 09:55	08/14/25 18:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-12	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143390.D	1	08/12/25 09:55	08/14/25 19:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-12	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143390.D	1	08/12/25 09:55	08/14/25 19:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-12	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143390.D	1	08/12/25 09:55	08/14/25 19:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	91.3		19 - 119		61%	SPK: 150
13127-88-3	Phenol-d6	76.4		10 - 130		51%	SPK: 150
4165-60-0	Nitrobenzene-d5	106		44 - 120		106%	SPK: 100
321-60-8	2-Fluorobiphenyl	95.0		44 - 119		95%	SPK: 100
118-79-6	2,4,6-Tribromophenol	180		43 - 140		120%	SPK: 150
1718-51-0	Terphenyl-d14	105		50 - 134		105%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	144000	6.934				
1146-65-2	Naphthalene-d8	559000	8.21				
15067-26-2	Acenaphthene-d10	296000	9.969				
1517-22-2	Phenanthrene-d10	448000	11.457				
1719-03-5	Chrysene-d12	265000	14.098				
1520-96-3	Perylene-d12	302000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	79.8	JB			2.30	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	9.80	AB			5.17	ug/L
000119-61-9	Benzophenone	12.4	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	8.70	J			12.0	ug/L
1000406-04-8	Pentadecafluorooctanoic acid, octa	5.70	J			13.9	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-12	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143390.D	1	08/12/25 09:55	08/14/25 19:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-13	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143391.D	1	08/12/25 09:55	08/14/25 19:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-13	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143391.D	1	08/12/25 09:55	08/14/25 19:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-13	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143391.D	1	08/12/25 09:55	08/14/25 19:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L

SURROGATES

367-12-4	2-Fluorophenol	85.3		19 - 119	57%	SPK: 150
13127-88-3	Phenol-d6	65.3		10 - 130	44%	SPK: 150
4165-60-0	Nitrobenzene-d5	114		44 - 120	114%	SPK: 100
321-60-8	2-Fluorobiphenyl	97.0		44 - 119	97%	SPK: 100
118-79-6	2,4,6-Tribromophenol	182		43 - 140	122%	SPK: 150
1718-51-0	Terphenyl-d14	110		50 - 134	110%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	147000	6.934
1146-65-2	Naphthalene-d8	561000	8.216
15067-26-2	Acenaphthene-d10	302000	9.969
1517-22-2	Phenanthrene-d10	454000	11.457
1719-03-5	Chrysene-d12	254000	14.098
1520-96-3	Perylene-d12	291000	15.592

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	100	JB	2.28	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.60	AB	5.17	ug/L
000134-62-3	Diethyltoluamide	6.30	J	10.3	ug/L
000119-61-9	Benzophenone	6.90	J	10.7	ug/L
000057-10-3	n-Hexadecanoic acid	2.20	J	12.0	ug/L
000112-92-5	1-Octadecanol	2.20	J	13.9	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-13	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143391.D	1	08/12/25 09:55	08/14/25 19:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-14	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143392.D	1	08/12/25 09:55	08/14/25 20:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-14	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143392.D	1	08/12/25 09:55	08/14/25 20:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-14	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143392.D	1	08/12/25 09:55	08/14/25 20:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	78.9		19 - 119		53%	SPK: 150
13127-88-3	Phenol-d6	59.9		10 - 130		40%	SPK: 150
4165-60-0	Nitrobenzene-d5	106		44 - 120		106%	SPK: 100
321-60-8	2-Fluorobiphenyl	91.5		44 - 119		91%	SPK: 100
118-79-6	2,4,6-Tribromophenol	169		43 - 140		113%	SPK: 150
1718-51-0	Terphenyl-d14	105		50 - 134		105%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	147000		6.934			
1146-65-2	Naphthalene-d8	561000		8.21			
15067-26-2	Acenaphthene-d10	301000		9.969			
1517-22-2	Phenanthrene-d10	454000		11.457			
1719-03-5	Chrysene-d12	245000		14.098			
1520-96-3	Perylene-d12	285000		15.592			
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	110	JB			2.27	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	6.70	AB			5.16	ug/L
000119-61-9	Benzophenone	3.50	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	2.80	J			12.0	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-14	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143392.D	1	08/12/25 09:55	08/14/25 20:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-15	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143393.D	1	08/12/25 09:55	08/14/25 20:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-15	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143393.D	1	08/12/25 09:55	08/14/25 20:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-15	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143393.D	1	08/12/25 09:55	08/14/25 20:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	72.8		19 - 119		49%	SPK: 150
13127-88-3	Phenol-d6	56.9		10 - 130		38%	SPK: 150
4165-60-0	Nitrobenzene-d5	93.8		44 - 120		94%	SPK: 100
321-60-8	2-Fluorobiphenyl	83.6		44 - 119		84%	SPK: 100
118-79-6	2,4,6-Tribromophenol	153		43 - 140		102%	SPK: 150
1718-51-0	Terphenyl-d14	97.2		50 - 134		97%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	145000	6.934				
1146-65-2	Naphthalene-d8	553000	8.216				
15067-26-2	Acenaphthene-d10	297000	9.969				
1517-22-2	Phenanthrene-d10	447000	11.457				
1719-03-5	Chrysene-d12	248000	14.098				
1520-96-3	Perylene-d12	287000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	98.2	JB			2.26	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.10	AB			5.16	ug/L
000119-61-9	Benzophenone	5.90	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	3.50	J			12.0	ug/L
000112-95-8	Eicosane	3.50	J			13.9	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-BP-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-15	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143393.D	1	08/12/25 09:55	08/14/25 20:56	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2814
Lab Sample ID:	Q2814-16	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143396.D	1	08/12/25 09:55	08/14/25 22:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2814
Lab Sample ID:	Q2814-16	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143396.D	1	08/12/25 09:55	08/14/25 22:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2814
Lab Sample ID:	Q2814-16	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143396.D	1	08/12/25 09:55	08/14/25 22:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L

SURROGATES

367-12-4	2-Fluorophenol	91.0		19 - 119	61%	SPK: 150
13127-88-3	Phenol-d6	70.2		10 - 130	47%	SPK: 150
4165-60-0	Nitrobenzene-d5	120		44 - 120	120%	SPK: 100
321-60-8	2-Fluorobiphenyl	102		44 - 119	102%	SPK: 100
118-79-6	2,4,6-Tribromophenol	196		43 - 140	131%	SPK: 150
1718-51-0	Terphenyl-d14	115		50 - 134	115%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	151000	6.934
1146-65-2	Naphthalene-d8	594000	8.21
15067-26-2	Acenaphthene-d10	320000	9.969
1517-22-2	Phenanthrene-d10	473000	11.457
1719-03-5	Chrysene-d12	271000	14.098
1520-96-3	Perylene-d12	338000	15.592

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	96.9	JB	2.29	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	9.80	AB	5.17	ug/L
000149-57-5	Hexanoic acid, 2-ethyl-	21.4	J	7.63	ug/L
132739-31-2	1-(1-tert-Butoxypropan-2-yloxy)pro	2.80	J	8.43	ug/L
029911-28-2	2-Propanol, 1-(2-butoxy-1-methylet	5.50	J	8.46	ug/L
	unknown8.581	4.70	J	8.58	ug/L
	unknown15.680	4.70	J	15.7	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2814
Lab Sample ID:	Q2814-16	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143396.D	1	08/12/25 09:55	08/14/25 22:26	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-17	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025429.D	1	08/12/25 09:55	08/15/25 16:12	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-17	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025429.D	1	08/12/25 09:55	08/15/25 16:12	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	6.30		1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-17	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025429.D	1	08/12/25 09:55	08/15/25 16:12	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L

SURROGATES

367-12-4	2-Fluorophenol	73.3		19 - 119		49%	SPK: 150
13127-88-3	Phenol-d6	57.5		10 - 130		38%	SPK: 150
4165-60-0	Nitrobenzene-d5	73.2		44 - 120		73%	SPK: 100
321-60-8	2-Fluorobiphenyl	67.6		44 - 119		68%	SPK: 100
118-79-6	2,4,6-Tribromophenol	114		43 - 140		76%	SPK: 150
1718-51-0	Terphenyl-d14	65.2		50 - 134		65%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	139000	7.784
1146-65-2	Naphthalene-d8	566000	10.548
15067-26-2	Acenaphthene-d10	379000	14.395
1517-22-2	Phenanthrene-d10	746000	17.195
1719-03-5	Chrysene-d12	804000	21.624
1520-96-3	Perylene-d12	897000	24.983

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	73.3	JB		3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	5.80	AB		4.94	ug/L
000119-61-9	Benzophenone	7.10	J		15.8	ug/L
001008-91-9	1-(4-Pyridinyl)piperazine	5.80	J		16.2	ug/L
000140-66-9	Phenol, 4-(1,1,3,3-tetramethylbuty	8.20	J		16.3	ug/L
	unknown16.331	13.6	J		16.3	ug/L
024518-48-7	4-(7-Methyloctyl)phenol	8.90	J		16.4	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-17	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025429.D	1	08/12/25 09:55	08/15/25 16:12	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
	unknown16.436	7.60	J			16.4	ug/L
	unknown16.483	5.70	J			16.5	ug/L
002050-44-4	Acetamide, N-(2,5-dimethylphenyl)-	4.90	J			16.5	ug/L
1000244-21-4	5H-Pyrrolo(3,2-d)pyrimidine-2,4-di	14.0	J			16.6	ug/L
1000384-80-3	4-(1,1-Dimethylheptyl)phenol	8.40	J			16.7	ug/L
000537-92-8	Acetamide, N-(3-methylphenyl)-	3.20	J			16.7	ug/L
005142-22-3	6-Amino-1-methylpurine	5.10	J			16.7	ug/L
000057-10-3	n-Hexadecanoic acid	10.6	J			18.1	ug/L
000124-28-7	Dimantine	5.50	J			19.2	ug/L
000057-11-4	Octadecanoic acid	5.20	J			19.5	ug/L
002136-70-1	Ethanol, 2-(tetradecyloxy)-	6.50	J			21.3	ug/L
000630-01-3	Hexacosane	2.50	J			22.5	ug/L
007683-64-9	Supraene	2.40	J			23.5	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-18	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025430.D	1	08/12/25 09:55	08/15/25 16:54	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.20	U	4.00	8.20	10.2	ug/L
108-95-2	Phenol	4.10	U	0.93	4.10	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.10	U	0.83	4.10	5.10	ug/L
95-57-8	2-Chlorophenol	4.10	U	0.59	4.10	5.10	ug/L
95-48-7	2-Methylphenol	4.10	U	1.10	4.10	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.10	U	1.30	4.10	5.10	ug/L
98-86-2	Acetophenone	4.10	U	0.76	4.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.20	U	1.10	8.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.60	U	1.40	2.60	2.60	ug/L
67-72-1	Hexachloroethane	4.10	U	0.66	4.10	5.10	ug/L
98-95-3	Nitrobenzene	4.10	U	0.78	4.10	5.10	ug/L
78-59-1	Isophorone	4.10	U	0.77	4.10	5.10	ug/L
88-75-5	2-Nitrophenol	4.10	U	1.80	4.10	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.10	U	1.90	4.10	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.10	U	0.69	4.10	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.10	U	0.53	4.10	5.10	ug/L
91-20-3	Naphthalene	4.10	U	0.51	4.10	5.10	ug/L
106-47-8	4-Chloroaniline	4.10	U	0.86	4.10	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.10	U	0.55	4.10	5.10	ug/L
105-60-2	Caprolactam	8.20	U	1.20	8.20	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	4.10	U	0.60	4.10	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.10	U	0.57	4.10	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.20	U	3.70	8.20	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	4.10	U	0.52	4.10	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.10	U	0.63	4.10	5.10	ug/L
92-52-4	1,1-Biphenyl	4.10	U	0.54	4.10	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.10	U	0.62	4.10	5.10	ug/L
88-74-4	2-Nitroaniline	4.10	U	1.30	4.10	5.10	ug/L
131-11-3	Dimethylphthalate	4.10	U	0.62	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-18	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025430.D	1	08/12/25 09:55	08/15/25 16:54	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.10	U	0.77	4.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.10	U	0.94	4.10	5.10	ug/L
99-09-2	3-Nitroaniline	4.10	U	1.10	4.10	5.10	ug/L
83-32-9	Acenaphthene	4.10	U	0.56	4.10	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.20	U	6.10	8.20	10.2	ug/L
100-02-7	4-Nitrophenol	8.20	U	2.40	8.20	10.2	ug/L
132-64-9	Dibenzofuran	4.10	U	0.62	4.10	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.10	U	1.20	4.10	5.10	ug/L
84-66-2	Diethylphthalate	4.10	U	0.70	4.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.10	U	0.69	4.10	5.10	ug/L
86-73-7	Fluorene	4.10	U	0.64	4.10	5.10	ug/L
100-01-6	4-Nitroaniline	4.10	U	1.50	4.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.20	U	2.90	8.20	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	4.10	U	0.59	4.10	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.10	U	0.41	4.10	5.10	ug/L
118-74-1	Hexachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
1912-24-9	Atrazine	4.10	U	1.00	4.10	5.10	ug/L
87-86-5	Pentachlorophenol	8.20	U	1.60	8.20	10.2	ug/L
85-01-8	Phenanthrene	4.10	U	0.51	4.10	5.10	ug/L
120-12-7	Anthracene	4.10	U	0.62	4.10	5.10	ug/L
86-74-8	Carbazole	4.10	U	0.73	4.10	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.10	U	1.20	4.10	5.10	ug/L
206-44-0	Fluoranthene	4.10	U	0.84	4.10	5.10	ug/L
129-00-0	Pyrene	4.10	U	0.51	4.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.10	U	2.00	4.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.20	U	0.95	8.20	10.2	ug/L
56-55-3	Benzo(a)anthracene	4.10	U	0.46	4.10	5.10	ug/L
218-01-9	Chrysene	4.10	U	0.45	4.10	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.10	U	1.60	4.10	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.20	U	2.40	8.20	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	4.10	U	0.50	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-18	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025430.D	1	08/12/25 09:55	08/15/25 16:54	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.10	U	0.49	4.10	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.10	U	0.56	4.10	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.10	U	0.60	4.10	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.10	U	0.68	4.10	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.10	U	0.70	4.10	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
123-91-1	1,4-Dioxane	4.10	UQ	1.00	4.10	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.10	U	0.73	4.10	5.10	ug/L

SURROGATES

367-12-4	2-Fluorophenol	52.9		19 - 119	35%	SPK: 150
13127-88-3	Phenol-d6	44.2		10 - 130	29%	SPK: 150
4165-60-0	Nitrobenzene-d5	46.5		44 - 120	46%	SPK: 100
321-60-8	2-Fluorobiphenyl	42.6	*	44 - 119	43%	SPK: 100
118-79-6	2,4,6-Tribromophenol	73.5		43 - 140	49%	SPK: 150
1718-51-0	Terphenyl-d14	44.6	*	50 - 134	45%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	145000	7.79
1146-65-2	Naphthalene-d8	586000	10.554
15067-26-2	Acenaphthene-d10	407000	14.407
1517-22-2	Phenanthrene-d10	854000	17.195
1719-03-5	Chrysene-d12	897000	21.642
1520-96-3	Perylene-d12	1020000	25.007

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	82.5	JB	3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.00	AB	4.95	ug/L
	unknown10.049	3.20	J	10.0	ug/L
000119-61-9	Benzophenone	15.6	J	15.8	ug/L
000947-19-3	Methanone, (1-hydroxycyclohexyl)ph	2.50	J	16.4	ug/L
000057-10-3	n-Hexadecanoic acid	14.4	J	18.1	ug/L
032624-67-2	10,18-Bisnorabieta-8,11,13-triene	2.40	J	19.0	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-N	SDG No.:	Q2814
Lab Sample ID:	Q2814-18	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025430.D	1	08/12/25 09:55	08/15/25 16:54	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
000060-33-3	9,12-Octadecadienoic acid (Z,Z)-	2.10	J			19.3	ug/L
002027-47-6	9-Octadecenoic acid	2.20	J			19.3	ug/L
000057-11-4	Octadecanoic acid	5.10	J			19.5	ug/L
000112-95-8	Eicosane	2.20	J			20.8	ug/L
001599-67-3	1-Docosene	12.6	J			21.3	ug/L
000646-31-1	Tetracosane	3.50	J			21.9	ug/L
000629-94-7	Heneicosane	4.40	J			22.6	ug/L
000629-92-5	Nonadecane	2.70	J			23.3	ug/L
000111-02-4	Squalene	3.80	J			23.5	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-NRE	SDG No.:	Q2814
Lab Sample ID:	Q2814-18RE	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025522.D	1	08/12/25 09:55	08/21/25 01:15	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.20	U	4.00	8.20	10.2	ug/L
108-95-2	Phenol	4.10	U	0.93	4.10	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.10	U	0.83	4.10	5.10	ug/L
95-57-8	2-Chlorophenol	4.10	U	0.59	4.10	5.10	ug/L
95-48-7	2-Methylphenol	4.10	U	1.10	4.10	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.10	U	1.30	4.10	5.10	ug/L
98-86-2	Acetophenone	4.10	U	0.76	4.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.20	U	1.10	8.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.60	U	1.40	2.60	2.60	ug/L
67-72-1	Hexachloroethane	4.10	U	0.66	4.10	5.10	ug/L
98-95-3	Nitrobenzene	4.10	U	0.78	4.10	5.10	ug/L
78-59-1	Isophorone	4.10	U	0.77	4.10	5.10	ug/L
88-75-5	2-Nitrophenol	4.10	U	1.80	4.10	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.10	U	1.90	4.10	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.10	U	0.69	4.10	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.10	U	0.53	4.10	5.10	ug/L
91-20-3	Naphthalene	4.10	U	0.51	4.10	5.10	ug/L
106-47-8	4-Chloroaniline	4.10	U	0.86	4.10	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.10	U	0.55	4.10	5.10	ug/L
105-60-2	Caprolactam	8.20	U	1.20	8.20	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	4.10	U	0.60	4.10	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.10	U	0.57	4.10	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.20	U	3.70	8.20	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	4.10	U	0.52	4.10	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.10	U	0.63	4.10	5.10	ug/L
92-52-4	1,1-Biphenyl	4.10	U	0.54	4.10	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.10	U	0.62	4.10	5.10	ug/L
88-74-4	2-Nitroaniline	4.10	U	1.30	4.10	5.10	ug/L
131-11-3	Dimethylphthalate	4.10	U	0.62	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-NRE	SDG No.:	Q2814
Lab Sample ID:	Q2814-18RE	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025522.D	1	08/12/25 09:55	08/21/25 01:15	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.10	U	0.77	4.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.10	U	0.94	4.10	5.10	ug/L
99-09-2	3-Nitroaniline	4.10	U	1.10	4.10	5.10	ug/L
83-32-9	Acenaphthene	4.10	U	0.56	4.10	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.20	U	6.10	8.20	10.2	ug/L
100-02-7	4-Nitrophenol	8.20	U	2.40	8.20	10.2	ug/L
132-64-9	Dibenzofuran	4.10	U	0.62	4.10	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.10	U	1.20	4.10	5.10	ug/L
84-66-2	Diethylphthalate	4.10	U	0.70	4.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.10	U	0.69	4.10	5.10	ug/L
86-73-7	Fluorene	4.10	U	0.64	4.10	5.10	ug/L
100-01-6	4-Nitroaniline	4.10	U	1.50	4.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.20	U	2.90	8.20	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	4.10	U	0.59	4.10	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.10	U	0.41	4.10	5.10	ug/L
118-74-1	Hexachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
1912-24-9	Atrazine	4.10	U	1.00	4.10	5.10	ug/L
87-86-5	Pentachlorophenol	8.20	U	1.60	8.20	10.2	ug/L
85-01-8	Phenanthrene	4.10	U	0.51	4.10	5.10	ug/L
120-12-7	Anthracene	4.10	U	0.62	4.10	5.10	ug/L
86-74-8	Carbazole	4.10	U	0.73	4.10	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.10	U	1.20	4.10	5.10	ug/L
206-44-0	Fluoranthene	4.10	U	0.84	4.10	5.10	ug/L
129-00-0	Pyrene	4.10	U	0.51	4.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.10	U	2.00	4.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.20	U	0.95	8.20	10.2	ug/L
56-55-3	Benzo(a)anthracene	4.10	U	0.46	4.10	5.10	ug/L
218-01-9	Chrysene	4.10	U	0.45	4.10	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.10	U	1.60	4.10	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.20	U	2.40	8.20	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	4.10	U	0.50	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-NRE	SDG No.:	Q2814
Lab Sample ID:	Q2814-18RE	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025522.D	1	08/12/25 09:55	08/21/25 01:15	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.10	U	0.49	4.10	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.10	U	0.56	4.10	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.10	U	0.60	4.10	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.10	U	0.68	4.10	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.10	U	0.70	4.10	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
123-91-1	1,4-Dioxane	4.10	UQ	1.00	4.10	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.10	U	0.73	4.10	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	53.6		19 - 119		36%	SPK: 150
13127-88-3	Phenol-d6	43.4		10 - 130		29%	SPK: 150
4165-60-0	Nitrobenzene-d5	47.3		44 - 120		47%	SPK: 100
321-60-8	2-Fluorobiphenyl	43.1	*	44 - 119		43%	SPK: 100
118-79-6	2,4,6-Tribromophenol	70.3		43 - 140		47%	SPK: 150
1718-51-0	Terphenyl-d14	43.3	*	50 - 134		43%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	228000	7.79				
1146-65-2	Naphthalene-d8	906000	10.56				
15067-26-2	Acenaphthene-d10	566000	14.401				
1517-22-2	Phenanthrene-d10	1070000	17.189				
1719-03-5	Chrysene-d12	1100000	21.642				
1520-96-3	Perylene-d12	1240000	25.024				

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-19	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143536.D	1	08/12/25 09:55	08/21/25 18:05	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-19	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143536.D	1	08/12/25 09:55	08/21/25 18:05	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-19	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143536.D	1	08/12/25 09:55	08/21/25 18:05	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L

SURROGATES

367-12-4	2-Fluorophenol	74.0		19 - 119	49%	SPK: 150
13127-88-3	Phenol-d6	58.4		10 - 130	39%	SPK: 150
4165-60-0	Nitrobenzene-d5	82.5		44 - 120	83%	SPK: 100
321-60-8	2-Fluorobiphenyl	82.0		44 - 119	82%	SPK: 100
118-79-6	2,4,6-Tribromophenol	112		43 - 140	74%	SPK: 150
1718-51-0	Terphenyl-d14	65.8		50 - 134	66%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	110000	6.928
1146-65-2	Naphthalene-d8	411000	8.204
15067-26-2	Acenaphthene-d10	206000	9.963
1517-22-2	Phenanthrene-d10	273000	11.451
1719-03-5	Chrysene-d12	205000	14.092
1520-96-3	Perylene-d12	251000	15.592

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	95.7	JB	2.26	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.70	AB	5.15	ug/L
000112-34-5	Ethanol, 2-(2-butoxyethoxy)-	2.80	J	8.11	ug/L
000119-61-9	Benzophenone	9.00	J	10.7	ug/L
000947-19-3	Methanone, (1-hydroxycyclohexyl)ph	2.10	J	11.0	ug/L
000057-10-3	n-Hexadecanoic acid	6.10	J	12.0	ug/L
000110-34-9	Hexadecanoic acid, 2-methylpropyl	2.30	J	12.7	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-19	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143536.D	1	08/12/25 09:55	08/21/25 18:05	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
000111-06-8	Hexadecanoic acid, butyl ester	5.00	J			12.9	ug/L
000123-95-5	Octadecanoic acid, butyl ester	3.20	J			13.6	ug/L
000629-94-7	Heneicosane	2.30	J			13.6	ug/L
007098-22-8	Tetratetracontane	2.90	J			13.9	ug/L
000629-99-2	Pentacosane	2.60	J			14.2	ug/L
000630-04-6	Hentriacontane	2.30	J			14.6	ug/L
000112-95-8	Eicosane	2.10	J			14.9	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-20	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025427.D	1	08/12/25 09:55	08/15/25 14:49	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-20	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025427.D	1	08/12/25 09:55	08/15/25 14:49	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-20	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025427.D	1	08/12/25 09:55	08/15/25 14:49	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	UQ	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	93.3		19 - 119		62%	SPK: 150
13127-88-3	Phenol-d6	73.1		10 - 130		49%	SPK: 150
4165-60-0	Nitrobenzene-d5	88.8		44 - 120		89%	SPK: 100
321-60-8	2-Fluorobiphenyl	81.2		44 - 119		81%	SPK: 100
118-79-6	2,4,6-Tribromophenol	145		43 - 140		97%	SPK: 150
1718-51-0	Terphenyl-d14	84.5		50 - 134		85%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	131000	7.79				
1146-65-2	Naphthalene-d8	536000	10.555				
15067-26-2	Acenaphthene-d10	359000	14.396				
1517-22-2	Phenanthrene-d10	752000	17.195				
1719-03-5	Chrysene-d12	813000	21.63				
1520-96-3	Perylene-d12	900000	24.995				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	76.3	JB			3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	8.30	AB			4.94	ug/L
000134-62-3	Diethyltoluamide	2.10	J			15.1	ug/L
000119-61-9	Benzophenone	7.30	J			15.8	ug/L
000057-10-3	n-Hexadecanoic acid	5.20	J			18.1	ug/L
074685-33-9	3-Eicosene, (E)-	3.00	J			21.3	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-20	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025427.D	1	08/12/25 09:55	08/15/25 14:49	PB169223

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2814	OrderDate:	8/11/2025 10:31:02 AM
Client:	First Environment, Inc.	Project:	USACE018-44 DOD
Contact:	Al Smith	Location:	D31,D41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2814-01	TW-84SB-E	Water	SVOC-TCL BNA -20	8270E	08/05/25	08/12/25	08/14/25	08/08/25
Q2814-02	TW-17M-N	Water	SVOC-TCL BNA -20	8270E	08/05/25	08/12/25	08/14/25	08/08/25
Q2814-03	TW-17M-W	Water	SVOC-TCL BNA -20	8270E	08/05/25	08/12/25	08/14/25	08/08/25
Q2814-04	TW-82H-N	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/14/25	08/08/25
Q2814-05	TW-82H-E	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/14/25	08/08/25
Q2814-05RE	TW-82H-ERE	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/15/25	08/08/25
Q2814-06	TW-82H-S	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/14/25	08/08/25
Q2814-07	TW-82H-W	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/21/25	08/08/25
Q2814-08	TW-38M-E	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/14/25	08/08/25
Q2814-09	TW-38M-W	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/14/25	08/08/25
Q2814-10	TW-38M-N	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/14/25	08/08/25
Q2814-11	TW-38M-S	Water			08/06/25			08/08/25

LAB CHRONICLE

			SVOC-TCL BNA -20	8270E		08/12/25	08/14/25	
Q2814-12	TW-BP-S	Water			08/04/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/12/25	08/14/25	
Q2814-13	TW-BP-N	Water			08/04/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/12/25	08/14/25	
Q2814-14	TW-BP-E	Water			08/04/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/12/25	08/14/25	
Q2814-15	TW-BP-W	Water			08/04/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/12/25	08/14/25	
Q2814-16	FB	Water			08/04/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/12/25	08/14/25	
Q2814-17	TW-518R-S	Water			08/05/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/12/25	08/15/25	
Q2814-18	TW-518R-N	Water			08/05/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/12/25	08/15/25	
Q2814-18RE	TW-518R-NRE	Water			08/05/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/12/25	08/21/25	
Q2814-19	TW-518R-E	Water			08/05/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/12/25	08/21/25	
Q2814-20	TW-518R-W	Water			08/05/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/12/25	08/15/25	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2814

Order ID: Q2814

Client: First Environment, Inc.

Project ID: USACE018-44 DOD

Sample ID	Client ID	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : Q2814-17	TW-518R-S TW-518R-S	WATER Aroclor-1254	0.30	J	0.094	0.25	0.50	ug/L
Total Concentration:			0.300					



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-01	Matrix:	WATER
Analytical Method:	8082A	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PCB
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO112917.D	1	08/12/25 09:25	08/13/25 17:41	PB169224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
12674-11-2	Aroclor-1016	0.25	U	0.097	0.25	0.50	ug/L
11104-28-2	Aroclor-1221	0.40	U	0.13	0.40	0.50	ug/L
11141-16-5	Aroclor-1232	0.25	U	0.096	0.25	0.50	ug/L
53469-21-9	Aroclor-1242	0.25	U	0.12	0.25	0.50	ug/L
12672-29-6	Aroclor-1248	0.25	U	0.071	0.25	0.50	ug/L
11097-69-1	Aroclor-1254	0.25	U	0.094	0.25	0.50	ug/L
37324-23-5	Aroclor-1262	0.40	U	0.14	0.40	0.50	ug/L
11100-14-4	Aroclor-1268	0.25	U	0.11	0.25	0.50	ug/L
11096-82-5	Aroclor-1260	0.25	U	0.081	0.25	0.50	ug/L
SURROGATES							
877-09-8	Tetrachloro-m-xylene	24.1		35 - 137		120%	SPK: 20
2051-24-3	Decachlorobiphenyl	19.6		40 - 135		98%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-03	Matrix:	WATER
Analytical Method:	8082A	% Solid:	0
Sample Wt/Vol:	990	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PCB
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO112920.D	1	08/12/25 09:25	08/13/25 18:33	PB169224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
12674-11-2	Aroclor-1016	0.25	U	0.098	0.25	0.51	ug/L
11104-28-2	Aroclor-1221	0.40	U	0.13	0.40	0.51	ug/L
11141-16-5	Aroclor-1232	0.25	U	0.097	0.25	0.51	ug/L
53469-21-9	Aroclor-1242	0.25	U	0.12	0.25	0.51	ug/L
12672-29-6	Aroclor-1248	0.25	U	0.072	0.25	0.51	ug/L
11097-69-1	Aroclor-1254	0.25	U	0.095	0.25	0.51	ug/L
37324-23-5	Aroclor-1262	0.40	U	0.14	0.40	0.51	ug/L
11100-14-4	Aroclor-1268	0.25	U	0.11	0.25	0.51	ug/L
11096-82-5	Aroclor-1260	0.25	U	0.082	0.25	0.51	ug/L
SURROGATES							
877-09-8	Tetrachloro-m-xylene	21.8		35 - 137		109%	SPK: 20
2051-24-3	Decachlorobiphenyl	16.4		40 - 135		82%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2814
Lab Sample ID:	Q2814-16	Matrix:	WATER
Analytical Method:	8082A	% Solid:	0
Sample Wt/Vol:	500	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PCB
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO112916.D	1	08/12/25 09:25	08/13/25 17:24	PB169224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
12674-11-2	Aroclor-1016	0.25	U	0.097	0.25	0.50	ug/L
11104-28-2	Aroclor-1221	0.40	U	0.13	0.40	0.50	ug/L
11141-16-5	Aroclor-1232	0.25	U	0.096	0.25	0.50	ug/L
53469-21-9	Aroclor-1242	0.25	U	0.12	0.25	0.50	ug/L
12672-29-6	Aroclor-1248	0.25	U	0.071	0.25	0.50	ug/L
11097-69-1	Aroclor-1254	0.25	U	0.094	0.25	0.50	ug/L
37324-23-5	Aroclor-1262	0.40	U	0.14	0.40	0.50	ug/L
11100-14-4	Aroclor-1268	0.25	U	0.11	0.25	0.50	ug/L
11096-82-5	Aroclor-1260	0.25	U	0.081	0.25	0.50	ug/L
SURROGATES							
877-09-8	Tetrachloro-m-xylene	19.2		35 - 137		96%	SPK: 20
2051-24-3	Decachlorobiphenyl	16.9		40 - 135		84%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-17	Matrix:	WATER
Analytical Method:	8082A	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PCB
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO112936.D	1	08/12/25 09:25	08/14/25 10:23	PB169224

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
12674-11-2	Aroclor-1016	0.25	U	0.097	0.25	0.50	ug/L
11104-28-2	Aroclor-1221	0.40	U	0.13	0.40	0.50	ug/L
11141-16-5	Aroclor-1232	0.25	U	0.096	0.25	0.50	ug/L
53469-21-9	Aroclor-1242	0.25	U	0.12	0.25	0.50	ug/L
12672-29-6	Aroclor-1248	0.25	U	0.071	0.25	0.50	ug/L
11097-69-1	Aroclor-1254	0.30	J	0.094	0.25	0.50	ug/L
37324-23-5	Aroclor-1262	0.40	U	0.14	0.40	0.50	ug/L
11100-14-4	Aroclor-1268	0.25	U	0.11	0.25	0.50	ug/L
11096-82-5	Aroclor-1260	0.25	U	0.081	0.25	0.50	ug/L
SURROGATES							
877-09-8	Tetrachloro-m-xylene	11.6		35 - 137		58%	SPK: 20
2051-24-3	Decachlorobiphenyl	14.2		40 - 135		71%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID: Q2814	OrderDate: 8/11/2025 10:31:02 AM
Client: First Environment, Inc.	Project: USACE018-44 DOD
Contact: Al Smith	Location: D31,D41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2814-01	TW-84SB-E	WATER	PCB	8082A	08/05/25	08/12/25	08/13/25	08/08/25
Q2814-03	TW-17M-W	WATER	PCB	8082A	08/05/25	08/12/25	08/13/25	08/08/25
Q2814-16	FB	WATER	PCB	8082A	08/04/25	08/12/25	08/13/25	08/08/25
Q2814-17	TW-518R-S	WATER	PCB	8082A	08/05/25	08/12/25	08/14/25	08/08/25

Hit Summary Sheet
SW-846

SDG No.: Q2814

Order ID: Q2814

Client: First Environment, Inc.

Project ID: USACE018-44 DOD

Sample ID	Client ID		Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : TW-17M-W									
Q2814-03	TW-17M-W	WATER	alpha-Chlordane	0.93		0.0035	0.010	0.051	ug/L
Q2814-03	TW-17M-W	WATER	gamma-Chlordane	0.72		0.0039	0.010	0.051	ug/L
Total Concentration:				1.650					
Client ID : TW-518R-S									
Q2814-17	TW-518R-S	WATER	Dieldrin	0.0061	J	0.0036	0.010	0.051	ug/L
Q2814-17	TW-518R-S	WATER	4,4-DDE	0.016	J	0.0037	0.010	0.051	ug/L
Q2814-17	TW-518R-S	WATER	Endrin	0.0051	J	0.0032	0.010	0.051	ug/L
Q2814-17	TW-518R-S	WATER	4,4-DDD	0.013	J	0.0072	0.025	0.051	ug/L
Total Concentration:				0.040					



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-01	Matrix:	WATER
Analytical Method:	8081B	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Decanted:	
		Final Vol:	10000
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL096831.D	1	08/12/25 10:20	08/15/25 18:59	PB169225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
319-84-6	alpha-BHC	0.010	U	0.0039	0.010	0.050	ug/L
319-85-7	beta-BHC	0.010	U	0.0049	0.010	0.050	ug/L
319-86-8	delta-BHC	0.025	U	0.011	0.025	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.010	U	0.0037	0.010	0.050	ug/L
76-44-8	Heptachlor	0.010	U	0.0027	0.010	0.050	ug/L
309-00-2	Aldrin	0.010	U	0.0036	0.010	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.025	U	0.0096	0.025	0.050	ug/L
959-98-8	Endosulfan I	0.010	U	0.0031	0.010	0.050	ug/L
60-57-1	Dieldrin	0.010	U	0.0036	0.010	0.050	ug/L
72-55-9	4,4-DDE	0.010	U	0.0037	0.010	0.050	ug/L
72-20-8	Endrin	0.010	U	0.0032	0.010	0.050	ug/L
33213-65-9	Endosulfan II	0.025	U	0.0079	0.025	0.050	ug/L
72-54-8	4,4-DDD	0.025	U	0.0071	0.025	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.010	U	0.0037	0.010	0.050	ug/L
50-29-3	4,4-DDT	0.010	U	0.0035	0.010	0.050	ug/L
72-43-5	Methoxychlor	0.025	U	0.011	0.025	0.050	ug/L
53494-70-5	Endrin ketone	0.025	U	0.0093	0.025	0.050	ug/L
7421-93-4	Endrin aldehyde	0.025	U	0.011	0.025	0.050	ug/L
5103-71-9	alpha-Chlordane	0.010	U	0.0035	0.010	0.050	ug/L
5103-74-2	gamma-Chlordane	0.010	U	0.0039	0.010	0.050	ug/L
8001-35-2	Toxaphene	0.50	U	0.17	0.50	1.00	ug/L
SURROGATES							
2051-24-3	Decachlorobiphenyl	17.3		30 - 135		86%	SPK: 20
877-09-8	Tetrachloro-m-xylene	20.6		44 - 124		103%	SPK: 20

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-01	Matrix:	WATER
Analytical Method:	8081B	% Solid:	0
Sample Wt/Vol:	1000	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL096831.D	1	08/12/25 10:20	08/15/25 18:59	PB169225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-03	Matrix:	WATER
Analytical Method:	8081B	% Solid:	0
Sample Wt/Vol:	990	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL096832.D	1	08/12/25 10:20	08/15/25 19:13	PB169225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
319-84-6	alpha-BHC	0.010	U	0.0039	0.010	0.051	ug/L
319-85-7	beta-BHC	0.010	U	0.0049	0.010	0.051	ug/L
319-86-8	delta-BHC	0.025	U	0.011	0.025	0.051	ug/L
58-89-9	gamma-BHC (Lindane)	0.010	U	0.0037	0.010	0.051	ug/L
76-44-8	Heptachlor	0.010	U	0.0027	0.010	0.051	ug/L
309-00-2	Aldrin	0.010	U	0.0036	0.010	0.051	ug/L
1024-57-3	Heptachlor epoxide	0.025	U	0.0097	0.025	0.051	ug/L
959-98-8	Endosulfan I	0.010	U	0.0031	0.010	0.051	ug/L
60-57-1	Dieldrin	0.010	U	0.0036	0.010	0.051	ug/L
72-55-9	4,4-DDE	0.010	U	0.0037	0.010	0.051	ug/L
72-20-8	Endrin	0.010	U	0.0032	0.010	0.051	ug/L
33213-65-9	Endosulfan II	0.025	U	0.0080	0.025	0.051	ug/L
72-54-8	4,4-DDD	0.025	U	0.0072	0.025	0.051	ug/L
1031-07-8	Endosulfan Sulfate	0.010	U	0.0037	0.010	0.051	ug/L
50-29-3	4,4-DDT	0.010	U	0.0035	0.010	0.051	ug/L
72-43-5	Methoxychlor	0.025	U	0.011	0.025	0.051	ug/L
53494-70-5	Endrin ketone	0.025	U	0.0094	0.025	0.051	ug/L
7421-93-4	Endrin aldehyde	0.025	U	0.011	0.025	0.051	ug/L
5103-71-9	alpha-Chlordane	0.93		0.0035	0.010	0.051	ug/L
5103-74-2	gamma-Chlordane	0.72		0.0039	0.010	0.051	ug/L
8001-35-2	Toxaphene	0.51	U	0.17	0.51	1.00	ug/L
SURROGATES							
2051-24-3	Decachlorobiphenyl	14.1		30 - 135		70%	SPK: 20
877-09-8	Tetrachloro-m-xylene	18.2		44 - 124		91%	SPK: 20

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-03	Matrix:	WATER
Analytical Method:	8081B	% Solid:	0
Sample Wt/Vol:	990	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL096832.D	1	08/12/25 10:20	08/15/25 19:13	PB169225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2814
Lab Sample ID:	Q2814-16	Matrix:	WATER
Analytical Method:	8081B	% Solid:	0
Sample Wt/Vol:	500	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL096833.D	1	08/12/25 10:20	08/15/25 19:26	PB169225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
319-84-6	alpha-BHC	0.010	U	0.0039	0.010	0.050	ug/L
319-85-7	beta-BHC	0.010	U	0.0049	0.010	0.050	ug/L
319-86-8	delta-BHC	0.025	U	0.011	0.025	0.050	ug/L
58-89-9	gamma-BHC (Lindane)	0.010	U	0.0037	0.010	0.050	ug/L
76-44-8	Heptachlor	0.010	U	0.0027	0.010	0.050	ug/L
309-00-2	Aldrin	0.010	U	0.0036	0.010	0.050	ug/L
1024-57-3	Heptachlor epoxide	0.025	U	0.0096	0.025	0.050	ug/L
959-98-8	Endosulfan I	0.010	U	0.0031	0.010	0.050	ug/L
60-57-1	Dieldrin	0.010	U	0.0036	0.010	0.050	ug/L
72-55-9	4,4-DDE	0.010	U	0.0037	0.010	0.050	ug/L
72-20-8	Endrin	0.010	U	0.0032	0.010	0.050	ug/L
33213-65-9	Endosulfan II	0.025	U	0.0079	0.025	0.050	ug/L
72-54-8	4,4-DDD	0.025	U	0.0071	0.025	0.050	ug/L
1031-07-8	Endosulfan Sulfate	0.010	U	0.0037	0.010	0.050	ug/L
50-29-3	4,4-DDT	0.010	U	0.0035	0.010	0.050	ug/L
72-43-5	Methoxychlor	0.025	U	0.011	0.025	0.050	ug/L
53494-70-5	Endrin ketone	0.025	U	0.0093	0.025	0.050	ug/L
7421-93-4	Endrin aldehyde	0.025	U	0.011	0.025	0.050	ug/L
5103-71-9	alpha-Chlordane	0.010	U	0.0035	0.010	0.050	ug/L
5103-74-2	gamma-Chlordane	0.010	U	0.0039	0.010	0.050	ug/L
8001-35-2	Toxaphene	0.50	U	0.17	0.50	1.00	ug/L
SURROGATES							
2051-24-3	Decachlorobiphenyl	13.6		30 - 135		68%	SPK: 20
877-09-8	Tetrachloro-m-xylene	18.6		44 - 124		93%	SPK: 20

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2814
Lab Sample ID:	Q2814-16	Matrix:	WATER
Analytical Method:	8081B	% Solid:	0
Sample Wt/Vol:	500	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL096833.D	1	08/12/25 10:20	08/15/25 19:26	PB169225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-17	Matrix:	WATER
Analytical Method:	8081B	% Solid:	0
Sample Wt/Vol:	990	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL096834.D	1	08/12/25 10:20	08/15/25 19:40	PB169225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
319-84-6	alpha-BHC	0.010	U	0.0039	0.010	0.051	ug/L
319-85-7	beta-BHC	0.010	U	0.0049	0.010	0.051	ug/L
319-86-8	delta-BHC	0.025	U	0.011	0.025	0.051	ug/L
58-89-9	gamma-BHC (Lindane)	0.010	U	0.0037	0.010	0.051	ug/L
76-44-8	Heptachlor	0.010	U	0.0027	0.010	0.051	ug/L
309-00-2	Aldrin	0.010	U	0.0036	0.010	0.051	ug/L
1024-57-3	Heptachlor epoxide	0.025	U	0.0097	0.025	0.051	ug/L
959-98-8	Endosulfan I	0.010	U	0.0031	0.010	0.051	ug/L
60-57-1	Dieldrin	0.0061	J	0.0036	0.010	0.051	ug/L
72-55-9	4,4-DDE	0.016	J	0.0037	0.010	0.051	ug/L
72-20-8	Endrin	0.0051	J	0.0032	0.010	0.051	ug/L
33213-65-9	Endosulfan II	0.025	U	0.0080	0.025	0.051	ug/L
72-54-8	4,4-DDD	0.013	J	0.0072	0.025	0.051	ug/L
1031-07-8	Endosulfan Sulfate	0.010	U	0.0037	0.010	0.051	ug/L
50-29-3	4,4-DDT	0.010	U	0.0035	0.010	0.051	ug/L
72-43-5	Methoxychlor	0.025	U	0.011	0.025	0.051	ug/L
53494-70-5	Endrin ketone	0.025	U	0.0094	0.025	0.051	ug/L
7421-93-4	Endrin aldehyde	0.025	U	0.011	0.025	0.051	ug/L
5103-71-9	alpha-Chlordane	0.010	U	0.0035	0.010	0.051	ug/L
5103-74-2	gamma-Chlordane	0.010	U	0.0039	0.010	0.051	ug/L
8001-35-2	Toxaphene	0.51	U	0.17	0.51	1.00	ug/L
SURROGATES							
2051-24-3	Decachlorobiphenyl	10.2		30 - 135		51%	SPK: 20
877-09-8	Tetrachloro-m-xylene	13.5		44 - 124		68%	SPK: 20

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-17	Matrix:	WATER
Analytical Method:	8081B	% Solid:	0
Sample Wt/Vol:	990	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Pesticide-TCL
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL096834.D	1	08/12/25 10:20	08/15/25 19:40	PB169225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q2814	OrderDate:	8/11/2025 10:31:02 AM
Client:	First Environment, Inc.	Project:	USACE018-44 DOD
Contact:	Al Smith	Location:	D31,D41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2814-01	TW-84SB-E	WATER	PCB	8082A	08/05/25	08/12/25	08/13/25	08/08/25
			Pesticide-TCL	8081B		08/12/25	08/15/25	
Q2814-03	TW-17M-W	WATER	PCB	8082A	08/05/25	08/12/25	08/13/25	08/08/25
			Pesticide-TCL	8081B		08/12/25	08/15/25	
Q2814-16	FB	WATER	PCB	8082A	08/04/25	08/12/25	08/13/25	08/08/25
			Pesticide-TCL	8081B		08/12/25	08/15/25	
Q2814-17	TW-518R-S	WATER	PCB	8082A	08/05/25	08/12/25	08/14/25	08/08/25
			Pesticide-TCL	8081B		08/12/25	08/15/25	

Hit Summary Sheet SW-846

SDG No.: Q2814 **Order ID:** Q2814
Client: First Environment, Inc. **Project ID:** USACE018-44 DOD

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : TW-84SB-E									
Q2814-01	TW-84SB-E	Water	Aluminum	461		5.67	40.0	50.0	ug/L
Q2814-01	TW-84SB-E	Water	Barium	31.3	J	7.28	12.5	50.0	ug/L
Q2814-01	TW-84SB-E	Water	Calcium	20500		117	250	1000	ug/L
Q2814-01	TW-84SB-E	Water	Chromium	1.87	J	1.06	2.50	5.00	ug/L
Q2814-01	TW-84SB-E	Water	Copper	3.36	J	2.30	8.00	10.0	ug/L
Q2814-01	TW-84SB-E	Water	Iron	1040		11.7	40.0	50.0	ug/L
Q2814-01	TW-84SB-E	Water	Lead	3.82	J	1.15	4.80	6.00	ug/L
Q2814-01	TW-84SB-E	Water	Magnesium	11500		122	250	1000	ug/L
Q2814-01	TW-84SB-E	Water	Manganese	19.4		2.97	7.50	10.0	ug/L
Q2814-01	TW-84SB-E	Water	Potassium	13600		459	800	1000	ug/L
Q2814-01	TW-84SB-E	Water	Sodium	65600		434	500	1000	ug/L
Q2814-01	TW-84SB-E	Water	Zinc	16.4	J	8.33	7.50	20.0	ug/L
Client ID : TW-17M-W									
Q2814-03	TW-17M-W	Water	Aluminum	2750		5.67	40.0	50.0	ug/L
Q2814-03	TW-17M-W	Water	Arsenic	6.27	J	2.56	7.50	10.0	ug/L
Q2814-03	TW-17M-W	Water	Barium	18.6	J	7.28	12.5	50.0	ug/L
Q2814-03	TW-17M-W	Water	Calcium	18400		117	250	1000	ug/L
Q2814-03	TW-17M-W	Water	Chromium	4.23	J	1.06	2.50	5.00	ug/L
Q2814-03	TW-17M-W	Water	Copper	7.20	J	2.30	8.00	10.0	ug/L
Q2814-03	TW-17M-W	Water	Iron	1770		11.7	40.0	50.0	ug/L
Q2814-03	TW-17M-W	Water	Lead	20.9		1.15	4.80	6.00	ug/L
Q2814-03	TW-17M-W	Water	Magnesium	6810		122	250	1000	ug/L
Q2814-03	TW-17M-W	Water	Manganese	102		2.97	7.50	10.0	ug/L
Q2814-03	TW-17M-W	Water	Mercury	0.14	J	0.076	0.16	0.20	ug/L
Q2814-03	TW-17M-W	Water	Nickel	1.74	J	1.53	5.00	20.0	ug/L
Q2814-03	TW-17M-W	Water	Potassium	4990		459	800	1000	ug/L
Q2814-03	TW-17M-W	Water	Sodium	43400		434	500	1000	ug/L
Q2814-03	TW-17M-W	Water	Vanadium	8.02	J	3.13	10.0	20.0	ug/L
Q2814-03	TW-17M-W	Water	Zinc	39.8		8.33	7.50	20.0	ug/L
Client ID : TW-518R-S									
Q2814-17	TW-518R-S	Water	Aluminum	233000	D	28.4	200	250	ug/L
Q2814-17	TW-518R-S	Water	Arsenic	304	D	12.8	37.5	50.0	ug/L
Q2814-17	TW-518R-S	Water	Barium	890	D	36.4	62.5	250	ug/L
Q2814-17	TW-518R-S	Water	Beryllium	15.9	D	1.40	3.75	15.0	ug/L
Q2814-17	TW-518R-S	Water	Cadmium	43.3	D	1.25	3.75	15.0	ug/L
Q2814-17	TW-518R-S	Water	Calcium	50900	D	585	1250	5000	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q2814

Order ID: Q2814

Client: First Environment, Inc.

Project ID: USACE018-44 DOD

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2814-17	TW-518R-S	Water	Chromium	476	D	5.30	12.5	25.0	ug/L
Q2814-17	TW-518R-S	Water	Cobalt	152	D	5.65	18.8	75.0	ug/L
Q2814-17	TW-518R-S	Water	Copper	1300	D	11.5	40.0	50.0	ug/L
Q2814-17	TW-518R-S	Water	Iron	339000	D	58.5	200	250	ug/L
Q2814-17	TW-518R-S	Water	Lead	892	D	5.75	24.0	30.0	ug/L
Q2814-17	TW-518R-S	Water	Magnesium	56700	D	610	1250	5000	ug/L
Q2814-17	TW-518R-S	Water	Manganese	1190	D	14.9	37.5	50.0	ug/L
Q2814-17	TW-518R-S	Water	Mercury	0.28		0.076	0.16	0.20	ug/L
Q2814-17	TW-518R-S	Water	Nickel	288	D	7.65	25.0	100	ug/L
Q2814-17	TW-518R-S	Water	Potassium	46100	D	2300	4000	5000	ug/L
Q2814-17	TW-518R-S	Water	Silver	23.1	JD	4.05	12.5	25.0	ug/L
Q2814-17	TW-518R-S	Water	Sodium	373000	D	2170	2500	5000	ug/L
Q2814-17	TW-518R-S	Water	Vanadium	552	D	15.7	50.0	100	ug/L
Q2814-17	TW-518R-S	Water	Zinc	3920	D	41.7	37.5	100	ug/L
Client ID : TW-84SB-E									
Q2814-22	TW-84SB-E	Water	Aluminum	19.9	J	5.67	40.0	50.0	ug/L
Q2814-22	TW-84SB-E	Water	Barium	27.5	J	7.28	12.5	50.0	ug/L
Q2814-22	TW-84SB-E	Water	Calcium	20700		117	250	1000	ug/L
Q2814-22	TW-84SB-E	Water	Copper	5.24	J	2.30	8.00	10.0	ug/L
Q2814-22	TW-84SB-E	Water	Iron	17.5	J	11.7	40.0	50.0	ug/L
Q2814-22	TW-84SB-E	Water	Magnesium	11800		122	250	1000	ug/L
Q2814-22	TW-84SB-E	Water	Manganese	4.05	J	2.97	7.50	10.0	ug/L
Q2814-22	TW-84SB-E	Water	Potassium	12600		459	800	1000	ug/L
Q2814-22	TW-84SB-E	Water	Sodium	65400		434	500	1000	ug/L
Q2814-22	TW-84SB-E	Water	Zinc	11.9	J	8.33	7.50	20.0	ug/L
Client ID : TW-17M-W									
Q2814-23	TW-17M-W	Water	Aluminum	274		5.67	40.0	50.0	ug/L
Q2814-23	TW-17M-W	Water	Calcium	18400		117	250	1000	ug/L
Q2814-23	TW-17M-W	Water	Copper	52.2		2.30	8.00	10.0	ug/L
Q2814-23	TW-17M-W	Water	Iron	53.7		11.7	40.0	50.0	ug/L
Q2814-23	TW-17M-W	Water	Lead	4.30	J	1.15	4.80	6.00	ug/L
Q2814-23	TW-17M-W	Water	Magnesium	6790		122	250	1000	ug/L
Q2814-23	TW-17M-W	Water	Manganese	8.68	J	2.97	7.50	10.0	ug/L
Q2814-23	TW-17M-W	Water	Potassium	4370		459	800	1000	ug/L
Q2814-23	TW-17M-W	Water	Sodium	43000		434	500	1000	ug/L
Q2814-23	TW-17M-W	Water	Zinc	11.9	J	8.33	7.50	20.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	461		1	5.67	40.0	50.0	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-36-0	Antimony	6.25	UN	1	3.38	6.25	25.0	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-38-2	Arsenic	7.50	U	1	2.56	7.50	10.0	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-39-3	Barium	31.3	JN	1	7.28	12.5	50.0	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-41-7	Beryllium	0.75	UN	1	0.28	0.75	3.00	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-43-9	Cadmium	0.75	U	1	0.25	0.75	3.00	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-70-2	Calcium	20500		1	117	250	1000	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-47-3	Chromium	1.87	J	1	1.06	2.50	5.00	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-48-4	Cobalt	3.75	U	1	1.13	3.75	15.0	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-50-8	Copper	3.36	J	1	2.30	8.00	10.0	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7439-89-6	Iron	1040		1	11.7	40.0	50.0	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7439-92-1	Lead	3.82	J	1	1.15	4.80	6.00	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7439-95-4	Magnesium	11500		1	122	250	1000	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7439-96-5	Manganese	19.4		1	2.97	7.50	10.0	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	08/12/25 11:30	08/12/25 14:50	7470A	
7440-02-0	Nickel	5.00	U	1	1.53	5.00	20.0	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-09-7	Potassium	13600		1	459	800	1000	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7782-49-2	Selenium	8.00	U	1	4.82	8.00	10.0	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-22-4	Silver	2.50	U	1	0.81	2.50	5.00	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-23-5	Sodium	65600		1	434	500	1000	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-28-0	Thallium	10.0	U	1	2.19	10.0	20.0	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-62-2	Vanadium	10.0	U	1	3.13	10.0	20.0	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010
7440-66-6	Zinc	16.4	JN	1	8.33	7.50	20.0	ug/L	08/13/25 10:30	08/14/25 15:02	6010D	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	METALS-TAL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-03	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	2750		1	5.67	40.0	50.0	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-36-0	Antimony	6.25	UN	1	3.38	6.25	25.0	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-38-2	Arsenic	6.27	J	1	2.56	7.50	10.0	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-39-3	Barium	18.6	JN	1	7.28	12.5	50.0	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-41-7	Beryllium	0.75	UN	1	0.28	0.75	3.00	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-43-9	Cadmium	0.75	U	1	0.25	0.75	3.00	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-70-2	Calcium	18400		1	117	250	1000	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-47-3	Chromium	4.23	J	1	1.06	2.50	5.00	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-48-4	Cobalt	3.75	U	1	1.13	3.75	15.0	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-50-8	Copper	7.20	J	1	2.30	8.00	10.0	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7439-89-6	Iron	1770		1	11.7	40.0	50.0	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7439-92-1	Lead	20.9		1	1.15	4.80	6.00	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7439-95-4	Magnesium	6810		1	122	250	1000	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7439-96-5	Manganese	102		1	2.97	7.50	10.0	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7439-97-6	Mercury	0.14	J	1	0.076	0.16	0.20	ug/L	08/12/25 11:30	08/12/25 14:52	7470A	
7440-02-0	Nickel	1.74	J	1	1.53	5.00	20.0	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-09-7	Potassium	4990		1	459	800	1000	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7782-49-2	Selenium	8.00	U	1	4.82	8.00	10.0	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-22-4	Silver	2.50	U	1	0.81	2.50	5.00	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-23-5	Sodium	43400		1	434	500	1000	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-28-0	Thallium	10.0	U	1	2.19	10.0	20.0	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-62-2	Vanadium	8.02	J	1	3.13	10.0	20.0	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010
7440-66-6	Zinc	39.8	N	1	8.33	7.50	20.0	ug/L	08/13/25 10:30	08/14/25 15:06	6010D	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	METALS-TAL			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/04/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2814
Lab Sample ID:	Q2814-16	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	40.0	U	1	5.67	40.0	50.0	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-36-0	Antimony	6.25	UN	1	3.38	6.25	25.0	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-38-2	Arsenic	7.50	U	1	2.56	7.50	10.0	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-39-3	Barium	12.5	UN	1	7.28	12.5	50.0	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-41-7	Beryllium	0.75	UN	1	0.28	0.75	3.00	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-43-9	Cadmium	0.75	U	1	0.25	0.75	3.00	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-70-2	Calcium	250	U	1	117	250	1000	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-47-3	Chromium	2.50	U	1	1.06	2.50	5.00	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-48-4	Cobalt	3.75	U	1	1.13	3.75	15.0	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-50-8	Copper	8.00	U	1	2.30	8.00	10.0	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7439-89-6	Iron	40.0	U	1	11.7	40.0	50.0	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7439-92-1	Lead	4.80	U	1	1.15	4.80	6.00	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7439-95-4	Magnesium	250	U	1	122	250	1000	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7439-96-5	Manganese	7.50	U	1	2.97	7.50	10.0	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	08/12/25 11:30	08/12/25 14:54	7470A	
7440-02-0	Nickel	5.00	U	1	1.53	5.00	20.0	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-09-7	Potassium	800	U	1	459	800	1000	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7782-49-2	Selenium	8.00	U	1	4.82	8.00	10.0	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-22-4	Silver	2.50	U	1	0.81	2.50	5.00	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-23-5	Sodium	500	U	1	434	500	1000	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-28-0	Thallium	10.0	U	1	2.19	10.0	20.0	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-62-2	Vanadium	10.0	U	1	3.13	10.0	20.0	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010
7440-66-6	Zinc	7.50	UN	1	8.33	7.50	20.0	ug/L	08/13/25 10:30	08/14/25 15:10	6010D	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	METALS-TAL			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-518R-S	SDG No.:	Q2814
Lab Sample ID:	Q2814-17	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	233000	D	5	28.4	200	250	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-36-0	Antimony	31.3	UDN5		16.9	31.3	125	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-38-2	Arsenic	304	D	5	12.8	37.5	50.0	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-39-3	Barium	890	DN	5	36.4	62.5	250	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-41-7	Beryllium	15.9	DN	5	1.40	3.75	15.0	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-43-9	Cadmium	43.3	D	5	1.25	3.75	15.0	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-70-2	Calcium	50900	D	5	585	1250	5000	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-47-3	Chromium	476	D	5	5.30	12.5	25.0	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-48-4	Cobalt	152	D	5	5.65	18.8	75.0	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-50-8	Copper	1300	D	5	11.5	40.0	50.0	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7439-89-6	Iron	339000	D	5	58.5	200	250	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7439-92-1	Lead	892	D	5	5.75	24.0	30.0	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7439-95-4	Magnesium	56700	D	5	610	1250	5000	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7439-96-5	Manganese	1190	D	5	14.9	37.5	50.0	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7439-97-6	Mercury	0.28		1	0.076	0.16	0.20	ug/L	08/12/25 11:30	08/12/25 15:01	7470A	
7440-02-0	Nickel	288	D	5	7.65	25.0	100	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-09-7	Potassium	46100	D	5	2300	4000	5000	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7782-49-2	Selenium	40.0	UD	5	24.1	40.0	50.0	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-22-4	Silver	23.1	JD	5	4.05	12.5	25.0	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-23-5	Sodium	373000	D	5	2170	2500	5000	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-28-0	Thallium	50.0	UD	5	10.9	50.0	100	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-62-2	Vanadium	552	D	5	15.7	50.0	100	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010
7440-66-6	Zinc	3920	DN	5	41.7	37.5	100	ug/L	08/13/25 10:30	08/14/25 15:15	6010D	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	METALS-TAL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-E	SDG No.:	Q2814
Lab Sample ID:	Q2814-22	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	19.9	J	1	5.67	40.0	50.0	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-36-0	Antimony	6.25	UN	1	3.38	6.25	25.0	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-38-2	Arsenic	7.50	U	1	2.56	7.50	10.0	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-39-3	Barium	27.5	JN	1	7.28	12.5	50.0	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-41-7	Beryllium	0.75	UN	1	0.28	0.75	3.00	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-43-9	Cadmium	0.75	U	1	0.25	0.75	3.00	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-70-2	Calcium	20700		1	117	250	1000	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-47-3	Chromium	2.50	U	1	1.06	2.50	5.00	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-48-4	Cobalt	3.75	U	1	1.13	3.75	15.0	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-50-8	Copper	5.24	J	1	2.30	8.00	10.0	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7439-89-6	Iron	17.5	J	1	11.7	40.0	50.0	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7439-92-1	Lead	4.80	U	1	1.15	4.80	6.00	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7439-95-4	Magnesium	11800		1	122	250	1000	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7439-96-5	Manganese	4.05	J	1	2.97	7.50	10.0	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	08/14/25 10:30	08/15/25 12:27	7470A	
7440-02-0	Nickel	5.00	U	1	1.53	5.00	20.0	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-09-7	Potassium	12600		1	459	800	1000	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7782-49-2	Selenium	8.00	U	1	4.82	8.00	10.0	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-22-4	Silver	2.50	U	1	0.81	2.50	5.00	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-23-5	Sodium	65400		1	434	500	1000	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-28-0	Thallium	10.0	U	1	2.19	10.0	20.0	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-62-2	Vanadium	10.0	U	1	3.13	10.0	20.0	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010
7440-66-6	Zinc	11.9	JN	1	8.33	7.50	20.0	ug/L	08/13/25 10:30	08/20/25 16:47	6010D	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	DISSOLVED METALS-TAL			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/05/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-W	SDG No.:	Q2814
Lab Sample ID:	Q2814-23	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7429-90-5	Aluminum	274		1	5.67	40.0	50.0	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-36-0	Antimony	6.25	UN	1	3.38	6.25	25.0	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-38-2	Arsenic	7.50	U	1	2.56	7.50	10.0	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-39-3	Barium	12.5	UN	1	7.28	12.5	50.0	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-41-7	Beryllium	0.75	UN	1	0.28	0.75	3.00	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-43-9	Cadmium	0.75	U	1	0.25	0.75	3.00	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-70-2	Calcium	18400		1	117	250	1000	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-47-3	Chromium	2.50	U	1	1.06	2.50	5.00	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-48-4	Cobalt	3.75	U	1	1.13	3.75	15.0	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-50-8	Copper	52.2		1	2.30	8.00	10.0	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7439-89-6	Iron	53.7		1	11.7	40.0	50.0	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7439-92-1	Lead	4.30	J	1	1.15	4.80	6.00	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7439-95-4	Magnesium	6790		1	122	250	1000	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7439-96-5	Manganese	8.68	J	1	2.97	7.50	10.0	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7439-97-6	Mercury	0.16	U	1	0.076	0.16	0.20	ug/L	08/14/25 10:30	08/15/25 12:29	7470A	
7440-02-0	Nickel	5.00	U	1	1.53	5.00	20.0	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-09-7	Potassium	4370		1	459	800	1000	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7782-49-2	Selenium	8.00	U	1	4.82	8.00	10.0	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-22-4	Silver	2.50	U	1	0.81	2.50	5.00	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-23-5	Sodium	43000		1	434	500	1000	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-28-0	Thallium	10.0	U	1	2.19	10.0	20.0	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-62-2	Vanadium	10.0	U	1	3.13	10.0	20.0	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010
7440-66-6	Zinc	11.9	JN	1	8.33	7.50	20.0	ug/L	08/13/25 10:30	08/21/25 17:01	6010D	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	DISSOLVED METALS-TAL			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2814	OrderDate:	8/11/2025 10:31:02 AM
Client:	First Environment, Inc.	Project:	USACE018-44 DOD
Contact:	Al Smith	Location:	D31,D41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2814-01	TW-84SB-E	Water			08/05/25			08/08/25
			Mercury	7470A		08/12/25	08/12/25	
			Metals ICP-TAL	6010D		08/13/25	08/14/25	
Q2814-03	TW-17M-W	Water			08/05/25			08/08/25
			Mercury	7470A		08/12/25	08/12/25	
			Metals ICP-TAL	6010D		08/13/25	08/14/25	
Q2814-16	FB	Water			08/04/25			08/08/25
			Mercury	7470A		08/12/25	08/12/25	
			Metals ICP-TAL	6010D		08/13/25	08/14/25	
Q2814-17	TW-518R-S	Water			08/05/25			08/08/25
			Mercury	7470A		08/12/25	08/12/25	
			Metals ICP-TAL	6010D		08/13/25	08/14/25	
Q2814-22	TW-84SB-E	Water			08/05/25			08/08/25
			Dissolved ICP-TAL Metals	6010D		08/13/25	08/20/25	
			Dissolved Mercury	7470A		08/14/25	08/15/25	
Q2814-23	TW-17M-W	Water			08/05/25			08/08/25
			Dissolved ICP-TAL Metals	6010D		08/13/25	08/21/25	
			Dissolved Mercury	7470A		08/14/25	08/15/25	