

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
 Data File : BF143389.D
 Acq On : 14 Aug 2025 18:56
 Operator : RC/JU
 Sample : Q2814-11
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TW-38M-S

Quant Time: Aug 15 01:46:39 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 12 13:25:39 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	150098	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	582588	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	311951	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	484675	20.000	ng	0.00
76) Chrysene-d12	14.098	240	273593	20.000	ng	0.00
86) Perylene-d12	15.592	264	288235	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.569	112	748380	86.220	ng	0.00
7) Phenol-d6	6.563	99	731242	65.695	ng	0.00
23) Nitrobenzene-d5	7.492	82	1046655	111.878	ng	0.00
42) 2,4,6-Tribromophenol	10.763	330	430533	188.846	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1797454	97.709	ng	0.00
79) Terphenyl-d14	13.039	244	1682318	109.780	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	14.069	149	6415	4.871	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143389.D
Acq On : 14 Aug 2025 18:56
Operator : RC/JU
Sample : Q2814-11
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-38M-S

Quant Time: Aug 15 01:46:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 806
Delta R.T. -0.000 min
Lab File: BF143389.D
Acq: 14 Aug 2025 18:56




Instrument :
BNA_F
ClientSampleId :
TW-38M-S


Tgt Ion:152 Resp: 150098
Ion Ratio Lower Upper
152 100
150 156.5 129.8 194.8
115 59.3 47.8 71.8



#5
2-Fluorophenol
Concen: 86.220 ng
RT: 5.569 min Scan# 574
Delta R.T. 0.006 min
Lab File: BF143389.D
Acq: 14 Aug 2025 18:56

Tgt Ion:112 Resp: 748380
Ion Ratio Lower Upper
112 100
64 64.3 52.1 78.1
63 33.0 26.6 39.8









#7
Phenol-d6
Concen: 65.695 ng
RT: 6.563 min Scan# 743
Delta R.T. 0.000 min
Lab File: BF143389.D
Acq: 14 Aug 2025 18:56




Instrument :
BNA_F
ClientSampleId :
TW-38M-S


Tgt Ion: 99 Resp: 731242
Ion Ratio Lower Upper
99 100
42 20.5 16.6 25.0
71 32.8 26.2 39.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. 0.000 min
Lab File: BF143389.D
Acq: 14 Aug 2025 18:56

Tgt Ion: 136 Resp: 582588
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 10.2 8.4 12.6
68 6.9 5.9 8.9





#23

Nitrobenzene-d5

Concen: 111.878 ng

RT: 7.492 min Scan# 901

Delta R.T. 0.000 min

Lab File: BF143389.D

Acq: 14 Aug 2025 18:56

Instrument :

BNA_F

ClientSampleId :

TW-38M-S





Tgt Ion: 82 Resp: 1046655

Ion Ratio Lower Upper

82 100

128 44.3 33.5 50.3

54 57.5 46.7 70.1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.969 min Scan# 1322

Delta R.T. -0.000 min

Lab File: BF143389.D

Acq: 14 Aug 2025 18:56




Tgt Ion:164 Resp: 311951


Ion Ratio Lower Upper

164 100

162 99.7 78.6 118.0

160 43.1 34.4 51.6









#42
2,4,6-Tribromophenol
Concen: 188.846 ng
RT: 10.763 min Scan# 1456
Delta R.T. 0.006 min
Lab File: BF143389.D
Acq: 14 Aug 2025 18:56




Instrument :
BNA_F
ClientSampleId :
TW-38M-S


Tgt Ion:330 Resp: 430533
Ion Ratio Lower Upper
330 100
332 95.9 78.1 117.1
141 27.4 25.4 38.0



#45
2-Fluorobiphenyl
Concen: 97.709 ng
RT: 9.286 min Scan# 1206
Delta R.T. 0.000 min
Lab File: BF143389.D
Acq: 14 Aug 2025 18:56

Tgt Ion:172 Resp: 1797454
Ion Ratio Lower Upper
172 100
171 35.7 28.4 42.6
170 23.7 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF143389.D
Acq: 14 Aug 2025 18:56




Instrument :
BNA_F
ClientSampleId :
TW-38M-S


Tgt Ion:188 Resp: 484675
Ion Ratio Lower Upper
188 100
94 10.4 8.8 13.2
80 11.4 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143389.D
Acq: 14 Aug 2025 18:56

Tgt Ion:240 Resp: 273593
Ion Ratio Lower Upper
240 100
120 10.7 9.0 13.6
236 25.6 19.9 29.9









#79
 Terphenyl-d14
 Concen: 109.780 ng
 RT: 13.039 min Scan# 1843
 Delta R.T. 0.006 min
 Lab File: BF143389.D
 Acq: 14 Aug 2025 18:56




Instrument :
 BNA_F
 ClientSampleId :
 TW-38M-S


Tgt Ion:244 Resp: 1682318
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.1 7.7
 122 10.6 8.9 13.3



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 4.871 ng
 RT: 14.069 min Scan# 2019
 Delta R.T. 0.006 min
 Lab File: BF143389.D
 Acq: 14 Aug 2025 18:56


Tgt Ion:149 Resp: 6415
 Ion Ratio Lower Upper
 149 100
 167 25.8 21.4 32.0
 279 3.8 3.2 4.8





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 21
Delta R.T. 0.012 min
Lab File: BF143389.D
Acq: 14 Aug 2025 18:56

Instrument :
BNA_F
ClientSampleId :
TW-38M-S



Tgt Ion:264 Resp: 288235
Ion Ratio Lower Upper
264 100
260 23.3 18.7 28.1
265 21.9 17.2 25.8

