

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
 Data File : BF143392.D
 Acq On : 14 Aug 2025 20:26
 Operator : RC/JU
 Sample : Q2814-14
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TW-BP-E

Quant Time: Aug 15 01:34:40 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 12 13:25:39 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	147415	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	561051	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	301049	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	453674	20.000	ng	0.00
76) Chrysene-d12	14.098	240	245304	20.000	ng	0.00
86) Perylene-d12	15.592	264	285132	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.569	112	672802	78.923	ng	0.00
7) Phenol-d6	6.563	99	654335	59.856	ng	0.00
23) Nitrobenzene-d5	7.493	82	955148	106.016	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	372732	169.414	ng	0.00
45) 2-Fluorobiphenyl	9.287	172	1624069	91.481	ng	0.00
79) Terphenyl-d14	13.039	244	1448163	105.398	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143392.D
Acq On : 14 Aug 2025 20:26
Operator : RC/JU
Sample : Q2814-14
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-BP-E

Quant Time: Aug 15 01:34:40 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 806
Delta R.T. -0.000 min
Lab File: BF143392.D
Acq: 14 Aug 2025 20:26




Instrument :
BNA_F
ClientSampleId :
TW-BP-E


Tgt Ion:152 Resp: 147415
Ion Ratio Lower Upper
152 100
150 153.8 129.8 194.8
115 56.9 47.8 71.8



#5
2-Fluorophenol
Concen: 78.923 ng
RT: 5.569 min Scan# 574
Delta R.T. 0.006 min
Lab File: BF143392.D
Acq: 14 Aug 2025 20:26

Tgt Ion:112 Resp: 672802
Ion Ratio Lower Upper
112 100
64 65.3 52.1 78.1
63 32.8 26.6 39.8









#7
Phenol-d6
Concen: 59.856 ng
RT: 6.563 min Scan# 743
Delta R.T. 0.000 min
Lab File: BF143392.D
Acq: 14 Aug 2025 20:26




Instrument :
BNA_F
ClientSampleId :
TW-BP-E


Tgt Ion: 99 Resp: 654335
Ion Ratio Lower Upper
99 100
42 20.3 16.6 25.0
71 32.8 26.2 39.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. 0.000 min
Lab File: BF143392.D
Acq: 14 Aug 2025 20:26

Tgt Ion: 136 Resp: 561051
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 10.2 8.4 12.6
68 7.0 5.9 8.9





#23

Nitrobenzene-d5

Concen: 106.016 ng

RT: 7.493 min Scan# 901

Delta R.T. 0.000 min

Lab File: BF143392.D

Acq: 14 Aug 2025 20:26

Instrument :

BNA_F

ClientSampleId :

TW-BP-E





Tgt Ion: 82 Resp: 955148

Ion Ratio Lower Upper

82 100

128 44.3 33.5 50.3

54 56.9 46.7 70.1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.969 min Scan# 1322

Delta R.T. -0.000 min

Lab File: BF143392.D

Acq: 14 Aug 2025 20:26




Tgt Ion: 164 Resp: 301049


Ion Ratio Lower Upper

164 100

162 97.8 78.6 118.0

160 42.8 34.4 51.6









#42
 2,4,6-Tribromophenol
 Concen: 169.414 ng
 RT: 10.757 min Scan# 1456
 Delta R.T. 0.000 min
 Lab File: BF143392.D
 Acq: 14 Aug 2025 20:26




Instrument :
 BNA_F
 ClientSampleId :
 TW-BP-E


Tgt Ion:330 Resp: 372732
 Ion Ratio Lower Upper
 330 100
 332 97.8 78.1 117.1
 141 28.7 25.4 38.0



#45
 2-Fluorobiphenyl
 Concen: 91.481 ng
 RT: 9.287 min Scan# 1206
 Delta R.T. 0.000 min
 Lab File: BF143392.D
 Acq: 14 Aug 2025 20:26

Tgt Ion:172 Resp: 1624069
 Ion Ratio Lower Upper
 172 100
 171 35.6 28.4 42.6
 170 23.8 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF143392.D
Acq: 14 Aug 2025 20:26




Instrument :
BNA_F
ClientSampleId :
TW-BP-E


Tgt Ion:188 Resp: 453674
Ion Ratio Lower Upper
188 100
94 10.0 8.8 13.2
80 11.2 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143392.D
Acq: 14 Aug 2025 20:26

Tgt Ion:240 Resp: 245304
Ion Ratio Lower Upper
240 100
120 10.9 9.0 13.6
236 26.0 19.9 29.9









#79
 Terphenyl-d14
 Concen: 105.398 ng
 RT: 13.039 min Scan# 1843
 Delta R.T. 0.006 min
 Lab File: BF143392.D
 Acq: 14 Aug 2025 20:26

Instrument :
 BNA_F
 ClientSampleId :
 TW-BP-E

Tgt Ion:244 Resp: 1448163
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.1 7.7
 122 10.4 8.9 13.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.592 min Scan# 2278
 Delta R.T. 0.012 min
 Lab File: BF143392.D
 Acq: 14 Aug 2025 20:26

Tgt Ion:264 Resp: 285132
 Ion Ratio Lower Upper
 264 100
 260 23.4 18.7 28.1
 265 22.0 17.2 25.8

