



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

First Environment, Inc.

Project Name: USACE018-44 DOD

Project # N/A

Order ID # Q2815

Test Name: Dissolved ICP-TAL Metals, Dissolved Mercury, Mercury, Metals ICP-TAL

A. Number of Samples and Date of Receipt:

26 Water samples were received on 08/08/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Dissolved ICP-TAL Metals, Dissolved Mercury, DISSOLVED METALS-TAL, Mercury, Metals ICP-TAL, METALS-TAL, PCB, Pesticide-TCL, SVOC-TCL BNA -20 and VOC-TCLVOA-10. This data package contains results for Dissolved ICP-TAL Metals, Dissolved Mercury, Mercury, Metals ICP-TAL.

C. Analytical Techniques:

The analysis of Dissolved ICP-TAL Metals, Metals ICP-TAL was based on method 6010D, digestion based on method 3010 (waters). The analysis and digestion of Dissolved Mercury, Mercury was based on method 7470A.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all compounds.

The Duplicate analysis met criteria for all compounds.

The Matrix Spike (TW-WTS-13MS) analysis met criteria for all compounds except for Barium, Beryllium and Zinc due to Chemical interference during Digestion Process.

The Matrix Spike Duplicate (TW-WTS-13MSD) analysis met criteria for all compounds except for Antimony, Beryllium and Zinc due to Chemical Interference during Digestion process.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met criteria for all compounds.

E. Additional Comments:

The Post Digest Spike (TW-WTS-13A) analysis met criteria for all compounds except for Barium, Beryllium and Zinc due to unknown chemical interference of matrix with the addition of spike amount after digestion and before analysis; matrix has suppression effect during addition of spike.

Sample Q2815-01, Q2815-11, Q2815-20, Q2815-26 analyzed as Total Metal and Sample Q2815-25 analyzed as Dissolved Metal.



I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____