

### RETENTION TIMES OF INITIAL CALIBRATION

**Lab Name:** Alliance

**Contract:**           **FIRS02**

Lab Code: ACE

SDG NO.: Q2815

Instrument ID: ECD\_O

**Calibration Date(s):** 07/23/2025 07/23/2025

**Calibration Times:**                      11:32                      19:47

GC Column: ZB-MR1 ID: 0.32 (mm)

|              |            |                   |            |                   |            |
|--------------|------------|-------------------|------------|-------------------|------------|
| LAB FILE ID: | RT 1000 =  | <u>PO112414.D</u> | RT 750 =   | <u>PO112415.D</u> |            |
| RT 500 =     | PO112416.D | RT 250 =          | PO112417.D | RT 050 =          | PO112418.D |

[illegible]

[illegible]



|                |                 |                      |                   |                   |
|----------------|-----------------|----------------------|-------------------|-------------------|
| Lab Name:      | <u>Alliance</u> | Contract:            | <u>FIRS02</u>     |                   |
| Lab Code:      | <u>ACE</u>      | SDG NO.:             | <u>Q2815</u>      |                   |
| Instrument ID: | <u>ECD_O</u>    | Calibration Date(s): | <u>07/23/2025</u> | <u>07/23/2025</u> |
|                |                 | Calibration Times:   | <u>11:32</u>      | <u>19:47</u>      |

|                     |                   |                          |                   |                          |                   |
|---------------------|-------------------|--------------------------|-------------------|--------------------------|-------------------|
| <b>LAB FILE ID:</b> | <b>RT 1000 =</b>  | <b><u>PO112414.D</u></b> | <b>RT 750 =</b>   | <b><u>PO112415.D</u></b> |                   |
| <b>RT 500 =</b>     | <b>PO112416.D</b> | <b>RT 250 =</b>          | <b>PO112417.D</b> | <b>RT 050 =</b>          | <b>PO112418.D</b> |

[illegible]

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### RETENTION TIMES OF INITIAL CALIBRATION

[illegible]