

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169230BSD	SDG No.:	Q2815
Lab Sample ID:	PB169230BSD	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025425.D	1	08/12/25 11:39	08/15/25 13:26	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	26.6		3.90	8.00	10.0	ug/L
108-95-2	Phenol	44.9		0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	42.2		0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	44.7		0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	44.2		1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	42.6		1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	42.9		0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	43.5		1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	39.9		1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	42.8		0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	45.0		0.76	4.00	5.00	ug/L
78-59-1	Isophorone	41.7		0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	44.5		1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	45.3		1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	42.8		0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	45.8		0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	43.1		0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	27.2		0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	42.6		0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	43.9		1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	44.6		0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	42.8		0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	96.4	E	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	45.9		0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	47.0		0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	43.5		0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	43.5		0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	47.5		1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	43.9		0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169230BSD	SDG No.:	Q2815
Lab Sample ID:	PB169230BSD	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025425.D	1	08/12/25 11:39	08/15/25 13:26	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	43.7		0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	46.5		0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	33.4		1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	44.3		0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	110	E	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	95.3	E	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	42.9		0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	47.7		1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	44.2		0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	42.7		0.68	4.00	5.00	ug/L
86-73-7	Fluorene	43.0		0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	43.3		1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	49.6		2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	44.8		0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	44.7		0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	44.5		0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	46.2		1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	98.0	E	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	44.8		0.50	4.00	5.00	ug/L
120-12-7	Anthracene	45.2		0.61	4.00	5.00	ug/L
86-74-8	Carbazole	45.9		0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	45.9		1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	44.5		0.82	4.00	5.00	ug/L
129-00-0	Pyrene	44.7		0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	46.5		1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	34.1		0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	46.3		0.45	4.00	5.00	ug/L
218-01-9	Chrysene	46.0		0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	46.2		1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	48.8		2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	47.6		0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169230BSD	SDG No.:	Q2815
Lab Sample ID:	PB169230BSD	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025425.D	1	08/12/25 11:39	08/15/25 13:26	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	46.9		0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	47.1		0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	46.9		0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	47.0		0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	46.7		0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	43.3		0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	37.1		1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	46.0		0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	124		19 - 119		83%	SPK: 150
13127-88-3	Phenol-d6	123		10 - 130		82%	SPK: 150
4165-60-0	Nitrobenzene-d5	77.4		44 - 120		77%	SPK: 100
321-60-8	2-Fluorobiphenyl	76.8		44 - 119		77%	SPK: 100
118-79-6	2,4,6-Tribromophenol	125		43 - 140		83%	SPK: 150
1718-51-0	Terphenyl-d14	77.3		50 - 134		77%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	168000	7.778				
1146-65-2	Naphthalene-d8	667000	10.548				
15067-26-2	Acenaphthene-d10	425000	14.401				
1517-22-2	Phenanthrene-d10	837000	17.207				
1719-03-5	Chrysene-d12	883000	21.654				
1520-96-3	Perylene-d12	1040000	25.012				

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products