

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
 Data File : BF143404.D
 Acq On : 15 Aug 2025 06:22
 Operator : RC/JU
 Sample : Q2815-02
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TW-10PC-W

Quant Time: Aug 15 07:48:24 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 12 13:25:39 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	137941	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	524967	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	279779	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	405971	20.000	ng	0.00
76) Chrysene-d12	14.098	240	246476	20.000	ng	0.00
86) Perylene-d12	15.592	264	306529	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.569	112	679511	85.185	ng	0.00
7) Phenol-d6	6.557	99	650411	63.583	ng	0.00
23) Nitrobenzene-d5	7.492	82	868383	103.011	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	328633	160.725	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1510905	91.577	ng	0.00
79) Terphenyl-d14	13.039	244	1295774	93.859	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143404.D
Acq On : 15 Aug 2025 06:22
Operator : RC/JU
Sample : Q2815-02
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Quant Time: Aug 15 07:48:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.934 min Scan# 806
 Delta R.T. -0.000 min
 Lab File: BF143404.D
 Acq: 15 Aug 2025 06:22




Instrument :
 BNA_F
 ClientSampleId :
 TW-10PC-W


Tgt Ion:152 Resp: 137941
 Ion Ratio Lower Upper
 152 100
 150 153.9 129.8 194.8
 115 58.0 47.8 71.8



#5
 2-Fluorophenol
 Concen: 85.185 ng
 RT: 5.569 min Scan# 574
 Delta R.T. 0.006 min
 Lab File: BF143404.D
 Acq: 15 Aug 2025 06:22

Tgt Ion:112 Resp: 679511
 Ion Ratio Lower Upper
 112 100
 64 65.0 52.1 78.1
 63 33.4 26.6 39.8









#7
Phenol-d6
Concen: 63.583 ng
RT: 6.557 min Scan# 743
Delta R.T. -0.006 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22




Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Tgt Ion: 99 Resp: 650411
Ion Ratio Lower Upper
99 100
42 20.8 16.6 25.0
71 34.2 26.2 39.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. 0.000 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Tgt Ion: 136 Resp: 524967
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 10.0 8.4 12.6
68 7.0 5.9 8.9





#23

Nitrobenzene-d5

Concen: 103.011 ng

RT: 7.492 min Scan# 901

Delta R.T. -0.000 min

Lab File: BF143404.D

Acq: 15 Aug 2025 06:22

Instrument :

BNA_F

ClientSampleId :

TW-10PC-W





Tgt Ion: 82 Resp: 868383

Ion Ratio Lower Upper

82 100

128 43.9 33.5 50.3

54 56.5 46.7 70.1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.969 min Scan# 1322

Delta R.T. -0.000 min

Lab File: BF143404.D

Acq: 15 Aug 2025 06:22




Tgt Ion:164 Resp: 279779


Ion Ratio Lower Upper

164 100

162 99.0 78.6 118.0


160 43.3 34.4 51.6








#42
2,4,6-Tribromophenol
Concen: 160.725 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.000 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W







Tgt Ion:330 Resp: 328633
Ion Ratio Lower Upper
330 100
332 96.5 78.1 117.1
141 28.8 25.4 38.0



#45
2-Fluorobiphenyl
Concen: 91.577 ng
RT: 9.286 min Scan# 1206
Delta R.T. -0.000 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Tgt Ion:172 Resp: 1510905
Ion Ratio Lower Upper
172 100
171 35.4 28.4 42.6
170 23.7 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22




Instrument :
BNA_F
ClientSampleId :
TW-10PC-W


Tgt Ion:188 Resp: 405971
Ion Ratio Lower Upper
188 100
94 10.1 8.8 13.2
80 11.1 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Tgt Ion:240 Resp: 246476
Ion Ratio Lower Upper
240 100
120 10.9 9.0 13.6
236 25.3 19.9 29.9









#79
 Terphenyl-d14
 Concen: 93.859 ng
 RT: 13.039 min Scan# 11
 Delta R.T. 0.006 min
 Lab File: BF143404.D
 Acq: 15 Aug 2025 06:22

Instrument :
 BNA_F
 ClientSampleId :
 TW-10PC-W

Tgt Ion:244 Resp: 1295774
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.1 7.7
 122 10.1 8.9 13.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.592 min Scan# 2278
 Delta R.T. 0.012 min
 Lab File: BF143404.D
 Acq: 15 Aug 2025 06:22

Tgt Ion:264 Resp: 306529
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.7 28.1
 265 21.5 17.2 25.8

