

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
 Data File : BF143406.D
 Acq On : 15 Aug 2025 07:20
 Operator : RC/JU
 Sample : Q2815-04
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TW-10P-S

Quant Time: Aug 15 07:48:46 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Aug 12 13:25:39 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	135058	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	527993	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	282094	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	414730	20.000	ng	0.00
76) Chrysene-d12	14.098	240	243022	20.000	ng	0.00
86) Perylene-d12	15.592	264	302866	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.575	112	808096	103.467	ng	0.01
7) Phenol-d6	6.563	99	833797	83.250	ng	0.00
23) Nitrobenzene-d5	7.492	82	936433	110.447	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	376036	182.400	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1614545	97.055	ng	0.00
79) Terphenyl-d14	13.039	244	1423396	104.568	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143406.D
Acq On : 15 Aug 2025 07:20
Operator : RC/JU
Sample : Q2815-04
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Quant Time: Aug 15 07:48:46 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.934 min Scan# 806
 Delta R.T. -0.000 min
 Lab File: BF143406.D
 Acq: 15 Aug 2025 07:20




Instrument :
 BNA_F
 ClientSampleId :
 TW-10P-S


Tgt Ion:152 Resp: 135058
 Ion Ratio Lower Upper
 152 100
 150 158.5 129.8 194.8
 115 59.8 47.8 71.8



#5
 2-Fluorophenol
 Concen: 103.467 ng
 RT: 5.575 min Scan# 575
 Delta R.T. 0.012 min
 Lab File: BF143406.D
 Acq: 15 Aug 2025 07:20

Tgt Ion:112 Resp: 808096
 Ion Ratio Lower Upper
 112 100
 64 63.0 52.1 78.1
 63 32.8 26.6 39.8









#7
Phenol-d6
Concen: 83.250 ng
RT: 6.563 min Scan# 743
Delta R.T. -0.000 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20




Instrument :
BNA_F
ClientSampleId :
TW-10P-S


Tgt Ion: 99 Resp: 833797
Ion Ratio Lower Upper
99 100
42 20.5 16.6 25.0
71 34.0 26.2 39.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. -0.000 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Tgt Ion:136 Resp: 527993
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 10.0 8.4 12.6
68 6.7 5.9 8.9









#23
Nitrobenzene-d5
Concen: 110.447 ng
RT: 7.492 min Scan# 901
Delta R.T. -0.000 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20




Instrument :
BNA_F
ClientSampleId :
TW-10P-S


Tgt Ion: 82 Resp: 936433
Ion Ratio Lower Upper
82 100
128 44.6 33.5 50.3
54 56.6 46.7 70.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Tgt Ion:164 Resp: 282094
Ion Ratio Lower Upper
164 100
162 99.7 78.6 118.0
160 43.1 34.4 51.6









#42
2,4,6-Tribromophenol
Concen: 182.400 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.000 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20




Instrument :
BNA_F
ClientSampleId :
TW-10P-S


Tgt Ion:330 Resp: 376036
Ion Ratio Lower Upper
330 100
332 96.9 78.1 117.1
141 28.0 25.4 38.0



#45
2-Fluorobiphenyl
Concen: 97.055 ng
RT: 9.286 min Scan# 1206
Delta R.T. -0.000 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Tgt Ion:172 Resp: 1614545
Ion Ratio Lower Upper
172 100
171 35.6 28.4 42.6
170 23.7 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20




Instrument :
BNA_F
ClientSampleId :
TW-10P-S


Tgt Ion:188 Resp: 414730
Ion Ratio Lower Upper
188 100
94 10.1 8.8 13.2
80 10.8 9.7 14.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Tgt Ion:240 Resp: 243022
Ion Ratio Lower Upper
240 100
120 10.7 9.0 13.6
236 24.9 19.9 29.9









#79
 Terphenyl-d14
 Concen: 104.568 ng
 RT: 13.039 min Scan# 1843
 Delta R.T. 0.006 min
 Lab File: BF143406.D
 Acq: 15 Aug 2025 07:20

Instrument :
 BNA_F
 ClientSampleId :
 TW-10P-S

Tgt Ion:244 Resp: 1423396
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.1 7.7
 122 10.0 8.9 13.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.592 min Scan# 2278
 Delta R.T. 0.012 min
 Lab File: BF143406.D
 Acq: 15 Aug 2025 07:20

Tgt Ion:264 Resp: 302866
 Ion Ratio Lower Upper
 264 100
 260 23.1 18.7 28.1
 265 21.5 17.2 25.8

