

Hit Summary Sheet SW-846

SDG No.: Q2815
Client: First Environment, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : TW-705R-S									
Q2815-01	TW-705R-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	14.700	AB	0	0	ug/L
Q2815-01	TW-705R-S	WATER	Benzophenone	*	4.100	J	0	0	ug/L
Q2815-01	TW-705R-S	WATER	Butane, 2-methoxy-2-methyl-	*	38.800	J	0	0	ug/L
Total Tics :				57.60					
Total Concentration:				57.60					
Client ID : TW-10PC-W									
Q2815-02	TW-10PC-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	7.500	AB	0	0	ug/L
Q2815-02	TW-10PC-W	WATER	Benzophenone	*	4.900	J	0	0	ug/L
Q2815-02	TW-10PC-W	WATER	Butane, 2-methoxy-2-methyl-	*	100.000	J	0	0	ug/L
Total Tics :				112.40					
Total Concentration:				112.40					
Client ID : TW-10P-E									
Q2815-03	TW-10P-E	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	11.700	AB	0	0	ug/L
Q2815-03	TW-10P-E	WATER	Benzophenone	*	5.100	J	0	0	ug/L
Q2815-03	TW-10P-E	WATER	Butane, 2-methoxy-2-methyl-	*	91.500	J	0	0	ug/L
Q2815-03	TW-10P-E	WATER	n-Hexadecanoic acid	*	2.200	J	0	0	ug/L
Total Tics :				110.50					
Total Concentration:				110.50					
Client ID : TW-10P-S									
Q2815-04	TW-10P-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	9.200	AB	0	0	ug/L
Q2815-04	TW-10P-S	WATER	Benzophenone	*	6.500	J	0	0	ug/L
Q2815-04	TW-10P-S	WATER	Butane, 2-methoxy-2-methyl-	*	92.600	J	0	0	ug/L
Q2815-04	TW-10P-S	WATER	n-Hexadecanoic acid	*	2.200	J	0	0	ug/L
Total Tics :				110.50					
Total Concentration:				110.50					
Client ID : TW-10P-W									
Q2815-05	TW-10P-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	13.200	AB	0	0	ug/L
Q2815-05	TW-10P-W	WATER	Benzophenone	*	4.100	J	0	0	ug/L
Q2815-05	TW-10P-W	WATER	Butane, 2-methoxy-2-methyl-	*	89.400	J	0	0	ug/L
Q2815-05	TW-10P-W	WATER	Hexacosane	*	2.800	J	0	0	ug/L
Total Tics :				109.50					
Total Concentration:				109.50					
Client ID : TW-10P-N									
Q2815-06	TW-10P-N	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	35.400	AB	0	0	ug/L
Q2815-06	TW-10P-N	WATER	Benzophenone	*	3.700	J	0	0	ug/L

Hit Summary Sheet SW-846

SDG No.: Q2815
Client: First Environment, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	LOD	RDL	Units	
Q2815-06	TW-10P-N	WATER	Butane, 2-methoxy-2-methyl-	*	94.500	J	0	0	ug/L	
Total Tics :					133.60					
Total Concentration:					133.60					
Client ID : TW-88H-E										
Q2815-07	TW-88H-E	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	11.100	AB	0	0	ug/L	
Q2815-07	TW-88H-E	WATER	Benzophenone	*	6.800	J	0	0	ug/L	
Q2815-07	TW-88H-E	WATER	Butane, 2-methoxy-2-methyl-	*	100.000	J	0	0	ug/L	
Q2815-07	TW-88H-E	WATER	n-Hexadecanoic acid	*	2.900	J	0	0	ug/L	
Q2815-07	TW-88H-E	WATER	Tetratetracontane	*	4.000	J	0	0	ug/L	
Total Tics :					124.80					
Total Concentration:					124.80					
Client ID : TW-88H-N										
Q2815-08	TW-88H-N	WATER	Bis(2-ethylhexyl)phthalate		5.400		1.6	4	5	ug/L
Total Svoc :					5.40					
Q2815-08	TW-88H-N	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	9.500	AB	0	0	ug/L	
Q2815-08	TW-88H-N	WATER	Benzophenone	*	7.600	J	0	0	ug/L	
Q2815-08	TW-88H-N	WATER	Butane, 2-methoxy-2-methyl-	*	96.100	J	0	0	ug/L	
Q2815-08	TW-88H-N	WATER	Hexadecanoic acid, 1,1-dimethyle	*	3.100	J	0	0	ug/L	
Q2815-08	TW-88H-N	WATER	n-Hexadecanoic acid	*	5.900	J	0	0	ug/L	
Total Tics :					122.20					
Total Concentration:					127.60					
Client ID : TW-88H-W										
Q2815-09	TW-88H-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	9.300	AB	0	0	ug/L	
Q2815-09	TW-88H-W	WATER	Benzophenone	*	4.400	J	0	0	ug/L	
Q2815-09	TW-88H-W	WATER	Butane, 2-methoxy-2-methyl-	*	110.000	J	0	0	ug/L	
Q2815-09	TW-88H-W	WATER	n-Hexadecanoic acid	*	3.300	J	0	0	ug/L	
Q2815-09	TW-88H-W	WATER	Tritetracontane	*	2.400	J	0	0	ug/L	
Total Tics :					129.40					
Total Concentration:					129.40					
Client ID : TW-88H-S										
Q2815-10	TW-88H-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	6.200	AB	0	0	ug/L	
Q2815-10	TW-88H-S	WATER	Benzophenone	*	6.300	J	0	0	ug/L	
Q2815-10	TW-88H-S	WATER	Butane, 2-methoxy-2-methyl-	*	66.000	J	0	0	ug/L	
Q2815-10	TW-88H-S	WATER	Eicosane	*	2.200	J	0	0	ug/L	
Q2815-10	TW-88H-S	WATER	Hexadecanoic acid, 2-methylpropyl	*	4.100	J	0	0	ug/L	
Q2815-10	TW-88H-S	WATER	Hexadecanoic acid, butyl ester	*	10.600	J	0	0	ug/L	
Q2815-10	TW-88H-S	WATER	n-Hexadecanoic acid	*	10.300	J	0	0	ug/L	
Q2815-10	TW-88H-S	WATER	Octacosane	*	2.400	J	0	0	ug/L	
Q2815-10	TW-88H-S	WATER	Octadecane	*	2.100	J	0	0	ug/L	

Hit Summary Sheet SW-846

SDG No.: Q2815
Client: First Environment, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2815-10	TW-88H-S	WATER	Octadecanoic acid	*	4.800	J	0	0	ug/L
Q2815-10	TW-88H-S	WATER	Octadecanoic acid, 2-methylpropy	*	2.100	J	0	0	ug/L
Q2815-10	TW-88H-S	WATER	Octadecanoic acid, butyl ester	*	7.800	J	0	0	ug/L
Q2815-10	TW-88H-S	WATER	Oxalic acid, isobutyl pentadecyl e	*	4.800	J	0	0	ug/L
Q2815-10	TW-88H-S	WATER	unknown20.595	*	6.800	J	0	0	ug/L
Total Tics :				136.50					
Total Concentration:				136.50					
Client ID : TW-22M-W									
Q2815-11	TW-22M-W	WATER	Naphthalene		3.700	J	0.5	4	5 ug/L
Total Svoc :				3.70					
Q2815-11	TW-22M-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	10.800	AB	0	0	ug/L
Q2815-11	TW-22M-W	WATER	Benzophenone	*	8.600	J	0	0	ug/L
Q2815-11	TW-22M-W	WATER	Bromoacetic acid, hexadecyl ester	*	2.900	J	0	0	ug/L
Q2815-11	TW-22M-W	WATER	Butane, 2-methoxy-2-methyl-	*	93.300	J	0	0	ug/L
Q2815-11	TW-22M-W	WATER	Hexadecanoic acid, butyl ester	*	3.800	J	0	0	ug/L
Total Tics :				119.40					
Total Concentration:				123.10					
Client ID : TW-22M-S									
Q2815-12	TW-22M-S	WATER	2,6-Naphthalenedione, octahydro-	*	4.900	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	8.000	AB	0	0	ug/L
Q2815-12	TW-22M-S	WATER	Benzophenone	*	8.600	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	Butane, 2-methoxy-2-methyl-	*	78.400	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	Cyclohexane, 1,1,2-trimethyl-	*	4.700	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	Cyclohexane, 2-butyl-1,1,3-trimet	*	4.300	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	Decane, 2,6,7-trimethyl-	*	21.300	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	Decane, 5-propyl-	*	39.600	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	Dodecane, 2,6,10-trimethyl-	*	17.700	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	Heptacosane	*	22.500	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	Heptadecane, 4-methyl-	*	8.900	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	Hexadecane, 1-iodo-	*	38.100	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	Tridecane, 4-methyl-	*	66.700	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	Undecane, 2,6-dimethyl-	*	5.700	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	unknown10.222	*	9.100	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	unknown8.386	*	3.200	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	unknown9.086	*	4.300	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	unknown9.204	*	3.200	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	unknown9.369	*	22.200	J	0	0	ug/L
Q2815-12	TW-22M-S	WATER	unknown9.839	*	8.800	J	0	0	ug/L
Total Tics :				380.20					

Hit Summary Sheet SW-846

SDG No.: Q2815
Client: First Environment, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	LOD	RDL	Units
			Total Concentration:	380.20					
Client ID :	TW-22M-E								
Q2815-13	TW-22M-E	WATER	1-Heneicosanol	*	10.300	J	0	0	ug/L
Q2815-13	TW-22M-E	WATER	2-(N,N-Bis(2-chloroethyl)amino)r	*	5.100	J	0	0	ug/L
Q2815-13	TW-22M-E	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	310.000	AB	0	0	ug/L
Q2815-13	TW-22M-E	WATER	Benzophenone	*	17.500	J	0	0	ug/L
Q2815-13	TW-22M-E	WATER	Butane, 2-methoxy-2-methyl-	*	70.100	J	0	0	ug/L
Q2815-13	TW-22M-E	WATER	Maleic hydrazide	*	5.000	J	0	0	ug/L
Q2815-13	TW-22M-E	WATER	Methanone, (1-hydroxycyclohexy	*	2.200	J	0	0	ug/L
Q2815-13	TW-22M-E	WATER	unknown7.92	*	7.900	J	0	0	ug/L
			Total Tics :	428.10					
			Total Concentration:	428.10					
Client ID :	TW-22M-N								
Q2815-14	TW-22M-N	WATER	1-Docosene	*	8.100	J	0	0	ug/L
Q2815-14	TW-22M-N	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	8.400	AB	0	0	ug/L
Q2815-14	TW-22M-N	WATER	Benzophenone	*	8.000	J	0	0	ug/L
Q2815-14	TW-22M-N	WATER	Butane, 2-methoxy-2-methyl-	*	78.700	J	0	0	ug/L
Q2815-14	TW-22M-N	WATER	Hentriacontane, 3-methyl-	*	3.300	J	0	0	ug/L
Q2815-14	TW-22M-N	WATER	n-Hexadecanoic acid	*	9.600	J	0	0	ug/L
Q2815-14	TW-22M-N	WATER	Nonacosane	*	2.100	J	0	0	ug/L
Q2815-14	TW-22M-N	WATER	Octadecanoic acid	*	3.000	J	0	0	ug/L
Q2815-14	TW-22M-N	WATER	Triacontane	*	2.700	J	0	0	ug/L
			Total Tics :	123.90					
			Total Concentration:	123.90					
Client ID :	TW-17M-E								
Q2815-15	TW-17M-E	WATER	1-Acetoxynonadecane	*	2.000	J	0	0	ug/L
Q2815-15	TW-17M-E	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	11.200	AB	0	0	ug/L
Q2815-15	TW-17M-E	WATER	Benzophenone	*	7.700	J	0	0	ug/L
Q2815-15	TW-17M-E	WATER	Butane, 2-methoxy-2-methyl-	*	100.000	J	0	0	ug/L
Q2815-15	TW-17M-E	WATER	Eicosane	*	2.400	J	0	0	ug/L
Q2815-15	TW-17M-E	WATER	Ethanol, 2-(2-butoxyethoxy)-	*	8.800	J	0	0	ug/L
Q2815-15	TW-17M-E	WATER	Heptadecane	*	2.500	J	0	0	ug/L
Q2815-15	TW-17M-E	WATER	Hexacosane	*	2.300	J	0	0	ug/L
Q2815-15	TW-17M-E	WATER	Hexadecanoic acid, 2-methylpropy	*	4.900	J	0	0	ug/L
Q2815-15	TW-17M-E	WATER	Hexadecanoic acid, butyl ester	*	9.100	J	0	0	ug/L
Q2815-15	TW-17M-E	WATER	Hexatriacontane	*	2.500	J	0	0	ug/L
Q2815-15	TW-17M-E	WATER	n-Hexadecanoic acid	*	5.600	J	0	0	ug/L
Q2815-15	TW-17M-E	WATER	Octacosane	*	2.400	J	0	0	ug/L
Q2815-15	TW-17M-E	WATER	Octadecanoic acid, 2-methylpropy	*	3.000	J	0	0	ug/L

Hit Summary Sheet SW-846

SDG No.: Q2815
Client: First Environment, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2815-15	TW-17M-E	WATER	Octadecanoic acid, butyl ester	*	5.800	J	0	0	ug/L
Total Tics :					170.20				
Total Concentration:					170.20				
Client ID : TW-17M-S									
Q2815-16	TW-17M-S	WATER	1-Heneicosyl formate	*	7.000	J	0	0	ug/L
Q2815-16	TW-17M-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	8.900	AB	0	0	ug/L
Q2815-16	TW-17M-S	WATER	Benzophenone	*	11.100	J	0	0	ug/L
Q2815-16	TW-17M-S	WATER	Butane, 2-methoxy-2-methyl-	*	78.700	J	0	0	ug/L
Q2815-16	TW-17M-S	WATER	Ethanol, 1-(2-butoxyethoxy)-	*	2.000	J	0	0	ug/L
Q2815-16	TW-17M-S	WATER	n-Hexadecanoic acid	*	15.100	J	0	0	ug/L
Q2815-16	TW-17M-S	WATER	Octadecanoic acid	*	5.400	J	0	0	ug/L
Total Tics :					128.20				
Total Concentration:					128.20				
Client ID : TW-84SB-S									
Q2815-17	TW-84SB-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	7.300	AB	0	0	ug/L
Q2815-17	TW-84SB-S	WATER	Benzophenone	*	4.900	J	0	0	ug/L
Q2815-17	TW-84SB-S	WATER	Butane, 2-methoxy-2-methyl-	*	59.600	J	0	0	ug/L
Q2815-17	TW-84SB-S	WATER	Ethanol, 2-(tetradecyloxy)-	*	3.600	J	0	0	ug/L
Q2815-17	TW-84SB-S	WATER	n-Hexadecanoic acid	*	8.600	J	0	0	ug/L
Q2815-17	TW-84SB-S	WATER	Octadecanoic acid	*	2.600	J	0	0	ug/L
Total Tics :					86.60				
Total Concentration:					86.60				
Client ID : TW-84SB-W									
Q2815-18	TW-84SB-W	WATER	1-Nonadecene	*	3.200	J	0	0	ug/L
Q2815-18	TW-84SB-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	7.300	AB	0	0	ug/L
Q2815-18	TW-84SB-W	WATER	Benzophenone	*	5.800	J	0	0	ug/L
Q2815-18	TW-84SB-W	WATER	Butane, 2-methoxy-2-methyl-	*	120.000	J	0	0	ug/L
Q2815-18	TW-84SB-W	WATER	n-Hexadecanoic acid	*	8.700	J	0	0	ug/L
Total Tics :					145.00				
Total Concentration:					145.00				
Client ID : DUP									
Q2815-19	DUP	WATER	1-Tricosene	*	7.700	J	0	0	ug/L
Q2815-19	DUP	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	7.600	AB	0	0	ug/L
Q2815-19	DUP	WATER	Benzophenone	*	10.200	J	0	0	ug/L
Q2815-19	DUP	WATER	Butane, 2-methoxy-2-methyl-	*	92.600	J	0	0	ug/L
Q2815-19	DUP	WATER	n-Hexadecanoic acid	*	17.800	J	0	0	ug/L
Q2815-19	DUP	WATER	Octadecanoic acid	*	4.600	J	0	0	ug/L
Q2815-19	DUP	WATER	Propylene Glycol	*	13.400	J	0	0	ug/L
Q2815-19	DUP	WATER	Squalene	*	5.500	J	0	0	ug/L

Hit Summary Sheet SW-846

SDG No.: Q2815
Client: First Environment, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	LOD	RDL	Units
			Total Tics :	159.40					
			Total Concentration:	159.40					
Client ID :	TW-11M-W								
Q2815-20	TW-11M-W	WATER	1,3-Dioxolane, 2,2,4-trimethyl-	*	36.200	J	0	0	ug/L
Q2815-20	TW-11M-W	WATER	1-Tetracosene	*	4.200	J	0	0	ug/L
Q2815-20	TW-11M-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	6.400	AB	0	0	ug/L
Q2815-20	TW-11M-W	WATER	Benzophenone	*	6.200	J	0	0	ug/L
Q2815-20	TW-11M-W	WATER	Butane, 2-methoxy-2-methyl-	*	91.400	J	0	0	ug/L
Q2815-20	TW-11M-W	WATER	n-Hexadecanoic acid	*	7.100	J	0	0	ug/L
Q2815-20	TW-11M-W	WATER	Supraene	*	2.300	J	0	0	ug/L
			Total Tics :	153.80					
			Total Concentration:	153.80					
Client ID :	TW-11M-E								
Q2815-21	TW-11M-E	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	6.700	AB	0	0	ug/L
Q2815-21	TW-11M-E	WATER	6-Octadecenoic acid	*	2.700	J	0	0	ug/L
Q2815-21	TW-11M-E	WATER	Benzophenone	*	3.700	J	0	0	ug/L
Q2815-21	TW-11M-E	WATER	Butane, 2-methoxy-2-methyl-	*	90.400	J	0	0	ug/L
Q2815-21	TW-11M-E	WATER	Cyclotetracosane	*	3.500	J	0	0	ug/L
Q2815-21	TW-11M-E	WATER	n-Hexadecanoic acid	*	10.200	J	0	0	ug/L
Q2815-21	TW-11M-E	WATER	Squalene	*	5.700	J	0	0	ug/L
			Total Tics :	122.90					
			Total Concentration:	122.90					
Client ID :	TW-11M-S								
Q2815-22	TW-11M-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	7.600	AB	0	0	ug/L
Q2815-22	TW-11M-S	WATER	Benzophenone	*	9.900	J	0	0	ug/L
Q2815-22	TW-11M-S	WATER	Butane, 2-methoxy-2-methyl-	*	94.100	J	0	0	ug/L
Q2815-22	TW-11M-S	WATER	n-Hexadecanoic acid	*	12.500	J	0	0	ug/L
Q2815-22	TW-11M-S	WATER	Octadecanoic acid	*	2.900	J	0	0	ug/L
Q2815-22	TW-11M-S	WATER	Pentadecafluorooctanoic acid, pen	*	8.200	J	0	0	ug/L
Q2815-22	TW-11M-S	WATER	Propylene Glycol	*	4.400	J	0	0	ug/L
Q2815-22	TW-11M-S	WATER	Tetraglyme	*	3.400	J	0	0	ug/L
			Total Tics :	143.00					
			Total Concentration:	143.00					
Client ID :	TW-11M-N								
Q2815-23	TW-11M-N	WATER	1-Heneicosyl formate	*	4.100	J	0	0	ug/L
Q2815-23	TW-11M-N	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	6.300	AB	0	0	ug/L
Q2815-23	TW-11M-N	WATER	Benzophenone	*	6.300	J	0	0	ug/L
Q2815-23	TW-11M-N	WATER	Butane, 2-methoxy-2-methyl-	*	84.900	J	0	0	ug/L
Q2815-23	TW-11M-N	WATER	n-Hexadecanoic acid	*	5.600	J	0	0	ug/L

Hit Summary Sheet SW-846

SDG No.: Q2815
Client: First Environment, Inc.

Sample ID	Client ID		Parameter	Concentration	C	MDL	LOD	RDL	Units
Q2815-23	TW-11M-N	WATER	Propylene Glycol	*	6.700	J	0	0	ug/L
Total Tics :				113.90					
Total Concentration:				113.90					
Client ID : FB									
Q2815-26	FB	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	5.600	AB	0	0	ug/L
Q2815-26	FB	WATER	2-Propanol, 1-(2-butoxy-1-methyl	*	3.100	J	0	0	ug/L
Q2815-26	FB	WATER	Butane, 2-methoxy-2-methyl-	*	100.000	J	0	0	ug/L
Q2815-26	FB	WATER	Methane, diethoxy-	*	2.100	J	0	0	ug/L
Total Tics :				110.80					
Total Concentration:				110.80					



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-705R-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143403.D	1	08/12/25 11:39	08/15/25 05:52	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-705R-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143403.D	1	08/12/25 11:39	08/15/25 05:52	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-705R-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143403.D	1	08/12/25 11:39	08/15/25 05:52	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	11.2	*	19 - 119		7%	SPK: 150
13127-88-3	Phenol-d6	14.1	*	10 - 130		9%	SPK: 150
4165-60-0	Nitrobenzene-d5	23.4	*	44 - 120		23%	SPK: 100
321-60-8	2-Fluorobiphenyl	24.6	*	44 - 119		25%	SPK: 100
118-79-6	2,4,6-Tribromophenol	16.7	*	43 - 140		11%	SPK: 150
1718-51-0	Terphenyl-d14	22.5	*	50 - 134		22%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	140000		6.934			
1146-65-2	Naphthalene-d8	534000		8.21			
15067-26-2	Acenaphthene-d10	279000		9.969			
1517-22-2	Phenanthrene-d10	395000		11.451			
1719-03-5	Chrysene-d12	244000		14.098			
1520-96-3	Perylene-d12	317000		15.592			
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	38.8	J			2.24	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	14.7	AB			5.15	ug/L
000119-61-9	Benzophenone	4.10	J			10.7	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-705R-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type :		Decanted :	N
Injection Volume :		GPC Factor :	1.0
Prep Method :		Level :	LOW
		Final Vol:	1000
		Test:	SVOC-TCL BNA -20
		GPC Cleanup :	N
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143403.D	1	08/12/25 11:39	08/15/25 05:52	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10PC-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-02	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143404.D	1	08/12/25 11:39	08/15/25 06:22	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10PC-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-02	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143404.D	1	08/12/25 11:39	08/15/25 06:22	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10PC-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-02	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143404.D	1	08/12/25 11:39	08/15/25 06:22	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	85.2		19 - 119		57%	SPK: 150
13127-88-3	Phenol-d6	63.6		10 - 130		42%	SPK: 150
4165-60-0	Nitrobenzene-d5	103		44 - 120		103%	SPK: 100
321-60-8	2-Fluorobiphenyl	91.6		44 - 119		92%	SPK: 100
118-79-6	2,4,6-Tribromophenol	161		43 - 140		107%	SPK: 150
1718-51-0	Terphenyl-d14	93.9		50 - 134		94%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	138000	6.934				
1146-65-2	Naphthalene-d8	525000	8.21				
15067-26-2	Acenaphthene-d10	280000	9.969				
1517-22-2	Phenanthrene-d10	406000	11.457				
1719-03-5	Chrysene-d12	246000	14.098				
1520-96-3	Perylene-d12	307000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	100	J			2.29	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.50	AB			5.17	ug/L
000119-61-9	Benzophenone	4.90	J			10.7	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10PC-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-02	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143404.D	1	08/12/25 11:39	08/15/25 06:22	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-03	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143405.D	1	08/12/25 11:39	08/15/25 06:51	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-03	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143405.D	1	08/12/25 11:39	08/15/25 06:51	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-03	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143405.D	1	08/12/25 11:39	08/15/25 06:51	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	95.0		19 - 119		63%	SPK: 150
13127-88-3	Phenol-d6	78.8		10 - 130		53%	SPK: 150
4165-60-0	Nitrobenzene-d5	93.2		44 - 120		93%	SPK: 100
321-60-8	2-Fluorobiphenyl	82.9		44 - 119		83%	SPK: 100
118-79-6	2,4,6-Tribromophenol	150		43 - 140		100%	SPK: 150
1718-51-0	Terphenyl-d14	72.0		50 - 134		72%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	142000	6.934				
1146-65-2	Naphthalene-d8	539000	8.21				
15067-26-2	Acenaphthene-d10	291000	9.969				
1517-22-2	Phenanthrene-d10	417000	11.457				
1719-03-5	Chrysene-d12	249000	14.098				
1520-96-3	Perylene-d12	315000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	91.5	J		2.29		ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	11.7	AB		5.17		ug/L
000119-61-9	Benzophenone	5.10	J		10.7		ug/L
000057-10-3	n-Hexadecanoic acid	2.20	J		12.0		ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-03	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143405.D	1	08/12/25 11:39	08/15/25 06:51	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-04	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143406.D	1	08/12/25 11:39	08/15/25 07:20	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.20	U	4.00	8.20	10.2	ug/L
108-95-2	Phenol	4.10	U	0.93	4.10	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.10	U	0.83	4.10	5.10	ug/L
95-57-8	2-Chlorophenol	4.10	U	0.59	4.10	5.10	ug/L
95-48-7	2-Methylphenol	4.10	U	1.10	4.10	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.10	U	1.30	4.10	5.10	ug/L
98-86-2	Acetophenone	4.10	U	0.76	4.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.20	U	1.10	8.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.60	U	1.40	2.60	2.60	ug/L
67-72-1	Hexachloroethane	4.10	U	0.66	4.10	5.10	ug/L
98-95-3	Nitrobenzene	4.10	U	0.78	4.10	5.10	ug/L
78-59-1	Isophorone	4.10	U	0.77	4.10	5.10	ug/L
88-75-5	2-Nitrophenol	4.10	U	1.80	4.10	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.10	U	1.90	4.10	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.10	U	0.69	4.10	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.10	U	0.53	4.10	5.10	ug/L
91-20-3	Naphthalene	4.10	U	0.51	4.10	5.10	ug/L
106-47-8	4-Chloroaniline	4.10	U	0.86	4.10	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.10	U	0.55	4.10	5.10	ug/L
105-60-2	Caprolactam	8.20	U	1.20	8.20	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	4.10	U	0.60	4.10	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.10	U	0.57	4.10	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.20	U	3.70	8.20	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	4.10	U	0.52	4.10	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.10	U	0.63	4.10	5.10	ug/L
92-52-4	1,1-Biphenyl	4.10	U	0.54	4.10	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.10	U	0.62	4.10	5.10	ug/L
88-74-4	2-Nitroaniline	4.10	U	1.30	4.10	5.10	ug/L
131-11-3	Dimethylphthalate	4.10	U	0.62	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-04	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143406.D	1	08/12/25 11:39	08/15/25 07:20	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.10	U	0.77	4.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.10	U	0.94	4.10	5.10	ug/L
99-09-2	3-Nitroaniline	4.10	U	1.10	4.10	5.10	ug/L
83-32-9	Acenaphthene	4.10	U	0.56	4.10	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.20	U	6.10	8.20	10.2	ug/L
100-02-7	4-Nitrophenol	8.20	U	2.40	8.20	10.2	ug/L
132-64-9	Dibenzofuran	4.10	U	0.62	4.10	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.10	U	1.20	4.10	5.10	ug/L
84-66-2	Diethylphthalate	4.10	U	0.70	4.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.10	U	0.69	4.10	5.10	ug/L
86-73-7	Fluorene	4.10	U	0.64	4.10	5.10	ug/L
100-01-6	4-Nitroaniline	4.10	U	1.50	4.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.20	U	2.90	8.20	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	4.10	U	0.59	4.10	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.10	U	0.41	4.10	5.10	ug/L
118-74-1	Hexachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
1912-24-9	Atrazine	4.10	U	1.00	4.10	5.10	ug/L
87-86-5	Pentachlorophenol	8.20	U	1.60	8.20	10.2	ug/L
85-01-8	Phenanthrene	4.10	U	0.51	4.10	5.10	ug/L
120-12-7	Anthracene	4.10	U	0.62	4.10	5.10	ug/L
86-74-8	Carbazole	4.10	U	0.73	4.10	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.10	U	1.20	4.10	5.10	ug/L
206-44-0	Fluoranthene	4.10	U	0.84	4.10	5.10	ug/L
129-00-0	Pyrene	4.10	U	0.51	4.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.10	U	2.00	4.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.20	U	0.95	8.20	10.2	ug/L
56-55-3	Benzo(a)anthracene	4.10	U	0.46	4.10	5.10	ug/L
218-01-9	Chrysene	4.10	U	0.45	4.10	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.10	U	1.60	4.10	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.20	U	2.40	8.20	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	4.10	U	0.50	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-04	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143406.D	1	08/12/25 11:39	08/15/25 07:20	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.10	U	0.49	4.10	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.10	U	0.56	4.10	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.10	U	0.60	4.10	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.10	U	0.68	4.10	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.10	U	0.70	4.10	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
123-91-1	1,4-Dioxane	4.10	U	1.00	4.10	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.10	U	0.73	4.10	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	103		19 - 119		69%	SPK: 150
13127-88-3	Phenol-d6	83.3		10 - 130		56%	SPK: 150
4165-60-0	Nitrobenzene-d5	110		44 - 120		110%	SPK: 100
321-60-8	2-Fluorobiphenyl	97.1		44 - 119		97%	SPK: 100
118-79-6	2,4,6-Tribromophenol	182		43 - 140		122%	SPK: 150
1718-51-0	Terphenyl-d14	105		50 - 134		105%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	135000	6.934				
1146-65-2	Naphthalene-d8	528000	8.21				
15067-26-2	Acenaphthene-d10	282000	9.969				
1517-22-2	Phenanthrene-d10	415000	11.457				
1719-03-5	Chrysene-d12	243000	14.098				
1520-96-3	Perylene-d12	303000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	92.6	J			2.30	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	9.20	AB			5.17	ug/L
000119-61-9	Benzophenone	6.50	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	2.20	J			12.0	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-04	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143406.D	1	08/12/25 11:39	08/15/25 07:20	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-05	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143407.D	1	08/12/25 11:39	08/15/25 07:49	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-05	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143407.D	1	08/12/25 11:39	08/15/25 07:49	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-05	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143407.D	1	08/12/25 11:39	08/15/25 07:49	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	117		19 - 119		78%	SPK: 150
13127-88-3	Phenol-d6	100		10 - 130		67%	SPK: 150
4165-60-0	Nitrobenzene-d5	113		44 - 120		113%	SPK: 100
321-60-8	2-Fluorobiphenyl	97.6		44 - 119		98%	SPK: 100
118-79-6	2,4,6-Tribromophenol	185		43 - 140		123%	SPK: 150
1718-51-0	Terphenyl-d14	96.3		50 - 134		96%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	144000	6.934				
1146-65-2	Naphthalene-d8	549000	8.21				
15067-26-2	Acenaphthene-d10	297000	9.969				
1517-22-2	Phenanthrene-d10	438000	11.457				
1719-03-5	Chrysene-d12	268000	14.098				
1520-96-3	Perylene-d12	326000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	89.4	J			2.31	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	13.2	AB			5.17	ug/L
000119-61-9	Benzophenone	4.10	J			10.7	ug/L
000630-01-3	Hexacosane	2.80	J			13.9	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-05	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type :		Decanted :	N
Injection Volume :		GPC Factor :	1.0
Prep Method :		Level :	LOW
		Final Vol:	1000
		Test:	SVOC-TCL BNA -20
		GPC Cleanup :	N
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143407.D	1	08/12/25 11:39	08/15/25 07:49	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-06	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143408.D	1	08/12/25 11:39	08/15/25 08:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-06	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143408.D	1	08/12/25 11:39	08/15/25 08:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-06	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143408.D	1	08/12/25 11:39	08/15/25 08:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	97.0		19 - 119		65%	SPK: 150
13127-88-3	Phenol-d6	75.4		10 - 130		50%	SPK: 150
4165-60-0	Nitrobenzene-d5	120		44 - 120		120%	SPK: 100
321-60-8	2-Fluorobiphenyl	103		44 - 119		103%	SPK: 100
118-79-6	2,4,6-Tribromophenol	131		43 - 140		88%	SPK: 150
1718-51-0	Terphenyl-d14	104		50 - 134		104%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	137000	6.934				
1146-65-2	Naphthalene-d8	517000	8.216				
15067-26-2	Acenaphthene-d10	279000	9.969				
1517-22-2	Phenanthrene-d10	404000	11.457				
1719-03-5	Chrysene-d12	245000	14.098				
1520-96-3	Perylene-d12	305000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	94.5	J			2.30	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	35.4	AB			5.17	ug/L
000119-61-9	Benzophenone	3.70	J			10.7	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-06	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143408.D	1	08/12/25 11:39	08/15/25 08:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-07	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143409.D	1	08/12/25 11:39	08/15/25 08:48	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-07	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143409.D	1	08/12/25 11:39	08/15/25 08:48	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-07	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143409.D	1	08/12/25 11:39	08/15/25 08:48	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	83.8		19 - 119		56%	SPK: 150
13127-88-3	Phenol-d6	74.0		10 - 130		49%	SPK: 150
4165-60-0	Nitrobenzene-d5	73.8		44 - 120		74%	SPK: 100
321-60-8	2-Fluorobiphenyl	68.8		44 - 119		69%	SPK: 100
118-79-6	2,4,6-Tribromophenol	114		43 - 140		76%	SPK: 150
1718-51-0	Terphenyl-d14	63.6		50 - 134		64%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	141000	6.934				
1146-65-2	Naphthalene-d8	542000	8.21				
15067-26-2	Acenaphthene-d10	289000	9.969				
1517-22-2	Phenanthrene-d10	429000	11.457				
1719-03-5	Chrysene-d12	260000	14.098				
1520-96-3	Perylene-d12	317000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	100	J		2.28		ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	11.1	AB		5.16		ug/L
000119-61-9	Benzophenone	6.80	J		10.7		ug/L
000057-10-3	n-Hexadecanoic acid	2.90	J		12.0		ug/L
007098-22-8	Tetratetracontane	4.00	J		13.9		ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-07	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143409.D	1	08/12/25 11:39	08/15/25 08:48	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-08	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143515.D	1	08/12/25 11:39	08/21/25 06:15	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-08	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143515.D	1	08/12/25 11:39	08/21/25 06:15	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	5.40		1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-08	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143515.D	1	08/12/25 11:39	08/21/25 06:15	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	91.0		19 - 119		61%	SPK: 150
13127-88-3	Phenol-d6	77.9		10 - 130		52%	SPK: 150
4165-60-0	Nitrobenzene-d5	84.4		44 - 120		84%	SPK: 100
321-60-8	2-Fluorobiphenyl	79.0		44 - 119		79%	SPK: 100
118-79-6	2,4,6-Tribromophenol	123		43 - 140		82%	SPK: 150
1718-51-0	Terphenyl-d14	87.9		50 - 134		88%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	132000	6.928				
1146-65-2	Naphthalene-d8	503000	8.204				
15067-26-2	Acenaphthene-d10	275000	9.963				
1517-22-2	Phenanthrene-d10	408000	11.451				
1719-03-5	Chrysene-d12	230000	14.092				
1520-96-3	Perylene-d12	281000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	96.1	J			2.28	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	9.50	AB			5.16	ug/L
000119-61-9	Benzophenone	7.60	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	5.90	J			12.0	ug/L
031158-91-5	Hexadecanoic acid, 1,1-dimethyleth	3.10	J			12.9	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-08	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143515.D	1	08/12/25 11:39	08/21/25 06:15	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-09	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143411.D	1	08/12/25 11:39	08/15/25 09:46	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-09	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143411.D	1	08/12/25 11:39	08/15/25 09:46	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-09	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143411.D	1	08/12/25 11:39	08/15/25 09:46	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	97.6		19 - 119		65%	SPK: 150
13127-88-3	Phenol-d6	74.3		10 - 130		50%	SPK: 150
4165-60-0	Nitrobenzene-d5	108		44 - 120		108%	SPK: 100
321-60-8	2-Fluorobiphenyl	99.3		44 - 119		99%	SPK: 100
118-79-6	2,4,6-Tribromophenol	173		43 - 140		116%	SPK: 150
1718-51-0	Terphenyl-d14	88.8		50 - 134		89%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	141000		6.934			
1146-65-2	Naphthalene-d8	532000		8.21			
15067-26-2	Acenaphthene-d10	274000		9.969			
1517-22-2	Phenanthrene-d10	391000		11.457			
1719-03-5	Chrysene-d12	270000		14.098			
1520-96-3	Perylene-d12	333000		15.592			
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	110	J			2.30	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	9.30	AB			5.17	ug/L
000119-61-9	Benzophenone	4.40	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	3.30	J			12.0	ug/L
007098-21-7	Tritetracontane	2.40	J			13.9	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-09	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143411.D	1	08/12/25 11:39	08/15/25 09:46	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-10	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025525.D	1	08/12/25 11:39	08/21/25 03:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-10	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025525.D	1	08/12/25 11:39	08/21/25 03:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-10	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025525.D	1	08/12/25 11:39	08/21/25 03:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L

SURROGATES

367-12-4	2-Fluorophenol	77.4		19 - 119	52%	SPK: 150
13127-88-3	Phenol-d6	57.2		10 - 130	38%	SPK: 150
4165-60-0	Nitrobenzene-d5	77.7		44 - 120	78%	SPK: 100
321-60-8	2-Fluorobiphenyl	67.8		44 - 119	68%	SPK: 100
118-79-6	2,4,6-Tribromophenol	120		43 - 140	80%	SPK: 150
1718-51-0	Terphenyl-d14	78.0		50 - 134	78%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	224000	7.784
1146-65-2	Naphthalene-d8	911000	10.554
15067-26-2	Acenaphthene-d10	611000	14.395
1517-22-2	Phenanthrene-d10	1130000	17.195
1719-03-5	Chrysene-d12	955000	21.636
1520-96-3	Perylene-d12	1100000	25.006

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	66.0	J	3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	6.20	AB	4.95	ug/L
000119-61-9	Benzophenone	6.30	J	15.8	ug/L
000057-10-3	n-Hexadecanoic acid	10.3	J	18.1	ug/L
000110-34-9	Hexadecanoic acid, 2-methylpropyl	4.10	J	19.4	ug/L
000057-11-4	Octadecanoic acid	4.80	J	19.5	ug/L
000111-06-8	Hexadecanoic acid, butyl ester	10.6	J	19.6	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-10	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025525.D	1	08/12/25 11:39	08/21/25 03:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
000646-13-9	Octadecanoic acid, 2-methylpropyl	2.10	J			20.5	ug/L
	unknown20.595	6.80	J			20.6	ug/L
000123-95-5	Octadecanoic acid, butyl ester	7.80	J			20.7	ug/L
1000309-38-0	Oxalic acid, isobutyl pentadecyl e	4.80	J			21.3	ug/L
000112-95-8	Eicosane	2.20	J			21.9	ug/L
000593-45-3	Octadecane	2.10	J			22.6	ug/L
000630-02-4	Octacosane	2.40	J			23.3	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-11	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143514.D	1	08/12/25 11:39	08/21/25 05:47	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	3.70	J	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-11	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143514.D	1	08/12/25 11:39	08/21/25 05:47	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-11	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143514.D	1	08/12/25 11:39	08/21/25 05:47	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	67.0		19 - 119		45%	SPK: 150
13127-88-3	Phenol-d6	59.8		10 - 130		40%	SPK: 150
4165-60-0	Nitrobenzene-d5	72.8		44 - 120		73%	SPK: 100
321-60-8	2-Fluorobiphenyl	68.4		44 - 119		68%	SPK: 100
118-79-6	2,4,6-Tribromophenol	67.4		43 - 140		45%	SPK: 150
1718-51-0	Terphenyl-d14	69.4		50 - 134		69%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	128000	6.928				
1146-65-2	Naphthalene-d8	486000	8.204				
15067-26-2	Acenaphthene-d10	259000	9.963				
1517-22-2	Phenanthrene-d10	383000	11.451				
1719-03-5	Chrysene-d12	215000	14.092				
1520-96-3	Perylene-d12	273000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	93.3	J			2.27	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	10.8	AB			5.16	ug/L
000119-61-9	Benzophenone	8.60	J			10.7	ug/L
000111-06-8	Hexadecanoic acid, butyl ester	3.80	J			12.9	ug/L
005454-48-8	Bromoacetic acid, hexadecyl ester	2.90	J			14.0	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-11	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143514.D	1	08/12/25 11:39	08/21/25 05:47	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-12	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143502.D	1	08/12/25 11:39	08/21/25 00:00	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.20	U	4.00	8.20	10.2	ug/L
108-95-2	Phenol	4.10	U	0.93	4.10	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.10	U	0.83	4.10	5.10	ug/L
95-57-8	2-Chlorophenol	4.10	U	0.59	4.10	5.10	ug/L
95-48-7	2-Methylphenol	4.10	U	1.10	4.10	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.10	U	1.30	4.10	5.10	ug/L
98-86-2	Acetophenone	4.10	U	0.76	4.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.20	U	1.10	8.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.60	U	1.40	2.60	2.60	ug/L
67-72-1	Hexachloroethane	4.10	U	0.66	4.10	5.10	ug/L
98-95-3	Nitrobenzene	4.10	U	0.78	4.10	5.10	ug/L
78-59-1	Isophorone	4.10	U	0.77	4.10	5.10	ug/L
88-75-5	2-Nitrophenol	4.10	U	1.80	4.10	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.10	U	1.90	4.10	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.10	U	0.69	4.10	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.10	U	0.53	4.10	5.10	ug/L
91-20-3	Naphthalene	4.10	U	0.51	4.10	5.10	ug/L
106-47-8	4-Chloroaniline	4.10	U	0.86	4.10	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.10	U	0.55	4.10	5.10	ug/L
105-60-2	Caprolactam	8.20	U	1.20	8.20	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	4.10	U	0.60	4.10	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.10	U	0.57	4.10	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.20	U	3.70	8.20	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	4.10	U	0.52	4.10	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.10	U	0.63	4.10	5.10	ug/L
92-52-4	1,1-Biphenyl	4.10	U	0.54	4.10	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.10	U	0.62	4.10	5.10	ug/L
88-74-4	2-Nitroaniline	4.10	U	1.30	4.10	5.10	ug/L
131-11-3	Dimethylphthalate	4.10	U	0.62	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-12	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143502.D	1	08/12/25 11:39	08/21/25 00:00	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.10	U	0.77	4.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.10	U	0.94	4.10	5.10	ug/L
99-09-2	3-Nitroaniline	4.10	U	1.10	4.10	5.10	ug/L
83-32-9	Acenaphthene	4.10	U	0.56	4.10	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.20	U	6.10	8.20	10.2	ug/L
100-02-7	4-Nitrophenol	8.20	U	2.40	8.20	10.2	ug/L
132-64-9	Dibenzofuran	4.10	U	0.62	4.10	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.10	U	1.20	4.10	5.10	ug/L
84-66-2	Diethylphthalate	4.10	U	0.70	4.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.10	U	0.69	4.10	5.10	ug/L
86-73-7	Fluorene	4.10	U	0.64	4.10	5.10	ug/L
100-01-6	4-Nitroaniline	4.10	U	1.50	4.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.20	U	2.90	8.20	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	4.10	U	0.59	4.10	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.10	U	0.41	4.10	5.10	ug/L
118-74-1	Hexachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
1912-24-9	Atrazine	4.10	U	1.00	4.10	5.10	ug/L
87-86-5	Pentachlorophenol	8.20	U	1.60	8.20	10.2	ug/L
85-01-8	Phenanthrene	4.10	U	0.51	4.10	5.10	ug/L
120-12-7	Anthracene	4.10	U	0.62	4.10	5.10	ug/L
86-74-8	Carbazole	4.10	U	0.73	4.10	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.10	U	1.20	4.10	5.10	ug/L
206-44-0	Fluoranthene	4.10	U	0.84	4.10	5.10	ug/L
129-00-0	Pyrene	4.10	U	0.51	4.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.10	U	2.00	4.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.20	U	0.95	8.20	10.2	ug/L
56-55-3	Benzo(a)anthracene	4.10	U	0.46	4.10	5.10	ug/L
218-01-9	Chrysene	4.10	U	0.45	4.10	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.10	U	1.60	4.10	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.20	U	2.40	8.20	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	4.10	U	0.50	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-12	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143502.D	1	08/12/25 11:39	08/21/25 00:00	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.10	U	0.49	4.10	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.10	U	0.56	4.10	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.10	U	0.60	4.10	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.10	U	0.68	4.10	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.10	U	0.70	4.10	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
123-91-1	1,4-Dioxane	4.10	U	1.00	4.10	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.10	U	0.73	4.10	5.10	ug/L

SURROGATES

367-12-4	2-Fluorophenol	67.2		19 - 119		45%	SPK: 150
13127-88-3	Phenol-d6	60.1		10 - 130		40%	SPK: 150
4165-60-0	Nitrobenzene-d5	62.8		44 - 120		63%	SPK: 100
321-60-8	2-Fluorobiphenyl	64.8		44 - 119		65%	SPK: 100
118-79-6	2,4,6-Tribromophenol	88.4		43 - 140		59%	SPK: 150
1718-51-0	Terphenyl-d14	53.3		50 - 134		53%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	132000	6.928
1146-65-2	Naphthalene-d8	484000	8.21
15067-26-2	Acenaphthene-d10	235000	9.969
1517-22-2	Phenanthrene-d10	315000	11.457
1719-03-5	Chrysene-d12	215000	14.092
1520-96-3	Perylene-d12	267000	15.592

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	78.4	J		2.26	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	8.00	AB		5.15	ug/L
017301-23-4	Undecane, 2,6-dimethyl-	5.70	J		8.27	ug/L
	unknown8.386	3.20	J		8.39	ug/L
054676-39-0	Cyclohexane, 2-butyl-1,1,3-trimeth	4.30	J		8.42	ug/L
062108-25-2	Decane, 2,6,7-trimethyl-	21.3	J		8.63	ug/L
007094-26-0	Cyclohexane, 1,1,2-trimethyl-	4.70	J		8.75	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-12	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143502.D	1	08/12/25 11:39	08/21/25 00:00	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
	unknown9.086	4.30	J			9.09	ug/L
	unknown9.204	3.20	J			9.20	ug/L
003891-98-3	Dodecane, 2,6,10-trimethyl-	17.7	J			9.23	ug/L
	unknown9.369	22.2	J			9.37	ug/L
017312-62-8	Decane, 5-propyl-	39.6	J			9.69	ug/L
	unknown9.839	8.80	J			9.84	ug/L
	unknown10.222	9.10	J			10.2	ug/L
057289-16-4	2,6-Naphthalenedione, octahydro-1,	4.90	J			10.4	ug/L
000593-49-7	Heptacosane	22.5	J			10.6	ug/L
000119-61-9	Benzophenone	8.60	J			10.7	ug/L
026730-12-1	Tridecane, 4-methyl-	66.7	J			10.9	ug/L
000544-77-4	Hexadecane, 1-iodo-	38.1	J			11.3	ug/L
026429-11-8	Heptadecane, 4-methyl-	8.90	J			11.7	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-13	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025483.D	1	08/12/25 11:39	08/19/25 19:39	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-13	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025483.D	1	08/12/25 11:39	08/19/25 19:39	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-13	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025483.D	1	08/12/25 11:39	08/19/25 19:39	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L

SURROGATES

367-12-4	2-Fluorophenol	17.9	*	19 - 119	12%	SPK: 150
13127-88-3	Phenol-d6	6.42	*	10 - 130	4%	SPK: 150
4165-60-0	Nitrobenzene-d5	26.3	*	44 - 120	26%	SPK: 100
321-60-8	2-Fluorobiphenyl	27.1	*	44 - 119	27%	SPK: 100
118-79-6	2,4,6-Tribromophenol	21.1	*	43 - 140	14%	SPK: 150
1718-51-0	Terphenyl-d14	30.2	*	50 - 134	30%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	190000	7.79
1146-65-2	Naphthalene-d8	754000	10.56
15067-26-2	Acenaphthene-d10	487000	14.407
1517-22-2	Phenanthrene-d10	1010000	17.207
1719-03-5	Chrysene-d12	1050000	21.642
1520-96-3	Perylene-d12	1170000	25.024

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	70.1	J	3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	310	AB	4.97	ug/L
000123-33-1	Maleic hydrazide	5.00	J	15.6	ug/L
	unknown7.92	7.90	J	15.7	ug/L
000119-61-9	Benzophenone	17.5	J	15.8	ug/L
000947-19-3	Methanone, (1-hydroxycyclohexyl)ph	2.20	J	16.4	ug/L
014628-36-5	2-(N,N-Bis(2-chloroethyl)amino)met	5.10	J	21.0	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-13	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025483.D	1	08/12/25 11:39	08/19/25 19:39	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
015594-90-8	1-Heneicosanol	10.3	J			21.3	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-14	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025484.D	1	08/12/25 11:39	08/19/25 20:21	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-14	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025484.D	1	08/12/25 11:39	08/19/25 20:21	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-14	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025484.D	1	08/12/25 11:39	08/19/25 20:21	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L

SURROGATES

367-12-4	2-Fluorophenol	71.3		19 - 119		48%	SPK: 150
13127-88-3	Phenol-d6	60.6		10 - 130		40%	SPK: 150
4165-60-0	Nitrobenzene-d5	52.8		44 - 120		53%	SPK: 100
321-60-8	2-Fluorobiphenyl	50.9		44 - 119		51%	SPK: 100
118-79-6	2,4,6-Tribromophenol	90.4		43 - 140		60%	SPK: 150
1718-51-0	Terphenyl-d14	48.6	*	50 - 134		49%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	173000	7.79
1146-65-2	Naphthalene-d8	691000	10.56
15067-26-2	Acenaphthene-d10	458000	14.401
1517-22-2	Phenanthrene-d10	948000	17.184
1719-03-5	Chrysene-d12	1010000	21.625
1520-96-3	Perylene-d12	1090000	24.995

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	78.7	J		3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	8.40	AB		4.95	ug/L
000119-61-9	Benzophenone	8.00	J		15.8	ug/L
000057-10-3	n-Hexadecanoic acid	9.60	J		18.1	ug/L
000057-11-4	Octadecanoic acid	3.00	J		19.5	ug/L
001599-67-3	1-Docosene	8.10	J		21.3	ug/L
000638-68-6	triacontane	2.70	J		21.9	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-14	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025484.D	1	08/12/25 11:39	08/19/25 20:21	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
004981-99-1	Hentriacontane, 3-methyl-	3.30	J			22.6	ug/L
000630-03-5	Nonacosane	2.10	J			23.3	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-15	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143535.D	1	08/12/25 11:39	08/21/25 17:36	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-15	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143535.D	1	08/12/25 11:39	08/21/25 17:36	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-15	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143535.D	1	08/12/25 11:39	08/21/25 17:36	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	76.5		19 - 119		51%	SPK: 150
13127-88-3	Phenol-d6	65.8		10 - 130		44%	SPK: 150
4165-60-0	Nitrobenzene-d5	71.4		44 - 120		71%	SPK: 100
321-60-8	2-Fluorobiphenyl	69.4		44 - 119		69%	SPK: 100
118-79-6	2,4,6-Tribromophenol	93.7		43 - 140		62%	SPK: 150
1718-51-0	Terphenyl-d14	58.5		50 - 134		59%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	124000	6.928				
1146-65-2	Naphthalene-d8	464000	8.204				
15067-26-2	Acenaphthene-d10	243000	9.963				
1517-22-2	Phenanthrene-d10	341000	11.451				
1719-03-5	Chrysene-d12	246000	14.092				
1520-96-3	Perylene-d12	287000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	100	J			2.27	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	11.2	AB			5.16	ug/L
000112-34-5	Ethanol, 2-(2-butoxyethoxy)-	8.80	J			8.10	ug/L
000119-61-9	Benzophenone	7.70	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	5.60	J			12.0	ug/L
000110-34-9	Hexadecanoic acid, 2-methylpropyl	4.90	J			12.7	ug/L
000111-06-8	Hexadecanoic acid, butyl ester	9.10	J			12.9	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-15	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143535.D	1	08/12/25 11:39	08/21/25 17:36	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
001577-43-1	1-Acetoxynonadecane	2.00	J			12.9	ug/L
000646-13-9	Octadecanoic acid, 2-methylpropyl	3.00	J			13.4	ug/L
000123-95-5	Octadecanoic acid, butyl ester	5.80	J			13.6	ug/L
000629-78-7	Heptadecane	2.50	J			13.6	ug/L
000630-06-8	Hexatriacontane	2.50	J			13.9	ug/L
000112-95-8	Eicosane	2.40	J			14.2	ug/L
000630-02-4	Octacosane	2.40	J			14.6	ug/L
000630-01-3	Hexacosane	2.30	J			15.2	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-16	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025499.D	1	08/14/25 09:15	08/20/25 07:57	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-16	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025499.D	1	08/14/25 09:15	08/20/25 07:57	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-16	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025499.D	1	08/14/25 09:15	08/20/25 07:57	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L

SURROGATES

367-12-4	2-Fluorophenol	87.1		19 - 119		58%	SPK: 150
13127-88-3	Phenol-d6	71.4		10 - 130		48%	SPK: 150
4165-60-0	Nitrobenzene-d5	73.1		44 - 120		73%	SPK: 100
321-60-8	2-Fluorobiphenyl	65.9		44 - 119		66%	SPK: 100
118-79-6	2,4,6-Tribromophenol	124		43 - 140		83%	SPK: 150
1718-51-0	Terphenyl-d14	68.3		50 - 134		68%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	172000	7.79
1146-65-2	Naphthalene-d8	677000	10.56
15067-26-2	Acenaphthene-d10	466000	14.401
1517-22-2	Phenanthrene-d10	991000	17.189
1719-03-5	Chrysene-d12	1100000	21.642
1520-96-3	Perylene-d12	1200000	25.001

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	78.7	J		3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	8.90	AB		4.94	ug/L
054446-78-5	Ethanol, 1-(2-butoxyethoxy)-	2.00	J		10.3	ug/L
000119-61-9	Benzophenone	11.1	J		15.8	ug/L
000057-10-3	n-Hexadecanoic acid	15.1	J		18.1	ug/L
000057-11-4	Octadecanoic acid	5.40	J		19.5	ug/L
077899-03-7	1-Heneicosyl formate	7.00	J		21.3	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-16	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025499.D	1	08/14/25 09:15	08/20/25 07:57	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-17	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025498.D	1	08/14/25 09:15	08/20/25 07:16	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-17	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025498.D	1	08/14/25 09:15	08/20/25 07:16	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-17	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025498.D	1	08/14/25 09:15	08/20/25 07:16	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L

SURROGATES

367-12-4	2-Fluorophenol	112		19 - 119		74%	SPK: 150
13127-88-3	Phenol-d6	92.9		10 - 130		62%	SPK: 150
4165-60-0	Nitrobenzene-d5	102		44 - 120		102%	SPK: 100
321-60-8	2-Fluorobiphenyl	95.7		44 - 119		96%	SPK: 100
118-79-6	2,4,6-Tribromophenol	190		43 - 140		127%	SPK: 150
1718-51-0	Terphenyl-d14	98.1		50 - 134		98%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	135000	7.784
1146-65-2	Naphthalene-d8	532000	10.56
15067-26-2	Acenaphthene-d10	359000	14.413
1517-22-2	Phenanthrene-d10	773000	17.201
1719-03-5	Chrysene-d12	931000	21.654
1520-96-3	Perylene-d12	1050000	25.018

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	59.6	J		3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.30	AB		4.94	ug/L
000119-61-9	Benzophenone	4.90	J		15.8	ug/L
000057-10-3	n-Hexadecanoic acid	8.60	J		18.1	ug/L
000057-11-4	Octadecanoic acid	2.60	J		19.5	ug/L
002136-70-1	Ethanol, 2-(tetradecyloxy)-	3.60	J		21.3	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-17	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025498.D	1	08/14/25 09:15	08/20/25 07:16	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-18	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	940 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025474.D	1	08/14/25 09:15	08/19/25 13:29	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.50	U	4.20	8.50	10.6	ug/L
108-95-2	Phenol	4.30	U	0.97	4.30	5.30	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.30	U	0.86	4.30	5.30	ug/L
95-57-8	2-Chlorophenol	4.30	U	0.62	4.30	5.30	ug/L
95-48-7	2-Methylphenol	4.30	U	1.20	4.30	5.30	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.30	U	1.40	4.30	5.30	ug/L
98-86-2	Acetophenone	4.30	U	0.79	4.30	5.30	ug/L
65794-96-9	3+4-Methylphenols	8.50	U	1.20	8.50	10.6	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.70	U	1.50	2.70	2.70	ug/L
67-72-1	Hexachloroethane	4.30	U	0.69	4.30	5.30	ug/L
98-95-3	Nitrobenzene	4.30	U	0.81	4.30	5.30	ug/L
78-59-1	Isophorone	4.30	U	0.80	4.30	5.30	ug/L
88-75-5	2-Nitrophenol	4.30	U	1.90	4.30	5.30	ug/L
105-67-9	2,4-Dimethylphenol	4.30	U	2.00	4.30	5.30	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.30	U	0.72	4.30	5.30	ug/L
120-83-2	2,4-Dichlorophenol	4.30	U	0.55	4.30	5.30	ug/L
91-20-3	Naphthalene	4.30	U	0.53	4.30	5.30	ug/L
106-47-8	4-Chloroaniline	4.30	U	0.89	4.30	5.30	ug/L
87-68-3	Hexachlorobutadiene	4.30	U	0.57	4.30	5.30	ug/L
105-60-2	Caprolactam	8.50	U	1.20	8.50	10.6	ug/L
59-50-7	4-Chloro-3-methylphenol	4.30	U	0.63	4.30	5.30	ug/L
91-57-6	2-Methylnaphthalene	4.30	U	0.60	4.30	5.30	ug/L
77-47-4	Hexachlorocyclopentadiene	8.50	U	3.90	8.50	10.6	ug/L
88-06-2	2,4,6-Trichlorophenol	4.30	U	0.54	4.30	5.30	ug/L
95-95-4	2,4,5-Trichlorophenol	4.30	U	0.66	4.30	5.30	ug/L
92-52-4	1,1-Biphenyl	4.30	U	0.56	4.30	5.30	ug/L
91-58-7	2-Chloronaphthalene	4.30	U	0.65	4.30	5.30	ug/L
88-74-4	2-Nitroaniline	4.30	U	1.30	4.30	5.30	ug/L
131-11-3	Dimethylphthalate	4.30	U	0.65	4.30	5.30	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-18	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	940 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025474.D	1	08/14/25 09:15	08/19/25 13:29	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.30	U	0.80	4.30	5.30	ug/L
606-20-2	2,6-Dinitrotoluene	4.30	U	0.98	4.30	5.30	ug/L
99-09-2	3-Nitroaniline	4.30	U	1.10	4.30	5.30	ug/L
83-32-9	Acenaphthene	4.30	U	0.59	4.30	5.30	ug/L
51-28-5	2,4-Dinitrophenol	8.50	U	6.40	8.50	10.6	ug/L
100-02-7	4-Nitrophenol	8.50	U	2.50	8.50	10.6	ug/L
132-64-9	Dibenzofuran	4.30	U	0.65	4.30	5.30	ug/L
121-14-2	2,4-Dinitrotoluene	4.30	U	1.30	4.30	5.30	ug/L
84-66-2	Diethylphthalate	4.30	U	0.73	4.30	5.30	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.30	U	0.72	4.30	5.30	ug/L
86-73-7	Fluorene	4.30	U	0.67	4.30	5.30	ug/L
100-01-6	4-Nitroaniline	4.30	U	1.60	4.30	5.30	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.50	U	3.10	8.50	10.6	ug/L
86-30-6	n-Nitrosodiphenylamine	4.30	U	0.62	4.30	5.30	ug/L
101-55-3	4-Bromophenyl-phenylether	4.30	U	0.43	4.30	5.30	ug/L
118-74-1	Hexachlorobenzene	4.30	U	0.55	4.30	5.30	ug/L
1912-24-9	Atrazine	4.30	U	1.10	4.30	5.30	ug/L
87-86-5	Pentachlorophenol	8.50	U	1.70	8.50	10.6	ug/L
85-01-8	Phenanthrene	4.30	U	0.53	4.30	5.30	ug/L
120-12-7	Anthracene	4.30	U	0.65	4.30	5.30	ug/L
86-74-8	Carbazole	4.30	U	0.77	4.30	5.30	ug/L
84-74-2	Di-n-butylphthalate	4.30	U	1.30	4.30	5.30	ug/L
206-44-0	Fluoranthene	4.30	U	0.87	4.30	5.30	ug/L
129-00-0	Pyrene	4.30	U	0.53	4.30	5.30	ug/L
85-68-7	Butylbenzylphthalate	4.30	U	2.10	4.30	5.30	ug/L
91-94-1	3,3-Dichlorobenzidine	8.50	U	0.99	8.50	10.6	ug/L
56-55-3	Benzo(a)anthracene	4.30	U	0.48	4.30	5.30	ug/L
218-01-9	Chrysene	4.30	U	0.47	4.30	5.30	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.30	U	1.70	4.30	5.30	ug/L
117-84-0	Di-n-octyl phthalate	8.50	U	2.50	8.50	10.6	ug/L
205-99-2	Benzo(b)fluoranthene	4.30	U	0.52	4.30	5.30	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-18	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	940 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025474.D	1	08/14/25 09:15	08/19/25 13:29	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.30	U	0.51	4.30	5.30	ug/L
50-32-8	Benzo(a)pyrene	4.30	U	0.59	4.30	5.30	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.30	U	0.63	4.30	5.30	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.30	U	0.71	4.30	5.30	ug/L
191-24-2	Benzo(g,h,i)perylene	4.30	U	0.73	4.30	5.30	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.30	U	0.55	4.30	5.30	ug/L
123-91-1	1,4-Dioxane	4.30	U	1.10	4.30	5.30	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.30	U	0.77	4.30	5.30	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	101		19 - 119		68%	SPK: 150
13127-88-3	Phenol-d6	75.3		10 - 130		50%	SPK: 150
4165-60-0	Nitrobenzene-d5	101		44 - 120		101%	SPK: 100
321-60-8	2-Fluorobiphenyl	90.7		44 - 119		91%	SPK: 100
118-79-6	2,4,6-Tribromophenol	176		43 - 140		117%	SPK: 150
1718-51-0	Terphenyl-d14	87.7		50 - 134		88%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	140000	7.79				
1146-65-2	Naphthalene-d8	557000	10.554				
15067-26-2	Acenaphthene-d10	388000	14.401				
1517-22-2	Phenanthrene-d10	881000	17.195				
1719-03-5	Chrysene-d12	1060000	21.642				
1520-96-3	Perylene-d12	1150000	25.018				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	120	J			3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.30	AB			4.94	ug/L
000119-61-9	Benzophenone	5.80	J			15.8	ug/L
000057-10-3	n-Hexadecanoic acid	8.70	J			18.1	ug/L
018435-45-5	1-Nonadecene	3.20	J			21.3	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-18	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	940 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025474.D	1	08/14/25 09:15	08/19/25 13:29	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	DUP	SDG No.:	Q2815
Lab Sample ID:	Q2815-19	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type :		Decanted :	N
Injection Volume :		Level :	LOW
		GPC Factor :	1.0
		GPC Cleanup :	N
		PH :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025475.D	1	08/14/25 09:15	08/19/25 14:10	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.20	U	4.00	8.20	10.2	ug/L
108-95-2	Phenol	4.10	U	0.93	4.10	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.10	U	0.83	4.10	5.10	ug/L
95-57-8	2-Chlorophenol	4.10	U	0.59	4.10	5.10	ug/L
95-48-7	2-Methylphenol	4.10	U	1.10	4.10	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.10	U	1.30	4.10	5.10	ug/L
98-86-2	Acetophenone	4.10	U	0.76	4.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.20	U	1.10	8.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.60	U	1.40	2.60	2.60	ug/L
67-72-1	Hexachloroethane	4.10	U	0.66	4.10	5.10	ug/L
98-95-3	Nitrobenzene	4.10	U	0.78	4.10	5.10	ug/L
78-59-1	Isophorone	4.10	U	0.77	4.10	5.10	ug/L
88-75-5	2-Nitrophenol	4.10	U	1.80	4.10	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.10	U	1.90	4.10	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.10	U	0.69	4.10	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.10	U	0.53	4.10	5.10	ug/L
91-20-3	Naphthalene	4.10	U	0.51	4.10	5.10	ug/L
106-47-8	4-Chloroaniline	4.10	U	0.86	4.10	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.10	U	0.55	4.10	5.10	ug/L
105-60-2	Caprolactam	8.20	U	1.20	8.20	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	4.10	U	0.60	4.10	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.10	U	0.57	4.10	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.20	U	3.70	8.20	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	4.10	U	0.52	4.10	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.10	U	0.63	4.10	5.10	ug/L
92-52-4	1,1-Biphenyl	4.10	U	0.54	4.10	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.10	U	0.62	4.10	5.10	ug/L
88-74-4	2-Nitroaniline	4.10	U	1.30	4.10	5.10	ug/L
131-11-3	Dimethylphthalate	4.10	U	0.62	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	DUP	SDG No.:	Q2815
Lab Sample ID:	Q2815-19	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type :		Decanted :	N
Injection Volume :		Level :	LOW
		GPC Factor :	1.0
		GPC Cleanup :	N
		PH :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025475.D	1	08/14/25 09:15	08/19/25 14:10	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.10	U	0.77	4.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.10	U	0.94	4.10	5.10	ug/L
99-09-2	3-Nitroaniline	4.10	U	1.10	4.10	5.10	ug/L
83-32-9	Acenaphthene	4.10	U	0.56	4.10	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.20	U	6.10	8.20	10.2	ug/L
100-02-7	4-Nitrophenol	8.20	U	2.40	8.20	10.2	ug/L
132-64-9	Dibenzofuran	4.10	U	0.62	4.10	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.10	U	1.20	4.10	5.10	ug/L
84-66-2	Diethylphthalate	4.10	U	0.70	4.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.10	U	0.69	4.10	5.10	ug/L
86-73-7	Fluorene	4.10	U	0.64	4.10	5.10	ug/L
100-01-6	4-Nitroaniline	4.10	U	1.50	4.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.20	U	2.90	8.20	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	4.10	U	0.59	4.10	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.10	U	0.41	4.10	5.10	ug/L
118-74-1	Hexachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
1912-24-9	Atrazine	4.10	U	1.00	4.10	5.10	ug/L
87-86-5	Pentachlorophenol	8.20	U	1.60	8.20	10.2	ug/L
85-01-8	Phenanthrene	4.10	U	0.51	4.10	5.10	ug/L
120-12-7	Anthracene	4.10	U	0.62	4.10	5.10	ug/L
86-74-8	Carbazole	4.10	U	0.73	4.10	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.10	U	1.20	4.10	5.10	ug/L
206-44-0	Fluoranthene	4.10	U	0.84	4.10	5.10	ug/L
129-00-0	Pyrene	4.10	U	0.51	4.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.10	U	2.00	4.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.20	U	0.95	8.20	10.2	ug/L
56-55-3	Benzo(a)anthracene	4.10	U	0.46	4.10	5.10	ug/L
218-01-9	Chrysene	4.10	U	0.45	4.10	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.10	U	1.60	4.10	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.20	U	2.40	8.20	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	4.10	U	0.50	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	DUP	SDG No.:	Q2815
Lab Sample ID:	Q2815-19	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025475.D	1	08/14/25 09:15	08/19/25 14:10	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.10	U	0.49	4.10	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.10	U	0.56	4.10	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.10	U	0.60	4.10	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.10	U	0.68	4.10	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.10	U	0.70	4.10	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
123-91-1	1,4-Dioxane	4.10	U	1.00	4.10	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.10	U	0.73	4.10	5.10	ug/L

SURROGATES

367-12-4	2-Fluorophenol	90.4		19 - 119	60%	SPK: 150
13127-88-3	Phenol-d6	68.4		10 - 130	46%	SPK: 150
4165-60-0	Nitrobenzene-d5	83.5		44 - 120	84%	SPK: 100
321-60-8	2-Fluorobiphenyl	77.4		44 - 119	77%	SPK: 100
118-79-6	2,4,6-Tribromophenol	142		43 - 140	95%	SPK: 150
1718-51-0	Terphenyl-d14	78.8		50 - 134	79%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	169000	7.79
1146-65-2	Naphthalene-d8	684000	10.566
15067-26-2	Acenaphthene-d10	470000	14.401
1517-22-2	Phenanthrene-d10	1020000	17.195
1719-03-5	Chrysene-d12	1090000	21.642
1520-96-3	Perylene-d12	1210000	25.001

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	92.6	J	3.04	ug/L
000057-55-6	Propylene Glycol	13.4	J	3.57	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.60	AB	4.94	ug/L
000119-61-9	Benzophenone	10.2	J	15.8	ug/L
000057-10-3	n-Hexadecanoic acid	17.8	J	18.1	ug/L
000057-11-4	Octadecanoic acid	4.60	J	19.5	ug/L
018835-32-0	1-Tricosene	7.70	J	21.3	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	DUP	SDG No.:	Q2815
Lab Sample ID:	Q2815-19	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980	Units:	mL
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	SVOC-TCL BNA -20
	Decanted :	Level :	LOW
Injection Volume :		GPC Factor :	1.0
		GPC Cleanup :	N
Prep Method :		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025475.D	1	08/14/25 09:15	08/19/25 14:10	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
000111-02-4	Squalene	5.50	J			23.5	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-20	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025476.D	1	08/14/25 09:15	08/19/25 14:51	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-20	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025476.D	1	08/14/25 09:15	08/19/25 14:51	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-20	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025476.D	1	08/14/25 09:15	08/19/25 14:51	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L

SURROGATES

367-12-4	2-Fluorophenol	94.6		19 - 119	63%	SPK: 150
13127-88-3	Phenol-d6	68.0		10 - 130	45%	SPK: 150
4165-60-0	Nitrobenzene-d5	99.1		44 - 120	99%	SPK: 100
321-60-8	2-Fluorobiphenyl	88.6		44 - 119	89%	SPK: 100
118-79-6	2,4,6-Tribromophenol	171		43 - 140	114%	SPK: 150
1718-51-0	Terphenyl-d14	92.0		50 - 134	92%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	149000	7.79
1146-65-2	Naphthalene-d8	590000	10.555
15067-26-2	Acenaphthene-d10	418000	14.401
1517-22-2	Phenanthrene-d10	941000	17.201
1719-03-5	Chrysene-d12	1070000	21.648
1520-96-3	Perylene-d12	1140000	25.024

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	91.4	J	3.04	ug/L
001193-11-9	1,3-Dioxolane, 2,2,4-trimethyl-	36.2	J	3.46	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	6.40	AB	4.95	ug/L
000119-61-9	Benzophenone	6.20	J	15.8	ug/L
000057-10-3	n-Hexadecanoic acid	7.10	J	18.1	ug/L
010192-32-2	1-Tetracosene	4.20	J	21.3	ug/L
007683-64-9	Supraene	2.30	J	23.5	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-20	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025476.D	1	08/14/25 09:15	08/19/25 14:51	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-21	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025477.D	1	08/14/25 09:15	08/19/25 15:32	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-21	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025477.D	1	08/14/25 09:15	08/19/25 15:32	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-21	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025477.D	1	08/14/25 09:15	08/19/25 15:32	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L

SURROGATES

367-12-4	2-Fluorophenol	91.5		19 - 119		61%	SPK: 150
13127-88-3	Phenol-d6	66.4		10 - 130		44%	SPK: 150
4165-60-0	Nitrobenzene-d5	94.5		44 - 120		95%	SPK: 100
321-60-8	2-Fluorobiphenyl	86.5		44 - 119		87%	SPK: 100
118-79-6	2,4,6-Tribromophenol	159		43 - 140		106%	SPK: 150
1718-51-0	Terphenyl-d14	89.3		50 - 134		89%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	173000	7.79	
1146-65-2	Naphthalene-d8	696000	10.554	
15067-26-2	Acenaphthene-d10	476000	14.401	
1517-22-2	Phenanthrene-d10	1010000	17.207	
1719-03-5	Chrysene-d12	1100000	21.642	
1520-96-3	Perylene-d12	1200000	25.012	

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	90.4	J		3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	6.70	AB		4.94	ug/L
000119-61-9	Benzophenone	3.70	J		15.8	ug/L
1000336-66-8	6-Octadecenoic acid	2.70	J		18.0	ug/L
000057-10-3	n-Hexadecanoic acid	10.2	J		18.1	ug/L
000297-03-0	Cyclotetrasiloxane	3.50	J		21.3	ug/L
000111-02-4	Squalene	5.70	J		23.5	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-21	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025477.D	1	08/14/25 09:15	08/19/25 15:32	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-22	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025478.D	1	08/14/25 09:15	08/19/25 16:13	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-22	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025478.D	1	08/14/25 09:15	08/19/25 16:13	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-22	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025478.D	1	08/14/25 09:15	08/19/25 16:13	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L

SURROGATES

367-12-4	2-Fluorophenol	95.9		19 - 119	64%	SPK: 150
13127-88-3	Phenol-d6	74.0		10 - 130	49%	SPK: 150
4165-60-0	Nitrobenzene-d5	93.6		44 - 120	94%	SPK: 100
321-60-8	2-Fluorobiphenyl	88.9		44 - 119	89%	SPK: 100
118-79-6	2,4,6-Tribromophenol	158		43 - 140	106%	SPK: 150
1718-51-0	Terphenyl-d14	87.0		50 - 134	87%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	148000	7.79	
1146-65-2	Naphthalene-d8	586000	10.554	
15067-26-2	Acenaphthene-d10	384000	14.413	
1517-22-2	Phenanthrene-d10	852000	17.207	
1719-03-5	Chrysene-d12	989000	21.636	
1520-96-3	Perylene-d12	1090000	25.006	

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	94.1	J	3.04	ug/L
000057-55-6	Propylene Glycol	4.40	J	3.56	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.60	AB	4.94	ug/L
000143-24-8	Tetraglyme	3.40	J	14.3	ug/L
000119-61-9	Benzophenone	9.90	J	15.8	ug/L
000057-10-3	n-Hexadecanoic acid	12.5	J	18.2	ug/L
000057-11-4	Octadecanoic acid	2.90	J	19.5	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-22	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025478.D	1	08/14/25 09:15	08/19/25 16:13	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
1000406-04-5	Pentadecafluorooctanoic acid, pent	8.20	J			21.3	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-23	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025479.D	1	08/14/25 09:15	08/19/25 16:55	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-23	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025479.D	1	08/14/25 09:15	08/19/25 16:55	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-23	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025479.D	1	08/14/25 09:15	08/19/25 16:55	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L

SURROGATES

367-12-4	2-Fluorophenol	85.8		19 - 119		57%	SPK: 150
13127-88-3	Phenol-d6	60.9		10 - 130		41%	SPK: 150
4165-60-0	Nitrobenzene-d5	95.8		44 - 120		96%	SPK: 100
321-60-8	2-Fluorobiphenyl	87.6		44 - 119		88%	SPK: 100
118-79-6	2,4,6-Tribromophenol	159		43 - 140		106%	SPK: 150
1718-51-0	Terphenyl-d14	90.8		50 - 134		91%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	176000	7.79
1146-65-2	Naphthalene-d8	703000	10.56
15067-26-2	Acenaphthene-d10	481000	14.413
1517-22-2	Phenanthrene-d10	1020000	17.201
1719-03-5	Chrysene-d12	1120000	21.642
1520-96-3	Perylene-d12	1230000	25.007

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	84.9	J		3.04	ug/L
000057-55-6	Propylene Glycol	6.70	J		3.56	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	6.30	AB		4.94	ug/L
000119-61-9	Benzophenone	6.30	J		15.8	ug/L
000057-10-3	n-Hexadecanoic acid	5.60	J		18.1	ug/L
077899-03-7	1-Heneicosyl formate	4.10	J		21.3	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-23	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025479.D	1	08/14/25 09:15	08/19/25 16:55	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2815
Lab Sample ID:	Q2815-26	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025480.D	1	08/14/25 09:15	08/19/25 17:36	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.20	U	4.00	8.20	10.2	ug/L
108-95-2	Phenol	4.10	U	0.93	4.10	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.10	U	0.83	4.10	5.10	ug/L
95-57-8	2-Chlorophenol	4.10	U	0.59	4.10	5.10	ug/L
95-48-7	2-Methylphenol	4.10	U	1.10	4.10	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.10	U	1.30	4.10	5.10	ug/L
98-86-2	Acetophenone	4.10	U	0.76	4.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.20	U	1.10	8.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.60	U	1.40	2.60	2.60	ug/L
67-72-1	Hexachloroethane	4.10	U	0.66	4.10	5.10	ug/L
98-95-3	Nitrobenzene	4.10	U	0.78	4.10	5.10	ug/L
78-59-1	Isophorone	4.10	U	0.77	4.10	5.10	ug/L
88-75-5	2-Nitrophenol	4.10	U	1.80	4.10	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.10	U	1.90	4.10	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.10	U	0.69	4.10	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.10	U	0.53	4.10	5.10	ug/L
91-20-3	Naphthalene	4.10	U	0.51	4.10	5.10	ug/L
106-47-8	4-Chloroaniline	4.10	U	0.86	4.10	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.10	U	0.55	4.10	5.10	ug/L
105-60-2	Caprolactam	8.20	U	1.20	8.20	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	4.10	U	0.60	4.10	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.10	U	0.57	4.10	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.20	U	3.70	8.20	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	4.10	U	0.52	4.10	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.10	U	0.63	4.10	5.10	ug/L
92-52-4	1,1-Biphenyl	4.10	U	0.54	4.10	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.10	U	0.62	4.10	5.10	ug/L
88-74-4	2-Nitroaniline	4.10	U	1.30	4.10	5.10	ug/L
131-11-3	Dimethylphthalate	4.10	U	0.62	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2815
Lab Sample ID:	Q2815-26	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type :		Decanted :	N
Injection Volume :		GPC Factor :	1.0
Prep Method :		Level :	LOW
		Final Vol:	1000
		Test:	SVOC-TCL BNA -20
		GPC Cleanup :	N
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025480.D	1	08/14/25 09:15	08/19/25 17:36	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.10	U	0.77	4.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.10	U	0.94	4.10	5.10	ug/L
99-09-2	3-Nitroaniline	4.10	U	1.10	4.10	5.10	ug/L
83-32-9	Acenaphthene	4.10	U	0.56	4.10	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.20	U	6.10	8.20	10.2	ug/L
100-02-7	4-Nitrophenol	8.20	U	2.40	8.20	10.2	ug/L
132-64-9	Dibenzofuran	4.10	U	0.62	4.10	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.10	U	1.20	4.10	5.10	ug/L
84-66-2	Diethylphthalate	4.10	U	0.70	4.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.10	U	0.69	4.10	5.10	ug/L
86-73-7	Fluorene	4.10	U	0.64	4.10	5.10	ug/L
100-01-6	4-Nitroaniline	4.10	U	1.50	4.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.20	U	2.90	8.20	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	4.10	U	0.59	4.10	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.10	U	0.41	4.10	5.10	ug/L
118-74-1	Hexachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
1912-24-9	Atrazine	4.10	U	1.00	4.10	5.10	ug/L
87-86-5	Pentachlorophenol	8.20	U	1.60	8.20	10.2	ug/L
85-01-8	Phenanthrene	4.10	U	0.51	4.10	5.10	ug/L
120-12-7	Anthracene	4.10	U	0.62	4.10	5.10	ug/L
86-74-8	Carbazole	4.10	U	0.73	4.10	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.10	U	1.20	4.10	5.10	ug/L
206-44-0	Fluoranthene	4.10	U	0.84	4.10	5.10	ug/L
129-00-0	Pyrene	4.10	U	0.51	4.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.10	U	2.00	4.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.20	U	0.95	8.20	10.2	ug/L
56-55-3	Benzo(a)anthracene	4.10	U	0.46	4.10	5.10	ug/L
218-01-9	Chrysene	4.10	U	0.45	4.10	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.10	U	1.60	4.10	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.20	U	2.40	8.20	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	4.10	U	0.50	4.10	5.10	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2815
Lab Sample ID:	Q2815-26	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025480.D	1	08/14/25 09:15	08/19/25 17:36	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.10	U	0.49	4.10	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.10	U	0.56	4.10	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.10	U	0.60	4.10	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.10	U	0.68	4.10	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.10	U	0.70	4.10	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
123-91-1	1,4-Dioxane	4.10	U	1.00	4.10	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.10	U	0.73	4.10	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	69.1		19 - 119		46%	SPK: 150
13127-88-3	Phenol-d6	42.2		10 - 130		28%	SPK: 150
4165-60-0	Nitrobenzene-d5	87.9		44 - 120		88%	SPK: 100
321-60-8	2-Fluorobiphenyl	80.0		44 - 119		80%	SPK: 100
118-79-6	2,4,6-Tribromophenol	140		43 - 140		93%	SPK: 150
1718-51-0	Terphenyl-d14	80.6		50 - 134		81%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	167000	7.79				
1146-65-2	Naphthalene-d8	640000	10.56				
15067-26-2	Acenaphthene-d10	413000	14.401				
1517-22-2	Phenanthrene-d10	881000	17.195				
1719-03-5	Chrysene-d12	1060000	21.648				
1520-96-3	Perylene-d12	1160000	25.012				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	100	J			3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	5.60	AB			4.95	ug/L
000462-95-3	Methane, diethoxy-	2.10	J			11.1	ug/L
029911-28-2	2-Propanol, 1-(2-butoxy-1-methylet	3.10	J			11.2	ug/L

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2815
Lab Sample ID:	Q2815-26	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type :		Decanted :	N
Injection Volume :		GPC Factor :	1.0
Prep Method :		Level :	LOW
		Final Vol:	1000
		Test:	SVOC-TCL BNA -20
		GPC Cleanup :	N
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025480.D	1	08/14/25 09:15	08/19/25 17:36	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2815	OrderDate:	8/11/2025 10:33:09 AM
Client:	First Environment, Inc.	Project:	USACE018-44 DOD
Contact:	Al Smith	Location:	D41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2815-01	TW-705R-S	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/15/25	08/08/25
Q2815-02	TW-10PC-W	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/15/25	08/08/25
Q2815-03	TW-10P-E	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/15/25	08/08/25
Q2815-04	TW-10P-S	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/15/25	08/08/25
Q2815-05	TW-10P-W	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/15/25	08/08/25
Q2815-06	TW-10P-N	Water	SVOC-TCL BNA -20	8270E	08/06/25	08/12/25	08/15/25	08/08/25
Q2815-07	TW-88H-E	Water	SVOC-TCL BNA -20	8270E	08/07/25	08/12/25	08/15/25	08/08/25
Q2815-08	TW-88H-N	Water	SVOC-TCL BNA -20	8270E	08/07/25	08/12/25	08/21/25	08/08/25
Q2815-09	TW-88H-W	Water	SVOC-TCL BNA -20	8270E	08/07/25	08/12/25	08/15/25	08/08/25
Q2815-10	TW-88H-S	Water	SVOC-TCL BNA -20	8270E	08/07/25	08/12/25	08/21/25	08/08/25
Q2815-11	TW-22M-W	Water	SVOC-TCL BNA -20	8270E	08/08/25	08/12/25	08/21/25	08/08/25
Q2815-12	TW-22M-S	Water			08/08/25			08/08/25

LAB CHRONICLE

			SVOC-TCL BNA -20	8270E		08/12/25	08/21/25	
Q2815-13	TW-22M-E	Water			08/08/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/12/25	08/19/25	
Q2815-14	TW-22M-N	Water			08/08/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/12/25	08/19/25	
Q2815-15	TW-17M-E	Water			08/08/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/12/25	08/21/25	
Q2815-16	TW-17M-S	Water			08/08/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/14/25	08/20/25	
Q2815-17	TW-84SB-S	Water			08/08/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/14/25	08/20/25	
Q2815-18	TW-84SB-W	Water			08/08/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	
Q2815-19	DUP	Water			08/08/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	
Q2815-20	TW-11M-W	Water			08/08/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	
Q2815-21	TW-11M-E	Water			08/08/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	
Q2815-22	TW-11M-S	Water			08/08/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	
Q2815-23	TW-11M-N	Water			08/08/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	
Q2815-26	FB	Water			08/08/25			08/08/25
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	