284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Cover Page

Order ID : Q2815

Project ID : USACE018-44 DOD

Client : First Environment, Inc.

Lab Sample Number	Client Sample Number
Q2815-01	TW-705R-S
Q2815-02	TW-10PC-W
Q2815-03	TW-10P-E
Q2815-04	TW-10P-S
Q2815-05	TW-10P-W
Q2815-06	TW-10P-N
Q2815-07	TW-88H-E
Q2815-08	TW-88H-N
Q2815-09	TW-88H-W
Q2815-10	TW-88H-S
Q2815-11	TW-22M-W
Q2815-12	TW-22M-S
Q2815-13	TW-22M-E
Q2815-14	TW-22M-N
Q2815-15	TW-17M-E
Q2815-16	TW-17M-S
Q2815-17	TW-84SB-S
Q2815-18	TW-84SB-W
Q2815-19	DUP
Q2815-20	TW-11M-W
Q2815-21	TW-11M-E
Q2815-22	TW-11M-S
Q2815-23	TW-11M-N
Q2815-24	TB
Q2815-25	TW-11M-W
Q2815-26	FB

I certify that the data package is in compliance with the terms and conditions of the contract,both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 8/22/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

First Environment, Inc.
Project Name: USACE018-44 DOD
Project # N/A
Order ID # Q2815
Test Name: SVOC-TCL BNA -20

A. Number of Samples and Date of Receipt:
24 Water samples were received on 08/08/2025.

B. Parameters
According to the Chain of Custody document, the following analyses were requested: SVOC-TCL BNA -20. This data package contains results for SVOC-TCL BNA -20.

C. Analytical Techniques:
The samples were analyzed on instrument BNA_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The samples were analyzed on instrument BNA_P using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The analysis of SVOC-TCL BNA -20 was based on method 8270E and extraction was done based on method 3510.

D. QA/ QC Samples:
The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis except for,
TW-705R-S [2,4,6-Tribromophenol - 11%, 2-Fluorobiphenyl - 25%, 2-Fluorophenol - 7%, Nitrobenzene-d5 - 23%, Phenol-d6 - 9%, Terphenyl-d14 - 22%], Surrogates are failed due to Muddy matrix, As no extra volume was available for re-extraction and also the re-analysis, therefor no further corrective action was taken.
TW-22M-E [2,4,6-Tribromophenol - 14%, 2-Fluorobiphenyl - 27%, 2-Fluorophenol - 12%, Nitrobenzene-d5 - 26%, Phenol-d6 - 4%, Terphenyl-d14 - 30%], Surrogate are failed due to matrix interference. The Chromatogram also indicated presence of the non target hydro carbons, therefor no further corrective action was taken.
TW-22M-N [Terphenyl-d14 - 49%]. As per SOP one Base surrogate is allowed to fail, therefor no further corrective action was taken.

The Internal Standards Areas were met for all analysis.
The Retention Times were met for all analysis.
The RPD were met for all analysis.
The Blank Spike met requirements for all compounds.
The Blank Spike Duplicate met requirements for all compounds.
The Blank analysis did not indicate the presence of lab contamination.

284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

The %RSD is greater than 20% for certain compounds in the Initial Calibration (Method 8270-BF081225.M) for 2-Nitrophenol, Hexachlorocyclopentadiene, 2-Nitroaniline, 2,6-Dinitrotoluene, 4-Nitrophenol, 2,4-Dinitrotoluene, 4,6-Dinitro-2-methylephenol, Pentachlorophenol, Butylbenzylphthalate, Bis(2-ethylhexylephthalate), Di-n-octyl phthalate, These Compounds is passing on Linear Regression and 2,4-Dinitrophenol is passing on Quadratic Regression.

The %RSD is greater than 20% in the Initial Calibration (Method 8270-BF082025.M) for Hexachlorocyclopentadiene, 2,4-Dinitrophenol these Compounds are passing on Linear regression.

The Continuous Calibration File ID BF143399.D met the requirements except for Bis(2-ethylhexyl)phthalate,Butylbenzylphthalate,Di-n-octyl phthalate,Hexachlorocyclopentadiene,Pentachlorophenol, These compounds are failed high side and associated samples does not have hit for these compounds, therefor no further corrective action was taken. and Pyrene is failed marginally low , therefor no further corrective action was taken.

The Continuous Calibration File ID BP025422.D met the requirements except for Benzaldehyde, This compound is failed high side and associated samples does not have hit for this compound, therefor no further corrective action was taken.

The Continuous Calibration File ID BF143414.D met the requirements except for Butylbenzylpthalate, This compound is failed high side and associated samples does not have hit for this compound, therefor no further corrective action was taken.

The Continuous Calibration File ID BF143539.D met the requirements except for Pentachlorophenol, This compound is failed high side and associated samples does not have hit for this compound, therefor no further corrective action was taken.

The Continuous Calibration File ID BP025470.D met the requirements except for 2,4-Dinitrophenol,4,6-Dinitro-2-methylphenol and Hexachlorocyclopentadiene. These compounds are failed high side and associated samples does not have hit for these compounds, therefor no further corrective action was taken.

The Continuous Calibration File ID BP025485.D met the requirements except for 2,4-Dinitrophenol. This compound is failed high side and associated samples does not have hit for this compound, therefor no further corrective action was taken.

The Continuous Calibration File ID BP025487.D met the requirements except for 2,4-Dinitrophenol and 4,6-Dinitro-2-methylphenol. These compounds are failed high side and associated samples does not have hit for these compounds, therefor no further corrective action was taken.

The Tuning criteria met requirements.

284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

E. Additional Comments:
The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.
The not QT review data is reported in the Miscellaneous.
Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:
Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

284 Sheffield Street, Mountainside NJ 07092 Tel. 908-789-8900 Fax: 908-789-8922

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following " Results Qualifiers" are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10 U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value**.** This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This is flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as "12 B".
E	Indicates the analyte 's concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

ALLIANCE 284 Sheffield Street, Mountainside New Jersey 07092

NEW JERSEY LAB ID#: 20012: NEW YORK LAB ID#: 11376

GC/MS SEMI-VOLATILE ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY

ORDER ID: Q2815 MATRIX: Water

METHOD: 8270E/3510

		NA	NO	YES
1.	Chromatograms Labeled/Compounds Identified. (Field samples and Method Blanks)			✓
2.	GC/MS Tuning Specifications. DFTPP Meet Criteria. (NOTE THAT THERE ARE DIFFERENT CRITERIA FOR NY ASP CLP, CLP AND NJ)			✓
3.	GC/MS Tuning Frequency - Performed every 24 hours for 600 series and 12 hours for 8000 Series.			✓
4.	GC/MS Calibration - Initial Calibration performed within 30 days before sample analysis and continuing calibration performed within 24 hours of sample analysis for 600 series and 12 hours for 8000 series.			✓
5.	GC/MS Calibration Requirements.		✓	

GC/MS SEMI-VOLATILE ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY

(CONTINUED)

NA NO YES

The %RSD is greater than 20% for certain compounds in the Initial Calibration (Method 8270-BF081225.M) for 2-Nitrophenol, Hexachlorocyclopentadiene, 2-Nitroaniline, 2,6-Dinitrotoluene, 4-Nitrophenol, 2,4-Dinitrotoluene, 4,6-Dinitro-2-methylephenol, Pentachlorophenol, Butylbenzylphthalate, Bis(2-ethylhexylephthalate), Di-n-octyl phthalate, These Compounds is passing on Linear Regression and 2,4-Dinitrophenol is passing on Quadratic Regression.

The %RSD is greater than 20% in the Initial Calibration (Method 8270-BF082025.M) for Benzoic acid, Hexachlorocyclopentadiene, 2,4-Dinitrophenol these Compounds are passing on Linear regression.

The Continuous Calibration File ID BF143399.D met the requirements except for Bis(2-ethylhexyl)phthalate,Butylbenzylphthalate,Di-n-octyl phthalate,Hexachlorocyclopentadiene,Pentachlorophenol, These compounds are failed high side and associated samples does not have hit for these compounds, therefor no further corrective action was taken. and Pyrene is failed marginally low , therefor no further corrective action was taken.

The Continuous Calibration File ID BP025422.D met the requirements except for Benzaldehyde, This compound is failed high side and associated samples does not have hit for this compound, therefor no further corrective action was taken.

The Continuous Calibration File ID BF143414.D met the requirements except for Butylbenzylpthalate, This compound is failed high side and associated samples does not have hit for this compound, therefor no further corrective action was taken.

The Continuous Calibration File ID BF143539.D met the requirements except for Pentachlorophenol, This compound is failed high side and associated samples does not have hit for this compound, therefor no further corrective action was taken.

The Continuous Calibration File ID BP025470.D met the requirements except for 2,4-Dinitrophenol,4,6-Dinitro-2-methylphenol and Hexachlorocyclopentadiene. These compounds are failed high side and associated samples does not have hit for these compounds, therefor no further corrective action was taken.

The Continuous Calibration File ID BP025485.D met the requirements except for 2,4-Dinitrophenol. This compound is failed high side and associated samples does not have hit for this compound, therefor no further corrective action was taken.

The Continuous Calibration File ID BP025487.D met the requirements except for 2,4-Dinitrophenol and 4,6-Dinitro-2-methylphenol. These compounds are failed high side and associated samples does not have hit for these compounds, therefor no further corrective action was taken.

GC/MS SEMI-VOLATILE ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY

(CONTINUED)

		NA	NO	YES
6.	Blank Contamination - If yes, list compounds and concentrations in each blank:		✓	
7.	Surrogate Recoveries Meet Criteria		✓	
	If not met, list those compounds and their recoveries which fall outside the acceptable ranges.			
	The Surrogate recoveries were met for all analysis except for, TW-705R-S [2,4,6-Tribromophenol - 11%, 2-Fluorobiphenyl - 25%, 2-Fluorophenol - 7%, Nitrobenzene-d5 - 23%, Phenol-d6 - 9%, Terphenyl-d14 - 22%], Surrogates are failed due to Muddy matrix, As no extra volume was available for re-extraction and also the re-analysis, therefor no further corrective action was taken. TW-22M-E [2,4,6-Tribromophenol - 14%, 2-Fluorobiphenyl - 27%, 2-Fluorophenol - 12%, Nitrobenzene-d5 - 26%, Phenol-d6 - 4%, Terphenyl-d14 - 30%], Surrogate are failed due to matrix interference. The Chromatogram also indicated presence of the non target hydro carbons, therefor no further corrective action was taken. TW-22M-N [Terphenyl-d14 - 49%]. As per SOP one Base surrogate is allowed to fail , therefor no further corrective action was taken.			
8.	Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria			✓
	If not met, list those compounds and their recoveries which fall outside the acceptable range.			
	The Blank Spike met requirements for all compounds. The Blank Spike Duplicate met requirements for all compounds.			
9.	Internal Standard Area/Retention Time Shift Meet Criteria			✓
	Comments:			
10.	Extraction Holding Time Met			✓
	If not met, list number of days exceeded for each sample:			
11.	Analysis Holding Time Met			✓
	If not met, list number of days exceeded for each sample:			

GC/MS SEMI-VOLATILE ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY

(CONTINUED)

NA NO YES

ADDITIONAL COMMENTS:

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

The not QT review data is reported in the Miscellaneous.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

_____ _____

QA REVIEW Date

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: **Q2815**

	Completed
For thorough review, the report must have the following:	
GENERAL:	
Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)	✓
Check chain-of-custody for proper relinquish/return of samples	✓
Is the chain of custody signed and complete	✓
Check internal chain-of-custody for proper relinquish/return of samples /sample extracts	✓
Collect information for each project id from server. Were all requirements followed	✓
COVER PAGE:	
Do numbers of samples correspond to the number of samples in the Chain of Custody on login page	✓
Do lab numbers and client Ids on cover page agree with the Chain of Custody	✓
CHAIN OF CUSTODY:	
Do requested analyses on Chain of Custody agree with form I results	✓
Do requested analyses on Chain of Custody agree with the log-in page	✓
Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody	✓
Were the samples received within hold time	✓
Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle	✓
ANALYTICAL:	
Was method requirement followed?	✓
Was client requirement followed?	✓
Does the case narrative summarize all QC failure?	✓
All runlogs and manual integration are reviewed for requirements	✓
All manual calculations and /or hand notations verified	✓

QA Review Signature: **SOHIL JODHANI** **Date:** **08/22/2025**

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

LAB CHRONICLE

OrderID:	Q2815	**OrderDate:**	8/11/2025 10:33:09 AM
Client:	First Environment, Inc.	**Project:**	USACE018-44 DOD
Contact:	Al Smith	**Location:**	D41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2815-01	**TW-705R-S**	**Water**			**08/06/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/15/25	
Q2815-02	**TW-10PC-W**	**Water**			**08/06/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/15/25	
Q2815-03	**TW-10P-E**	**Water**			**08/06/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/15/25	
Q2815-04	**TW-10P-S**	**Water**			**08/06/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/15/25	
Q2815-05	**TW-10P-W**	**Water**			**08/06/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/15/25	
Q2815-06	**TW-10P-N**	**Water**			**08/06/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/15/25	
Q2815-07	**TW-88H-E**	**Water**			**08/07/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/15/25	
Q2815-08	**TW-88H-N**	**Water**			**08/07/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/21/25	
Q2815-09	**TW-88H-W**	**Water**			**08/07/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/15/25	
Q2815-10	**TW-88H-S**	**Water**			**08/07/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/21/25	
Q2815-11	**TW-22M-W**	**Water**			**08/08/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/21/25	
Q2815-12	**TW-22M-S**	**Water**			**08/08/25**			**08/08/25**

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

LAB CHRONICLE

			SVOC-TCL BNA -20	8270E		08/12/25	08/21/25	
Q2815-13	**TW-22M-E**	**Water**			**08/08/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/19/25	
Q2815-14	**TW-22M-N**	**Water**			**08/08/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/19/25	
Q2815-15	**TW-17M-E**	**Water**			**08/08/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/12/25	08/21/25	
Q2815-16	**TW-17M-S**	**Water**			**08/08/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/14/25	08/20/25	
Q2815-17	**TW-84SB-S**	**Water**			**08/08/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/14/25	08/20/25	
Q2815-18	**TW-84SB-W**	**Water**			**08/08/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	
Q2815-19	**DUP**	**Water**			**08/08/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	
Q2815-20	**TW-11M-W**	**Water**			**08/08/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	
Q2815-21	**TW-11M-E**	**Water**			**08/08/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	
Q2815-22	**TW-11M-S**	**Water**			**08/08/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	
Q2815-23	**TW-11M-N**	**Water**			**08/08/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	
Q2815-26	**FB**	**Water**			**08/08/25**			**08/08/25**
			SVOC-TCL BNA -20	8270E		08/14/25	08/19/25	

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2815

Client: First Environment, Inc.

Sample ID	Client ID		Parameter		Concentration	C	MDL	LOD	RDL	Units
Client ID : TW-705R-S										
Q2815-01	TW-705R-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	14.700	AB	0		0	ug/L
Q2815-01	TW-705R-S	WATER	Benzophenone	*	4.100	J	0		0	ug/L
Q2815-01	TW-705R-S	WATER	Butane, 2-methoxy-2-methyl-	*	38.800	J	0		0	ug/L
			Total Tics :		**57.60**					
			Total Concentration:		**57.60**					
Client ID : TW-10PC-W										
Q2815-02	TW-10PC-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	7.500	AB	0		0	ug/L
Q2815-02	TW-10PC-W	WATER	Benzophenone	*	4.900	J	0		0	ug/L
Q2815-02	TW-10PC-W	WATER	Butane, 2-methoxy-2-methyl-	*	100.000	J	0		0	ug/L
			Total Tics :		**112.40**					
			Total Concentration:		**112.40**					
Client ID : TW-10P-E										
Q2815-03	TW-10P-E	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	11.700	AB	0		0	ug/L
Q2815-03	TW-10P-E	WATER	Benzophenone	*	5.100	J	0		0	ug/L
Q2815-03	TW-10P-E	WATER	Butane, 2-methoxy-2-methyl-	*	91.500	J	0		0	ug/L
Q2815-03	TW-10P-E	WATER	n-Hexadecanoic acid	*	2.200	J	0		0	ug/L
			Total Tics :		**110.50**					
			Total Concentration:		**110.50**					
Client ID : TW-10P-S										
Q2815-04	TW-10P-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	9.200	AB	0		0	ug/L
Q2815-04	TW-10P-S	WATER	Benzophenone	*	6.500	J	0		0	ug/L
Q2815-04	TW-10P-S	WATER	Butane, 2-methoxy-2-methyl-	*	92.600	J	0		0	ug/L
Q2815-04	TW-10P-S	WATER	n-Hexadecanoic acid	*	2.200	J	0		0	ug/L
			Total Tics :		**110.50**					
			Total Concentration:		**110.50**					
Client ID : TW-10P-W										
Q2815-05	TW-10P-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	13.200	AB	0		0	ug/L
Q2815-05	TW-10P-W	WATER	Benzophenone	*	4.100	J	0		0	ug/L
Q2815-05	TW-10P-W	WATER	Butane, 2-methoxy-2-methyl-	*	89.400	J	0		0	ug/L
Q2815-05	TW-10P-W	WATER	Hexacosane	*	2.800	J	0		0	ug/L
			Total Tics :		**109.50**					
			Total Concentration:		**109.50**					
Client ID : TW-10P-N										
Q2815-06	TW-10P-N	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	35.400	AB	0		0	ug/L
Q2815-06	TW-10P-N	WATER	Benzophenone	*	3.700	J	0		0	ug/L

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2815

Client: First Environment, Inc.

Sample ID	Client ID		Parameter		Concentration	C	MDL	LOD	RDL	Units
Q2815-06	TW-10P-N	WATER	Butane, 2-methoxy-2-methyl-	*	94.500	J	0		0	ug/L
			Total Tics :		**133.60**					
			Total Concentration:		**133.60**					
Client ID :	**TW-88H-E**									
Q2815-07	TW-88H-E	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	11.100	AB	0		0	ug/L
Q2815-07	TW-88H-E	WATER	Benzophenone	*	6.800	J	0		0	ug/L
Q2815-07	TW-88H-E	WATER	Butane, 2-methoxy-2-methyl-	*	100.000	J	0		0	ug/L
Q2815-07	TW-88H-E	WATER	n-Hexadecanoic acid	*	2.900	J	0		0	ug/L
Q2815-07	TW-88H-E	WATER	Tetratetracontane	*	4.000	J	0		0	ug/L
			Total Tics :		**124.80**					
			Total Concentration:		**124.80**					
Client ID :	**TW-88H-N**									
Q2815-08	TW-88H-N	WATER	Bis(2-ethylhexyl)phthalate		5.400		1.6	4	5	ug/L
			Total Svoc :		**5.40**					
Q2815-08	TW-88H-N	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	9.500	AB	0		0	ug/L
Q2815-08	TW-88H-N	WATER	Benzophenone	*	7.600	J	0		0	ug/L
Q2815-08	TW-88H-N	WATER	Butane, 2-methoxy-2-methyl-	*	96.100	J	0		0	ug/L
Q2815-08	TW-88H-N	WATER	Hexadecanoic acid, 1,1-dimethyle	*	3.100	J	0		0	ug/L
Q2815-08	TW-88H-N	WATER	n-Hexadecanoic acid	*	5.900	J	0		0	ug/L
			Total Tics :		**122.20**					
			Total Concentration:		**127.60**					
Client ID :	**TW-88H-W**									
Q2815-09	TW-88H-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	9.300	AB	0		0	ug/L
Q2815-09	TW-88H-W	WATER	Benzophenone	*	4.400	J	0		0	ug/L
Q2815-09	TW-88H-W	WATER	Butane, 2-methoxy-2-methyl-	*	110.000	J	0		0	ug/L
Q2815-09	TW-88H-W	WATER	n-Hexadecanoic acid	*	3.300	J	0		0	ug/L
Q2815-09	TW-88H-W	WATER	Tritetracontane	*	2.400	J	0		0	ug/L
			Total Tics :		**129.40**					
			Total Concentration:		**129.40**					
Client ID :	**TW-88H-S**									
Q2815-10	TW-88H-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	6.200	AB	0		0	ug/L
Q2815-10	TW-88H-S	WATER	Benzophenone	*	6.300	J	0		0	ug/L
Q2815-10	TW-88H-S	WATER	Butane, 2-methoxy-2-methyl-	*	66.000	J	0		0	ug/L
Q2815-10	TW-88H-S	WATER	Eicosane	*	2.200	J	0		0	ug/L
Q2815-10	TW-88H-S	WATER	Hexadecanoic acid, 2-methylprop	*	4.100	J	0		0	ug/L
Q2815-10	TW-88H-S	WATER	Hexadecanoic acid, butyl ester	*	10.600	J	0		0	ug/L
Q2815-10	TW-88H-S	WATER	n-Hexadecanoic acid	*	10.300	J	0		0	ug/L
Q2815-10	TW-88H-S	WATER	Octacosane	*	2.400	J	0		0	ug/L
Q2815-10	TW-88H-S	WATER	Octadecane	*	2.100	J	0		0	ug/L

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2815

Client: First Environment, Inc.

Sample ID	Client ID		Parameter		Concentration	C	MDL	LOD	RDL	Units
Q2815-10	TW-88H-S	WATER	Octadecanoic acid	*	4.800	J	0		0	ug/L
Q2815-10	TW-88H-S	WATER	Octadecanoic acid, 2-methylpropy	*	2.100	J	0		0	ug/L
Q2815-10	TW-88H-S	WATER	Octadecanoic acid, butyl ester	*	7.800	J	0		0	ug/L
Q2815-10	TW-88H-S	WATER	Oxalic acid, isobutyl pentadecyl e	*	4.800	J	0		0	ug/L
Q2815-10	TW-88H-S	WATER	unknown20.595	*	6.800	J	0		0	ug/L
			Total Tics :		**136.50**					
			Total Concentration:		**136.50**					
Client ID :	**TW-22M-W**									
Q2815-11	TW-22M-W	WATER	Naphthalene		3.700	J	0.5	4	5	ug/L
			Total Svoc :		**3.70**					
Q2815-11	TW-22M-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	10.800	AB	0		0	ug/L
Q2815-11	TW-22M-W	WATER	Benzophenone	*	8.600	J	0		0	ug/L
Q2815-11	TW-22M-W	WATER	Bromoacetic acid, hexadecyl ester	*	2.900	J	0		0	ug/L
Q2815-11	TW-22M-W	WATER	Butane, 2-methoxy-2-methyl-	*	93.300	J	0		0	ug/L
Q2815-11	TW-22M-W	WATER	Hexadecanoic acid, butyl ester	*	3.800	J	0		0	ug/L
			Total Tics :		**119.40**					
			Total Concentration:		**123.10**					
Client ID :	**TW-22M-S**									
Q2815-12	TW-22M-S	WATER	2,6-Naphthalenedione, octahydro-	*	4.900	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	8.000	AB	0		0	ug/L
Q2815-12	TW-22M-S	WATER	Benzophenone	*	8.600	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	Butane, 2-methoxy-2-methyl-	*	78.400	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	Cyclohexane, 1,1,2-trimethyl-	*	4.700	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	Cyclohexane, 2-butyl-1,1,3-trimet	*	4.300	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	Decane, 2,6,7-trimethyl-	*	21.300	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	Decane, 5-propyl-	*	39.600	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	Dodecane, 2,6,10-trimethyl-	*	17.700	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	Heptacosane	*	22.500	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	Heptadecane, 4-methyl-	*	8.900	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	Hexadecane, 1-iodo-	*	38.100	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	Tridecane, 4-methyl-	*	66.700	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	Undecane, 2,6-dimethyl-	*	5.700	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	unknown10.222	*	9.100	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	unknown8.386	*	3.200	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	unknown9.086	*	4.300	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	unknown9.204	*	3.200	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	unknown9.369	*	22.200	J	0		0	ug/L
Q2815-12	TW-22M-S	WATER	unknown9.839	*	8.800	J	0		0	ug/L
			Total Tics :		**380.20**					

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2815

Client: First Environment, Inc.

Sample ID	Client ID		Parameter		Concentration	C	MDL	LOD	RDL	Units
			Total Concentration:		**380.20**					
Client ID :	**TW-22M-E**									
Q2815-13	TW-22M-E	WATER	1-Heneicosanol	*	10.300	J	0		0	ug/L
Q2815-13	TW-22M-E	WATER	2-(N,N-Bis(2-chloroethyl)amino)r	*	5.100	J	0		0	ug/L
Q2815-13	TW-22M-E	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	310.000	AB	0		0	ug/L
Q2815-13	TW-22M-E	WATER	Benzophenone	*	17.500	J	0		0	ug/L
Q2815-13	TW-22M-E	WATER	Butane, 2-methoxy-2-methyl-	*	70.100	J	0		0	ug/L
Q2815-13	TW-22M-E	WATER	Maleic hydrazide	*	5.000	J	0		0	ug/L
Q2815-13	TW-22M-E	WATER	Methanone, (1-hydroxycyclohexy	*	2.200	J	0		0	ug/L
Q2815-13	TW-22M-E	WATER	unknown7.92	*	7.900	J	0		0	ug/L
			Total Tics :		**428.10**					
			Total Concentration:		**428.10**					
Client ID :	**TW-22M-N**									
Q2815-14	TW-22M-N	WATER	1-Docosene	*	8.100	J	0		0	ug/L
Q2815-14	TW-22M-N	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	8.400	AB	0		0	ug/L
Q2815-14	TW-22M-N	WATER	Benzophenone	*	8.000	J	0		0	ug/L
Q2815-14	TW-22M-N	WATER	Butane, 2-methoxy-2-methyl-	*	78.700	J	0		0	ug/L
Q2815-14	TW-22M-N	WATER	Hentriacontane, 3-methyl-	*	3.300	J	0		0	ug/L
Q2815-14	TW-22M-N	WATER	n-Hexadecanoic acid	*	9.600	J	0		0	ug/L
Q2815-14	TW-22M-N	WATER	Nonacosane	*	2.100	J	0		0	ug/L
Q2815-14	TW-22M-N	WATER	Octadecanoic acid	*	3.000	J	0		0	ug/L
Q2815-14	TW-22M-N	WATER	Triacontane	*	2.700	J	0		0	ug/L
			Total Tics :		**123.90**					
			Total Concentration:		**123.90**					
Client ID :	**TW-17M-E**									
Q2815-15	TW-17M-E	WATER	1-Acetoxynonadecane	*	2.000	J	0		0	ug/L
Q2815-15	TW-17M-E	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	11.200	AB	0		0	ug/L
Q2815-15	TW-17M-E	WATER	Benzophenone	*	7.700	J	0		0	ug/L
Q2815-15	TW-17M-E	WATER	Butane, 2-methoxy-2-methyl-	*	100.000	J	0		0	ug/L
Q2815-15	TW-17M-E	WATER	Eicosane	*	2.400	J	0		0	ug/L
Q2815-15	TW-17M-E	WATER	Ethanol, 2-(2-butoxyethoxy)-	*	8.800	J	0		0	ug/L
Q2815-15	TW-17M-E	WATER	Heptadecane	*	2.500	J	0		0	ug/L
Q2815-15	TW-17M-E	WATER	Hexacosane	*	2.300	J	0		0	ug/L
Q2815-15	TW-17M-E	WATER	Hexadecanoic acid, 2-methylpropy	*	4.900	J	0		0	ug/L
Q2815-15	TW-17M-E	WATER	Hexadecanoic acid, butyl ester	*	9.100	J	0		0	ug/L
Q2815-15	TW-17M-E	WATER	Hexatriacontane	*	2.500	J	0		0	ug/L
Q2815-15	TW-17M-E	WATER	n-Hexadecanoic acid	*	5.600	J	0		0	ug/L
Q2815-15	TW-17M-E	WATER	Octacosane	*	2.400	J	0		0	ug/L
Q2815-15	TW-17M-E	WATER	Octadecanoic acid, 2-methylpropy	*	3.000	J	0		0	ug/L

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2815

Client: First Environment, Inc.

Sample ID	Client ID		Parameter		Concentration	C	MDL	LOD	RDL	Units
Q2815-15	TW-17M-E	WATER	Octadecanoic acid, butyl ester	*	5.800	J	0		0	ug/L
			Total Tics :		**170.20**					
			Total Concentration:		**170.20**					
Client ID :	**TW-17M-S**									
Q2815-16	TW-17M-S	WATER	1-Heneicosyl formate	*	7.000	J	0		0	ug/L
Q2815-16	TW-17M-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	8.900	AB	0		0	ug/L
Q2815-16	TW-17M-S	WATER	Benzophenone	*	11.100	J	0		0	ug/L
Q2815-16	TW-17M-S	WATER	Butane, 2-methoxy-2-methyl-	*	78.700	J	0		0	ug/L
Q2815-16	TW-17M-S	WATER	Ethanol, 1-(2-butoxyethoxy)-	*	2.000	J	0		0	ug/L
Q2815-16	TW-17M-S	WATER	n-Hexadecanoic acid	*	15.100	J	0		0	ug/L
Q2815-16	TW-17M-S	WATER	Octadecanoic acid	*	5.400	J	0		0	ug/L
			Total Tics :		**128.20**					
			Total Concentration:		**128.20**					
Client ID :	**TW-84SB-S**									
Q2815-17	TW-84SB-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	7.300	AB	0		0	ug/L
Q2815-17	TW-84SB-S	WATER	Benzophenone	*	4.900	J	0		0	ug/L
Q2815-17	TW-84SB-S	WATER	Butane, 2-methoxy-2-methyl-	*	59.600	J	0		0	ug/L
Q2815-17	TW-84SB-S	WATER	Ethanol, 2-(tetradecyloxy)-	*	3.600	J	0		0	ug/L
Q2815-17	TW-84SB-S	WATER	n-Hexadecanoic acid	*	8.600	J	0		0	ug/L
Q2815-17	TW-84SB-S	WATER	Octadecanoic acid	*	2.600	J	0		0	ug/L
			Total Tics :		**86.60**					
			Total Concentration:		**86.60**					
Client ID :	**TW-84SB-W**									
Q2815-18	TW-84SB-W	WATER	1-Nonadecene	*	3.200	J	0		0	ug/L
Q2815-18	TW-84SB-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	7.300	AB	0		0	ug/L
Q2815-18	TW-84SB-W	WATER	Benzophenone	*	5.800	J	0		0	ug/L
Q2815-18	TW-84SB-W	WATER	Butane, 2-methoxy-2-methyl-	*	120.000	J	0		0	ug/L
Q2815-18	TW-84SB-W	WATER	n-Hexadecanoic acid	*	8.700	J	0		0	ug/L
			Total Tics :		**145.00**					
			Total Concentration:		**145.00**					
Client ID :	**DUP**									
Q2815-19	DUP	WATER	1-Tricosene	*	7.700	J	0		0	ug/L
Q2815-19	DUP	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	7.600	AB	0		0	ug/L
Q2815-19	DUP	WATER	Benzophenone	*	10.200	J	0		0	ug/L
Q2815-19	DUP	WATER	Butane, 2-methoxy-2-methyl-	*	92.600	J	0		0	ug/L
Q2815-19	DUP	WATER	n-Hexadecanoic acid	*	17.800	J	0		0	ug/L
Q2815-19	DUP	WATER	Octadecanoic acid	*	4.600	J	0		0	ug/L
Q2815-19	DUP	WATER	Propylene Glycol	*	13.400	J	0		0	ug/L
Q2815-19	DUP	WATER	Squalene	*	5.500	J	0		0	ug/L

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2815

Client: First Environment, Inc.

Sample ID	Client ID		Parameter		Concentration	C	MDL	LOD	RDL	Units
			Total Tics :		**159.40**					
			Total Concentration:		**159.40**					
Client ID :	**TW-11M-W**									
Q2815-20	TW-11M-W	WATER	1,3-Dioxolane, 2,2,4-trimethyl-	*	36.200	J	0		0	ug/L
Q2815-20	TW-11M-W	WATER	1-Tetracosene	*	4.200	J	0		0	ug/L
Q2815-20	TW-11M-W	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	6.400	AB	0		0	ug/L
Q2815-20	TW-11M-W	WATER	Benzophenone	*	6.200	J	0		0	ug/L
Q2815-20	TW-11M-W	WATER	Butane, 2-methoxy-2-methyl-	*	91.400	J	0		0	ug/L
Q2815-20	TW-11M-W	WATER	n-Hexadecanoic acid	*	7.100	J	0		0	ug/L
Q2815-20	TW-11M-W	WATER	Supraene	*	2.300	J	0		0	ug/L
			Total Tics :		**153.80**					
			Total Concentration:		**153.80**					
Client ID :	**TW-11M-E**									
Q2815-21	TW-11M-E	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	6.700	AB	0		0	ug/L
Q2815-21	TW-11M-E	WATER	6-Octadecenoic acid	*	2.700	J	0		0	ug/L
Q2815-21	TW-11M-E	WATER	Benzophenone	*	3.700	J	0		0	ug/L
Q2815-21	TW-11M-E	WATER	Butane, 2-methoxy-2-methyl-	*	90.400	J	0		0	ug/L
Q2815-21	TW-11M-E	WATER	Cyclotetracosane	*	3.500	J	0		0	ug/L
Q2815-21	TW-11M-E	WATER	n-Hexadecanoic acid	*	10.200	J	0		0	ug/L
Q2815-21	TW-11M-E	WATER	Squalene	*	5.700	J	0		0	ug/L
			Total Tics :		**122.90**					
			Total Concentration:		**122.90**					
Client ID :	**TW-11M-S**									
Q2815-22	TW-11M-S	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	7.600	AB	0		0	ug/L
Q2815-22	TW-11M-S	WATER	Benzophenone	*	9.900	J	0		0	ug/L
Q2815-22	TW-11M-S	WATER	Butane, 2-methoxy-2-methyl-	*	94.100	J	0		0	ug/L
Q2815-22	TW-11M-S	WATER	n-Hexadecanoic acid	*	12.500	J	0		0	ug/L
Q2815-22	TW-11M-S	WATER	Octadecanoic acid	*	2.900	J	0		0	ug/L
Q2815-22	TW-11M-S	WATER	Pentadecafluorooctanoic acid, pen	*	8.200	J	0		0	ug/L
Q2815-22	TW-11M-S	WATER	Propylene Glycol	*	4.400	J	0		0	ug/L
Q2815-22	TW-11M-S	WATER	Tetraglyme	*	3.400	J	0		0	ug/L
			Total Tics :		**143.00**					
			Total Concentration:		**143.00**					
Client ID :	**TW-11M-N**									
Q2815-23	TW-11M-N	WATER	1-Heneicosyl formate	*	4.100	J	0		0	ug/L
Q2815-23	TW-11M-N	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	6.300	AB	0		0	ug/L
Q2815-23	TW-11M-N	WATER	Benzophenone	*	6.300	J	0		0	ug/L
Q2815-23	TW-11M-N	WATER	Butane, 2-methoxy-2-methyl-	*	84.900	J	0		0	ug/L
Q2815-23	TW-11M-N	WATER	n-Hexadecanoic acid	*	5.600	J	0		0	ug/L

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q2815

Client: First Environment, Inc.

Sample ID	Client ID		Parameter		Concentration	C	MDL	LOD	RDL	Units
Q2815-23	TW-11M-N	WATER	Propylene Glycol	*	6.700	J	0		0	ug/L
			Total Tics :		**113.90**					
			Total Concentration:		**113.90**					
Client ID :	**FB**									
Q2815-26	FB	WATER	2-Pentanone, 4-hydroxy-4-methyl	*	5.600	AB	0		0	ug/L
Q2815-26	FB	WATER	2-Propanol, 1-(2-butoxy-1-methyl	*	3.100	J	0		0	ug/L
Q2815-26	FB	WATER	Butane, 2-methoxy-2-methyl-	*	100.000	J	0		0	ug/L
Q2815-26	FB	WATER	Methane, diethoxy-	*	2.100	J	0		0	ug/L
			Total Tics :		**110.80**					
			Total Concentration:		**110.80**					

QC SUMMARY

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Surrogate Summary

SW-846

SDG No.: Q2815

Client: First Environment, Inc.

Analytical Method: 8270E

Lab Sample ID	Client ID	Parameter	Spike (PPM)	Result (PPM)	Recovery (%)	Qual	Limits (%) Low	Limits (%) High
PB169230BL	PB169230BL	2-Fluorophenol	150	124	83		19	119
		Phenol-d6	150	118	79		10	130
		Nitrobenzene-d5	100	77.2	77		44	120
		2-Fluorobiphenyl	100	77.3	77		44	119
		2,4,6-Tribromophenol	150	128	85		43	140
		Terphenyl-d14	100	74.2	74		50	134
PB169230BS	PB169230BS	2-Fluorophenol	150	113	75		19	119
		Phenol-d6	150	110	74		10	130
		Nitrobenzene-d5	100	69.6	70		44	120
		2-Fluorobiphenyl	100	68.6	69		44	119
		2,4,6-Tribromophenol	150	111	74		43	140
		Terphenyl-d14	100	65.8	66		50	134
PB169230BSD	PB169230BSD	2-Fluorophenol	150	124	83		19	119
		Phenol-d6	150	123	82		10	130
		Nitrobenzene-d5	100	77.4	77		44	120
		2-Fluorobiphenyl	100	76.8	77		44	119
		2,4,6-Tribromophenol	150	125	83		43	140
		Terphenyl-d14	100	77.3	77		50	134
Q2815-01	TW-705R-S	2-Fluorophenol	150	11.2	7	*	19	119
		Phenol-d6	150	14.1	9	*	10	130
		Nitrobenzene-d5	100	23.4	23	*	44	120
		2-Fluorobiphenyl	100	24.6	25	*	44	119
		2,4,6-Tribromophenol	150	16.7	11	*	43	140
		Terphenyl-d14	100	22.5	22	*	50	134
Q2815-02	TW-10PC-W	2-Fluorophenol	150	85.2	57		19	119
		Phenol-d6	150	63.6	42		10	130
		Nitrobenzene-d5	100	103	103		44	120
		2-Fluorobiphenyl	100	91.6	92		44	119
		2,4,6-Tribromophenol	150	161	107		43	140
		Terphenyl-d14	100	93.9	94		50	134
Q2815-03	TW-10P-E	2-Fluorophenol	150	95.0	63		19	119
		Phenol-d6	150	78.8	53		10	130
		Nitrobenzene-d5	100	93.2	93		44	120
		2-Fluorobiphenyl	100	82.9	83		44	119
		2,4,6-Tribromophenol	150	150	100		43	140
		Terphenyl-d14	100	72.0	72		50	134
Q2815-04	TW-10P-S	2-Fluorophenol	150	103	69		19	119
		Phenol-d6	150	83.3	56		10	130
		Nitrobenzene-d5	100	110	110		44	120
		2-Fluorobiphenyl	100	97.1	97		44	119
		2,4,6-Tribromophenol	150	182	122		43	140
		Terphenyl-d14	100	105	105		50	134
Q2815-05	TW-10P-W	2-Fluorophenol	150	117	78		19	119
		Phenol-d6	150	100	67		10	130
		Nitrobenzene-d5	100	113	113		44	120
		2-Fluorobiphenyl	100	97.6	98		44	119
		2,4,6-Tribromophenol	150	185	123		43	140
		Terphenyl-d14	100	96.3	96		50	134
Q2815-06	TW-10P-N	2-Fluorophenol	150	97.0	65		19	119
		Phenol-d6	150	75.4	50		10	130
		Nitrobenzene-d5	100	120	120		44	120

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Surrogate Summary

SW-846

SDG No.: Q2815

Client: First Environment, Inc.

Analytical Method: 8270E

Lab Sample ID	Client ID	Parameter	Spike (PPM)	Result (PPM)	Recovery (%)	Qual	Limits (%) Low	Limits (%) High
Q2815-06	TW-10P-N	2-Fluorobiphenyl	100	103	103		44	119
		2,4,6-Tribromophenol	150	131	88		43	140
		Terphenyl-d14	100	104	104		50	134
Q2815-07	TW-88H-E	2-Fluorophenol	150	83.8	56		19	119
		Phenol-d6	150	74.0	49		10	130
		Nitrobenzene-d5	100	73.8	74		44	120
		2-Fluorobiphenyl	100	68.8	69		44	119
		2,4,6-Tribromophenol	150	114	76		43	140
		Terphenyl-d14	100	63.6	64		50	134
Q2815-08	TW-88H-N	2-Fluorophenol	150	91.0	61		19	119
		Phenol-d6	150	77.9	52		10	130
		Nitrobenzene-d5	100	84.4	84		44	120
		2-Fluorobiphenyl	100	79.0	79		44	119
		2,4,6-Tribromophenol	150	123	82		43	140
		Terphenyl-d14	100	87.9	88		50	134
Q2815-09	TW-88H-W	2-Fluorophenol	150	97.6	65		19	119
		Phenol-d6	150	74.3	50		10	130
		Nitrobenzene-d5	100	108	108		44	120
		2-Fluorobiphenyl	100	99.3	99		44	119
		2,4,6-Tribromophenol	150	173	116		43	140
		Terphenyl-d14	100	88.8	89		50	134
Q2815-10	TW-88H-S	2-Fluorophenol	150	77.4	52		19	119
		Phenol-d6	150	57.2	38		10	130
		Nitrobenzene-d5	100	77.7	78		44	120
		2-Fluorobiphenyl	100	67.8	68		44	119
		2,4,6-Tribromophenol	150	120	80		43	140
		Terphenyl-d14	100	78.0	78		50	134
Q2815-11	TW-22M-W	2-Fluorophenol	150	67.0	45		19	119
		Phenol-d6	150	59.8	40		10	130
		Nitrobenzene-d5	100	72.8	73		44	120
		2-Fluorobiphenyl	100	68.4	68		44	119
		2,4,6-Tribromophenol	150	67.4	45		43	140
		Terphenyl-d14	100	69.4	69		50	134
Q2815-12	TW-22M-S	2-Fluorophenol	150	67.2	45		19	119
		Phenol-d6	150	60.1	40		10	130
		Nitrobenzene-d5	100	62.8	63		44	120
		2-Fluorobiphenyl	100	64.8	65		44	119
		2,4,6-Tribromophenol	150	88.4	59		43	140
		Terphenyl-d14	100	53.3	53		50	134
Q2815-13	TW-22M-E	2-Fluorophenol	150	17.9	12	*	19	119
		Phenol-d6	150	6.42	4	*	10	130
		Nitrobenzene-d5	100	26.3	26	*	44	120
		2-Fluorobiphenyl	100	27.1	27	*	44	119
		2,4,6-Tribromophenol	150	21.1	14	*	43	140
		Terphenyl-d14	100	30.2	30	*	50	134
Q2815-14	TW-22M-N	2-Fluorophenol	150	71.3	48		19	119
		Phenol-d6	150	60.6	40		10	130
		Nitrobenzene-d5	100	52.8	53		44	120
		2-Fluorobiphenyl	100	50.9	51		44	119
		2,4,6-Tribromophenol	150	90.4	60		43	140
		Terphenyl-d14	100	48.6	49	*	50	134

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Surrogate Summary

SW-846

SDG No.: Q2815

Client: First Environment, Inc.

Analytical Method: 8270E

Lab Sample ID	Client ID	Parameter	Spike (PPM)	Result (PPM)	Recovery (%)	Qual	Limits (%) Low	Limits (%) High
Q2815-15	TW-17M-E	2-Fluorophenol	150	76.5	51		19	119
		Phenol-d6	150	65.8	44		10	130
		Nitrobenzene-d5	100	71.4	71		44	120
		2-Fluorobiphenyl	100	69.4	69		44	119
		2,4,6-Tribromophenol	150	93.7	62		43	140
		Terphenyl-d14	100	58.5	59		50	134

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Surrogate Summary

SW-846

SDG No.: Q2815

Client: First Environment, Inc.

Analytical Method: 8270E

Lab Sample ID	Client ID	Parameter	Spike (PPM)	Result (PPM)	Recovery (%)	Qual	Limits (%) Low	Limits (%) High
PB169244BL	PB169244BL	2-Fluorophenol	150	129	86		19	119
		Phenol-d6	150	124	83		10	130
		Nitrobenzene-d5	100	77.8	78		44	120
		2-Fluorobiphenyl	100	75.3	75		44	119
		2,4,6-Tribromophenol	150	131	88		43	140
		Terphenyl-d14	100	76.5	76		50	134
PB169244BS	PB169244BS	2-Fluorophenol	150	138	92		19	119
		Phenol-d6	150	136	90		10	130
		Nitrobenzene-d5	100	82.4	82		44	120
		2-Fluorobiphenyl	100	81.1	81		44	119
		2,4,6-Tribromophenol	150	138	92		43	140
		Terphenyl-d14	100	81.9	82		50	134
PB169244BSD	PB169244BSD	2-Fluorophenol	150	141	94		19	119
		Phenol-d6	150	141	94		10	130
		Nitrobenzene-d5	100	84.6	85		44	120
		2-Fluorobiphenyl	100	79.2	79		44	119
		2,4,6-Tribromophenol	150	144	96		43	140
		Terphenyl-d14	100	84.2	84		50	134
Q2815-16	TW-17M-S	2-Fluorophenol	150	87.1	58		19	119
		Phenol-d6	150	71.4	48		10	130
		Nitrobenzene-d5	100	73.1	73		44	120
		2-Fluorobiphenyl	100	65.9	66		44	119
		2,4,6-Tribromophenol	150	124	83		43	140
		Terphenyl-d14	100	68.3	68		50	134
Q2815-17	TW-84SB-S	2-Fluorophenol	150	112	74		19	119
		Phenol-d6	150	92.9	62		10	130
		Nitrobenzene-d5	100	102	102		44	120
		2-Fluorobiphenyl	100	95.7	96		44	119
		2,4,6-Tribromophenol	150	190	127		43	140
		Terphenyl-d14	100	98.1	98		50	134
Q2815-18	TW-84SB-W	2-Fluorophenol	150	101	68		19	119
		Phenol-d6	150	75.3	50		10	130
		Nitrobenzene-d5	100	101	101		44	120
		2-Fluorobiphenyl	100	90.7	91		44	119
		2,4,6-Tribromophenol	150	176	117		43	140
		Terphenyl-d14	100	87.7	88		50	134
Q2815-19	DUP	2-Fluorophenol	150	90.4	60		19	119
		Phenol-d6	150	68.4	46		10	130
		Nitrobenzene-d5	100	83.5	84		44	120
		2-Fluorobiphenyl	100	77.4	77		44	119
		2,4,6-Tribromophenol	150	142	95		43	140
		Terphenyl-d14	100	78.8	79		50	134
Q2815-20	TW-11M-W	2-Fluorophenol	150	94.6	63		19	119
		Phenol-d6	150	68.0	45		10	130
		Nitrobenzene-d5	100	99.1	99		44	120
		2-Fluorobiphenyl	100	88.6	89		44	119
		2,4,6-Tribromophenol	150	171	114		43	140
		Terphenyl-d14	100	92.0	92		50	134
Q2815-21	TW-11M-E	2-Fluorophenol	150	91.5	61		19	119
		Phenol-d6	150	66.4	44		10	130
		Nitrobenzene-d5	100	94.5	95		44	120

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Surrogate Summary

SW-846

SDG No.: Q2815

Client: First Environment, Inc.

Analytical Method: 8270E

Lab Sample ID	Client ID	Parameter	Spike (PPM)	Result (PPM)	Recovery (%)	Qual	Limits (%) Low	Limits (%) High
Q2815-21	TW-11M-E	2-Fluorobiphenyl	100	86.5	87		44	119
		2,4,6-Tribromophenol	150	159	106		43	140
		Terphenyl-d14	100	89.3	89		50	134
Q2815-22	TW-11M-S	2-Fluorophenol	150	95.9	64		19	119
		Phenol-d6	150	74.0	49		10	130
		Nitrobenzene-d5	100	93.6	94		44	120
		2-Fluorobiphenyl	100	88.9	89		44	119
		2,4,6-Tribromophenol	150	158	106		43	140
		Terphenyl-d14	100	87.0	87		50	134
Q2815-23	TW-11M-N	2-Fluorophenol	150	85.8	57		19	119
		Phenol-d6	150	60.9	41		10	130
		Nitrobenzene-d5	100	95.8	96		44	120
		2-Fluorobiphenyl	100	87.6	88		44	119
		2,4,6-Tribromophenol	150	159	106		43	140
		Terphenyl-d14	100	90.8	91		50	134
Q2815-26	FB	2-Fluorophenol	150	69.1	46		19	119
		Phenol-d6	150	42.2	28		10	130
		Nitrobenzene-d5	100	87.9	88		44	120
		2-Fluorobiphenyl	100	80.0	80		44	119
		2,4,6-Tribromophenol	150	140	93		43	140
		Terphenyl-d14	100	80.6	81		50	134

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2815 **Analytical Method:** 8270E

Client: First Environment, Inc. **DataFile:** BP025424.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD Qual	Limits Low	Limits High	RPD
PB169230BS	Benzaldehyde	50	23.9	ug/L	48				10	161	
	Phenol	50	40.4	ug/L	81				10	132	
	bis(2-Chloroethyl)ether	50	37.1	ug/L	74				43	118	
	2-Chlorophenol	50	39.9	ug/L	80				38	117	
	2-Methylphenol	50	39.7	ug/L	79				30	117	
	2,2-oxybis(1-Chloropropane)	50	37.4	ug/L	75				37	130	
	Acetophenone	50	38.4	ug/L	77				46	118	
	3+4-Methylphenols	50	38.8	ug/L	78				29	110	
	N-Nitroso-di-n-propylamine	50	35.3	ug/L	71				49	119	
	Hexachloroethane	50	38.7	ug/L	77				21	115	
	Nitrobenzene	50	39.7	ug/L	79				45	121	
	Isophorone	50	37.0	ug/L	74				42	124	
	2-Nitrophenol	50	39.2	ug/L	78				47	123	
	2,4-Dimethylphenol	50	40.8	ug/L	82				31	124	
	bis(2-Chloroethoxy)methane	50	37.6	ug/L	75				48	120	
	2,4-Dichlorophenol	50	41.5	ug/L	83				47	121	
	Naphthalene	50	38.6	ug/L	77				40	121	
	4-Chloroaniline	50	25.0	ug/L	50				33	117	
	Hexachlorobutadiene	50	38.4	ug/L	77				22	124	
	Caprolactam	50	38.5	ug/L	77				10	161	
	4-Chloro-3-methylphenol	50	40.8	ug/L	82				52	119	
	2-Methylnaphthalene	50	38.1	ug/L	76				40	121	
	Hexachlorocyclopentadiene	100	86.0	ug/L	86				10	155	
	2,4,6-Trichlorophenol	50	41.6	ug/L	83				50	125	
	2,4,5-Trichlorophenol	50	42.1	ug/L	84				53	123	
	1,1-Biphenyl	50	40.1	ug/L	80				49	115	
	2-Chloronaphthalene	50	39.6	ug/L	79				40	116	
	2-Nitroaniline	50	42.4	ug/L	85				55	127	
	Dimethylphthalate	50	39.4	ug/L	79				45	127	
	Acenaphthylene	50	39.5	ug/L	79				41	130	
	2,6-Dinitrotoluene	50	41.3	ug/L	83				57	124	
	3-Nitroaniline	50	30.4	ug/L	61				41	128	
	Acenaphthene	50	39.1	ug/L	78				47	122	
	2,4-Dinitrophenol	100	91.4	ug/L	91				23	143	
	4-Nitrophenol	100	84.2	ug/L	84				10	161	
	Dibenzofuran	50	39.0	ug/L	78				53	118	
	2,4-Dinitrotoluene	50	41.7	ug/L	83				57	128	
	Diethylphthalate	50	39.2	ug/L	78				56	125	
	4-Chlorophenyl-phenylether	50	38.0	ug/L	76				53	121	
	Fluorene	50	38.7	ug/L	77				52	124	
	4-Nitroaniline	50	38.9	ug/L	78				35	120	
	4,6-Dinitro-2-methylphenol	50	42.5	ug/L	85				44	137	
	N-Nitrosodiphenylamine	50	41.1	ug/L	82				51	123	
	4-Bromophenyl-phenylether	50	40.0	ug/L	80				55	124	

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2815 **Analytical Method:** 8270E

Client: First Environment, Inc. **DataFile:** BP025424.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD Qual	Limits Low	Limits High	RPD
PB169230BS	Hexachlorobenzene	50	40.6	ug/L	81				53	125	
	Atrazine	50	40.0	ug/L	80				44	142	
	Pentachlorophenol	100	87.0	ug/L	87				35	138	
	Phenanthrene	50	41.1	ug/L	82				59	120	
	Anthracene	50	41.0	ug/L	82				57	123	
	Carbazole	50	40.6	ug/L	81				60	122	
	Di-n-butylphthalate	50	40.7	ug/L	81				59	127	
	Fluoranthene	50	40.6	ug/L	81				57	128	
	Pyrene	50	38.2	ug/L	76				57	126	
	Butylbenzylphthalate	50	39.3	ug/L	79				53	134	
	3,3-Dichlorobenzidine	50	30.3	ug/L	61				27	129	
	Benzo(a)anthracene	50	41.0	ug/L	82				58	125	
	Chrysene	50	41.0	ug/L	82				59	123	
	bis(2-Ethylhexyl)phthalate	50	40.4	ug/L	81				55	135	
	Di-n-octyl phthalate	50	41.6	ug/L	83				51	140	
	Benzo(b)fluoranthene	50	41.4	ug/L	83				53	131	
	Benzo(k)fluoranthene	50	40.4	ug/L	81				57	129	
	Benzo(a)pyrene	50	41.2	ug/L	82				54	128	
	Indeno(1,2,3-cd)pyrene	50	42.2	ug/L	84				52	134	
	Dibenz(a,h)anthracene	50	41.9	ug/L	84				51	134	
	Benzo(g,h,i)perylene	50	41.8	ug/L	84				50	134	
	1,2,4,5-Tetrachlorobenzene	50	39.5	ug/L	79				35	121	
	1,4-Dioxane	50	44.4	ug/L	89				70	130	
	2,3,4,6-Tetrachlorophenol	50	40.9	ug/L	82				50	128	

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2815 **Analytical Method:** 8270E

Client: First Environment, Inc. **DataFile:** BP025425.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD Qual	Limits Low	Limits High	RPD
PB169230BSD	Benzaldehyde	50	26.6	ug/L	53	11			10	161	20
	Phenol	50	44.9	ug/L	90	11			10	132	20
	bis(2-Chloroethyl)ether	50	42.2	ug/L	84	13			43	118	20
	2-Chlorophenol	50	44.7	ug/L	89	11			38	117	20
	2-Methylphenol	50	44.2	ug/L	88	11			30	117	20
	2,2-oxybis(1-Chloropropane)	50	42.6	ug/L	85	13			37	130	20
	Acetophenone	50	42.9	ug/L	86	11			46	118	20
	3+4-Methylphenols	50	43.5	ug/L	87	11			29	110	20
	N-Nitroso-di-n-propylamine	50	39.9	ug/L	80	12			49	119	20
	Hexachloroethane	50	42.8	ug/L	86	10			21	115	20
	Nitrobenzene	50	45.0	ug/L	90	13			45	121	20
	Isophorone	50	41.7	ug/L	83	12			42	124	20
	2-Nitrophenol	50	44.5	ug/L	89	13			47	123	20
	2,4-Dimethylphenol	50	45.3	ug/L	91	10			31	124	20
	bis(2-Chloroethoxy)methane	50	42.8	ug/L	86	13			48	120	20
	2,4-Dichlorophenol	50	45.8	ug/L	92	10			47	121	20
	Naphthalene	50	43.1	ug/L	86	11			40	121	20
	4-Chloroaniline	50	27.2	ug/L	54	8			33	117	20
	Hexachlorobutadiene	50	42.6	ug/L	85	10			22	124	20
	Caprolactam	50	43.9	ug/L	88	13			10	161	20
	4-Chloro-3-methylphenol	50	44.6	ug/L	89	9			52	119	20
	2-Methylnaphthalene	50	42.8	ug/L	86	12			40	121	20
	Hexachlorocyclopentadiene	100	96.4	ug/L	96	11			10	155	20
	2,4,6-Trichlorophenol	50	45.9	ug/L	92	10			50	125	20
	2,4,5-Trichlorophenol	50	47.0	ug/L	94	11			53	123	20
	1,1-Biphenyl	50	43.5	ug/L	87	8			49	115	20
	2-Chloronaphthalene	50	43.5	ug/L	87	9			40	116	20
	2-Nitroaniline	50	47.5	ug/L	95	11			55	127	20
	Dimethylphthalate	50	43.9	ug/L	88	11			45	127	20
	Acenaphthylene	50	43.7	ug/L	87	10			41	130	20
	2,6-Dinitrotoluene	50	46.5	ug/L	93	12			57	124	20
	3-Nitroaniline	50	33.4	ug/L	67	9			41	128	20
	Acenaphthene	50	44.3	ug/L	89	12			47	122	20
	2,4-Dinitrophenol	100	110	ug/L	110	18			23	143	20
	4-Nitrophenol	100	95.3	ug/L	95	12			10	161	20
	Dibenzofuran	50	42.9	ug/L	86	10			53	118	20
	2,4-Dinitrotoluene	50	47.7	ug/L	95	13			57	128	20
	Diethylphthalate	50	44.2	ug/L	88	12			56	125	20
	4-Chlorophenyl-phenylether	50	42.7	ug/L	85	12			53	121	20
	Fluorene	50	43.0	ug/L	86	11			52	124	20
	4-Nitroaniline	50	43.3	ug/L	87	11			35	120	20
	4,6-Dinitro-2-methylphenol	50	49.6	ug/L	99	15			44	137	20
	N-Nitrosodiphenylamine	50	44.8	ug/L	90	9			51	123	20
	4-Bromophenyl-phenylether	50	44.7	ug/L	89	11			55	124	20

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2815 **Analytical Method:** 8270E

Client: First Environment, Inc. **DataFile:** BP025425.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD Qual	Limits Low	Limits High	RPD
PB169230BSD	Hexachlorobenzene	50	44.5	ug/L	89	9			53	125	20
	Atrazine	50	46.2	ug/L	92	14			44	142	20
	Pentachlorophenol	100	98.0	ug/L	98	12			35	138	20
	Phenanthrene	50	44.8	ug/L	90	9			59	120	20
	Anthracene	50	45.2	ug/L	90	10			57	123	20
	Carbazole	50	45.9	ug/L	92	12			60	122	20
	Di-n-butylphthalate	50	45.9	ug/L	92	12			59	127	20
	Fluoranthene	50	44.5	ug/L	89	9			57	128	20
	Pyrene	50	44.7	ug/L	89	16			57	126	20
	Butylbenzylphthalate	50	46.5	ug/L	93	17			53	134	20
	3,3-Dichlorobenzidine	50	34.1	ug/L	68	12			27	129	20
	Benzo(a)anthracene	50	46.3	ug/L	93	12			58	125	20
	Chrysene	50	46.0	ug/L	92	11			59	123	20
	bis(2-Ethylhexyl)phthalate	50	46.2	ug/L	92	13			55	135	20
	Di-n-octyl phthalate	50	48.8	ug/L	98	16			51	140	20
	Benzo(b)fluoranthene	50	47.6	ug/L	95	14			53	131	20
	Benzo(k)fluoranthene	50	46.9	ug/L	94	15			57	129	20
	Benzo(a)pyrene	50	47.1	ug/L	94	13			54	128	20
	Indeno(1,2,3-cd)pyrene	50	46.9	ug/L	94	11			52	134	20
	Dibenz(a,h)anthracene	50	47.0	ug/L	94	11			51	134	20
	Benzo(g,h,i)perylene	50	46.7	ug/L	93	11			50	134	20
	1,2,4,5-Tetrachlorobenzene	50	43.3	ug/L	87	9			35	121	20
	1,4-Dioxane	50	37.1	ug/L	74	18			70	130	20
	2,3,4,6-Tetrachlorophenol	50	46.0	ug/L	92	12			50	128	20

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2815 **Analytical Method:** 8270E

Client: First Environment, Inc. **DataFile:** BP025472.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD Qual	Limits Low	Limits High	RPD
PB169244BS	Benzaldehyde	50	27.4	ug/L	55				10	161	
	Phenol	50	48.2	ug/L	96				10	132	
	bis(2-Chloroethyl)ether	50	44.7	ug/L	89				43	118	
	2-Chlorophenol	50	47.9	ug/L	96				38	117	
	2-Methylphenol	50	46.9	ug/L	94				30	117	
	2,2-oxybis(1-Chloropropane)	50	45.2	ug/L	90				37	130	
	Acetophenone	50	45.4	ug/L	91				46	118	
	3+4-Methylphenols	50	46.6	ug/L	93				29	110	
	N-Nitroso-di-n-propylamine	50	42.1	ug/L	84				49	119	
	Hexachloroethane	50	45.2	ug/L	90				21	115	
	Nitrobenzene	50	46.6	ug/L	93				45	121	
	Isophorone	50	44.0	ug/L	88				42	124	
	2-Nitrophenol	50	46.8	ug/L	94				47	123	
	2,4-Dimethylphenol	50	47.7	ug/L	95				31	124	
	bis(2-Chloroethoxy)methane	50	45.0	ug/L	90				48	120	
	2,4-Dichlorophenol	50	49.2	ug/L	98				47	121	
	Naphthalene	50	45.8	ug/L	92				40	121	
	4-Chloroaniline	50	26.3	ug/L	53				33	117	
	Hexachlorobutadiene	50	44.9	ug/L	90				22	124	
	Caprolactam	50	47.5	ug/L	95				10	161	
	4-Chloro-3-methylphenol	50	48.5	ug/L	97				52	119	
	2-Methylnaphthalene	50	45.5	ug/L	91				40	121	
	Hexachlorocyclopentadiene	100	92.4	ug/L	92				10	155	
	2,4,6-Trichlorophenol	50	50.4	ug/L	101				50	125	
	2,4,5-Trichlorophenol	50	50.9	ug/L	102				53	123	
	1,1-Biphenyl	50	46.7	ug/L	93				49	115	
	2-Chloronaphthalene	50	46.6	ug/L	93				40	116	
	2-Nitroaniline	50	51.6	ug/L	103				55	127	
	Dimethylphthalate	50	48.5	ug/L	97				45	127	
	Acenaphthylene	50	48.2	ug/L	96				41	130	
	2,6-Dinitrotoluene	50	49.9	ug/L	100				57	124	
	3-Nitroaniline	50	35.3	ug/L	71				41	128	
	Acenaphthene	50	47.1	ug/L	94				47	122	
	2,4-Dinitrophenol	100	120	ug/L	120				23	143	
	4-Nitrophenol	100	100	ug/L	100				10	161	
	Dibenzofuran	50	47.2	ug/L	94				53	118	
	2,4-Dinitrotoluene	50	51.7	ug/L	103				57	128	
	Diethylphthalate	50	49.0	ug/L	98				56	125	
	4-Chlorophenyl-phenylether	50	46.7	ug/L	93				53	121	
	Fluorene	50	46.4	ug/L	93				52	124	
	4-Nitroaniline	50	47.8	ug/L	96				35	120	
	4,6-Dinitro-2-methylphenol	50	50.8	ug/L	102				44	137	
	N-Nitrosodiphenylamine	50	47.4	ug/L	95				51	123	
	4-Bromophenyl-phenylether	50	47.6	ug/L	95				55	124	

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2815 **Analytical Method:** 8270E

Client: First Environment, Inc. **DataFile:** BP025472.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD Qual	Limits Low	Limits High	Limits RPD
PB169244BS	Hexachlorobenzene	50	46.6	ug/L	93				53	125	
	Atrazine	50	47.8	ug/L	96				44	142	
	Pentachlorophenol	100	99.0	ug/L	99				35	138	
	Phenanthrene	50	47.6	ug/L	95				59	120	
	Anthracene	50	47.2	ug/L	94				57	123	
	Carbazole	50	47.3	ug/L	95				60	122	
	Di-n-butylphthalate	50	48.4	ug/L	97				59	127	
	Fluoranthene	50	47.4	ug/L	95				57	128	
	Pyrene	50	46.7	ug/L	93				57	126	
	Butylbenzylphthalate	50	48.4	ug/L	97				53	134	
	3,3-Dichlorobenzidine	50	32.2	ug/L	64				27	129	
	Benzo(a)anthracene	50	47.2	ug/L	94				58	125	
	Chrysene	50	47.0	ug/L	94				59	123	
	bis(2-Ethylhexyl)phthalate	50	49.0	ug/L	98				55	135	
	Di-n-octyl phthalate	50	50.6	ug/L	101				51	140	
	Benzo(b)fluoranthene	50	48.4	ug/L	97				53	131	
	Benzo(k)fluoranthene	50	47.7	ug/L	95				57	129	
	Benzo(a)pyrene	50	47.3	ug/L	95				54	128	
	Indeno(1,2,3-cd)pyrene	50	45.7	ug/L	91				52	134	
	Dibenz(a,h)anthracene	50	46.0	ug/L	92				51	134	
	Benzo(g,h,i)perylene	50	45.6	ug/L	91				50	134	
	1,2,4,5-Tetrachlorobenzene	50	46.1	ug/L	92				35	121	
	1,4-Dioxane	50	37.4	ug/L	75				70	130	
	2,3,4,6-Tetrachlorophenol	50	50.6	ug/L	101				50	128	

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2815 **Analytical Method:** 8270E

Client: First Environment, Inc. **DataFile:** BP025473.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD Qual	Limits Low	Limits High	RPD
PB169244BSD	Benzaldehyde	50	28.3	ug/L	57	3			10	161	20
	Phenol	50	50.3	ug/L	101	4			10	132	20
	bis(2-Chloroethyl)ether	50	46.9	ug/L	94	5			43	118	20
	2-Chlorophenol	50	49.9	ug/L	100	4			38	117	20
	2-Methylphenol	50	49.7	ug/L	99	6			30	117	20
	2,2-oxybis(1-Chloropropane)	50	47.3	ug/L	95	5			37	130	20
	Acetophenone	50	46.4	ug/L	93	2			46	118	20
	3+4-Methylphenols	50	49.1	ug/L	98	5			29	110	20
	N-Nitroso-di-n-propylamine	50	44.7	ug/L	89	6			49	119	20
	Hexachloroethane	50	46.8	ug/L	94	3			21	115	20
	Nitrobenzene	50	47.5	ug/L	95	2			45	121	20
	Isophorone	50	46.0	ug/L	92	4			42	124	20
	2-Nitrophenol	50	49.3	ug/L	99	5			47	123	20
	2,4-Dimethylphenol	50	50.8	ug/L	102	6			31	124	20
	bis(2-Chloroethoxy)methane	50	46.9	ug/L	94	4			48	120	20
	2,4-Dichlorophenol	50	51.8	ug/L	104	5			47	121	20
	Naphthalene	50	46.7	ug/L	93	2			40	121	20
	4-Chloroaniline	50	27.2	ug/L	54	3			33	117	20
	Hexachlorobutadiene	50	46.0	ug/L	92	2			22	124	20
	Caprolactam	50	52.5	ug/L	105	10			10	161	20
	4-Chloro-3-methylphenol	50	51.6	ug/L	103	6			52	119	20
	2-Methylnaphthalene	50	46.5	ug/L	93	2			40	121	20
	Hexachlorocyclopentadiene	100	90.5	ug/L	91	2			10	155	20
	2,4,6-Trichlorophenol	50	50.3	ug/L	101	0			50	125	20
	2,4,5-Trichlorophenol	50	51.4	ug/L	103	1			53	123	20
	1,1-Biphenyl	50	46.2	ug/L	92	1			49	115	20
	2-Chloronaphthalene	50	45.6	ug/L	91	2			40	116	20
	2-Nitroaniline	50	51.5	ug/L	103	0			55	127	20
	Dimethylphthalate	50	48.6	ug/L	97	0			45	127	20
	Acenaphthylene	50	47.6	ug/L	95	1			41	130	20
	2,6-Dinitrotoluene	50	52.4	ug/L	105	5			57	124	20
	3-Nitroaniline	50	35.4	ug/L	71	0			41	128	20
	Acenaphthene	50	45.5	ug/L	91	3			47	122	20
	2,4-Dinitrophenol	100	120	ug/L	120	0			23	143	20
	4-Nitrophenol	100	110	ug/L	110	10			10	161	20
	Dibenzofuran	50	47.3	ug/L	95	0			53	118	20
	2,4-Dinitrotoluene	50	54.2	ug/L	108	5			57	128	20
	Diethylphthalate	50	50.7	ug/L	101	3			56	125	20
	4-Chlorophenyl-phenylether	50	47.4	ug/L	95	1			53	121	20
	Fluorene	50	47.5	ug/L	95	2			52	124	20
	4-Nitroaniline	50	50.8	ug/L	102	6			35	120	20
	4,6-Dinitro-2-methylphenol	50	52.3	ug/L	105	3			44	137	20
	N-Nitrosodiphenylamine	50	46.6	ug/L	93	2			51	123	20
	4-Bromophenyl-phenylether	50	46.3	ug/L	93	3			55	124	20

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2815 **Analytical Method:** 8270E

Client: First Environment, Inc. **DataFile:** BP025473.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	RPD Qual	Limits Low	Limits High	RPD
PB169244BSD	Hexachlorobenzene	50	46.3	ug/L	93	1			53	125	20
	Atrazine	50	49.5	ug/L	99	3			44	142	20
	Pentachlorophenol	100	100	ug/L	100	1			35	138	20
	Phenanthrene	50	46.9	ug/L	94	1			59	120	20
	Anthracene	50	47.5	ug/L	95	1			57	123	20
	Carbazole	50	48.0	ug/L	96	1			60	122	20
	Di-n-butylphthalate	50	49.8	ug/L	100	3			59	127	20
	Fluoranthene	50	48.0	ug/L	96	1			57	128	20
	Pyrene	50	47.7	ug/L	95	2			57	126	20
	Butylbenzylphthalate	50	51.3	ug/L	103	6			53	134	20
	3,3-Dichlorobenzidine	50	30.7	ug/L	61	5			27	129	20
	Benzo(a)anthracene	50	48.7	ug/L	97	3			58	125	20
	Chrysene	50	47.3	ug/L	95	1			59	123	20
	bis(2-Ethylhexyl)phthalate	50	50.1	ug/L	100	2			55	135	20
	Di-n-octyl phthalate	50	51.1	ug/L	102	1			51	140	20
	Benzo(b)fluoranthene	50	48.3	ug/L	97	0			53	131	20
	Benzo(k)fluoranthene	50	48.8	ug/L	98	2			57	129	20
	Benzo(a)pyrene	50	48.1	ug/L	96	2			54	128	20
	Indeno(1,2,3-cd)pyrene	50	46.3	ug/L	93	1			52	134	20
	Dibenz(a,h)anthracene	50	46.8	ug/L	94	2			51	134	20
	Benzo(g,h,i)perylene	50	46.6	ug/L	93	2			50	134	20
	1,2,4,5-Tetrachlorobenzene	50	44.4	ug/L	89	4			35	121	20
	1,4-Dioxane	50	38.9	ug/L	78	4			70	130	20
	2,3,4,6-Tetrachlorophenol	50	51.2	ug/L	102	1			50	128	20

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

4B

SEMIVOLATILE METHOD BLANK SUMMARY

Client ID: PB169230BL

Lab Name: Alliance | Contract: FIRS02

Lab Code: ACE | SDG NO.: Q2815

Lab File ID: BP025423.D | Lab Sample ID: PB169230BL

Instrument ID: BNA_P | Date Extracted: 08/12/2025

Matrix: (soil/water) Water | Date Analyzed: 08/15/2025

Level: (low/med) LOW | Time Analyzed: 11:17

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
PB169230BS	PB169230BS	BP025424.D	08/15/2025
PB169230BSD	PB169230BSD	BP025425.D	08/15/2025
TW-705R-S	Q2815-01	BF143403.D	08/15/2025
TW-10PC-W	Q2815-02	BF143404.D	08/15/2025
TW-10P-E	Q2815-03	BF143405.D	08/15/2025
TW-10P-S	Q2815-04	BF143406.D	08/15/2025
TW-10P-W	Q2815-05	BF143407.D	08/15/2025
TW-10P-N	Q2815-06	BF143408.D	08/15/2025
TW-88H-E	Q2815-07	BF143409.D	08/15/2025
TW-88H-W	Q2815-09	BF143411.D	08/15/2025
TW-22M-S	Q2815-12	BF143502.D	08/21/2025
TW-22M-W	Q2815-11	BF143514.D	08/21/2025
TW-88H-N	Q2815-08	BF143515.D	08/21/2025
TW-17M-E	Q2815-15	BF143535.D	08/21/2025
TW-22M-E	Q2815-13	BP025483.D	08/19/2025
TW-22M-N	Q2815-14	BP025484.D	08/19/2025
TW-88H-S	Q2815-10	BP025525.D	08/21/2025

COMMENTS:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

4B

SEMIVOLATILE METHOD BLANK SUMMARY

Client ID: PB169244BL

Lab Name: Alliance | Contract: FIRS02

Lab Code: ACE | SDG NO.: Q2815

Lab File ID: BP025471.D | Lab Sample ID: PB169244BL

Instrument ID: BNA_P | Date Extracted: 08/14/2025

Matrix: (soil/water) Water | Date Analyzed: 08/19/2025

Level: (low/med) LOW | Time Analyzed: 11:25

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
PB169244BS	PB169244BS	BP025472.D	08/19/2025
PB169244BSD	PB169244BSD	BP025473.D	08/19/2025
TW-84SB-W	Q2815-18	BP025474.D	08/19/2025
DUP	Q2815-19	BP025475.D	08/19/2025
TW-11M-W	Q2815-20	BP025476.D	08/19/2025
TW-11M-E	Q2815-21	BP025477.D	08/19/2025
TW-11M-S	Q2815-22	BP025478.D	08/19/2025
TW-11M-N	Q2815-23	BP025479.D	08/19/2025
FB	Q2815-26	BP025480.D	08/19/2025
TW-84SB-S	Q2815-17	BP025498.D	08/20/2025
TW-17M-S	Q2815-16	BP025499.D	08/20/2025

COMMENTS:

Raw Data: **BF143342.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG NO.: Q2815

Lab File ID: BF143342.D DFTPP Injection Date: 08/12/2025

Instrument ID: BNA_F DFTPP Injection Time: 08:34

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
68	Less than 2.0% of mass 69	0.5 (1.8) 1
69	Mass 69 relative abundance	100
70	Less than 2.0% of mass 69	0.2 (0.5) 1
197	Less than 2.0% of mass 198	0.6
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	6.5
365	Greater than 1% of mass 198	3.4
441	Present, but less than mass 443	77.9
442	Greater than 50% of mass 198	100
443	15.0 - 24.0% of mass 442	19.4 (19.4) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDICC2.5	SSTDICC2.5	BF143343.D	08/12/2025	09:03
SSTDICC005	SSTDICC005	BF143344.D	08/12/2025	09:34
SSTDICC010	SSTDICC010	BF143345.D	08/12/2025	10:04
SSTDICC020	SSTDICC020	BF143346.D	08/12/2025	10:35
SSTDICCC040	SSTDICCC040	BF143347.D	08/12/2025	11:06
SSTDICC050	SSTDICC050	BF143348.D	08/12/2025	11:37
SSTDICC060	SSTDICC060	BF143349.D	08/12/2025	12:07
SSTDICC080	SSTDICC080	BF143350.D	08/12/2025	12:38

Raw Data: **BF143398.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG NO.: Q2815

Lab File ID: BF143398.D DFTPP Injection Date: 08/15/2025

Instrument ID: BNA_F DFTPP Injection Time: 01:26

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
68	Less than 2.0% of mass 69	0.5 (1.7) 1
69	Mass 69 relative abundance	100
70	Less than 2.0% of mass 69	0.2 (0.6) 1
197	Less than 2.0% of mass 198	0.0
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	6.8
365	Greater than 1% of mass 198	3.6
441	Present, but less than mass 443	81.5
442	Greater than 50% of mass 198	100
443	15.0 - 24.0% of mass 442	18.8 (18.8) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDCCC040	SSTDCCC040	BF143399.D	08/15/2025	03:54
TW-705R-S	Q2815-01	BF143403.D	08/15/2025	05:52
TW-10PC-W	Q2815-02	BF143404.D	08/15/2025	06:22
TW-10P-E	Q2815-03	BF143405.D	08/15/2025	06:51
TW-10P-S	Q2815-04	BF143406.D	08/15/2025	07:20
TW-10P-W	Q2815-05	BF143407.D	08/15/2025	07:49
TW-10P-N	Q2815-06	BF143408.D	08/15/2025	08:18
TW-88H-E	Q2815-07	BF143409.D	08/15/2025	08:48
TW-88H-W	Q2815-09	BF143411.D	08/15/2025	09:46
SSTDCCC040EC	SSTDCCC040	BF143414.D	08/15/2025	12:45

Raw Data: **BF143476.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG NO.: Q2815

Lab File ID: BF143476.D DFTPP Injection Date: 08/20/2025

Instrument ID: BNA_F DFTPP Injection Time: 10:26

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
68	Less than 2.0% of mass 69	0.5 (1.9) 1
69	Mass 69 relative abundance	100
70	Less than 2.0% of mass 69	0.1 (0.5) 1
197	Less than 2.0% of mass 198	0.0
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	6.8
365	Greater than 1% of mass 198	3.8
441	Present, but less than mass 443	79.6
442	Greater than 50% of mass 198	100
443	15.0 - 24.0% of mass 442	19.3 (19.3) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDICC2.5	SSTDICC2.5	BF143477.D	08/20/2025	10:55
SSTDICC005	SSTDICC005	BF143478.D	08/20/2025	11:25
SSTDICC010	SSTDICC010	BF143479.D	08/20/2025	11:54
SSTDICC020	SSTDICC020	BF143480.D	08/20/2025	12:23
SSTDICCC040	SSTDICCC040	BF143481.D	08/20/2025	12:53
SSTDICC050	SSTDICC050	BF143482.D	08/20/2025	13:22
SSTDICC060	SSTDICC060	BF143483.D	08/20/2025	13:51
SSTDICC080	SSTDICC080	BF143484.D	08/20/2025	14:20

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance — Contract: FIRS02

Lab Code: ACE — SDG NO.: Q2815

Lab File ID: BF143497.D — DFTPP Injection Date: 08/20/2025

Instrument ID: BNA_F — DFTPP Injection Time: 21:36

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
68	Less than 2.0% of mass 69	0.6 (2) 1
69	Mass 69 relative abundance	100
70	Less than 2.0% of mass 69	0.2 (0.6) 1
197	Less than 2.0% of mass 198	0.0
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	6.7
365	Greater than 1% of mass 198	3.6
441	Present, but less than mass 443	83.2
442	Greater than 50% of mass 198	100
443	15.0 - 24.0% of mass 442	19 (19) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDCCC040	SSTDCCC040	BF143498.D	08/20/2025	22:05
TW-22M-S	Q2815-12	BF143502.D	08/21/2025	00:00
TW-22M-W	Q2815-11	BF143514.D	08/21/2025	05:47
TW-88H-N	Q2815-08	BF143515.D	08/21/2025	06:15
SSTDCCC040EC	SSTDCCC040	BF143516.D	08/21/2025	06:44

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance — Contract: FIRS02

Lab Code: ACE — SDG NO.: Q2815

Lab File ID: BF143517.D — DFTPP Injection Date: 08/21/2025

Instrument ID: BNA_F — DFTPP Injection Time: 08:20

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
68	Less than 2.0% of mass 69	0.5 (1.9) 1
69	Mass 69 relative abundance	100
70	Less than 2.0% of mass 69	0.2 (0.6) 1
197	Less than 2.0% of mass 198	0.0
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	6.9
365	Greater than 1% of mass 198	3.8
441	Present, but less than mass 443	77.6
442	Greater than 50% of mass 198	100
443	15.0 - 24.0% of mass 442	19.7 (19.7) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDCCC040	SSTDCCC040	BF143518.D	08/21/2025	09:21
TW-17M-E	Q2815-15	BF143535.D	08/21/2025	17:36
SSTDCCC040EC	SSTDCCC040	BF143539.D	08/21/2025	19:32

Raw Data: **BP025390.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG NO.: Q2815

Lab File ID: BP025390.D DFTPP Injection Date: 08/14/2025

Instrument ID: BNA_P DFTPP Injection Time: 10:30

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
68	Less than 2.0% of mass 69	0.4 (1.6) 1
69	Mass 69 relative abundance	100
70	Less than 2.0% of mass 69	0.1 (0.4) 1
197	Less than 2.0% of mass 198	0.0
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	6.7
365	Greater than 1% of mass 198	4.4
441	Present, but less than mass 443	81.3
442	Greater than 50% of mass 198	100
443	15.0 - 24.0% of mass 442	19.2 (19.2) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDICC2.5	SSTDICC2.5	BP025392.D	08/14/2025	12:33
SSTDICC005	SSTDICC005	BP025393.D	08/14/2025	13:15
SSTDICC010	SSTDICC010	BP025394.D	08/14/2025	13:56
SSTDICC020	SSTDICC020	BP025395.D	08/14/2025	14:38
SSTDICCC040	SSTDICCC040	BP025396.D	08/14/2025	15:19
SSTDICC050	SSTDICC050	BP025397.D	08/14/2025	16:01
SSTDICC060	SSTDICC060	BP025398.D	08/14/2025	16:42
SSTDICC080	SSTDICC080	BP025399.D	08/14/2025	17:24

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG NO.: Q2815

Lab File ID: BP025421.D DFTPP Injection Date: 08/15/2025

Instrument ID: BNA_P DFTPP Injection Time: 09:55

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
68	Less than 2.0% of mass 69	0.5 (1.8) 1
69	Mass 69 relative abundance	100
70	Less than 2.0% of mass 69	0.1 (0.5) 1
197	Less than 2.0% of mass 198	0.0
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	6.6
365	Greater than 1% of mass 198	4.3
441	Present, but less than mass 443	78.6
442	Greater than 50% of mass 198	100
443	15.0 - 24.0% of mass 442	19.5 (19.5) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDCCC040	SSTDCCC040	BP025422.D	08/15/2025	10:36
PB169230BL	PB169230BL	BP025423.D	08/15/2025	11:17
PB169230BS	PB169230BS	BP025424.D	08/15/2025	11:59
PB169230BSD	PB169230BSD	BP025425.D	08/15/2025	13:26
SSTDCCC040EC	SSTDCCC040	BP025436.D	08/15/2025	21:03

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance — Contract: FIRS02

Lab Code: ACE — SDG NO.: Q2815

Lab File ID: BP025469.D — DFTPP Injection Date: 08/19/2025

Instrument ID: BNA_P — DFTPP Injection Time: 10:03

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
68	Less than 2.0% of mass 69	0.4 (1.5) 1
69	Mass 69 relative abundance	100
70	Less than 2.0% of mass 69	0.1 (0.4) 1
197	Less than 2.0% of mass 198	0.3
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	7.0
365	Greater than 1% of mass 198	4.0
441	Present, but less than mass 443	80.2
442	Greater than 50% of mass 198	100
443	15.0 - 24.0% of mass 442	19.1 (19.1) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDCCC040	SSTDCCC040	BP025470.D	08/19/2025	10:44
PB169244BL	PB169244BL	BP025471.D	08/19/2025	11:25
PB169244BS	PB169244BS	BP025472.D	08/19/2025	12:06
PB169244BSD	PB169244BSD	BP025473.D	08/19/2025	12:47
TW-84SB-W	Q2815-18	BP025474.D	08/19/2025	13:29
DUP	Q2815-19	BP025475.D	08/19/2025	14:10
TW-11M-W	Q2815-20	BP025476.D	08/19/2025	14:51
TW-11M-E	Q2815-21	BP025477.D	08/19/2025	15:32
TW-11M-S	Q2815-22	BP025478.D	08/19/2025	16:13
TW-11M-N	Q2815-23	BP025479.D	08/19/2025	16:55
FB	Q2815-26	BP025480.D	08/19/2025	17:36
TW-22M-E	Q2815-13	BP025483.D	08/19/2025	19:39
TW-22M-N	Q2815-14	BP025484.D	08/19/2025	20:21
SSTDCCC040EC	SSTDCCC040	BP025485.D	08/19/2025	21:43

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance — Contract: FIRS02

Lab Code: ACE — SDG NO.: Q2815

Lab File ID: BP025486.D — DFTPP Injection Date: 08/19/2025

Instrument ID: BNA_P — DFTPP Injection Time: 23:05

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
68	Less than 2.0% of mass 69	0.6 (1.8) 1
69	Mass 69 relative abundance	100
70	Less than 2.0% of mass 69	0.2 (0.5) 1
197	Less than 2.0% of mass 198	0.0
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	6.9
365	Greater than 1% of mass 198	4.1
441	Present, but less than mass 443	78.2
442	Greater than 50% of mass 198	100
443	15.0 - 24.0% of mass 442	19.2 (19.4) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDCCC040	SSTDCCC040	BP025487.D	08/19/2025	23:46
TW-84SB-S	Q2815-17	BP025498.D	08/20/2025	07:16
TW-17M-S	Q2815-16	BP025499.D	08/20/2025	07:57
SSTDCCC040EC	SSTDCCC040	BP025502.D	08/20/2025	10:41

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

5B

SEMIVOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK

DECAFLUOROTRIPHENYLPHOSPHINE (DFTPP)

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG NO.: Q2815

Lab File ID: BP025511.D DFTPP Injection Date: 08/20/2025

Instrument ID: BNA_P DFTPP Injection Time: 17:04

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
68	Less than 2.0% of mass 69	0.3 (1.1) 1
69	Mass 69 relative abundance	100
70	Less than 2.0% of mass 69	0.2 (0.7) 1
197	Less than 2.0% of mass 198	0.2
198	Base Peak, 100% relative abundance	100
199	5.0 to 9.0% of mass 198	6.9
365	Greater than 1% of mass 198	4.4
441	Present, but less than mass 443	80.9
442	Greater than 50% of mass 198	100
443	15.0 - 24.0% of mass 442	19 (19) 2

1-Value is % mass 69

2-Value is % mass 442

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
SSTDCCC040	SSTDCCC040	BP025512.D	08/20/2025	18:27
TW-88H-S	Q2815-10	BP025525.D	08/21/2025	03:18
SSTDCCC040EC	SSTDCCC040	BP025526.D	08/21/2025	03:59

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID : SSTDCCC040 Date Analyzed: 08/15/2025

Lab File ID: BF143399.D Time Analyzed: 03:54

Instrument ID: BNA_F GC Column: DB-UI ID: 0.18 (mm)

		IS1 (DCB) AREA #	RT #	IS2 (NPT) AREA #	RT #	IS3 (ANT) AREA #	RT #
	12 HOUR STD	154119	6.934	585558	8.22	307669	9.97
	UPPER LIMIT	308238	7.434	1171120	8.716	615338	10.469
	LOWER LIMIT	77059.5	6.434	292779	7.716	153835	9.469
	EPA SAMPLE NO.						
01	TW-705R-S	139694	6.93	534216	8.21	279286	9.97
02	TW-10PC-W	137941	6.93	524967	8.21	279779	9.97
03	TW-10P-E	142072	6.93	539316	8.21	291303	9.97
04	TW-10P-S	135058	6.93	527993	8.21	282094	9.97
05	TW-10P-W	144249	6.93	549029	8.21	296630	9.97
06	TW-10P-N	137416	6.93	517426	8.22	279031	9.97
07	TW-88H-E	141186	6.93	541543	8.21	289147	9.97
08	TW-88H-W	140835	6.93	532467	8.21	273733	9.97

IS1 (DCB) = 1,4-Dichlorobenzene-d4
IS2 (NPT) = Naphthalene-d8
IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID: SSTDCCC040 Date Analyzed: 08/15/2025

Lab File ID: BF143399.D Time Analyzed: 03:54

Instrument ID: BNA_F GC Column: DB-UI ID: 0.18 (mm)

		IS4 (PHN) AREA #	RT #	IS5 (CRY) AREA #	RT #	IS6 (PRY) AREA #	RT #
	12 HOUR STD	448323	11.457	298922	14.098	377299	15.592
	UPPER LIMIT	896646	11.957	597844	14.598	754598	16.092
	LOWER LIMIT	224162	10.957	149461	13.598	188650	15.092
	EPA SAMPLE NO.						
01	TW-705R-S	394740	11.45	244401	14.10	317027	15.59
02	TW-10PC-W	405971	11.46	246476	14.10	306529	15.59
03	TW-10P-E	417383	11.46	249094	14.10	314728	15.59
04	TW-10P-S	414730	11.46	243022	14.10	302866	15.59
05	TW-10P-W	438155	11.46	267853	14.10	326295	15.59
06	TW-10P-N	403823	11.46	244621	14.10	304602	15.59
07	TW-88H-E	429306	11.46	260079	14.10	317026	15.59
08	TW-88H-W	391193	11.46	269564	14.10	332981	15.59

IS4 (PHN) = Phenanthrene-d10
IS5 (CRY) = Chrysene-d12
IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID : SSTDCCC040 Date Analyzed: 08/20/2025

Lab File ID: BF143498.D Time Analyzed: 22:05

Instrument ID: BNA_F GC Column: DB-UI ID: 0.18 (mm)

		IS1 (DCB) AREA #	RT #	IS2 (NPT) AREA #	RT #	IS3 (ANT) AREA #	RT #
	12 HOUR STD	138596	6.928	522619	8.21	286971	9.97
	UPPER LIMIT	277192	7.428	1045240	8.71	573942	10.469
	LOWER LIMIT	69298	6.428	261310	7.71	143486	9.469
	EPA SAMPLE NO.						
01	TW-88H-N	131555	6.93	502957	8.20	275165	9.96
02	TW-22M-W	127726	6.93	485532	8.20	258859	9.96
03	TW-22M-S	131776	6.93	484366	8.21	235399	9.97

IS1 (DCB) = 1,4-Dichlorobenzene-d4
IS2 (NPT) = Naphthalene-d8
IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID: SSTDCCC040 Date Analyzed: 08/20/2025

Lab File ID: BF143498.D Time Analyzed: 22:05

Instrument ID: BNA_F GC Column: DB-UI ID: 0.18 (mm)

		IS4 (PHN) AREA #	RT #	IS5 (CRY) AREA #	RT #	IS6 (PRY) AREA #	RT #
	12 HOUR STD	448105	11.451	253253	14.098	290056	15.592
	UPPER LIMIT	896210	11.951	506506	14.598	580112	16.092
	LOWER LIMIT	224053	10.951	126627	13.598	145028	15.092
	EPA SAMPLE NO.						
01	TW-88H-N	407593	11.45	230062	14.09	280966	15.59
02	TW-22M-W	382887	11.45	214981	14.09	273080	15.59
03	TW-22M-S	314699	11.46	215069	14.09	267410	15.59

IS4 (PHN) = Phenanthrene-d10
IS5 (CRY) = Chrysene-d12
IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID : SSTDCCC040 Date Analyzed: 08/21/2025

Lab File ID: BF143518.D Time Analyzed: 09:21

Instrument ID: BNA_F GC Column: DB-UI ID: 0.18 (mm)

		IS1 (DCB) AREA #	RT #	IS2 (NPT) AREA #	RT #	IS3 (ANT) AREA #	RT #
	12 HOUR STD	118001	6.928	448774	8.21	244595	9.96
	UPPER LIMIT	236002	7.428	897548	8.71	489190	10.463
	LOWER LIMIT	59000.5	6.428	224387	7.71	122298	9.463
	EPA SAMPLE NO.						
01	TW-17M-E	123661	6.93	463978	8.20	243046	9.96

IS1 (DCB) = 1,4-Dichlorobenzene-d4
IS2 (NPT) = Naphthalene-d8
IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID: SSTDCCC040 Date Analyzed: 08/21/2025

Lab File ID: BF143518.D Time Analyzed: 09:21

Instrument ID: BNA_F GC Column: DB-UI ID: 0.18 (mm)

		IS4 (PHN) AREA #	RT #	IS5 (CRY) AREA #	RT #	IS6 (PRY) AREA #	RT #
	12 HOUR STD	369706	11.451	222503	14.098	262934	15.592
	UPPER LIMIT	739412	11.951	445006	14.598	525868	16.092
	LOWER LIMIT	184853	10.951	111252	13.598	131467	15.092
	EPA SAMPLE NO.						
01	TW-17M-E	340891	11.45	245599	14.09	286900	15.59

IS4 (PHN) = Phenanthrene-d10
IS5 (CRY) = Chrysene-d12
IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID : SSTDCCC040 Date Analyzed: 08/15/2025

Lab File ID: BP025422.D Time Analyzed: 10:36

Instrument ID: BNA_P GC Column: ZB-GR ID: 0.25 (mm)

		IS1 (DCB) AREA #	RT #	IS2 (NPT) AREA #	RT #	IS3 (ANT) AREA #	RT #
	12 HOUR STD	163210	7.79	699113	10.55	458301	14.41
	UPPER LIMIT	326420	8.29	1398230	11.054	916602	14.907
	LOWER LIMIT	81605	7.29	349557	10.054	229151	13.907
	EPA SAMPLE NO.						
01	PB169230BL	154254	7.79	595195	10.56	376083	14.40
02	PB169230BS	169971	7.79	670319	10.56	424018	14.40
03	PB169230BSD	168072	7.78	666741	10.55	424927	14.40

IS1 (DCB) = 1,4-Dichlorobenzene-d4
IS2 (NPT) = Naphthalene-d8
IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID: SSTDCCC040 Date Analyzed: 08/15/2025

Lab File ID: BP025422.D Time Analyzed: 10:36

Instrument ID: BNA_P GC Column: ZB-GR ID: 0.25 (mm)

		IS4 (PHN) AREA #	RT #	IS5 (CRY) AREA #	RT #	IS6 (PRY) AREA #	RT #
	12 HOUR STD	913689	17.201	958309	21.648	1096860	25.012
	UPPER LIMIT	1827380	17.701	1916620	22.148	2193720	25.512
	LOWER LIMIT	456845	16.701	479155	21.148	548430	24.512
	EPA SAMPLE NO.						
01	PB169230BL	774408	17.20	884552	21.65	1011780	25.02
02	PB169230BS	812951	17.19	911094	21.64	1094190	25.02
03	PB169230BSD	837407	17.21	883409	21.65	1035260	25.01

IS4 (PHN) = Phenanthrene-d10
IS5 (CRY) = Chrysene-d12
IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID : SSTDCCC040 Date Analyzed: 08/19/2025

Lab File ID: BP025470.D Time Analyzed: 10:44

Instrument ID: BNA_P GC Column: ZB-GR ID: 0.25 (mm)

		IS1 (DCB) AREA #	RT #	IS2 (NPT) AREA #	RT #	IS3 (ANT) AREA #	RT #
	12 HOUR STD	152340	7.784	634765	10.56	424501	14.40
	UPPER LIMIT	304680	8.284	1269530	11.06	849002	14.895
	LOWER LIMIT	76170	7.284	317383	10.06	212251	13.895
	EPA SAMPLE NO.						
01	PB169244BL	171241	7.78	669280	10.56	431883	14.41
02	PB169244BS	161110	7.79	644957	10.56	415960	14.40
03	PB169244BSD	172374	7.79	704478	10.56	488785	14.40
04	TW-84SB-W	139862	7.79	556768	10.55	388092	14.40
05	DUP	168639	7.79	683732	10.57	469521	14.40
06	TW-11M-W	148632	7.79	590183	10.56	418235	14.40
07	TW-22M-E	189806	7.79	753920	10.56	487293	14.41
08	TW-22M-N	172969	7.79	690769	10.56	457523	14.40
09	TW-11M-E	173452	7.79	695938	10.55	476134	14.40
10	TW-11M-S	147618	7.79	586285	10.55	383766	14.41
11	TW-11M-N	176367	7.79	703475	10.56	480789	14.41
12	FB	167066	7.79	639641	10.56	412613	14.40

IS1 (DCB) = 1,4-Dichlorobenzene-d4
IS2 (NPT) = Naphthalene-d8
IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID: SSTDCCC040 Date Analyzed: 08/19/2025

Lab File ID: BP025470.D Time Analyzed: 10:44

Instrument ID: BNA_P GC Column: ZB-GR ID: 0.25 (mm)

		IS4 (PHN) AREA #	RT #	IS5 (CRY) AREA #	RT #	IS6 (PRY) AREA #	RT #
	12 HOUR STD	850052	17.195	848020	21.654	967213	25.018
	UPPER LIMIT	1700100	17.695	1696040	22.154	1934430	25.518
	LOWER LIMIT	425026	16.695	424010	21.154	483607	24.518
	EPA SAMPLE NO.						
01	PB169244BL	954940	17.20	1095780	21.64	1221510	25.02
02	PB169244BS	862003	17.19	910554	21.64	1045080	25.00
03	PB169244BSD	1043570	17.21	1070060	21.65	1176740	25.03
04	TW-84SB-W	881253	17.20	1055400	21.64	1148870	25.02
05	DUP	1016330	17.20	1089180	21.64	1207990	25.00
06	TW-11M-W	940535	17.20	1068310	21.65	1139630	25.02
07	TW-22M-E	1006080	17.21	1046080	21.64	1169210	25.02
08	TW-22M-N	948006	17.18	1011220	21.63	1092930	25.00
09	TW-11M-E	1011820	17.21	1102100	21.64	1196380	25.01
10	TW-11M-S	852196	17.21	989042	21.64	1090880	25.01
11	TW-11M-N	1017060	17.20	1121360	21.64	1227840	25.01
12	FB	881450	17.20	1063190	21.65	1155860	25.01

IS4 (PHN) = Phenanthrene-d10
IS5 (CRY) = Chrysene-d12
IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID : SSTDCCC040 Date Analyzed: 08/19/2025

Lab File ID: BP025487.D Time Analyzed: 23:46

Instrument ID: BNA_P GC Column: ZB-GR ID: 0.25 (mm)

		IS1 (DCB) AREA #	RT #	IS2 (NPT) AREA #	RT #	IS3 (ANT) AREA #	RT #
	12 HOUR STD	159158	7.79	679178	10.56	450864	14.41
	UPPER LIMIT	318316	8.29	1358360	11.06	901728	14.913
	LOWER LIMIT	79579	7.29	339589	10.06	225432	13.913
	EPA SAMPLE NO.						
01	TW-17M-S	171668	7.79	676553	10.56	465606	14.40
02	TW-84SB-S	135355	7.78	532071	10.56	358845	14.41

IS1 (DCB) = 1,4-Dichlorobenzene-d4
IS2 (NPT) = Naphthalene-d8
IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID: SSTDCCC040 Date Analyzed: 08/19/2025

Lab File ID: BP025487.D Time Analyzed: 23:46

Instrument ID: BNA_P GC Column: ZB-GR ID: 0.25 (mm)

		IS4 (PHN) AREA #	RT #	IS5 (CRY) AREA #	RT #	IS6 (PRY) AREA #	RT #
	12 HOUR STD	905283	17.207	932001	21.642	1054170	25.012
	UPPER LIMIT	1810570	17.707	1864000	22.142	2108340	25.512
	LOWER LIMIT	452642	16.707	466001	21.142	527085	24.512
	EPA SAMPLE NO.						
01	TW-17M-S	990987	17.19	1097800	21.64	1196410	25.00
02	TW-84SB-S	772879	17.20	930555	21.65	1053020	25.02

IS4 (PHN) = Phenanthrene-d10
IS5 (CRY) = Chrysene-d12
IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8B

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID : SSTDCCC040 Date Analyzed: 08/20/2025

Lab File ID: BP025512.D Time Analyzed: 18:27

Instrument ID: BNA_P GC Column: ZB-GR ID: 0.25 (mm)

		IS1 (DCB) AREA #	RT #	IS2 (NPT) AREA #	RT #	IS3 (ANT) AREA #	RT #
	12 HOUR STD	166180	7.79	619421	10.55	355189	14.40
	UPPER LIMIT	332360	8.29	1238840	11.054	710378	14.895
	LOWER LIMIT	83090	7.29	309711	10.054	177595	13.895
	EPA SAMPLE NO.						
01	TW-88H-S	223815	7.78	911198	10.55	611112	14.40

IS1 (DCB) = 1,4-Dichlorobenzene-d4
IS2 (NPT) = Naphthalene-d8
IS3 (ANT) = Acenaphthene-d10

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

8C

SEMIVOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance

Lab Code: ACE SDG NO.: Q2815

Client ID: SSTDCCC040 Date Analyzed: 08/20/2025

Lab File ID: BP025512.D Time Analyzed: 18:27

Instrument ID: BNA_P GC Column: ZB-GR ID: 0.25 (mm)

		IS4 (PHN) AREA #	RT #	IS5 (CRY) AREA #	RT #	IS6 (PRY) AREA #	RT #
	12 HOUR STD	670328	17.201	721835	21.648	911460	25.03
	UPPER LIMIT	1340660	17.701	1443670	22.148	1822920	25.53
	LOWER LIMIT	335164	16.701	360918	21.148	455730	24.53
	EPA SAMPLE NO.						
01	TW-88H-S	1126780	17.20	954753	21.64	1099020	25.01

IS4 (PHN) = Phenanthrene-d10
IS5 (CRY) = Chrysene-d12
IS6 (PRY) = Perylene-d12

AREA UPPER LIMIT = +100% of internal standard area
AREA LOWER LIMIT = -50% of internal standard area
RT UPPER LIMIT = +0.50 minutes of internal standard RT
RT UPPER LIMIT = -0.50 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

SAMPLE DATA

Raw Data: **BF143403.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-705R-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143403.D	1	08/12/25 11:39	08/15/25 05:52	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Raw Data: **BF143403.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-705R-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143403.D	1	08/12/25 11:39	08/15/25 05:52	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Raw Data: **BF143403.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-705R-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143403.D	1	08/12/25 11:39	08/15/25 05:52	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	11.2	*	19 - 119		7%	SPK: 150
13127-88-3	Phenol-d6	14.1	*	10 - 130		9%	SPK: 150
4165-60-0	Nitrobenzene-d5	23.4	*	44 - 120		23%	SPK: 100
321-60-8	2-Fluorobiphenyl	24.6	*	44 - 119		25%	SPK: 100
118-79-6	2,4,6-Tribromophenol	16.7	*	43 - 140		11%	SPK: 150
1718-51-0	Terphenyl-d14	22.5	*	50 - 134		22%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	140000	6.934				
1146-65-2	Naphthalene-d8	534000	8.21				
15067-26-2	Acenaphthene-d10	279000	9.969				
1517-22-2	Phenanthrene-d10	395000	11.451				
1719-03-5	Chrysene-d12	244000	14.098				
1520-96-3	Perylene-d12	317000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	38.8	J			2.24	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	14.7	AB			5.15	ug/L
000119-61-9	Benzophenone	4.10	J			10.7	ug/L

Raw Data: **BF143403.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-705R-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-01	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143403.D	1	08/12/25 11:39	08/15/25 05:52	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Sample Results: **BF143403.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143403.D
Acq On : 15 Aug 2025 05:52
Operator : RC/JU
Sample : Q2815-01
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Quant Time: Aug 15 07:48:09 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	139694	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	534216	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	279286	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	394740	20.000	ng	0.00
76) Chrysene-d12	14.098	240	244401	20.000	ng	0.00
86) Perylene-d12	15.592	264	317027	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	90828	11.244	ng	0.00
7) Phenol-d6	6.557	99	145982	14.092	ng	0.00
23) Nitrobenzene-d5	7.487	82	200671	23.392	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	34041	16.678	ng	0.00
45) 2-Fluorobiphenyl	9.287	172	405033	24.593	ng	0.00
79) Terphenyl-d14	13.033	244	307440	22.458	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Sample Results: **BF143403.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143403.D
Acq On : 15 Aug 2025 05:52
Operator : RC/JU
Sample : Q2815-01
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Quant Time: Aug 15 07:48:09 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143403.D
Acq: 15 Aug 2025 05:52

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Tgt Ion:152 Resp: 139694

Ion	Ratio	Lower	Upper
152	100		
150	155.1	129.8	194.8
115	58.1	47.8	71.8





#5
2-Fluorophenol
Concen: 11.244 ng
RT: 5.563 min Scan# 573
Delta R.T. 0.000 min
Lab File: BF143403.D
Acq: 15 Aug 2025 05:52

Tgt Ion:112 Resp: 90828

Ion	Ratio	Lower	Upper
112	100		
64	64.0	52.1	78.1
63	31.9	26.6	39.8





#7
Phenol-d6
Concen: 14.092 ng
RT: 6.557 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143403.D
Acq: 15 Aug 2025 05:52

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Tgt Ion: 99 Resp: 145982

Ion	Ratio	Lower	Upper
99	100		
42	20.3	16.6	25.0
71	33.0	26.2	39.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. 0.000 min
Lab File: BF143403.D
Acq: 15 Aug 2025 05:52

Tgt Ion:136 Resp: 534216

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	9.9	8.4	12.6
68	6.9	5.9	8.9





#23
Nitrobenzene-d5
Concen: 23.392 ng
RT: 7.487 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143403.D
Acq: 15 Aug 2025 05:52

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Tgt Ion: 82 Resp: 200671

Ion	Ratio	Lower	Upper
82	100		
128	42.8	33.5	50.3
54	58.4	46.7	70.1





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BF143403.D
Acq: 15 Aug 2025 05:52

Tgt Ion:164 Resp: 279286

Ion	Ratio	Lower	Upper
164	100		
162	99.4	78.6	118.0
160	43.2	34.4	51.6





#42
2,4,6-Tribromophenol
Concen: 16.678 ng
RT: 10.757 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143403.D
Acq: 15 Aug 2025 05:52

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Tgt Ion:330 Resp: 34041

Ion	Ratio	Lower	Upper
330	100		
332	95.4	78.1	117.1
141	31.8	25.4	38.0





#45
2-Fluorobiphenyl
Concen: 24.593 ng
RT: 9.287 min Scan# 1206
Delta R.T. 0.000 min
Lab File: BF143403.D
Acq: 15 Aug 2025 05:52

Tgt Ion:172 Resp: 405033

Ion	Ratio	Lower	Upper
172	100		
171	34.5	28.4	42.6
170	22.8	19.1	28.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143403.D
Acq: 15 Aug 2025 05:52

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Tgt Ion:188 Resp: 394740

Ion	Ratio	Lower	Upper
188	100		
94	10.4	8.8	13.2
80	12.0	9.7	14.5





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143403.D
Acq: 15 Aug 2025 05:52

Tgt Ion:240 Resp: 244401

Ion	Ratio	Lower	Upper
240	100		
120	10.8	9.0	13.6
236	25.0	19.9	29.9





#79
Terphenyl-d14
Concen: 22.458 ng
RT: 13.033 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143403.D
Acq: 15 Aug 2025 05:52

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Tgt Ion:244 Resp: 307440

Ion	Ratio	Lower	Upper
244	100		
212	6.2	5.1	7.7
122	10.8	8.9	13.3





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. 0.012 min
Lab File: BF143403.D
Acq: 15 Aug 2025 05:52

Tgt Ion:264 Resp: 317027

Ion	Ratio	Lower	Upper
264	100		
260	23.0	18.7	28.1
265	21.6	17.2	25.8



Sample Results: **BF143403.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143403.D
Acq On : 15 Aug 2025 05:52
Operator : RC/JU
Sample : Q2815-01
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF143403.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.240	3	8	23	rVB	1026814	1592683	100.00%	13.698%
2	2.363	25	29	38	rVB	10766	19901	1.25%	0.171%
3	5.151	497	503	518	rBV	447547	602973	37.86%	5.186%
4	5.563	568	573	591	rBV	215296	324328	20.36%	2.789%
5	6.557	737	742	766	rBV	279002	432158	27.13%	3.717%
6	6.934	801	806	813	rBV	655850	829787	52.10%	7.137%
7	7.487	895	900	913	rBV	448742	596183	37.43%	5.128%
8	8.210	1018	1023	1045	rVB	794733	1093623	68.67%	9.406%
9	9.287	1201	1206	1222	rBV	885947	1144835	71.88%	9.847%
10	9.969	1316	1322	1335	rBV	923170	1171854	73.58%	10.079%
11	10.675	1437	1442	1451	rBV	183588	238811	14.99%	2.054%
12	10.757	1451	1456	1472	rVB	179104	258909	16.26%	2.227%
13	10.986	1490	1495	1506	rVB	35058	46189	2.90%	0.397%
14	11.451	1569	1574	1590	rBV	708447	976511	61.31%	8.399%
15	12.857	1809	1813	1818	rBV	16201	19751	1.24%	0.170%
16	13.033	1838	1843	1853	rBV	606811	796538	50.01%	6.851%
17	14.098	2018	2024	2036	rBV	448900	637769	40.04%	5.485%
18	15.592	2271	2278	2292	rBV	496318	844009	52.99%	7.259%

Sum of corrected areas: 11626812

Sample Results: **BF143403.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143403.D
Acq On : 15 Aug 2025 05:52
Operator : RC/JU
Sample : Q2815-01
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143403.D
Acq On : 15 Aug 2025 05:52
Operator : RC/JU
Sample : Q2815-01
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.240	38.39 ng	1592680	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	40
3	3-Pentanol, 2,4-dimethyl-	116	C7H16O	000600-36-2	37
4	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	23
5	1,3-Dioxolane, 2-propyl-	116	C6H12O2	003390-13-4	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143403.D
Acq On : 15 Aug 2025 05:52
Operator : RC/JU
Sample : Q2815-01
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
5.151	14.53 ng	602973	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	59
2	2-Hexanol, 2-methyl-	116	C7H16O	000625-23-0	33
3	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	27
4	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	23
5	Acetic acid, 1,1-dimethylethyl e...	116	C6H12O2	000540-88-5	17





Sample Results: **BF143403.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143403.D
Acq On : 15 Aug 2025 05:52
Operator : RC/JU
Sample : Q2815-01
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.675	4.08 ng	238811	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	1,2,4,5-Tetroxane, 3,3,6,6-tetra...	396	C26H20O4	016204-36-7	78
3	Azobenzene	182	C12H10N2	000103-33-3	53
4	Benzenebutanoic acid, .gamma.-oxo-	178	C10H10O3	002051-95-8	50
5	Vinyl benzoate	148	C9H8O2	000769-78-8	50





Sample Results: **BF143403.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143403.D
Acq On : 15 Aug 2025 05:52
Operator : RC/JU
Sample : Q2815-01
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-705R-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					--Internal Standard---			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	2.240	38.4	ng	1592680	1	6.934	829787	20.0
2-Pentanone, 4-...	5.151	14.5	ng	602973	1	6.934	829787	20.0
Benzophenone	10.675	4.1	ng	238811	3	9.969	1171850	20.0

Raw Data: **BF143404.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10PC-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-02	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143404.D	1	08/12/25 11:39	08/15/25 06:22	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BF143404.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10PC-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-02	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143404.D	1	08/12/25 11:39	08/15/25 06:22	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BF143404.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10PC-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-02	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143404.D	1	08/12/25 11:39	08/15/25 06:22	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	85.2		19 - 119		57%	SPK: 150
13127-88-3	Phenol-d6	63.6		10 - 130		42%	SPK: 150
4165-60-0	Nitrobenzene-d5	103		44 - 120		103%	SPK: 100
321-60-8	2-Fluorobiphenyl	91.6		44 - 119		92%	SPK: 100
118-79-6	2,4,6-Tribromophenol	161		43 - 140		107%	SPK: 150
1718-51-0	Terphenyl-d14	93.9		50 - 134		94%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	138000	6.934				
1146-65-2	Naphthalene-d8	525000	8.21				
15067-26-2	Acenaphthene-d10	280000	9.969				
1517-22-2	Phenanthrene-d10	406000	11.457				
1719-03-5	Chrysene-d12	246000	14.098				
1520-96-3	Perylene-d12	307000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	100	J			2.29	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.50	AB			5.17	ug/L
000119-61-9	Benzophenone	4.90	J			10.7	ug/L

Raw Data: **BF143404.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10PC-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-02	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143404.D	1	08/12/25 11:39	08/15/25 06:22	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143404.D
Acq On : 15 Aug 2025 06:22
Operator : RC/JU
Sample : Q2815-02
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Quant Time: Aug 15 07:48:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	137941	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	524967	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	279779	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	405971	20.000	ng	0.00
76) Chrysene-d12	14.098	240	246476	20.000	ng	0.00
86) Perylene-d12	15.592	264	306529	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.569	112	679511	85.185	ng	0.00
7) Phenol-d6	6.557	99	650411	63.583	ng	0.00
23) Nitrobenzene-d5	7.492	82	868383	103.011	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	328633	160.725	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1510905	91.577	ng	0.00
79) Terphenyl-d14	13.039	244	1295774	93.859	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143404.D
Acq On : 15 Aug 2025 06:22
Operator : RC/JU
Sample : Q2815-02
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Quant Time: Aug 15 07:48:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Tgt Ion:152 Resp: 137941

Ion	Ratio	Lower	Upper
152	100		
150	153.9	129.8	194.8
115	58.0	47.8	71.8





#5
2-Fluorophenol
Concen: 85.185 ng
RT: 5.569 min Scan# 574
Delta R.T. 0.006 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Tgt Ion:112 Resp: 679511

Ion	Ratio	Lower	Upper
112	100		
64	65.0	52.1	78.1
63	33.4	26.6	39.8





#7
Phenol-d6
Concen: 63.583 ng
RT: 6.557 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Tgt Ion: 99 Resp: 650411

Ion	Ratio	Lower	Upper
99	100		
42	20.8	16.6	25.0
71	34.2	26.2	39.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. 0.000 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Tgt Ion:136 Resp: 524967

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	10.0	8.4	12.6
68	7.0	5.9	8.9





#23
Nitrobenzene-d5
Concen: 103.011 ng
RT: 7.492 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Tgt Ion: 82 Resp: 868383

Ion	Ratio	Lower	Upper
82	100		
128	43.9	33.5	50.3
54	56.5	46.7	70.1





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Tgt Ion:164 Resp: 279779

Ion	Ratio	Lower	Upper
164	100		
162	99.0	78.6	118.0
160	43.3	34.4	51.6





#42
2,4,6-Tribromophenol
Concen: 160.725 ng
RT: 10.757 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Tgt Ion:330 Resp: 328633

Ion	Ratio	Lower	Upper
330	100		
332	96.5	78.1	117.1
141	28.8	25.4	38.0





#45
2-Fluorobiphenyl
Concen: 91.577 ng
RT: 9.286 min Scan# 1206
Delta R.T. -0.000 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Tgt Ion:172 Resp: 1510905

Ion	Ratio	Lower	Upper
172	100		
171	35.4	28.4	42.6
170	23.7	19.1	28.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Tgt Ion:188 Resp: 405971

Ion	Ratio	Lower	Upper
188	100		
94	10.1	8.8	13.2
80	11.1	9.7	14.5





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Tgt Ion:240 Resp: 246476

Ion	Ratio	Lower	Upper
240	100		
120	10.9	9.0	13.6
236	25.3	19.9	29.9





#79
Terphenyl-d14
Concen: 93.859 ng
RT: 13.039 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Tgt Ion:244 Resp: 1295774

Ion	Ratio	Lower	Upper
244	100		
212	6.6	5.1	7.7
122	10.1	8.9	13.3





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. 0.012 min
Lab File: BF143404.D
Acq: 15 Aug 2025 06:22

Tgt Ion:264 Resp: 306529

Ion	Ratio	Lower	Upper
264	100		
260	23.7	18.7	28.1
265	21.5	17.2	25.8



Sample Results: **BF143404.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143404.D
Acq On : 15 Aug 2025 06:22
Operator : RC/JU
Sample : Q2815-02
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF143404.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.287	6	16	30	rVB	2528977	4262707	97.85%	15.475%
2	5.169	498	506	515	rBV	207129	307533	7.06%	1.116%
3	5.569	569	574	593	rBV	1874233	2465250	56.59%	8.949%
4	6.557	737	742	755	rBV	1389858	1898575	43.58%	6.892%
5	6.934	801	806	813	rBV	653437	817260	18.76%	2.967%
6	7.492	894	901	925	rBV	1807661	2625139	60.26%	9.530%
7	8.210	1018	1023	1040	rBV	796253	1070124	24.56%	3.885%
8	9.286	1200	1206	1211	rBV	3307575	4356499	100.00%	15.815%
9	9.969	1316	1322	1336	rVB	919604	1174990	26.97%	4.266%
10	10.675	1437	1442	1447	rBV	218472	288836	6.63%	1.049%
11	10.722	1447	1450	1451	rBV	74271	73306	1.68%	0.266%
12	10.757	1451	1456	1461	rVB	1770092	2277646	52.28%	8.268%
13	10.986	1490	1495	1500	rBV	47277	62449	1.43%	0.227%
14	11.451	1569	1574	1583	rBV	744395	1010056	23.19%	3.667%
15	13.039	1838	1844	1849	rBV	2606945	3387172	77.75%	12.296%
16	14.098	2018	2024	2036	rVB	452093	642860	14.76%	2.334%
17	15.592	2271	2278	2302	rBV	478085	825848	18.96%	2.998%

Sum of corrected areas: 27546250

Sample Results: **BF143404.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143404.D
Acq On : 15 Aug 2025 06:22
Operator : RC/JU
Sample : Q2815-02
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Sample Results: **BF143404.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143404.D
Acq On : 15 Aug 2025 06:22
Operator : RC/JU
Sample : Q2815-02
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.287	104.32 ng	4262710	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	39
3	3-Pentanol, 2,4-dimethyl-	116	C7H16O	000600-36-2	37
4	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	27
5	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25





Sample Results: **BF143404.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143404.D
Acq On : 15 Aug 2025 06:22
Operator : RC/JU
Sample : Q2815-02
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
5.169	7.53 ng	307533	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	59
2	Acetic acid, 1,1-dimethylethyl e...	116	C6H12O2	000540-88-5	28
3	Butyl aldoxime, 3-methyl-, syn-	101	C5H11NO	005780-40-5	23
4	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	23
5	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	16





Sample Results: **BF143404.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143404.D
Acq On : 15 Aug 2025 06:22
Operator : RC/JU
Sample : Q2815-02
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.675	4.92 ng	288836	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	Benzenebutanoic acid, .gamma.-oxo-	178	C10H10O3	002051-95-8	50
3	.alpha.,.alpha.-Dichloroacetophe...	188	C8H6Cl2O	002648-61-5	50
4	2-Phenyl-4-ethylidene-2-oxazolin...	187	C11H9NO2	037791-41-6	50
5	Disulfide, dibenzoyl	274	C14H10O2S2	000644-32-6	50





Sample Results: **BF143404.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143404.D
Acq On : 15 Aug 2025 06:22
Operator : RC/JU
Sample : Q2815-02
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10PC-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	2.287	104.3	ng	4262710	1	6.934	817260	20.0
2-Pentanone, 4-...	5.169	7.5	ng	307533	1	6.934	817260	20.0
Benzophenone	10.675	4.9	ng	288836	3	9.969	1174990	20.0

Raw Data: **BF143405.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-03	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143405.D	1	08/12/25 11:39	08/15/25 06:51	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BF143405.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-03	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143405.D	1	08/12/25 11:39	08/15/25 06:51	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BF143405.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-03	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143405.D	1	08/12/25 11:39	08/15/25 06:51	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	95.0		19 - 119		63%	SPK: 150
13127-88-3	Phenol-d6	78.8		10 - 130		53%	SPK: 150
4165-60-0	Nitrobenzene-d5	93.2		44 - 120		93%	SPK: 100
321-60-8	2-Fluorobiphenyl	82.9		44 - 119		83%	SPK: 100
118-79-6	2,4,6-Tribromophenol	150		43 - 140		100%	SPK: 150
1718-51-0	Terphenyl-d14	72.0		50 - 134		72%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	142000	6.934				
1146-65-2	Naphthalene-d8	539000	8.21				
15067-26-2	Acenaphthene-d10	291000	9.969				
1517-22-2	Phenanthrene-d10	417000	11.457				
1719-03-5	Chrysene-d12	249000	14.098				
1520-96-3	Perylene-d12	315000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	91.5	J			2.29	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	11.7	AB			5.17	ug/L
000119-61-9	Benzophenone	5.10	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	2.20	J			12.0	ug/L

Raw Data: **BF143405.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-03	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143405.D	1	08/12/25 11:39	08/15/25 06:51	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Sample Results: **BF143405.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143405.D
Acq On : 15 Aug 2025 06:51
Operator : RC/JU
Sample : Q2815-03
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Quant Time: Aug 15 07:48:34 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	142072	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	539316	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	291303	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	417383	20.000	ng	0.00
76) Chrysene-d12	14.098	240	249094	20.000	ng	0.00
86) Perylene-d12	15.592	264	314728	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.569	112	780126	94.955	ng	0.00
7) Phenol-d6	6.563	99	830604	78.837	ng	0.00
23) Nitrobenzene-d5	7.492	82	807058	93.189	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	318911	149.800	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1424272	82.911	ng	0.00
79) Terphenyl-d14	13.039	244	1004920	72.026	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143405.D
Acq On : 15 Aug 2025 06:51
Operator : RC/JU
Sample : Q2815-03
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Quant Time: Aug 15 07:48:34 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143405.D
Acq: 15 Aug 2025 06:51

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Tgt Ion:152 Resp: 142072

Ion	Ratio	Lower	Upper
152	100		
150	154.5	129.8	194.8
115	57.0	47.8	71.8





#5
2-Fluorophenol
Concen: 94.955 ng
RT: 5.569 min Scan# 574
Delta R.T. 0.006 min
Lab File: BF143405.D
Acq: 15 Aug 2025 06:51

Tgt Ion:112 Resp: 780126

Ion	Ratio	Lower	Upper
112	100		
64	65.5	52.1	78.1
63	33.8	26.6	39.8





#7
Phenol-d6
Concen: 78.837 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143405.D
Acq: 15 Aug 2025 06:51

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Tgt Ion: 99 Resp: 830604

Ion	Ratio	Lower	Upper
99	100		
42	20.4	16.6	25.0
71	33.6	26.2	39.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. -0.000 min
Lab File: BF143405.D
Acq: 15 Aug 2025 06:51

Tgt Ion:136 Resp: 539316

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.6	13.0
54	10.2	8.4	12.6
68	6.8	5.9	8.9





#23
Nitrobenzene-d5
Concen: 93.189 ng
RT: 7.492 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143405.D
Acq: 15 Aug 2025 06:51

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Tgt Ion: 82 Resp: 807058

Ion	Ratio	Lower	Upper
82	100		
128	44.7	33.5	50.3
54	56.6	46.7	70.1





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BF143405.D
Acq: 15 Aug 2025 06:51

Tgt Ion:164 Resp: 291303

Ion	Ratio	Lower	Upper
164	100		
162	98.6	78.6	118.0
160	42.7	34.4	51.6





#42
2,4,6-Tribromophenol
Concen: 149.800 ng
RT: 10.757 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143405.D
Acq: 15 Aug 2025 06:51

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Tgt Ion:330 Resp: 318911

Ion	Ratio	Lower	Upper
330	100		
332	98.3	78.1	117.1
141	29.3	25.4	38.0





#45
2-Fluorobiphenyl
Concen: 82.911 ng
RT: 9.286 min Scan# 1206
Delta R.T. -0.000 min
Lab File: BF143405.D
Acq: 15 Aug 2025 06:51

Tgt Ion:172 Resp: 1424272

Ion	Ratio	Lower	Upper
172	100		
171	35.6	28.4	42.6
170	23.6	19.1	28.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143405.D
Acq: 15 Aug 2025 06:51

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Tgt Ion:188 Resp: 417383

Ion	Ratio	Lower	Upper
188	100		
94	10.1	8.8	13.2
80	10.8	9.7	14.5





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143405.D
Acq: 15 Aug 2025 06:51

Tgt Ion:240 Resp: 249094

Ion	Ratio	Lower	Upper
240	100		
120	10.9	9.0	13.6
236	24.8	19.9	29.9





#79
Terphenyl-d14
Concen: 72.026 ng
RT: 13.039 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143405.D
Acq: 15 Aug 2025 06:51

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Tgt Ion:244 Resp: 1004920

Ion	Ratio	Lower	Upper
244	100		
212	6.5	5.1	7.7
122	10.3	8.9	13.3





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. 0.012 min
Lab File: BF143405.D
Acq: 15 Aug 2025 06:51

Tgt Ion:264 Resp: 314728

Ion	Ratio	Lower	Upper
264	100		
260	23.4	18.7	28.1
265	21.5	17.2	25.8



Sample Results: **BF143405.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143405.D
Acq On : 15 Aug 2025 06:51
Operator : RC/JU
Sample : Q2815-03
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF143405.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.287	6	16	33	rVB	2214234	3856316	93.93%	13.920%
2	5.169	498	506	524	rBV	321157	491415	11.97%	1.774%
3	5.569	569	574	594	rBV	2111436	2861629	69.70%	10.330%
4	6.563	737	743	766	rBV	1792669	2433787	59.28%	8.785%
5	6.934	801	806	814	rBV	673504	843137	20.54%	3.043%
6	7.492	894	901	912	rBV	1724961	2445527	59.56%	8.828%
7	8.210	1018	1023	1041	rVB	800026	1098149	26.75%	3.964%
8	9.286	1200	1206	1211	rBV	3163581	4105728	100.00%	14.820%
9	9.969	1316	1322	1334	rBV	951787	1215557	29.61%	4.388%
10	10.674	1437	1442	1450	rBV	239197	312127	7.60%	1.127%
11	10.757	1450	1456	1473	rBV	1754304	2356904	57.41%	8.508%
12	10.986	1490	1495	1504	rVB	40531	54172	1.32%	0.196%
13	11.457	1569	1575	1590	rBV	759573	1039413	25.32%	3.752%
14	11.974	1658	1663	1678	rBV2	53938	113757	2.77%	0.411%
15	12.933	1818	1826	1833	rBV3	21258	41132	1.00%	0.148%
16	13.039	1838	1844	1856	rBV	2025003	2646944	64.47%	9.555%
17	13.610	1936	1941	1949	rVB	32640	51401	1.25%	0.186%
18	13.933	1992	1996	2000	rBV	38241	57957	1.41%	0.209%
19	14.098	2018	2024	2035	rVB	464378	647543	15.77%	2.337%
20	14.251	2046	2050	2055	rBV	36546	46698	1.14%	0.169%
21	14.557	2098	2102	2107	rBV	35282	45084	1.10%	0.163%
22	14.868	2151	2155	2163	rBV	31269	44686	1.09%	0.161%
23	15.215	2210	2214	2224	rVB	27429	43935	1.07%	0.159%
24	15.592	2272	2278	2294	rBV	500446	850442	20.71%	3.070%

Sum of corrected areas: 27703440

Sample Results: **BF143405.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143405.D
Acq On : 15 Aug 2025 06:51
Operator : RC/JU
Sample : Q2815-03
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Sample Results: **BF143405.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143405.D
Acq On : 15 Aug 2025 06:51
Operator : RC/JU
Sample : Q2815-03
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.287	91.48 ng	3856320	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	39
3	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25
4	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	17
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	12





Sample Results: **BF143405.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143405.D
Acq On : 15 Aug 2025 06:51
Operator : RC/JU
Sample : Q2815-03
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
5.169	11.66 ng	491415	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	59
2	Propane, 2-methyl-2-(1-methyleth...	116	C7H16O	017348-59-3	36
3	3-Hexanol, 4-methyl-	116	C7H16O	000615-29-2	33
4	2-Hexanol, 2-methyl-	116	C7H16O	000625-23-0	33
5	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	27





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143405.D
Acq On : 15 Aug 2025 06:51
Operator : RC/JU
Sample : Q2815-03
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.675	5.14 ng	312127	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	Acetophenone, 2-chloro-	154	C8H7ClO	000532-27-4	47
3	N-Methoxy-N-methylbenzamide	165	C9H11NO2	006919-61-5	47
4	Benzoic acid, phenyl ester	198	C13H10O2	000093-99-2	47
5	Benzenebutanoic acid, .gamma.-oxo-	178	C10H10O3	002051-95-8	47





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143405.D
Acq On : 15 Aug 2025 06:51
Operator : RC/JU
Sample : Q2815-03
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 n-Hexadecanoic acid Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
11.974	2.19 ng	113757	Phenanthrene-d10	11.457

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Pentadecanoic acid	242	C15H30O2	001002-84-2	87
3	Tetradecanoic acid	228	C14H28O2	000544-63-8	72
4	Tridecanoic acid	214	C13H26O2	000638-53-9	64
5	Undecanoic acid	186	C11H22O2	000112-37-8	64





Sample Results: **BF143405.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143405.D
Acq On : 15 Aug 2025 06:51
Operator : RC/JU
Sample : Q2815-03
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					--Internal Standard---			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	2.287	91.5	ng	3856320	1	6.934	843137	20.0
2-Pentanone, 4-...	5.169	11.7	ng	491415	1	6.934	843137	20.0
Benzophenone	10.675	5.1	ng	312127	3	9.969	1215560	20.0
n-Hexadecanoic ...	11.974	2.2	ng	113757	4	11.457	1039410	20.0

Raw Data: **BF143406.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-04	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143406.D	1	08/12/25 11:39	08/15/25 07:20	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.20	U	4.00	8.20	10.2	ug/L
108-95-2	Phenol	4.10	U	0.93	4.10	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.10	U	0.83	4.10	5.10	ug/L
95-57-8	2-Chlorophenol	4.10	U	0.59	4.10	5.10	ug/L
95-48-7	2-Methylphenol	4.10	U	1.10	4.10	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.10	U	1.30	4.10	5.10	ug/L
98-86-2	Acetophenone	4.10	U	0.76	4.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.20	U	1.10	8.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.60	U	1.40	2.60	2.60	ug/L
67-72-1	Hexachloroethane	4.10	U	0.66	4.10	5.10	ug/L
98-95-3	Nitrobenzene	4.10	U	0.78	4.10	5.10	ug/L
78-59-1	Isophorone	4.10	U	0.77	4.10	5.10	ug/L
88-75-5	2-Nitrophenol	4.10	U	1.80	4.10	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.10	U	1.90	4.10	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.10	U	0.69	4.10	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.10	U	0.53	4.10	5.10	ug/L
91-20-3	Naphthalene	4.10	U	0.51	4.10	5.10	ug/L
106-47-8	4-Chloroaniline	4.10	U	0.86	4.10	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.10	U	0.55	4.10	5.10	ug/L
105-60-2	Caprolactam	8.20	U	1.20	8.20	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	4.10	U	0.60	4.10	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.10	U	0.57	4.10	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.20	U	3.70	8.20	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	4.10	U	0.52	4.10	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.10	U	0.63	4.10	5.10	ug/L
92-52-4	1,1-Biphenyl	4.10	U	0.54	4.10	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.10	U	0.62	4.10	5.10	ug/L
88-74-4	2-Nitroaniline	4.10	U	1.30	4.10	5.10	ug/L
131-11-3	Dimethylphthalate	4.10	U	0.62	4.10	5.10	ug/L

Raw Data: **BF143406.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-04	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143406.D	1	08/12/25 11:39	08/15/25 07:20	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.10	U	0.77	4.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.10	U	0.94	4.10	5.10	ug/L
99-09-2	3-Nitroaniline	4.10	U	1.10	4.10	5.10	ug/L
83-32-9	Acenaphthene	4.10	U	0.56	4.10	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.20	U	6.10	8.20	10.2	ug/L
100-02-7	4-Nitrophenol	8.20	U	2.40	8.20	10.2	ug/L
132-64-9	Dibenzofuran	4.10	U	0.62	4.10	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.10	U	1.20	4.10	5.10	ug/L
84-66-2	Diethylphthalate	4.10	U	0.70	4.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.10	U	0.69	4.10	5.10	ug/L
86-73-7	Fluorene	4.10	U	0.64	4.10	5.10	ug/L
100-01-6	4-Nitroaniline	4.10	U	1.50	4.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.20	U	2.90	8.20	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	4.10	U	0.59	4.10	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.10	U	0.41	4.10	5.10	ug/L
118-74-1	Hexachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
1912-24-9	Atrazine	4.10	U	1.00	4.10	5.10	ug/L
87-86-5	Pentachlorophenol	8.20	U	1.60	8.20	10.2	ug/L
85-01-8	Phenanthrene	4.10	U	0.51	4.10	5.10	ug/L
120-12-7	Anthracene	4.10	U	0.62	4.10	5.10	ug/L
86-74-8	Carbazole	4.10	U	0.73	4.10	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.10	U	1.20	4.10	5.10	ug/L
206-44-0	Fluoranthene	4.10	U	0.84	4.10	5.10	ug/L
129-00-0	Pyrene	4.10	U	0.51	4.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.10	U	2.00	4.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.20	U	0.95	8.20	10.2	ug/L
56-55-3	Benzo(a)anthracene	4.10	U	0.46	4.10	5.10	ug/L
218-01-9	Chrysene	4.10	U	0.45	4.10	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.10	U	1.60	4.10	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.20	U	2.40	8.20	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	4.10	U	0.50	4.10	5.10	ug/L

Raw Data: **BF143406.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-04	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143406.D	1	08/12/25 11:39	08/15/25 07:20	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.10	U	0.49	4.10	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.10	U	0.56	4.10	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.10	U	0.60	4.10	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.10	U	0.68	4.10	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.10	U	0.70	4.10	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
123-91-1	1,4-Dioxane	4.10	U	1.00	4.10	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.10	U	0.73	4.10	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	103		19 - 119		69%	SPK: 150
13127-88-3	Phenol-d6	83.3		10 - 130		56%	SPK: 150
4165-60-0	Nitrobenzene-d5	110		44 - 120		110%	SPK: 100
321-60-8	2-Fluorobiphenyl	97.1		44 - 119		97%	SPK: 100
118-79-6	2,4,6-Tribromophenol	182		43 - 140		122%	SPK: 150
1718-51-0	Terphenyl-d14	105		50 - 134		105%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	135000	6.934				
1146-65-2	Naphthalene-d8	528000	8.21				
15067-26-2	Acenaphthene-d10	282000	9.969				
1517-22-2	Phenanthrene-d10	415000	11.457				
1719-03-5	Chrysene-d12	243000	14.098				
1520-96-3	Perylene-d12	303000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	92.6	J			2.30	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	9.20	AB			5.17	ug/L
000119-61-9	Benzophenone	6.50	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	2.20	J			12.0	ug/L

Raw Data: **BF143406.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-04	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143406.D	1	08/12/25 11:39	08/15/25 07:20	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143406.D
Acq On : 15 Aug 2025 07:20
Operator : RC/JU
Sample : Q2815-04
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Quant Time: Aug 15 07:48:46 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	135058	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	527993	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	282094	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	414730	20.000	ng	0.00
76) Chrysene-d12	14.098	240	243022	20.000	ng	0.00
86) Perylene-d12	15.592	264	302866	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.575	112	808096	103.467	ng	0.01
7) Phenol-d6	6.563	99	833797	83.250	ng	0.00
23) Nitrobenzene-d5	7.492	82	936433	110.447	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	376036	182.400	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1614545	97.055	ng	0.00
79) Terphenyl-d14	13.039	244	1423396	104.568	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143406.D
Acq On : 15 Aug 2025 07:20
Operator : RC/JU
Sample : Q2815-04
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Quant Time: Aug 15 07:48:46 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Tgt Ion:152 Resp: 135058

Ion	Ratio	Lower	Upper
152	100		
150	158.5	129.8	194.8
115	59.8	47.8	71.8





#5
2-Fluorophenol
Concen: 103.467 ng
RT: 5.575 min Scan# 575
Delta R.T. 0.012 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Tgt Ion:112 Resp: 808096

Ion	Ratio	Lower	Upper
112	100		
64	63.0	52.1	78.1
63	32.8	26.6	39.8





#7
Phenol-d6
Concen: 83.250 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Tgt Ion: 99 Resp: 833797

Ion	Ratio	Lower	Upper
99	100		
42	20.5	16.6	25.0
71	34.0	26.2	39.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. -0.000 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Tgt Ion:136 Resp: 527993

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.6	13.0
54	10.0	8.4	12.6
68	6.7	5.9	8.9





#23
Nitrobenzene-d5
Concen: 110.447 ng
RT: 7.492 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Tgt Ion: 82 Resp: 936433

Ion	Ratio	Lower	Upper
82	100		
128	44.6	33.5	50.3
54	56.6	46.7	70.1





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Tgt Ion:164 Resp: 282094

Ion	Ratio	Lower	Upper
164	100		
162	99.7	78.6	118.0
160	43.1	34.4	51.6





#42
2,4,6-Tribromophenol
Concen: 182.400 ng
RT: 10.757 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Tgt Ion:330 Resp: 376036

Ion	Ratio	Lower	Upper
330	100		
332	96.9	78.1	117.1
141	28.0	25.4	38.0





#45
2-Fluorobiphenyl
Concen: 97.055 ng
RT: 9.286 min Scan# 1206
Delta R.T. -0.000 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Tgt Ion:172 Resp: 1614545

Ion	Ratio	Lower	Upper
172	100		
171	35.6	28.4	42.6
170	23.7	19.1	28.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Tgt Ion:188 Resp: 414730

Ion	Ratio	Lower	Upper
188	100		
94	10.1	8.8	13.2
80	10.8	9.7	14.5





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Tgt Ion:240 Resp: 243022

Ion	Ratio	Lower	Upper
240	100		
120	10.7	9.0	13.6
236	24.9	19.9	29.9





#79
Terphenyl-d14
Concen: 104.568 ng
RT: 13.039 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Tgt Ion:244 Resp: 1423396

Ion	Ratio	Lower	Upper
244	100		
212	6.5	5.1	7.7
122	10.0	8.9	13.3





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. 0.012 min
Lab File: BF143406.D
Acq: 15 Aug 2025 07:20

Tgt Ion:264 Resp: 302866

Ion	Ratio	Lower	Upper
264	100		
260	23.1	18.7	28.1
265	21.5	17.2	25.8



Sample Results: **BF143406.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143406.D
Acq On : 15 Aug 2025 07:20
Operator : RC/JU
Sample : Q2815-04
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF143406.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.304	7	19	37	rVB	2021850	3695405	78.86%	12.468%
2	5.175	498	507	522	rBV	234344	368785	7.87%	1.244%
3	5.575	569	575	597	rBV	2136516	2958652	63.14%	9.982%
4	6.563	737	743	766	rBV	1768604	2453727	52.36%	8.279%
5	6.934	801	806	815	rBV	649909	814386	17.38%	2.748%
6	7.492	894	901	912	rBV	1923068	2818752	60.15%	9.510%
7	8.210	1018	1023	1038	rBV	801598	1078983	23.03%	3.640%
8	9.286	1199	1206	1211	rBV	3501054	4685861	100.00%	15.810%
9	9.969	1316	1322	1335	rBV	930700	1191968	25.44%	4.022%
10	10.345	1379	1386	1389	rBV	69419	89323	1.91%	0.301%
11	10.680	1436	1443	1450	rBV	292712	380861	8.13%	1.285%
12	10.757	1450	1456	1473	rBV	2027496	2733073	58.33%	9.221%
13	10.986	1490	1495	1502	rVB	49590	64679	1.38%	0.218%
14	11.457	1569	1575	1582	rBV	766068	1029466	21.97%	3.473%
15	11.974	1658	1663	1679	rBV2	52883	111247	2.37%	0.375%
16	13.039	1838	1844	1849	rBV	2865071	3738785	79.79%	12.615%
17	14.098	2018	2024	2035	rBV	451019	632463	13.50%	2.134%
18	15.592	2272	2278	2285	rBV	484707	792227	16.91%	2.673%

Sum of corrected areas: 29638643

Sample Results: **BF143406.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143406.D
Acq On : 15 Aug 2025 07:20
Operator : RC/JU
Sample : Q2815-04
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Sample Results: **BF143406.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143406.D
Acq On : 15 Aug 2025 07:20
Operator : RC/JU
Sample : Q2815-04
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.304	90.75 ng	3695410	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	39
3	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25
4	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	12
5	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	9





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143406.D
Acq On : 15 Aug 2025 07:20
Operator : RC/JU
Sample : Q2815-04
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
5.175	9.06 ng	368785	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	59
2	Acetic acid, 1,1-dimethylethyl e...	116	C6H12O2	000540-88-5	38
3	2-Hexanol, 2-methyl-	116	C7H16O	000625-23-0	33
4	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	27
5	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	23





Sample Results: **BF143406.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143406.D
Acq On : 15 Aug 2025 07:20
Operator : RC/JU
Sample : Q2815-04
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.680	6.39 ng	380861	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	5-Oxo-5-phenylpentanenitrile	173	C11H11NO	1000486-83-7	47
3	Phenyl 4-pyridyl ketone	183	C12H9NO	014548-46-0	47
4	Benzenebutanoic acid, .gamma.-oxo-	178	C10H10O3	002051-95-8	47
5	N-Methylbenzamide, N-trifluoroac...	231	C10H8F3NO2	1000446-91-5	47





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143406.D
Acq On : 15 Aug 2025 07:20
Operator : RC/JU
Sample : Q2815-04
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 n-Hexadecanoic acid Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
11.974	2.16 ng	111247	Phenanthrene-d10	11.457

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Tridecanoic acid	214	C13H26O2	000638-53-9	90
3	Tetradecanoic acid	228	C14H28O2	000544-63-8	83
4	Pentadecanoic acid	242	C15H30O2	001002-84-2	74
5	Sulfurous acid, octadecyl 2-prop...	376	C21H44O3S	1000309-12-7	22





Sample Results: **BF143406.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143406.D
Acq On : 15 Aug 2025 07:20
Operator : RC/JU
Sample : Q2815-04
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	2.304	90.8	ng	3695410	1	6.934	814386	20.0
2-Pentanone, 4-...	5.175	9.1	ng	368785	1	6.934	814386	20.0
Benzophenone	10.680	6.4	ng	380861	3	9.969	1191970	20.0
n-Hexadecanoic ...	11.974	2.2	ng	111247	4	11.457	1029470	20.0

Raw Data: **BF143407.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-05	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143407.D	1	08/12/25 11:39	08/15/25 07:49	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Raw Data: **BF143407.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-05	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143407.D	1	08/12/25 11:39	08/15/25 07:49	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Raw Data: **BF143407.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-05	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143407.D	1	08/12/25 11:39	08/15/25 07:49	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	117		19 - 119		78%	SPK: 150
13127-88-3	Phenol-d6	100		10 - 130		67%	SPK: 150
4165-60-0	Nitrobenzene-d5	113		44 - 120		113%	SPK: 100
321-60-8	2-Fluorobiphenyl	97.6		44 - 119		98%	SPK: 100
118-79-6	2,4,6-Tribromophenol	185		43 - 140		123%	SPK: 150
1718-51-0	Terphenyl-d14	96.3		50 - 134		96%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	144000	6.934				
1146-65-2	Naphthalene-d8	549000	8.21				
15067-26-2	Acenaphthene-d10	297000	9.969				
1517-22-2	Phenanthrene-d10	438000	11.457				
1719-03-5	Chrysene-d12	268000	14.098				
1520-96-3	Perylene-d12	326000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	89.4	J			2.31	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	13.2	AB			5.17	ug/L
000119-61-9	Benzophenone	4.10	J			10.7	ug/L
000630-01-3	Hexacosane	2.80	J			13.9	ug/L

Raw Data: **BF143407.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-05	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143407.D	1	08/12/25 11:39	08/15/25 07:49	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Sample Results: **BF143407.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143407.D
Acq On : 15 Aug 2025 07:49
Operator : RC/JU
Sample : Q2815-05
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Quant Time: Aug 15 08:39:02 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	144249	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	549029	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	296630	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	438155	20.000	ng	0.00
76) Chrysene-d12	14.098	240	267853	20.000	ng	0.00
86) Perylene-d12	15.592	264	326295	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.575	112	976687	117.085	ng	0.01
7) Phenol-d6	6.563	99	1070241	100.049	ng	0.00
23) Nitrobenzene-d5	7.492	82	992560	112.581	ng	0.00
42) 2,4,6-Tribromophenol	10.763	330	400602	184.794	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1707363	97.605	ng	0.00
79) Terphenyl-d14	13.039	244	1444513	96.282	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143407.D
Acq On : 15 Aug 2025 07:49
Operator : RC/JU
Sample : Q2815-05
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Quant Time: Aug 15 08:39:02 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143407.D
Acq: 15 Aug 2025 07:49

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Tgt Ion:152 Resp: 144249

Ion	Ratio	Lower	Upper
152	100		
150	156.5	129.8	194.8
115	58.5	47.8	71.8





#5
2-Fluorophenol
Concen: 117.085 ng
RT: 5.575 min Scan# 575
Delta R.T. 0.012 min
Lab File: BF143407.D
Acq: 15 Aug 2025 07:49

Tgt Ion:112 Resp: 976687

Ion	Ratio	Lower	Upper
112	100		
64	64.5	52.1	78.1
63	33.0	26.6	39.8





#7
Phenol-d6
Concen: 100.049 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143407.D
Acq: 15 Aug 2025 07:49

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Tgt Ion: 99 Resp: 1070241

Ion	Ratio	Lower	Upper
99	100		
42	20.3	16.6	25.0
71	34.5	26.2	39.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. -0.000 min
Lab File: BF143407.D
Acq: 15 Aug 2025 07:49

Tgt Ion:136 Resp: 549029

Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.6	13.0
54	10.2	8.4	12.6
68	6.9	5.9	8.9





#23
Nitrobenzene-d5
Concen: 112.581 ng
RT: 7.492 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143407.D
Acq: 15 Aug 2025 07:49

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Tgt Ion: 82 Resp: 992560

Ion	Ratio	Lower	Upper
82	100		
128	44.3	33.5	50.3
54	56.8	46.7	70.1





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BF143407.D
Acq: 15 Aug 2025 07:49

Tgt Ion:164 Resp: 296630

Ion	Ratio	Lower	Upper
164	100		
162	98.2	78.6	118.0
160	42.2	34.4	51.6





#42
2,4,6-Tribromophenol
Concen: 184.794 ng
RT: 10.763 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143407.D
Acq: 15 Aug 2025 07:49

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Tgt Ion:330 Resp: 400602

Ion	Ratio	Lower	Upper
330	100		
332	96.4	78.1	117.1
141	28.3	25.4	38.0





#45
2-Fluorobiphenyl
Concen: 97.605 ng
RT: 9.286 min Scan# 1206
Delta R.T. -0.000 min
Lab File: BF143407.D
Acq: 15 Aug 2025 07:49

Tgt Ion:172 Resp: 1707363

Ion	Ratio	Lower	Upper
172	100		
171	36.0	28.4	42.6
170	23.7	19.1	28.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143407.D
Acq: 15 Aug 2025 07:49

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Tgt Ion:188 Resp: 438155

Ion	Ratio	Lower	Upper
188	100		
94	10.2	8.8	13.2
80	11.1	9.7	14.5





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143407.D
Acq: 15 Aug 2025 07:49

Tgt Ion:240 Resp: 267853

Ion	Ratio	Lower	Upper
240	100		
120	10.8	9.0	13.6
236	25.1	19.9	29.9





#79
Terphenyl-d14
Concen: 96.282 ng
RT: 13.039 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143407.D
Acq: 15 Aug 2025 07:49

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Tgt Ion:244 Resp: 1444513

Ion	Ratio	Lower	Upper
244	100		
212	6.7	5.1	7.7
122	10.5	8.9	13.3





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. 0.012 min
Lab File: BF143407.D
Acq: 15 Aug 2025 07:49

Tgt Ion:264 Resp: 326295

Ion	Ratio	Lower	Upper
264	100		
260	23.2	18.7	28.1
265	22.1	17.2	25.8



Sample Results: **BF143407.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143407.D
Acq On : 15 Aug 2025 07:49
Operator : RC/JU
Sample : Q2815-05
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF143407.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.310	7	20	37	rVB	2045242	3782930	75.53%	11.742%
2	5.175	499	507	528	rBV	342625	560254	11.19%	1.739%
3	5.575	569	575	596	rBV	2626873	3555742	70.99%	11.037%
4	6.563	737	743	770	rBV	2267149	3138605	62.66%	9.742%
5	6.934	801	806	811	rBV	692061	854867	17.07%	2.654%
6	7.492	894	901	906	rBV	2082813	2986561	59.63%	9.270%
7	8.210	1017	1023	1040	rBV	821593	1128465	22.53%	3.503%
8	9.286	1199	1206	1224	rBV	3599573	5008592	100.00%	15.547%
9	9.969	1316	1322	1335	rBV	984661	1240871	24.77%	3.852%
10	10.680	1438	1443	1450	rBV	199088	250005	4.99%	0.776%
11	10.757	1450	1456	1473	rBV	2083728	2890881	57.72%	8.973%
12	11.457	1569	1575	1594	rVB	828784	1085790	21.68%	3.370%
13	11.980	1659	1664	1673	rBV2	27151	53635	1.07%	0.166%
14	13.039	1838	1844	1855	rBV	2901909	3809116	76.05%	11.824%
15	13.610	1937	1941	1949	rVB	39391	57065	1.14%	0.177%
16	13.939	1992	1997	2015	rBV	45890	95858	1.91%	0.298%
17	14.098	2019	2024	2036	rVV	523891	702895	14.03%	2.182%
18	14.251	2046	2050	2056	rBV	40184	52811	1.05%	0.164%
19	14.557	2098	2102	2108	rBV	39803	50664	1.01%	0.157%
20	15.592	2272	2278	2303	rBV	513820	910635	18.18%	2.827%

Sum of corrected areas: 32216242

Sample Results: **BF143407.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143407.D
Acq On : 15 Aug 2025 07:49
Operator : RC/JU
Sample : Q2815-05
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Sample Results: **BF143407.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143407.D
Acq On : 15 Aug 2025 07:49
Operator : RC/JU
Sample : Q2815-05
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.310	88.50 ng	3782930	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	40
3	3-Pentanol, 2,4-dimethyl-	116	C7H16O	000600-36-2	37
4	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	23
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	12





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143407.D
Acq On : 15 Aug 2025 07:49
Operator : RC/JU
Sample : Q2815-05
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
5.175	13.11 ng	560254	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	59
2	2-Hexanol, 2-methyl-	116	C7H16O	000625-23-0	33
3	Acetic acid, 1,1-dimethylethyl e...	116	C6H12O2	000540-88-5	32
4	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	23
5	1-Propen-2-ol, acetate	100	C5H8O2	000108-22-5	12





Sample Results: **BF143407.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143407.D
Acq On : 15 Aug 2025 07:49
Operator : RC/JU
Sample : Q2815-05
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.680	4.03 ng	250005	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	1,2,4,5-Tetroxane, 3,3,6,6-tetra...	396	C26H20O4	016204-36-7	78
3	1,2-Propanedione, 1-phenyl-	148	C9H8O2	000579-07-7	47
4	Acetophenone, 2-chloro-	154	C8H7ClO	000532-27-4	47
5	N-Methoxy-N-methylbenzamide	165	C9H11NO2	006919-61-5	47





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143407.D
Acq On : 15 Aug 2025 07:49
Operator : RC/JU
Sample : Q2815-05
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 Hexacosane Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.939	2.73 ng	95858	Chrysene-d12	14.098

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Hexacosane	366	C26H54	000630-01-3	91
2	Hentriacontane	437	C31H64	000630-04-6	91
3	Heptacosane	380	C27H56	000593-49-7	91
4	Heptadecane, 9-octyl-	352	C25H52	007225-64-1	91
5	Heneicosane	296	C21H44	000629-94-7	91





Sample Results: **BF143407.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143407.D
Acq On : 15 Aug 2025 07:49
Operator : RC/JU
Sample : Q2815-05
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	2.310	88.5	ng	3782930	1	6.934	854867	20.0
2-Pentanone, 4-...	5.175	13.1	ng	560254	1	6.934	854867	20.0
Benzophenone	10.680	4.0	ng	250005	3	9.969	1240870	20.0
Hexacosane	13.939	2.7	ng	95858	5	14.098	702895	20.0

Raw Data: **BF143408.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-06	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143408.D	1	08/12/25 11:39	08/15/25 08:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BF143408.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-06	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143408.D	1	08/12/25 11:39	08/15/25 08:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BF143408.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-06	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143408.D	1	08/12/25 11:39	08/15/25 08:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	97.0		19 - 119		65%	SPK: 150
13127-88-3	Phenol-d6	75.4		10 - 130		50%	SPK: 150
4165-60-0	Nitrobenzene-d5	120		44 - 120		120%	SPK: 100
321-60-8	2-Fluorobiphenyl	103		44 - 119		103%	SPK: 100
118-79-6	2,4,6-Tribromophenol	131		43 - 140		88%	SPK: 150
1718-51-0	Terphenyl-d14	104		50 - 134		104%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	137000	6.934				
1146-65-2	Naphthalene-d8	517000	8.216				
15067-26-2	Acenaphthene-d10	279000	9.969				
1517-22-2	Phenanthrene-d10	404000	11.457				
1719-03-5	Chrysene-d12	245000	14.098				
1520-96-3	Perylene-d12	305000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	94.5	J			2.30	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	35.4	AB			5.17	ug/L
000119-61-9	Benzophenone	3.70	J			10.7	ug/L

Raw Data: **BF143408.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/06/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-10P-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-06	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143408.D	1	08/12/25 11:39	08/15/25 08:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Sample Results: **BF143408.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143408.D
Acq On : 15 Aug 2025 08:18
Operator : RC/JU
Sample : Q2815-06
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Quant Time: Aug 15 11:04:02 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	137416	20.000	ng	0.00
21) Naphthalene-d8	8.216	136	517426	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	279031	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	403823	20.000	ng	0.00
76) Chrysene-d12	14.098	240	244621	20.000	ng	0.00
86) Perylene-d12	15.592	264	304602	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.575	112	770773	96.995	ng	0.01
7) Phenol-d6	6.563	99	768070	75.372	ng	0.00
23) Nitrobenzene-d5	7.492	82	993177	119.531	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	267970	131.408	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1695733	103.055	ng	0.00
79) Terphenyl-d14	13.039	244	1427221	104.164	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143408.D
Acq On : 15 Aug 2025 08:18
Operator : RC/JU
Sample : Q2815-06
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Quant Time: Aug 15 11:04:02 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143408.D
Acq: 15 Aug 2025 08:18

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Tgt Ion:152 Resp: 137416

Ion	Ratio	Lower	Upper
152	100		
150	156.4	129.8	194.8
115	58.0	47.8	71.8





#5
2-Fluorophenol
Concen: 96.995 ng
RT: 5.575 min Scan# 575
Delta R.T. 0.012 min
Lab File: BF143408.D
Acq: 15 Aug 2025 08:18

Tgt Ion:112 Resp: 770773

Ion	Ratio	Lower	Upper
112	100		
64	63.1	52.1	78.1
63	32.7	26.6	39.8





#7
Phenol-d6
Concen: 75.372 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143408.D
Acq: 15 Aug 2025 08:18

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Tgt Ion: 99 Resp: 768070

Ion	Ratio	Lower	Upper
99	100		
42	20.4	16.6	25.0
71	33.5	26.2	39.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.216 min Scan# 1024
Delta R.T. 0.006 min
Lab File: BF143408.D
Acq: 15 Aug 2025 08:18

Tgt Ion:136 Resp: 517426

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	13.0
54	9.4	8.4	12.6
68	6.5	5.9	8.9





#23
Nitrobenzene-d5
Concen: 119.531 ng
RT: 7.492 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143408.D
Acq: 15 Aug 2025 08:18

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Tgt Ion: 82 Resp: 993177

Ion	Ratio	Lower	Upper
82	100		
128	44.5	33.5	50.3
54	57.2	46.7	70.1





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BF143408.D
Acq: 15 Aug 2025 08:18

Tgt Ion:164 Resp: 279031

Ion	Ratio	Lower	Upper
164	100		
162	98.8	78.6	118.0
160	43.7	34.4	51.6





#42
2,4,6-Tribromophenol
Concen: 131.408 ng
RT: 10.757 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143408.D
Acq: 15 Aug 2025 08:18

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Tgt Ion:330 Resp: 267970

Ion	Ratio	Lower	Upper
330	100		
332	98.3	78.1	117.1
141	29.7	25.4	38.0





#45
2-Fluorobiphenyl
Concen: 103.055 ng
RT: 9.286 min Scan# 1206
Delta R.T. -0.000 min
Lab File: BF143408.D
Acq: 15 Aug 2025 08:18

Tgt Ion:172 Resp: 1695733

Ion	Ratio	Lower	Upper
172	100		
171	36.0	28.4	42.6
170	23.4	19.1	28.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143408.D
Acq: 15 Aug 2025 08:18

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Tgt Ion:188 Resp: 403823

Ion	Ratio	Lower	Upper
188	100		
94	10.2	8.8	13.2
80	10.8	9.7	14.5





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143408.D
Acq: 15 Aug 2025 08:18

Tgt Ion:240 Resp: 244621

Ion	Ratio	Lower	Upper
240	100		
120	11.2	9.0	13.6
236	25.0	19.9	29.9





#79
Terphenyl-d14
Concen: 104.164 ng
RT: 13.039 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143408.D
Acq: 15 Aug 2025 08:18

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Tgt Ion:244 Resp: 1427221

Ion	Ratio	Lower	Upper
244	100		
212	6.8	5.1	7.7
122	10.5	8.9	13.3





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. 0.012 min
Lab File: BF143408.D
Acq: 15 Aug 2025 08:18

Tgt Ion:264 Resp: 304602

Ion	Ratio	Lower	Upper
264	100		
260	23.4	18.7	28.1
265	22.3	17.2	25.8



Sample Results: **BF143408.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143408.D
Acq On : 15 Aug 2025 08:18
Operator : RC/JU
Sample : Q2815-06
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF143408.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.299	6	18	29	rVB	2199715	3835814	77.15%	12.830%
2	5.169	499	506	524	rBV	940836	1434816	28.86%	4.799%
3	5.575	569	575	597	rBV	2043198	2812813	56.57%	9.409%
4	6.563	737	743	773	rBV	1638856	2249667	45.25%	7.525%
5	6.934	801	806	813	rBV	656106	811655	16.32%	2.715%
6	7.492	894	901	906	rBV	2086707	2964071	59.62%	9.915%
7	8.216	1018	1024	1042	rVB	768971	1062936	21.38%	3.555%
8	9.286	1200	1206	1223	rBV	3653426	4971954	100.00%	16.631%
9	9.969	1316	1322	1337	rVB	919416	1165262	23.44%	3.898%
10	10.345	1381	1386	1390	rBV	47838	60764	1.22%	0.203%
11	10.680	1438	1443	1451	rBV	167187	214553	4.32%	0.718%
12	10.757	1451	1456	1474	rBV	1494841	2010661	40.44%	6.725%
13	10.986	1489	1495	1504	rVB	42286	60789	1.22%	0.203%
14	11.457	1570	1575	1583	rBV	773912	994421	20.00%	3.326%
15	13.039	1838	1844	1858	rBV	2902605	3804376	76.52%	12.725%
16	14.098	2019	2024	2035	rBV	467277	644388	12.96%	2.155%
17	15.592	2272	2278	2287	rBV	467813	797153	16.03%	2.666%

Sum of corrected areas: 29896093

Sample Results: **BF143408.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143408.D
Acq On : 15 Aug 2025 08:18
Operator : RC/JU
Sample : Q2815-06
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Sample Results: **BF143408.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143408.D
Acq On : 15 Aug 2025 08:18
Operator : RC/JU
Sample : Q2815-06
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.299	94.52 ng	3835810	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	39
3	3-Pentanol, 2,4-dimethyl-	116	C7H16O	000600-36-2	37
4	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25
5	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143408.D
Acq On : 15 Aug 2025 08:18
Operator : RC/JU
Sample : Q2815-06
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
5.169	35.36 ng	1434820	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	59
2	2-Hexanol, 2-methyl-	116	C7H16O	000625-23-0	33
3	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	25
4	Acetic acid, 1,1-dimethylethyl e...	116	C6H12O2	000540-88-5	17
5	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	16





Sample Results: **BF143408.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143408.D
Acq On : 15 Aug 2025 08:18
Operator : RC/JU
Sample : Q2815-06
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.680	3.68 ng	214553	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	Azobenzene	182	C12H10N2	000103-33-3	53
3	Acetophenone, 2-chloro-	154	C8H7ClO	000532-27-4	49
4	Pentafluoroethyl phenyl ketone	224	C9H5F5O	000394-52-5	47
5	Benzeneacetic acid, .alpha.-oxo-...	178	C10H10O3	001603-79-8	47





Sample Results: **BF143408.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143408.D
Acq On : 15 Aug 2025 08:18
Operator : RC/JU
Sample : Q2815-06
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-10P-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	2.299	94.5	ng	3835810	1	6.934	811655	20.0
2-Pentanone, 4-...	5.169	35.4	ng	1434820	1	6.934	811655	20.0
Benzophenone	10.680	3.7	ng	214553	3	9.969	1165260	20.0

Raw Data: **BF143409.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-07	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143409.D	1	08/12/25 11:39	08/15/25 08:48	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BF143409.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-07	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143409.D	1	08/12/25 11:39	08/15/25 08:48	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BF143409.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-07	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143409.D	1	08/12/25 11:39	08/15/25 08:48	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	83.8		19 - 119		56%	SPK: 150
13127-88-3	Phenol-d6	74.0		10 - 130		49%	SPK: 150
4165-60-0	Nitrobenzene-d5	73.8		44 - 120		74%	SPK: 100
321-60-8	2-Fluorobiphenyl	68.8		44 - 119		69%	SPK: 100
118-79-6	2,4,6-Tribromophenol	114		43 - 140		76%	SPK: 150
1718-51-0	Terphenyl-d14	63.6		50 - 134		64%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	141000	6.934				
1146-65-2	Naphthalene-d8	542000	8.21				
15067-26-2	Acenaphthene-d10	289000	9.969				
1517-22-2	Phenanthrene-d10	429000	11.457				
1719-03-5	Chrysene-d12	260000	14.098				
1520-96-3	Perylene-d12	317000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	100	J			2.28	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	11.1	AB			5.16	ug/L
000119-61-9	Benzophenone	6.80	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	2.90	J			12.0	ug/L
007098-22-8	Tetratetracontane	4.00	J			13.9	ug/L

Raw Data: **BF143409.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-07	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143409.D	1	08/12/25 11:39	08/15/25 08:48	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Sample Results: **BF143409.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143409.D
Acq On : 15 Aug 2025 08:48
Operator : RC/JU
Sample : Q2815-07
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Quant Time: Aug 15 11:04:36 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	141186	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	541543	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	289147	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	429306	20.000	ng	0.00
76) Chrysene-d12	14.098	240	260079	20.000	ng	0.00
86) Perylene-d12	15.592	264	317026	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.569	112	684088	83.788	ng	0.00
7) Phenol-d6	6.563	99	775193	74.040	ng	0.00
23) Nitrobenzene-d5	7.487	82	641463	73.764	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	241633	114.347	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1172491	68.763	ng	0.00
79) Terphenyl-d14	13.039	244	926747	63.617	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143409.D
Acq On : 15 Aug 2025 08:48
Operator : RC/JU
Sample : Q2815-07
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Quant Time: Aug 15 11:04:36 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143409.D
Acq: 15 Aug 2025 08:48

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Tgt Ion:152 Resp: 141186

Ion	Ratio	Lower	Upper
152	100		
150	157.6	129.8	194.8
115	58.4	47.8	71.8





#5
2-Fluorophenol
Concen: 83.788 ng
RT: 5.569 min Scan# 574
Delta R.T. 0.006 min
Lab File: BF143409.D
Acq: 15 Aug 2025 08:48

Tgt Ion:112 Resp: 684088

Ion	Ratio	Lower	Upper
112	100		
64	64.7	52.1	78.1
63	33.3	26.6	39.8





#7
Phenol-d6
Concen: 74.040 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143409.D
Acq: 15 Aug 2025 08:48

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Tgt Ion: 99 Resp: 775193

Ion	Ratio	Lower	Upper
99	100		
42	20.5	16.6	25.0
71	33.7	26.2	39.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. 0.000 min
Lab File: BF143409.D
Acq: 15 Aug 2025 08:48

Tgt Ion:136 Resp: 541543

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	13.0
54	9.9	8.4	12.6
68	6.9	5.9	8.9





#23
Nitrobenzene-d5
Concen: 73.764 ng
RT: 7.487 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143409.D
Acq: 15 Aug 2025 08:48

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Tgt Ion: 82 Resp: 641463

Ion	Ratio	Lower	Upper
82	100		
128	42.9	33.5	50.3
54	57.4	46.7	70.1





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BF143409.D
Acq: 15 Aug 2025 08:48

Tgt Ion:164 Resp: 289147

Ion	Ratio	Lower	Upper
164	100		
162	99.4	78.6	118.0
160	43.3	34.4	51.6





#42
2,4,6-Tribromophenol
Concen: 114.347 ng
RT: 10.757 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143409.D
Acq: 15 Aug 2025 08:48

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Tgt Ion:330 Resp: 241633

Ion	Ratio	Lower	Upper
330	100		
332	95.9	78.1	117.1
141	29.1	25.4	38.0





#45
2-Fluorobiphenyl
Concen: 68.763 ng
RT: 9.286 min Scan# 1206
Delta R.T. -0.000 min
Lab File: BF143409.D
Acq: 15 Aug 2025 08:48

Tgt Ion:172 Resp: 1172491

Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.4	42.6
170	23.2	19.1	28.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143409.D
Acq: 15 Aug 2025 08:48

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Tgt Ion:188 Resp: 429306

Ion	Ratio	Lower	Upper
188	100		
94	10.1	8.8	13.2
80	10.9	9.7	14.5





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143409.D
Acq: 15 Aug 2025 08:48

Tgt Ion:240 Resp: 260079

Ion	Ratio	Lower	Upper
240	100		
120	11.1	9.0	13.6
236	25.4	19.9	29.9





#79
Terphenyl-d14
Concen: 63.617 ng
RT: 13.039 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143409.D
Acq: 15 Aug 2025 08:48

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Tgt Ion:244 Resp: 926747

Ion	Ratio	Lower	Upper
244	100		
212	6.4	5.1	7.7
122	10.3	8.9	13.3





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. 0.012 min
Lab File: BF143409.D
Acq: 15 Aug 2025 08:48

Tgt Ion:264 Resp: 317026

Ion	Ratio	Lower	Upper
264	100		
260	23.3	18.7	28.1
265	21.6	17.2	25.8



Sample Results: **BF143409.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143409.D
Acq On : 15 Aug 2025 08:48
Operator : RC/JU
Sample : Q2815-07
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF143409.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.281	6	15	31	rVB	2520702	4233510	100.00%	16.393%
2	5.163	498	505	516	rBV	309225	468036	11.06%	1.812%
3	5.569	568	574	593	rBV	1891748	2502671	59.12%	9.691%
4	6.563	737	743	769	rBV	1644277	2298468	54.29%	8.900%
5	6.934	801	806	814	rBV	675517	843496	19.92%	3.266%
6	7.487	894	900	912	rBV	1420993	1934909	45.70%	7.493%
7	8.210	1018	1023	1041	rVB	816684	1106498	26.14%	4.285%
8	9.286	1200	1206	1211	rBV	2629037	3371306	79.63%	13.055%
9	9.969	1316	1322	1333	rBV	960677	1220344	28.83%	4.726%
10	10.675	1435	1442	1450	rBV	306231	417103	9.85%	1.615%
11	10.757	1450	1456	1473	rBV	1348841	1803312	42.60%	6.983%
12	10.986	1491	1495	1502	rVB	33182	45559	1.08%	0.176%
13	11.457	1570	1575	1583	rBV	809190	1056889	24.96%	4.093%
14	11.980	1659	1664	1675	rBV2	76106	151652	3.58%	0.587%
15	13.039	1838	1844	1862	rBV	1878138	2436835	57.56%	9.436%
16	13.610	1936	1941	1950	rVB	33589	54918	1.30%	0.213%
17	13.939	1992	1997	2015	rBV3	45023	139339	3.29%	0.540%
18	14.098	2016	2024	2034	rVV	500082	699542	16.52%	2.709%
19	14.251	2046	2050	2055	rBV	33926	44588	1.05%	0.173%
20	14.557	2098	2102	2106	rBV	35179	43843	1.04%	0.170%
21	14.951	2165	2169	2175	rVB	31534	43431	1.03%	0.168%
22	15.215	2210	2214	2222	rBV	27880	42969	1.01%	0.166%
23	15.592	2272	2278	2291	rBV	514735	865117	20.43%	3.350%

Sum of corrected areas: 25824335

Sample Results: **BF143409.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143409.D
Acq On : 15 Aug 2025 08:48
Operator : RC/JU
Sample : Q2815-07
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143409.D
Acq On : 15 Aug 2025 08:48
Operator : RC/JU
Sample : Q2815-07
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.281	100.38 ng	4233510	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	39
3	3-Pentanol, 2,4-dimethyl-	116	C7H16O	000600-36-2	37
4	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25
5	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143409.D
Acq On : 15 Aug 2025 08:48
Operator : RC/JU
Sample : Q2815-07
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
5.163	11.10 ng	468036	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	59
2	3-Hexanol, 4-methyl-	116	C7H16O	000615-29-2	33
3	2-Hexanol, 2-methyl-	116	C7H16O	000625-23-0	33
4	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	27
5	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	23





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143409.D
Acq On : 15 Aug 2025 08:48
Operator : RC/JU
Sample : Q2815-07
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.675	6.84 ng	417103	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	Benzenecarbothioic acid, S-methy...	152	C8H8OS	005925-68-8	52
3	N-Methylbenzamide, N-pentafluoro...	281	C11H8F5NO2	1000446-98-1	50
4	Ethanone, 2-bromo-1,2-diphenyl-	274	C14H11BrO	001484-50-0	50
5	N-Methoxy-N-methylbenzamide	165	C9H11NO2	006919-61-5	50





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143409.D
Acq On : 15 Aug 2025 08:48
Operator : RC/JU
Sample : Q2815-07
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 n-Hexadecanoic acid Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
11.980	2.87 ng	151652	Phenanthrene-d10	11.457

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	96
2	Pentadecanoic acid	242	C15H30O2	001002-84-2	83
3	Tetradecanoic acid	228	C14H28O2	000544-63-8	80
4	Tridecanoic acid	214	C13H26O2	000638-53-9	76
5	n-Decanoic acid	172	C10H20O2	000334-48-5	18





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143409.D
Acq On : 15 Aug 2025 08:48
Operator : RC/JU
Sample : Q2815-07
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 Tetratetracontane Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.939	3.98 ng	139339	Chrysene-d12	14.098

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Tetratetracontane	619	C44H90	007098-22-8	91
2	Octacosane	394	C28H58	000630-02-4	91
3	Eicosane, 9-octyl-	394	C28H58	013475-77-9	91
4	Hentriacontane	437	C31H64	000630-04-6	91
5	Heneicosane	296	C21H44	000629-94-7	91





Sample Results: **BF143409.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143409.D
Acq On : 15 Aug 2025 08:48
Operator : RC/JU
Sample : Q2815-07
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	2.281	100.4	ng	4233510	1	6.934	843496	20.0
2-Pentanone, 4-...	5.163	11.1	ng	468036	1	6.934	843496	20.0
Benzophenone	10.675	6.8	ng	417103	3	9.969	1220340	20.0
n-Hexadecanoic ...	11.980	2.9	ng	151652	4	11.457	1056890	20.0
Tetratetracontane	13.939	4.0	ng	139339	5	14.098	699542	20.0

Raw Data: **BF143515.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-08	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143515.D	1	08/12/25 11:39	08/21/25 06:15	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BF143515.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-08	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143515.D	1	08/12/25 11:39	08/21/25 06:15	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	5.40		1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BF143515.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-08	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143515.D	1	08/12/25 11:39	08/21/25 06:15	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	91.0		19 - 119		61%	SPK: 150
13127-88-3	Phenol-d6	77.9		10 - 130		52%	SPK: 150
4165-60-0	Nitrobenzene-d5	84.4		44 - 120		84%	SPK: 100
321-60-8	2-Fluorobiphenyl	79.0		44 - 119		79%	SPK: 100
118-79-6	2,4,6-Tribromophenol	123		43 - 140		82%	SPK: 150
1718-51-0	Terphenyl-d14	87.9		50 - 134		88%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	132000	6.928				
1146-65-2	Naphthalene-d8	503000	8.204				
15067-26-2	Acenaphthene-d10	275000	9.963				
1517-22-2	Phenanthrene-d10	408000	11.451				
1719-03-5	Chrysene-d12	230000	14.092				
1520-96-3	Perylene-d12	281000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	96.1	J			2.28	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	9.50	AB			5.16	ug/L
000119-61-9	Benzophenone	7.60	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	5.90	J			12.0	ug/L
031158-91-5	Hexadecanoic acid, 1,1-dimethyleth	3.10	J			12.9	ug/L

Raw Data: **BF143515.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-08	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143515.D	1	08/12/25 11:39	08/21/25 06:15	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143515.D
Acq On : 21 Aug 2025 06:15
Operator : RC/JU
Sample : Q2815-08
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Quant Time: Aug 21 07:07:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	131555	20.000	ng	0.00
21) Naphthalene-d8	8.204	136	502957	20.000	ng	0.00
39) Acenaphthene-d10	9.963	164	275165	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	407593	20.000	ng	0.00
76) Chrysene-d12	14.092	240	230062	20.000	ng	-0.01
86) Perylene-d12	15.592	264	280966	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	685414	90.977	ng	0.00
7) Phenol-d6	6.557	99	724585	77.910	ng	-0.02
23) Nitrobenzene-d5	7.487	82	727020	84.351	ng	-0.01
42) 2,4,6-Tribromophenol	10.757	330	315296	123.096	ng	0.00
45) 2-Fluorobiphenyl	9.281	172	1315624	79.018	ng	0.00
79) Terphenyl-d14	13.033	244	1158463	87.870	ng	0.00
Target Compounds						Qvalue
84) Bis(2-ethylhexyl)phtha...	14.063	149	42503	5.398	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143515.D
Acq On : 21 Aug 2025 06:15
Operator : RC/JU
Sample : Q2815-08
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Quant Time: Aug 21 07:07:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143515.D
Acq: 21 Aug 2025 06:15

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Tgt Ion:152 Resp: 131555

Ion	Ratio	Lower	Upper
152	100		
150	154.8	128.9	193.3
115	58.2	49.2	73.8





#5
2-Fluorophenol
Concen: 90.977 ng
RT: 5.563 min Scan# 573
Delta R.T. 0.000 min
Lab File: BF143515.D
Acq: 21 Aug 2025 06:15

Tgt Ion:112 Resp: 685414

Ion	Ratio	Lower	Upper
112	100		
64	64.1	50.4	75.6
63	33.4	26.4	39.6





#7
Phenol-d6
Concen: 77.910 ng
RT: 6.557 min Scan# 74
Delta R.T. -0.018 min
Lab File: BF143515.D
Acq: 21 Aug 2025 06:15

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Tgt Ion: 99 Resp: 724585

Ion	Ratio	Lower	Upper
99	100		
42	20.5	16.3	24.5
71	35.7	28.2	42.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.204 min Scan# 1022
Delta R.T. -0.006 min
Lab File: BF143515.D
Acq: 21 Aug 2025 06:15

Tgt Ion:136 Resp: 502957

Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.0	13.4
54	9.3	7.4	11.2
68	6.1	5.0	7.4





#23
Nitrobenzene-d5
Concen: 84.351 ng
RT: 7.487 min Scan# 9
Delta R.T. -0.012 min
Lab File: BF143515.D
Acq: 21 Aug 2025 06:15

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Tgt Ion: 82 Resp: 727020

Ion	Ratio	Lower	Upper
82	100		
128	43.7	35.5	53.3
54	56.5	44.3	66.5





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1321
Delta R.T. -0.006 min
Lab File: BF143515.D
Acq: 21 Aug 2025 06:15

Tgt Ion:164 Resp: 275165

Ion	Ratio	Lower	Upper
164	100		
162	99.6	80.5	120.7
160	43.0	34.3	51.5





#42
2,4,6-Tribromophenol
Concen: 123.096 ng
RT: 10.757 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143515.D
Acq: 21 Aug 2025 06:15

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Tgt Ion:330 Resp: 315296

Ion	Ratio	Lower	Upper
330	100		
332	96.8	78.0	117.0
141	29.5	23.7	35.5





#45
2-Fluorobiphenyl
Concen: 79.018 ng
RT: 9.281 min Scan# 1205
Delta R.T. -0.006 min
Lab File: BF143515.D
Acq: 21 Aug 2025 06:15

Tgt Ion:172 Resp: 1315624

Ion	Ratio	Lower	Upper
172	100		
171	35.8	28.8	43.2
170	23.7	18.8	28.2





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143515.D
Acq: 21 Aug 2025 06:15

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Tgt Ion:188 Resp: 407593

Ion	Ratio	Lower	Upper
188	100		
94	9.5	7.4	11.2
80	10.1	8.2	12.4





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.092 min Scan# 2023
Delta R.T. -0.012 min
Lab File: BF143515.D
Acq: 21 Aug 2025 06:15

Tgt Ion:240 Resp: 230062

Ion	Ratio	Lower	Upper
240	100		
120	10.6	8.6	12.8
236	24.7	20.4	30.6





#79
Terphenyl-d14
Concen: 87.870 ng
RT: 13.033 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143515.D
Acq: 21 Aug 2025 06:15

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Tgt Ion:244 Resp: 1158463

Ion	Ratio	Lower	Upper
244	100		
212	6.8	5.2	7.8
122	10.4	7.9	11.9





#84
Bis(2-ethylhexyl)phthalate
Concen: 5.398 ng
RT: 14.063 min Scan# 2018
Delta R.T. -0.006 min
Lab File: BF143515.D
Acq: 21 Aug 2025 06:15

Tgt Ion:149 Resp: 42503

Ion	Ratio	Lower	Upper
149	100		
167	27.9	22.2	33.2
279	4.7	3.6	5.4





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143515.D
Acq: 21 Aug 2025 06:15

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Tgt Ion:264 Resp: 280966

Ion	Ratio	Lower	Upper
264	100		
260	23.3	18.7	28.1
265	21.0	17.6	26.4



Sample Results: **BF143515.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143515.D
Acq On : 21 Aug 2025 06:15
Operator : RC/JU
Sample : Q2815-08
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF143515.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.281	6	15	29	rVB	2228484	3746746	97.33%	13.773%
2	5.163	497	505	522	rBV	236438	368939	9.58%	1.356%
3	5.563	568	573	590	rBV	1852191	2477208	64.35%	9.106%
4	6.557	736	742	755	rBV	1588696	2116379	54.98%	7.780%
5	6.922	799	804	813	rBV	606270	780165	20.27%	2.868%
6	7.487	893	900	911	rBV	1559276	2194760	57.01%	8.068%
7	8.204	1017	1022	1040	rVB	783646	1068048	27.75%	3.926%
8	9.281	1199	1205	1210	rBV	2951280	3849459	100.00%	14.150%
9	9.963	1315	1321	1332	rVB	919449	1153963	29.98%	4.242%
10	10.675	1437	1442	1450	rBV	340439	438652	11.40%	1.612%
11	10.751	1450	1455	1470	rBV	1692550	2324703	60.39%	8.545%
12	10.981	1490	1494	1500	rVB	42202	55724	1.45%	0.205%
13	11.451	1569	1574	1581	rBV	798194	1008082	26.19%	3.706%
14	11.975	1658	1663	1678	rBV2	157499	299516	7.78%	1.101%
15	12.533	1752	1758	1774	rVB3	22372	64362	1.67%	0.237%
16	12.698	1779	1786	1791	rVV	37772	55363	1.44%	0.204%
17	12.763	1792	1797	1807	rVV2	30166	64997	1.69%	0.239%
18	12.851	1808	1812	1817	rVV	72839	91721	2.38%	0.337%
19	12.922	1818	1824	1832	rVB3	23322	46818	1.22%	0.172%
20	13.033	1837	1843	1855	rBV	2341067	3096861	80.45%	11.384%
21	13.557	1928	1932	1936	rBV	36737	47509	1.23%	0.175%
22	13.604	1936	1940	1947	rVB	33796	50876	1.32%	0.187%
23	13.933	1992	1996	1998	rBV	41360	57149	1.48%	0.210%
24	14.063	2014	2018	2020	rBV	109873	141893	3.69%	0.522%
25	14.092	2020	2023	2032	rVB	447022	599459	15.57%	2.204%
26	14.245	2046	2049	2054	rVB	37923	47376	1.23%	0.174%
27	14.551	2098	2101	2107	rVB	37159	46629	1.21%	0.171%
28	14.863	2151	2154	2159	rVB	32031	43697	1.14%	0.161%
29	14.945	2164	2168	2174	rVB	33730	47672	1.24%	0.175%
30	15.210	2209	2213	2223	rVB	33958	53806	1.40%	0.198%
31	15.592	2272	2278	2286	rBV	465128	765922	19.90%	2.815%

Sum of corrected areas: 27204454

Sample Results: **BF143515.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143515.D
Acq On : 21 Aug 2025 06:15
Operator : RC/JU
Sample : Q2815-08
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Sample Results: **BF143515.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143515.D
Acq On : 21 Aug 2025 06:15
Operator : RC/JU
Sample : Q2815-08
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.281	96.05 ng	3746750	1,4-Dichlorobenzene-d4	6.928

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	39
3	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25
4	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	17
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	12





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143515.D
Acq On : 21 Aug 2025 06:15
Operator : RC/JU
Sample : Q2815-08
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
5.163	9.46 ng	368939	1,4-Dichlorobenzene-d4	6.928

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	59
2	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	25
3	1-Propen-2-ol, acetate	100	C5H8O2	000108-22-5	12
4	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	9
5	Acetic acid, 1,1-dimethylethyl e...	116	C6H12O2	000540-88-5	9





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143515.D
Acq On : 21 Aug 2025 06:15
Operator : RC/JU
Sample : Q2815-08
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.675	7.60 ng	438652	Acenaphthene-d10	9.963

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	Azobenzene	182	C12H10N2	000103-33-3	64
3	1,2-Propanedione, 1-phenyl-	148	C9H8O2	000579-07-7	47
4	Vinyl benzoate	148	C9H8O2	000769-78-8	47
5	Benzenebutanoic acid, .gamma.-oxo-	178	C10H10O3	002051-95-8	47





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143515.D
Acq On : 21 Aug 2025 06:15
Operator : RC/JU
Sample : Q2815-08
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 n-Hexadecanoic acid Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
11.975	5.94 ng	299516	Phenanthrene-d10	11.451

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Pentadecanoic acid	242	C15H30O2	001002-84-2	87
3	Tetradecanoic acid	228	C14H28O2	000544-63-8	80
4	Tridecanoic acid	214	C13H26O2	000638-53-9	64
5	Undecanoic acid	186	C11H22O2	000112-37-8	64





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143515.D
Acq On : 21 Aug 2025 06:15
Operator : RC/JU
Sample : Q2815-08
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 5 Hexadecanoic acid, 1,1-dime... Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
12.851	3.06 ng	91721	Chrysene-d12	14.092

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Hexadecanoic acid, 1,1-dimethyle...	312	C20H40O2	031158-91-5	98
2	Hexadecanoic acid, butyl ester	312	C20H40O2	000111-06-8	95
3	Hexadecanoic acid, 2-methylpropy...	312	C20H40O2	000110-34-9	91
4	1,3-Pentanediol, 2,2,4-trimethyl-	146	C8H18O2	000144-19-4	43
5	Oxirane, 2,3-bis(1-methylethyl)-...	128	C8H16O	054644-32-5	43





Sample Results: **BF143515.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143515.D
Acq On : 21 Aug 2025 06:15
Operator : RC/JU
Sample : Q2815-08
Misc :
ALS Vial : 39 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	2.281	96.0	ng	3746750	1	6.928	780165	20.0
2-Pentanone, 4-...	5.163	9.5	ng	368939	1	6.928	780165	20.0
Benzophenone	10.675	7.6	ng	438652	3	9.963	1153960	20.0
n-Hexadecanoic ...	11.975	5.9	ng	299516	4	11.451	1008080	20.0
Hexadecanoic ac...	12.851	3.1	ng	91721	5	14.092	599459	20.0

Raw Data: **BF143411.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-09	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143411.D	1	08/12/25 11:39	08/15/25 09:46	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Raw Data: **BF143411.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-09	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143411.D	1	08/12/25 11:39	08/15/25 09:46	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Raw Data: **BF143411.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-09	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143411.D	1	08/12/25 11:39	08/15/25 09:46	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	97.6		19 - 119		65%	SPK: 150
13127-88-3	Phenol-d6	74.3		10 - 130		50%	SPK: 150
4165-60-0	Nitrobenzene-d5	108		44 - 120		108%	SPK: 100
321-60-8	2-Fluorobiphenyl	99.3		44 - 119		99%	SPK: 100
118-79-6	2,4,6-Tribromophenol	173		43 - 140		116%	SPK: 150
1718-51-0	Terphenyl-d14	88.8		50 - 134		89%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	141000	6.934				
1146-65-2	Naphthalene-d8	532000	8.21				
15067-26-2	Acenaphthene-d10	274000	9.969				
1517-22-2	Phenanthrene-d10	391000	11.457				
1719-03-5	Chrysene-d12	270000	14.098				
1520-96-3	Perylene-d12	333000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	110	J			2.30	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	9.30	AB			5.17	ug/L
000119-61-9	Benzophenone	4.40	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	3.30	J			12.0	ug/L
007098-21-7	Tritetracontane	2.40	J			13.9	ug/L

Raw Data: **BF143411.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-09	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143411.D	1	08/12/25 11:39	08/15/25 09:46	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143411.D
Acq On : 15 Aug 2025 09:46
Operator : RC/JU
Sample : Q2815-09
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Quant Time: Aug 15 11:05:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	140835	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	532467	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	273733	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	391193	20.000	ng	0.00
76) Chrysene-d12	14.098	240	269564	20.000	ng	0.00
86) Perylene-d12	15.592	264	332981	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.569	112	794538	97.558	ng	0.00
7) Phenol-d6	6.563	99	775874	74.289	ng	0.00
23) Nitrobenzene-d5	7.492	82	923757	108.036	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	346974	173.444	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1602519	99.275	ng	0.00
79) Terphenyl-d14	13.039	244	1340995	88.815	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143411.D
Acq On : 15 Aug 2025 09:46
Operator : RC/JU
Sample : Q2815-09
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Quant Time: Aug 15 11:05:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143411.D
Acq: 15 Aug 2025 09:46

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Tgt Ion:152 Resp: 140835

Ion	Ratio	Lower	Upper
152	100		
150	156.4	129.8	194.8
115	58.5	47.8	71.8





#5
2-Fluorophenol
Concen: 97.558 ng
RT: 5.569 min Scan# 574
Delta R.T. 0.006 min
Lab File: BF143411.D
Acq: 15 Aug 2025 09:46

Tgt Ion:112 Resp: 794538

Ion	Ratio	Lower	Upper
112	100		
64	65.5	52.1	78.1
63	34.0	26.6	39.8





#7
Phenol-d6
Concen: 74.289 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143411.D
Acq: 15 Aug 2025 09:46

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Tgt Ion: 99 Resp: 775874

Ion	Ratio	Lower	Upper
99	100		
42	20.5	16.6	25.0
71	33.6	26.2	39.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. 0.000 min
Lab File: BF143411.D
Acq: 15 Aug 2025 09:46

Tgt Ion:136 Resp: 532467

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	10.0	8.4	12.6
68	7.0	5.9	8.9





#23
Nitrobenzene-d5
Concen: 108.036 ng
RT: 7.492 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143411.D
Acq: 15 Aug 2025 09:46

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Tgt Ion: 82 Resp: 923757

Ion	Ratio	Lower	Upper
82	100		
128	44.7	33.5	50.3
54	57.4	46.7	70.1





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BF143411.D
Acq: 15 Aug 2025 09:46

Tgt Ion:164 Resp: 273733

Ion	Ratio	Lower	Upper
164	100		
162	99.6	78.6	118.0
160	43.8	34.4	51.6





#42
2,4,6-Tribromophenol
Concen: 173.444 ng
RT: 10.757 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143411.D
Acq: 15 Aug 2025 09:46

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Tgt Ion:330 Resp: 346974

Ion	Ratio	Lower	Upper
330	100		
332	96.3	78.1	117.1
141	28.6	25.4	38.0





#45
2-Fluorobiphenyl
Concen: 99.275 ng
RT: 9.286 min Scan# 1206
Delta R.T. -0.000 min
Lab File: BF143411.D
Acq: 15 Aug 2025 09:46

Tgt Ion:172 Resp: 1602519

Ion	Ratio	Lower	Upper
172	100		
171	35.6	28.4	42.6
170	23.8	19.1	28.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143411.D
Acq: 15 Aug 2025 09:46

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Tgt Ion:188 Resp: 391193

Ion	Ratio	Lower	Upper
188	100		
94	10.2	8.8	13.2
80	10.9	9.7	14.5





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143411.D
Acq: 15 Aug 2025 09:46

Tgt Ion:240 Resp: 269564

Ion	Ratio	Lower	Upper
240	100		
120	10.5	9.0	13.6
236	25.2	19.9	29.9





#79
Terphenyl-d14
Concen: 88.815 ng
RT: 13.039 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143411.D
Acq: 15 Aug 2025 09:46

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Tgt Ion:244 Resp: 1340995

Ion	Ratio	Lower	Upper
244	100		
212	6.6	5.1	7.7
122	10.4	8.9	13.3





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. 0.012 min
Lab File: BF143411.D
Acq: 15 Aug 2025 09:46

Tgt Ion:264 Resp: 332981

Ion	Ratio	Lower	Upper
264	100		
260	23.1	18.7	28.1
265	21.2	17.2	25.8



Sample Results: **BF143411.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143411.D
Acq On : 15 Aug 2025 09:46
Operator : RC/JU
Sample : Q2815-09
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF143411.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.299	7	18	33	rVB	2613121	4531742	96.94%	15.176%
2	5.169	498	506	514	rBV	246325	387212	8.28%	1.297%
3	5.569	569	574	593	rBV	2109607	2884712	61.71%	9.660%
4	6.563	737	743	755	rBV	1653563	2267152	48.50%	7.592%
5	6.934	801	806	814	rBV	669591	843796	18.05%	2.826%
6	7.492	894	901	906	rBV	1951084	2789514	59.67%	9.341%
7	8.210	1018	1023	1040	rVB	802728	1086022	23.23%	3.637%
8	9.286	1200	1206	1217	rBV	3468627	4674812	100.00%	15.655%
9	9.969	1316	1322	1344	rVB	919690	1173039	25.09%	3.928%
10	10.680	1438	1443	1447	rBV	194270	255701	5.47%	0.856%
11	10.757	1451	1456	1472	rVV	1877124	2514616	53.79%	8.421%
12	10.986	1490	1495	1504	rVB	54112	77144	1.65%	0.258%
13	11.457	1569	1575	1582	rBV	739332	971073	20.77%	3.252%
14	11.980	1655	1664	1678	rBV2	69326	157780	3.38%	0.528%
15	13.039	1838	1844	1849	rBV	2741675	3523556	75.37%	11.799%
16	13.939	1993	1997	2015	rBV5	21601	84450	1.81%	0.283%
17	14.098	2018	2024	2035	rVB	512316	714953	15.29%	2.394%
18	15.592	2272	2278	2287	rBV	560336	924915	19.79%	3.097%

Sum of corrected areas: 29862189

Sample Results: **BF143411.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143411.D
Acq On : 15 Aug 2025 09:46
Operator : RC/JU
Sample : Q2815-09
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143411.D
Acq On : 15 Aug 2025 09:46
Operator : RC/JU
Sample : Q2815-09
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.299	107.41 ng	4531740	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	39
3	3-Pentanol, 2,4-dimethyl-	116	C7H16O	000600-36-2	37
4	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	27
5	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143411.D
Acq On : 15 Aug 2025 09:46
Operator : RC/JU
Sample : Q2815-09
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
5.169	9.18 ng	387212	1,4-Dichlorobenzene-d4	6.934

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	59
2	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	37
3	Propane, 2-methyl-2-(1-methyleth...	116	C7H16O	017348-59-3	36
4	3-Hexanol, 4-methyl-	116	C7H16O	000615-29-2	33
5	2-Hexanol, 2-methyl-	116	C7H16O	000625-23-0	28





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143411.D
Acq On : 15 Aug 2025 09:46
Operator : RC/JU
Sample : Q2815-09
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.681	4.36 ng	255701	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	Disulfide, dibenzoyl	274	C14H10O2S2	000644-32-6	49
3	2-Benzoyl-4-bromo-5-methyl-1,2-o...	281	C11H8BrNO3	1000444-92-3	47
4	2-Chloro-1-phenyl-1-propanone	168	C9H9ClO	006084-17-9	47
5	N-Methoxy-N-methylbenzamide	165	C9H11NO2	006919-61-5	47





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143411.D
Acq On : 15 Aug 2025 09:46
Operator : RC/JU
Sample : Q2815-09
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 n-Hexadecanoic acid Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
11.980	3.25 ng	157780	Phenanthrene-d10	11.457

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	98
2	Tridecanoic acid	214	C13H26O2	000638-53-9	81
3	Pentadecanoic acid	242	C15H30O2	001002-84-2	76
4	Tetradecanoic acid	228	C14H28O2	000544-63-8	74
5	Dodecanoic acid	200	C12H24O2	000143-07-7	47





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143411.D
Acq On : 15 Aug 2025 09:46
Operator : RC/JU
Sample : Q2815-09
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 Tritetracontane Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.939	2.36 ng	84450	Chrysene-d12	14.098

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Tritetracontane	605	C43H88	007098-21-7	91
2	Sulfurous acid, butyl hexadecyl ...	362	C20H42O3S	1000309-18-3	90
3	1-Octadecanesulphonyl chloride	352	C18H37ClO2S	1000342-70-4	87
4	Octadecane, 1-chloro-	288	C18H37Cl	003386-33-2	86
5	Carbonic acid, prop-1-en-2-yl te...	298	C18H34O3	1000382-90-9	86





Sample Results: **BF143411.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143411.D
Acq On : 15 Aug 2025 09:46
Operator : RC/JU
Sample : Q2815-09
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-88H-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	2.299	107.4	ng	4531740	1	6.934	843796	20.0
2-Pentanone, 4-...	5.169	9.2	ng	387212	1	6.934	843796	20.0
Benzophenone	10.681	4.4	ng	255701	3	9.969	1173040	20.0
n-Hexadecanoic ...	11.980	3.3	ng	157780	4	11.457	971073	20.0
Tritetracontane	13.939	2.4	ng	84450	5	14.098	714953	20.0

Raw Data: **BP025525.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-10	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025525.D	1	08/12/25 11:39	08/21/25 03:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-10	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025525.D	1	08/12/25 11:39	08/21/25 03:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BP025525.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-10	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025525.D	1	08/12/25 11:39	08/21/25 03:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	77.4		19 - 119		52%	SPK: 150
13127-88-3	Phenol-d6	57.2		10 - 130		38%	SPK: 150
4165-60-0	Nitrobenzene-d5	77.7		44 - 120		78%	SPK: 100
321-60-8	2-Fluorobiphenyl	67.8		44 - 119		68%	SPK: 100
118-79-6	2,4,6-Tribromophenol	120		43 - 140		80%	SPK: 150
1718-51-0	Terphenyl-d14	78.0		50 - 134		78%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	224000	7.784				
1146-65-2	Naphthalene-d8	911000	10.554				
15067-26-2	Acenaphthene-d10	611000	14.395				
1517-22-2	Phenanthrene-d10	1130000	17.195				
1719-03-5	Chrysene-d12	955000	21.636				
1520-96-3	Perylene-d12	1100000	25.006				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	66.0	J			3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	6.20	AB			4.95	ug/L
000119-61-9	Benzophenone	6.30	J			15.8	ug/L
000057-10-3	n-Hexadecanoic acid	10.3	J			18.1	ug/L
000110-34-9	Hexadecanoic acid, 2-methylpropyl	4.10	J			19.4	ug/L
000057-11-4	Octadecanoic acid	4.80	J			19.5	ug/L
000111-06-8	Hexadecanoic acid, butyl ester	10.6	J			19.6	ug/L

Raw Data: **BP025525.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/07/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-88H-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-10	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025525.D	1	08/12/25 11:39	08/21/25 03:18	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
000646-13-9	Octadecanoic acid, 2-methylpropyl	2.10	J			20.5	ug/L
	unknown20.595	6.80	J			20.6	ug/L
000123-95-5	Octadecanoic acid, butyl ester	7.80	J			20.7	ug/L
1000309-38-0	Oxalic acid, isobutyl pentadecyl e	4.80	J			21.3	ug/L
000112-95-8	Eicosane	2.20	J			21.9	ug/L
000593-45-3	Octadecane	2.10	J			22.6	ug/L
000630-02-4	Octacosane	2.40	J			23.3	ug/L

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Time: Aug 21 05:11:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.784	152	223815	20.000	ng	-0.01
21) Naphthalene-d8	10.554	136	911198	20.000	ng	0.00
39) Acenaphthene-d10	14.395	164	611112	20.000	ng	-0.01
64) Phenanthrene-d10	17.195	188	1126779	20.000	ng	0.00
76) Chrysene-d12	21.636	240	954753	20.000	ng	-0.01
86) Perylene-d12	25.006	264	1099019	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.407	112	1043652	77.439	ng	0.00
7) Phenol-d6	6.966	99	987626	57.158	ng	0.00
23) Nitrobenzene-d5	8.931	82	1400365	77.742	ng	0.00
42) 2,4,6-Tribromophenol	15.907	330	985098	119.760	ng	0.00
45) 2-Fluorobiphenyl	13.013	172	3032844	67.826	ng	0.00
79) Terphenyl-d14	19.918	244	4072129	78.033	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Time: Aug 21 05:11:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.784 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025525.D
Acq: 21 Aug 2025 03:18

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Tgt Ion:152 Resp: 223815

Ion	Ratio	Lower	Upper
152	100		
150	157.1	125.9	188.9
115	63.2	48.5	72.7





#5
2-Fluorophenol
Concen: 77.439 ng
RT: 5.407 min Scan# 420
Delta R.T. -0.000 min
Lab File: BP025525.D
Acq: 21 Aug 2025 03:18

Tgt Ion:112 Resp: 1043652

Ion	Ratio	Lower	Upper
112	100		
64	55.6	43.8	65.8
63	29.9	22.7	34.1





#7
Phenol-d6
Concen: 57.158 ng
RT: 6.966 min Scan# 6
Delta R.T. -0.000 min
Lab File: BP025525.D
Acq: 21 Aug 2025 03:18

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Tgt Ion: 99 Resp: 987626

Ion	Ratio	Lower	Upper
99	100		
42	18.4	13.7	20.5
71	36.1	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.554 min Scan# 1295
Delta R.T. -0.006 min
Lab File: BP025525.D
Acq: 21 Aug 2025 03:18

Tgt Ion:136 Resp: 911198

Ion	Ratio	Lower	Upper
136	100		
137	11.4	9.2	13.8
54	7.8	6.0	9.0
68	5.3	4.3	6.5





#23
Nitrobenzene-d5
Concen: 77.742 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025525.D
Acq: 21 Aug 2025 03:18

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Tgt Ion: 82 Resp: 1400365

Ion	Ratio	Lower	Upper
82	100		
128	45.3	37.7	56.5
54	52.1	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.395 min Scan# 1948
Delta R.T. -0.012 min
Lab File: BP025525.D
Acq: 21 Aug 2025 03:18

Tgt Ion:164 Resp: 611112

Ion	Ratio	Lower	Upper
164	100		
162	102.5	81.0	121.6
160	45.3	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 119.760 ng
RT: 15.907 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025525.D
Acq: 21 Aug 2025 03:18

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Tgt Ion:330 Resp: 985098

Ion	Ratio	Lower	Upper
330	100		
332	97.0	77.3	115.9
141	34.7	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 67.826 ng
RT: 13.013 min Scan# 1713
Delta R.T. -0.006 min
Lab File: BP025525.D
Acq: 21 Aug 2025 03:18

Tgt Ion:172 Resp: 3032844

Ion	Ratio	Lower	Upper
172	100		
171	35.5	28.1	42.1
170	23.4	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.195 min Scan# 24
Delta R.T. -0.006 min
Lab File: BP025525.D
Acq: 21 Aug 2025 03:18

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Tgt Ion:188 Resp: 1126779

Ion	Ratio	Lower	Upper
188	100		
94	8.5	6.6	10.0
80	9.1	6.7	10.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.636 min Scan# 3179
Delta R.T. -0.012 min
Lab File: BP025525.D
Acq: 21 Aug 2025 03:18

Tgt Ion:240 Resp: 954753

Ion	Ratio	Lower	Upper
240	100		
120	10.3	8.9	13.3
236	26.0	19.8	29.8





#79
Terphenyl-d14
Concen: 78.033 ng
RT: 19.918 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025525.D
Acq: 21 Aug 2025 03:18

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Tgt Ion:244 Resp: 4072129

Ion	Ratio	Lower	Upper
244	100		
212	7.6	5.8	8.6
122	9.6	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.006 min Scan# 3752
Delta R.T. -0.024 min
Lab File: BP025525.D
Acq: 21 Aug 2025 03:18

Tgt Ion:264 Resp: 1099019

Ion	Ratio	Lower	Upper
264	100		
260	23.0	19.3	28.9
265	22.1	17.4	26.0



Sample Results: **BP025525.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025525.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	3.043	13	18	35	rVB	3399777	4373107	39.16%	6.592%
2	4.949	335	342	348	rBV	280157	411508	3.68%	0.620%
3	5.407	413	420	431	rBV	2476195	3613440	32.35%	5.447%
4	6.966	675	685	701	rBV	1792001	2842464	25.45%	4.285%
5	7.784	817	824	831	rBV	827647	1324642	11.86%	1.997%
6	8.931	1011	1019	1033	rBV	2387273	4140616	37.07%	6.242%
7	10.554	1288	1295	1303	rBV	1066333	1864588	16.70%	2.811%
8	13.013	1705	1713	1725	rBV	5711740	8922432	79.89%	13.450%
9	14.395	1938	1948	1956	rBV	1579419	2696795	24.15%	4.065%
10	15.771	2176	2182	2191	rBV	486857	845985	7.57%	1.275%
11	15.901	2197	2204	2212	rBV	4928797	7443291	66.65%	11.220%
12	16.348	2276	2280	2289	rVB	127608	179683	1.61%	0.271%
13	17.195	2417	2424	2432	rBV	1945086	2779530	24.89%	4.190%
14	18.136	2578	2584	2594	rBV	959169	1432832	12.83%	2.160%
15	18.454	2633	2638	2645	rBV4	76558	152081	1.36%	0.229%
16	19.312	2780	2784	2786	rBV2	80783	113624	1.02%	0.171%
17	19.371	2790	2794	2800	rVB	432968	567409	5.08%	0.855%
18	19.460	2805	2809	2823	rVV	390265	622206	5.57%	0.938%
19	19.624	2832	2837	2842	rBV	1156917	1374247	12.30%	2.072%
20	19.742	2854	2857	2862	rVB	191927	204487	1.83%	0.308%
21	19.918	2881	2887	2899	rBV	8046396	11168430	100.00%	16.835%
22	20.501	2983	2986	2991	rVB2	243098	265077	2.37%	0.400%
23	20.595	2998	3002	3016	rBV	592619	880299	7.88%	1.327%
24	20.712	3017	3022	3027	rVB	759130	1011503	9.06%	1.525%
25	20.789	3032	3035	3038	rVV	170949	204322	1.83%	0.308%
26	21.312	3119	3124	3132	rVB2	345103	616717	5.52%	0.930%
27	21.636	3173	3179	3186	rBV2	1635947	2587954	23.17%	3.901%
28	21.895	3220	3223	3229	rVB	197247	287830	2.58%	0.434%
29	22.553	3331	3335	3341	rVB	155066	267275	2.39%	0.403%
30	23.295	3456	3461	3468	rVB	161305	309734	2.77%	0.467%
31	25.006	3743	3752	3763	rVB	971116	2835536	25.39%	4.274%

Sum of corrected areas: 66339644

Sample Results: **BP025525.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.043	66.03 ng	4373110	1,4-Dichlorobenzene-d4	7.784

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	40
3	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	23
4	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	22
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 7

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.949	6.21 ng	411508	1,4-Dichlorobenzene-d4	7.784

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	56
2	1,2-Butanediol	90	C4H10O2	000584-03-2	17
3	1-Propen-2-ol, acetate	100	C5H8O2	000108-22-5	10
4	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	9
5	Morpholine, 4-methyl-	101	C5H11NO	000109-02-4	9





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.772	6.27 ng	845985	Acenaphthene-d10	14.395

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	1,2,4,5-Tetroxane, 3,3,6,6-tetra...	396	C26H20O4	016204-36-7	64
3	Azobenzene	182	C12H10N2	000103-33-3	45
4	Benzenamine, N-(3-pyridinylmethy...	182	C12H10N2	029722-97-2	42
5	1,2,4-Trioxolane, 3,3,5-triphenyl-	304	C20H16O3	023246-12-0	42





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 n-Hexadecanoic acid Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
18.136	10.31 ng	1432830	Phenanthrene-d10	17.195

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Tridecanoic acid	214	C13H26O2	000638-53-9	95
3	Pentadecanoic acid	242	C15H30O2	001002-84-2	93
4	Tetradecanoic acid	228	C14H28O2	000544-63-8	91
5	n-Decanoic acid	172	C10H20O2	000334-48-5	68





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 5 Hexadecanoic acid, 2-methyl... Concentration Rank 10

R.T.	EstConc	Area	Relative to ISTD	R.T.
19.371	4.08 ng	567409	Phenanthrene-d10	17.195

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Hexadecanoic acid, 2-methylpropy...	312	C20H40O2	000110-34-9	91
2	Hexadecanoic acid, butyl ester	312	C20H40O2	000111-06-8	59
3	Decane, 2,2,3-trimethyl-	184	C13H28	062338-09-4	38
4	Cyclopentanecarboxylic acid, 2-a...	129	C6H11NO2	040482-05-1	35
5	Hexadecanoic acid, 1,1-dimethyle...	312	C20H40O2	031158-91-5	35





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 6 Octadecanoic acid Concentration Rank 8

R.T.	EstConc	Area	Relative to ISTD	R.T.
19.459	4.81 ng	622206	Chrysene-d12	21.636

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octadecanoic acid	284	C18H36O2	000057-11-4	99
2	Pentadecanoic acid	242	C15H30O2	001002-84-2	93
3	Octadecanoic acid, 2-(2-hydroxye...	372	C22H44O4	000106-11-6	86
4	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	83
5	Tetradecanoic acid	228	C14H28O2	000544-63-8	74





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 7 Hexadecanoic acid, butyl ester Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
19.624	10.62 ng	1374250	Chrysene-d12	21.636

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Hexadecanoic acid, butyl ester	312	C20H40O2	000111-06-8	98
2	Hexadecanoic acid, 1,1-dimethyle...	312	C20H40O2	031158-91-5	96
3	Hexadecanoic acid, 2-methylpropy...	312	C20H40O2	000110-34-9	78
4	Nipecotic acid	129	C6H11NO2	000498-95-3	47
5	Cyclohexanol, 4-amino-, trans-	115	C6H13NO	027489-62-9	30





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 8 Octadecanoic acid, 2-methyl... Concentration Rank 14

R.T.	EstConc	Area	Relative to ISTD	R.T.
20.501	2.05 ng	265077	Chrysene-d12	21.636

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octadecanoic acid, 2-methylpropy...	340	C22H44O2	000646-13-9	91
2	Tetracosanoic acid, isobutyl ester	424	C28H56O2	1010405-17-3	70
3	Butyl myristate	284	C18H36O2	000110-36-1	53
4	Tricosanoic acid, isobutyl ester	410	C27H54O2	1000405-17-2	53
5	Octadecanoic acid, butyl ester	340	C22H44O2	000123-95-5	46





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 9 unknown20.595 Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
20.595	6.80 ng	880299	Chrysene-d12	21.636

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	4-Allyl-2-t-butyl-[1,3]dioxolane...	286	C15H26O3S	098041-27-1	38
2	Phenol, 4-methoxy-2-nitro-	169	C7H7NO4	001568-70-3	38
3	Quinoline-5-carbonitrile, 6-amino-	169	C10H7N3	1000317-01-9	38
4	Fumaric acid, 4-heptyl pentyl ester	284	C16H28O4	1000348-51-4	38
5	[1,1'-Biphenyl]-4-amine	169	C12H11N	000092-67-1	38





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 10 Octadecanoic acid, butyl ester Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
20.712	7.82 ng	1011500	Chrysene-d12	21.636

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octadecanoic acid, butyl ester	340	C22H44O2	000123-95-5	90
2	Octadecanoic acid, 2-methylpropy...	340	C22H44O2	000646-13-9	87
3	Butyl myristate	284	C18H36O2	000110-36-1	53
4	Cyclopropane, propyl-	84	C6H12	002415-72-7	30
5	Cyclohexane, (1,1-dimethylethyl)-	140	C10H20	003178-22-1	30





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 11 Oxalic acid, isobutyl penta... Concentration Rank 9

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.312	4.77 ng	616717	Chrysene-d12	21.636

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Oxalic acid, isobutyl pentadecyl...	356	C21H40O4	1000309-38-0	91
2	Oxalic acid, hexadecyl propyl ester	356	C21H40O4	1000309-26-9	91
3	Oxalic acid, isobutyl tetradecyl...	342	C20H38O4	1000309-37-9	91
4	Oxalic acid, octadecyl propyl ester	384	C23H44O4	1000309-27-0	91
5	Henicos-1-ene	294	C21H42	001599-68-4	90





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 12 Eicosane Concentration Rank 12

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.895	2.22 ng	287830	Chrysene-d12	21.636

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Eicosane	282	C20H42	000112-95-8	95
2	Hentriacontane	437	C31H64	000630-04-6	94
3	Heptadecane, 9-hexyl-	324	C23H48	055124-79-3	90
4	9-Methylheneicosane	310	C22H46	070475-51-3	90
5	11-Methyltricosane	338	C24H50	027538-41-6	90





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 13 Octadecane Concentration Rank 13

R.T.	EstConc	Area	Relative to ISTD	R.T.
22.554	2.07 ng	267275	Chrysene-d12	21.636

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octadecane	254	C18H38	000593-45-3	94
2	13-Methylheptacosane	394	C28H58	015689-72-2	93
3	Heptadecane, 9-octyl-	352	C25H52	007225-64-1	93
4	Eicosane	282	C20H42	000112-95-8	93
5	11-Methyltricosane	338	C24H50	027538-41-6	93





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 14 Octacosane Concentration Rank 11

R.T.	EstConc	Area	Relative to ISTD	R.T.
23.295	2.39 ng	309734	Chrysene-d12	21.636

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octacosane	394	C28H58	000630-02-4	96
2	Heneicosane	296	C21H44	000629-94-7	91
3	Hentriacontane	437	C31H64	000630-04-6	91
4	Hexacosane	366	C26H54	000630-01-3	90
5	Docosane	310	C22H46	000629-97-0	87





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025525.D
Acq On : 21 Aug 2025 03:18
Operator : CG/JU
Sample : Q2815-10
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-88H-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	3.043	66.0	ng	4373110	1	7.784	1324640	20.0
2-Pentanone, 4-...	4.949	6.2	ng	411508	1	7.784	1324640	20.0
Benzophenone	15.772	6.3	ng	845985	3	14.395	2696800	20.0
n-Hexadecanoic ...	18.136	10.3	ng	1432830	4	17.195	2779530	20.0
Hexadecanoic ac...	19.371	4.1	ng	567409	4	17.195	2779530	20.0
Octadecanoic acid	19.459	4.8	ng	622206	5	21.636	2587950	20.0
Hexadecanoic ac...	19.624	10.6	ng	1374250	5	21.636	2587950	20.0
Octadecanoic ac...	20.501	2.0	ng	265077	5	21.636	2587950	20.0
unknown20.595	20.595	6.8	ng	880299	5	21.636	2587950	20.0
Octadecanoic ac...	20.712	7.8	ng	1011500	5	21.636	2587950	20.0
Oxalic acid, is...	21.312	4.8	ng	616717	5	21.636	2587950	20.0
Eicosane	21.895	2.2	ng	287830	5	21.636	2587950	20.0
Octadecane	22.554	2.1	ng	267275	5	21.636	2587950	20.0
Octacosane	23.295	2.4	ng	309734	5	21.636	2587950	20.0

Raw Data: **BF143514.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-11	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143514.D	1	08/12/25 11:39	08/21/25 05:47	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	3.70	J	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BF143514.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-11	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143514.D	1	08/12/25 11:39	08/21/25 05:47	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BF143514.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-11	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143514.D	1	08/12/25 11:39	08/21/25 05:47	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	67.0		19 - 119		45%	SPK: 150
13127-88-3	Phenol-d6	59.8		10 - 130		40%	SPK: 150
4165-60-0	Nitrobenzene-d5	72.8		44 - 120		73%	SPK: 100
321-60-8	2-Fluorobiphenyl	68.4		44 - 119		68%	SPK: 100
118-79-6	2,4,6-Tribromophenol	67.4		43 - 140		45%	SPK: 150
1718-51-0	Terphenyl-d14	69.4		50 - 134		69%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	128000	6.928				
1146-65-2	Naphthalene-d8	486000	8.204				
15067-26-2	Acenaphthene-d10	259000	9.963				
1517-22-2	Phenanthrene-d10	383000	11.451				
1719-03-5	Chrysene-d12	215000	14.092				
1520-96-3	Perylene-d12	273000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	93.3	J			2.27	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	10.8	AB			5.16	ug/L
000119-61-9	Benzophenone	8.60	J			10.7	ug/L
000111-06-8	Hexadecanoic acid, butyl ester	3.80	J			12.9	ug/L
005454-48-8	Bromoacetic acid, hexadecyl ester	2.90	J			14.0	ug/L

Raw Data: **BF143514.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-11	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143514.D	1	08/12/25 11:39	08/21/25 05:47	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143514.D
Acq On : 21 Aug 2025 05:47
Operator : RC/JU
Sample : Q2815-11
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Quant Time: Aug 21 07:07:03 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	127726	20.000	ng	0.00
21) Naphthalene-d8	8.204	136	485532	20.000	ng	0.00
39) Acenaphthene-d10	9.963	164	258859	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	382887	20.000	ng	0.00
76) Chrysene-d12	14.092	240	214981	20.000	ng	-0.01
86) Perylene-d12	15.592	264	273080	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	489925	66.978	ng	0.00
7) Phenol-d6	6.557	99	539974	59.801	ng	-0.02
23) Nitrobenzene-d5	7.481	82	605589	72.784	ng	-0.02
42) 2,4,6-Tribromophenol	10.751	330	162433	67.411	ng	-0.01
45) 2-Fluorobiphenyl	9.280	172	1072072	68.446	ng	0.00
79) Terphenyl-d14	13.033	244	854665	69.375	ng	0.00
Target Compounds						Qvalue
31) Naphthalene	8.228	128	86571	3.714	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143514.D
Acq On : 21 Aug 2025 05:47
Operator : RC/JU
Sample : Q2815-11
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Quant Time: Aug 21 07:07:03 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143514.D
Acq: 21 Aug 2025 05:47

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Tgt Ion:152 Resp: 127726

Ion	Ratio	Lower	Upper
152	100		
150	156.9	128.9	193.3
115	59.8	49.2	73.8





#5
2-Fluorophenol
Concen: 66.978 ng
RT: 5.563 min Scan# 573
Delta R.T. -0.000 min
Lab File: BF143514.D
Acq: 21 Aug 2025 05:47

Tgt Ion:112 Resp: 489925

Ion	Ratio	Lower	Upper
112	100		
64	64.1	50.4	75.6
63	33.4	26.4	39.6





#7
Phenol-d6
Concen: 59.801 ng
RT: 6.557 min Scan# 7
Delta R.T. -0.018 min
Lab File: BF143514.D
Acq: 21 Aug 2025 05:47

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Tgt Ion: 99 Resp: 539974

Ion	Ratio	Lower	Upper
99	100		
42	20.0	16.3	24.5
71	34.6	28.2	42.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.204 min Scan# 1022
Delta R.T. -0.006 min
Lab File: BF143514.D
Acq: 21 Aug 2025 05:47

Tgt Ion:136 Resp: 485532

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.0	13.4
54	9.3	7.4	11.2
68	6.2	5.0	7.4





#23
Nitrobenzene-d5
Concen: 72.784 ng
RT: 7.481 min Scan# 8
Delta R.T. -0.018 min
Lab File: BF143514.D
Acq: 21 Aug 2025 05:47

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Tgt Ion: 82 Resp: 605589

Ion	Ratio	Lower	Upper
82	100		
128	42.4	35.5	53.3
54	57.1	44.3	66.5





#31
Naphthalene
Concen: 3.714 ng
RT: 8.228 min Scan# 1026
Delta R.T. -0.006 min
Lab File: BF143514.D
Acq: 21 Aug 2025 05:47

Tgt Ion:128 Resp: 86571

Ion	Ratio	Lower	Upper
128	100		
129	10.5	8.8	13.2
127	13.1	10.6	16.0





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143514.D
Acq: 21 Aug 2025 05:47

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Tgt Ion:164 Resp: 258859

Ion	Ratio	Lower	Upper
164	100		
162	99.3	80.5	120.7
160	42.5	34.3	51.5





#42
2,4,6-Tribromophenol
Concen: 67.411 ng
RT: 10.751 min Scan# 1455
Delta R.T. -0.012 min
Lab File: BF143514.D
Acq: 21 Aug 2025 05:47

Tgt Ion:330 Resp: 162433

Ion	Ratio	Lower	Upper
330	100		
332	97.6	78.0	117.0
141	30.5	23.7	35.5





#45
2-Fluorobiphenyl
Concen: 68.446 ng
RT: 9.280 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143514.D
Acq: 21 Aug 2025 05:47

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Tgt Ion:172 Resp: 1072072

Ion	Ratio	Lower	Upper
172	100		
171	36.1	28.8	43.2
170	23.6	18.8	28.2





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. -0.006 min
Lab File: BF143514.D
Acq: 21 Aug 2025 05:47

Tgt Ion:188 Resp: 382887

Ion	Ratio	Lower	Upper
188	100		
94	9.4	7.4	11.2
80	10.5	8.2	12.4





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.092 min Scan# 2(
Delta R.T. -0.012 min
Lab File: BF143514.D
Acq: 21 Aug 2025 05:47

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Tgt Ion:240 Resp: 214981

Ion	Ratio	Lower	Upper
240	100		
120	11.5	8.6	12.8
236	25.8	20.4	30.6





#79
Terphenyl-d14
Concen: 69.375 ng
RT: 13.033 min Scan# 1843
Delta R.T. -0.006 min
Lab File: BF143514.D
Acq: 21 Aug 2025 05:47

Tgt Ion:244 Resp: 854665

Ion	Ratio	Lower	Upper
244	100		
212	6.6	5.2	7.8
122	10.0	7.9	11.9





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143514.D
Acq: 21 Aug 2025 05:47

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Tgt Ion:264 Resp: 273080

Ion	Ratio	Lower	Upper
264	100		
260	23.6	18.7	28.1
265	21.5	17.6	26.4



Sample Results: **BF143514.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143514.D
Acq On : 21 Aug 2025 05:47
Operator : RC/JU
Sample : Q2815-11
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF143514.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.269	5	13	22	rVB	2120451	3554161	100.00%	15.858%
2	5.157	496	504	519	rBV	277624	409465	11.52%	1.827%
3	5.563	564	573	591	rBV	1339995	1784910	50.22%	7.964%
4	6.557	736	742	760	rBV	1182092	1574186	44.29%	7.024%
5	6.928	799	805	812	rBV	588472	761690	21.43%	3.399%
6	7.186	844	849	855	rBV	56895	69725	1.96%	0.311%
7	7.481	893	899	911	rBV	1288796	1810208	50.93%	8.077%
8	8.204	1017	1022	1032	rBV2	758546	1159419	32.62%	5.173%
9	9.280	1199	1205	1210	rBV	2466992	3127303	87.99%	13.954%
10	9.963	1315	1321	1326	rBV	880227	1091594	30.71%	4.871%
11	10.333	1380	1384	1388	rBV	47762	63696	1.79%	0.284%
12	10.674	1436	1442	1450	rBV	353963	470384	13.23%	2.099%
13	10.751	1450	1455	1471	rVV	931887	1240999	34.92%	5.537%
14	10.980	1490	1494	1504	rVB	49774	67647	1.90%	0.302%
15	11.451	1569	1574	1581	rBV	742990	951153	26.76%	4.244%
16	11.974	1659	1663	1674	rBV3	22741	49422	1.39%	0.221%
17	12.698	1782	1786	1793	rVB	45282	58369	1.64%	0.260%
18	12.851	1807	1812	1817	rBV	89974	109675	3.09%	0.489%
19	12.927	1818	1825	1833	rVB2	19534	39440	1.11%	0.176%
20	13.033	1837	1843	1848	rBV	1784828	2250042	63.31%	10.039%
21	13.557	1928	1932	1936	rBV	44681	55594	1.56%	0.248%
22	13.604	1936	1940	1948	rVB	30906	49004	1.38%	0.219%
23	13.933	1991	1996	1999	rBV	33987	48714	1.37%	0.217%
24	13.980	1999	2004	2015	rVV8	24424	85413	2.40%	0.381%
25	14.092	2018	2023	2034	rVB	427966	585365	16.47%	2.612%
26	14.251	2045	2050	2054	rBV	34076	44616	1.26%	0.199%
27	14.551	2097	2101	2107	rBV	35996	46378	1.30%	0.207%
28	14.862	2150	2154	2160	rVB	32979	49255	1.39%	0.220%
29	15.215	2209	2214	2221	rVB	33361	50803	1.43%	0.227%
30	15.592	2272	2278	2291	rBV	451103	753493	21.20%	3.362%

Sum of corrected areas: 22412123

Sample Results: **BF143514.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143514.D
Acq On : 21 Aug 2025 05:47
Operator : RC/JU
Sample : Q2815-11
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143514.D
Acq On : 21 Aug 2025 05:47
Operator : RC/JU
Sample : Q2815-11
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.269	93.32 ng	3554160	1,4-Dichlorobenzene-d4	6.928

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	39
3	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25
4	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	17
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	12





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143514.D
Acq On : 21 Aug 2025 05:47
Operator : RC/JU
Sample : Q2815-11
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
5.157	10.75 ng	409465	1,4-Dichlorobenzene-d4	6.928

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	59
2	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	25
3	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	16
4	1-Propen-2-ol, acetate	100	C5H8O2	000108-22-5	12
5	Ethanol, pentamethyl-	116	C7H16O	000594-83-2	9





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143514.D
Acq On : 21 Aug 2025 05:47
Operator : RC/JU
Sample : Q2815-11
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.675	8.62 ng	470384	Acenaphthene-d10	9.963

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	Benzenecarbothioic acid, S-methy...	152	C8H8OS	005925-68-8	49
3	Vinyl benzoate	148	C9H8O2	000769-78-8	43
4	Benzeneacetic acid, .alpha.-oxo-...	164	C9H8O3	015206-55-0	43
5	4-Acetylphenylbenzoate	240	C15H12O3	001523-18-8	43





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143514.D
Acq On : 21 Aug 2025 05:47
Operator : RC/JU
Sample : Q2815-11
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 4 Hexadecanoic acid, butyl ester Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
12.851	3.75 ng	109675	Chrysene-d12	14.092

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Hexadecanoic acid, butyl ester	312	C20H40O2	000111-06-8	98
2	Hexadecanoic acid, 1,1-dimethyle...	312	C20H40O2	031158-91-5	96
3	Hexadecanoic acid, 2-methylpropy...	312	C20H40O2	000110-34-9	87
4	Cyclohexanol, 4-amino-, trans-	115	C6H13NO	027489-62-9	30
5	Pentanal, 3-methyl-	100	C6H12O	015877-57-3	27





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143514.D
Acq On : 21 Aug 2025 05:47
Operator : RC/JU
Sample : Q2815-11
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 Bromoacetic acid, hexadecyl... Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.980	2.92 ng	85413	Chrysene-d12	14.092

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Bromoacetic acid, hexadecyl ester	362	C18H35BrO2	005454-48-8	72
2	Bromoacetic acid, pentadecyl ester	348	C17H33BrO2	131143-01-6	72
3	Chloroacetic acid, tridecyl ester	276	C15H29ClO2	018277-85-5	72
4	Chloroacetic acid, pentadecyl ester	304	C17H33ClO2	070301-47-2	52
5	13-Tetradecen-1-ol acetate	254	C16H30O2	056221-91-1	52





Sample Results: **BF143514.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143514.D
Acq On : 21 Aug 2025 05:47
Operator : RC/JU
Sample : Q2815-11
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	2.269	93.3	ng	3554160	1	6.928	761690	20.0
2-Pentanone, 4-...	5.157	10.8	ng	409465	1	6.928	761690	20.0
Benzophenone	10.675	8.6	ng	470384	3	9.963	1091590	20.0
Hexadecanoic ac...	12.851	3.8	ng	109675	5	14.092	585365	20.0
Bromoacetic aci...	13.980	2.9	ng	85413	5	14.092	585365	20.0

Raw Data: **BF143502.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-12	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143502.D	1	08/12/25 11:39	08/21/25 00:00	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.20	U	4.00	8.20	10.2	ug/L
108-95-2	Phenol	4.10	U	0.93	4.10	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.10	U	0.83	4.10	5.10	ug/L
95-57-8	2-Chlorophenol	4.10	U	0.59	4.10	5.10	ug/L
95-48-7	2-Methylphenol	4.10	U	1.10	4.10	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.10	U	1.30	4.10	5.10	ug/L
98-86-2	Acetophenone	4.10	U	0.76	4.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.20	U	1.10	8.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.60	U	1.40	2.60	2.60	ug/L
67-72-1	Hexachloroethane	4.10	U	0.66	4.10	5.10	ug/L
98-95-3	Nitrobenzene	4.10	U	0.78	4.10	5.10	ug/L
78-59-1	Isophorone	4.10	U	0.77	4.10	5.10	ug/L
88-75-5	2-Nitrophenol	4.10	U	1.80	4.10	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.10	U	1.90	4.10	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.10	U	0.69	4.10	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.10	U	0.53	4.10	5.10	ug/L
91-20-3	Naphthalene	4.10	U	0.51	4.10	5.10	ug/L
106-47-8	4-Chloroaniline	4.10	U	0.86	4.10	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.10	U	0.55	4.10	5.10	ug/L
105-60-2	Caprolactam	8.20	U	1.20	8.20	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	4.10	U	0.60	4.10	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.10	U	0.57	4.10	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.20	U	3.70	8.20	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	4.10	U	0.52	4.10	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.10	U	0.63	4.10	5.10	ug/L
92-52-4	1,1-Biphenyl	4.10	U	0.54	4.10	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.10	U	0.62	4.10	5.10	ug/L
88-74-4	2-Nitroaniline	4.10	U	1.30	4.10	5.10	ug/L
131-11-3	Dimethylphthalate	4.10	U	0.62	4.10	5.10	ug/L

Raw Data: **BF143502.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-12	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143502.D	1	08/12/25 11:39	08/21/25 00:00	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.10	U	0.77	4.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.10	U	0.94	4.10	5.10	ug/L
99-09-2	3-Nitroaniline	4.10	U	1.10	4.10	5.10	ug/L
83-32-9	Acenaphthene	4.10	U	0.56	4.10	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.20	U	6.10	8.20	10.2	ug/L
100-02-7	4-Nitrophenol	8.20	U	2.40	8.20	10.2	ug/L
132-64-9	Dibenzofuran	4.10	U	0.62	4.10	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.10	U	1.20	4.10	5.10	ug/L
84-66-2	Diethylphthalate	4.10	U	0.70	4.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.10	U	0.69	4.10	5.10	ug/L
86-73-7	Fluorene	4.10	U	0.64	4.10	5.10	ug/L
100-01-6	4-Nitroaniline	4.10	U	1.50	4.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.20	U	2.90	8.20	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	4.10	U	0.59	4.10	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.10	U	0.41	4.10	5.10	ug/L
118-74-1	Hexachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
1912-24-9	Atrazine	4.10	U	1.00	4.10	5.10	ug/L
87-86-5	Pentachlorophenol	8.20	U	1.60	8.20	10.2	ug/L
85-01-8	Phenanthrene	4.10	U	0.51	4.10	5.10	ug/L
120-12-7	Anthracene	4.10	U	0.62	4.10	5.10	ug/L
86-74-8	Carbazole	4.10	U	0.73	4.10	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.10	U	1.20	4.10	5.10	ug/L
206-44-0	Fluoranthene	4.10	U	0.84	4.10	5.10	ug/L
129-00-0	Pyrene	4.10	U	0.51	4.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.10	U	2.00	4.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.20	U	0.95	8.20	10.2	ug/L
56-55-3	Benzo(a)anthracene	4.10	U	0.46	4.10	5.10	ug/L
218-01-9	Chrysene	4.10	U	0.45	4.10	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.10	U	1.60	4.10	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.20	U	2.40	8.20	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	4.10	U	0.50	4.10	5.10	ug/L

Raw Data: **BF143502.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-12	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143502.D	1	08/12/25 11:39	08/21/25 00:00	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.10	U	0.49	4.10	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.10	U	0.56	4.10	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.10	U	0.60	4.10	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.10	U	0.68	4.10	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.10	U	0.70	4.10	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
123-91-1	1,4-Dioxane	4.10	U	1.00	4.10	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.10	U	0.73	4.10	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	67.2		19 - 119		45%	SPK: 150
13127-88-3	Phenol-d6	60.1		10 - 130		40%	SPK: 150
4165-60-0	Nitrobenzene-d5	62.8		44 - 120		63%	SPK: 100
321-60-8	2-Fluorobiphenyl	64.8		44 - 119		65%	SPK: 100
118-79-6	2,4,6-Tribromophenol	88.4		43 - 140		59%	SPK: 150
1718-51-0	Terphenyl-d14	53.3		50 - 134		53%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	132000	6.928				
1146-65-2	Naphthalene-d8	484000	8.21				
15067-26-2	Acenaphthene-d10	235000	9.969				
1517-22-2	Phenanthrene-d10	315000	11.457				
1719-03-5	Chrysene-d12	215000	14.092				
1520-96-3	Perylene-d12	267000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	78.4	J			2.26	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	8.00	AB			5.15	ug/L
017301-23-4	Undecane, 2,6-dimethyl-	5.70	J			8.27	ug/L
	unknown8.386	3.20	J			8.39	ug/L
054676-39-0	Cyclohexane, 2-butyl-1,1,3-trimeth	4.30	J			8.42	ug/L
062108-25-2	Decane, 2,6,7-trimethyl-	21.3	J			8.63	ug/L
007094-26-0	Cyclohexane, 1,1,2-trimethyl-	4.70	J			8.75	ug/L

Raw Data: **BF143502.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-12	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143502.D	1	08/12/25 11:39	08/21/25 00:00	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
	unknown9.086	4.30	J			9.09	ug/L
	unknown9.204	3.20	J			9.20	ug/L
003891-98-3	Dodecane, 2,6,10-trimethyl-	17.7	J			9.23	ug/L
	unknown9.369	22.2	J			9.37	ug/L
017312-62-8	Decane, 5-propyl-	39.6	J			9.69	ug/L
	unknown9.839	8.80	J			9.84	ug/L
	unknown10.222	9.10	J			10.2	ug/L
057289-16-4	2,6-Naphthalenedione, octahydro-1,	4.90	J			10.4	ug/L
000593-49-7	Heptacosane	22.5	J			10.6	ug/L
000119-61-9	Benzophenone	8.60	J			10.7	ug/L
026730-12-1	Tridecane, 4-methyl-	66.7	J			10.9	ug/L
000544-77-4	Hexadecane, 1-iodo-	38.1	J			11.3	ug/L
026429-11-8	Heptadecane, 4-methyl-	8.90	J			11.7	ug/L

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Sample Results: **BF143502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Time: Aug 21 02:08:46 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	131776	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	484366	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	235399	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	314699	20.000	ng	0.00
76) Chrysene-d12	14.092	240	215069	20.000	ng	-0.01
86) Perylene-d12	15.592	264	267410	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	507155	67.203	ng	0.00
7) Phenol-d6	6.557	99	559763	60.087	ng	-0.02
23) Nitrobenzene-d5	7.481	82	521166	62.788	ng	-0.02
42) 2,4,6-Tribromophenol	10.757	330	193627	88.365	ng	0.00
45) 2-Fluorobiphenyl	9.281	172	922326	64.754	ng	0.00
79) Terphenyl-d14	13.033	244	656359	53.256	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Time: Aug 21 02:08:46 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143502.D
Acq: 21 Aug 2025 00:00

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Tgt Ion:152 Resp: 131776

Ion	Ratio	Lower	Upper
152	100		
150	156.9	128.9	193.3
115	59.2	49.2	73.8





#5
2-Fluorophenol
Concen: 67.203 ng
RT: 5.563 min Scan# 573
Delta R.T. -0.000 min
Lab File: BF143502.D
Acq: 21 Aug 2025 00:00

Tgt Ion:112 Resp: 507155

Ion	Ratio	Lower	Upper
112	100		
64	64.2	50.4	75.6
63	33.1	26.4	39.6





#7
Phenol-d6
Concen: 60.087 ng
RT: 6.557 min Scan# 7
Delta R.T. -0.018 min
Lab File: BF143502.D
Acq: 21 Aug 2025 00:00

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Tgt Ion: 99 Resp: 559763

Ion	Ratio	Lower	Upper
99	100		
42	20.7	16.3	24.5
71	35.4	28.2	42.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. -0.000 min
Lab File: BF143502.D
Acq: 21 Aug 2025 00:00

Tgt Ion:136 Resp: 484366

Ion	Ratio	Lower	Upper
136	100		
137	11.1	9.0	13.4
54	9.5	7.4	11.2
68	6.7	5.0	7.4





#23
Nitrobenzene-d5
Concen: 62.788 ng
RT: 7.481 min Scan# 8
Delta R.T. -0.018 min
Lab File: BF143502.D
Acq: 21 Aug 2025 00:00

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Tgt Ion: 82 Resp: 521166

Ion	Ratio	Lower	Upper
82	100		
128	42.4	35.5	53.3
54	58.1	44.3	66.5





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BF143502.D
Acq: 21 Aug 2025 00:00

Tgt Ion:164 Resp: 235399

Ion	Ratio	Lower	Upper
164	100		
162	99.7	80.5	120.7
160	43.2	34.3	51.5





#42
2,4,6-Tribromophenol
Concen: 88.365 ng
RT: 10.757 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143502.D
Acq: 21 Aug 2025 00:00

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Tgt Ion:330 Resp: 193627

Ion	Ratio	Lower	Upper
330	100		
332	95.6	78.0	117.0
141	30.1	23.7	35.5





#45
2-Fluorobiphenyl
Concen: 64.754 ng
RT: 9.281 min Scan# 1205
Delta R.T. -0.006 min
Lab File: BF143502.D
Acq: 21 Aug 2025 00:00

Tgt Ion:172 Resp: 922326

Ion	Ratio	Lower	Upper
172	100		
171	35.6	28.8	43.2
170	23.4	18.8	28.2





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143502.D
Acq: 21 Aug 2025 00:00

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Tgt Ion:188 Resp: 314699

Ion	Ratio	Lower	Upper
188	100		
94	10.5	7.4	11.2
80	11.4	8.2	12.4





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.092 min Scan# 2023
Delta R.T. -0.012 min
Lab File: BF143502.D
Acq: 21 Aug 2025 00:00

Tgt Ion:240 Resp: 215069

Ion	Ratio	Lower	Upper
240	100		
120	10.6	8.6	12.8
236	25.2	20.4	30.6





#79
Terphenyl-d14
Concen: 53.256 ng
RT: 13.033 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143502.D
Acq: 21 Aug 2025 00:00

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Tgt Ion:244 Resp: 656359

Ion	Ratio	Lower	Upper
244	100		
212	6.7	5.2	7.8
122	10.5	7.9	11.9





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. -0.006 min
Lab File: BF143502.D
Acq: 21 Aug 2025 00:00

Tgt Ion:264 Resp: 267410

Ion	Ratio	Lower	Upper
264	100		
260	23.3	18.7	28.1
265	21.3	17.6	26.4



Sample Results: **BF143502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF143502.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.263	4	12	22	rVB	2042099	3303875	100.00%	9.161%
2	5.151	496	503	518	rBV	216933	335618	10.16%	0.931%
3	5.563	567	573	585	rBV	1389317	1848340	55.94%	5.125%
4	6.469	723	727	734	rVB2	24059	35894	1.09%	0.100%
5	6.557	737	742	749	rBV	1250058	1643523	49.75%	4.557%
6	6.928	800	805	811	rVB	642123	860214	26.04%	2.385%
7	7.198	847	851	856	rVB2	57098	78172	2.37%	0.217%
8	7.322	866	872	875	rBV7	33530	64923	1.97%	0.180%
9	7.351	875	877	883	rVB2	33562	50295	1.52%	0.139%
10	7.481	889	899	910	rBV	1160603	1770670	53.59%	4.910%
11	7.569	910	914	918	rVB3	68478	102058	3.09%	0.283%
12	7.628	918	924	928	rBV3	50372	109351	3.31%	0.303%
13	7.704	934	937	939	rBV	52369	58845	1.78%	0.163%
14	7.734	939	942	949	rVB3	83986	126516	3.83%	0.351%
15	7.804	950	954	958	rBV4	44885	74391	2.25%	0.206%
16	7.851	958	962	965	rBV2	100595	119291	3.61%	0.331%
17	7.963	977	981	985	rBV3	49614	89932	2.72%	0.249%
18	8.034	990	993	997	rVB4	42624	57258	1.73%	0.159%
19	8.087	998	1002	1005	rBV2	84855	142401	4.31%	0.395%
20	8.210	1017	1023	1027	rBV	770276	1072676	32.47%	2.974%
21	8.269	1029	1033	1036	rVB	266504	298795	9.04%	0.828%
22	8.298	1036	1038	1045	rVB5	89338	154865	4.69%	0.429%
23	8.386	1046	1053	1055	rBV4	75347	168199	5.09%	0.466%
24	8.416	1055	1058	1065	rVB3	150139	224655	6.80%	0.623%
25	8.498	1069	1072	1078	rVB4	94474	156047	4.72%	0.433%
26	8.557	1079	1082	1084	rBV3	66725	84172	2.55%	0.233%
27	8.628	1090	1094	1105	rVB	610705	1121999	33.96%	3.111%
28	8.716	1106	1109	1111	rBV	88349	100240	3.03%	0.278%
29	8.751	1112	1115	1119	rBV2	164329	245032	7.42%	0.679%
30	8.957	1147	1150	1153	rBV4	124058	152784	4.62%	0.424%
31	9.086	1169	1172	1175	rBV5	145134	224134	6.78%	0.621%
32	9.204	1189	1192	1193	rBV	178780	182434	5.52%	0.506%
33	9.228	1193	1196	1201	rVV	794496	1010148	30.57%	2.801%
34	9.281	1201	1205	1210	rVV	2080929	2584246	78.22%	7.166%
35	9.369	1215	1220	1224	rBV	836825	1271234	38.48%	3.525%
36	9.686	1269	1274	1280	rBV2	1438594	2263388	68.51%	6.276%

Sample Results: **BF143502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

37	9.839	1296	1300	1302	rBV	324550	504473	15.27%	1.399%
38	9.963	1318	1321	1325	rVB	870314	1167841	35.35%	3.238%
39	10.222	1362	1365	1372	rVB2	338769	521739	15.79%	1.447%
40	10.380	1389	1392	1396	rBV3	216501	278057	8.42%	0.771%
41	10.616	1428	1432	1437	rVB	934772	1288735	39.01%	3.573%
42	10.675	1439	1442	1446	rVB	413521	493651	14.94%	1.369%
43	10.757	1452	1456	1462	rVB	887185	1100420	33.31%	3.051%
44	10.880	1473	1477	1485	rVB	1810185	2631769	79.66%	7.297%
45	11.345	1552	1556	1562	rVB	1028038	1502117	45.47%	4.165%
46	11.457	1571	1575	1579	rBV	629280	804903	24.36%	2.232%
47	11.698	1613	1616	1620	rVB2	274453	351586	10.64%	0.975%
48	13.033	1839	1843	1852	rVB	1370489	1804778	54.63%	5.004%
49	14.092	2019	2023	2036	rVB	417865	588874	17.82%	1.633%
50	14.551	2098	2101	2106	rVB	28904	36234	1.10%	0.100%
51	14.945	2165	2168	2176	rVB	22722	33537	1.02%	0.093%
52	15.215	2210	2214	2220	rVB	30755	49023	1.48%	0.136%
53	15.592	2272	2278	2289	rBV	444777	720319	21.80%	1.997%

Sum of corrected areas: 36064671

Sample Results: **BF143502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.263	76.82 ng	3303880	1,4-Dichlorobenzene-d4	6.928

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	39
3	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25
4	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	17
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	12





Sample Results: **BF143502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 13

R.T.	EstConc	Area	Relative to ISTD	R.T.
5.151	7.80 ng	335618	1,4-Dichlorobenzene-d4	6.928

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	59
2	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	37
3	Propane, 2-methyl-2-(1-methyleth...	116	C7H16O	017348-59-3	36
4	2-Hexanol, 2-methyl-	116	C7H16O	000625-23-0	28
5	Acetic acid, 1,1-dimethylethyl e...	116	C6H12O2	000540-88-5	25





Sample Results: **BF143502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 3 Undecane, 2,6-dimethyl- Concentration Rank 14

R.T.	EstConc	Area	Relative to ISTD	R.T.
8.269	5.57 ng	298795	Naphthalene-d8	8.210

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Undecane, 2,6-dimethyl-	184	C13H28	017301-23-4	94
2	Decane, 2,6,8-trimethyl-	184	C13H28	062108-26-3	72
3	Undecane, 3,6-dimethyl-	184	C13H28	017301-28-9	72
4	Dodecane, 6-methyl-	184	C13H28	006044-71-9	68
5	Sulfurous acid, butyl octyl ester	250	C12H26O3S	1000309-17-5	59





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 unknown8.386 Concentration Rank 19

R.T.	EstConc	Area	Relative to ISTD	R.T.
8.386	3.14 ng	168199	Naphthalene-d8	8.210

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	4,5-Dimethyl-3H-isobenzofuran-1-one	162	C10H10O2	1000188-08-0	49
2	2-methyl-3-azabicyclo[3.2.1]octa...	162	C10H14N2	1000451-79-1	35
3	Benzaldehyde, propylhydrazone	162	C10H14N2	022162-27-2	35
4	Benzene, (1-ethyl-1-methylpropyl)-	162	C12H18	001985-97-3	35
5	3-Phenyl-2-penten-1-ol	162	C11H14O	105330-11-8	35





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 5 Cyclohexane, 2-butyl-1,1,3-... Concentration Rank 17

R.T.	EstConc	Area	Relative to ISTD	R.T.
8.416	4.19 ng	224655	Naphthalene-d8	8.210

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Cyclohexane, 2-butyl-1,1,3-trime...	182	C13H26	054676-39-0	93
2	Cyclopentane, 1-pentyl-2-propyl-	182	C13H26	062199-51-3	83
3	3-Undecene, (E)-	154	C11H22	001002-68-2	58
4	Cyclopentane, 1-butyl-2-propyl-	168	C12H24	062199-50-2	52
5	4-Nonene, 5-butyl-	182	C13H26	007367-38-6	50





Sample Results: **BF143502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 6 Decane, 2,6,7-trimethyl- Concentration Rank 7

R.T.	EstConc	Area	Relative to ISTD	R.T.
8.628	20.92 ng	1122000	Naphthalene-d8	8.210

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Decane, 2,6,7-trimethyl-	184	C13H28	062108-25-2	83
2	Nonane, 3-methyl-	142	C10H22	005911-04-6	78
3	Tridecane, 7-methyl-	198	C14H30	026730-14-3	78
4	Octane, 2,3,7-trimethyl-	156	C11H24	062016-34-6	78
5	Sulfurous acid, 2-ethylhexyl hep...	432	C25H52O3S	1000309-20-0	72





Sample Results: **BF143502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 7 Cyclohexane, 1,1,2-trimethyl- Concentration Rank 16

R.T.	EstConc	Area	Relative to ISTD	R.T.
8.751	4.57 ng	245032	Naphthalene-d8	8.210

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Cyclohexane, 1,1,2-trimethyl-	126	C9H18	007094-26-0	68
2	Cyclopentane, (2-methylbutyl)-	140	C10H20	053366-38-4	62
3	Tridecane, 7-methylene-	196	C14H28	019780-80-4	60
4	6-Tridecene, 7-methyl-	196	C14H28	024949-42-6	55
5	1.alpha.,2.beta.,3.alpha.,4.beta...	126	C9H18	002532-67-4	52





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 8 unknown9.086 Concentration Rank 18

R.T.	EstConc	Area	Relative to ISTD	R.T.
9.086	4.18 ng	224134	Naphthalene-d8	8.210

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	7-Acetyl-3,3-dimethylbicyclo[4.1...	180	C11H16O2	1000185-00-8	45
2	1,11-Dibromoundecane	312	C11H22Br2	016696-65-4	43
3	1-Dodecanol, 3,7,11-trimethyl-	228	C15H32O	006750-34-1	38
4	Carbonic acid, isobutyl pentadec...	328	C20H40O3	1000314-61-2	35
5	6-Tetradecene, (E)-	196	C14H28	041446-64-4	30





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 9 unknown9.204 Concentration Rank 20

R.T.	EstConc	Area	Relative to ISTD	R.T.
9.204	3.12 ng	182434	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Dodecyl isobutyl ether	242	C16H34O	1000406-32-6	22
2	Oxalic acid, allyl hexadecyl ester	354	C21H38O4	1000309-24-4	22
3	Decane, 3,6-dimethyl-	170	C12H26	017312-53-7	18
4	4-Fluorophenethyl alcohol, tert....	196	C12H17FO	1000394-94-8	14
5	Dodecane, 1-iodo-	296	C12H25I	004292-19-7	14





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 10 Dodecane, 2,6,10-trimethyl- Concentration Rank 8

R.T.	EstConc	Area	Relative to ISTD	R.T.
9.228	17.30 ng	1010150	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Dodecane, 2,6,10-trimethyl-	212	C15H32	003891-98-3	91
2	Dodecane, 2,7,10-trimethyl-	212	C15H32	074645-98-0	90
3	Dodecane, 2,6,11-trimethyl-	212	C15H32	031295-56-4	86
4	Decane, 5-propyl-	184	C13H28	017312-62-8	86
5	Nonane, 2,6-dimethyl-	156	C11H24	017302-28-2	64





Sample Results: **BF143502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 11 unknown9.369 Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD	R.T.
9.369	21.77 ng	1271230	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Decahydro-1,1,4a,5,6-pentamethyl...	208	C15H28	080655-44-3	30
2	1-(p-Fluorophenyl)-4-piperidone	193	C11H12FNO	1000238-56-7	30
3	17-Pentatriacontene	491	C35H70	006971-40-0	25
4	2H-Spiro[1-benzofuran-3,2'-[1,3]...	193	C10H11NO3	1000387-33-4	25
5	3-Methyl-2-(2-oxopropyl)furan	138	C8H10O2	087773-62-4	25





Sample Results: **BF143502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 12 Decane, 5-propyl- Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
9.686	38.76 ng	2263390	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Decane, 5-propyl-	184	C13H28	017312-62-8	83
2	Heptadecane, 2,6,10,15-tetramethyl-	296	C21H44	054833-48-6	83
3	Tetracosane	338	C24H50	000646-31-1	80
4	Sulfurous acid, decyl pentyl ester	292	C15H32O3S	1000309-14-3	72
5	Sulfurous acid, hexyl pentyl ester	236	C11H24O3S	1000309-14-1	64





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 13 unknown9.839 Concentration Rank 11

R.T.	EstConc	Area	Relative to ISTD	R.T.
9.839	8.64 ng	504473	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2,10-Dodecadien-1-ol, 3,7,11-tri...	224	C15H28O	020576-59-4	49
2	3-Hexadecene, (Z)-	224	C16H32	034303-81-6	46
3	7-Hexadecene, (Z)-	224	C16H32	035507-09-6	42
4	4-Heptafluorobutyroxytetradecane	410	C18H29F7O2	1000245-49-9	41
5	1-Cyclohexyl-1-(4-methylcyclohex...	208	C15H28	002027-12-5	38





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 14 unknown10.222 Concentration Rank 9

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.222	8.94 ng	521739	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Carbonic acid, octadecyl prop-1-...	354	C22H42O3	1000383-11-5	46
2	Carbonic acid, eicosyl vinyl ester	368	C23H44O3	1000382-54-3	46
3	Carbonic acid, hexadecyl prop-1-...	326	C20H38O3	1000382-90-3	43
4	Tritetracontane	605	C43H88	007098-21-7	43
5	Octacosane	394	C28H58	000630-02-4	38





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 15 2,6-Naphthalenedione, octah... Concentration Rank 15

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.381	4.76 ng	278057	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2,6-Naphthalenedione, octahydro-...	208	C13H20O2	057289-16-4	58
2	(Phenylthio)acetic acid, cyclobu...	222	C12H14O2S	1010299-95-5	46
3	Benzamide, 3-fluoro-N-methyl-N-p...	223	C13H18FNO	1000421-36-9	43
4	Cyclopent-2-ene-1-carboxylic aci...	196	C12H20O2	1000195-65-4	38
5	Butanamide, N-(2-methoxyphenyl)-...	207	C11H13NO3	000092-15-9	38





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 16 Heptacosane Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.616	22.07 ng	1288740	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Heptacosane	380	C27H56	000593-49-7	86
2	Undecane, 2,5-dimethyl-	184	C13H28	017301-22-3	76
3	Tridecane	184	C13H28	000629-50-5	72
4	Undecane, 3,6-dimethyl-	184	C13H28	017301-28-9	64
5	Heneicosane	296	C21H44	000629-94-7	64





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 17 Benzophenone Concentration Rank 12

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.675	8.45 ng	493651	Acenaphthene-d10	9.969

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	95
2	1,2,4,5-Tetroxane, 3,3,6,6-tetra...	396	C26H20O4	016204-36-7	78
3	2,5-Pyrrolidinedione, 1-(benzoyl...	219	C11H9NO4	023405-15-4	46
4	Benzenecarbothioic acid, S-methy...	152	C8H8OS	005925-68-8	43
5	1,2-Propanedione, 1-phenyl-	148	C9H8O2	000579-07-7	43





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 18 Tridecane, 4-methyl- Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.881	65.39 ng	2631770	Phenanthrene-d10	11.457

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Tridecane, 4-methyl-	198	C14H30	026730-12-1	87
2	Tridecane, 5-propyl-	226	C16H34	055045-11-9	86
3	Dodecane, 2,6,11-trimethyl-	212	C15H32	031295-56-4	86
4	Dodecane, 2,7,10-trimethyl-	212	C15H32	074645-98-0	80
5	Dodecane, 4,6-dimethyl-	198	C14H30	061141-72-8	74





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 19 Hexadecane, 1-iodo- Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
11.345	37.32 ng	1502120	Phenanthrene-d10	11.457

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Hexadecane, 1-iodo-	352	C16H33I	000544-77-4	90
2	Heptadecane, 2,6,10,15-tetramethyl-	296	C21H44	054833-48-6	87
3	3-Ethyl-2,6,10-trimethylundecane	226	C16H34	1000432-25-9	86
4	Heptadecane, 7-methyl-	254	C18H38	020959-33-5	86
5	Tridecane	184	C13H28	000629-50-5	86





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 20 Heptadecane, 4-methyl- Concentration Rank 10

R.T.	EstConc	Area	Relative to ISTD	R.T.
11.698	8.74 ng	351586	Phenanthrene-d10	11.457

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Heptadecane, 4-methyl-	254	C18H38	026429-11-8	93
2	Octadecane	254	C18H38	000593-45-3	91
3	Heptadecane	240	C17H36	000629-78-7	87
4	Hexacosane	366	C26H54	000630-01-3	86
5	Pentacosane	352	C25H52	000629-99-2	86





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143502.D
Acq On : 21 Aug 2025 00:00
Operator : RC/JU
Sample : Q2815-12
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-22M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					--Internal Standard---			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	2.263	76.8	ng	3303880	1	6.928	860214	20.0
2-Pentanone, 4-...	5.151	7.8	ng	335618	1	6.928	860214	20.0
Undecane, 2,6-d...	8.269	5.6	ng	298795	2	8.210	1072680	20.0
unknown8.386	8.386	3.1	ng	168199	2	8.210	1072680	20.0
Cyclohexane, 2-...	8.416	4.2	ng	224655	2	8.210	1072680	20.0
Decane, 2,6,7-t...	8.628	20.9	ng	1122000	2	8.210	1072680	20.0
Cyclohexane, 1,...	8.751	4.6	ng	245032	2	8.210	1072680	20.0
unknown9.086	9.086	4.2	ng	224134	2	8.210	1072680	20.0
unknown9.204	9.204	3.1	ng	182434	3	9.969	1167840	20.0
Dodecane, 2,6,1...	9.228	17.3	ng	1010150	3	9.969	1167840	20.0
unknown9.369	9.369	21.8	ng	1271230	3	9.969	1167840	20.0
Decane, 5-propyl-	9.686	38.8	ng	2263390	3	9.969	1167840	20.0
unknown9.839	9.839	8.6	ng	504473	3	9.969	1167840	20.0
unknown10.222	10.222	8.9	ng	521739	3	9.969	1167840	20.0
2,6-Naphthalene...	10.381	4.8	ng	278057	3	9.969	1167840	20.0
Heptacosane	10.616	22.1	ng	1288740	3	9.969	1167840	20.0
Benzophenone	10.675	8.4	ng	493651	3	9.969	1167840	20.0
Tridecane, 4-me...	10.881	65.4	ng	2631770	4	11.457	804903	20.0
Hexadecane, 1-i...	11.345	37.3	ng	1502120	4	11.457	804903	20.0
Heptadecane, 4-...	11.698	8.7	ng	351586	4	11.457	804903	20.0

Raw Data: **BP025483.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-13	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025483.D	1	08/12/25 11:39	08/19/25 19:39	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BP025483.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-13	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025483.D	1	08/12/25 11:39	08/19/25 19:39	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BP025483.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-13	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025483.D	1	08/12/25 11:39	08/19/25 19:39	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	17.9	*	19 - 119		12%	SPK: 150
13127-88-3	Phenol-d6	6.42	*	10 - 130		4%	SPK: 150
4165-60-0	Nitrobenzene-d5	26.3	*	44 - 120		26%	SPK: 100
321-60-8	2-Fluorobiphenyl	27.1	*	44 - 119		27%	SPK: 100
118-79-6	2,4,6-Tribromophenol	21.1	*	43 - 140		14%	SPK: 150
1718-51-0	Terphenyl-d14	30.2	*	50 - 134		30%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	190000	7.79				
1146-65-2	Naphthalene-d8	754000	10.56				
15067-26-2	Acenaphthene-d10	487000	14.407				
1517-22-2	Phenanthrene-d10	1010000	17.207				
1719-03-5	Chrysene-d12	1050000	21.642				
1520-96-3	Perylene-d12	1170000	25.024				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	70.1	J			3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	310	AB			4.97	ug/L
000123-33-1	Maleic hydrazide	5.00	J			15.6	ug/L
	unknown7.92	7.90	J			15.7	ug/L
000119-61-9	Benzophenone	17.5	J			15.8	ug/L
000947-19-3	Methanone, (1-hydroxycyclohexyl)ph	2.20	J			16.4	ug/L
014628-36-5	2-(N,N-Bis(2-chloroethyl)amino)met	5.10	J			21.0	ug/L

Raw Data: **BP025483.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-13	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025483.D	1	08/12/25 11:39	08/19/25 19:39	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
015594-90-8	1-Heneicosanol	10.3	J			21.3	ug/L

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025483.D
Acq On : 19 Aug 2025 19:39
Operator : CG/JU
Sample : Q2815-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Quant Time: Aug 20 02:25:06 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	189806	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	753920	20.000	ng	0.00
39) Acenaphthene-d10	14.407	164	487293	20.000	ng	0.00
64) Phenanthrene-d10	17.207	188	1006081	20.000	ng	# 0.00
76) Chrysene-d12	21.642	240	1046082	20.000	ng	0.00
86) Perylene-d12	25.024	264	1169210	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	204557	17.898	ng	0.00
7) Phenol-d6	6.966	99	94002	6.415	ng	0.00
23) Nitrobenzene-d5	8.931	82	392287	26.321	ng	0.00
42) 2,4,6-Tribromophenol	15.913	330	138218	21.073	ng	0.00
45) 2-Fluorobiphenyl	13.013	172	966417	27.105	ng	0.00
79) Terphenyl-d14	19.919	244	1729007	30.240	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025483.D
Acq On : 19 Aug 2025 19:39
Operator : CG/JU
Sample : Q2815-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Quant Time: Aug 20 02:25:06 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025483.D
Acq: 19 Aug 2025 19:39

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Tgt Ion:152 Resp: 189806

Ion	Ratio	Lower	Upper
152	100		
150	153.6	125.9	188.9
115	60.3	48.5	72.7





#5
2-Fluorophenol
Concen: 17.898 ng
RT: 5.408 min Scan# 420
Delta R.T. 0.000 min
Lab File: BP025483.D
Acq: 19 Aug 2025 19:39

Tgt Ion:112 Resp: 204557

Ion	Ratio	Lower	Upper
112	100		
64	58.6	43.8	65.8
63	30.5	22.7	34.1





#7
Phenol-d6
Concen: 6.415 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025483.D
Acq: 19 Aug 2025 19:39

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Tgt Ion: 99 Resp: 94002

Ion	Ratio	Lower	Upper
99	100		
42	19.0	13.7	20.5
71	34.7	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1296
Delta R.T. 0.000 min
Lab File: BP025483.D
Acq: 19 Aug 2025 19:39

Tgt Ion:136 Resp: 753920

Ion	Ratio	Lower	Upper
136	100		
137	10.6	9.2	13.8
54	7.4	6.0	9.0
68	5.1	4.3	6.5





#23
Nitrobenzene-d5
Concen: 26.321 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025483.D
Acq: 19 Aug 2025 19:39

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Tgt Ion: 82 Resp: 392287

Ion	Ratio	Lower	Upper
82	100		
128	44.1	37.7	56.5
54	49.7	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1950
Delta R.T. 0.000 min
Lab File: BP025483.D
Acq: 19 Aug 2025 19:39

Tgt Ion:164 Resp: 487293

Ion	Ratio	Lower	Upper
164	100		
162	98.8	81.0	121.6
160	43.3	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 21.073 ng
RT: 15.913 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025483.D
Acq: 19 Aug 2025 19:39

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Tgt Ion:330 Resp: 138218

Ion	Ratio	Lower	Upper
330	100		
332	96.5	77.3	115.9
141	35.0	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 27.105 ng
RT: 13.013 min Scan# 1713
Delta R.T. -0.006 min
Lab File: BP025483.D
Acq: 19 Aug 2025 19:39

Tgt Ion:172 Resp: 966417

Ion	Ratio	Lower	Upper
172	100		
171	34.7	28.1	42.1
170	23.5	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025483.D
Acq: 19 Aug 2025 19:39

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Tgt Ion:188 Resp: 1006081

Ion	Ratio	Lower	Upper
188	100		
94	9.2	6.6	10.0
80	10.4	6.7	10.1#





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. -0.006 min
Lab File: BP025483.D
Acq: 19 Aug 2025 19:39

Tgt Ion:240 Resp: 1046082

Ion	Ratio	Lower	Upper
240	100		
120	11.4	8.9	13.3
236	25.4	19.8	29.8





#79
Terphenyl-d14
Concen: 30.240 ng
RT: 19.919 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025483.D
Acq: 19 Aug 2025 19:39

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Tgt Ion:244 Resp: 1729007

Ion	Ratio	Lower	Upper
244	100		
212	7.5	5.8	8.6
122	10.3	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.024 min Scan# 3755
Delta R.T. -0.006 min
Lab File: BP025483.D
Acq: 19 Aug 2025 19:39

Tgt Ion:264 Resp: 1169210

Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.3	28.9
265	21.7	17.4	26.0



Sample Results: **BP025483.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025483.D
Acq On : 19 Aug 2025 19:39
Operator : CG/JU
Sample : Q2815-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025483.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	3.043	13	18	35	rVB	2836460	3863262	22.50%	7.498%
2	4.966	335	345	350	rBV	8699134	17173715	100.00%	33.330%
3	5.408	414	420	432	rBV	455322	698771	4.07%	1.356%
4	6.966	678	685	699	rBV	143329	269210	1.57%	0.522%
5	7.790	818	825	832	rBV	680573	1102416	6.42%	2.140%
6	8.931	1011	1019	1027	rBV	715121	1272918	7.41%	2.470%
7	10.560	1288	1296	1305	rBV	885031	1522318	8.86%	2.954%
8	13.013	1705	1713	1724	rBV	1806953	2801974	16.32%	5.438%
9	14.407	1938	1950	1962	rBV	1265129	2065216	12.03%	4.008%
10	15.601	2145	2153	2158	rBV	354237	512013	2.98%	0.994%
11	15.654	2158	2162	2174	rVB	594575	818289	4.76%	1.588%
12	15.778	2177	2183	2192	rBV	1136157	1801500	10.49%	3.496%
13	15.913	2199	2206	2215	rBV	651600	1087534	6.33%	2.111%
14	16.036	2222	2227	2235	rVB2	143249	210459	1.23%	0.408%
15	16.354	2270	2281	2291	rVB	176336	273692	1.59%	0.531%
16	17.207	2418	2426	2433	rBV2	1525592	2506739	14.60%	4.865%
17	19.630	2833	2838	2844	rBV	177543	230301	1.34%	0.447%
18	19.919	2881	2887	2894	rBV	3142147	4701694	27.38%	9.125%
19	21.019	3070	3074	3083	rVB	540158	731760	4.26%	1.420%
20	21.313	3120	3124	3137	rBV2	849417	1480483	8.62%	2.873%
21	21.642	3175	3180	3195	rVB2	1858384	2882373	16.78%	5.594%
22	21.907	3222	3225	3232	rVB	126897	192401	1.12%	0.373%
23	22.566	3333	3337	3346	rVB4	129117	267928	1.56%	0.520%
24	25.024	3745	3755	3767	rVB2	1091954	3059646	17.82%	5.938%

Sum of corrected areas: 51526612

Sample Results: **BP025483.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025483.D
Acq On : 19 Aug 2025 19:39
Operator : CG/JU
Sample : Q2815-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025483.D
Acq On : 19 Aug 2025 19:39
Operator : CG/JU
Sample : Q2815-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.043	70.09 ng	3863260	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	40
3	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25
4	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	22
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025483.D
Acq On : 19 Aug 2025 19:39
Operator : CG/JU
Sample : Q2815-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.966	311.57 ng	17173700	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	50
2	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	17
3	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	17
4	Acetone	58	C3H6O	000067-64-1	10
5	1-Propen-2-ol, acetate	100	C5H8O2	000108-22-5	10





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025483.D
Acq On : 19 Aug 2025 19:39
Operator : CG/JU
Sample : Q2815-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Maleic hydrazide Concentration Rank 7

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.601	4.96 ng	512013	Acenaphthene-d10	14.407

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Maleic hydrazide	112	C4H4N2O2	000123-33-1	50
2	Dehydromevalonic lactone	112	C6H8O2	002381-87-5	47
3	1,2-Cyclopentanedione, 3-methyl-	112	C6H8O2	000765-70-8	46
4	4H-1,2,4-Triazol-3-amine, 4-ethyl-	112	C4H8N4	042786-06-1	43
5	2-Hydroxy-5-ethyl-5-methylcyclop...	140	C8H12O2	053263-57-3	38





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025483.D
Acq On : 19 Aug 2025 19:39
Operator : CG/JU
Sample : Q2815-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 unknown7.92 Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.654	7.92 ng	818289	Acenaphthene-d10	14.407

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Maleic hydrazide	112	C4H4N2O2	000123-33-1	59
2	4H-1,2,4-Triazol-3-amine, 4-ethyl-	112	C4H8N4	042786-06-1	35
3	1H-Pyrazole, 3-methyl-	82	C4H6N2	001453-58-3	30
4	1H-Imidazole, 1-methyl-	82	C4H6N2	000616-47-7	27
5	3H-Pyrazol-3-one, 2,4-dihydro-2,...	112	C5H8N2O	002749-59-9	27





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025483.D
Acq On : 19 Aug 2025 19:39
Operator : CG/JU
Sample : Q2815-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.778	17.45 ng	1801500	Acenaphthene-d10	14.407

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	Benzenecarbothioic acid, S-methy...	152	C8H8OS	005925-68-8	52
3	Benzenebutanoic acid, .gamma.-oxo-	178	C10H10O3	002051-95-8	49
4	Benzoyl isothiocyanate	163	C8H5NOS	000532-55-8	47
5	1-Propanone, 2-bromo-1-phenyl-	212	C9H9BrO	002114-00-3	47





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025483.D
Acq On : 19 Aug 2025 19:39
Operator : CG/JU
Sample : Q2815-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 6 Methanone, (1-hydroxycycloh... Concentration Rank 8

R.T.	EstConc	Area	Relative to ISTD	R.T.
16.354	2.18 ng	273692	Phenanthrene-d10	17.207

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Methanone, (1-hydroxycyclohexyl)...	204	C13H16O2	000947-19-3	91
2	Cyclohexanol, 1-ethyl-	128	C8H16O	001940-18-7	50
3	3,5-Diamino-1,2,4-triazole	99	C2H5N5	001455-77-2	43
4	1-Hydroxycyclohexanecarboxylic acid	144	C7H12O3	001123-28-0	40
5	Hexanoic acid, thio-, S-butyl ester	188	C10H20OS	002432-79-3	38





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025483.D
Acq On : 19 Aug 2025 19:39
Operator : CG/JU
Sample : Q2815-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 7 2-(N,N-Bis(2-chloroethyl)am... Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.019	5.08 ng	731760	Chrysene-d12	21.642

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-(N,N-Bis(2-chloroethyl)amino)m...	265	C9H13Cl2N3O2	014628-36-5	56
2	Pyridine, 1,2,3,6-tetrahydro-1-n...	112	C5H8N2O	055556-92-8	50
3	6-Azacytosine	112	C3H4N4O	000931-85-1	47
4	Sulfide,1- propenyl 1-propynyl	112	C6H8S	089533-93-7	43
5	2-Cyclopenten-1-one, 2-hydroxy-3...	112	C6H8O2	000080-71-7	43





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025483.D
Acq On : 19 Aug 2025 19:39
Operator : CG/JU
Sample : Q2815-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 8 1-Heneicosanol Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.313	10.27 ng	1480480	Chrysene-d12	21.642

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	1-Heneicosanol	312	C21H44O	015594-90-8	95
2	Cetene	224	C16H32	000629-73-2	95
3	1-Heneicosyl formate	340	C22H44O2	077899-03-7	95
4	Heptadecyl heptafluorobutyrate	452	C21H35F7O2	959085-66-6	94
5	Trifluoroacetoxy hexadecane	338	C18H33F3O2	006222-03-3	94





Sample Results: **BP025483.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025483.D
Acq On : 19 Aug 2025 19:39
Operator : CG/JU
Sample : Q2815-13
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	3.043	70.1	ng	3863260	1	7.790	1102420	20.0
2-Pentanone, 4-...	4.966	311.6	ng	17173700	1	7.790	1102420	20.0
Maleic hydrazide	15.601	5.0	ng	512013	3	14.407	2065220	20.0
unknown7.92	15.654	7.9	ng	818289	3	14.407	2065220	20.0
Benzophenone	15.778	17.4	ng	1801500	3	14.407	2065220	20.0
Methanone, (1-h...	16.354	2.2	ng	273692	4	17.207	2506740	20.0
2-(N,N-Bis(2-ch...	21.019	5.1	ng	731760	5	21.642	2882370	20.0
1-Heneicosanol	21.313	10.3	ng	1480480	5	21.642	2882370	20.0

Raw Data: **BP025484.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-14	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025484.D	1	08/12/25 11:39	08/19/25 20:21	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BP025484.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-14	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025484.D	1	08/12/25 11:39	08/19/25 20:21	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BP025484.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-14	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025484.D	1	08/12/25 11:39	08/19/25 20:21	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	71.3		19 - 119		48%	SPK: 150
13127-88-3	Phenol-d6	60.6		10 - 130		40%	SPK: 150
4165-60-0	Nitrobenzene-d5	52.8		44 - 120		53%	SPK: 100
321-60-8	2-Fluorobiphenyl	50.9		44 - 119		51%	SPK: 100
118-79-6	2,4,6-Tribromophenol	90.4		43 - 140		60%	SPK: 150
1718-51-0	Terphenyl-d14	48.6	*	50 - 134		49%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	173000	7.79				
1146-65-2	Naphthalene-d8	691000	10.56				
15067-26-2	Acenaphthene-d10	458000	14.401				
1517-22-2	Phenanthrene-d10	948000	17.184				
1719-03-5	Chrysene-d12	1010000	21.625				
1520-96-3	Perylene-d12	1090000	24.995				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	78.7	J			3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	8.40	AB			4.95	ug/L
000119-61-9	Benzophenone	8.00	J			15.8	ug/L
000057-10-3	n-Hexadecanoic acid	9.60	J			18.1	ug/L
000057-11-4	Octadecanoic acid	3.00	J			19.5	ug/L
001599-67-3	1-Docosene	8.10	J			21.3	ug/L
000638-68-6	Triacontane	2.70	J			21.9	ug/L

Raw Data: **BP025484.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-22M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-14	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025484.D	1	08/12/25 11:39	08/19/25 20:21	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
004981-99-1	Hentriacontane, 3-methyl-	3.30	J			22.6	ug/L
000630-03-5	Nonacosane	2.10	J			23.3	ug/L

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Time: Aug 20 02:25:23 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	172969	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	690769	20.000	ng	0.00
39) Acenaphthene-d10	14.401	164	457523	20.000	ng	0.00
64) Phenanthrene-d10	17.184	188	948006	20.000	ng	-0.02
76) Chrysene-d12	21.625	240	1011218	20.000	ng	-0.02
86) Perylene-d12	24.995	264	1092932	20.000	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	742351	71.274	ng	0.00
7) Phenol-d6	6.967	99	809748	60.640	ng	0.00
23) Nitrobenzene-d5	8.925	82	721278	52.820	ng	-0.01
42) 2,4,6-Tribromophenol	15.907	330	556953	90.439	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	1703207	50.877	ng	0.00
79) Terphenyl-d14	19.919	244	2688109	48.635	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Time: Aug 20 02:25:23 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Tgt Ion:152 Resp: 172969

Ion	Ratio	Lower	Upper
152	100		
150	156.1	125.9	188.9
115	62.2	48.5	72.7





#5
2-Fluorophenol
Concen: 71.274 ng
RT: 5.408 min Scan# 420
Delta R.T. 0.000 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Tgt Ion:112 Resp: 742351

Ion	Ratio	Lower	Upper
112	100		
64	56.5	43.8	65.8
63	29.3	22.7	34.1





#7
Phenol-d6
Concen: 60.640 ng
RT: 6.967 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Tgt Ion: 99 Resp: 809748

Ion	Ratio	Lower	Upper
99	100		
42	17.5	13.7	20.5
71	35.0	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1296
Delta R.T. 0.000 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Tgt Ion:136 Resp: 690769

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.2	13.8
54	7.8	6.0	9.0
68	5.4	4.3	6.5





#23
Nitrobenzene-d5
Concen: 52.820 ng
RT: 8.925 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Tgt Ion: 82 Resp: 721278

Ion	Ratio	Lower	Upper
82	100		
128	44.6	37.7	56.5
54	53.5	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1949
Delta R.T. -0.006 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Tgt Ion:164 Resp: 457523

Ion	Ratio	Lower	Upper
164	100		
162	102.9	81.0	121.6
160	45.4	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 90.439 ng
RT: 15.907 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Tgt Ion:330 Resp: 556953

Ion	Ratio	Lower	Upper
330	100		
332	95.6	77.3	115.9
141	34.8	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 50.877 ng
RT: 13.019 min Scan# 1714
Delta R.T. 0.000 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Tgt Ion:172 Resp: 1703207

Ion	Ratio	Lower	Upper
172	100		
171	35.4	28.1	42.1
170	23.5	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.184 min Scan# 24
Delta R.T. -0.017 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Tgt Ion:188 Resp: 948006

Ion	Ratio	Lower	Upper
188	100		
94	9.3	6.6	10.0
80	9.9	6.7	10.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.625 min Scan# 3177
Delta R.T. -0.023 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Tgt Ion:240 Resp: 1011218

Ion	Ratio	Lower	Upper
240	100		
120	11.3	8.9	13.3
236	26.0	19.8	29.8





#79
Terphenyl-d14
Concen: 48.635 ng
RT: 19.919 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Tgt Ion:244 Resp: 2688109

Ion	Ratio	Lower	Upper
244	100		
212	7.4	5.8	8.6
122	9.8	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 24.995 min Scan# 3750
Delta R.T. -0.035 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Tgt Ion:264 Resp: 1092932

Ion	Ratio	Lower	Upper
264	100		
260	23.2	19.3	28.9
265	21.5	17.4	26.0



Sample Results: **BP025484.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025484.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	3.043	13	18	40	rVB	2865259	3994236	54.55%	8.642%
2	4.949	336	342	352	rVB	296309	427358	5.84%	0.925%
3	5.408	413	420	432	rBV	1745632	2553970	34.88%	5.526%
4	6.967	677	685	701	rBV	1375201	2282300	31.17%	4.938%
5	7.790	818	825	833	rBV	645108	1014977	13.86%	2.196%
6	8.925	1010	1018	1038	rBV	1279817	2163482	29.55%	4.681%
7	10.055	1203	1210	1219	rBV	51900	95513	1.30%	0.207%
8	10.560	1286	1296	1309	rBV	800139	1402911	19.16%	3.035%
9	13.019	1704	1714	1727	rBV	3174525	4944206	67.53%	10.697%
10	14.401	1938	1949	1960	rBV	1306927	1947670	26.60%	4.214%
11	15.778	2176	2183	2190	rBV	564010	781784	10.68%	1.691%
12	15.907	2198	2205	2214	rBV	2987710	4233851	57.83%	9.160%
13	17.184	2416	2422	2432	rBV2	1638810	2373082	32.41%	5.134%
14	18.137	2578	2584	2592	rBV	780006	1136396	15.52%	2.459%
15	19.307	2779	2783	2785	rBV	100032	138566	1.89%	0.300%
16	19.366	2790	2793	2802	rVB2	116478	178443	2.44%	0.386%
17	19.460	2805	2809	2819	rBV	265901	407234	5.56%	0.881%
18	19.619	2832	2836	2840	rBV	211746	265364	3.62%	0.574%
19	19.736	2853	2856	2862	rVB	106704	127121	1.74%	0.275%
20	19.913	2881	2886	2893	rBV	4801757	7321714	100.00%	15.841%
21	20.260	2942	2945	2950	rVB	109016	132595	1.81%	0.287%
22	20.495	2982	2985	2989	rVB2	72295	78028	1.07%	0.169%
23	20.713	3019	3022	3026	rBV	177955	174742	2.39%	0.378%
24	20.778	3030	3033	3037	rVB	210288	223151	3.05%	0.483%
25	20.966	3062	3065	3072	rVB4	65324	77314	1.06%	0.167%
26	21.307	3118	3123	3132	rBV2	594479	1097366	14.99%	2.374%
27	21.625	3171	3177	3185	rBV	1648350	2707508	36.98%	5.858%
28	21.895	3219	3223	3233	rVB	238300	358220	4.89%	0.775%
29	22.554	3329	3335	3343	rVB4	206892	442798	6.05%	0.958%
30	23.295	3458	3461	3471	rVB2	150422	277767	3.79%	0.601%
31	24.995	3741	3750	3764	rVB	1068873	2861576	39.08%	6.191%

Sum of corrected areas: 46221243

Sample Results: **BP025484.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.043	78.71 ng	3994240	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	40
3	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	22
4	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	17
5	N-Ethylformamide	73	C3H7NO	000627-45-2	9





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.949	8.42 ng	427358	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	64
2	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	32
3	1,3-Dioxolane-2-methanol, 2,4-di...	132	C6H12O3	053951-43-2	25
4	4-Hydroxy-3-hexanone	116	C6H12O2	004984-85-4	23
5	1-Propen-2-ol, acetate	100	C5H8O2	000108-22-5	10





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.778	8.03 ng	781784	Acenaphthene-d10	14.401

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	1,2,4,5-Tetroxane, 3,3,6,6-tetra...	396	C26H20O4	016204-36-7	78
3	Azobenzene	182	C12H10N2	000103-33-3	64
4	1,2,4-Trioxolane, 3,3,5-triphenyl-	304	C20H16O3	023246-12-0	45
5	Benzenamine, N-(3-pyridinylmethy...	182	C12H10N2	029722-97-2	42





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 n-Hexadecanoic acid Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
18.137	9.58 ng	1136400	Phenanthrene-d10	17.184

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Pentadecanoic acid	242	C15H30O2	001002-84-2	91
3	Tridecanoic acid	214	C13H26O2	000638-53-9	91
4	Undecanoic acid	186	C11H22O2	000112-37-8	81
5	Tetradecanoic acid	228	C14H28O2	000544-63-8	76





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 Octadecanoic acid Concentration Rank 7

R.T.	EstConc	Area	Relative to ISTD	R.T.
19.460	3.01 ng	407234	Chrysene-d12	21.625

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octadecanoic acid	284	C18H36O2	000057-11-4	99
2	Pentadecanoic acid	242	C15H30O2	001002-84-2	93
3	Octadecanoic acid, 2-(2-hydroxye...	372	C22H44O4	000106-11-6	86
4	Tetradecanoic acid	228	C14H28O2	000544-63-8	83
5	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	83





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 6 1-Docosene Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.307	8.11 ng	1097370	Chrysene-d12	21.625

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	1-Docosene	308	C22H44	001599-67-3	92
2	Pentadecafluorooctanoic acid, oc...	666	C26H37F15O2	1000406-04-8	91
3	1-Tricosene	322	C23H46	018835-32-0	91
4	1-Decanol, 2-hexyl-	242	C16H34O	002425-77-6	89
5	Tricosyl trifluoroacetate	436	C25H47F3O2	1000351-75-1	87





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 7 Triacontane Concentration Rank 8

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.895	2.65 ng	358220	Chrysene-d12	21.625

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Triacontane	422	C30H62	000638-68-6	97
2	Heptadecane, 9-octyl-	352	C25H52	007225-64-1	94
3	Docosane	310	C22H46	000629-97-0	93
4	Hexacosane	366	C26H54	000630-01-3	93
5	Docosane, 11-butyl-	366	C26H54	013475-76-8	93





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 8 Hentriacontane, 3-methyl- Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD	R.T.
22.554	3.27 ng	442798	Chrysene-d12	21.625

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Hentriacontane, 3-methyl-	451	C32H66	004981-99-1	94
2	Sulfurous acid, butyl heptadecyl...	376	C21H44O3S	1000309-18-4	91
3	Tritetracontane	605	C43H88	007098-21-7	91
4	Tetratriacontane, 17-hexadecyl-	703	C50H102	055256-07-0	91
5	Tetratetracontane	619	C44H90	007098-22-8	91





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 9 Nonacosane Concentration Rank 9

R.T.	EstConc	Area	Relative to ISTD	R.T.
23.295	2.05 ng	277767	Chrysene-d12	21.625

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Nonacosane	408	C29H60	000630-03-5	90
2	Pentacosane	352	C25H52	000629-99-2	90
3	Heneicosane, 11-pentyl-	366	C26H54	014739-72-1	90
4	Pentadecane, 8-hexyl-	296	C21H44	013475-75-7	90
5	2-Methylheptacosane	394	C28H58	001561-00-8	90





Sample Results: **BP025484.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	3.043	78.7	ng	3994240	1	7.790	1014980	20.0
2-Pentanone, 4-...	4.949	8.4	ng	427358	1	7.790	1014980	20.0
Benzophenone	15.778	8.0	ng	781784	3	14.401	1947670	20.0
n-Hexadecanoic ...	18.137	9.6	ng	1136400	4	17.184	2373080	20.0
Octadecanoic acid	19.460	3.0	ng	407234	5	21.625	2707510	20.0
1-Docosene	21.307	8.1	ng	1097370	5	21.625	2707510	20.0
Triacontane	21.895	2.6	ng	358220	5	21.625	2707510	20.0
Hentriacontane,...	22.554	3.3	ng	442798	5	21.625	2707510	20.0
Nonacosane	23.295	2.0	ng	277767	5	21.625	2707510	20.0

Raw Data: **BF143535.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-15	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143535.D	1	08/12/25 11:39	08/21/25 17:36	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Raw Data: **BF143535.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-15	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143535.D	1	08/12/25 11:39	08/21/25 17:36	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Raw Data: **BF143535.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-15	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143535.D	1	08/12/25 11:39	08/21/25 17:36	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	76.5		19 - 119		51%	SPK: 150
13127-88-3	Phenol-d6	65.8		10 - 130		44%	SPK: 150
4165-60-0	Nitrobenzene-d5	71.4		44 - 120		71%	SPK: 100
321-60-8	2-Fluorobiphenyl	69.4		44 - 119		69%	SPK: 100
118-79-6	2,4,6-Tribromophenol	93.7		43 - 140		62%	SPK: 150
1718-51-0	Terphenyl-d14	58.5		50 - 134		59%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	124000	6.928				
1146-65-2	Naphthalene-d8	464000	8.204				
15067-26-2	Acenaphthene-d10	243000	9.963				
1517-22-2	Phenanthrene-d10	341000	11.451				
1719-03-5	Chrysene-d12	246000	14.092				
1520-96-3	Perylene-d12	287000	15.592				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	100	J			2.27	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	11.2	AB			5.16	ug/L
000112-34-5	Ethanol, 2-(2-butoxyethoxy)-	8.80	J			8.10	ug/L
000119-61-9	Benzophenone	7.70	J			10.7	ug/L
000057-10-3	n-Hexadecanoic acid	5.60	J			12.0	ug/L
000110-34-9	Hexadecanoic acid, 2-methylpropyl	4.90	J			12.7	ug/L
000111-06-8	Hexadecanoic acid, butyl ester	9.10	J			12.9	ug/L

Raw Data: **BF143535.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-15	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF143535.D	1	08/12/25 11:39	08/21/25 17:36	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
001577-43-1	1-Acetoxynonadecane	2.00	J			12.9	ug/L
000646-13-9	Octadecanoic acid, 2-methylpropyl	3.00	J			13.4	ug/L
000123-95-5	Octadecanoic acid, butyl ester	5.80	J			13.6	ug/L
000629-78-7	Heptadecane	2.50	J			13.6	ug/L
000630-06-8	Hexatriacontane	2.50	J			13.9	ug/L
000112-95-8	Eicosane	2.40	J			14.2	ug/L
000630-02-4	Octacosane	2.40	J			14.6	ug/L
000630-01-3	Hexacosane	2.30	J			15.2	ug/L

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Sample Results: **BF143535.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Time: Aug 21 18:09:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	123661	20.000	ng	0.00
21) Naphthalene-d8	8.204	136	463978	20.000	ng	0.00
39) Acenaphthene-d10	9.963	164	243046	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	340891	20.000	ng	0.00
76) Chrysene-d12	14.092	240	245599	20.000	ng	-0.01
86) Perylene-d12	15.592	264	286900	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	542071	76.543	ng	0.00
7) Phenol-d6	6.557	99	575192	65.795	ng	-0.02
23) Nitrobenzene-d5	7.486	82	567435	71.367	ng	-0.01
42) 2,4,6-Tribromophenol	10.751	330	211899	93.661	ng	-0.01
45) 2-Fluorobiphenyl	9.280	172	1020415	69.387	ng	0.00
79) Terphenyl-d14	13.033	244	823575	58.517	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Time: Aug 21 18:09:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143535.D
Acq: 21 Aug 2025 17:36

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Tgt Ion:152 Resp: 123661

Ion	Ratio	Lower	Upper
152	100		
150	157.6	128.9	193.3
115	59.8	49.2	73.8





#5
2-Fluorophenol
Concen: 76.543 ng
RT: 5.563 min Scan# 573
Delta R.T. -0.000 min
Lab File: BF143535.D
Acq: 21 Aug 2025 17:36

Tgt Ion:112 Resp: 542071

Ion	Ratio	Lower	Upper
112	100		
64	63.6	50.4	75.6
63	32.9	26.4	39.6





#7
Phenol-d6
Concen: 65.795 ng
RT: 6.557 min Scan# 7
Delta R.T. -0.018 min
Lab File: BF143535.D
Acq: 21 Aug 2025 17:36

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Tgt Ion: 99 Resp: 575192

Ion	Ratio	Lower	Upper
99	100		
42	20.0	16.3	24.5
71	36.1	28.2	42.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.204 min Scan# 1022
Delta R.T. -0.006 min
Lab File: BF143535.D
Acq: 21 Aug 2025 17:36

Tgt Ion:136 Resp: 463978

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.0	13.4
54	9.3	7.4	11.2
68	6.3	5.0	7.4





#23
Nitrobenzene-d5
Concen: 71.367 ng
RT: 7.486 min Scan# 9
Delta R.T. -0.012 min
Lab File: BF143535.D
Acq: 21 Aug 2025 17:36

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Tgt Ion: 82 Resp: 567435

Ion	Ratio	Lower	Upper
82	100		
128	44.2	35.5	53.3
54	55.1	44.3	66.5





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1321
Delta R.T. -0.006 min
Lab File: BF143535.D
Acq: 21 Aug 2025 17:36

Tgt Ion:164 Resp: 243046

Ion	Ratio	Lower	Upper
164	100		
162	100.5	80.5	120.7
160	43.0	34.3	51.5





#42
2,4,6-Tribromophenol
Concen: 93.661 ng
RT: 10.751 min Scan# 14
Delta R.T. -0.012 min
Lab File: BF143535.D
Acq: 21 Aug 2025 17:36

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Tgt Ion:330 Resp: 211899

Ion	Ratio	Lower	Upper
330	100		
332	96.9	78.0	117.0
141	29.7	23.7	35.5





#45
2-Fluorobiphenyl
Concen: 69.387 ng
RT: 9.280 min Scan# 1205
Delta R.T. -0.006 min
Lab File: BF143535.D
Acq: 21 Aug 2025 17:36

Tgt Ion:172 Resp: 1020415

Ion	Ratio	Lower	Upper
172	100		
171	36.1	28.8	43.2
170	23.7	18.8	28.2





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143535.D
Acq: 21 Aug 2025 17:36

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Tgt Ion:188 Resp: 340891

Ion	Ratio	Lower	Upper
188	100		
94	9.7	7.4	11.2
80	10.3	8.2	12.4





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.092 min Scan# 2023
Delta R.T. -0.012 min
Lab File: BF143535.D
Acq: 21 Aug 2025 17:36

Tgt Ion:240 Resp: 245599

Ion	Ratio	Lower	Upper
240	100		
120	10.8	8.6	12.8
236	25.6	20.4	30.6





#79
Terphenyl-d14
Concen: 58.517 ng
RT: 13.033 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143535.D
Acq: 21 Aug 2025 17:36

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Tgt Ion:244 Resp: 823575

Ion	Ratio	Lower	Upper
244	100		
212	6.7	5.2	7.8
122	10.3	7.9	11.9





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. -0.006 min
Lab File: BF143535.D
Acq: 21 Aug 2025 17:36

Tgt Ion:264 Resp: 286900

Ion	Ratio	Lower	Upper
264	100		
260	23.0	18.7	28.1
265	21.6	17.6	26.4



Sample Results: **BF143535.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BF143535.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.275	5	14	28	rVB	2249296	3740040	100.00%	15.718%
2	5.157	496	504	516	rBV	273826	408089	10.91%	1.715%
3	5.563	568	573	592	rBV	1483860	1968465	52.63%	8.273%
4	6.557	736	742	757	rBV	1261406	1687961	45.13%	7.094%
5	6.928	800	805	810	rBV	573512	739598	19.78%	3.108%
6	7.486	893	900	910	rBV	1229026	1702806	45.53%	7.156%
7	8.104	1000	1005	1017	rBV	259779	426385	11.40%	1.792%
8	8.204	1017	1022	1039	rVB	738950	975207	26.07%	4.098%
9	9.280	1199	1205	1210	rBV	2349011	2967692	79.35%	12.472%
10	9.963	1316	1321	1326	rBV	836608	1020524	27.29%	4.289%
11	10.674	1437	1442	1450	rBV	307387	387625	10.36%	1.629%
12	10.751	1450	1455	1470	rBV	1190283	1572033	42.03%	6.607%
13	11.451	1569	1574	1581	rBV	660442	835912	22.35%	3.513%
14	11.974	1658	1663	1678	rBV2	119448	232720	6.22%	0.978%
15	12.698	1778	1786	1791	rBV	159089	202208	5.41%	0.850%
16	12.763	1793	1797	1807	rVV2	22278	47972	1.28%	0.202%
17	12.851	1807	1812	1817	rVV	241116	293254	7.84%	1.232%
18	12.927	1817	1825	1832	rVB2	35955	65301	1.75%	0.274%
19	13.033	1838	1843	1848	rBV	1697086	2167545	57.96%	9.109%
20	13.415	1903	1908	1913	rBV	79143	97247	2.60%	0.409%
21	13.557	1928	1932	1936	rBV	155335	188056	5.03%	0.790%
22	13.604	1936	1940	1949	rVB	46742	79812	2.13%	0.335%
23	13.933	1991	1996	1999	rBV	55740	79900	2.14%	0.336%
24	14.092	2018	2023	2033	rVB	471961	651239	17.41%	2.737%
25	14.245	2045	2049	2056	rBV	58310	77240	2.07%	0.325%
26	14.551	2097	2101	2106	rBV	61107	78237	2.09%	0.329%
27	14.868	2150	2155	2159	rBV	60813	80753	2.16%	0.339%
28	15.215	2209	2214	2221	rVB	61724	91894	2.46%	0.386%
29	15.592	2272	2278	2289	rBV	485476	825621	22.08%	3.470%
30	16.056	2352	2357	2364	rVB	35795	60232	1.61%	0.253%
31	16.580	2442	2446	2454	rVB	23179	43096	1.15%	0.181%

Sum of corrected areas: 23794664

Sample Results: **BF143535.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.275	101.14 ng	3740040	1,4-Dichlorobenzene-d4	6.928

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	39
3	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	27
4	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	17
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	12





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
5.157	11.04 ng	408089	1,4-Dichlorobenzene-d4	6.928

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	59
2	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	25
3	1-Propen-2-ol, acetate	100	C5H8O2	000108-22-5	12
4	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	9
5	Morpholine, 4-methyl-	101	C5H11NO	000109-02-4	9





Sample Results: **BF143535.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 3 Ethanol, 2-(2-butoxyethoxy)- Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
8.104	8.74 ng	426385	Naphthalene-d8	8.204

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Ethanol, 2-(2-butoxyethoxy)-	162	C8H18O3	000112-34-5	90
2	Ethanol, 1-(2-butoxyethoxy)-	162	C8H18O3	054446-78-5	83
3	Ethanol, 2-[2-(2-methylpropoxy)e...	162	C8H18O3	018912-80-6	78
4	Ethylene glycol monoisobutyl ether	118	C6H14O2	004439-24-1	64
5	Methoxyacetic acid, butyl ester	146	C7H14O3	017640-22-1	53





Sample Results: **BF143535.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 Benzophenone Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.675	7.60 ng	387625	Acenaphthene-d10	9.963

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	Benzenecarbothioic acid, S-methy...	152	C8H8OS	005925-68-8	53
3	Disulfide, dibenzoyl	274	C14H10O2S2	000644-32-6	49
4	N-Methylbenzamide, N-trifluoroac...	231	C10H8F3NO2	1000446-91-5	47
5	N-Methoxy-N-methylbenzamide	165	C9H11NO2	006919-61-5	47





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 n-Hexadecanoic acid Concentration Rank 7

R.T.	EstConc	Area	Relative to ISTD	R.T.
11.974	5.57 ng	232720	Phenanthrene-d10	11.451

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Pentadecanoic acid	242	C15H30O2	001002-84-2	90
3	Tetradecanoic acid	228	C14H28O2	000544-63-8	86
4	Tridecanoic acid	214	C13H26O2	000638-53-9	86
5	Undecanoic acid	186	C11H22O2	000112-37-8	80





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 6 Hexadecanoic acid, 2-methyl... Concentration Rank 8

R.T.	EstConc	Area	Relative to ISTD	R.T.
12.698	4.84 ng	202208	Phenanthrene-d10	11.451

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Hexadecanoic acid, 2-methylpropy...	312	C20H40O2	000110-34-9	91
2	Pentanoic acid, 2-methylpropyl e...	158	C9H18O2	010588-10-0	43
3	Hexadecanoic acid, 1,1-dimethyle...	312	C20H40O2	031158-91-5	38
4	Decane, 2,2,3-trimethyl-	184	C13H28	062338-09-4	38
5	(1-Propylcyclopropyl)methanamine	113	C7H15N	1368512-93-9	38





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 7 Hexadecanoic acid, butyl ester Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
12.851	9.01 ng	293254	Chrysene-d12	14.092

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Hexadecanoic acid, butyl ester	312	C20H40O2	000111-06-8	98
2	Hexadecanoic acid, 1,1-dimethyle...	312	C20H40O2	031158-91-5	91
3	Hexadecanoic acid, 2-methylpropy...	312	C20H40O2	000110-34-9	90
4	Cyclobutane, 1,1-dimethyl-2-octyl-	196	C14H28	062338-30-1	35
5	1-Hexene, 2,5-dimethyl-	112	C8H16	006975-92-4	30





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 8 1-Acetoxynonadecane Concentration Rank 15

R.T.	EstConc	Area	Relative to ISTD	R.T.
12.927	2.01 ng	65301	Chrysene-d12	14.092

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	1-Acetoxynonadecane	326	C21H42O2	001577-43-1	95
2	Heneicosyl acetate	354	C23H46O2	1000351-77-3	91
3	Eicosyl acetate	340	C22H44O2	000822-24-2	91
4	Heptadecyl acetate	298	C19H38O2	000822-20-8	91
5	1-Docosanol, acetate	368	C24H48O2	000822-26-4	91





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 9 Octadecanoic acid, 2-methyl... Concentration Rank 9

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.416	2.99 ng	97247	Chrysene-d12	14.092

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octadecanoic acid, 2-methylpropy...	340	C22H44O2	000646-13-9	62
2	Butyl myristate	284	C18H36O2	000110-36-1	53
3	2,2-Dimethyloctadecane	282	C20H42	1000360-43-2	43
4	Decane, 2,2,3-trimethyl-	184	C13H28	062338-09-4	38
5	Cyclopentanecarboxylic acid, 2-a...	129	C6H11NO2	037910-65-9	38





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 10 Octadecanoic acid, butyl ester Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.557	5.78 ng	188056	Chrysene-d12	14.092

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octadecanoic acid, butyl ester	340	C22H44O2	000123-95-5	91
2	Octadecanoic acid, 2-methylpropy...	340	C22H44O2	000646-13-9	89
3	Butyl myristate	284	C18H36O2	000110-36-1	64
4	Piperidin-4-carboxylic acid	129	C6H11NO2	000498-94-2	38
5	1-Hexene, 4-methyl-	98	C7H14	003769-23-1	30





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 11 Heptadecane Concentration Rank 11

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.604	2.45 ng	79812	Chrysene-d12	14.092

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Heptadecane	240	C17H36	000629-78-7	91
2	Docosane	310	C22H46	000629-97-0	91
3	Octadecane	254	C18H38	000593-45-3	90
4	Hexadecane	226	C16H34	000544-76-3	90
5	Heneicosane	296	C21H44	000629-94-7	87





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 12 Hexatriacontane Concentration Rank 10

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.933	2.45 ng	79900	Chrysene-d12	14.092

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Hexatriacontane	507	C36H74	000630-06-8	91
2	Heneicosane	296	C21H44	000629-94-7	91
3	Hexacosane	366	C26H54	000630-01-3	91
4	Heptacosane	380	C27H56	000593-49-7	91
5	Heptadecane, 9-octyl-	352	C25H52	007225-64-1	91





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 13 Eicosane Concentration Rank 13

R.T.	EstConc	Area	Relative to ISTD	R.T.
14.245	2.37 ng	77240	Chrysene-d12	14.092

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Eicosane	282	C20H42	000112-95-8	95
2	Heptacosane	380	C27H56	000593-49-7	91
3	Eicosane, 1-iodo-	408	C20H41I	1000406-31-8	91
4	Nonadecane	268	C19H40	000629-92-5	91
5	Pentacosane	352	C25H52	000629-99-2	91





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 14 Octacosane Concentration Rank 12

R.T.	EstConc	Area	Relative to ISTD	R.T.
14.551	2.40 ng	78237	Chrysene-d12	14.092

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octacosane	394	C28H58	000630-02-4	91
2	Heneicosane	296	C21H44	000629-94-7	91
3	Heptadecane, 9-octyl-	352	C25H52	007225-64-1	91
4	Tetracosane	338	C24H50	000646-31-1	91
5	Octacosane, 2-methyl-	408	C29H60	001560-98-1	91





Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 15 Hexacosane Concentration Rank 14

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.215	2.23 ng	91894	Perylene-d12	15.592

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Hexacosane	366	C26H54	000630-01-3	91
2	Octacosane	394	C28H58	000630-02-4	91
3	Tetratetracontane	619	C44H90	007098-22-8	91
4	Hentriacontane	437	C31H64	000630-04-6	91
5	Heptadecane, 9-octyl-	352	C25H52	007225-64-1	91





Sample Results: **BF143535.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143535.D
Acq On : 21 Aug 2025 17:36
Operator : RC/JU
Sample : Q2815-15
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TW-17M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	2.275	101.1	ng	3740040	1	6.928	739598	20.0
2-Pentanone, 4-...	5.157	11.0	ng	408089	1	6.928	739598	20.0
Ethanol, 2-(2-b...	8.104	8.7	ng	426385	2	8.204	975207	20.0
Benzophenone	10.675	7.6	ng	387625	3	9.963	1020520	20.0
n-Hexadecanoic ...	11.974	5.6	ng	232720	4	11.451	835912	20.0
Hexadecanoic ac...	12.698	4.8	ng	202208	4	11.451	835912	20.0
Hexadecanoic ac...	12.851	9.0	ng	293254	5	14.092	651239	20.0
1-Acetoxynonade...	12.927	2.0	ng	65301	5	14.092	651239	20.0
Octadecanoic ac...	13.416	3.0	ng	97247	5	14.092	651239	20.0
Octadecanoic ac...	13.557	5.8	ng	188056	5	14.092	651239	20.0
Heptadecane	13.604	2.5	ng	79812	5	14.092	651239	20.0
Hexatriacontane	13.933	2.5	ng	79900	5	14.092	651239	20.0
Eicosane	14.245	2.4	ng	77240	5	14.092	651239	20.0
Octacosane	14.551	2.4	ng	78237	5	14.092	651239	20.0
Hexacosane	15.215	2.2	ng	91894	6	15.592	825621	20.0

Raw Data: **BP025499.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-16	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025499.D	1	08/14/25 09:15	08/20/25 07:57	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BP025499.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-16	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025499.D	1	08/14/25 09:15	08/20/25 07:57	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BP025499.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-16	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025499.D	1	08/14/25 09:15	08/20/25 07:57	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	87.1		19 - 119		58%	SPK: 150
13127-88-3	Phenol-d6	71.4		10 - 130		48%	SPK: 150
4165-60-0	Nitrobenzene-d5	73.1		44 - 120		73%	SPK: 100
321-60-8	2-Fluorobiphenyl	65.9		44 - 119		66%	SPK: 100
118-79-6	2,4,6-Tribromophenol	124		43 - 140		83%	SPK: 150
1718-51-0	Terphenyl-d14	68.3		50 - 134		68%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	172000	7.79				
1146-65-2	Naphthalene-d8	677000	10.56				
15067-26-2	Acenaphthene-d10	466000	14.401				
1517-22-2	Phenanthrene-d10	991000	17.189				
1719-03-5	Chrysene-d12	1100000	21.642				
1520-96-3	Perylene-d12	1200000	25.001				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	78.7	J			3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	8.90	AB			4.94	ug/L
054446-78-5	Ethanol, 1-(2-butoxyethoxy)-	2.00	J			10.3	ug/L
000119-61-9	Benzophenone	11.1	J			15.8	ug/L
000057-10-3	n-Hexadecanoic acid	15.1	J			18.1	ug/L
000057-11-4	Octadecanoic acid	5.40	J			19.5	ug/L
077899-03-7	1-Heneicosyl formate	7.00	J			21.3	ug/L

Raw Data: **BP025499.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-17M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-16	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025499.D	1	08/14/25 09:15	08/20/25 07:57	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025499.D
Acq On : 20 Aug 2025 07:57
Operator : CG/JU
Sample : Q2815-16
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Quant Time: Aug 20 08:21:55 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	171668	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	676553	20.000	ng	0.00
39) Acenaphthene-d10	14.401	164	465606	20.000	ng	0.00
64) Phenanthrene-d10	17.189	188	990987	20.000	ng	-0.01
76) Chrysene-d12	21.642	240	1097797	20.000	ng	0.00
86) Perylene-d12	25.001	264	1196411	20.000	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.407	112	900171	87.082	ng	0.00
7) Phenol-d6	6.966	99	946420	71.412	ng	0.00
23) Nitrobenzene-d5	8.931	82	978320	73.148	ng	0.00
42) 2,4,6-Tribromophenol	15.901	330	778648	124.244	ng	-0.01
45) 2-Fluorobiphenyl	13.013	172	2244425	65.880	ng	0.00
79) Terphenyl-d14	19.918	244	4095495	68.255	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025499.D
Acq On : 20 Aug 2025 07:57
Operator : CG/JU
Sample : Q2815-16
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Quant Time: Aug 20 08:21:55 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025499.D
Acq: 20 Aug 2025 07:57

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Tgt Ion:152 Resp: 171668

Ion	Ratio	Lower	Upper
152	100		
150	153.4	125.9	188.9
115	62.0	48.5	72.7





#5
2-Fluorophenol
Concen: 87.082 ng
RT: 5.407 min Scan# 420
Delta R.T. -0.000 min
Lab File: BP025499.D
Acq: 20 Aug 2025 07:57

Tgt Ion:112 Resp: 900171

Ion	Ratio	Lower	Upper
112	100		
64	58.3	43.8	65.8
63	30.9	22.7	34.1





#7
Phenol-d6
Concen: 71.412 ng
RT: 6.966 min Scan# 6
Delta R.T. -0.000 min
Lab File: BP025499.D
Acq: 20 Aug 2025 07:57

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Tgt Ion: 99 Resp: 946420

Ion	Ratio	Lower	Upper
99	100		
42	18.3	13.7	20.5
71	36.2	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1296
Delta R.T. -0.000 min
Lab File: BP025499.D
Acq: 20 Aug 2025 07:57

Tgt Ion:136 Resp: 676553

Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.2	13.8
54	7.7	6.0	9.0
68	4.7	4.3	6.5





#23
Nitrobenzene-d5
Concen: 73.148 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025499.D
Acq: 20 Aug 2025 07:57

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Tgt Ion: 82 Resp: 978320

Ion	Ratio	Lower	Upper
82	100		
128	44.9	37.7	56.5
54	51.1	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1949
Delta R.T. -0.006 min
Lab File: BP025499.D
Acq: 20 Aug 2025 07:57

Tgt Ion:164 Resp: 465606

Ion	Ratio	Lower	Upper
164	100		
162	100.5	81.0	121.6
160	44.8	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 124.244 ng
RT: 15.901 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025499.D
Acq: 20 Aug 2025 07:57

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Tgt Ion:330 Resp: 778648

Ion	Ratio	Lower	Upper
330	100		
332	97.5	77.3	115.9
141	35.2	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 65.880 ng
RT: 13.013 min Scan# 1713
Delta R.T. -0.006 min
Lab File: BP025499.D
Acq: 20 Aug 2025 07:57

Tgt Ion:172 Resp: 2244425

Ion	Ratio	Lower	Upper
172	100		
171	35.0	28.1	42.1
170	23.2	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.189 min Scan# 24
Delta R.T. -0.012 min
Lab File: BP025499.D
Acq: 20 Aug 2025 07:57

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Tgt Ion:188 Resp: 990987

Ion	Ratio	Lower	Upper
188	100		
94	8.7	6.6	10.0
80	9.6	6.7	10.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. -0.006 min
Lab File: BP025499.D
Acq: 20 Aug 2025 07:57

Tgt Ion:240 Resp: 1097797

Ion	Ratio	Lower	Upper
240	100		
120	9.7	8.9	13.3
236	26.0	19.8	29.8





#79
Terphenyl-d14
Concen: 68.255 ng
RT: 19.918 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025499.D
Acq: 20 Aug 2025 07:57

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Tgt Ion:244 Resp: 4095495

Ion	Ratio	Lower	Upper
244	100		
212	7.7	5.8	8.6
122	10.1	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.001 min Scan# 3751
Delta R.T. -0.030 min
Lab File: BP025499.D
Acq: 20 Aug 2025 07:57

Tgt Ion:264 Resp: 1196411

Ion	Ratio	Lower	Upper
264	100		
260	22.9	19.3	28.9
265	21.5	17.4	26.0



Sample Results: **BP025499.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025499.D
Acq On : 20 Aug 2025 07:57
Operator : CG/JU
Sample : Q2815-16
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025499.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	3.037	13	17	33	rVB	3166496	3952416	35.14%	7.134%
2	4.943	335	341	350	rBV	312426	448790	3.99%	0.810%
3	5.407	413	420	430	rBV	2106073	3134918	27.87%	5.659%
4	6.966	677	685	702	rBV	1635817	2719247	24.18%	4.908%
5	7.790	818	825	833	rBV	629598	1003989	8.93%	1.812%
6	8.931	1010	1019	1029	rBV	1669466	2902044	25.80%	5.238%
7	10.337	1250	1258	1269	rBV2	65041	140362	1.25%	0.253%
8	10.560	1288	1296	1308	rBV	849516	1388164	12.34%	2.506%
9	12.807	1673	1678	1693	rBV	63442	152267	1.35%	0.275%
10	13.013	1705	1713	1725	rBV	4115845	6587143	58.57%	11.890%
11	14.395	1942	1948	1958	rVB	1232243	1975597	17.57%	3.566%
12	15.772	2176	2182	2190	rBV	739320	1098632	9.77%	1.983%
13	15.901	2197	2204	2216	rBV	4084909	5960060	53.00%	10.758%
14	17.189	2417	2423	2430	rBV2	1642370	2466924	21.94%	4.453%
15	18.142	2578	2585	2606	rBV	1071959	1858284	16.52%	3.354%
16	19.313	2780	2784	2786	rBV3	83125	112993	1.00%	0.204%
17	19.466	2805	2810	2821	rBV	509497	788548	7.01%	1.423%
18	19.918	2881	2887	2897	rBV	8055492	11246377	100.00%	20.301%
19	20.789	3032	3035	3039	rVB	135558	125698	1.12%	0.227%
20	21.307	3119	3123	3132	rVB3	589225	1025519	9.12%	1.851%
21	21.642	3173	3180	3188	rBV	1805366	2930090	26.05%	5.289%
22	21.901	3220	3224	3230	rVB	147626	229276	2.04%	0.414%
23	25.001	3742	3751	3770	rVB2	895304	3151988	28.03%	5.690%

Sum of corrected areas: 55399326

Sample Results: **BP025499.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025499.D
Acq On : 20 Aug 2025 07:57
Operator : CG/JU
Sample : Q2815-16
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025499.D
Acq On : 20 Aug 2025 07:57
Operator : CG/JU
Sample : Q2815-16
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.037	78.73 ng	3952420	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	39
3	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	27
4	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	17
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	12





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025499.D
Acq On : 20 Aug 2025 07:57
Operator : CG/JU
Sample : Q2815-16
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.943	8.94 ng	448790	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	72
2	1,3-Dioxolane-2-methanol, 2,4-di...	132	C6H12O3	053951-43-2	28
3	4-Hydroxy-3-hexanone	116	C6H12O2	004984-85-4	23
4	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	17
5	Propane, 2-ethoxy-2-methyl-	102	C6H14O	000637-92-3	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025499.D
Acq On : 20 Aug 2025 07:57
Operator : CG/JU
Sample : Q2815-16
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 3 Ethanol, 1-(2-butoxyethoxy)- Concentration Rank 7

R.T.	EstConc	Area	Relative to ISTD	R.T.
10.337	2.02 ng	140362	Naphthalene-d8	10.560

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Ethanol, 1-(2-butoxyethoxy)-	162	C8H18O3	054446-78-5	90
2	Ethanol, 2-(2-butoxyethoxy)-	162	C8H18O3	000112-34-5	90
3	Ethanol, 2-[2-(2-methylpropoxy)e...	162	C8H18O3	018912-80-6	72
4	Ethylene glycol monoisobutyl ether	118	C6H14O2	004439-24-1	64
5	Di-sec-Butyl ether	130	C8H18O	006863-58-7	50



















Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025499.D
Acq On : 20 Aug 2025 07:57
Operator : CG/JU
Sample : Q2815-16
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.772	11.12 ng	1098630	Acenaphthene-d10	14.401

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	1,2,4,5-Tetroxane, 3,3,6,6-tetra...	396	C26H20O4	016204-36-7	64
3	Benzenamine, N-(3-pyridinylmethy...	182	C12H10N2	029722-97-2	59
4	Methanone, phenyl-2-pyridinyl-	183	C12H9NO	000091-02-1	56
5	1,2,4-Trioxolane, 3,3,5-triphenyl-	304	C20H16O3	023246-12-0	45





Sample Results: **BP025499.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025499.D
Acq On : 20 Aug 2025 07:57
Operator : CG/JU
Sample : Q2815-16
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 n-Hexadecanoic acid Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
18.142	15.07 ng	1858280	Phenanthrene-d10	17.189

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Tetradecanoic acid	228	C14H28O2	000544-63-8	91
3	Pentadecanoic acid	242	C15H30O2	001002-84-2	91
4	Tridecanoic acid	214	C13H26O2	000638-53-9	86
5	n-Decanoic acid	172	C10H20O2	000334-48-5	64





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025499.D
Acq On : 20 Aug 2025 07:57
Operator : CG/JU
Sample : Q2815-16
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 6 Octadecanoic acid Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD	R.T.
19.465	5.38 ng	788548	Chrysene-d12	21.642

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octadecanoic acid	284	C18H36O2	000057-11-4	99
2	Tridecanoic acid	214	C13H26O2	000638-53-9	90
3	Pentadecanoic acid	242	C15H30O2	001002-84-2	90
4	Tetradecanoic acid	228	C14H28O2	000544-63-8	87
5	Octadecanoic acid, 2-(2-hydroxye...	372	C22H44O4	000106-11-6	86





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025499.D
Acq On : 20 Aug 2025 07:57
Operator : CG/JU
Sample : Q2815-16
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 7 1-Heneicosyl formate Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.307	7.00 ng	1025520	Chrysene-d12	21.642

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	1-Heneicosyl formate	340	C22H44O2	077899-03-7	96
2	Pentafluoropropionic acid, penta...	374	C18H31F5O2	959092-08-1	94
3	1-Hexacosene	364	C26H52	018835-33-1	94
4	Heptadecyl heptafluorobutyrate	452	C21H35F7O2	959085-66-6	94
5	1-Tetracosene	336	C24H48	010192-32-2	94





Sample Results: **BP025499.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025499.D
Acq On : 20 Aug 2025 07:57
Operator : CG/JU
Sample : Q2815-16
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-17M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	3.037	78.7	ng	3952420	1	7.790	1003990	20.0
2-Pentanone, 4-...	4.943	8.9	ng	448790	1	7.790	1003990	20.0
Ethanol, 1-(2-b...	10.337	2.0	ng	140362	2	10.560	1388160	20.0
Benzophenone	15.772	11.1	ng	1098630	3	14.401	1975600	20.0
n-Hexadecanoic ...	18.142	15.1	ng	1858280	4	17.189	2466920	20.0
Octadecanoic acid	19.465	5.4	ng	788548	5	21.642	2930090	20.0
1-Heneicosyl fo...	21.307	7.0	ng	1025520	5	21.642	2930090	20.0

Raw Data: **BP025498.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-17	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025498.D	1	08/14/25 09:15	08/20/25 07:16	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Raw Data: **BP025498.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-17	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025498.D	1	08/14/25 09:15	08/20/25 07:16	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Raw Data: **BP025498.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-17	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025498.D	1	08/14/25 09:15	08/20/25 07:16	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	112		19 - 119		74%	SPK: 150
13127-88-3	Phenol-d6	92.9		10 - 130		62%	SPK: 150
4165-60-0	Nitrobenzene-d5	102		44 - 120		102%	SPK: 100
321-60-8	2-Fluorobiphenyl	95.7		44 - 119		96%	SPK: 100
118-79-6	2,4,6-Tribromophenol	190		43 - 140		127%	SPK: 150
1718-51-0	Terphenyl-d14	98.1		50 - 134		98%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	135000	7.784				
1146-65-2	Naphthalene-d8	532000	10.56				
15067-26-2	Acenaphthene-d10	359000	14.413				
1517-22-2	Phenanthrene-d10	773000	17.201				
1719-03-5	Chrysene-d12	931000	21.654				
1520-96-3	Perylene-d12	1050000	25.018				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	59.6	J			3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.30	AB			4.94	ug/L
000119-61-9	Benzophenone	4.90	J			15.8	ug/L
000057-10-3	n-Hexadecanoic acid	8.60	J			18.1	ug/L
000057-11-4	Octadecanoic acid	2.60	J			19.5	ug/L
002136-70-1	Ethanol, 2-(tetradecyloxy)-	3.60	J			21.3	ug/L

Raw Data: **BP025498.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-17	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025498.D	1	08/14/25 09:15	08/20/25 07:16	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Sample Results: **BP025498.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025498.D
Acq On : 20 Aug 2025 07:16
Operator : CG/JU
Sample : Q2815-17
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Quant Time: Aug 20 08:21:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.784	152	135355	20.000	ng	-0.01
21) Naphthalene-d8	10.560	136	532071	20.000	ng	0.00
39) Acenaphthene-d10	14.413	164	358845	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	772879	20.000	ng	0.00
76) Chrysene-d12	21.654	240	930555	20.000	ng	0.00
86) Perylene-d12	25.018	264	1053022	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	909955	111.644	ng	0.00
7) Phenol-d6	6.966	99	971106	92.932	ng	0.00
23) Nitrobenzene-d5	8.931	82	1073601	102.070	ng	0.00
42) 2,4,6-Tribromophenol	15.919	330	918952	190.256	ng	0.00
45) 2-Fluorobiphenyl	13.025	172	2513980	95.747	ng	0.00
79) Terphenyl-d14	19.930	244	4991772	98.144	ng	0.01
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025498.D
Acq On : 20 Aug 2025 07:16
Operator : CG/JU
Sample : Q2815-17
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Quant Time: Aug 20 08:21:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.784 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025498.D
Acq: 20 Aug 2025 07:16

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Tgt Ion:152 Resp: 135355

Ion	Ratio	Lower	Upper
152	100		
150	154.6	125.9	188.9
115	63.4	48.5	72.7





#5
2-Fluorophenol
Concen: 111.644 ng
RT: 5.408 min Scan# 420
Delta R.T. 0.000 min
Lab File: BP025498.D
Acq: 20 Aug 2025 07:16

Tgt Ion:112 Resp: 909955

Ion	Ratio	Lower	Upper
112	100		
64	56.5	43.8	65.8
63	30.3	22.7	34.1





#7
Phenol-d6
Concen: 92.932 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025498.D
Acq: 20 Aug 2025 07:16

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Tgt Ion: 99 Resp: 971106

Ion	Ratio	Lower	Upper
99	100		
42	18.3	13.7	20.5
71	35.9	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1296
Delta R.T. 0.000 min
Lab File: BP025498.D
Acq: 20 Aug 2025 07:16

Tgt Ion:136 Resp: 532071

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.2	13.8
54	7.9	6.0	9.0
68	5.3	4.3	6.5





#23
Nitrobenzene-d5
Concen: 102.070 ng
RT: 8.931 min Scan# 1(
Delta R.T. -0.006 min
Lab File: BP025498.D
Acq: 20 Aug 2025 07:16

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Tgt Ion: 82 Resp: 1073601

Ion	Ratio	Lower	Upper
82	100		
128	44.6	37.7	56.5
54	51.1	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.413 min Scan# 1951
Delta R.T. 0.006 min
Lab File: BP025498.D
Acq: 20 Aug 2025 07:16

Tgt Ion:164 Resp: 358845

Ion	Ratio	Lower	Upper
164	100		
162	101.7	81.0	121.6
160	44.4	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 190.256 ng
RT: 15.919 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025498.D
Acq: 20 Aug 2025 07:16

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Tgt Ion:330 Resp: 918952

Ion	Ratio	Lower	Upper
330	100		
332	96.7	77.3	115.9
141	34.1	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 95.747 ng
RT: 13.025 min Scan# 1715
Delta R.T. 0.006 min
Lab File: BP025498.D
Acq: 20 Aug 2025 07:16

Tgt Ion:172 Resp: 2513980

Ion	Ratio	Lower	Upper
172	100		
171	35.0	28.1	42.1
170	23.5	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025498.D
Acq: 20 Aug 2025 07:16

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Tgt Ion:188 Resp: 772879

Ion	Ratio	Lower	Upper
188	100		
94	8.6	6.6	10.0
80	9.2	6.7	10.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.654 min Scan# 3182
Delta R.T. 0.006 min
Lab File: BP025498.D
Acq: 20 Aug 2025 07:16

Tgt Ion:240 Resp: 930555

Ion	Ratio	Lower	Upper
240	100		
120	10.2	8.9	13.3
236	25.4	19.8	29.8





#79
Terphenyl-d14
Concen: 98.144 ng
RT: 19.930 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025498.D
Acq: 20 Aug 2025 07:16

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Tgt Ion:244 Resp: 4991772

Ion	Ratio	Lower	Upper
244	100		
212	7.6	5.8	8.6
122	9.0	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.018 min Scan# 3754
Delta R.T. -0.012 min
Lab File: BP025498.D
Acq: 20 Aug 2025 07:16

Tgt Ion:264 Resp: 1053022

Ion	Ratio	Lower	Upper
264	100		
260	23.9	19.3	28.9
265	21.9	17.4	26.0



Sample Results: **BP025498.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025498.D
Acq On : 20 Aug 2025 07:16
Operator : CG/JU
Sample : Q2815-17
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025498.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	3.037	12	17	32	rVB	1903016	2353278	17.14%	4.484%
2	4.943	335	341	349	rBV	205625	288808	2.10%	0.550%
3	5.408	413	420	432	rBV	2140898	3172373	23.11%	6.045%
4	6.966	676	685	705	rBV	1700949	2793918	20.35%	5.323%
5	7.784	817	824	833	rBV	515458	797220	5.81%	1.519%
6	8.931	1008	1019	1033	rBV	1975574	3200679	23.32%	6.098%
7	10.560	1288	1296	1310	rBV	641464	1091305	7.95%	2.079%
8	13.025	1706	1715	1728	rBV	4194346	7376782	53.74%	14.055%
9	14.413	1943	1951	1962	rBV	972656	1524735	11.11%	2.905%
10	15.784	2179	2184	2192	rBV	257083	368312	2.68%	0.702%
11	15.919	2200	2207	2228	rBV	4977926	6948611	50.62%	13.240%
12	17.201	2418	2425	2436	rBV2	1291130	1945995	14.18%	3.708%
13	18.142	2579	2585	2602	rBV	492592	831929	6.06%	1.585%
14	19.472	2807	2811	2821	rBV	203376	321295	2.34%	0.612%
15	19.931	2882	2889	2900	rBV	9248318	13727027	100.00%	26.155%
16	21.325	3121	3126	3134	rBV	279770	453846	3.31%	0.865%
17	21.654	3176	3182	3194	rVB2	1418939	2529606	18.43%	4.820%
18	25.018	3745	3754	3770	rVB	1041916	2757877	20.09%	5.255%

Sum of corrected areas: 52483596

Sample Results: **BP025498.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025498.D
Acq On : 20 Aug 2025 07:16
Operator : CG/JU
Sample : Q2815-17
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025498.D
Acq On : 20 Aug 2025 07:16
Operator : CG/JU
Sample : Q2815-17
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.037	59.04 ng	2353280	1,4-Dichlorobenzene-d4	7.784

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	83
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	39
3	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	27
4	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25
5	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025498.D
Acq On : 20 Aug 2025 07:16
Operator : CG/JU
Sample : Q2815-17
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.943	7.25 ng	288808	1,4-Dichlorobenzene-d4	7.784

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	64
2	1,3-Dioxolane-2-methanol, 2,4-di...	132	C6H12O3	053951-43-2	25
3	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	17
4	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	17
5	1-Propen-2-ol, acetate	100	C5H8O2	000108-22-5	10





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025498.D
Acq On : 20 Aug 2025 07:16
Operator : CG/JU
Sample : Q2815-17
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.784	4.83 ng	368312	Acenaphthene-d10	14.413

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	1,2,4,5-Tetroxane, 3,3,6,6-tetra...	396	C26H20O4	016204-36-7	64
3	Methanone, phenyl-2-pyridinyl-	183	C12H9NO	000091-02-1	50
4	1,2,4-Trioxolane, 3,3,5-triphenyl-	304	C20H16O3	023246-12-0	45
5	Azobenzene, (E)-	182	C12H10N2	017082-12-1	42





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025498.D
Acq On : 20 Aug 2025 07:16
Operator : CG/JU
Sample : Q2815-17
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 n-Hexadecanoic acid Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
18.142	8.55 ng	831929	Phenanthrene-d10	17.201

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Tetradecanoic acid	228	C14H28O2	000544-63-8	95
3	Tridecanoic acid	214	C13H26O2	000638-53-9	94
4	Pentadecanoic acid	242	C15H30O2	001002-84-2	91
5	n-Decanoic acid	172	C10H20O2	000334-48-5	58





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025498.D
Acq On : 20 Aug 2025 07:16
Operator : CG/JU
Sample : Q2815-17
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 Octadecanoic acid Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD	R.T.
19.472	2.54 ng	321295	Chrysene-d12	21.654

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octadecanoic acid	284	C18H36O2	000057-11-4	99
2	Tetradecanoic acid	228	C14H28O2	000544-63-8	74
3	Pentadecanoic acid	242	C15H30O2	001002-84-2	74
4	Octadecanoic acid, 2-(2-hydroxye...	372	C22H44O4	000106-11-6	72
5	n-Decanoic acid	172	C10H20O2	000334-48-5	70





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025498.D
Acq On : 20 Aug 2025 07:16
Operator : CG/JU
Sample : Q2815-17
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 6 Ethanol, 2-(tetradecyloxy)- Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.325	3.59 ng	453846	Chrysene-d12	21.654

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Ethanol, 2-(tetradecyloxy)-	258	C16H34O2	002136-70-1	99
2	1-Docosene	308	C22H44	001599-67-3	97
3	Tetracosyl heptafluorobutyrate	550	C28H49F7O2	1000351-83-7	94
4	Pentadecafluorooctanoic acid, oc...	666	C26H37F15O2	1000406-04-8	94
5	Cyclohexadecane	224	C16H32	000295-65-8	92





Sample Results: **BP025498.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025498.D
Acq On : 20 Aug 2025 07:16
Operator : CG/JU
Sample : Q2815-17
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	3.037	59.0	ng	2353280	1	7.784	797220	20.0
2-Pentanone, 4-...	4.943	7.3	ng	288808	1	7.784	797220	20.0
Benzophenone	15.784	4.8	ng	368312	3	14.413	1524740	20.0
n-Hexadecanoic ...	18.142	8.6	ng	831929	4	17.201	1946000	20.0
Octadecanoic acid	19.472	2.5	ng	321295	5	21.654	2529610	20.0
Ethanol, 2-(tet...	21.325	3.6	ng	453846	5	21.654	2529610	20.0

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-18	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	940 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025474.D	1	08/14/25 09:15	08/19/25 13:29	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.50	U	4.20	8.50	10.6	ug/L
108-95-2	Phenol	4.30	U	0.97	4.30	5.30	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.30	U	0.86	4.30	5.30	ug/L
95-57-8	2-Chlorophenol	4.30	U	0.62	4.30	5.30	ug/L
95-48-7	2-Methylphenol	4.30	U	1.20	4.30	5.30	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.30	U	1.40	4.30	5.30	ug/L
98-86-2	Acetophenone	4.30	U	0.79	4.30	5.30	ug/L
65794-96-9	3+4-Methylphenols	8.50	U	1.20	8.50	10.6	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.70	U	1.50	2.70	2.70	ug/L
67-72-1	Hexachloroethane	4.30	U	0.69	4.30	5.30	ug/L
98-95-3	Nitrobenzene	4.30	U	0.81	4.30	5.30	ug/L
78-59-1	Isophorone	4.30	U	0.80	4.30	5.30	ug/L
88-75-5	2-Nitrophenol	4.30	U	1.90	4.30	5.30	ug/L
105-67-9	2,4-Dimethylphenol	4.30	U	2.00	4.30	5.30	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.30	U	0.72	4.30	5.30	ug/L
120-83-2	2,4-Dichlorophenol	4.30	U	0.55	4.30	5.30	ug/L
91-20-3	Naphthalene	4.30	U	0.53	4.30	5.30	ug/L
106-47-8	4-Chloroaniline	4.30	U	0.89	4.30	5.30	ug/L
87-68-3	Hexachlorobutadiene	4.30	U	0.57	4.30	5.30	ug/L
105-60-2	Caprolactam	8.50	U	1.20	8.50	10.6	ug/L
59-50-7	4-Chloro-3-methylphenol	4.30	U	0.63	4.30	5.30	ug/L
91-57-6	2-Methylnaphthalene	4.30	U	0.60	4.30	5.30	ug/L
77-47-4	Hexachlorocyclopentadiene	8.50	U	3.90	8.50	10.6	ug/L
88-06-2	2,4,6-Trichlorophenol	4.30	U	0.54	4.30	5.30	ug/L
95-95-4	2,4,5-Trichlorophenol	4.30	U	0.66	4.30	5.30	ug/L
92-52-4	1,1-Biphenyl	4.30	U	0.56	4.30	5.30	ug/L
91-58-7	2-Chloronaphthalene	4.30	U	0.65	4.30	5.30	ug/L
88-74-4	2-Nitroaniline	4.30	U	1.30	4.30	5.30	ug/L
131-11-3	Dimethylphthalate	4.30	U	0.65	4.30	5.30	ug/L

Raw Data: **BP025474.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-18	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	940 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025474.D	1	08/14/25 09:15	08/19/25 13:29	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.30	U	0.80	4.30	5.30	ug/L
606-20-2	2,6-Dinitrotoluene	4.30	U	0.98	4.30	5.30	ug/L
99-09-2	3-Nitroaniline	4.30	U	1.10	4.30	5.30	ug/L
83-32-9	Acenaphthene	4.30	U	0.59	4.30	5.30	ug/L
51-28-5	2,4-Dinitrophenol	8.50	U	6.40	8.50	10.6	ug/L
100-02-7	4-Nitrophenol	8.50	U	2.50	8.50	10.6	ug/L
132-64-9	Dibenzofuran	4.30	U	0.65	4.30	5.30	ug/L
121-14-2	2,4-Dinitrotoluene	4.30	U	1.30	4.30	5.30	ug/L
84-66-2	Diethylphthalate	4.30	U	0.73	4.30	5.30	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.30	U	0.72	4.30	5.30	ug/L
86-73-7	Fluorene	4.30	U	0.67	4.30	5.30	ug/L
100-01-6	4-Nitroaniline	4.30	U	1.60	4.30	5.30	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.50	U	3.10	8.50	10.6	ug/L
86-30-6	n-Nitrosodiphenylamine	4.30	U	0.62	4.30	5.30	ug/L
101-55-3	4-Bromophenyl-phenylether	4.30	U	0.43	4.30	5.30	ug/L
118-74-1	Hexachlorobenzene	4.30	U	0.55	4.30	5.30	ug/L
1912-24-9	Atrazine	4.30	U	1.10	4.30	5.30	ug/L
87-86-5	Pentachlorophenol	8.50	U	1.70	8.50	10.6	ug/L
85-01-8	Phenanthrene	4.30	U	0.53	4.30	5.30	ug/L
120-12-7	Anthracene	4.30	U	0.65	4.30	5.30	ug/L
86-74-8	Carbazole	4.30	U	0.77	4.30	5.30	ug/L
84-74-2	Di-n-butylphthalate	4.30	U	1.30	4.30	5.30	ug/L
206-44-0	Fluoranthene	4.30	U	0.87	4.30	5.30	ug/L
129-00-0	Pyrene	4.30	U	0.53	4.30	5.30	ug/L
85-68-7	Butylbenzylphthalate	4.30	U	2.10	4.30	5.30	ug/L
91-94-1	3,3-Dichlorobenzidine	8.50	U	0.99	8.50	10.6	ug/L
56-55-3	Benzo(a)anthracene	4.30	U	0.48	4.30	5.30	ug/L
218-01-9	Chrysene	4.30	U	0.47	4.30	5.30	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.30	U	1.70	4.30	5.30	ug/L
117-84-0	Di-n-octyl phthalate	8.50	U	2.50	8.50	10.6	ug/L
205-99-2	Benzo(b)fluoranthene	4.30	U	0.52	4.30	5.30	ug/L

Raw Data: **BP025474.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-18	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	940 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025474.D	1	08/14/25 09:15	08/19/25 13:29	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.30	U	0.51	4.30	5.30	ug/L
50-32-8	Benzo(a)pyrene	4.30	U	0.59	4.30	5.30	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.30	U	0.63	4.30	5.30	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.30	U	0.71	4.30	5.30	ug/L
191-24-2	Benzo(g,h,i)perylene	4.30	U	0.73	4.30	5.30	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.30	U	0.55	4.30	5.30	ug/L
123-91-1	1,4-Dioxane	4.30	U	1.10	4.30	5.30	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.30	U	0.77	4.30	5.30	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	101		19 - 119		68%	SPK: 150
13127-88-3	Phenol-d6	75.3		10 - 130		50%	SPK: 150
4165-60-0	Nitrobenzene-d5	101		44 - 120		101%	SPK: 100
321-60-8	2-Fluorobiphenyl	90.7		44 - 119		91%	SPK: 100
118-79-6	2,4,6-Tribromophenol	176		43 - 140		117%	SPK: 150
1718-51-0	Terphenyl-d14	87.7		50 - 134		88%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	140000	7.79				
1146-65-2	Naphthalene-d8	557000	10.554				
15067-26-2	Acenaphthene-d10	388000	14.401				
1517-22-2	Phenanthrene-d10	881000	17.195				
1719-03-5	Chrysene-d12	1060000	21.642				
1520-96-3	Perylene-d12	1150000	25.018				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	120	J			3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.30	AB			4.94	ug/L
000119-61-9	Benzophenone	5.80	J			15.8	ug/L
000057-10-3	n-Hexadecanoic acid	8.70	J			18.1	ug/L
018435-45-5	1-Nonadecene	3.20	J			21.3	ug/L

Raw Data: **BP025474.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-84SB-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-18	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	940 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025474.D	1	08/14/25 09:15	08/19/25 13:29	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Sample Results: **BP025474.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025474.D
Acq On : 19 Aug 2025 13:29
Operator : CG/JU
Sample : Q2815-18
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Quant Time: Aug 19 14:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	139862	20.000	ng	0.00
21) Naphthalene-d8	10.554	136	556768	20.000	ng	0.00
39) Acenaphthene-d10	14.401	164	388092	20.000	ng	0.00
64) Phenanthrene-d10	17.195	188	881253	20.000	ng	0.00
76) Chrysene-d12	21.642	240	1055398	20.000	ng	0.00
86) Perylene-d12	25.018	264	1148869	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.407	112	853069	101.292	ng	0.00
7) Phenol-d6	6.966	99	812836	75.280	ng	0.00
23) Nitrobenzene-d5	8.925	82	1108615	100.724	ng	-0.01
42) 2,4,6-Tribromophenol	15.913	330	918315	175.796	ng	0.00
45) 2-Fluorobiphenyl	13.013	172	2575342	90.692	ng	0.00
79) Terphenyl-d14	19.924	244	5058581	87.692	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025474.D
Acq On : 19 Aug 2025 13:29
Operator : CG/JU
Sample : Q2815-18
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Quant Time: Aug 19 14:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025474.D
Acq: 19 Aug 2025 13:29

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Tgt Ion:152 Resp: 139862

Ion	Ratio	Lower	Upper
152	100		
150	156.9	125.9	188.9
115	63.8	48.5	72.7





#5
2-Fluorophenol
Concen: 101.292 ng
RT: 5.407 min Scan# 420
Delta R.T. -0.000 min
Lab File: BP025474.D
Acq: 19 Aug 2025 13:29

Tgt Ion:112 Resp: 853069

Ion	Ratio	Lower	Upper
112	100		
64	56.2	43.8	65.8
63	29.4	22.7	34.1





#7
Phenol-d6
Concen: 75.280 ng
RT: 6.966 min Scan# 6
Delta R.T. -0.000 min
Lab File: BP025474.D
Acq: 19 Aug 2025 13:29

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Tgt Ion: 99 Resp: 812836

Ion	Ratio	Lower	Upper
99	100		
42	17.1	13.7	20.5
71	34.0	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.554 min Scan# 1295
Delta R.T. -0.006 min
Lab File: BP025474.D
Acq: 19 Aug 2025 13:29

Tgt Ion:136 Resp: 556768

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.2	13.8
54	7.8	6.0	9.0
68	5.6	4.3	6.5





#23
Nitrobenzene-d5
Concen: 100.724 ng
RT: 8.925 min Scan# 1(
Delta R.T. -0.012 min
Lab File: BP025474.D
Acq: 19 Aug 2025 13:29

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Tgt Ion: 82 Resp: 1108615

Ion	Ratio	Lower	Upper
82	100		
128	45.3	37.7	56.5
54	50.3	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1949
Delta R.T. -0.006 min
Lab File: BP025474.D
Acq: 19 Aug 2025 13:29

Tgt Ion:164 Resp: 388092

Ion	Ratio	Lower	Upper
164	100		
162	100.2	81.0	121.6
160	43.3	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 175.796 ng
RT: 15.913 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025474.D
Acq: 19 Aug 2025 13:29

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Tgt Ion:330 Resp: 918315

Ion	Ratio	Lower	Upper
330	100		
332	97.9	77.3	115.9
141	33.4	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 90.692 ng
RT: 13.013 min Scan# 1713
Delta R.T. -0.006 min
Lab File: BP025474.D
Acq: 19 Aug 2025 13:29

Tgt Ion:172 Resp: 2575342

Ion	Ratio	Lower	Upper
172	100		
171	34.7	28.1	42.1
170	23.3	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.195 min Scan# 24
Delta R.T. -0.006 min
Lab File: BP025474.D
Acq: 19 Aug 2025 13:29

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Tgt Ion:188 Resp: 881253

Ion	Ratio	Lower	Upper
188	100		
94	9.3	6.6	10.0
80	9.8	6.7	10.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. -0.006 min
Lab File: BP025474.D
Acq: 19 Aug 2025 13:29

Tgt Ion:240 Resp: 1055398

Ion	Ratio	Lower	Upper
240	100		
120	9.9	8.9	13.3
236	25.4	19.8	29.8





#79
Terphenyl-d14
Concen: 87.692 ng
RT: 19.924 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025474.D
Acq: 19 Aug 2025 13:29

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Tgt Ion:244 Resp: 5058581

Ion	Ratio	Lower	Upper
244	100		
212	7.3	5.8	8.6
122	9.2	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.018 min Scan# 3754
Delta R.T. -0.012 min
Lab File: BP025474.D
Acq: 19 Aug 2025 13:29

Tgt Ion:264 Resp: 1148869

Ion	Ratio	Lower	Upper
264	100		
260	23.1	19.3	28.9
265	22.1	17.4	26.0



Sample Results: **BP025474.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025474.D
Acq On : 19 Aug 2025 13:29
Operator : CG/JU
Sample : Q2815-18
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025474.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	3.037	12	17	32	rVB	3627401	4355042	31.81%	7.980%
2	4.943	335	341	347	rBV2	191938	277428	2.03%	0.508%
3	5.407	413	420	432	rBV	1945652	2886673	21.08%	5.289%
4	6.966	677	685	701	rBV	1326569	2265578	16.55%	4.151%
5	7.790	818	825	832	rBV	504440	804699	5.88%	1.475%
6	8.925	1009	1018	1029	rBV	1894638	3251594	23.75%	5.958%
7	10.554	1286	1295	1304	rBV	628886	1131403	8.26%	2.073%
8	13.013	1705	1713	1728	rBV	5066427	7434933	54.30%	13.624%
9	14.401	1941	1949	1956	rBV	1087215	1623359	11.86%	2.975%
10	15.783	2178	2184	2191	rBV	338551	442713	3.23%	0.811%
11	15.913	2198	2206	2225	rBV	4515683	6872896	50.20%	12.594%
12	17.195	2418	2424	2433	rBV2	1335823	2179547	15.92%	3.994%
13	18.136	2578	2584	2592	rBV	564754	889622	6.50%	1.630%
14	19.465	2806	2810	2818	rBV2	149496	241479	1.76%	0.442%
15	19.924	2881	2888	2893	rBV	10080071	13692045	100.00%	25.089%
16	21.312	3119	3124	3132	rBV2	244424	428564	3.13%	0.785%
17	21.642	3173	3180	3186	rBV	1796728	2818762	20.59%	5.165%
18	25.018	3744	3754	3765	rVB2	1100806	2977763	21.75%	5.456%

Sum of corrected areas: 54574100

Sample Results: **BP025474.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025474.D
Acq On : 19 Aug 2025 13:29
Operator : CG/JU
Sample : Q2815-18
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025474.D
Acq On : 19 Aug 2025 13:29
Operator : CG/JU
Sample : Q2815-18
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.037	108.24 ng	4355040	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	78
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	40
3	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	23
4	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	22
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025474.D
Acq On : 19 Aug 2025 13:29
Operator : CG/JU
Sample : Q2815-18
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.943	6.90 ng	277428	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	64
2	Acetic acid, 1,1-dimethylethyl e...	116	C6H12O2	000540-88-5	38
3	Silane, ethyldimethyl-	88	C4H12Si	000758-21-4	23
4	Butane, 1-ethoxy-	102	C6H14O	000628-81-9	23
5	3-Pentanol	88	C5H12O	000584-02-1	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025474.D
Acq On : 19 Aug 2025 13:29
Operator : CG/JU
Sample : Q2815-18
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.783	5.45 ng	442713	Acenaphthene-d10	14.401

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	1,2,4,5-Tetroxane, 3,3,6,6-tetra...	396	C26H20O4	016204-36-7	64
3	Benzenamine, N-(3-pyridinylmethy...	182	C12H10N2	029722-97-2	53
4	Methanone, phenyl-2-pyridinyl-	183	C12H9NO	000091-02-1	50
5	1,2,4-Trioxolane, 3,3,5-triphenyl-	304	C20H16O3	023246-12-0	45





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025474.D
Acq On : 19 Aug 2025 13:29
Operator : CG/JU
Sample : Q2815-18
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 n-Hexadecanoic acid Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
18.136	8.16 ng	889622	Phenanthrene-d10	17.195

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Pentadecanoic acid	242	C15H30O2	001002-84-2	93
3	Tetradecanoic acid	228	C14H28O2	000544-63-8	91
4	Tridecanoic acid	214	C13H26O2	000638-53-9	90
5	Undecanoic acid	186	C11H22O2	000112-37-8	80





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025474.D
Acq On : 19 Aug 2025 13:29
Operator : CG/JU
Sample : Q2815-18
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 1-Nonadecene Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.312	3.04 ng	428564	Chrysene-d12	21.642

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	1-Nonadecene	266	C19H38	018435-45-5	98
2	9-Tricosene, (Z)-	322	C23H46	027519-02-4	95
3	Octadecyl trifluoroacetate	366	C20H37F3O2	079392-43-1	94
4	Heptadecyl heptafluorobutyrate	452	C21H35F7O2	959085-66-6	94
5	Trifluoroacetoxy hexadecane	338	C18H33F3O2	006222-03-3	94





Sample Results: **BP025474.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025474.D
Acq On : 19 Aug 2025 13:29
Operator : CG/JU
Sample : Q2815-18
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-84SB-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	3.037	108.2	ng	4355040	1	7.790	804699	20.0
2-Pentanone, 4-...	4.943	6.9	ng	277428	1	7.790	804699	20.0
Benzophenone	15.783	5.5	ng	442713	3	14.401	1623360	20.0
n-Hexadecanoic ...	18.136	8.2	ng	889622	4	17.195	2179550	20.0
1-Nonadecene	21.312	3.0	ng	428564	5	21.642	2818760	20.0

Raw Data: **BP025475.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	DUP	SDG No.:	Q2815
Lab Sample ID:	Q2815-19	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025475.D	1	08/14/25 09:15	08/19/25 14:10	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.20	U	4.00	8.20	10.2	ug/L
108-95-2	Phenol	4.10	U	0.93	4.10	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.10	U	0.83	4.10	5.10	ug/L
95-57-8	2-Chlorophenol	4.10	U	0.59	4.10	5.10	ug/L
95-48-7	2-Methylphenol	4.10	U	1.10	4.10	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.10	U	1.30	4.10	5.10	ug/L
98-86-2	Acetophenone	4.10	U	0.76	4.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.20	U	1.10	8.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.60	U	1.40	2.60	2.60	ug/L
67-72-1	Hexachloroethane	4.10	U	0.66	4.10	5.10	ug/L
98-95-3	Nitrobenzene	4.10	U	0.78	4.10	5.10	ug/L
78-59-1	Isophorone	4.10	U	0.77	4.10	5.10	ug/L
88-75-5	2-Nitrophenol	4.10	U	1.80	4.10	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.10	U	1.90	4.10	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.10	U	0.69	4.10	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.10	U	0.53	4.10	5.10	ug/L
91-20-3	Naphthalene	4.10	U	0.51	4.10	5.10	ug/L
106-47-8	4-Chloroaniline	4.10	U	0.86	4.10	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.10	U	0.55	4.10	5.10	ug/L
105-60-2	Caprolactam	8.20	U	1.20	8.20	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	4.10	U	0.60	4.10	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.10	U	0.57	4.10	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.20	U	3.70	8.20	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	4.10	U	0.52	4.10	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.10	U	0.63	4.10	5.10	ug/L
92-52-4	1,1-Biphenyl	4.10	U	0.54	4.10	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.10	U	0.62	4.10	5.10	ug/L
88-74-4	2-Nitroaniline	4.10	U	1.30	4.10	5.10	ug/L
131-11-3	Dimethylphthalate	4.10	U	0.62	4.10	5.10	ug/L

Raw Data: **BP025475.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	DUP	SDG No.:	Q2815
Lab Sample ID:	Q2815-19	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025475.D	1	08/14/25 09:15	08/19/25 14:10	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.10	U	0.77	4.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.10	U	0.94	4.10	5.10	ug/L
99-09-2	3-Nitroaniline	4.10	U	1.10	4.10	5.10	ug/L
83-32-9	Acenaphthene	4.10	U	0.56	4.10	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.20	U	6.10	8.20	10.2	ug/L
100-02-7	4-Nitrophenol	8.20	U	2.40	8.20	10.2	ug/L
132-64-9	Dibenzofuran	4.10	U	0.62	4.10	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.10	U	1.20	4.10	5.10	ug/L
84-66-2	Diethylphthalate	4.10	U	0.70	4.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.10	U	0.69	4.10	5.10	ug/L
86-73-7	Fluorene	4.10	U	0.64	4.10	5.10	ug/L
100-01-6	4-Nitroaniline	4.10	U	1.50	4.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.20	U	2.90	8.20	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	4.10	U	0.59	4.10	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.10	U	0.41	4.10	5.10	ug/L
118-74-1	Hexachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
1912-24-9	Atrazine	4.10	U	1.00	4.10	5.10	ug/L
87-86-5	Pentachlorophenol	8.20	U	1.60	8.20	10.2	ug/L
85-01-8	Phenanthrene	4.10	U	0.51	4.10	5.10	ug/L
120-12-7	Anthracene	4.10	U	0.62	4.10	5.10	ug/L
86-74-8	Carbazole	4.10	U	0.73	4.10	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.10	U	1.20	4.10	5.10	ug/L
206-44-0	Fluoranthene	4.10	U	0.84	4.10	5.10	ug/L
129-00-0	Pyrene	4.10	U	0.51	4.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.10	U	2.00	4.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.20	U	0.95	8.20	10.2	ug/L
56-55-3	Benzo(a)anthracene	4.10	U	0.46	4.10	5.10	ug/L
218-01-9	Chrysene	4.10	U	0.45	4.10	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.10	U	1.60	4.10	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.20	U	2.40	8.20	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	4.10	U	0.50	4.10	5.10	ug/L

Raw Data: **BP025475.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	DUP	SDG No.:	Q2815
Lab Sample ID:	Q2815-19	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025475.D	1	08/14/25 09:15	08/19/25 14:10	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.10	U	0.49	4.10	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.10	U	0.56	4.10	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.10	U	0.60	4.10	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.10	U	0.68	4.10	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.10	U	0.70	4.10	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
123-91-1	1,4-Dioxane	4.10	U	1.00	4.10	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.10	U	0.73	4.10	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	90.4		19 - 119		60%	SPK: 150
13127-88-3	Phenol-d6	68.4		10 - 130		46%	SPK: 150
4165-60-0	Nitrobenzene-d5	83.5		44 - 120		84%	SPK: 100
321-60-8	2-Fluorobiphenyl	77.4		44 - 119		77%	SPK: 100
118-79-6	2,4,6-Tribromophenol	142		43 - 140		95%	SPK: 150
1718-51-0	Terphenyl-d14	78.8		50 - 134		79%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	169000	7.79				
1146-65-2	Naphthalene-d8	684000	10.566				
15067-26-2	Acenaphthene-d10	470000	14.401				
1517-22-2	Phenanthrene-d10	1020000	17.195				
1719-03-5	Chrysene-d12	1090000	21.642				
1520-96-3	Perylene-d12	1210000	25.001				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	92.6	J			3.04	ug/L
000057-55-6	Propylene Glycol	13.4	J			3.57	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.60	AB			4.94	ug/L
000119-61-9	Benzophenone	10.2	J			15.8	ug/L
000057-10-3	n-Hexadecanoic acid	17.8	J			18.1	ug/L
000057-11-4	Octadecanoic acid	4.60	J			19.5	ug/L
018835-32-0	1-Tricosene	7.70	J			21.3	ug/L

Raw Data: **BP025475.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	DUP	SDG No.:	Q2815
Lab Sample ID:	Q2815-19	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025475.D	1	08/14/25 09:15	08/19/25 14:10	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
000111-02-4	Squalene	5.50	J			23.5	ug/L

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025475.D
Acq On : 19 Aug 2025 14:10
Operator : CG/JU
Sample : Q2815-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DUP

Quant Time: Aug 19 14:56:02 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	168639	20.000	ng	0.00
21) Naphthalene-d8	10.566	136	683732	20.000	ng	0.00
39) Acenaphthene-d10	14.401	164	469521	20.000	ng	0.00
64) Phenanthrene-d10	17.195	188	1016333	20.000	ng	0.00
76) Chrysene-d12	21.642	240	1089183	20.000	ng	0.00
86) Perylene-d12	25.001	264	1207989	20.000	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	918117	90.413	ng	0.00
7) Phenol-d6	6.966	99	890493	68.399	ng	0.00
23) Nitrobenzene-d5	8.937	82	1128788	83.513	ng	0.00
42) 2,4,6-Tribromophenol	15.919	330	899330	142.304	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	2657365	77.351	ng	0.00
79) Terphenyl-d14	19.924	244	4688434	78.755	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025475.D
Acq On : 19 Aug 2025 14:10
Operator : CG/JU
Sample : Q2815-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DUP

Quant Time: Aug 19 14:56:02 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025475.D
Acq: 19 Aug 2025 14:10

Instrument :
BNA_P
ClientSampleId :
DUP

Tgt Ion:152 Resp: 168639

Ion	Ratio	Lower	Upper
152	100		
150	157.3	125.9	188.9
115	58.8	48.5	72.7





#5
2-Fluorophenol
Concen: 90.413 ng
RT: 5.408 min Scan# 420
Delta R.T. 0.000 min
Lab File: BP025475.D
Acq: 19 Aug 2025 14:10

Tgt Ion:112 Resp: 918117

Ion	Ratio	Lower	Upper
112	100		
64	55.8	43.8	65.8
63	29.1	22.7	34.1





#7
Phenol-d6
Concen: 68.399 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025475.D
Acq: 19 Aug 2025 14:10

Instrument :
BNA_P
ClientSampleId :
DUP

Tgt Ion: 99 Resp: 890493

Ion	Ratio	Lower	Upper
99	100		
42	17.7	13.7	20.5
71	35.1	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.566 min Scan# 1297
Delta R.T. 0.006 min
Lab File: BP025475.D
Acq: 19 Aug 2025 14:10

Tgt Ion:136 Resp: 683732

Ion	Ratio	Lower	Upper
136	100		
137	10.6	9.2	13.8
54	7.7	6.0	9.0
68	5.7	4.3	6.5





#23
Nitrobenzene-d5
Concen: 83.513 ng
RT: 8.937 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025475.D
Acq: 19 Aug 2025 14:10

Instrument :
BNA_P
ClientSampleId :
DUP

Tgt Ion: 82 Resp: 1128788

Ion	Ratio	Lower	Upper
82	100		
128	46.6	37.7	56.5
54	50.8	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1949
Delta R.T. -0.006 min
Lab File: BP025475.D
Acq: 19 Aug 2025 14:10

Tgt Ion:164 Resp: 469521

Ion	Ratio	Lower	Upper
164	100		
162	99.2	81.0	121.6
160	43.4	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 142.304 ng
RT: 15.919 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025475.D
Acq: 19 Aug 2025 14:10

Instrument :
BNA_P
ClientSampleId :
DUP

Tgt Ion:330 Resp: 899330

Ion	Ratio	Lower	Upper
330	100		
332	97.7	77.3	115.9
141	33.4	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 77.351 ng
RT: 13.019 min Scan# 1714
Delta R.T. 0.000 min
Lab File: BP025475.D
Acq: 19 Aug 2025 14:10

Tgt Ion:172 Resp: 2657365

Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.1	42.1
170	23.1	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.195 min Scan# 24
Delta R.T. -0.006 min
Lab File: BP025475.D
Acq: 19 Aug 2025 14:10

Instrument :
BNA_P
ClientSampleId :
DUP

Tgt Ion:188 Resp: 1016333

Ion	Ratio	Lower	Upper
188	100		
94	9.2	6.6	10.0
80	9.7	6.7	10.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. -0.006 min
Lab File: BP025475.D
Acq: 19 Aug 2025 14:10

Tgt Ion:240 Resp: 1089183

Ion	Ratio	Lower	Upper
240	100		
120	10.8	8.9	13.3
236	25.4	19.8	29.8





#79
Terphenyl-d14
Concen: 78.755 ng
RT: 19.924 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025475.D
Acq: 19 Aug 2025 14:10

Instrument :
BNA_P
ClientSampleId :
DUP

Tgt Ion:244 Resp: 4688434

Ion	Ratio	Lower	Upper
244	100		
212	7.3	5.8	8.6
122	9.4	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.001 min Scan# 3751
Delta R.T. -0.029 min
Lab File: BP025475.D
Acq: 19 Aug 2025 14:10

Tgt Ion:264 Resp: 1207989

Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.3	28.9
265	22.1	17.4	26.0



Sample Results: **BP025475.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025475.D
Acq On : 19 Aug 2025 14:10
Operator : CG/JU
Sample : Q2815-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DUP

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025475.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	3.037	13	17	36	rVB	3525876	4463306	35.36%	7.349%
2	3.567	102	107	118	rBV	477335	645587	5.11%	1.063%
3	4.943	334	341	352	rBV2	246705	365362	2.89%	0.602%
4	5.408	413	420	432	rBV	2083156	3122330	24.73%	5.141%
5	6.966	676	685	702	rBV	1482346	2488574	19.71%	4.097%
6	7.790	817	825	833	rBV	593337	983632	7.79%	1.620%
7	8.937	1007	1020	1038	rBV	1971110	3364017	26.65%	5.539%
8	10.566	1288	1297	1309	rBV	758719	1393516	11.04%	2.294%
9	13.019	1705	1714	1725	rBV	4692317	7670122	60.76%	12.629%
10	14.401	1941	1949	1960	rBV	1260937	1985456	15.73%	3.269%
11	15.784	2178	2184	2191	rBV	754216	993865	7.87%	1.636%
12	15.913	2200	2206	2218	rBV	4324980	6730950	53.32%	11.082%
13	17.195	2418	2424	2432	rBV2	1622219	2500025	19.80%	4.116%
14	18.148	2580	2586	2595	rBV	1412740	2180627	17.27%	3.590%
15	19.319	2781	2785	2787	rBV2	110177	148664	1.18%	0.245%
16	19.466	2806	2810	2824	rBV	416838	661535	5.24%	1.089%
17	19.919	2881	2887	2895	rBV	8889551	12623576	100.00%	20.784%
18	20.789	3032	3035	3038	rVB	159105	158398	1.25%	0.261%
19	21.319	3119	3125	3133	rBV	647373	1119699	8.87%	1.844%
20	21.642	3173	3180	3195	rVB	1559000	2960321	23.45%	4.874%
21	21.907	3221	3225	3232	rVB	167817	247418	1.96%	0.407%
22	23.501	3491	3496	3504	rVB	415933	830737	6.58%	1.368%
23	24.995	3742	3750	3766	rVB	1117656	3098856	24.55%	5.102%

Sum of corrected areas: 60736573

Sample Results: **BP025475.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025475.D
Acq On : 19 Aug 2025 14:10
Operator : CG/JU
Sample : Q2815-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DUP

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025475.D
Acq On : 19 Aug 2025 14:10
Operator : CG/JU
Sample : Q2815-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DUP

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.037	90.75 ng	4463310	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	78
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	40
3	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	23
4	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	22
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025475.D
Acq On : 19 Aug 2025 14:10
Operator : CG/JU
Sample : Q2815-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DUP

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 2 Propylene Glycol Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.567	13.13 ng	645587	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Propylene Glycol	76	C3H8O2	000057-55-6	86
2	Isopropyl Alcohol	60	C3H8O	000067-63-0	56
3	(S)-(+)-1,2-Propanediol	76	C3H8O2	004254-15-3	43
4	Propanoic acid, 2-hydroxy-, meth...	104	C4H8O3	000547-64-8	40
5	R-(-)-1,2-propanediol	76	C3H8O2	004254-14-2	9





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025475.D
Acq On : 19 Aug 2025 14:10
Operator : CG/JU
Sample : Q2815-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DUP

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.943	7.43 ng	365362	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	45
2	Silane, ethyldimethyl-	88	C4H12Si	000758-21-4	32
3	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	25
4	.alpha.-Hydroxyisobutyric acid, ...	146	C6H10O4	1000374-31-3	17
5	Propane, 1-ethoxy-2-methyl-	102	C6H14O	000627-02-1	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025475.D
Acq On : 19 Aug 2025 14:10
Operator : CG/JU
Sample : Q2815-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DUP

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 Benzophenone Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.784	10.01 ng	993865	Acenaphthene-d10	14.401

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	Azobenzene	182	C12H10N2	000103-33-3	64
3	Methanone, phenyl-2-pyridinyl-	183	C12H9NO	000091-02-1	45
4	1,2,4-Trioxolane, 3,3,5-triphenyl-	304	C20H16O3	023246-12-0	45
5	Benzenamine, N-(3-pyridinylmethy...	182	C12H10N2	029722-97-2	42





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025475.D
Acq On : 19 Aug 2025 14:10
Operator : CG/JU
Sample : Q2815-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DUP

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 n-Hexadecanoic acid Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
18.148	17.44 ng	2180630	Phenanthrene-d10	17.195

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Tetradecanoic acid	228	C14H28O2	000544-63-8	93
3	Pentadecanoic acid	242	C15H30O2	001002-84-2	93
4	Tridecanoic acid	214	C13H26O2	000638-53-9	91
5	Undecanoic acid	186	C11H22O2	000112-37-8	83





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025475.D
Acq On : 19 Aug 2025 14:10
Operator : CG/JU
Sample : Q2815-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DUP

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 6 Octadecanoic acid Concentration Rank 8

R.T.	EstConc	Area	Relative to ISTD	R.T.
19.466	4.47 ng	661535	Chrysene-d12	21.642

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octadecanoic acid	284	C18H36O2	000057-11-4	99
2	Octadecanoic acid, 2-(2-hydroxye...	372	C22H44O4	000106-11-6	91
3	Pentadecanoic acid	242	C15H30O2	001002-84-2	89
4	Tetradecanoic acid	228	C14H28O2	000544-63-8	87
5	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	81





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025475.D
Acq On : 19 Aug 2025 14:10
Operator : CG/JU
Sample : Q2815-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DUP

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 7 1-Tricosene Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.319	7.56 ng	1119700	Chrysene-d12	21.642

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	1-Tricosene	322	C23H46	018835-32-0	94
2	Pentadecafluorooctanoic acid, oc...	666	C26H37F15O2	1000406-04-8	94
3	1-Heneicosanol	312	C21H44O	015594-90-8	93
4	Ethanol, 2-(tetradecyloxy)-	258	C16H34O2	002136-70-1	91
5	1-Hexadecanesulfonyl chloride	324	C16H33ClO2S	038775-38-1	91





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025475.D
Acq On : 19 Aug 2025 14:10
Operator : CG/JU
Sample : Q2815-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DUP

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 8 Squalene Concentration Rank 7

R.T.	EstConc	Area	Relative to ISTD	R.T.
23.501	5.36 ng	830737	Perylene-d12	25.001

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Squalene	410	C30H50	000111-02-4	95
2	(2E,6E,10E)-3,7,11,15-Tetramethy...	318	C21H34O2	125456-63-5	90
3	Docosa-2,6,10,14,18-pentaen-22-a...	384	C27H44O	1000163-04-7	90
4	Supraene	410	C30H50	007683-64-9	86
5	1,5,9-Undecatriene, 2,6,10-trime...	192	C14H24	062951-96-6	80





Sample Results: **BP025475.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025475.D
Acq On : 19 Aug 2025 14:10
Operator : CG/JU
Sample : Q2815-19
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DUP

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	3.037	90.8	ng	4463310	1	7.790	983632	20.0
Propylene Glycol	3.567	13.1	ng	645587	1	7.790	983632	20.0
2-Pentanone, 4-...	4.943	7.4	ng	365362	1	7.790	983632	20.0
Benzophenone	15.784	10.0	ng	993865	3	14.401	1985460	20.0
n-Hexadecanoic ...	18.148	17.4	ng	2180630	4	17.195	2500030	20.0
Octadecanoic acid	19.466	4.5	ng	661535	5	21.642	2960320	20.0
1-Tricosene	21.319	7.6	ng	1119700	5	21.642	2960320	20.0
Squalene	23.501	5.4	ng	830737	6	25.001	3098860	20.0

Raw Data: **BP025476.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-20	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025476.D	1	08/14/25 09:15	08/19/25 14:51	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.10	U	3.90	8.10	10.1	ug/L
108-95-2	Phenol	4.00	U	0.92	4.00	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.82	4.00	5.10	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.59	4.00	5.10	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.10	ug/L
98-86-2	Acetophenone	4.00	U	0.75	4.00	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.10	U	1.10	8.10	10.1	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.66	4.00	5.10	ug/L
98-95-3	Nitrobenzene	4.00	U	0.77	4.00	5.10	ug/L
78-59-1	Isophorone	4.00	U	0.76	4.00	5.10	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.69	4.00	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.53	4.00	5.10	ug/L
91-20-3	Naphthalene	4.00	U	0.51	4.00	5.10	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.85	4.00	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.55	4.00	5.10	ug/L
105-60-2	Caprolactam	8.10	U	1.10	8.10	10.1	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.60	4.00	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.57	4.00	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.10	U	3.70	8.10	10.1	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.52	4.00	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.63	4.00	5.10	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.54	4.00	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.62	4.00	5.10	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.10	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.62	4.00	5.10	ug/L

Raw Data: **BP025476.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-20	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025476.D	1	08/14/25 09:15	08/19/25 14:51	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.76	4.00	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.93	4.00	5.10	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.10	ug/L
83-32-9	Acenaphthene	4.00	U	0.56	4.00	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.10	U	6.00	8.10	10.1	ug/L
100-02-7	4-Nitrophenol	8.10	U	2.40	8.10	10.1	ug/L
132-64-9	Dibenzofuran	4.00	U	0.62	4.00	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.10	ug/L
84-66-2	Diethylphthalate	4.00	U	0.70	4.00	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.69	4.00	5.10	ug/L
86-73-7	Fluorene	4.00	U	0.64	4.00	5.10	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.10	U	2.90	8.10	10.1	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.59	4.00	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.10	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.10	ug/L
87-86-5	Pentachlorophenol	8.10	U	1.60	8.10	10.1	ug/L
85-01-8	Phenanthrene	4.00	U	0.51	4.00	5.10	ug/L
120-12-7	Anthracene	4.00	U	0.62	4.00	5.10	ug/L
86-74-8	Carbazole	4.00	U	0.73	4.00	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.10	ug/L
206-44-0	Fluoranthene	4.00	U	0.83	4.00	5.10	ug/L
129-00-0	Pyrene	4.00	U	0.51	4.00	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.10	U	0.94	8.10	10.1	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.10	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.10	U	2.40	8.10	10.1	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.10	ug/L

Raw Data: **BP025476.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-20	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025476.D	1	08/14/25 09:15	08/19/25 14:51	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.56	4.00	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.60	4.00	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.68	4.00	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.70	4.00	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.53	4.00	5.10	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.73	4.00	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	94.6		19 - 119		63%	SPK: 150
13127-88-3	Phenol-d6	68.0		10 - 130		45%	SPK: 150
4165-60-0	Nitrobenzene-d5	99.1		44 - 120		99%	SPK: 100
321-60-8	2-Fluorobiphenyl	88.6		44 - 119		89%	SPK: 100
118-79-6	2,4,6-Tribromophenol	171		43 - 140		114%	SPK: 150
1718-51-0	Terphenyl-d14	92.0		50 - 134		92%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	149000	7.79				
1146-65-2	Naphthalene-d8	590000	10.555				
15067-26-2	Acenaphthene-d10	418000	14.401				
1517-22-2	Phenanthrene-d10	941000	17.201				
1719-03-5	Chrysene-d12	1070000	21.648				
1520-96-3	Perylene-d12	1140000	25.024				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	91.4	J			3.04	ug/L
001193-11-9	1,3-Dioxolane, 2,2,4-trimethyl-	36.2	J			3.46	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	6.40	AB			4.95	ug/L
000119-61-9	Benzophenone	6.20	J			15.8	ug/L
000057-10-3	n-Hexadecanoic acid	7.10	J			18.1	ug/L
010192-32-2	1-Tetracosene	4.20	J			21.3	ug/L
007683-64-9	Supraene	2.30	J			23.5	ug/L

Raw Data: **BP025476.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-W	SDG No.:	Q2815
Lab Sample ID:	Q2815-20	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	990 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025476.D	1	08/14/25 09:15	08/19/25 14:51	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025476.D
Acq On : 19 Aug 2025 14:51
Operator : CG/JU
Sample : Q2815-20
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Quant Time: Aug 19 15:14:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	148632	20.000	ng	0.00
21) Naphthalene-d8	10.555	136	590183	20.000	ng	0.00
39) Acenaphthene-d10	14.401	164	418235	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	940535	20.000	ng	0.00
76) Chrysene-d12	21.648	240	1068313	20.000	ng	0.00
86) Perylene-d12	25.024	264	1139629	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	846311	94.560	ng	0.00
7) Phenol-d6	6.966	99	779784	67.957	ng	0.00
23) Nitrobenzene-d5	8.925	82	1156453	99.121	ng	-0.01
42) 2,4,6-Tribromophenol	15.913	330	963889	171.222	ng	0.00
45) 2-Fluorobiphenyl	13.013	172	2709907	88.553	ng	0.00
79) Terphenyl-d14	19.925	244	5372879	92.015	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025476.D
Acq On : 19 Aug 2025 14:51
Operator : CG/JU
Sample : Q2815-20
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Quant Time: Aug 19 15:14:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025476.D
Acq: 19 Aug 2025 14:51

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Tgt Ion:152 Resp: 148632

Ion	Ratio	Lower	Upper
152	100		
150	153.5	125.9	188.9
115	59.2	48.5	72.7





#5
2-Fluorophenol
Concen: 94.560 ng
RT: 5.408 min Scan# 420
Delta R.T. 0.000 min
Lab File: BP025476.D
Acq: 19 Aug 2025 14:51

Tgt Ion:112 Resp: 846311

Ion	Ratio	Lower	Upper
112	100		
64	54.3	43.8	65.8
63	28.3	22.7	34.1





#7
Phenol-d6
Concen: 67.957 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025476.D
Acq: 19 Aug 2025 14:51

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Tgt Ion: 99 Resp: 779784

Ion	Ratio	Lower	Upper
99	100		
42	17.3	13.7	20.5
71	34.2	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.555 min Scan# 1295
Delta R.T. -0.006 min
Lab File: BP025476.D
Acq: 19 Aug 2025 14:51

Tgt Ion:136 Resp: 590183

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.2	13.8
54	8.2	6.0	9.0
68	5.8	4.3	6.5





#23
Nitrobenzene-d5
Concen: 99.121 ng
RT: 8.925 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025476.D
Acq: 19 Aug 2025 14:51

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Tgt Ion: 82 Resp: 1156453

Ion	Ratio	Lower	Upper
82	100		
128	45.6	37.7	56.5
54	51.1	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1949
Delta R.T. -0.006 min
Lab File: BP025476.D
Acq: 19 Aug 2025 14:51

Tgt Ion:164 Resp: 418235

Ion	Ratio	Lower	Upper
164	100		
162	99.4	81.0	121.6
160	43.6	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 171.222 ng
RT: 15.913 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025476.D
Acq: 19 Aug 2025 14:51

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Tgt Ion:330 Resp: 963889

Ion	Ratio	Lower	Upper
330	100		
332	96.7	77.3	115.9
141	33.4	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 88.553 ng
RT: 13.013 min Scan# 1713
Delta R.T. -0.006 min
Lab File: BP025476.D
Acq: 19 Aug 2025 14:51

Tgt Ion:172 Resp: 2709907

Ion	Ratio	Lower	Upper
172	100		
171	35.2	28.1	42.1
170	23.4	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025476.D
Acq: 19 Aug 2025 14:51

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Tgt Ion:188 Resp: 940535

Ion	Ratio	Lower	Upper
188	100		
94	9.1	6.6	10.0
80	9.7	6.7	10.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. 0.000 min
Lab File: BP025476.D
Acq: 19 Aug 2025 14:51

Tgt Ion:240 Resp: 1068313

Ion	Ratio	Lower	Upper
240	100		
120	11.5	8.9	13.3
236	25.7	19.8	29.8





#79
Terphenyl-d14
Concen: 92.015 ng
RT: 19.925 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025476.D
Acq: 19 Aug 2025 14:51

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Tgt Ion:244 Resp: 5372879

Ion	Ratio	Lower	Upper
244	100		
212	7.4	5.8	8.6
122	9.9	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.024 min Scan# 3755
Delta R.T. -0.006 min
Lab File: BP025476.D
Acq: 19 Aug 2025 14:51

Tgt Ion:264 Resp: 1139629

Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.3	28.9
265	22.1	17.4	26.0



Sample Results: **BP025476.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025476.D
Acq On : 19 Aug 2025 14:51
Operator : CG/JU
Sample : Q2815-20
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025476.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	3.037	12	17	32	rVB	3249659	3894123	26.78%	6.690%
2	3.455	83	88	100	rVB	1261289	1541151	10.60%	2.647%
3	4.949	336	342	348	rBV2	181693	271932	1.87%	0.467%
4	5.408	412	420	430	rBV	1982185	2862843	19.69%	4.918%
5	6.966	677	685	697	rBV	1358147	2186242	15.03%	3.756%
6	7.790	818	825	833	rBV	538915	860979	5.92%	1.479%
7	8.925	1010	1018	1029	rBV	2026019	3396123	23.35%	5.834%
8	10.555	1286	1295	1311	rBV	702307	1205165	8.29%	2.070%
9	13.013	1705	1713	1730	rBV	4761804	7820577	53.78%	13.435%
10	14.401	1939	1949	1963	rBV	1062358	1770338	12.17%	3.041%
11	15.778	2174	2183	2193	rBV	347200	544860	3.75%	0.936%
12	15.907	2198	2205	2226	rBV	4463226	7173366	49.33%	12.323%
13	17.201	2417	2425	2433	rBV2	1459240	2343614	16.12%	4.026%
14	18.137	2579	2584	2593	rBV	482290	826085	5.68%	1.419%
15	19.472	2806	2811	2818	rBV	92703	158448	1.09%	0.272%
16	19.925	2881	2888	2897	rBV	9871191	14541404	100.00%	24.980%
17	21.319	3120	3125	3134	rBV2	321681	603778	4.15%	1.037%
18	21.648	3175	3181	3189	rBV	1943222	2891069	19.88%	4.966%
19	23.501	3493	3496	3504	rVB	195344	339902	2.34%	0.584%
20	25.024	3747	3755	3768	rVB	1146871	2979598	20.49%	5.119%

Sum of corrected areas: 58211597

Sample Results: **BP025476.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025476.D
Acq On : 19 Aug 2025 14:51
Operator : CG/JU
Sample : Q2815-20
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025476.D
Acq On : 19 Aug 2025 14:51
Operator : CG/JU
Sample : Q2815-20
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.037	90.46 ng	3894120	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	78
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	40
3	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	23
4	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	22
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025476.D
Acq On : 19 Aug 2025 14:51
Operator : CG/JU
Sample : Q2815-20
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 1,3-Dioxolane, 2,2,4-trimet... Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.455	35.80 ng	1541150	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	1,3-Dioxolane, 2,2,4-trimethyl-	116	C6H12O2	001193-11-9	90
2	Thiocyanic acid, propyl ester	101	C4H7NS	004251-16-5	53
3	1,3-Dioxane, 4-methyl-	102	C5H10O2	001120-97-4	50
4	Propane, 1-isothiocyanato-	101	C4H7NS	000628-30-8	50
5	2-Butanone	72	C4H8O	000078-93-3	9





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025476.D
Acq On : 19 Aug 2025 14:51
Operator : CG/JU
Sample : Q2815-20
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 3 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.949	6.32 ng	271932	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	50
2	Acetic acid, 1,1-dimethylethyl e...	116	C6H12O2	000540-88-5	38
3	3-Hexanol, 4-methyl-	116	C7H16O	000615-29-2	23
4	Propane, 1-ethoxy-2-methyl-	102	C6H14O	000627-02-1	23
5	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025476.D
Acq On : 19 Aug 2025 14:51
Operator : CG/JU
Sample : Q2815-20
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 Benzophenone Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.778	6.16 ng	544860	Acenaphthene-d10	14.401

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	Benzenamine, N-(3-pyridinylmethy...	182	C12H10N2	029722-97-2	45
3	1,2,4,5-Tetroxane, 3,3,6,6-tetra...	396	C26H20O4	016204-36-7	40
4	Methanone, phenyl-2-pyridinyl-	183	C12H9NO	000091-02-1	38
5	2,3-Dihydro-1-oxo-1H-phenalene	182	C13H10O	000518-85-4	27





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025476.D
Acq On : 19 Aug 2025 14:51
Operator : CG/JU
Sample : Q2815-20
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 n-Hexadecanoic acid Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
18.137	7.05 ng	826085	Phenanthrene-d10	17.201

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Tetradecanoic acid	228	C14H28O2	000544-63-8	95
3	Pentadecanoic acid	242	C15H30O2	001002-84-2	93
4	Tridecanoic acid	214	C13H26O2	000638-53-9	91
5	n-Decanoic acid	172	C10H20O2	000334-48-5	76





Sample Results: **BP025476.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025476.D
Acq On : 19 Aug 2025 14:51
Operator : CG/JU
Sample : Q2815-20
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 6 1-Tetracosene Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.319	4.18 ng	603778	Chrysene-d12	21.648

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	1-Tetracosene	336	C24H48	010192-32-2	95
2	1-Heneicosanol	312	C21H44O	015594-90-8	95
3	Pentacos-1-ene	350	C25H50	016980-85-1	94
4	Trifluoroacetic acid, pentadecyl...	324	C17H31F3O2	959010-23-2	94
5	Heptacos-1-ene	378	C27H54	015306-27-1	94





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025476.D
Acq On : 19 Aug 2025 14:51
Operator : CG/JU
Sample : Q2815-20
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 7 Supraene Concentration Rank 7

R.T.	EstConc	Area	Relative to ISTD	R.T.
23.501	2.28 ng	339902	Perylene-d12	25.024

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Supraene	410	C30H50	007683-64-9	93
2	Squalene	410	C30H50	000111-02-4	81
3	1,5,9-Undecatriene, 2,6,10-trime...	192	C14H24	062951-96-6	74
4	2,6,10,14-Hexadecatetraenoic aci...	318	C21H34O2	042207-88-5	72
5	(2E,6E,10E)-3,7,11,15-Tetramethy...	318	C21H34O2	125456-63-5	72





Sample Results: **BP025476.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025476.D
Acq On : 19 Aug 2025 14:51
Operator : CG/JU
Sample : Q2815-20
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-W

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	3.037	90.5	ng	3894120	1	7.790	860979	20.0
1,3-Dioxolane, ...	3.455	35.8	ng	1541150	1	7.790	860979	20.0
2-Pentanone, 4-...	4.949	6.3	ng	271932	1	7.790	860979	20.0
Benzophenone	15.778	6.2	ng	544860	3	14.401	1770340	20.0
n-Hexadecanoic ...	18.137	7.0	ng	826085	4	17.201	2343610	20.0
1-Tetracosene	21.319	4.2	ng	603778	5	21.648	2891070	20.0
Supraene	23.501	2.3	ng	339902	6	25.024	2979600	20.0

Raw Data: **BP025477.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-21	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025477.D	1	08/14/25 09:15	08/19/25 15:32	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BP025477.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-21	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025477.D	1	08/14/25 09:15	08/19/25 15:32	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BP025477.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-21	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025477.D	1	08/14/25 09:15	08/19/25 15:32	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	91.5		19 - 119		61%	SPK: 150
13127-88-3	Phenol-d6	66.4		10 - 130		44%	SPK: 150
4165-60-0	Nitrobenzene-d5	94.5		44 - 120		95%	SPK: 100
321-60-8	2-Fluorobiphenyl	86.5		44 - 119		87%	SPK: 100
118-79-6	2,4,6-Tribromophenol	159		43 - 140		106%	SPK: 150
1718-51-0	Terphenyl-d14	89.3		50 - 134		89%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	173000	7.79				
1146-65-2	Naphthalene-d8	696000	10.554				
15067-26-2	Acenaphthene-d10	476000	14.401				
1517-22-2	Phenanthrene-d10	1010000	17.207				
1719-03-5	Chrysene-d12	1100000	21.642				
1520-96-3	Perylene-d12	1200000	25.012				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	90.4	J			3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	6.70	AB			4.94	ug/L
000119-61-9	Benzophenone	3.70	J			15.8	ug/L
1000336-66-8	6-Octadecenoic acid	2.70	J			18.0	ug/L
000057-10-3	n-Hexadecanoic acid	10.2	J			18.1	ug/L
000297-03-0	Cyclotetracosane	3.50	J			21.3	ug/L
000111-02-4	Squalene	5.70	J			23.5	ug/L

Raw Data: **BP025477.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-E	SDG No.:	Q2815
Lab Sample ID:	Q2815-21	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025477.D	1	08/14/25 09:15	08/19/25 15:32	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Sample Results: **BP025477.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025477.D
Acq On : 19 Aug 2025 15:32
Operator : CG/JU
Sample : Q2815-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Quant Time: Aug 19 16:02:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	173452	20.000	ng	0.00
21) Naphthalene-d8	10.554	136	695938	20.000	ng	0.00
39) Acenaphthene-d10	14.401	164	476134	20.000	ng	0.00
64) Phenanthrene-d10	17.207	188	1011823	20.000	ng	0.00
76) Chrysene-d12	21.642	240	1102096	20.000	ng	0.00
86) Perylene-d12	25.012	264	1196382	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	955286	91.463	ng	0.00
7) Phenol-d6	6.966	99	888836	66.377	ng	0.00
23) Nitrobenzene-d5	8.931	82	1300395	94.522	ng	0.00
42) 2,4,6-Tribromophenol	15.919	330	1022102	159.484	ng	0.00
45) 2-Fluorobiphenyl	13.013	172	3014307	86.522	ng	0.00
79) Terphenyl-d14	19.919	244	5382135	89.348	ng	0.00

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025477.D
Acq On : 19 Aug 2025 15:32
Operator : CG/JU
Sample : Q2815-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Quant Time: Aug 19 16:02:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025477.D
Acq: 19 Aug 2025 15:32

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Tgt Ion:152 Resp: 173452

Ion	Ratio	Lower	Upper
152	100		
150	155.8	125.9	188.9
115	63.2	48.5	72.7





#5
2-Fluorophenol
Concen: 91.463 ng
RT: 5.408 min Scan# 420
Delta R.T. 0.000 min
Lab File: BP025477.D
Acq: 19 Aug 2025 15:32

Tgt Ion:112 Resp: 955286

Ion	Ratio	Lower	Upper
112	100		
64	54.6	43.8	65.8
63	29.2	22.7	34.1





#7
Phenol-d6
Concen: 66.377 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025477.D
Acq: 19 Aug 2025 15:32

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Tgt Ion: 99 Resp: 888836

Ion	Ratio	Lower	Upper
99	100		
42	17.1	13.7	20.5
71	33.6	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.554 min Scan# 1295
Delta R.T. -0.006 min
Lab File: BP025477.D
Acq: 19 Aug 2025 15:32

Tgt Ion:136 Resp: 695938

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.2	13.8
54	8.0	6.0	9.0
68	5.5	4.3	6.5





#23
Nitrobenzene-d5
Concen: 94.522 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025477.D
Acq: 19 Aug 2025 15:32

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Tgt Ion: 82 Resp: 1300395

Ion	Ratio	Lower	Upper
82	100		
128	45.8	37.7	56.5
54	50.5	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1949
Delta R.T. -0.006 min
Lab File: BP025477.D
Acq: 19 Aug 2025 15:32

Tgt Ion:164 Resp: 476134

Ion	Ratio	Lower	Upper
164	100		
162	100.8	81.0	121.6
160	43.8	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 159.484 ng
RT: 15.919 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025477.D
Acq: 19 Aug 2025 15:32

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Tgt Ion:330 Resp: 1022102

Ion	Ratio	Lower	Upper
330	100		
332	97.8	77.3	115.9
141	33.6	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 86.522 ng
RT: 13.013 min Scan# 1713
Delta R.T. -0.006 min
Lab File: BP025477.D
Acq: 19 Aug 2025 15:32

Tgt Ion:172 Resp: 3014307

Ion	Ratio	Lower	Upper
172	100		
171	34.3	28.1	42.1
170	23.0	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025477.D
Acq: 19 Aug 2025 15:32

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Tgt Ion:188 Resp: 1011823

Ion	Ratio	Lower	Upper
188	100		
94	8.9	6.6	10.0
80	9.1	6.7	10.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. -0.006 min
Lab File: BP025477.D
Acq: 19 Aug 2025 15:32

Tgt Ion:240 Resp: 1102096

Ion	Ratio	Lower	Upper
240	100		
120	11.1	8.9	13.3
236	25.6	19.8	29.8





#79
Terphenyl-d14
Concen: 89.348 ng
RT: 19.919 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025477.D
Acq: 19 Aug 2025 15:32

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Tgt Ion:244 Resp: 5382135

Ion	Ratio	Lower	Upper
244	100		
212	7.0	5.8	8.6
122	9.3	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.012 min Scan# 3753
Delta R.T. -0.018 min
Lab File: BP025477.D
Acq: 19 Aug 2025 15:32

Tgt Ion:264 Resp: 1196382

Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.3	28.9
265	22.0	17.4	26.0



Sample Results: **BP025477.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025477.D
Acq On : 19 Aug 2025 15:32
Operator : CG/JU
Sample : Q2815-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025477.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	3.037	13	17	33	rVB	3386410	4543674	31.24%	7.333%
2	4.943	335	341	350	rBV2	230644	334981	2.30%	0.541%
3	5.408	413	420	431	rBV	2221527	3260067	22.41%	5.261%
4	6.966	677	685	698	rBV	1510120	2466690	16.96%	3.981%
5	7.790	818	825	833	rBV	652887	1004923	6.91%	1.622%
6	8.931	1006	1019	1035	rBV	2081466	3857461	26.52%	6.225%
7	10.554	1288	1295	1309	rBV	788625	1393902	9.58%	2.250%
8	13.013	1704	1713	1730	rBV	5418955	8677831	59.66%	14.005%
9	14.401	1941	1949	1957	rBV	1312096	1999396	13.75%	3.227%
10	15.784	2176	2184	2193	rBV	214661	366995	2.52%	0.592%
11	15.919	2198	2207	2227	rBV	4948747	7698942	52.93%	12.425%
12	17.207	2417	2426	2432	rBV	1772036	2528033	17.38%	4.080%
13	18.007	2558	2562	2579	rBV	205274	335713	2.31%	0.542%
14	18.142	2579	2585	2595	rBV	841679	1294193	8.90%	2.089%
15	19.460	2805	2809	2818	rBV2	150948	229210	1.58%	0.370%
16	19.913	2880	2886	2898	rBV	9460131	14546042	100.00%	23.476%
17	21.313	3120	3124	3132	rBV2	314829	504591	3.47%	0.814%
18	21.642	3174	3180	3189	rBV2	1683292	2920982	20.08%	4.714%
19	23.495	3489	3495	3507	rVB	408531	884041	6.08%	1.427%
20	25.012	3744	3753	3766	rVB2	1212911	3114613	21.41%	5.027%

Sum of corrected areas: 61962280

Sample Results: **BP025477.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025477.D
Acq On : 19 Aug 2025 15:32
Operator : CG/JU
Sample : Q2815-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025477.D
Acq On : 19 Aug 2025 15:32
Operator : CG/JU
Sample : Q2815-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.037	90.43 ng	4543670	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	78
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	40
3	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25
4	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	22
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025477.D
Acq On : 19 Aug 2025 15:32
Operator : CG/JU
Sample : Q2815-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.943	6.67 ng	334981	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	50
2	Acetic acid, 1,1-dimethylethyl e...	116	C6H12O2	000540-88-5	36
3	Silane, ethyldimethyl-	88	C4H12Si	000758-21-4	32
4	2-Propanone, 1-(1-methylethoxy)-	116	C6H12O2	042781-12-4	27
5	3-Hexanol	102	C6H14O	000623-37-0	25



















Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025477.D
Acq On : 19 Aug 2025 15:32
Operator : CG/JU
Sample : Q2815-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Benzophenone Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.784	3.67 ng	366995	Acenaphthene-d10	14.401

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	1,2,4,5-Tetroxane, 3,3,6,6-tetra...	396	C26H20O4	016204-36-7	64
3	Benzenamine, N-(3-pyridinylmethy...	182	C12H10N2	029722-97-2	53
4	Methanone, phenyl-2-pyridinyl-	183	C12H9NO	000091-02-1	45
5	1,2,4-Trioxolane, 3,3,5-triphenyl-	304	C20H16O3	023246-12-0	45





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025477.D
Acq On : 19 Aug 2025 15:32
Operator : CG/JU
Sample : Q2815-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 6-Octadecenoic acid Concentration Rank 7

R.T.	EstConc	Area	Relative to ISTD	R.T.
18.007	2.66 ng	335713	Phenanthrene-d10	17.207

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	6-Octadecenoic acid	282	C18H34O2	1000336-66-8	98
2	cis-7-Hexadecenoic acid	254	C16H30O2	002416-19-5	98
3	Palmitoleic acid	254	C16H30O2	000373-49-9	95
4	(E)-Hexadec-9-enoic acid	254	C16H30O2	010030-73-6	94
5	7-Hexadecenoic acid, methyl este...	268	C17H32O2	056875-67-3	93





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025477.D
Acq On : 19 Aug 2025 15:32
Operator : CG/JU
Sample : Q2815-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 n-Hexadecanoic acid Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
18.142	10.24 ng	1294190	Phenanthrene-d10	17.207

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Tridecanoic acid	214	C13H26O2	000638-53-9	97
3	Pentadecanoic acid	242	C15H30O2	001002-84-2	93
4	Undecanoic acid	186	C11H22O2	000112-37-8	83
5	Tetradecanoic acid	228	C14H28O2	000544-63-8	81





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025477.D
Acq On : 19 Aug 2025 15:32
Operator : CG/JU
Sample : Q2815-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 6 Cyclotetracosane Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.313	3.45 ng	504591	Chrysene-d12	21.642

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Cyclotetracosane	336	C24H48	000297-03-0	95
2	n-Tetracosanol-1	354	C24H50O	000506-51-4	94
3	Heptafluorobutyric acid, pentade...	424	C19H31F7O2	959261-23-5	94
4	Dichloroacetic acid, heptadecyl ...	366	C19H36Cl2O2	1000282-98-2	94
5	1-Heneicosanol	312	C21H44O	015594-90-8	93





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025477.D
Acq On : 19 Aug 2025 15:32
Operator : CG/JU
Sample : Q2815-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 7 Squalene Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
23.495	5.68 ng	884041	Perylene-d12	25.012

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Squalene	410	C30H50	000111-02-4	97
2	Supraene	410	C30H50	007683-64-9	91
3	(2E,6E,10E)-3,7,11,15-Tetramethy...	318	C21H34O2	125456-63-5	78
4	(.+/-.)-Lavandulol, pentafluorop...	300	C13H17F5O2	1000352-63-1	72
5	7,11-Dimethyldodeca-2,6,10-trien...	208	C14H24O	125529-10-4	72





Sample Results: **BP025477.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025477.D
Acq On : 19 Aug 2025 15:32
Operator : CG/JU
Sample : Q2815-21
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-E

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	3.037	90.4	ng	4543670	1	7.790	1004920	20.0
2-Pentanone, 4-...	4.943	6.7	ng	334981	1	7.790	1004920	20.0
Benzophenone	15.784	3.7	ng	366995	3	14.401	1999400	20.0
6-Octadecenoic ...	18.007	2.7	ng	335713	4	17.207	2528030	20.0
n-Hexadecanoic ...	18.142	10.2	ng	1294190	4	17.207	2528030	20.0
Cyclotetracosane	21.313	3.5	ng	504591	5	21.642	2920980	20.0
Squalene	23.495	5.7	ng	884041	6	25.012	3114610	20.0

Raw Data: **BP025478.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-22	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025478.D	1	08/14/25 09:15	08/19/25 16:13	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BP025478.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-22	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025478.D	1	08/14/25 09:15	08/19/25 16:13	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-22	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025478.D	1	08/14/25 09:15	08/19/25 16:13	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	95.9		19 - 119		64%	SPK: 150
13127-88-3	Phenol-d6	74.0		10 - 130		49%	SPK: 150
4165-60-0	Nitrobenzene-d5	93.6		44 - 120		94%	SPK: 100
321-60-8	2-Fluorobiphenyl	88.9		44 - 119		89%	SPK: 100
118-79-6	2,4,6-Tribromophenol	158		43 - 140		106%	SPK: 150
1718-51-0	Terphenyl-d14	87.0		50 - 134		87%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	148000	7.79				
1146-65-2	Naphthalene-d8	586000	10.554				
15067-26-2	Acenaphthene-d10	384000	14.413				
1517-22-2	Phenanthrene-d10	852000	17.207				
1719-03-5	Chrysene-d12	989000	21.636				
1520-96-3	Perylene-d12	1090000	25.006				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	94.1	J			3.04	ug/L
000057-55-6	Propylene Glycol	4.40	J			3.56	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.60	AB			4.94	ug/L
000143-24-8	Tetraglyme	3.40	J			14.3	ug/L
000119-61-9	Benzophenone	9.90	J			15.8	ug/L
000057-10-3	n-Hexadecanoic acid	12.5	J			18.2	ug/L
000057-11-4	Octadecanoic acid	2.90	J			19.5	ug/L

Raw Data: **BP025478.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-S	SDG No.:	Q2815
Lab Sample ID:	Q2815-22	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025478.D	1	08/14/25 09:15	08/19/25 16:13	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
1000406-04-5	Pentadecafluorooctanoic acid, pent	8.20	J			21.3	ug/L

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Sample Results: **BP025478.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025478.D
Acq On : 19 Aug 2025 16:13
Operator : CG/JU
Sample : Q2815-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Quant Time: Aug 19 16:36:18 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	147618	20.000	ng	0.00
21) Naphthalene-d8	10.554	136	586285	20.000	ng	0.00
39) Acenaphthene-d10	14.413	164	383766	20.000	ng	0.00
64) Phenanthrene-d10	17.207	188	852196	20.000	ng	0.00
76) Chrysene-d12	21.636	240	989042	20.000	ng	-0.01
86) Perylene-d12	25.006	264	1090876	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	852194	95.872	ng	0.00
7) Phenol-d6	6.966	99	843334	74.000	ng	0.00
23) Nitrobenzene-d5	8.925	82	1085240	93.636	ng	-0.01
42) 2,4,6-Tribromophenol	15.919	330	817856	158.330	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	2497398	88.938	ng	0.00
79) Terphenyl-d14	19.924	244	4701531	86.971	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025478.D
Acq On : 19 Aug 2025 16:13
Operator : CG/JU
Sample : Q2815-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Quant Time: Aug 19 16:36:18 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025478.D
Acq: 19 Aug 2025 16:13

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Tgt Ion:152 Resp: 147618

Ion	Ratio	Lower	Upper
152	100		
150	154.3	125.9	188.9
115	61.0	48.5	72.7





#5
2-Fluorophenol
Concen: 95.872 ng
RT: 5.408 min Scan# 420
Delta R.T. -0.000 min
Lab File: BP025478.D
Acq: 19 Aug 2025 16:13

Tgt Ion:112 Resp: 852194

Ion	Ratio	Lower	Upper
112	100		
64	54.7	43.8	65.8
63	28.6	22.7	34.1





#7
Phenol-d6
Concen: 74.000 ng
RT: 6.966 min Scan# 6
Delta R.T. -0.000 min
Lab File: BP025478.D
Acq: 19 Aug 2025 16:13

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Tgt Ion: 99 Resp: 843334

Ion	Ratio	Lower	Upper
99	100		
42	17.1	13.7	20.5
71	34.3	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.554 min Scan# 1295
Delta R.T. -0.006 min
Lab File: BP025478.D
Acq: 19 Aug 2025 16:13

Tgt Ion:136 Resp: 586285

Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.2	13.8
54	7.7	6.0	9.0
68	5.8	4.3	6.5





#23
Nitrobenzene-d5
Concen: 93.636 ng
RT: 8.925 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025478.D
Acq: 19 Aug 2025 16:13

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Tgt Ion: 82 Resp: 1085240

Ion	Ratio	Lower	Upper
82	100		
128	46.6	37.7	56.5
54	52.0	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.413 min Scan# 1951
Delta R.T. 0.006 min
Lab File: BP025478.D
Acq: 19 Aug 2025 16:13

Tgt Ion:164 Resp: 383766

Ion	Ratio	Lower	Upper
164	100		
162	100.7	81.0	121.6
160	43.9	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 158.330 ng
RT: 15.919 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025478.D
Acq: 19 Aug 2025 16:13

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Tgt Ion:330 Resp: 817856

Ion	Ratio	Lower	Upper
330	100		
332	95.7	77.3	115.9
141	33.6	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 88.938 ng
RT: 13.019 min Scan# 1714
Delta R.T. -0.000 min
Lab File: BP025478.D
Acq: 19 Aug 2025 16:13

Tgt Ion:172 Resp: 2497398

Ion	Ratio	Lower	Upper
172	100		
171	35.4	28.1	42.1
170	23.1	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025478.D
Acq: 19 Aug 2025 16:13

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Tgt Ion:188 Resp: 852196

Ion	Ratio	Lower	Upper
188	100		
94	9.2	6.6	10.0
80	9.3	6.7	10.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.636 min Scan# 3179
Delta R.T. -0.012 min
Lab File: BP025478.D
Acq: 19 Aug 2025 16:13

Tgt Ion:240 Resp: 989042

Ion	Ratio	Lower	Upper
240	100		
120	11.0	8.9	13.3
236	25.1	19.8	29.8





#79
Terphenyl-d14
Concen: 86.971 ng
RT: 19.924 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025478.D
Acq: 19 Aug 2025 16:13

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Tgt Ion:244 Resp: 4701531

Ion	Ratio	Lower	Upper
244	100		
212	7.4	5.8	8.6
122	10.3	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.006 min Scan# 3752
Delta R.T. -0.024 min
Lab File: BP025478.D
Acq: 19 Aug 2025 16:13

Tgt Ion:264 Resp: 1090876

Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.3	28.9
265	22.0	17.4	26.0



Sample Results: **BP025478.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025478.D
Acq On : 19 Aug 2025 16:13
Operator : CG/JU
Sample : Q2815-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025478.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	3.037	12	17	37	rVB	3253940	3986228	31.31%	7.278%
2	3.561	102	106	115	rBV	135284	186788	1.47%	0.341%
3	4.943	335	341	348	rBV2	225129	321772	2.53%	0.587%
4	5.408	412	420	437	rBV	1906060	2903589	22.81%	5.301%
5	6.966	677	685	700	rBV	1437598	2358321	18.53%	4.306%
6	7.790	818	825	831	rBV	537917	847079	6.65%	1.547%
7	8.925	1010	1018	1034	rBV	1842546	3184720	25.02%	5.815%
8	10.554	1286	1295	1309	rBV	673766	1188739	9.34%	2.170%
9	13.019	1706	1714	1732	rBV	4812379	7229228	56.79%	13.199%
10	14.266	1921	1926	1939	rBV	174483	271822	2.14%	0.496%
11	14.413	1943	1951	1958	rBV	1077807	1624836	12.76%	2.967%
12	15.789	2178	2185	2192	rBV	543570	802113	6.30%	1.465%
13	15.919	2199	2207	2229	rBV	3876664	6122232	48.09%	11.178%
14	17.207	2420	2426	2434	rBV2	1560873	2127795	16.72%	3.885%
15	18.154	2580	2587	2594	rBV	866153	1328463	10.44%	2.426%
16	18.701	2675	2680	2689	rBV	111182	162408	1.28%	0.297%
17	19.466	2806	2810	2820	rBV	236020	374454	2.94%	0.684%
18	19.924	2881	2888	2899	rBV	8587728	12729563	100.00%	23.242%
19	21.313	3119	3124	3132	rBV2	658591	1072217	8.42%	1.958%
20	21.636	3174	3179	3186	rBV	1921029	2626550	20.63%	4.796%
21	21.907	3221	3225	3231	rVB2	152382	212030	1.67%	0.387%
22	22.554	3332	3335	3346	rVB2	125278	262090	2.06%	0.479%
23	25.007	3744	3752	3765	rVB	1208790	2846676	22.36%	5.198%

Sum of corrected areas: 54769713

Sample Results: **BP025478.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025478.D
Acq On : 19 Aug 2025 16:13
Operator : CG/JU
Sample : Q2815-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025478.D
Acq On : 19 Aug 2025 16:13
Operator : CG/JU
Sample : Q2815-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.037	94.12 ng	3986230	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	78
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	40
3	Octanal, 7-methoxy-3,7-dimethyl-	186	C11H22O2	003613-30-7	23
4	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	22
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025478.D
Acq On : 19 Aug 2025 16:13
Operator : CG/JU
Sample : Q2815-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 2 Propylene Glycol Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.561	4.41 ng	186788	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Propylene Glycol	76	C3H8O2	000057-55-6	90
2	Isopropyl Alcohol	60	C3H8O	000067-63-0	56
3	Propanoic acid, 2-hydroxy-, meth...	104	C4H8O3	000547-64-8	40
4	R-(-)-1,2-propanediol	76	C3H8O2	004254-14-2	37
5	2-Pentanol	88	C5H12O	006032-29-7	9





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025478.D
Acq On : 19 Aug 2025 16:13
Operator : CG/JU
Sample : Q2815-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 3 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.943	7.60 ng	321772	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	59
2	Acetic acid, 1,1-dimethylethyl e...	116	C6H12O2	000540-88-5	36
3	Butane, 1-ethoxy-	102	C6H14O	000628-81-9	32
4	Propane, 1-ethoxy-2-methyl-	102	C6H14O	000627-02-1	17
5	2-Propanone, 1-(1-methylethoxy)-	116	C6H12O2	042781-12-4	16





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025478.D
Acq On : 19 Aug 2025 16:13
Operator : CG/JU
Sample : Q2815-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 Tetraglyme Concentration Rank 7

R.T.	EstConc	Area	Relative to ISTD	R.T.
14.266	3.35 ng	271822	Acenaphthene-d10	14.413

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Tetraglyme	222	C10H22O5	000143-24-8	91
2	Methyl 2,5,8,11-tetraoxatridecan...	236	C10H20O6	1000366-78-2	83
3	2,5,8,11-Tetraoxadodecane	178	C8H18O4	000112-49-2	74
4	Methyl 2,5,8,11,14-pentaoxahexad...	280	C12H24O7	1000366-81-5	72
5	Methyl 2,5,8,11,14,17-hexaoxanon...	324	C14H28O8	1000366-81-4	56





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025478.D
Acq On : 19 Aug 2025 16:13
Operator : CG/JU
Sample : Q2815-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.789	9.87 ng	802113	Acenaphthene-d10	14.413

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	1,2,4,5-Tetroxane, 3,3,6,6-tetra...	396	C26H20O4	016204-36-7	64
3	Methanone, phenyl-2-pyridinyl-	183	C12H9NO	000091-02-1	50
4	Azobenzene	182	C12H10N2	000103-33-3	45
5	Azobenzene, (E)-	182	C12H10N2	017082-12-1	42





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025478.D
Acq On : 19 Aug 2025 16:13
Operator : CG/JU
Sample : Q2815-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 6 n-Hexadecanoic acid Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
18.154	12.49 ng	1328460	Phenanthrene-d10	17.207

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Tridecanoic acid	214	C13H26O2	000638-53-9	95
3	Tetradecanoic acid	228	C14H28O2	000544-63-8	93
4	Pentadecanoic acid	242	C15H30O2	001002-84-2	91
5	Undecanoic acid	186	C11H22O2	000112-37-8	68





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025478.D
Acq On : 19 Aug 2025 16:13
Operator : CG/JU
Sample : Q2815-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 7 Octadecanoic acid Concentration Rank 8

R.T.	EstConc	Area	Relative to ISTD	R.T.
19.466	2.85 ng	374454	Chrysene-d12	21.636

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Octadecanoic acid	284	C18H36O2	000057-11-4	99
2	Octadecanoic acid, 2-(2-hydroxye...	372	C22H44O4	000106-11-6	90
3	Pentadecanoic acid	242	C15H30O2	001002-84-2	89
4	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	87
5	Tetradecanoic acid	228	C14H28O2	000544-63-8	83





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025478.D
Acq On : 19 Aug 2025 16:13
Operator : CG/JU
Sample : Q2815-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 8 Pentadecafluorooctanoic aci... Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.313	8.16 ng	1072220	Chrysene-d12	21.636

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Pentadecafluorooctanoic acid, pe...	624	C23H31F15O2	1000406-04-5	94
2	1-Hexacosanol	382	C26H54O	000506-52-5	94
3	Pentadecafluorooctanoic acid, oc...	666	C26H37F15O2	1000406-04-8	94
4	Heptadecyl heptafluorobutyrate	452	C21H35F7O2	959085-66-6	94
5	1-Hexacosene	364	C26H52	018835-33-1	94





Sample Results: **BP025478.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025478.D
Acq On : 19 Aug 2025 16:13
Operator : CG/JU
Sample : Q2815-22
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-S

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					--Internal Standard---			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	3.037	94.1	ng	3986230	1	7.790	847079	20.0
Propylene Glycol	3.561	4.4	ng	186788	1	7.790	847079	20.0
2-Pentanone, 4-...	4.943	7.6	ng	321772	1	7.790	847079	20.0
Tetraglyme	14.266	3.4	ng	271822	3	14.413	1624840	20.0
Benzophenone	15.789	9.9	ng	802113	3	14.413	1624840	20.0
n-Hexadecanoic ...	18.154	12.5	ng	1328460	4	17.207	2127800	20.0
Octadecanoic acid	19.466	2.9	ng	374454	5	21.636	2626550	20.0
Pentadecafluoro...	21.313	8.2	ng	1072220	5	21.636	2626550	20.0

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-23	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025479.D	1	08/14/25 09:15	08/19/25 16:55	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BP025479.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-23	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025479.D	1	08/14/25 09:15	08/19/25 16:55	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BP025479.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-23	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025479.D	1	08/14/25 09:15	08/19/25 16:55	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	85.8		19 - 119		57%	SPK: 150
13127-88-3	Phenol-d6	60.9		10 - 130		41%	SPK: 150
4165-60-0	Nitrobenzene-d5	95.8		44 - 120		96%	SPK: 100
321-60-8	2-Fluorobiphenyl	87.6		44 - 119		88%	SPK: 100
118-79-6	2,4,6-Tribromophenol	159		43 - 140		106%	SPK: 150
1718-51-0	Terphenyl-d14	90.8		50 - 134		91%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	176000	7.79				
1146-65-2	Naphthalene-d8	703000	10.56				
15067-26-2	Acenaphthene-d10	481000	14.413				
1517-22-2	Phenanthrene-d10	1020000	17.201				
1719-03-5	Chrysene-d12	1120000	21.642				
1520-96-3	Perylene-d12	1230000	25.007				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	84.9	J			3.04	ug/L
000057-55-6	Propylene Glycol	6.70	J			3.56	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	6.30	AB			4.94	ug/L
000119-61-9	Benzophenone	6.30	J			15.8	ug/L
000057-10-3	n-Hexadecanoic acid	5.60	J			18.1	ug/L
077899-03-7	1-Heneicosyl formate	4.10	J			21.3	ug/L

Raw Data: **BP025479.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	TW-11M-N	SDG No.:	Q2815
Lab Sample ID:	Q2815-23	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025479.D	1	08/14/25 09:15	08/19/25 16:55	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Sample Results: **BP025479.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025479.D
Acq On : 19 Aug 2025 16:55
Operator : CG/JU
Sample : Q2815-23
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Quant Time: Aug 19 17:15:51 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	176367	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	703475	20.000	ng	0.00
39) Acenaphthene-d10	14.413	164	480789	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	1017063	20.000	ng	0.00
76) Chrysene-d12	21.642	240	1121358	20.000	ng	0.00
86) Perylene-d12	25.007	264	1227839	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	910982	85.779	ng	0.00
7) Phenol-d6	6.966	99	828570	60.854	ng	0.00
23) Nitrobenzene-d5	8.925	82	1332542	95.820	ng	-0.01
42) 2,4,6-Tribromophenol	15.919	330	1031151	159.338	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	3082191	87.614	ng	0.00
79) Terphenyl-d14	19.919	244	5564317	90.786	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Sample Results: **BP025479.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025479.D
Acq On : 19 Aug 2025 16:55
Operator : CG/JU
Sample : Q2815-23
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Quant Time: Aug 19 17:15:51 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025479.D
Acq: 19 Aug 2025 16:55

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Tgt Ion:152 Resp: 176367

Ion	Ratio	Lower	Upper
152	100		
150	154.3	125.9	188.9
115	61.6	48.5	72.7





#5
2-Fluorophenol
Concen: 85.779 ng
RT: 5.408 min Scan# 420
Delta R.T. 0.000 min
Lab File: BP025479.D
Acq: 19 Aug 2025 16:55

Tgt Ion:112 Resp: 910982

Ion	Ratio	Lower	Upper
112	100		
64	56.1	43.8	65.8
63	29.2	22.7	34.1





#7
Phenol-d6
Concen: 60.854 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025479.D
Acq: 19 Aug 2025 16:55

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Tgt Ion: 99 Resp: 828570

Ion	Ratio	Lower	Upper
99	100		
42	16.6	13.7	20.5
71	33.6	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1296
Delta R.T. 0.000 min
Lab File: BP025479.D
Acq: 19 Aug 2025 16:55

Tgt Ion:136 Resp: 703475

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.2	13.8
54	7.6	6.0	9.0
68	5.3	4.3	6.5





#23
Nitrobenzene-d5
Concen: 95.820 ng
RT: 8.925 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025479.D
Acq: 19 Aug 2025 16:55

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Tgt Ion: 82 Resp: 1332542

Ion	Ratio	Lower	Upper
82	100		
128	46.5	37.7	56.5
54	51.1	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.413 min Scan# 1951
Delta R.T. 0.006 min
Lab File: BP025479.D
Acq: 19 Aug 2025 16:55

Tgt Ion:164 Resp: 480789

Ion	Ratio	Lower	Upper
164	100		
162	99.8	81.0	121.6
160	44.0	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 159.338 ng
RT: 15.919 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025479.D
Acq: 19 Aug 2025 16:55

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Tgt Ion:330 Resp: 1031151

Ion	Ratio	Lower	Upper
330	100		
332	96.8	77.3	115.9
141	33.2	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 87.614 ng
RT: 13.019 min Scan# 1714
Delta R.T. 0.000 min
Lab File: BP025479.D
Acq: 19 Aug 2025 16:55

Tgt Ion:172 Resp: 3082191

Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.1	42.1
170	23.5	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025479.D
Acq: 19 Aug 2025 16:55

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Tgt Ion:188 Resp: 1017063

Ion	Ratio	Lower	Upper
188	100		
94	9.0	6.6	10.0
80	9.8	6.7	10.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. -0.006 min
Lab File: BP025479.D
Acq: 19 Aug 2025 16:55

Tgt Ion:240 Resp: 1121358

Ion	Ratio	Lower	Upper
240	100		
120	10.4	8.9	13.3
236	25.6	19.8	29.8





#79
Terphenyl-d14
Concen: 90.786 ng
RT: 19.919 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025479.D
Acq: 19 Aug 2025 16:55

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Tgt Ion:244 Resp: 5564317

Ion	Ratio	Lower	Upper
244	100		
212	7.4	5.8	8.6
122	10.1	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.007 min Scan# 3752
Delta R.T. -0.023 min
Lab File: BP025479.D
Acq: 19 Aug 2025 16:55

Tgt Ion:264 Resp: 1227839

Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.3	28.9
265	21.3	17.4	26.0



Sample Results: **BP025479.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025479.D
Acq On : 19 Aug 2025 16:55
Operator : CG/JU
Sample : Q2815-23
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025479.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	3.037	12	17	30	rVB	3436184	4321923	28.50%	7.037%
2	3.561	102	106	115	rBV	251665	342646	2.26%	0.558%
3	4.943	335	341	351	rVB2	215190	318067	2.10%	0.518%
4	5.408	413	420	432	rBV	2059849	3092965	20.40%	5.036%
5	6.966	677	685	701	rBV	1375865	2305025	15.20%	3.753%
6	7.790	817	825	833	rBV	658291	1018058	6.71%	1.658%
7	8.925	1009	1018	1031	rBV	2228986	3932215	25.93%	6.403%
8	10.560	1287	1296	1313	rBV	780533	1423062	9.38%	2.317%
9	13.019	1705	1714	1725	rBV	5709980	8899178	58.68%	14.490%
10	14.413	1943	1951	1968	rBV	1296305	2028878	13.38%	3.304%
11	15.789	2177	2185	2192	rBV	413074	637238	4.20%	1.038%
12	15.919	2199	2207	2223	rBV	5228600	7655899	50.48%	12.466%
13	17.201	2419	2425	2434	rBV2	1841655	2534221	16.71%	4.126%
14	18.142	2579	2585	2592	rBV	489392	714110	4.71%	1.163%
15	19.460	2805	2809	2815	rBV	99067	170857	1.13%	0.278%
16	19.919	2880	2887	2898	rBV	10105527	15164992	100.00%	24.692%
17	21.307	3119	3123	3133	rBV	369275	625126	4.12%	1.018%
18	21.642	3173	3180	3187	rBV	1886663	3039373	20.04%	4.949%
19	25.007	3743	3752	3764	rVB2	1193284	3192102	21.05%	5.198%

Sum of corrected areas: 61415935

Sample Results: **BP025479.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025479.D
Acq On : 19 Aug 2025 16:55
Operator : CG/JU
Sample : Q2815-23
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025479.D
Acq On : 19 Aug 2025 16:55
Operator : CG/JU
Sample : Q2815-23
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.037	84.91 ng	4321920	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	78
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	40
3	1,3-Dioxolane, 2-methyl-	88	C4H8O2	000497-26-7	25
4	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	22
5	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025479.D
Acq On : 19 Aug 2025 16:55
Operator : CG/JU
Sample : Q2815-23
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 2 Propylene Glycol Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.561	6.73 ng	342646	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Propylene Glycol	76	C3H8O2	000057-55-6	86
2	(S)-(+)-1,2-Propanediol	76	C3H8O2	004254-15-3	64
3	Isopropyl Alcohol	60	C3H8O	000067-63-0	56
4	Propanoic acid, 2-hydroxy-, meth...	104	C4H8O3	000547-64-8	40
5	Propane, 2-ethoxy-	88	C5H12O	000625-54-7	9





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025479.D
Acq On : 19 Aug 2025 16:55
Operator : CG/JU
Sample : Q2815-23
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 3 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.943	6.25 ng	318067	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	47
2	Propane, 2-methyl-2-(1-methyleth...	116	C7H16O	017348-59-3	37
3	Propane, 1-ethoxy-2-methyl-	102	C6H14O	000627-02-1	17
4	3-Hexanol, 4-methyl-	116	C7H16O	000615-29-2	17
5	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	17





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025479.D
Acq On : 19 Aug 2025 16:55
Operator : CG/JU
Sample : Q2815-23
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 4 Benzophenone Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
15.789	6.28 ng	637238	Acenaphthene-d10	14.413

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Benzophenone	182	C13H10O	000119-61-9	96
2	Azobenzene	182	C12H10N2	000103-33-3	72
3	Methanone, phenyl-2-pyridinyl-	183	C12H9NO	000091-02-1	56
4	Benzenamine, N-(3-pyridinylmethy...	182	C12H10N2	029722-97-2	45
5	1,2,4-Trioxolane, 3,3,5-triphenyl-	304	C20H16O3	023246-12-0	39





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025479.D
Acq On : 19 Aug 2025 16:55
Operator : CG/JU
Sample : Q2815-23
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 5 n-Hexadecanoic acid Concentration Rank 5

R.T.	EstConc	Area	Relative to ISTD	R.T.
18.142	5.64 ng	714110	Phenanthrene-d10	17.201

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	n-Hexadecanoic acid	256	C16H32O2	000057-10-3	99
2	Octadecanoic acid	284	C18H36O2	000057-11-4	93
3	Pentadecanoic acid	242	C15H30O2	001002-84-2	93
4	Tridecanoic acid	214	C13H26O2	000638-53-9	81
5	n-Decanoic acid	172	C10H20O2	000334-48-5	76





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025479.D
Acq On : 19 Aug 2025 16:55
Operator : CG/JU
Sample : Q2815-23
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 6 1-Heneicosyl formate Concentration Rank 6

R.T.	EstConc	Area	Relative to ISTD	R.T.
21.307	4.11 ng	625126	Chrysene-d12	21.642

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	1-Heneicosyl formate	340	C22H44O2	077899-03-7	99
2	1-Heneicosanol	312	C21H44O	015594-90-8	95
3	1-Tetracosene	336	C24H48	010192-32-2	95
4	Heptadecyl heptafluorobutyrate	452	C21H35F7O2	959085-66-6	94
5	Trifluoroacetoxy hexadecane	338	C18H33F3O2	006222-03-3	94





Sample Results: **BP025479.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025479.D
Acq On : 19 Aug 2025 16:55
Operator : CG/JU
Sample : Q2815-23
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-11M-N

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	3.037	84.9	ng	4321920	1	7.790	1018060	20.0
Propylene Glycol	3.561	6.7	ng	342646	1	7.790	1018060	20.0
2-Pentanone, 4-...	4.943	6.3	ng	318067	1	7.790	1018060	20.0
Benzophenone	15.789	6.3	ng	637238	3	14.413	2028880	20.0
n-Hexadecanoic ...	18.142	5.6	ng	714110	4	17.201	2534220	20.0
1-Heneicosyl fo...	21.307	4.1	ng	625126	5	21.642	3039370	20.0

Raw Data: **BP025480.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2815
Lab Sample ID:	Q2815-26	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025480.D	1	08/14/25 09:15	08/19/25 17:36	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.20	U	4.00	8.20	10.2	ug/L
108-95-2	Phenol	4.10	U	0.93	4.10	5.10	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.10	U	0.83	4.10	5.10	ug/L
95-57-8	2-Chlorophenol	4.10	U	0.59	4.10	5.10	ug/L
95-48-7	2-Methylphenol	4.10	U	1.10	4.10	5.10	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.10	U	1.30	4.10	5.10	ug/L
98-86-2	Acetophenone	4.10	U	0.76	4.10	5.10	ug/L
65794-96-9	3+4-Methylphenols	8.20	U	1.10	8.20	10.2	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.60	U	1.40	2.60	2.60	ug/L
67-72-1	Hexachloroethane	4.10	U	0.66	4.10	5.10	ug/L
98-95-3	Nitrobenzene	4.10	U	0.78	4.10	5.10	ug/L
78-59-1	Isophorone	4.10	U	0.77	4.10	5.10	ug/L
88-75-5	2-Nitrophenol	4.10	U	1.80	4.10	5.10	ug/L
105-67-9	2,4-Dimethylphenol	4.10	U	1.90	4.10	5.10	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.10	U	0.69	4.10	5.10	ug/L
120-83-2	2,4-Dichlorophenol	4.10	U	0.53	4.10	5.10	ug/L
91-20-3	Naphthalene	4.10	U	0.51	4.10	5.10	ug/L
106-47-8	4-Chloroaniline	4.10	U	0.86	4.10	5.10	ug/L
87-68-3	Hexachlorobutadiene	4.10	U	0.55	4.10	5.10	ug/L
105-60-2	Caprolactam	8.20	U	1.20	8.20	10.2	ug/L
59-50-7	4-Chloro-3-methylphenol	4.10	U	0.60	4.10	5.10	ug/L
91-57-6	2-Methylnaphthalene	4.10	U	0.57	4.10	5.10	ug/L
77-47-4	Hexachlorocyclopentadiene	8.20	U	3.70	8.20	10.2	ug/L
88-06-2	2,4,6-Trichlorophenol	4.10	U	0.52	4.10	5.10	ug/L
95-95-4	2,4,5-Trichlorophenol	4.10	U	0.63	4.10	5.10	ug/L
92-52-4	1,1-Biphenyl	4.10	U	0.54	4.10	5.10	ug/L
91-58-7	2-Chloronaphthalene	4.10	U	0.62	4.10	5.10	ug/L
88-74-4	2-Nitroaniline	4.10	U	1.30	4.10	5.10	ug/L
131-11-3	Dimethylphthalate	4.10	U	0.62	4.10	5.10	ug/L

Raw Data: **BP025480.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2815
Lab Sample ID:	Q2815-26	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025480.D	1	08/14/25 09:15	08/19/25 17:36	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.10	U	0.77	4.10	5.10	ug/L
606-20-2	2,6-Dinitrotoluene	4.10	U	0.94	4.10	5.10	ug/L
99-09-2	3-Nitroaniline	4.10	U	1.10	4.10	5.10	ug/L
83-32-9	Acenaphthene	4.10	U	0.56	4.10	5.10	ug/L
51-28-5	2,4-Dinitrophenol	8.20	U	6.10	8.20	10.2	ug/L
100-02-7	4-Nitrophenol	8.20	U	2.40	8.20	10.2	ug/L
132-64-9	Dibenzofuran	4.10	U	0.62	4.10	5.10	ug/L
121-14-2	2,4-Dinitrotoluene	4.10	U	1.20	4.10	5.10	ug/L
84-66-2	Diethylphthalate	4.10	U	0.70	4.10	5.10	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.10	U	0.69	4.10	5.10	ug/L
86-73-7	Fluorene	4.10	U	0.64	4.10	5.10	ug/L
100-01-6	4-Nitroaniline	4.10	U	1.50	4.10	5.10	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.20	U	2.90	8.20	10.2	ug/L
86-30-6	n-Nitrosodiphenylamine	4.10	U	0.59	4.10	5.10	ug/L
101-55-3	4-Bromophenyl-phenylether	4.10	U	0.41	4.10	5.10	ug/L
118-74-1	Hexachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
1912-24-9	Atrazine	4.10	U	1.00	4.10	5.10	ug/L
87-86-5	Pentachlorophenol	8.20	U	1.60	8.20	10.2	ug/L
85-01-8	Phenanthrene	4.10	U	0.51	4.10	5.10	ug/L
120-12-7	Anthracene	4.10	U	0.62	4.10	5.10	ug/L
86-74-8	Carbazole	4.10	U	0.73	4.10	5.10	ug/L
84-74-2	Di-n-butylphthalate	4.10	U	1.20	4.10	5.10	ug/L
206-44-0	Fluoranthene	4.10	U	0.84	4.10	5.10	ug/L
129-00-0	Pyrene	4.10	U	0.51	4.10	5.10	ug/L
85-68-7	Butylbenzylphthalate	4.10	U	2.00	4.10	5.10	ug/L
91-94-1	3,3-Dichlorobenzidine	8.20	U	0.95	8.20	10.2	ug/L
56-55-3	Benzo(a)anthracene	4.10	U	0.46	4.10	5.10	ug/L
218-01-9	Chrysene	4.10	U	0.45	4.10	5.10	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.10	U	1.60	4.10	5.10	ug/L
117-84-0	Di-n-octyl phthalate	8.20	U	2.40	8.20	10.2	ug/L
205-99-2	Benzo(b)fluoranthene	4.10	U	0.50	4.10	5.10	ug/L

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2815
Lab Sample ID:	Q2815-26	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025480.D	1	08/14/25 09:15	08/19/25 17:36	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.10	U	0.49	4.10	5.10	ug/L
50-32-8	Benzo(a)pyrene	4.10	U	0.56	4.10	5.10	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.10	U	0.60	4.10	5.10	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.10	U	0.68	4.10	5.10	ug/L
191-24-2	Benzo(g,h,i)perylene	4.10	U	0.70	4.10	5.10	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.10	U	0.53	4.10	5.10	ug/L
123-91-1	1,4-Dioxane	4.10	U	1.00	4.10	5.10	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.10	U	0.73	4.10	5.10	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	69.1		19 - 119		46%	SPK: 150
13127-88-3	Phenol-d6	42.2		10 - 130		28%	SPK: 150
4165-60-0	Nitrobenzene-d5	87.9		44 - 120		88%	SPK: 100
321-60-8	2-Fluorobiphenyl	80.0		44 - 119		80%	SPK: 100
118-79-6	2,4,6-Tribromophenol	140		43 - 140		93%	SPK: 150
1718-51-0	Terphenyl-d14	80.6		50 - 134		81%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	167000	7.79				
1146-65-2	Naphthalene-d8	640000	10.56				
15067-26-2	Acenaphthene-d10	413000	14.401				
1517-22-2	Phenanthrene-d10	881000	17.195				
1719-03-5	Chrysene-d12	1060000	21.648				
1520-96-3	Perylene-d12	1160000	25.012				
TENTATIVE IDENTIFIED COMPOUNDS							
000994-05-8	Butane, 2-methoxy-2-methyl-	100	J			3.04	ug/L
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	5.60	AB			4.95	ug/L
000462-95-3	Methane, diethoxy-	2.10	J			11.1	ug/L
029911-28-2	2-Propanol, 1-(2-butoxy-1-methylet	3.10	J			11.2	ug/L

Raw Data: **BP025480.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	08/08/25
Project:	USACE018-44 DOD	Date Received:	08/08/25
Client Sample ID:	FB	SDG No.:	Q2815
Lab Sample ID:	Q2815-26	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	980 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025480.D	1	08/14/25 09:15	08/19/25 17:36	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025480.D
Acq On : 19 Aug 2025 17:36
Operator : CG/JU
Sample : Q2815-26
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
FB

Quant Time: Aug 19 17:57:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	167066	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	639641	20.000	ng	0.00
39) Acenaphthene-d10	14.401	164	412613	20.000	ng	0.00
64) Phenanthrene-d10	17.195	188	881450	20.000	ng	# 0.00
76) Chrysene-d12	21.648	240	1063194	20.000	ng	0.00
86) Perylene-d12	25.012	264	1155861	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	694786	69.064	ng	0.00
7) Phenol-d6	6.966	99	544321	42.203	ng	0.00
23) Nitrobenzene-d5	8.931	82	1111466	87.899	ng	0.00
42) 2,4,6-Tribromophenol	15.907	330	778281	140.135	ng	0.00
45) 2-Fluorobiphenyl	13.013	172	2413855	79.953	ng	0.00
79) Terphenyl-d14	19.919	244	4686639	80.649	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025480.D
Acq On : 19 Aug 2025 17:36
Operator : CG/JU
Sample : Q2815-26
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
FB

Quant Time: Aug 19 17:57:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025480.D
Acq: 19 Aug 2025 17:36

Instrument :
BNA_P
ClientSampleId :
FB

Tgt Ion:152 Resp: 167066

Ion	Ratio	Lower	Upper
152	100		
150	151.1	125.9	188.9
115	59.6	48.5	72.7





#5
2-Fluorophenol
Concen: 69.064 ng
RT: 5.408 min Scan# 420
Delta R.T. 0.000 min
Lab File: BP025480.D
Acq: 19 Aug 2025 17:36

Tgt Ion:112 Resp: 694786

Ion	Ratio	Lower	Upper
112	100		
64	56.4	43.8	65.8
63	29.8	22.7	34.1





#7
Phenol-d6
Concen: 42.203 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025480.D
Acq: 19 Aug 2025 17:36

Instrument :
BNA_P
ClientSampleId :
FB

Tgt Ion: 99 Resp: 544321

Ion	Ratio	Lower	Upper
99	100		
42	17.9	13.7	20.5
71	34.2	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1296
Delta R.T. 0.000 min
Lab File: BP025480.D
Acq: 19 Aug 2025 17:36

Tgt Ion:136 Resp: 639641

Ion	Ratio	Lower	Upper
136	100		
137	10.6	9.2	13.8
54	7.6	6.0	9.0
68	5.3	4.3	6.5





#23
Nitrobenzene-d5
Concen: 87.899 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025480.D
Acq: 19 Aug 2025 17:36

Instrument :
BNA_P
ClientSampleId :
FB

Tgt Ion: 82 Resp: 1111466

Ion	Ratio	Lower	Upper
82	100		
128	46.5	37.7	56.5
54	50.1	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1949
Delta R.T. -0.006 min
Lab File: BP025480.D
Acq: 19 Aug 2025 17:36

Tgt Ion:164 Resp: 412613

Ion	Ratio	Lower	Upper
164	100		
162	99.7	81.0	121.6
160	44.1	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 140.135 ng
RT: 15.907 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025480.D
Acq: 19 Aug 2025 17:36

Instrument :
BNA_P
ClientSampleId :
FB

Tgt Ion:330 Resp: 778281

Ion	Ratio	Lower	Upper
330	100		
332	96.8	77.3	115.9
141	34.4	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 79.953 ng
RT: 13.013 min Scan# 1713
Delta R.T. -0.006 min
Lab File: BP025480.D
Acq: 19 Aug 2025 17:36

Tgt Ion:172 Resp: 2413855

Ion	Ratio	Lower	Upper
172	100		
171	35.2	28.1	42.1
170	23.5	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.195 min Scan# 24
Delta R.T. -0.006 min
Lab File: BP025480.D
Acq: 19 Aug 2025 17:36

Instrument :
BNA_P
ClientSampleId :
FB

Tgt Ion:188 Resp: 881450

Ion	Ratio	Lower	Upper
188	100		
94	9.2	6.6	10.0
80	10.4	6.7	10.1#





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. 0.000 min
Lab File: BP025480.D
Acq: 19 Aug 2025 17:36

Tgt Ion:240 Resp: 1063194

Ion	Ratio	Lower	Upper
240	100		
120	10.2	8.9	13.3
236	25.2	19.8	29.8





#79
Terphenyl-d14
Concen: 80.649 ng
RT: 19.919 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025480.D
Acq: 19 Aug 2025 17:36

Instrument :
BNA_P
ClientSampleId :
FB

Tgt Ion:244 Resp: 4686639

Ion	Ratio	Lower	Upper
244	100		
212	7.5	5.8	8.6
122	10.1	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.012 min Scan# 3753
Delta R.T. -0.018 min
Lab File: BP025480.D
Acq: 19 Aug 2025 17:36

Tgt Ion:264 Resp: 1155861

Ion	Ratio	Lower	Upper
264	100		
260	23.7	19.3	28.9
265	22.5	17.4	26.0



Sample Results: **BP025480.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025480.D
Acq On : 19 Aug 2025 17:36
Operator : CG/JU
Sample : Q2815-26
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
FB

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025480.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	3.037	13	17	35	rVB	3577974	4832067	37.94%	9.598%
2	4.949	334	342	349	rBV2	174896	266015	2.09%	0.528%
3	5.408	412	420	439	rBV	1629320	2387671	18.75%	4.743%
4	6.966	675	685	696	rBV	918189	1505404	11.82%	2.990%
5	7.790	818	825	832	rBV	597387	971469	7.63%	1.930%
6	8.931	1011	1019	1035	rBV	1979550	3269210	25.67%	6.494%
7	10.560	1287	1296	1307	rBV	748250	1291280	10.14%	2.565%
8	11.096	1380	1387	1392	rBV	77960	135749	1.07%	0.270%
9	11.154	1392	1397	1412	rVB	108288	198057	1.56%	0.393%
10	13.013	1706	1713	1729	rBV	4468635	6963223	54.67%	13.831%
11	14.401	1941	1949	1960	rBV	1149610	1731006	13.59%	3.438%
12	15.907	2197	2205	2227	rBV	3914717	5964122	46.83%	11.847%
13	17.195	2416	2424	2436	rBV2	1317673	2204184	17.31%	4.378%
14	19.919	2881	2887	2892	rBV	10019145	12736457	100.00%	25.299%
15	21.648	3174	3181	3190	rBV	1646958	2857443	22.44%	5.676%
16	25.012	3745	3753	3768	rVB	1124527	3030159	23.79%	6.019%

Sum of corrected areas: 50343516

Sample Results: **BP025480.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025480.D
Acq On : 19 Aug 2025 17:36
Operator : CG/JU
Sample : Q2815-26
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
FB

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025480.D
Acq On : 19 Aug 2025 17:36
Operator : CG/JU
Sample : Q2815-26
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
FB

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 1 Butane, 2-methoxy-2-methyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
3.037	99.48 ng	4832070	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Butane, 2-methoxy-2-methyl-	102	C6H14O	000994-05-8	78
2	2,2,4-Trimethyl-3-pentanol	130	C8H18O	005162-48-1	40
3	Acetamide, N-ethyl-	87	C4H9NO	000625-50-3	22
4	Pentane, 3-methoxy-	102	C6H14O	036839-67-5	17
5	N-Ethylformamide	73	C3H7NO	000627-45-2	9





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025480.D
Acq On : 19 Aug 2025 17:36
Operator : CG/JU
Sample : Q2815-26
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
FB

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 2 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.949	5.48 ng	266015	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	50
2	Propane, 1-ethoxy-2-methyl-	102	C6H14O	000627-02-1	23
3	3-Hexanol, 4-methyl-	116	C7H16O	000615-29-2	17
4	2-Propanone, 1-(1-methylethoxy)-	116	C6H12O2	042781-12-4	12
5	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	12





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025480.D
Acq On : 19 Aug 2025 17:36
Operator : CG/JU
Sample : Q2815-26
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
FB

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 3 Methane, diethoxy- Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
11.096	2.10 ng	135749	Naphthalene-d8	10.560

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Methane, diethoxy-	104	C5H12O2	000462-95-3	80
2	1-Propanol, 2-(2-hydroxypropoxy)-	134	C6H14O3	000106-62-7	78
3	2-Propanol, 1-(2-butoxy-1-methyl...	190	C10H22O3	029911-28-2	78
4	2-Propanol, 1-[1-methyl-2-(2-pro...	174	C9H18O3	055956-25-7	64
5	Dipropylene glycol (isomer 2)	134	C6H14O3	1000506-25-4	64





Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025480.D
Acq On : 19 Aug 2025 17:36
Operator : CG/JU
Sample : Q2815-26
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
FB

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 4 2-Propanol, 1-(2-butoxy-1-m... Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
11.154	3.07 ng	198057	Naphthalene-d8	10.560

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Propanol, 1-(2-butoxy-1-methyl...	190	C10H22O3	029911-28-2	83
2	2,4-Diethyl-6-methyl-1,3,5-trioxane	160	C8H16O3	117888-04-7	78
3	1-Propanol, 2-(2-hydroxypropoxy)-	134	C6H14O3	000106-62-7	78
4	Hexaethylene glycol dimethyl ether	310	C14H30O7	001072-40-8	78
5	1,4,7-Trimethyl-3,6-dioxaoctane-...	192	C9H20O4	1000423-63-2	72





Sample Results: **BP025480.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025480.D
Acq On : 19 Aug 2025 17:36
Operator : CG/JU
Sample : Q2815-26
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
FB

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					--Internal Standard---			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
Butane, 2-metho...	3.037	99.5	ng	4832070	1	7.790	971469	20.0
2-Pentanone, 4-...	4.949	5.5	ng	266015	1	7.790	971469	20.0
Methane, diethoxy-	11.096	2.1	ng	135749	2	10.560	1291280	20.0
2-Propanol, 1-(...	11.154	3.1	ng	198057	2	10.560	1291280	20.0

CALIBRATION SUMMARY

Response Factor Report BNA_F

Method Path : Z:\svoasrv\HPCHEM1\BNA_F\Methods\
Method File : 8270-BF081225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Tue Aug 12 13:25:39 2025
Response Via : Initial Calibration

Calibration Files
2.5 =BF143343.D 5 =BF143344.D 10 =BF143345.D 20 =BF143346.D 40 =BF143347.D 50 =BF143348.D 60 =BF143349.D 80 =BF1433
50.D

		Compound	2.5	5	10	20	40	50	60	80	Avg	%RSD
1)	I	1,4-Dichlorobenzen...	----------	ISTD	----------							
2)		1,4-Dioxane		0.606	0.582	0.614	0.596	0.592	0.612	0.586	0.598	2.12
3)		Pyridine		1.476	1.573	1.597	1.615	1.623	1.668	1.613	1.595	3.75
4)		n-Nitrosodimet...			0.686	0.711	0.759	0.762	0.776	0.764	0.743	4.80
5)	S	2-Fluorophenol		1.155	1.170	1.207	1.179	1.143	1.151	1.090	1.157	3.15
6)		Aniline		2.162	2.139	2.178	2.119	2.029	2.057	1.954	2.091	3.88
7)	S	Phenol-d6		1.527	1.505	1.541	1.500	1.447	1.475	1.386	1.483	3.58
8)		2-Chlorophenol		1.167	1.215	1.272	1.259	1.240	1.271	1.227	1.236	3.01
9)		Benzaldehyde			1.109	1.106	1.011	0.875	0.800		0.980	14.15
10)	C	Phenol		1.823	1.791	1.843	1.783	1.721	1.734	1.604	1.757	4.56
11)		bis(2-Chloroet...		1.357	1.304	1.333	1.306	1.252	1.279	1.235	1.295	3.34
12)		1,3-Dichlorobe...		1.551	1.479	1.482	1.432	1.364	1.386	1.285	1.425	6.21
13)	C	1,4-Dichlorobe...		1.576	1.510	1.485	1.414	1.370	1.366	1.294	1.431	6.82
14)		1,2-Dichlorobe...		1.486	1.416	1.407	1.347	1.295	1.309	1.247	1.358	6.09
15)		Benzyl Alcohol			0.980	1.069	1.088	1.066	1.097	1.079	1.063	3.98
16)		2,2'-oxybis(1-...		2.521	2.408	2.435	2.317	2.214	2.224	2.065	2.312	6.76
17)		2-Methylphenol		1.017	1.038	1.077	1.064	1.036	1.059	1.012	1.043	2.35
18)		Hexachloroethane		0.425	0.433	0.460	0.462	0.449	0.466	0.444	0.449	3.42
19)	P	n-Nitroso-di-n...	0.956	0.992	0.942	0.957	0.910	0.863	0.875	0.837	0.916	5.89
20)		3+4-Methylphenols			1.331	1.373	1.288	1.227	1.227	1.125	1.262	7.00
21)	I	Naphthalene-d8	----------	ISTD	----------							
22)		Acetophenone		0.500	0.478	0.475	0.429	0.404	0.417	0.381	0.441	9.98
23)	S	Nitrobenzene-d5		0.277	0.304	0.339	0.336	0.328	0.341	0.324	0.321	7.17
24)		Nitrobenzene		0.322	0.329	0.366	0.359	0.352	0.367	0.347	0.349	5.02
25)		Isophorone		0.692	0.662	0.683	0.645	0.627	0.651	0.630	0.656	3.79
26)	C	2-Nitrophenol		0.069	0.085	0.109	0.126	0.134	0.151	0.150	0.118	26.89
27)		2,4-Dimethylph...		0.259	0.261	0.288	0.279	0.275	0.285	0.267	0.274	4.15
28)		bis(2-Chloroet...		0.424	0.410	0.425	0.396	0.383	0.396	0.369	0.400	5.19
29)	C	2,4-Dichloroph...		0.243	0.256	0.286	0.275	0.270	0.279	0.262	0.267	5.54
30)		1,2,4-Trichlor...		0.299	0.290	0.299	0.277	0.269	0.278	0.260	0.282	5.30
31)		Naphthalene		1.083	1.023	1.029	0.944	0.901	0.917	0.839	0.962	8.88
32)		Benzoic acid			0.069	0.085	0.108	0.120	0.136	0.142	0.110	25.83
33)		4-Chloroaniline		0.362	0.350	0.367	0.345	0.334	0.345	0.326	0.347	4.13
34)	C	Hexachlorobuta...		0.185	0.181	0.187	0.175	0.166	0.171	0.161	0.175	5.49
35)		Caprolactam			0.061	0.073	0.079	0.078	0.081	0.079	0.075	9.95
36)	C	4-Chloro-3-met...		0.270	0.274	0.296	0.286	0.279	0.286	0.270	0.280	3.54
37)		2-Methylnaphth...		0.720	0.673	0.681	0.622	0.591	0.593	0.548	0.633	9.63
38)		1-Methylnaphth...		0.690	0.654	0.653	0.595	0.568	0.574	0.531	0.609	9.38

Method Path : Z:\svoasrv\HPCHEM1\BNA_F\Methods\
Method File : 8270-BF081225.M

39)	I	Acenaphthene-d10	----------ISTD----------								
40)		1,2,4,5-Tetrac...	0.588	0.566	0.575	0.542	0.524	0.537	0.499	0.547	5.66
41)	P	Hexachlorocycl...		0.088	0.130	0.167	0.172	0.192	0.201	0.158	26.72
42)	S	2,4,6-Tribromo...	0.105	0.127	0.149	0.160	0.160	0.164	0.159	0.146	15.13
43)	C	2,4,6-Trichlor...	0.242	0.272	0.316	0.334	0.328	0.343	0.338	0.311	12.43
44)		2,4,5-Trichlor...	0.307	0.308	0.366	0.377	0.364	0.370	0.361	0.351	8.48
45)	S	2-Fluorobiphenyl	1.444	1.332	1.285	1.132	1.060	1.052	0.951	1.179	15.06
46)		1,1'-Biphenyl	1.613	1.506	1.516	1.389	1.317	1.335	1.223	1.414	9.63
47)		2-Chloronaphth...	1.216	1.176	1.180	1.095	1.046	1.081	1.003	1.114	7.06
48)		2-Nitroaniline	0.188	0.223	0.279	0.309	0.321	0.336	0.330	0.284	20.23
49)		Acenaphthylene	1.759	1.682	1.719	1.588	1.525	1.541	1.444	1.608	7.13
50)		Dimethylphthalate	1.160	1.178	1.244	1.180	1.144	1.171	1.103	1.169	3.66
51)		2,6-Dinitrotol...	0.125	0.147	0.188	0.213	0.219	0.234	0.228	0.193	21.87
52)	C	Acenaphthene	1.208	1.127	1.121	1.054	1.012	1.017	0.945	1.069	8.28
53)		3-Nitroaniline	0.159	0.193	0.250	0.261	0.265	0.281	0.266	0.239	18.92
54)	P	2,4-Dinitrophenol		0.030	0.046	0.066	0.073	0.086	0.092	0.065	36.52
55)		Dibenzofuran	1.757	1.641	1.634	1.511	1.438	1.446	1.346	1.539	9.33
56)	P	4-Nitrophenol		0.096	0.147	0.173	0.180	0.194	0.190	0.163	22.52
57)		2,4-Dinitrotol...	0.154	0.191	0.257	0.289	0.296	0.308	0.297	0.256	23.42
58)		Fluorene	1.381	1.288	1.251	1.142	1.091	1.089	0.986	1.175	11.65
59)		2,3,4,6-Tetrac...	0.172	0.188	0.236	0.255	0.258	0.276	0.270	0.236	17.33
60)		Diethylphthalate	1.011	1.061	1.132	1.081	1.037	1.031	0.974	1.047	4.84
61)		4-Chlorophenyl...	0.645	0.601	0.600	0.563	0.533	0.536	0.498	0.568	8.84
62)		4-Nitroaniline	0.174	0.202	0.253	0.249	0.248	0.253	0.242	0.232	13.40
63)		Azobenzene	1.302	1.228	1.285	1.193	1.147	1.149	1.065	1.196	6.99
64)	I	Phenanthrene-d10	----------ISTD----------								
65)		4,6-Dinitro-2-...		0.036	0.054	0.071	0.077	0.087	0.091	0.069	29.75
66)	c	n-Nitrosodiphe...	0.693	0.670	0.674	0.655	0.639	0.651	0.627	0.659	3.38
67)		4-Bromophenyl-...	0.232	0.222	0.232	0.231	0.227	0.231	0.226	0.229	1.65
68)		Hexachlorobenzene	0.258	0.249	0.250	0.244	0.237	0.248	0.240	0.247	2.76
69)		Atrazine	0.147	0.157	0.187	0.178	0.180	0.182	0.173	0.172	8.45
70)	C	Pentachlorophenol		0.058	0.087	0.108	0.113	0.120	0.122	0.101	24.06
71)		Phenanthrene	1.214	1.159	1.156	1.081	1.022	1.034	0.973	1.091	8.02
72)		Anthracene	1.225	1.168	1.184	1.088	1.043	1.057	0.980	1.107	7.97
73)		Carbazole	1.049	1.000	1.017	0.934	0.879	0.893	0.825	0.942	8.71
74)		Di-n-butylphth...	0.674	0.739	0.889	0.864	0.819	0.817	0.780	0.798	9.24
75)	C	Fluoranthene	1.120	1.054	1.051	0.917	0.873	0.856	0.820	0.956	12.27
76)	I	Chrysene-d12	----------ISTD----------								
77)		Benzidine		0.541	0.653	0.591	0.549	0.511	0.434	0.547	13.50
78)		Pyrene	1.924	1.963	1.910	1.661	1.513	1.460	1.315	1.678	15.44
79)	S	Terphenyl-d14	1.337	1.346	1.297	1.089	0.976	0.957	0.841	1.120	18.44
80)		Butylbenzylpht...	0.179	0.208	0.272	0.303	0.320	0.346	0.359	0.284	24.15
81)		Benzo(a)anthra...	1.335	1.224	1.339	1.258	1.229	1.309	1.205	1.271	4.37
82)		3,3'-Dichlorob...		0.255	0.327	0.364	0.374	0.382	0.358	0.343	13.77
83)		Chrysene	1.270	1.249	1.199	1.175	1.163	1.143	1.098	1.185	5.06
84)		Bis(2-ethylhex...	0.228	0.277	0.348	0.441	0.478	0.520	0.531	0.403	29.82
85)	c	Di-n-octyl pht...		0.545	0.692	0.888	0.945	1.045	1.047	0.860	23.52

Method Path : Z:\svoasrv\HPCHEM1\BNA_F\Methods\
Method File : 8270-BF081225.M

86)	I	Perylene-d12	----------ISTD----------							
87)		Indeno(1,2,3-c...	1.401	1.455	1.479	1.449	1.392	1.443	1.411	1.433	2.24
88)		Benzo(b)fluora...	1.172	1.027	1.092	1.118	1.046	1.147	1.054	1.094	4.98
89)		Benzo(k)fluora...	1.064	1.080	1.158	1.036	1.053	1.022	1.027	1.063	4.41
90)	C	Benzo(a)pyrene	1.049	1.011	1.060	1.033	1.012	1.039	1.008	1.030	1.99
91)		Dibenzo(a,h)an...	1.129	1.162	1.184	1.170	1.119	1.155	1.094	1.145	2.77
92)		Benzo(g,h,i)pe...	1.108	1.192	1.188	1.169	1.124	1.168	1.123	1.153	2.94

(#) = Out of Range



Response = 1.513e-001 * Amt - 2.755e-002
Coef of Det (r^2) = 0.993246 Curve Fit: wlr(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF081225.M
Calibration Table Last Updated: Tue Aug 12 13:25:39 2025



Response = 2.105e-001 * Amt - 6.972e-002
Coef of Det (r^2) = 0.995567 Curve Fit: wlr(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF081225.M
Calibration Table Last Updated: Tue Aug 12 13:25:39 2025



Response = 3.408e-001 * Amt - 4.713e-002
Coef of Det (r^2) = 0.998503 Curve Fit: wlr(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF081225.M
Calibration Table Last Updated: Tue Aug 12 13:25:39 2025



Response = 2.357e-001 * Amt - 3.491e-002
Coef of Det (r^2) = 0.997850 Curve Fit: wlr(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF081225.M
Calibration Table Last Updated: Tue Aug 12 13:25:39 2025



R = 1.122e-002 A*A + 5.261e-002 A - 1.543e-002
Coef of Det (r^2) = 0.997954 Curve Fit: Quadratic w(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF081225.M
Calibration Table Last Updated: Tue Aug 12 13:25:39 2025



Response = 2.053e-001 * Amt - 5.623e-002
Coef of Det (r^2) = 0.998868 Curve Fit: wlr(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF081225.M
Calibration Table Last Updated: Tue Aug 12 13:25:39 2025



Response = 3.131e-001 * Amt - 4.718e-002
Coef of Det (r^2) = 0.998548 Curve Fit: wlr(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF081225.M
Calibration Table Last Updated: Tue Aug 12 13:25:39 2025



Response = 9.534e-002 * Amt - 3.461e-002
Coef of Det (r^2) = 0.992769 Curve Fit: wlr(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF081225.M
Calibration Table Last Updated: Tue Aug 12 13:25:39 2025



Response = 1.303e-001 * Amt - 3.859e-002
Coef of Det (r^2) = 0.999061 Curve Fit: wlr(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF081225.M
Calibration Table Last Updated: Tue Aug 12 13:25:39 2025



Response = 3.564e-001 * Amt - 5.972e-002
Coef of Det (r^2) = 0.994780 Curve Fit: wlr(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF081225.M
Calibration Table Last Updated: Tue Aug 12 13:25:39 2025



Response = 5.319e-001 * Amt - 1.061e-001
Coef of Det (r^2) = 0.991563 Curve Fit: wlr(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF081225.M
Calibration Table Last Updated: Tue Aug 12 13:25:39 2025



Response = 1.110e+000 * Amt - 3.345e-001
Coef of Det (r^2) = 0.995260 Curve Fit: wlr(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF081225.M
Calibration Table Last Updated: Tue Aug 12 13:25:39 2025

Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143343.D
Acq On : 12 Aug 2025 09:03
Operator : RC/JU
Sample : SSTDICC2.5
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Quant Time: Aug 12 13:15:37 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	162273	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	638032	20.000	ng	0.00
39) Acenaphthene-d10	9.963	164	346209	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	555179	20.000	ng	0.00
76) Chrysene-d12	14.092	240	375834	20.000	ng	0.00
86) Perylene-d12	15.580	264	241869	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	0.000	112	0d	0.000	ng	
7) Phenol-d6	0.000	99	0d	0.000	ng	
23) Nitrobenzene-d5	0.000	82	0d	0.000	ng	
42) 2,4,6-Tribromophenol	0.000	330	0d	0.000	ng	
45) 2-Fluorobiphenyl	0.000	172	0d	0.000	ng	
79) Terphenyl-d14	0.000	244	0d	0.000	ng	
Target Compounds						Qvalue
19) n-Nitroso-di-n-propyla...	7.328	70	19396	2.609	ng	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143343.D
Acq On : 12 Aug 2025 09:03
Operator : RC/JU
Sample : SSTDICC2.5
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Quant Time: Aug 12 13:15:37 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143343.D
Acq: 12 Aug 2025 09:03

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion:152 Resp: 162273

Ion	Ratio	Lower	Upper
152	100		
150	157.2	129.8	194.8
115	60.9	47.8	71.8





#5
2-Fluorophenol
Concen: 0.000 ng
Expected RT: 5.56 min

Lab File: BF143343.D
Acq: 12 Aug 2025 09:03

Tgt Ion: 112

Sig	Exp Ratio
112	100
64	65.1
63	33.2





#7
Phenol-d6
Concen: 0.000 ng
Expected RT: 6.56 min

Lab File: BF143343.D
Acq: 12 Aug 2025 09:03

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion: 99

Sig	Exp Ratio
99	100
42	20.8
71	32.7



#19
n-Nitroso-di-n-propylamine
Concen: 2.609 ng
RT: 7.328 min Scan# 873
Delta R.T. -0.012 min
Lab File: BF143343.D
Acq: 12 Aug 2025 09:03

Tgt Ion: 70 Resp: 19396

Ion	Ratio	Lower	Upper
70	100		
42	70.5	51.6	77.4
101	8.2	7.5	11.3
130	17.8	15.8	23.6





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143343.D
Acq: 12 Aug 2025 09:03

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion:136 Resp: 638032

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.6	13.0
54	10.2	8.4	12.6
68	7.1	5.9	8.9





#23
Nitrobenzene-d5
Concen: 0.000 ng
Expected RT: 7.49 min

Lab File: BF143343.D
Acq: 12 Aug 2025 09:03

Tgt Ion: 82

Sig	Exp Ratio
82	100
128	41.9
54	58.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143343.D
Acq: 12 Aug 2025 09:03

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion:164 Resp: 346209

Ion	Ratio	Lower	Upper
164	100		
162	99.0	78.6	118.0
160	43.5	34.4	51.6





#42
2,4,6-Tribromophenol
Concen: 0.000 ng
Expected RT: 10.76 min

Lab File: BF143343.D
Acq: 12 Aug 2025 09:03

Tgt Ion: 330

Sig	Exp Ratio
330	100
332	97.6
141	31.7





#45
2-Fluorobiphenyl
Concen: 0.000 ng
Expected RT: 9.29 min

Lab File: BF143343.D
Acq: 12 Aug 2025 09:03

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion: 172

Sig	Exp Ratio
172	100
171	35.5
170	23.9



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. -0.000 min
Lab File: BF143343.D
Acq: 12 Aug 2025 09:03

Tgt Ion:188 Resp: 555179

Ion	Ratio	Lower	Upper
188	100		
94	11.0	8.8	13.2
80	12.1	9.7	14.5





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.092 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143343.D
Acq: 12 Aug 2025 09:03

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion:240 Resp: 375834

Ion	Ratio	Lower	Upper
240	100		
120	11.7	9.0	13.6
236	25.1	19.9	29.9





#79
Terphenyl-d14
Concen: 0.000 ng
Expected RT: 13.03 min

Lab File: BF143343.D
Acq: 12 Aug 2025 09:03

Tgt Ion: 244

Sig	Exp Ratio
244	100
212	6.4
122	11.1





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.580 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143343.D
Acq: 12 Aug 2025 09:03

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion:264 Resp: 241869

Ion	Ratio	Lower	Upper
264	100		
260	22.8	18.7	28.1
265	21.3	17.2	25.8



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143344.D
Acq On : 12 Aug 2025 09:34
Operator : RC/JU
Sample : SSTDICC005
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Quant Time: Aug 12 13:16:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	6.928	152	162290	20.000	ng		0.00
21) Naphthalene-d8	8.210	136	628268	20.000	ng		0.00
39) Acenaphthene-d10	9.963	164	344999	20.000	ng		0.00
64) Phenanthrene-d10	11.451	188	557349	20.000	ng		0.00
76) Chrysene-d12	14.086	240	344394	20.000	ng		0.00
86) Perylene-d12	15.580	264	252587	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.557	112	93734	9.988	ng		0.00
7) Phenol-d6	6.551	99	123886	10.294	ng		-0.01
23) Nitrobenzene-d5	7.481	82	87105	8.634	ng		-0.01
42) 2,4,6-Tribromophenol	10.751	330	18107	7.182	ng		0.00
45) 2-Fluorobiphenyl	9.280	172	249109	12.244	ng		0.00
79) Terphenyl-d14	13.027	244	230289	11.938	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	2.775	88	24600	5.066	ng		96
3) Pyridine	3.563	79	59883	4.627	ng		98
6) Aniline	6.587	93	87728	5.171	ng		99
8) 2-Chlorophenol	6.716	128	47366	4.723	ng		97
10) Phenol	6.569	94	73959	5.187	ng		95
11) bis(2-Chloroethyl)ether	6.657	93	55039	5.238	ng		98
12) 1,3-Dichlorobenzene	6.869	146	62932	5.441	ng		98
13) 1,4-Dichlorobenzene	6.945	146	63946	5.508	ng		98
14) 1,2-Dichlorobenzene	7.098	146	60298	5.472	ng		99
16) 2,2'-oxybis(1-Chloropr...	7.198	45	102291	5.453	ng		97
17) 2-Methylphenol	7.175	107	41246	4.873	ng		97
18) Hexachloroethane	7.445	117	17263	4.743	ng		96
19) n-Nitroso-di-n-propyla...	7.328	70	40228	5.410	ng		98
22) Acetophenone	7.328	105	78486	5.670	ng	#	97
24) Nitrobenzene	7.498	77	50634	4.621	ng		96
25) Isophorone	7.739	82	108673	5.276	ng		97
26) 2-Nitrophenol	7.822	139	10813	5.918	ng		95
27) 2,4-Dimethylphenol	7.857	122	40753	4.743	ng		99
28) bis(2-Chloroethoxy)met...	7.951	93	66594	5.296	ng		98
29) 2,4-Dichlorophenol	8.069	162	38135	4.544	ng		97
30) 1,2,4-Trichlorobenzene	8.151	180	46949	5.303	ng		98
31) Naphthalene	8.233	128	170051	5.625	ng		99
33) 4-Chloroaniline	8.281	127	56886	5.217	ng		99
34) Hexachlorobutadiene	8.351	225	29122	5.288	ng		99
36) 4-Chloro-3-methylphenol	8.757	107	42384	4.817	ng		99
37) 2-Methylnaphthalene	8.922	142	113134	5.692	ng		99
38) 1-Methylnaphthalene	9.022	142	108359	5.661	ng		99
40) 1,2,4,5-Tetrachloroben...	9.092	216	50724	5.373	ng		99
43) 2,4,6-Trichlorophenol	9.204	196	20838	3.890	ng		98
44) 2,4,5-Trichlorophenol	9.245	196	26517	4.384	ng		99
46) 1,1'-Biphenyl	9.380	154	139115	5.703	ng		100
47) 2-Chloronaphthalene	9.410	162	104874	5.459	ng		97
48) 2-Nitroaniline	9.498	65	16200	5.521	ng		89
49) Acenaphthylene	9.822	152	151682	5.467	ng		99
50) Dimethylphthalate	9.675	163	100034	4.962	ng		100
51) 2,6-Dinitrotoluene	9.739	165	10751	5.607	ng		89

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143344.D
Acq On : 12 Aug 2025 09:34
Operator : RC/JU
Sample : SSTDICC005
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Quant Time: Aug 12 13:16:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
52) Acenaphthene	9.998	154	104223	5.651	ng		99
53) 3-Nitroaniline	9.910	138	13704	3.319	ng	#	85
55) Dibenzofuran	10.169	168	151524	5.708	ng		99
57) 2,4-Dinitrotoluene	10.139	165	13285	5.473	ng	#	85
58) Fluorene	10.510	166	119124	5.875	ng		100
59) 2,3,4,6-Tetrachlorophenol	10.292	232	14793	3.628	ng	#	98
60) Diethylphthalate	10.375	149	87234	4.831	ng		99
61) 4-Chlorophenyl-phenyle...	10.504	204	55620	5.677	ng		99
62) 4-Nitroaniline	10.516	138	15026	3.762	ng		95
63) Azobenzene	10.663	77	112299	5.445	ng		99
66) n-Nitrosodiphenylamine	10.616	169	96579	5.263	ng		99
67) 4-Bromophenyl-phenylether	10.992	248	32274	5.063	ng		98
68) Hexachlorobenzene	11.063	284	35913	5.227	ng		96
69) Atrazine	11.139	200	20457	4.274	ng		100
71) Phenanthrene	11.474	178	169159	5.563	ng		99
72) Anthracene	11.527	178	170698	5.535	ng		98
73) Carbazole	11.680	167	146129	5.564	ng		99
74) Di-n-butylphthalate	12.004	149	93961	4.228	ng		99
75) Fluoranthene	12.663	202	156101	5.860	ng		99
78) Pyrene	12.892	202	165633	5.733	ng		98
80) Butylbenzylphthalate	13.504	149	15374	5.856	ng		99
81) Benzo(a)anthracene	14.080	228	114909	5.250	ng		98
83) Chrysene	14.115	228	109349	5.357	ng		98
84) Bis(2-ethylhexyl)phtha...	14.063	149	19633	6.133	ng		97
87) Indeno(1,2,3-cd)pyrene	17.098	276	88484	4.890	ng		98
88) Benzo(b)fluoranthene	15.139	252	74031	5.359	ng		98
89) Benzo(k)fluoranthene	15.168	252	67207	5.006	ng		99
90) Benzo(a)pyrene	15.515	252	66211	5.089	ng		98
91) Dibenzo(a,h)anthracene	17.115	278	71319	4.933	ng		98
92) Benzo(g,h,i)perylene	17.551	276	69991	4.806	ng	#	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143344.D
Acq On : 12 Aug 2025 09:34
Operator : RC/JU
Sample : SSTDICC005
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Quant Time: Aug 12 13:16:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:152 Resp: 162290

Ion	Ratio	Lower	Upper
152	100		
150	156.0	129.8	194.8
115	60.3	47.8	71.8





#2
1,4-Dioxane
Concen: 5.066 ng
RT: 2.775 min Scan# 99
Delta R.T. 0.012 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion: 88 Resp: 24600

Ion	Ratio	Lower	Upper
88	100		
58	84.4	71.0	106.6
43	33.4	27.0	40.6





#3
Pyridine
Concen: 4.627 ng
RT: 3.563 min Scan# 2
Delta R.T. 0.029 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 79 Resp: 59883

Ion	Ratio	Lower	Upper
79	100		
52	88.6	68.7	103.1
51	42.6	33.4	50.0





#5
2-Fluorophenol
Concen: 9.988 ng
RT: 5.557 min Scan# 572
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:112 Resp: 93734

Ion	Ratio	Lower	Upper
112	100		
64	68.2	52.1	78.1
63	34.5	26.6	39.8





#6
Aniline
Concen: 5.171 ng
RT: 6.587 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 93 Resp: 87728

Ion	Ratio	Lower	Upper
93	100		
66	44.7	35.3	52.9
65	23.5	18.2	27.4





#7
Phenol-d6
Concen: 10.294 ng
RT: 6.551 min Scan# 741
Delta R.T. -0.012 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion: 99 Resp: 123886

Ion	Ratio	Lower	Upper
99	100		
42	21.5	16.6	25.0
71	31.9	26.2	39.2





#8
2-Chlorophenol
Concen: 4.723 ng
RT: 6.716 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:128 Resp: 47366

Ion	Ratio	Lower	Upper
128	100		
130	30.9	12.6	52.6
64	54.6	36.7	76.7





#10
Phenol
Concen: 5.187 ng
RT: 6.569 min Scan# 744
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion: 94 Resp: 73959

Ion	Ratio	Lower	Upper
94	100		
65	30.3	12.0	52.0
66	41.0	25.6	65.6





#11
bis(2-Chloroethyl)ether
Concen: 5.238 ng
RT: 6.657 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 93 Resp: 55039

Ion	Ratio	Lower	Upper
93	100		
63	84.4	65.7	105.7
95	31.2	13.0	53.0





#12
1,3-Dichlorobenzene
Concen: 5.441 ng
RT: 6.869 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:146 Resp: 62932

Ion	Ratio	Lower	Upper
146	100		
148	61.0	50.5	75.7
75	30.6	24.9	37.3





#13
1,4-Dichlorobenzene
Concen: 5.508 ng
RT: 6.945 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:146 Resp: 63946

Ion	Ratio	Lower	Upper
146	100		
148	62.2	51.4	77.0
111	39.5	32.6	48.8





#14
1,2-Dichlorobenzene
Concen: 5.472 ng
RT: 7.098 min Scan# 834
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:146 Resp: 60298

Ion	Ratio	Lower	Upper
146	100		
148	63.9	51.4	77.2
111	41.1	34.1	51.1





#16
2,2'-oxybis(1-Chloropropane)
Concen: 5.453 ng
RT: 7.198 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 45 Resp: 102291

Ion	Ratio	Lower	Upper
45	100		
77	12.5	0.0	34.0
79	10.0	0.0	31.1





#17
2-Methylphenol
Concen: 4.873 ng
RT: 7.175 min Scan# 847
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:107 Resp: 41246

Ion	Ratio	Lower	Upper
107	100		
108	118.9	92.0	138.0
77	47.3	38.2	57.2
79	50.1	37.9	56.9





#18
Hexachloroethane
Concen: 4.743 ng
RT: 7.445 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:117 Resp: 17263

Ion	Ratio	Lower	Upper
117	100		
119	96.0	75.8	113.8
201	103.8	77.2	115.8





#19
n-Nitroso-di-n-propylamine
Concen: 5.410 ng
RT: 7.328 min Scan# 873
Delta R.T. -0.012 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion: 70 Resp: 40228

Ion	Ratio	Lower	Upper
70	100		
42	65.7	51.6	77.4
101	8.6	7.5	11.3
130	19.1	15.8	23.6





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:136 Resp: 628268

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	10.5	8.4	12.6
68	7.1	5.9	8.9





#22
Acetophenone
Concen: 5.670 ng
RT: 7.328 min Scan# 873
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:105 Resp: 78486

Ion	Ratio	Lower	Upper
105	100		
71	9.4	6.2	9.4#
51	41.3	34.8	52.2
120	22.1	17.9	26.9





#23
Nitrobenzene-d5
Concen: 8.634 ng
RT: 7.481 min Scan# 8
Delta R.T. -0.012 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 82 Resp: 87105

Ion	Ratio	Lower	Upper
82	100		
128	38.7	33.5	50.3
54	62.7	46.7	70.1





#24
Nitrobenzene
Concen: 4.621 ng
RT: 7.498 min Scan# 902
Delta R.T. -0.012 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion: 77 Resp: 50634

Ion	Ratio	Lower	Upper
77	100		
123	40.1	34.8	52.2
65	13.2	11.0	16.6





#25
Isophorone
Concen: 5.276 ng
RT: 7.739 min Scan# 94
Delta R.T. -0.012 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 82 Resp: 108673

Ion	Ratio	Lower	Upper
82	100		
95	6.8	5.5	8.3
138	16.6	14.6	21.8





#26
2-Nitrophenol
Concen: 5.918 ng
RT: 7.822 min Scan# 957
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:139 Resp: 10813

Ion	Ratio	Lower	Upper
139	100		
109	29.8	22.4	33.6
65	58.2	42.9	64.3





#27
2,4-Dimethylphenol
Concen: 4.743 ng
RT: 7.857 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:122 Resp: 40753

Ion	Ratio	Lower	Upper
122	100		
107	110.9	89.9	134.9
121	56.7	46.2	69.4





#28
bis(2-Chloroethoxy)methane
Concen: 5.296 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion: 93 Resp: 66594

Ion	Ratio	Lower	Upper
93	100		
95	31.6	26.2	39.4
123	11.1	9.4	14.2





#29
2,4-Dichlorophenol
Concen: 4.544 ng
RT: 8.069 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:162 Resp: 38135

Ion	Ratio	Lower	Upper
162	100		
164	60.6	44.5	84.5
98	38.3	17.7	57.7





#30
1,2,4-Trichlorobenzene
Concen: 5.303 ng
RT: 8.151 min Scan# 1013
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:180 Resp: 46949

Ion	Ratio	Lower	Upper
180	100		
182	96.7	76.1	114.1
145	30.0	24.9	37.3





#31
Naphthalene
Concen: 5.625 ng
RT: 8.233 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:128 Resp: 170051

Ion	Ratio	Lower	Upper
128	100		
129	10.9	9.0	13.6
127	12.8	10.7	16.1





#33
4-Chloroaniline
Concen: 5.217 ng
RT: 8.281 min Scan# 1035
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:127 Resp: 56886

Ion	Ratio	Lower	Upper
127	100		
129	32.4	26.0	39.0
65	34.4	27.0	40.4
92	20.4	16.2	24.2





#34
Hexachlorobutadiene
Concen: 5.288 ng
RT: 8.351 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:225 Resp: 29122

Ion	Ratio	Lower	Upper
225	100		
223	62.8	50.1	75.1
227	64.7	50.6	75.8





#36
4-Chloro-3-methylphenol
Concen: 4.817 ng
RT: 8.757 min Scan# 1116
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:107 Resp: 42384

Ion	Ratio	Lower	Upper
107	100		
144	25.6	20.0	30.0
142	77.7	61.3	91.9





#37
2-Methylnaphthalene
Concen: 5.692 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:142 Resp: 113134

Ion	Ratio	Lower	Upper
142	100		
141	86.0	69.8	104.8





#38
1-Methylnaphthalene
Concen: 5.661 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:142 Resp: 108359

Ion	Ratio	Lower	Upper
142	100		
141	91.8	73.0	109.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:164 Resp: 344999

Ion	Ratio	Lower	Upper
164	100		
162	98.9	78.6	118.0
160	42.7	34.4	51.6





#40
1,2,4,5-Tetrachlorobenzene
Concen: 5.373 ng
RT: 9.092 min Scan# 1173
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:216 Resp: 50724

Ion	Ratio	Lower	Upper
216	100		
214	79.1	63.0	94.4
179	21.0	17.0	25.4
108	17.8	14.6	22.0





#42
2,4,6-Tribromophenol
Concen: 7.182 ng
RT: 10.751 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:330 Resp: 18107

Ion	Ratio	Lower	Upper
330	100		
332	100.5	78.1	117.1
141	36.6	25.4	38.0





#43
2,4,6-Trichlorophenol
Concen: 3.890 ng
RT: 9.204 min Scan# 1192
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:196 Resp: 20838

Ion	Ratio	Lower	Upper
196	100		
198	96.5	75.4	113.0
200	31.6	24.3	36.5





#44
2,4,5-Trichlorophenol
Concen: 4.384 ng
RT: 9.245 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:196 Resp: 26517

Ion	Ratio	Lower	Upper
196	100		
198	93.2	75.4	113.2
97	51.3	39.9	59.9
132	27.6	22.6	33.8





#45
2-Fluorobiphenyl
Concen: 12.244 ng
RT: 9.280 min Scan# 1205
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:172 Resp: 249109

Ion	Ratio	Lower	Upper
172	100		
171	34.8	28.4	42.6
170	22.8	19.1	28.7





#46
1,1'-Biphenyl
Concen: 5.703 ng
RT: 9.380 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:154 Resp: 139115

Ion	Ratio	Lower	Upper
154	100		
153	40.3	20.2	60.2
76	13.9	0.0	34.4





#47
2-Chloronaphthalene
Concen: 5.459 ng
RT: 9.410 min Scan# 1227
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:162 Resp: 104874

Ion	Ratio	Lower	Upper
162	100		
127	38.3	32.1	48.1
164	32.2	27.0	40.4





#48
2-Nitroaniline
Concen: 5.521 ng
RT: 9.498 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 65 Resp: 16200

Ion	Ratio	Lower	Upper
65	100		
92	62.3	53.1	79.7
138	86.9	81.4	122.0





#49
Acenaphthylene
Concen: 5.467 ng
RT: 9.822 min Scan# 1297
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:152 Resp: 151682

Ion	Ratio	Lower	Upper
152	100		
151	19.8	16.2	24.2
153	13.1	10.6	16.0





#50
Dimethylphthalate
Concen: 4.962 ng
RT: 9.675 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:163 Resp: 100034

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.3	4.9
164	10.0	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 5.607 ng
RT: 9.739 min Scan# 1283
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:165 Resp: 10751

Ion	Ratio	Lower	Upper
165	100		
63	71.3	51.6	77.4
89	70.4	47.7	71.5





#52
Acenaphthene
Concen: 5.651 ng
RT: 9.998 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:154 Resp: 104223

Ion	Ratio	Lower	Upper
154	100		
153	110.0	88.5	132.7
152	51.6	42.4	63.6





#53
3-Nitroaniline
Concen: 3.319 ng
RT: 9.910 min Scan# 1312
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:138 Resp: 13704

Ion	Ratio	Lower	Upper
138	100		
108	17.5	9.6	14.4#
92	133.8	93.4	140.2





#55
Dibenzofuran
Concen: 5.708 ng
RT: 10.169 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:168 Resp: 151524

Ion	Ratio	Lower	Upper
168	100		
139	35.9	29.4	44.0
169	13.3	11.0	16.6





#57
2,4-Dinitrotoluene
Concen: 5.473 ng
RT: 10.139 min Scan# 1351
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:165 Resp: 13285

Ion	Ratio	Lower	Upper
165	100		
63	63.1	41.8	62.8#
89	91.5	62.4	93.6
182	2.7	2.2	3.2





#58
Fluorene
Concen: 5.875 ng
RT: 10.510 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:166 Resp: 119124

Ion	Ratio	Lower	Upper
166	100		
165	97.6	78.2	117.4
167	13.2	10.9	16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 3.628 ng
RT: 10.292 min Scan# 1377
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:232 Resp: 14793

Ion	Ratio	Lower	Upper
232	100		
131	41.2	34.6	51.8
130	1.3	1.7	2.5#
166	29.1	23.4	35.0





#60
Diethylphthalate
Concen: 4.831 ng
RT: 10.375 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:149 Resp: 87234

Ion	Ratio	Lower	Upper
149	100		
177	22.8	18.2	27.2
150	12.8	9.9	14.9





#61
4-Chlorophenyl-phenylether
Concen: 5.677 ng
RT: 10.504 min Scan# 1413
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:204 Resp: 55620

Ion	Ratio	Lower	Upper
204	100		
206	32.7	27.4	41.2
141	58.2	46.9	70.3





#62
4-Nitroaniline
Concen: 3.762 ng
RT: 10.516 min Scan# 14
Delta R.T. -0.012 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:138 Resp: 15026

Ion	Ratio	Lower	Upper
138	100		
92	54.9	31.2	71.2
108	72.0	48.1	88.1





#63
Azobenzene
Concen: 5.445 ng
RT: 10.663 min Scan# 1440
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion: 77 Resp: 112299

Ion	Ratio	Lower	Upper
77	100		
182	25.1	4.4	44.4
105	21.4	1.8	41.8
51	33.6	13.7	53.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:188 Resp: 557349

Ion	Ratio	Lower	Upper
188	100		
94	11.0	8.8	13.2
80	12.0	9.7	14.5





#66
n-Nitrosodiphenylamine
Concen: 5.263 ng
RT: 10.616 min Scan# 1432
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:169 Resp: 96579

Ion	Ratio	Lower	Upper
169	100		
168	67.0	52.7	79.1
167	35.0	28.6	42.8





#67
4-Bromophenyl-phenylether
Concen: 5.063 ng
RT: 10.992 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:248 Resp: 32274

Ion	Ratio	Lower	Upper
248	100		
250	97.9	77.1	115.7
141	72.0	59.1	88.7





#68
Hexachlorobenzene
Concen: 5.227 ng
RT: 11.063 min Scan# 1508
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:284 Resp: 35913

Ion	Ratio	Lower	Upper
284	100		
142	35.6	25.7	38.5
249	31.7	24.6	37.0





#69
Atrazine
Concen: 4.274 ng
RT: 11.139 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:200 Resp: 20457

Ion	Ratio	Lower	Upper
200	100		
173	26.2	6.6	46.6
215	50.7	30.6	70.6





#71
Phenanthrene
Concen: 5.563 ng
RT: 11.474 min Scan# 1578
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:178 Resp: 169159

Ion	Ratio	Lower	Upper
178	100		
176	19.3	15.5	23.3
179	15.2	12.5	18.7





#72
Anthracene
Concen: 5.535 ng
RT: 11.527 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:178 Resp: 170698

Ion	Ratio	Lower	Upper
178	100		
176	18.2	15.1	22.7
179	14.9	12.7	19.1





#73
Carbazole
Concen: 5.564 ng
RT: 11.680 min Scan# 1613
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:167 Resp: 146129

Ion	Ratio	Lower	Upper
167	100		
166	20.3	16.8	25.2
139	12.3	10.2	15.2





#74
Di-n-butylphthalate
Concen: 4.228 ng
RT: 12.004 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:149 Resp: 93961

Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.4	11.0
104	5.4	3.8	5.8





#75
Fluoranthene
Concen: 5.860 ng
RT: 12.663 min Scan# 1780
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:202 Resp: 156101

Ion	Ratio	Lower	Upper
202	100		
101	13.0	0.0	33.2
203	16.9	0.0	37.6





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.086 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:240 Resp: 344394

Ion	Ratio	Lower	Upper
240	100		
120	12.6	9.0	13.6
236	25.5	19.9	29.9





#78
Pyrene
Concen: 5.733 ng
RT: 12.892 min Scan# 1819
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:202 Resp: 165633

Ion	Ratio	Lower	Upper
202	100		
200	21.1	16.8	25.2
203	16.5	14.2	21.4





#79
Terphenyl-d14
Concen: 11.938 ng
RT: 13.027 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:244 Resp: 230289

Ion	Ratio	Lower	Upper
244	100		
212	6.2	5.1	7.7
122	12.0	8.9	13.3





#80
Butylbenzylphthalate
Concen: 5.856 ng
RT: 13.504 min Scan# 1923
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:149 Resp: 15374

Ion	Ratio	Lower	Upper
149	100		
91	72.7	58.8	88.2
206	20.3	16.4	24.6





#81
Benzo(a)anthracene
Concen: 5.250 ng
RT: 14.080 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:228 Resp: 114909

Ion	Ratio	Lower	Upper
228	100		
226	26.1	22.0	33.0
229	19.4	15.8	23.8





#83
Chrysene
Concen: 5.357 ng
RT: 14.115 min Scan# 2027
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:228 Resp: 109349

Ion	Ratio	Lower	Upper
228	100		
226	28.7	24.2	36.2
229	18.8	15.8	23.6





#84
Bis(2-ethylhexyl)phthalate
Concen: 6.133 ng
RT: 14.063 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:149 Resp: 19633

Ion	Ratio	Lower	Upper
149	100		
167	28.5	21.4	32.0
279	3.7	3.2	4.8





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.580 min Scan# 2276
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:264 Resp: 252587

Ion	Ratio	Lower	Upper
264	100		
260	23.2	18.7	28.1
265	21.0	17.2	25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 4.890 ng
RT: 17.098 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:276 Resp: 88484

Ion	Ratio	Lower	Upper
276	100		
138	25.3	21.1	31.7
277	24.4	20.2	30.2





#88
Benzo(b)fluoranthene
Concen: 5.359 ng
RT: 15.139 min Scan# 2201
Delta R.T. -0.006 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:252 Resp: 74031

Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.8	26.8
125	10.1	7.8	11.6





#89
Benzo(k)fluoranthene
Concen: 5.006 ng
RT: 15.168 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:252 Resp: 67207

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.6	26.4
125	10.2	8.4	12.6





#90
Benzo(a)pyrene
Concen: 5.089 ng
RT: 15.515 min Scan# 2265
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:252 Resp: 66211

Ion	Ratio	Lower	Upper
252	100		
253	20.5	17.6	26.4
125	11.3	9.1	13.7





#91
Dibenzo(a,h)anthracene
Concen: 4.933 ng
RT: 17.115 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:278 Resp: 71319

Ion	Ratio	Lower	Upper
278	100		
139	17.3	14.0	21.0
279	22.9	19.4	29.0





#92
Benzo(g,h,i)perylene
Concen: 4.806 ng
RT: 17.551 min Scan# 2611
Delta R.T. -0.012 min
Lab File: BF143344.D
Acq: 12 Aug 2025 09:34

Tgt Ion:276 Resp: 69991

Ion	Ratio	Lower	Upper
276	100		
277	24.9	18.7	28.1
138	27.2	17.8	26.8#



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143345.D
Acq On : 12 Aug 2025 10:04
Operator : RC/JU
Sample : SSTDICC010
Misc :
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 12 13:17:37 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	6.928	152	154882	20.000	ng		0.00
21) Naphthalene-d8	8.210	136	603685	20.000	ng		0.00
39) Acenaphthene-d10	9.963	164	326305	20.000	ng		0.00
64) Phenanthrene-d10	11.451	188	511556	20.000	ng		0.00
76) Chrysene-d12	14.086	240	288804	20.000	ng		0.00
86) Perylene-d12	15.580	264	252284	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.557	112	181196	20.231	ng		0.00
7) Phenol-d6	6.551	99	233168	20.301	ng		-0.01
23) Nitrobenzene-d5	7.481	82	183453	18.924	ng		-0.01
42) 2,4,6-Tribromophenol	10.751	330	41296	17.317	ng		0.00
45) 2-Fluorobiphenyl	9.280	172	434554	22.583	ng		0.00
79) Terphenyl-d14	13.027	244	388588	24.022	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	2.769	88	45069	9.724	ng		99
3) Pyridine	3.546	79	121796	9.862	ng		98
4) n-Nitrosodimethylamine	3.463	42	53152	9.239	ng		95
6) Aniline	6.587	93	165629	10.229	ng		98
8) 2-Chlorophenol	6.716	128	94079	9.830	ng		97
9) Benzaldehyde	6.481	77	85899	11.315	ng		99
10) Phenol	6.569	94	138719	10.195	ng		94
11) bis(2-Chloroethyl)ether	6.657	93	100958	10.068	ng		99
12) 1,3-Dichlorobenzene	6.869	146	114502	10.373	ng		99
13) 1,4-Dichlorobenzene	6.945	146	116940	10.555	ng		97
14) 1,2-Dichlorobenzene	7.098	146	109638	10.425	ng		99
15) Benzyl Alcohol	7.063	79	75894	9.218	ng		99
16) 2,2'-oxybis(1-Chloropr...	7.198	45	186451	10.414	ng		96
17) 2-Methylphenol	7.175	107	80378	9.950	ng		99
18) Hexachloroethane	7.445	117	33555	9.660	ng		98
19) n-Nitroso-di-n-propyla...	7.328	70	72922	10.275	ng		95
20) 3+4-Methylphenols	7.328	107	103058	10.548	ng	#	85
22) Acetophenone	7.328	105	144189	10.840	ng		98
24) Nitrobenzene	7.504	77	99226	9.425	ng		98
25) Isophorone	7.739	82	199699	10.091	ng		98
26) 2-Nitrophenol	7.822	139	25672	9.265	ng		98
27) 2,4-Dimethylphenol	7.857	122	78873	9.553	ng		98
28) bis(2-Chloroethoxy)met...	7.951	93	123627	10.232	ng		99
29) 2,4-Dichlorophenol	8.069	162	77156	9.568	ng		98
30) 1,2,4-Trichlorobenzene	8.151	180	87392	10.274	ng		98
31) Naphthalene	8.233	128	308901	10.634	ng		98
32) Benzoic acid	7.939	122	20894m	10.319	ng		
33) 4-Chloroaniline	8.275	127	105601	10.079	ng		99
34) Hexachlorobutadiene	8.351	225	54615	10.321	ng		99
35) Caprolactam	8.610	113	18357	8.098	ng		93
36) 4-Chloro-3-methylphenol	8.757	107	82681	9.780	ng		96
37) 2-Methylnaphthalene	8.922	142	203203	10.641	ng		100
38) 1-Methylnaphthalene	9.022	142	197497	10.738	ng		100
40) 1,2,4,5-Tetrachloroben...	9.086	216	92307	10.338	ng		99
41) Hexachlorocyclopentadiene	9.081	237	14343	10.801	ng		100
43) 2,4,6-Trichlorophenol	9.198	196	44424	8.769	ng		99

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143345.D
Acq On : 12 Aug 2025 10:04
Operator : RC/JU
Sample : SSTDICC010
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025

Quant Time: Aug 12 13:17:37 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.239	196	50263	8.786	ng	98
46) 1,1'-Biphenyl	9.380	154	245641	10.647	ng	99
47) 2-Chloronaphthalene	9.410	162	191809	10.556	ng	98
48) 2-Nitroaniline	9.498	65	36444	9.319	ng	93
49) Acenaphthylene	9.822	152	274441	10.459	ng	99
50) Dimethylphthalate	9.675	163	192210	10.081	ng	100
51) 2,6-Dinitrotoluene	9.733	165	24005	9.205	ng	88
52) Acenaphthene	9.998	154	183915	10.543	ng	100
53) 3-Nitroaniline	9.904	138	31507	8.069	ng	92
54) 2,4-Dinitrophenol	10.022	184	4834	10.356	ng	92
55) Dibenzofuran	10.169	168	267653	10.660	ng	99
56) 4-Nitrophenol	10.075	139	15708	10.166	ng	92
57) 2,4-Dinitrotoluene	10.139	165	31226	9.126	ng	91
58) Fluorene	10.510	166	210161	10.959	ng	98
59) 2,3,4,6-Tetrachlorophenol	10.286	232	30681	7.955	ng	98
60) Diethylphthalate	10.375	149	173119	10.137	ng	99
61) 4-Chlorophenyl-phenyle...	10.504	204	97989	10.575	ng	99
62) 4-Nitroaniline	10.516	138	32919	8.714	ng	97
63) Azobenzene	10.657	77	200367	10.272	ng	99
65) 4,6-Dinitro-2-methylph...	10.551	198	9325	11.085	ng	92
66) n-Nitrosodiphenylamine	10.616	169	171289	10.169	ng	99
67) 4-Bromophenyl-phenylether	10.992	248	56818	9.712	ng	97
68) Hexachlorobenzene	11.063	284	63639	10.091	ng	99
69) Atrazine	11.139	200	40124	9.133	ng	100
70) Pentachlorophenol	11.257	266	14951	10.407	ng	94
71) Phenanthrene	11.474	178	296410	10.620	ng	98
72) Anthracene	11.527	178	298872	10.559	ng	99
73) Carbazole	11.674	167	255831	10.613	ng	100
74) Di-n-butylphthalate	12.004	149	189069	9.269	ng	99
75) Fluoranthene	12.663	202	269569	11.026	ng	99
77) Benzidine	12.780	184	78152	9.898	ng	100
78) Pyrene	12.892	202	283403	11.697	ng	98
80) Butylbenzylphthalate	13.504	149	30088	9.196	ng	99
81) Benzo(a)anthracene	14.074	228	176759	9.629	ng	99
82) 3,3'-Dichlorobenzidine	14.039	252	36804	7.425	ng	98
83) Chrysene	14.110	228	180427	10.541	ng	98
84) Bis(2-ethylhexyl)phtha...	14.063	149	39945	9.191	ng	100
85) Di-n-octyl phthalate	14.674	149	78702	10.933	ng	97
87) Indeno(1,2,3-cd)pyrene	17.092	276	183505	10.153	ng	99
88) Benzo(b)fluoranthene	15.139	252	129605	9.392	ng	99
89) Benzo(k)fluoranthene	15.168	252	136296	10.165	ng	98
90) Benzo(a)pyrene	15.515	252	127540	9.814	ng	99
91) Dibenzo(a,h)anthracene	17.109	278	146537	10.148	ng	98
92) Benzo(g,h,i)perylene	17.551	276	150383	10.338	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143345.D
Acq On : 12 Aug 2025 10:04
Operator : RC/JU
Sample : SSTDICC010
Misc :
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 12 13:17:37 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:152 Resp: 15488

Ion	Ratio	Lower	Upper
152	100		
150	160.6	129.8	194.8
115	60.6	47.8	71.8



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#2
1,4-Dioxane
Concen: 9.724 ng
RT: 2.769 min Scan# 98
Delta R.T. 0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 88 Resp: 45069

Ion	Ratio	Lower	Upper
88	100		
58	89.2	71.0	106.6
43	34.2	27.0	40.6





#3
Pyridine
Concen: 9.862 ng
RT: 3.546 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 79 Resp: 12179

Ion	Ratio	Lower	Upper
79	100		
52	88.0	68.7	103.1
51	42.2	33.4	50.0



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#4
n-Nitrosodimethylamine
Concen: 9.239 ng
RT: 3.463 min Scan# 216
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 42 Resp: 53152

Ion	Ratio	Lower	Upper
42	100		
74	112.1	94.1	141.1
44	9.5	6.5	9.7





#5
2-Fluorophenol
Concen: 20.231 ng
RT: 5.557 min Scan# 5
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:112 Resp: 18119

Ion	Ratio	Lower	Upper
112	100		
64	65.8	52.1	78.1
63	33.9	26.6	39.8



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#6
Aniline
Concen: 10.229 ng
RT: 6.587 min Scan# 747
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 93 Resp: 165629

Ion	Ratio	Lower	Upper
93	100		
66	43.0	35.3	52.9
65	22.2	18.2	27.4





#7
Phenol-d6
Concen: 20.301 ng
RT: 6.551 min Scan# 7
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 99 Resp: 23316

Ion	Ratio	Lower	Upper
99	100		
42	21.7	16.6	25.0
71	32.8	26.2	39.2



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#8
2-Chlorophenol
Concen: 9.830 ng
RT: 6.716 min Scan# 769
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:128 Resp: 94079

Ion	Ratio	Lower	Upper
128	100		
130	33.4	12.6	52.6
64	53.4	36.7	76.7





#9
Benzaldehyde
Concen: 11.315 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 77 Resp: 8589

Ion	Ratio	Lower	Upper
77	100		
105	95.4	74.2	114.2
106	92.0	72.2	112.2



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#10
Phenol
Concen: 10.195 ng
RT: 6.569 min Scan# 744
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 94 Resp: 138719

Ion	Ratio	Lower	Upper
94	100		
65	29.9	12.0	52.0
66	41.0	25.6	65.6





#11
bis(2-Chloroethyl)ether
Concen: 10.068 ng
RT: 6.657 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 93 Resp: 10095

Ion	Ratio	Lower	Upper
93	100		
63	85.8	65.7	105.7
95	31.8	13.0	53.0



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#12
1,3-Dichlorobenzene
Concen: 10.373 ng
RT: 6.869 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:146 Resp: 114502

Ion	Ratio	Lower	Upper
146	100		
148	63.0	50.5	75.7
75	32.1	24.9	37.3





#13
1,4-Dichlorobenzene
Concen: 10.555 ng
RT: 6.945 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:146 Resp: 11694

Ion	Ratio	Lower	Upper
146	100		
148	61.8	51.4	77.0
111	39.4	32.6	48.8



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#14
1,2-Dichlorobenzene
Concen: 10.425 ng
RT: 7.098 min Scan# 834
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:146 Resp: 109638

Ion	Ratio	Lower	Upper
146	100		
148	65.0	51.4	77.2
111	42.2	34.1	51.1





#15
Benzyl Alcohol
Concen: 9.218 ng
RT: 7.063 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 79 Resp: 7589

Ion	Ratio	Lower	Upper
79	100		
108	76.8	61.5	92.3
77	61.2	49.8	74.8



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 10.414 ng
RT: 7.198 min Scan# 851
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 45 Resp: 186451

Ion	Ratio	Lower	Upper
45	100		
77	12.0	0.0	34.0
79	9.6	0.0	31.1





#17
2-Methylphenol
Concen: 9.950 ng
RT: 7.175 min Scan# 84
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:107 Resp: 8037

Ion	Ratio	Lower	Upper
107	100		
108	116.0	92.0	138.0
77	46.5	38.2	57.2
79	47.2	37.9	56.9



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#18
Hexachloroethane
Concen: 9.660 ng
RT: 7.445 min Scan# 893
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:117 Resp: 33555

Ion	Ratio	Lower	Upper
117	100		
119	96.7	75.8	113.8
201	98.6	77.2	115.8





#19
n-Nitroso-di-n-propylamine
Concen: 10.275 ng
RT: 7.328 min Scan# 8
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 70 Resp: 7292

Ion	Ratio	Lower	Upper
70	100		
42	69.0	51.6	77.4
101	9.1	7.5	11.3
130	18.1	15.8	23.6



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#20
3+4-Methylphenols
Concen: 10.548 ng
RT: 7.328 min Scan# 873
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:107 Resp: 103058

Ion	Ratio	Lower	Upper
107	100		
108	90.4	70.6	110.6
77	164.6	112.0	152.0#
79	28.5	9.9	49.9





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:136 Resp: 60368

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	10.2	8.4	12.6
68	7.0	5.9	8.9



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#22
Acetophenone
Concen: 10.840 ng
RT: 7.328 min Scan# 873
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:105 Resp: 144189

Ion	Ratio	Lower	Upper
105	100		
71	8.8	6.2	9.4
51	41.6	34.8	52.2
120	21.9	17.9	26.9





#23
Nitrobenzene-d5
Concen: 18.924 ng
RT: 7.481 min Scan# 8
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 82 Resp: 18345

Ion	Ratio	Lower	Upper
82	100		
128	38.3	33.5	50.3
54	60.0	46.7	70.1



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#24
Nitrobenzene
Concen: 9.425 ng
RT: 7.504 min Scan# 903
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 77 Resp: 99226

Ion	Ratio	Lower	Upper
77	100		
123	42.3	34.8	52.2
65	13.2	11.0	16.6





#25
Isophorone
Concen: 10.091 ng
RT: 7.739 min Scan# 94
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 82 Resp: 199699

Ion	Ratio	Lower	Upper
82	100		
95	6.7	5.5	8.3
138	17.1	14.6	21.8



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#26
2-Nitrophenol
Concen: 9.265 ng
RT: 7.822 min Scan# 957
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:139 Resp: 25672

Ion	Ratio	Lower	Upper
139	100		
109	30.7	22.4	33.6
65	54.1	42.9	64.3





#27
2,4-Dimethylphenol
Concen: 9.553 ng
RT: 7.857 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:122 Resp: 7887

Ion	Ratio	Lower	Upper
122	100		
107	114.2	89.9	134.9
121	56.7	46.2	69.4



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#28
bis(2-Chloroethoxy)methane
Concen: 10.232 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 93 Resp: 123627

Ion	Ratio	Lower	Upper
93	100		
95	32.4	26.2	39.4
123	11.3	9.4	14.2





#29
2,4-Dichlorophenol
Concen: 9.568 ng
RT: 8.069 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:162 Resp: 7715

Ion	Ratio	Lower	Upper
162	100		
164	63.3	44.5	84.5
98	36.7	17.7	57.7



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#30
1,2,4-Trichlorobenzene
Concen: 10.274 ng
RT: 8.151 min Scan# 1013
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:180 Resp: 87392

Ion	Ratio	Lower	Upper
180	100		
182	96.1	76.1	114.1
145	29.4	24.9	37.3





#31
Naphthalene
Concen: 10.634 ng
RT: 8.233 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:128 Resp: 30890

Ion	Ratio	Lower	Upper
128	100		
129	10.8	9.0	13.6
127	12.6	10.7	16.1



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#32
Benzoic acid
Concen: 10.319 ng m
RT: 7.939 min Scan# 977
Delta R.T. -0.030 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:122 Resp: 20894

Ion	Ratio	Lower	Upper
122	100		
105	113.7	106.4	146.4
77	101.1	79.2	119.2





#33
4-Chloroaniline
Concen: 10.079 ng
RT: 8.275 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:127 Resp: 10560

Ion	Ratio	Lower	Upper
127	100		
129	32.0	26.0	39.0
65	34.8	27.0	40.4
92	19.8	16.2	24.2



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#34
Hexachlorobutadiene
Concen: 10.321 ng
RT: 8.351 min Scan# 1047
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:225 Resp: 54615

Ion	Ratio	Lower	Upper
225	100		
223	63.5	50.1	75.1
227	62.1	50.6	75.8





#35
Caprolactam
Concen: 8.098 ng
RT: 8.610 min Scan# 1
Delta R.T. -0.035 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:113 Resp: 1835

Ion	Ratio	Lower	Upper
113	100		
55	218.1	181.4	221.4
56	150.5	127.3	167.3



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#36
4-Chloro-3-methylphenol
Concen: 9.780 ng
RT: 8.757 min Scan# 1116
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:107 Resp: 82681

Ion	Ratio	Lower	Upper
107	100		
144	25.4	20.0	30.0
142	80.4	61.3	91.9





#37
2-Methylnaphthalene
Concen: 10.641 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:142 Resp: 20320

Ion	Ratio	Lower	Upper
142	100		
141	86.9	69.8	104.8

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025





#38
1-Methylnaphthalene
Concen: 10.738 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:142 Resp: 197497

Ion	Ratio	Lower	Upper
142	100		
141	91.0	73.0	109.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:164 Resp: 32630

Ion	Ratio	Lower	Upper
164	100		
162	99.3	78.6	118.0
160	42.9	34.4	51.6



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 10.338 ng
RT: 9.086 min Scan# 1172
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:216 Resp: 92307

Ion	Ratio	Lower	Upper
216	100		
214	79.7	63.0	94.4
179	21.3	17.0	25.4
108	17.5	14.6	22.0





#41
Hexachlorocyclopentadiene
Concen: 10.801 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:237 Resp: 1434

Ion	Ratio	Lower	Upper
237	100		
235	61.7	42.0	82.0
272	12.9	0.0	32.6

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025





#42
2,4,6-Tribromophenol
Concen: 17.317 ng
RT: 10.751 min Scan# 1455
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:330 Resp: 41296

Ion	Ratio	Lower	Upper
330	100		
332	94.7	78.1	117.1
141	33.4	25.4	38.0





#43
2,4,6-Trichlorophenol
Concen: 8.769 ng
RT: 9.198 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:196 Resp: 4442

Ion	Ratio	Lower	Upper
196	100		
198	96.0	75.4	113.0
200	30.5	24.3	36.5



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#44
2,4,5-Trichlorophenol
Concen: 8.786 ng
RT: 9.239 min Scan# 1198
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:196 Resp: 50263

Ion	Ratio	Lower	Upper
196	100		
198	93.0	75.4	113.2
97	51.8	39.9	59.9
132	30.2	22.6	33.8





#45
2-Fluorobiphenyl
Concen: 22.583 ng
RT: 9.280 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:172 Resp: 43455

Ion	Ratio	Lower	Upper
172	100		
171	34.1	28.4	42.6
170	23.1	19.1	28.7



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#46
1,1'-Biphenyl
Concen: 10.647 ng
RT: 9.380 min Scan# 1222
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:154 Resp: 245641

Ion	Ratio	Lower	Upper
154	100		
153	39.3	20.2	60.2
76	14.4	0.0	34.4





#47
2-Chloronaphthalene
Concen: 10.556 ng
RT: 9.410 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:162 Resp: 19180

Ion	Ratio	Lower	Upper
162	100		
127	39.0	32.1	48.1
164	32.5	27.0	40.4



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#48
2-Nitroaniline
Concen: 9.319 ng
RT: 9.498 min Scan# 1242
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 65 Resp: 36444

Ion	Ratio	Lower	Upper
65	100		
92	63.6	53.1	79.7
138	92.7	81.4	122.0





#49
Acenaphthylene
Concen: 10.459 ng
RT: 9.822 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:152 Resp: 27444

Ion	Ratio	Lower	Upper
152	100		
151	20.0	16.2	24.2
153	13.0	10.6	16.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025





#50
Dimethylphthalate
Concen: 10.081 ng
RT: 9.675 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:163 Resp: 192210

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.3	4.9
164	10.0	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 9.205 ng
RT: 9.733 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:165 Resp: 2400

Ion	Ratio	Lower	Upper
165	100		
63	74.8	51.6	77.4
89	67.3	47.7	71.5

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025





#52
Acenaphthene
Concen: 10.543 ng
RT: 9.998 min Scan# 1327
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:154 Resp: 183915

Ion	Ratio	Lower	Upper
154	100		
153	110.3	88.5	132.7
152	53.3	42.4	63.6





#53
3-Nitroaniline
Concen: 8.069 ng
RT: 9.904 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:138 Resp: 3150

Ion	Ratio	Lower	Upper
138	100		
108	14.1	9.6	14.4
92	126.2	93.4	140.2



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#54
2,4-Dinitrophenol
Concen: 10.356 ng
RT: 10.022 min Scan# 1331
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:184 Resp: 4834

Ion	Ratio	Lower	Upper
184	100		
63	88.5	62.5	93.7
154	87.3	73.0	109.4





#55
Dibenzofuran
Concen: 10.660 ng
RT: 10.169 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:168 Resp: 26765

Ion	Ratio	Lower	Upper
168	100		
139	36.0	29.4	44.0
169	13.2	11.0	16.6



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#56
4-Nitrophenol
Concen: 10.166 ng
RT: 10.075 min Scan# 1340
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:139 Resp: 15708

Ion	Ratio	Lower	Upper
139	100		
109	76.4	49.4	89.4
65	111.1	83.7	123.7





#57
2,4-Dinitrotoluene
Concen: 9.126 ng
RT: 10.139 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:165 Resp: 3122

Ion	Ratio	Lower	Upper
165	100		
63	58.6	41.8	62.8
89	86.7	62.4	93.6
182	2.6	2.2	3.2



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#58
Fluorene
Concen: 10.959 ng
RT: 10.510 min Scan# 1414
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:166 Resp: 210161

Ion	Ratio	Lower	Upper
166	100		
165	96.1	78.2	117.4
167	13.3	10.9	16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 7.955 ng
RT: 10.286 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:232 Resp: 3068

Ion	Ratio	Lower	Upper
232	100		
131	45.6	34.6	51.8
130	2.1	1.7	2.5
166	29.1	23.4	35.0



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#60
Diethylphthalate
Concen: 10.137 ng
RT: 10.375 min Scan# 1391
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:149 Resp: 173119

Ion	Ratio	Lower	Upper
149	100		
177	22.0	18.2	27.2
150	12.0	9.9	14.9





#61
4-Chlorophenyl-phenylether
Concen: 10.575 ng
RT: 10.504 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:204 Resp: 9798

Ion	Ratio	Lower	Upper
204	100		
206	32.7	27.4	41.2
141	58.0	46.9	70.3



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#62
4-Nitroaniline
Concen: 8.714 ng
RT: 10.516 min Scan# 1415
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:138 Resp: 32919

Ion	Ratio	Lower	Upper
138	100		
92	53.0	31.2	71.2
108	71.4	48.1	88.1





#63
Azobenzene
Concen: 10.272 ng
RT: 10.657 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 77 Resp: 20036

Ion	Ratio	Lower	Upper
77	100		
182	23.8	4.4	44.4
105	21.3	1.8	41.8
51	34.3	13.7	53.7



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:188 Resp: 511556

Ion	Ratio	Lower	Upper
188	100		
94	10.8	8.8	13.2
80	11.7	9.7	14.5





#65
4,6-Dinitro-2-methylphenol
Concen: 11.085 ng
RT: 10.551 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:198 Resp: 932

Ion	Ratio	Lower	Upper
198	100		
51	68.6	41.7	81.7
105	50.8	26.8	66.8

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025





#66
n-Nitrosodiphenylamine
Concen: 10.169 ng
RT: 10.616 min Scan# 1432
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:169 Resp: 171289

Ion	Ratio	Lower	Upper
169	100		
168	65.4	52.7	79.1
167	36.1	28.6	42.8





#67
4-Bromophenyl-phenylether
Concen: 9.712 ng
RT: 10.992 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:248 Resp: 5681

Ion	Ratio	Lower	Upper
248	100		
250	99.7	77.1	115.7
141	72.6	59.1	88.7



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#68
Hexachlorobenzene
Concen: 10.091 ng
RT: 11.063 min Scan# 1508
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:284 Resp: 63639

Ion	Ratio	Lower	Upper
284	100		
142	33.6	25.7	38.5
249	30.9	24.6	37.0





#69
Atrazine
Concen: 9.133 ng
RT: 11.139 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:200 Resp: 4012

Ion	Ratio	Lower	Upper
200	100		
173	26.8	6.6	46.6
215	50.5	30.6	70.6



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#70
Pentachlorophenol
Concen: 10.407 ng
RT: 11.257 min Scan# 1541
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:266 Resp: 14951

Ion	Ratio	Lower	Upper
266	100		
268	65.0	48.8	73.2
264	65.4	48.8	73.2





#71
Phenanthrene
Concen: 10.620 ng
RT: 11.474 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:178 Resp: 29641

Ion	Ratio	Lower	Upper
178	100		
176	18.5	15.5	23.3
179	15.1	12.5	18.7



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#72
Anthracene
Concen: 10.559 ng
RT: 11.527 min Scan# 1587
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:178 Resp: 298872

Ion	Ratio	Lower	Upper
178	100		
176	18.7	15.1	22.7
179	15.4	12.7	19.1





#73
Carbazole
Concen: 10.613 ng
RT: 11.674 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:167 Resp: 25583

Ion	Ratio	Lower	Upper
167	100		
166	21.2	16.8	25.2
139	12.7	10.2	15.2



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#74
Di-n-butylphthalate
Concen: 9.269 ng
RT: 12.004 min Scan# 1668
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:149 Resp: 189069

Ion	Ratio	Lower	Upper
149	100		
150	9.3	7.4	11.0
104	5.2	3.8	5.8





#75
Fluoranthene
Concen: 11.026 ng
RT: 12.663 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:202 Resp: 26956

Ion	Ratio	Lower	Upper
202	100		
101	12.5	0.0	33.2
203	17.2	0.0	37.6



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.086 min Scan# 2022
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:240 Resp: 288804

Ion	Ratio	Lower	Upper
240	100		
120	11.8	9.0	13.6
236	25.5	19.9	29.9





#77
Benzidine
Concen: 9.898 ng
RT: 12.780 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:184 Resp: 7815

Ion	Ratio	Lower	Upper
184	100		
185	15.8	12.8	19.2
183	11.8	9.3	13.9



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#78
Pyrene
Concen: 11.697 ng
RT: 12.892 min Scan# 1819
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:202 Resp: 283403

Ion	Ratio	Lower	Upper
202	100		
200	20.3	16.8	25.2
203	17.0	14.2	21.4





#79
Terphenyl-d14
Concen: 24.022 ng
RT: 13.027 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:244 Resp: 38858

Ion	Ratio	Lower	Upper
244	100		
212	6.3	5.1	7.7
122	11.5	8.9	13.3



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#80
Butylbenzylphthalate
Concen: 9.196 ng
RT: 13.504 min Scan# 1923
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:149 Resp: 30088

Ion	Ratio	Lower	Upper
149	100		
91	74.1	58.8	88.2
206	20.7	16.4	24.6





#81
Benzo(a)anthracene
Concen: 9.629 ng
RT: 14.074 min Scan# 2(
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:228 Resp: 17675(

Ion	Ratio	Lower	Upper
228	100		
226	26.8	22.0	33.0
229	20.2	15.8	23.8



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#82
3,3'-Dichlorobenzidine
Concen: 7.425 ng
RT: 14.039 min Scan# 2014
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:252 Resp: 36804

Ion	Ratio	Lower	Upper
252	100		
254	65.6	51.7	77.5
126	12.6	9.2	13.8





#83
Chrysene
Concen: 10.541 ng
RT: 14.110 min Scan# 2(
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:228 Resp: 18042

Ion	Ratio	Lower	Upper
228	100		
226	28.6	24.2	36.2
229	18.9	15.8	23.6



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 9.191 ng
RT: 14.063 min Scan# 2018
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:149 Resp: 39945

Ion	Ratio	Lower	Upper
149	100		
167	26.7	21.4	32.0
279	4.3	3.2	4.8





#85
Di-n-octyl phthalate
Concen: 10.933 ng
RT: 14.674 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:149 Resp: 7870

Ion	Ratio	Lower	Upper
149	100		
167	1.4	1.3	1.9
43	14.9	10.8	16.2



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.580 min Scan# 2276
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:264 Resp: 252284

Ion	Ratio	Lower	Upper
264	100		
260	22.8	18.7	28.1
265	21.2	17.2	25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 10.153 ng
RT: 17.092 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:276 Resp: 18350

Ion	Ratio	Lower	Upper
276	100		
138	26.3	21.1	31.7
277	24.8	20.2	30.2



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#88
Benzo(b)fluoranthene
Concen: 9.392 ng
RT: 15.139 min Scan# 2201
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:252 Resp: 129605

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.8	26.8
125	10.2	7.8	11.6





#89
Benzo(k)fluoranthene
Concen: 10.165 ng
RT: 15.168 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:252 Resp: 13629

Ion	Ratio	Lower	Upper
252	100		
253	21.1	17.6	26.4
125	9.8	8.4	12.6



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#90
Benzo(a)pyrene
Concen: 9.814 ng
RT: 15.515 min Scan# 2265
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:252 Resp: 127540

Ion	Ratio	Lower	Upper
252	100		
253	22.3	17.6	26.4
125	11.3	9.1	13.7





#91
Dibenzo(a,h)anthracene
Concen: 10.148 ng
RT: 17.109 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:278 Resp: 14653

Ion	Ratio	Lower	Upper
278	100		
139	17.9	14.0	21.0
279	23.0	19.4	29.0



Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/13/2025
Supervised By :Jagrut Upadhyay 08/13/2025



#92
Benzo(g,h,i)perylene
Concen: 10.338 ng
RT: 17.551 min Scan# 2611
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:276 Resp: 150383

Ion	Ratio	Lower	Upper
276	100		
277	23.2	18.7	28.1
138	22.4	17.8	26.8



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143346.D
Acq On : 12 Aug 2025 10:35
Operator : RC/JU
Sample : SSTDICC020
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Quant Time: Aug 12 13:18:23 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	168701	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	640356	20.000	ng	0.00
39) Acenaphthene-d10	9.963	164	345152	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	538915	20.000	ng	0.00
76) Chrysene-d12	14.086	240	307753	20.000	ng	0.00
86) Perylene-d12	15.580	264	306974	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.557	112	407312	41.751	ng	0.00
7) Phenol-d6	6.557	99	520093	41.573	ng	0.00
23) Nitrobenzene-d5	7.486	82	433525	42.160	ng	0.00
42) 2,4,6-Tribromophenol	10.751	330	103035	40.847	ng	0.00
45) 2-Fluorobiphenyl	9.280	172	886799	43.569	ng	0.00
79) Terphenyl-d14	13.027	244	798330	46.313	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.763	88	103635	20.529	ng	97
3) Pyridine	3.540	79	269381	20.025	ng	100
4) n-Nitrosodimethylamine	3.463	42	119909	19.135	ng	99
6) Aniline	6.587	93	367374	20.830	ng	99
8) 2-Chlorophenol	6.716	128	214531	20.580	ng	98
9) Benzaldehyde	6.481	77	186638	22.572	ng	99
10) Phenol	6.569	94	310854	20.975	ng	96
11) bis(2-Chloroethyl)ether	6.657	93	224903	20.590	ng	99
12) 1,3-Dichlorobenzene	6.875	146	249994	20.792	ng	99
13) 1,4-Dichlorobenzene	6.945	146	250438	20.753	ng	99
14) 1,2-Dichlorobenzene	7.098	146	237306	20.716	ng	99
15) Benzyl Alcohol	7.063	79	180344	20.110	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.198	45	410762	21.064	ng	95
17) 2-Methylphenol	7.175	107	181753	20.655	ng	99
18) Hexachloroethane	7.445	117	77573	20.504	ng	98
19) n-Nitroso-di-n-propyla...	7.334	70	161440	20.884	ng	98
20) 3+4-Methylphenols	7.328	107	231589	21.762	ng	96
22) Acetophenone	7.334	105	304419	21.576	ng	97
24) Nitrobenzene	7.504	77	234624	21.009	ng	98
25) Isophorone	7.745	82	437206	20.827	ng	99
26) 2-Nitrophenol	7.822	139	70117	18.121	ng	96
27) 2,4-Dimethylphenol	7.857	122	184676	21.087	ng	99
28) bis(2-Chloroethoxy)met...	7.951	93	272180	21.236	ng	98
29) 2,4-Dichlorophenol	8.069	162	182884	21.380	ng	98
30) 1,2,4-Trichlorobenzene	8.151	180	191714	21.247	ng	99
31) Naphthalene	8.233	128	658723	21.378	ng	100
32) Benzoic acid	7.951	122	54709	19.373	ng	97
33) 4-Chloroaniline	8.275	127	235075	21.152	ng	98
34) Hexachlorobutadiene	8.351	225	119600	21.308	ng	99
35) Caprolactam	8.622	113	46828	19.474	ng	91
36) 4-Chloro-3-methylphenol	8.757	107	189645	21.148	ng	98
37) 2-Methylnaphthalene	8.922	142	436344	21.540	ng	100
38) 1-Methylnaphthalene	9.022	142	417915	21.421	ng	100
40) 1,2,4,5-Tetrachloroben...	9.092	216	198354	21.001	ng	99
41) Hexachlorocyclopentadiene	9.081	237	44965	19.003	ng	99
43) 2,4,6-Trichlorophenol	9.198	196	109203	20.378	ng	99

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143346.D
Acq On : 12 Aug 2025 10:35
Operator : RC/JU
Sample : SSTDICC020
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Quant Time: Aug 12 13:18:23 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) 2,4,5-Trichlorophenol	9.239	196	126432	20.892	ng		98
46) 1,1'-Biphenyl	9.380	154	523392	21.447	ng		99
47) 2-Chloronaphthalene	9.410	162	407385	21.196	ng		99
48) 2-Nitroaniline	9.498	65	96206	19.121	ng		97
49) Acenaphthylene	9.828	152	593246	21.374	ng		99
50) Dimethylphthalate	9.675	163	429516	21.297	ng		100
51) 2,6-Dinitrotoluene	9.739	165	65043	18.954	ng		95
52) Acenaphthene	9.998	154	386752	20.959	ng		98
53) 3-Nitroaniline	9.910	138	86436	20.928	ng		99
54) 2,4-Dinitrophenol	10.016	184	15765	19.272	ng	#	13
55) Dibenzofuran	10.169	168	564025	21.238	ng		100
56) 4-Nitrophenol	10.069	139	50785	19.809	ng		99
57) 2,4-Dinitrotoluene	10.139	165	88718	19.432	ng		94
58) Fluorene	10.510	166	431847	21.289	ng		99
59) 2,3,4,6-Tetrachlorophenol	10.286	232	81483	19.975	ng		99
60) Diethylphthalate	10.375	149	390634	21.624	ng		100
61) 4-Chlorophenyl-phenyle...	10.504	204	207053	21.124	ng		99
62) 4-Nitroaniline	10.516	138	87370	21.864	ng		99
63) Azobenzene	10.663	77	443476	21.493	ng		99
65) 4,6-Dinitro-2-methylph...	10.551	198	29324	18.676	ng		94
66) n-Nitrosodiphenylamine	10.616	169	363227	20.469	ng		100
67) 4-Bromophenyl-phenylether	10.992	248	125072	20.293	ng		97
68) Hexachlorobenzene	11.063	284	134796	20.290	ng		98
69) Atrazine	11.139	200	100549	21.725	ng		100
70) Pentachlorophenol	11.257	266	47147	19.347	ng		99
71) Phenanthrene	11.474	178	622794	21.181	ng		99
72) Anthracene	11.527	178	638169	21.401	ng		98
73) Carbazole	11.674	167	548030	21.580	ng		100
74) Di-n-butylphthalate	12.004	149	479230	22.300	ng		99
75) Fluoranthene	12.663	202	566275	21.986	ng		99
77) Benzidine	12.780	184	201097	23.901	ng		99
78) Pyrene	12.892	202	587878	22.771	ng		100
80) Butylbenzylphthalate	13.504	149	83834	18.636	ng		99
81) Benzo(a)anthracene	14.080	228	412056	21.066	ng		99
82) 3,3'-Dichlorobenzidine	14.039	252	100529	19.033	ng		100
83) Chrysene	14.115	228	369066	20.235	ng		99
84) Bis(2-ethylhexyl)phtha...	14.063	149	107115	17.077	ng		99
85) Di-n-octyl phthalate	14.674	149	213024	18.493	ng		100
87) Indeno(1,2,3-cd)pyrene	17.092	276	454164	20.651	ng		99
88) Benzo(b)fluoranthene	15.139	252	335316	19.971	ng		99
89) Benzo(k)fluoranthene	15.168	252	355480	21.789	ng		99
90) Benzo(a)pyrene	15.515	252	325450	20.580	ng		99
91) Dibenzo(a,h)anthracene	17.104	278	363491	20.688	ng		98
92) Benzo(g,h,i)perylene	17.551	276	364540	20.596	ng		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143346.D
Acq On : 12 Aug 2025 10:35
Operator : RC/JU
Sample : SSTDICC020
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Quant Time: Aug 12 13:18:23 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:152 Resp: 168701

Ion	Ratio	Lower	Upper
152	100		
150	156.6	129.8	194.8
115	61.3	47.8	71.8





#2
1,4-Dioxane
Concen: 20.529 ng
RT: 2.763 min Scan# 97
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion: 88 Resp: 103635

Ion	Ratio	Lower	Upper
88	100		
58	85.7	71.0	106.6
43	32.6	27.0	40.6





#3
Pyridine
Concen: 20.025 ng
RT: 3.540 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 79 Resp: 269381

Ion	Ratio	Lower	Upper
79	100		
52	85.8	68.7	103.1
51	40.9	33.4	50.0





#4
n-Nitrosodimethylamine
Concen: 19.135 ng
RT: 3.463 min Scan# 216
Delta R.T. -0.012 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion: 42 Resp: 119909

Ion	Ratio	Lower	Upper
42	100		
74	116.4	94.1	141.1
44	8.4	6.5	9.7





#5
2-Fluorophenol
Concen: 41.751 ng
RT: 5.557 min Scan# 5
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:112 Resp: 407312

Ion	Ratio	Lower	Upper
112	100		
64	67.2	52.1	78.1
63	34.2	26.6	39.8





#6
Aniline
Concen: 20.830 ng
RT: 6.587 min Scan# 747
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion: 93 Resp: 367374

Ion	Ratio	Lower	Upper
93	100		
66	44.7	35.3	52.9
65	23.0	18.2	27.4





#7
Phenol-d6
Concen: 41.573 ng
RT: 6.557 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 99 Resp: 520093

Ion	Ratio	Lower	Upper
99	100		
42	21.2	16.6	25.0
71	32.7	26.2	39.2





#8
2-Chlorophenol
Concen: 20.580 ng
RT: 6.716 min Scan# 769
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:128 Resp: 214531

Ion	Ratio	Lower	Upper
128	100		
130	32.2	12.6	52.6
64	55.1	36.7	76.7





#9
Benzaldehyde
Concen: 22.572 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 77 Resp: 186638

Ion	Ratio	Lower	Upper
77	100		
105	95.0	74.2	114.2
106	93.5	72.2	112.2





#10
Phenol
Concen: 20.975 ng
RT: 6.569 min Scan# 744
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion: 94 Resp: 310854

Ion	Ratio	Lower	Upper
94	100		
65	30.3	12.0	52.0
66	42.6	25.6	65.6





#11
bis(2-Chloroethyl)ether
Concen: 20.590 ng
RT: 6.657 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 93 Resp: 224903

Ion	Ratio	Lower	Upper
93	100		
63	86.7	65.7	105.7
95	32.0	13.0	53.0





#12
1,3-Dichlorobenzene
Concen: 20.792 ng
RT: 6.875 min Scan# 796
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:146 Resp: 249994

Ion	Ratio	Lower	Upper
146	100		
148	64.0	50.5	75.7
75	30.7	24.9	37.3





#13
1,4-Dichlorobenzene
Concen: 20.753 ng
RT: 6.945 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:146 Resp: 250438

Ion	Ratio	Lower	Upper
146	100		
148	65.0	51.4	77.0
111	41.4	32.6	48.8





#14
1,2-Dichlorobenzene
Concen: 20.716 ng
RT: 7.098 min Scan# 834
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:146 Resp: 237306

Ion	Ratio	Lower	Upper
146	100		
148	64.1	51.4	77.2
111	43.8	34.1	51.1





#15
Benzyl Alcohol
Concen: 20.110 ng
RT: 7.063 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 79 Resp: 180344

Ion	Ratio	Lower	Upper
79	100		
108	76.6	61.5	92.3
77	64.4	49.8	74.8





#16
2,2'-oxybis(1-Chloropropane)
Concen: 21.064 ng
RT: 7.198 min Scan# 851
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion: 45 Resp: 410762

Ion	Ratio	Lower	Upper
45	100		
77	12.3	0.0	34.0
79	9.2	0.0	31.1





#17
2-Methylphenol
Concen: 20.655 ng
RT: 7.175 min Scan# 84
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:107 Resp: 181753

Ion	Ratio	Lower	Upper
107	100		
108	115.0	92.0	138.0
77	46.1	38.2	57.2
79	46.5	37.9	56.9





#18
Hexachloroethane
Concen: 20.504 ng
RT: 7.445 min Scan# 893
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:117 Resp: 77573

Ion	Ratio	Lower	Upper
117	100		
119	95.5	75.8	113.8
201	99.0	77.2	115.8





#19
n-Nitroso-di-n-propylamine
Concen: 20.884 ng
RT: 7.334 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 70 Resp: 161440

Ion	Ratio	Lower	Upper
70	100		
42	66.2	51.6	77.4
101	9.3	7.5	11.3
130	19.4	15.8	23.6





#20
3+4-Methylphenols
Concen: 21.762 ng
RT: 7.328 min Scan# 873
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:107 Resp: 231589

Ion	Ratio	Lower	Upper
107	100		
108	89.9	70.6	110.6
77	139.5	112.0	152.0
79	29.1	9.9	49.9





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1(
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:136 Resp: 640356

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.6	13.0
54	10.5	8.4	12.6
68	7.2	5.9	8.9





#22
Acetophenone
Concen: 21.576 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:105 Resp: 304419

Ion	Ratio	Lower	Upper
105	100		
71	8.8	6.2	9.4
51	40.5	34.8	52.2
120	22.8	17.9	26.9





#23
Nitrobenzene-d5
Concen: 42.160 ng
RT: 7.486 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 82 Resp: 433525

Ion	Ratio	Lower	Upper
82	100		
128	40.5	33.5	50.3
54	60.0	46.7	70.1





#24
Nitrobenzene
Concen: 21.009 ng
RT: 7.504 min Scan# 903
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion: 77 Resp: 234624

Ion	Ratio	Lower	Upper
77	100		
123	41.9	34.8	52.2
65	13.8	11.0	16.6





#25
Isophorone
Concen: 20.827 ng
RT: 7.745 min Scan# 94
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 82 Resp: 437206

Ion	Ratio	Lower	Upper
82	100		
95	6.8	5.5	8.3
138	17.6	14.6	21.8





#26
2-Nitrophenol
Concen: 18.121 ng
RT: 7.822 min Scan# 957
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:139 Resp: 70117

Ion	Ratio	Lower	Upper
139	100		
109	29.5	22.4	33.6
65	57.1	42.9	64.3





#27
2,4-Dimethylphenol
Concen: 21.087 ng
RT: 7.857 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:122 Resp: 184676

Ion	Ratio	Lower	Upper
122	100		
107	111.7	89.9	134.9
121	57.2	46.2	69.4





#28
bis(2-Chloroethoxy)methane
Concen: 21.236 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion: 93 Resp: 272180

Ion	Ratio	Lower	Upper
93	100		
95	31.9	26.2	39.4
123	11.4	9.4	14.2





#29
2,4-Dichlorophenol
Concen: 21.380 ng
RT: 8.069 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:162 Resp: 182884

Ion	Ratio	Lower	Upper
162	100		
164	63.7	44.5	84.5
98	36.2	17.7	57.7





#30
1,2,4-Trichlorobenzene
Concen: 21.247 ng
RT: 8.151 min Scan# 1013
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:180 Resp: 191714

Ion	Ratio	Lower	Upper
180	100		
182	94.9	76.1	114.1
145	29.7	24.9	37.3





#31
Naphthalene
Concen: 21.378 ng
RT: 8.233 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:128 Resp: 658723

Ion	Ratio	Lower	Upper
128	100		
129	11.0	9.0	13.6
127	13.4	10.7	16.1





#32
Benzoic acid
Concen: 19.373 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.018 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:122 Resp: 54709

Ion	Ratio	Lower	Upper
122	100		
105	120.0	106.4	146.4
77	99.4	79.2	119.2





#33
4-Chloroaniline
Concen: 21.152 ng
RT: 8.275 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:127 Resp: 235075

Ion	Ratio	Lower	Upper
127	100		
129	32.9	26.0	39.0
65	34.8	27.0	40.4
92	21.2	16.2	24.2





#34
Hexachlorobutadiene
Concen: 21.308 ng
RT: 8.351 min Scan# 1047
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:225 Resp: 119600

Ion	Ratio	Lower	Upper
225	100		
223	62.3	50.1	75.1
227	61.9	50.6	75.8





#35
Caprolactam
Concen: 19.474 ng
RT: 8.622 min Scan# 1
Delta R.T. -0.024 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:113 Resp: 46828

Ion	Ratio	Lower	Upper
113	100		
55	212.8	181.4	221.4
56	159.7	127.3	167.3





#36
4-Chloro-3-methylphenol
Concen: 21.148 ng
RT: 8.757 min Scan# 1116
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:107 Resp: 189645

Ion	Ratio	Lower	Upper
107	100		
144	25.8	20.0	30.0
142	78.0	61.3	91.9





#37
2-Methylnaphthalene
Concen: 21.540 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:142 Resp: 436344

Ion	Ratio	Lower	Upper
142	100		
141	87.5	69.8	104.8





#38
1-Methylnaphthalene
Concen: 21.421 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:142 Resp: 417915

Ion	Ratio	Lower	Upper
142	100		
141	91.5	73.0	109.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:164 Resp: 345152

Ion	Ratio	Lower	Upper
164	100		
162	99.4	78.6	118.0
160	43.2	34.4	51.6





#40
1,2,4,5-Tetrachlorobenzene
Concen: 21.001 ng
RT: 9.092 min Scan# 1173
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:216 Resp: 198354

Ion	Ratio	Lower	Upper
216	100		
214	80.4	63.0	94.4
179	21.0	17.0	25.4
108	18.5	14.6	22.0





#41
Hexachlorocyclopentadiene
Concen: 19.003 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:237 Resp: 44965

Ion	Ratio	Lower	Upper
237	100		
235	61.3	42.0	82.0
272	12.6	0.0	32.6





#42
2,4,6-Tribromophenol
Concen: 40.847 ng
RT: 10.751 min Scan# 1455
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:330 Resp: 103035

Ion	Ratio	Lower	Upper
330	100		
332	98.7	78.1	117.1
141	33.2	25.4	38.0





#43
2,4,6-Trichlorophenol
Concen: 20.378 ng
RT: 9.198 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:196 Resp: 109203

Ion	Ratio	Lower	Upper
196	100		
198	95.7	75.4	113.0
200	30.4	24.3	36.5





#44
2,4,5-Trichlorophenol
Concen: 20.892 ng
RT: 9.239 min Scan# 1198
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:196 Resp: 126432

Ion	Ratio	Lower	Upper
196	100		
198	95.1	75.4	113.2
97	53.1	39.9	59.9
132	29.5	22.6	33.8





#45
2-Fluorobiphenyl
Concen: 43.569 ng
RT: 9.280 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:172 Resp: 886799

Ion	Ratio	Lower	Upper
172	100		
171	35.2	28.4	42.6
170	23.2	19.1	28.7





#46
1,1'-Biphenyl
Concen: 21.447 ng
RT: 9.380 min Scan# 1222
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:154 Resp: 523392

Ion	Ratio	Lower	Upper
154	100		
153	39.8	20.2	60.2
76	14.5	0.0	34.4





#47
2-Chloronaphthalene
Concen: 21.196 ng
RT: 9.410 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:162 Resp: 407385

Ion	Ratio	Lower	Upper
162	100		
127	39.1	32.1	48.1
164	33.4	27.0	40.4





#48
2-Nitroaniline
Concen: 19.121 ng
RT: 9.498 min Scan# 1242
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion: 65 Resp: 96206

Ion	Ratio	Lower	Upper
65	100		
92	65.2	53.1	79.7
138	97.7	81.4	122.0





#49
Acenaphthylene
Concen: 21.374 ng
RT: 9.828 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:152 Resp: 593246

Ion	Ratio	Lower	Upper
152	100		
151	19.8	16.2	24.2
153	13.0	10.6	16.0





#50
Dimethylphthalate
Concen: 21.297 ng
RT: 9.675 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:163 Resp: 429516

Ion	Ratio	Lower	Upper
163	100		
194	3.9	3.3	4.9
164	10.1	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 18.954 ng
RT: 9.739 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:165 Resp: 65043

Ion	Ratio	Lower	Upper
165	100		
63	68.1	51.6	77.4
89	63.9	47.7	71.5





#52
Acenaphthene
Concen: 20.959 ng
RT: 9.998 min Scan# 1327
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:154 Resp: 386752

Ion	Ratio	Lower	Upper
154	100		
153	112.8	88.5	132.7
152	52.8	42.4	63.6





#53
3-Nitroaniline
Concen: 20.928 ng
RT: 9.910 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:138 Resp: 86436

Ion	Ratio	Lower	Upper
138	100		
108	12.9	9.6	14.4
92	118.3	93.4	140.2





#54
2,4-Dinitrophenol
Concen: 19.272 ng
RT: 10.016 min Scan# 1330
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:184 Resp: 15765

Ion	Ratio	Lower	Upper
184	100		
63	95.6	62.5	93.7#
154	228.4	73.0	109.4#





#55
Dibenzofuran
Concen: 21.238 ng
RT: 10.169 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:168 Resp: 564025

Ion	Ratio	Lower	Upper
168	100		
139	36.8	29.4	44.0
169	13.3	11.0	16.6





#56
4-Nitrophenol
Concen: 19.809 ng
RT: 10.069 min Scan# 1339
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:139 Resp: 50785

Ion	Ratio	Lower	Upper
139	100		
109	69.3	49.4	89.4
65	105.9	83.7	123.7





#57
2,4-Dinitrotoluene
Concen: 19.432 ng
RT: 10.139 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:165 Resp: 88718

Ion	Ratio	Lower	Upper
165	100		
63	55.4	41.8	62.8
89	84.8	62.4	93.6
182	2.3	2.2	3.2





#58
Fluorene
Concen: 21.289 ng
RT: 10.510 min Scan# 1414
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:166 Resp: 431847

Ion	Ratio	Lower	Upper
166	100		
165	98.5	78.2	117.4
167	13.9	10.9	16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 19.975 ng
RT: 10.286 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:232 Resp: 81483

Ion	Ratio	Lower	Upper
232	100		
131	43.9	34.6	51.8
130	1.9	1.7	2.5
166	29.1	23.4	35.0





#60
Diethylphthalate
Concen: 21.624 ng
RT: 10.375 min Scan# 1391
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:149 Resp: 390634

Ion	Ratio	Lower	Upper
149	100		
177	22.6	18.2	27.2
150	12.6	9.9	14.9





#61
4-Chlorophenyl-phenylether
Concen: 21.124 ng
RT: 10.504 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:204 Resp: 207053

Ion	Ratio	Lower	Upper
204	100		
206	33.5	27.4	41.2
141	58.3	46.9	70.3





#62
4-Nitroaniline
Concen: 21.864 ng
RT: 10.516 min Scan# 1415
Delta R.T. -0.012 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:138 Resp: 87370

Ion	Ratio	Lower	Upper
138	100		
92	49.5	31.2	71.2
108	68.0	48.1	88.1





#63
Azobenzene
Concen: 21.493 ng
RT: 10.663 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 77 Resp: 443476

Ion	Ratio	Lower	Upper
77	100		
182	25.3	4.4	44.4
105	21.8	1.8	41.8
51	33.4	13.7	53.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:188 Resp: 538915

Ion	Ratio	Lower	Upper
188	100		
94	10.6	8.8	13.2
80	11.6	9.7	14.5





#65
4,6-Dinitro-2-methylphenol
Concen: 18.676 ng
RT: 10.551 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:198 Resp: 29324

Ion	Ratio	Lower	Upper
198	100		
51	67.6	41.7	81.7
105	48.9	26.8	66.8





#66
n-Nitrosodiphenylamine
Concen: 20.469 ng
RT: 10.616 min Scan# 1432
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:169 Resp: 363227

Ion	Ratio	Lower	Upper
169	100		
168	66.1	52.7	79.1
167	35.8	28.6	42.8





#67
4-Bromophenyl-phenylether
Concen: 20.293 ng
RT: 10.992 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:248 Resp: 125072

Ion	Ratio	Lower	Upper
248	100		
250	99.5	77.1	115.7
141	70.9	59.1	88.7





#68
Hexachlorobenzene
Concen: 20.290 ng
RT: 11.063 min Scan# 1508
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:284 Resp: 134796

Ion	Ratio	Lower	Upper
284	100		
142	33.8	25.7	38.5
249	31.4	24.6	37.0





#69
Atrazine
Concen: 21.725 ng
RT: 11.139 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:200 Resp: 100549

Ion	Ratio	Lower	Upper
200	100		
173	26.5	6.6	46.6
215	50.1	30.6	70.6





#70
Pentachlorophenol
Concen: 19.347 ng
RT: 11.257 min Scan# 1541
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:266 Resp: 47147

Ion	Ratio	Lower	Upper
266	100		
268	61.5	48.8	73.2
264	61.9	48.8	73.2





#71
Phenanthrene
Concen: 21.181 ng
RT: 11.474 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:178 Resp: 622794

Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.5	23.3
179	15.2	12.5	18.7





#72
Anthracene
Concen: 21.401 ng
RT: 11.527 min Scan# 1587
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:178 Resp: 638169

Ion	Ratio	Lower	Upper
178	100		
176	18.4	15.1	22.7
179	15.0	12.7	19.1





#73
Carbazole
Concen: 21.580 ng
RT: 11.674 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:167 Resp: 548030

Ion	Ratio	Lower	Upper
167	100		
166	21.3	16.8	25.2
139	12.8	10.2	15.2





#74
Di-n-butylphthalate
Concen: 22.300 ng
RT: 12.004 min Scan# 1668
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:149 Resp: 479230

Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.4	11.0
104	5.2	3.8	5.8





#75
Fluoranthene
Concen: 21.986 ng
RT: 12.663 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:202 Resp: 566275

Ion	Ratio	Lower	Upper
202	100		
101	12.7	0.0	33.2
203	17.6	0.0	37.6





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.086 min Scan# 2022
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:240 Resp: 307753

Ion	Ratio	Lower	Upper
240	100		
120	12.0	9.0	13.6
236	25.3	19.9	29.9





#77
Benzidine
Concen: 23.901 ng
RT: 12.780 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:184 Resp: 201097

Ion	Ratio	Lower	Upper
184	100		
185	15.2	12.8	19.2
183	11.2	9.3	13.9





#78
Pyrene
Concen: 22.771 ng
RT: 12.892 min Scan# 1819
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:202 Resp: 587878

Ion	Ratio	Lower	Upper
202	100		
200	21.1	16.8	25.2
203	17.6	14.2	21.4





#79
Terphenyl-d14
Concen: 46.313 ng
RT: 13.027 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:244 Resp: 798330

Ion	Ratio	Lower	Upper
244	100		
212	6.5	5.1	7.7
122	11.8	8.9	13.3





#80
Butylbenzylphthalate
Concen: 18.636 ng
RT: 13.504 min Scan# 1923
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:149 Resp: 83834

Ion	Ratio	Lower	Upper
149	100		
91	73.9	58.8	88.2
206	21.5	16.4	24.6





#81
Benzo(a)anthracene
Concen: 21.066 ng
RT: 14.080 min Scan# 2(
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:228 Resp: 412056

Ion	Ratio	Lower	Upper
228	100		
226	27.0	22.0	33.0
229	19.4	15.8	23.8





#82
3,3'-Dichlorobenzidine
Concen: 19.033 ng
RT: 14.039 min Scan# 2014
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:252 Resp: 100529

Ion	Ratio	Lower	Upper
252	100		
254	64.2	51.7	77.5
126	11.4	9.2	13.8





#83
Chrysene
Concen: 20.235 ng
RT: 14.115 min Scan# 2(
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:228 Resp: 369066

Ion	Ratio	Lower	Upper
228	100		
226	29.5	24.2	36.2
229	19.0	15.8	23.6





#84
Bis(2-ethylhexyl)phthalate
Concen: 17.077 ng
RT: 14.063 min Scan# 2018
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:149 Resp: 107115

Ion	Ratio	Lower	Upper
149	100		
167	27.5	21.4	32.0
279	3.7	3.2	4.8





#85
Di-n-octyl phthalate
Concen: 18.493 ng
RT: 14.674 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:149 Resp: 213024

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.3	1.9
43	13.5	10.8	16.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.580 min Scan# 2276
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:264 Resp: 306974

Ion	Ratio	Lower	Upper
264	100		
260	23.5	18.7	28.1
265	21.5	17.2	25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 20.651 ng
RT: 17.092 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:276 Resp: 454164

Ion	Ratio	Lower	Upper
276	100		
138	26.6	21.1	31.7
277	24.4	20.2	30.2





#88
Benzo(b)fluoranthene
Concen: 19.971 ng
RT: 15.139 min Scan# 2201
Delta R.T. -0.006 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:252 Resp: 335316

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.8	26.8
125	9.8	7.8	11.6





#89
Benzo(k)fluoranthene
Concen: 21.789 ng
RT: 15.168 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:252 Resp: 355480

Ion	Ratio	Lower	Upper
252	100		
253	21.5	17.6	26.4
125	9.7	8.4	12.6





#90
Benzo(a)pyrene
Concen: 20.580 ng
RT: 15.515 min Scan# 2265
Delta R.T. -0.000 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:252 Resp: 325450

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.6	26.4
125	10.6	9.1	13.7





#91
Dibenzo(a,h)anthracene
Concen: 20.688 ng
RT: 17.104 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:278 Resp: 363491

Ion	Ratio	Lower	Upper
278	100		
139	17.9	14.0	21.0
279	23.1	19.4	29.0





#92
Benzo(g,h,i)perylene
Concen: 20.596 ng
RT: 17.551 min Scan# 2611
Delta R.T. -0.012 min
Lab File: BF143346.D
Acq: 12 Aug 2025 10:35

Tgt Ion:276 Resp: 364540

Ion	Ratio	Lower	Upper
276	100		
277	23.8	18.7	28.1
138	22.1	17.8	26.8



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143347.D
Acq On : 12 Aug 2025 11:06
Operator : RC/JU
Sample : SSTDICCC040
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Quant Time: Aug 12 13:19:10 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	167361	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	655032	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	345532	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	517467	20.000	ng	0.00
76) Chrysene-d12	14.092	240	290137	20.000	ng	0.00
86) Perylene-d12	15.580	264	328158	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	789566	81.582	ng	0.00
7) Phenol-d6	6.563	99	1004217	80.913	ng	0.00
23) Nitrobenzene-d5	7.492	82	879802	83.642	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	220484	87.313	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1565121	76.811	ng	0.00
79) Terphenyl-d14	13.033	244	1263446	77.745	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.763	88	199574	39.850	ng	100
3) Pyridine	3.534	79	540627	40.510	ng	100
4) n-Nitrosodimethylamine	3.475	42	253901	40.843	ng	100
6) Aniline	6.593	93	709158	40.530	ng	100
8) 2-Chlorophenol	6.716	128	421515	40.760	ng	100
9) Benzaldehyde	6.481	77	338386	41.251	ng	100
10) Phenol	6.575	94	596665	40.582	ng	100
11) bis(2-Chloroethyl)ether	6.663	93	437082	40.336	ng	100
12) 1,3-Dichlorobenzene	6.875	146	479321	40.184	ng	100
13) 1,4-Dichlorobenzene	6.951	146	473345	39.538	ng	100
14) 1,2-Dichlorobenzene	7.104	146	451017	39.687	ng	100
15) Benzyl Alcohol	7.069	79	364330	40.952	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.198	45	775460	40.085	ng	100
17) 2-Methylphenol	7.181	107	355981	40.780	ng	100
18) Hexachloroethane	7.445	117	154773	41.236	ng	100
19) n-Nitroso-di-n-propyla...	7.340	70	304543	39.712	ng	100
20) 3+4-Methylphenols	7.334	107	431056	40.831	ng	100
22) Acetophenone	7.334	105	562380	38.966	ng	100
24) Nitrobenzene	7.510	77	469916	41.135	ng	100
25) Isophorone	7.751	82	845188	39.360	ng	100
26) 2-Nitrophenol	7.828	139	165661	37.083	ng	100
27) 2,4-Dimethylphenol	7.863	122	365692	40.820	ng	100
28) bis(2-Chloroethoxy)met...	7.957	93	518389	39.540	ng	100
29) 2,4-Dichlorophenol	8.069	162	360583	41.210	ng	100
30) 1,2,4-Trichlorobenzene	8.151	180	363439	39.377	ng	100
31) Naphthalene	8.234	128	1237121	39.250	ng	100
32) Benzoic acid	7.969	122	141523	39.021	ng	100
33) 4-Chloroaniline	8.281	127	452276	39.784	ng	100
34) Hexachlorobutadiene	8.357	225	229101	39.902	ng	100
35) Caprolactam	8.645	113	103025	41.884	ng	100
36) 4-Chloro-3-methylphenol	8.757	107	375017	40.883	ng	100
37) 2-Methylnaphthalene	8.928	142	814304	39.298	ng	100
38) 1-Methylnaphthalene	9.022	142	779823	39.075	ng	100
40) 1,2,4,5-Tetrachloroben...	9.092	216	374807	39.640	ng	100
41) Hexachlorocyclopentadiene	9.081	237	115551	38.401	ng	100
43) 2,4,6-Trichlorophenol	9.204	196	230730	43.008	ng	100

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143347.D
Acq On : 12 Aug 2025 11:06
Operator : RC/JU
Sample : SSTDICCC040
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Quant Time: Aug 12 13:19:10 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.245	196	260681	43.029	ng	100
46) 1,1'-Biphenyl	9.386	154	959774	39.285	ng	100
47) 2-Chloronaphthalene	9.416	162	756597	39.322	ng	100
48) 2-Nitroaniline	9.504	65	213717	39.058	ng	100
49) Acenaphthylene	9.828	152	1097291	39.490	ng	100
50) Dimethylphthalate	9.681	163	815627	40.398	ng	100
51) 2,6-Dinitrotoluene	9.745	165	147260	39.128	ng	100
52) Acenaphthene	9.998	154	728691	39.446	ng	100
53) 3-Nitroaniline	9.916	138	180447	43.642	ng	100
54) 2,4-Dinitrophenol	10.022	184	45578	39.434	ng	100
55) Dibenzofuran	10.175	168	1043986	39.267	ng	100
56) 4-Nitrophenol	10.075	139	119387	39.132	ng	100
57) 2,4-Dinitrotoluene	10.145	165	199781	39.946	ng	100
58) Fluorene	10.516	166	789149	38.860	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.292	232	176166	43.137	ng	100
60) Diethylphthalate	10.381	149	746813	41.295	ng	100
61) 4-Chlorophenyl-phenyle...	10.504	204	389122	39.656	ng	100
62) 4-Nitroaniline	10.528	138	171799	42.946	ng	100
63) Azobenzene	10.663	77	824319	39.906	ng	100
65) 4,6-Dinitro-2-methylph...	10.557	198	73478	37.049	ng	100
66) n-Nitrosodiphenylamine	10.622	169	678152	39.800	ng	100
67) 4-Bromophenyl-phenylether	10.992	248	239456	40.461	ng	100
68) Hexachlorobenzene	11.069	284	252547	39.589	ng	100
69) Atrazine	11.145	200	184584	41.534	ng	100
70) Pentachlorophenol	11.263	266	111946	39.119	ng	100
71) Phenanthrene	11.475	178	1118795	39.627	ng	100
72) Anthracene	11.528	178	1126030	39.327	ng	100
73) Carbazole	11.680	167	966534	39.637	ng	100
74) Di-n-butylphthalate	12.010	149	894432	43.346	ng	100
75) Fluoranthene	12.663	202	949305	38.386	ng	100
77) Benzidine	12.780	184	343155	43.261	ng	100
78) Pyrene	12.892	202	963681	39.593	ng	100
80) Butylbenzylphthalate	13.504	149	175897	37.368	ng	100
81) Benzo(a)anthracene	14.080	228	730158	39.595	ng	100
82) 3,3'-Dichlorobenzidine	14.039	252	211236	42.421	ng	100
83) Chrysene	14.116	228	681835	39.653	ng	100
84) Bis(2-ethylhexyl)phtha...	14.063	149	256146	37.186	ng	100
85) Di-n-octyl phthalate	14.674	149	515170	38.008	ng	100
87) Indeno(1,2,3-cd)pyrene	17.104	276	950872	40.445	ng	100
88) Benzo(b)fluoranthene	15.145	252	733725	40.879	ng	100
89) Benzo(k)fluoranthene	15.168	252	679660	38.970	ng	100
90) Benzo(a)pyrene	15.515	252	678288	40.124	ng	100
91) Dibenzo(a,h)anthracene	17.115	278	767630	40.870	ng	100
92) Benzo(g,h,i)perylene	17.562	276	767224	40.549	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143347.D
Acq On : 12 Aug 2025 11:06
Operator : RC/JU
Sample : SSTDICCC040
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Quant Time: Aug 12 13:19:10 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:152 Resp: 167361

Ion	Ratio	Lower	Upper
152	100		
150	162.3	129.8	194.8
115	59.8	47.8	71.8





#2
1,4-Dioxane
Concen: 39.850 ng
RT: 2.763 min Scan# 97
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion: 88 Resp: 199574

Ion	Ratio	Lower	Upper
88	100		
58	88.8	71.0	106.6
43	33.8	27.0	40.6





#3
Pyridine
Concen: 40.510 ng
RT: 3.534 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 79 Resp: 540627

Ion	Ratio	Lower	Upper
79	100		
52	85.9	68.7	103.1
51	41.7	33.4	50.0





#4
n-Nitrosodimethylamine
Concen: 40.843 ng
RT: 3.475 min Scan# 218
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion: 42 Resp: 253901

Ion	Ratio	Lower	Upper
42	100		
74	117.6	94.1	141.1
44	8.1	6.5	9.7





#5
2-Fluorophenol
Concen: 81.582 ng
RT: 5.563 min Scan# 5
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:112 Resp: 789566

Ion	Ratio	Lower	Upper
112	100		
64	65.1	52.1	78.1
63	33.2	26.6	39.8





#6
Aniline
Concen: 40.530 ng
RT: 6.593 min Scan# 748
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion: 93 Resp: 709158

Ion	Ratio	Lower	Upper
93	100		
66	44.1	35.3	52.9
65	22.8	18.2	27.4





#7
Phenol-d6
Concen: 80.913 ng
RT: 6.563 min Scan# 7
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 99 Resp: 1004217

Ion	Ratio	Lower	Upper
99	100		
42	20.8	16.6	25.0
71	32.7	26.2	39.2





#8
2-Chlorophenol
Concen: 40.760 ng
RT: 6.716 min Scan# 769
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:128 Resp: 421515

Ion	Ratio	Lower	Upper
128	100		
130	32.6	12.6	52.6
64	56.7	36.7	76.7





#9
Benzaldehyde
Concen: 41.251 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 77 Resp: 338386

Ion	Ratio	Lower	Upper
77	100		
105	94.2	74.2	114.2
106	92.2	72.2	112.2





#10
Phenol
Concen: 40.582 ng
RT: 6.575 min Scan# 745
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion: 94 Resp: 596665

Ion	Ratio	Lower	Upper
94	100		
65	32.0	12.0	52.0
66	45.6	25.6	65.6





#11
bis(2-Chloroethyl)ether
Concen: 40.336 ng
RT: 6.663 min Scan# 7
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 93 Resp: 437082

Ion	Ratio	Lower	Upper
93	100		
63	85.7	65.7	105.7
95	33.0	13.0	53.0





#12
1,3-Dichlorobenzene
Concen: 40.184 ng
RT: 6.875 min Scan# 796
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:146 Resp: 479321

Ion	Ratio	Lower	Upper
146	100		
148	63.1	50.5	75.7
75	31.1	24.9	37.3





#13
1,4-Dichlorobenzene
Concen: 39.538 ng
RT: 6.951 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:146 Resp: 473345

Ion	Ratio	Lower	Upper
146	100		
148	64.2	51.4	77.0
111	40.7	32.6	48.8





#14
1,2-Dichlorobenzene
Concen: 39.687 ng
RT: 7.104 min Scan# 835
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:146 Resp: 451017

Ion	Ratio	Lower	Upper
146	100		
148	64.3	51.4	77.2
111	42.6	34.1	51.1





#15
Benzyl Alcohol
Concen: 40.952 ng
RT: 7.069 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 79 Resp: 364330

Ion	Ratio	Lower	Upper
79	100		
108	76.9	61.5	92.3
77	62.3	49.8	74.8





#16
2,2'-oxybis(1-Chloropropane)
Concen: 40.085 ng
RT: 7.198 min Scan# 851
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion: 45 Resp: 775460

Ion	Ratio	Lower	Upper
45	100		
77	14.0	0.0	34.0
79	11.1	0.0	31.1





#17
2-Methylphenol
Concen: 40.780 ng
RT: 7.181 min Scan# 84
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:107 Resp: 355981

Ion	Ratio	Lower	Upper
107	100		
108	115.0	92.0	138.0
77	47.7	38.2	57.2
79	47.4	37.9	56.9





#18
Hexachloroethane
Concen: 41.236 ng
RT: 7.445 min Scan# 893
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:117 Resp: 154773

Ion	Ratio	Lower	Upper
117	100		
119	94.8	75.8	113.8
201	96.5	77.2	115.8





#19
n-Nitroso-di-n-propylamine
Concen: 39.712 ng
RT: 7.340 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 70 Resp: 304543

Ion	Ratio	Lower	Upper
70	100		
42	64.5	51.6	77.4
101	9.4	7.5	11.3
130	19.7	15.8	23.6





#20
3+4-Methylphenols
Concen: 40.831 ng
RT: 7.334 min Scan# 874
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:107 Resp: 431056

Ion	Ratio	Lower	Upper
107	100		
108	90.6	70.6	110.6
77	132.0	112.0	152.0
79	29.9	9.9	49.9





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:136 Resp: 655032

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.6	13.0
54	10.5	8.4	12.6
68	7.4	5.9	8.9





#22
Acetophenone
Concen: 38.966 ng
RT: 7.334 min Scan# 874
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:105 Resp: 562380

Ion	Ratio	Lower	Upper
105	100		
71	7.8	6.2	9.4
51	43.5	34.8	52.2
120	22.4	17.9	26.9





#23
Nitrobenzene-d5
Concen: 83.642 ng
RT: 7.492 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 82 Resp: 879802

Ion	Ratio	Lower	Upper
82	100		
128	41.9	33.5	50.3
54	58.4	46.7	70.1





#24
Nitrobenzene
Concen: 41.135 ng
RT: 7.510 min Scan# 904
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion: 77 Resp: 469916

Ion	Ratio	Lower	Upper
77	100		
123	43.5	34.8	52.2
65	13.8	11.0	16.6





#25
Isophorone
Concen: 39.360 ng
RT: 7.751 min Scan# 94
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 82 Resp: 845188

Ion	Ratio	Lower	Upper
82	100		
95	6.9	5.5	8.3
138	18.2	14.6	21.8





#26
2-Nitrophenol
Concen: 37.083 ng
RT: 7.828 min Scan# 958
Delta R.T. -0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:139 Resp: 165661

Ion	Ratio	Lower	Upper
139	100		
109	28.0	22.4	33.6
65	53.6	42.9	64.3





#27
2,4-Dimethylphenol
Concen: 40.820 ng
RT: 7.863 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:122 Resp: 365692

Ion	Ratio	Lower	Upper
122	100		
107	112.4	89.9	134.9
121	57.8	46.2	69.4





#28
bis(2-Chloroethoxy)methane
Concen: 39.540 ng
RT: 7.957 min Scan# 980
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion: 93 Resp: 518389

Ion	Ratio	Lower	Upper
93	100		
95	32.8	26.2	39.4
123	11.8	9.4	14.2





#29
2,4-Dichlorophenol
Concen: 41.210 ng
RT: 8.069 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:162 Resp: 360583

Ion	Ratio	Lower	Upper
162	100		
164	64.5	44.5	84.5
98	37.7	17.7	57.7





#30
1,2,4-Trichlorobenzene
Concen: 39.377 ng
RT: 8.151 min Scan# 1013
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:180 Resp: 363439

Ion	Ratio	Lower	Upper
180	100		
182	95.1	76.1	114.1
145	31.1	24.9	37.3





#31
Naphthalene
Concen: 39.250 ng
RT: 8.234 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:128 Resp: 1237121

Ion	Ratio	Lower	Upper
128	100		
129	11.3	9.0	13.6
127	13.4	10.7	16.1





#32
Benzoic acid
Concen: 39.021 ng
RT: 7.969 min Scan# 982
Delta R.T. -0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:122 Resp: 141523

Ion	Ratio	Lower	Upper
122	100		
105	126.4	106.4	146.4
77	99.2	79.2	119.2





#33
4-Chloroaniline
Concen: 39.784 ng
RT: 8.281 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:127 Resp: 452276

Ion	Ratio	Lower	Upper
127	100		
129	32.5	26.0	39.0
65	33.7	27.0	40.4
92	20.2	16.2	24.2





#34
Hexachlorobutadiene
Concen: 39.902 ng
RT: 8.357 min Scan# 1048
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:225 Resp: 229101

Ion	Ratio	Lower	Upper
225	100		
223	62.6	50.1	75.1
227	63.2	50.6	75.8





#35
Caprolactam
Concen: 41.884 ng
RT: 8.645 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:113 Resp: 103025

Ion	Ratio	Lower	Upper
113	100		
55	201.4	181.4	221.4
56	147.3	127.3	167.3





#36
4-Chloro-3-methylphenol
Concen: 40.883 ng
RT: 8.757 min Scan# 1116
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:107 Resp: 375017

Ion	Ratio	Lower	Upper
107	100		
144	25.0	20.0	30.0
142	76.6	61.3	91.9





#37
2-Methylnaphthalene
Concen: 39.298 ng
RT: 8.928 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:142 Resp: 814304

Ion	Ratio	Lower	Upper
142	100		
141	87.3	69.8	104.8





#38
1-Methylnaphthalene
Concen: 39.075 ng
RT: 9.022 min Scan# 1161
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:142 Resp: 779823

Ion	Ratio	Lower	Upper
142	100		
141	91.2	73.0	109.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:164 Resp: 345532

Ion	Ratio	Lower	Upper
164	100		
162	98.3	78.6	118.0
160	43.0	34.4	51.6





#40
1,2,4,5-Tetrachlorobenzene
Concen: 39.640 ng
RT: 9.092 min Scan# 1173
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:216 Resp: 374807

Ion	Ratio	Lower	Upper
216	100		
214	78.7	63.0	94.4
179	21.2	17.0	25.4
108	18.3	14.6	22.0





#41
Hexachlorocyclopentadiene
Concen: 38.401 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:237 Resp: 115551

Ion	Ratio	Lower	Upper
237	100		
235	62.0	42.0	82.0
272	12.6	0.0	32.6





#42
2,4,6-Tribromophenol
Concen: 87.313 ng
RT: 10.757 min Scan# 1456
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:330 Resp: 220484

Ion	Ratio	Lower	Upper
330	100		
332	97.6	78.1	117.1
141	31.7	25.4	38.0





#43
2,4,6-Trichlorophenol
Concen: 43.008 ng
RT: 9.204 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:196 Resp: 230730

Ion	Ratio	Lower	Upper
196	100		
198	94.2	75.4	113.0
200	30.4	24.3	36.5





#44
2,4,5-Trichlorophenol
Concen: 43.029 ng
RT: 9.245 min Scan# 1199
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:196 Resp: 260681

Ion	Ratio	Lower	Upper
196	100		
198	94.3	75.4	113.2
97	49.9	39.9	59.9
132	28.2	22.6	33.8





#45
2-Fluorobiphenyl
Concen: 76.811 ng
RT: 9.286 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:172 Resp: 1565121

Ion	Ratio	Lower	Upper
172	100		
171	35.5	28.4	42.6
170	23.9	19.1	28.7





#46
1,1'-Biphenyl
Concen: 39.285 ng
RT: 9.386 min Scan# 1223
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:154 Resp: 959774

Ion	Ratio	Lower	Upper
154	100		
153	40.2	20.2	60.2
76	14.4	0.0	34.4





#47
2-Chloronaphthalene
Concen: 39.322 ng
RT: 9.416 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:162 Resp: 756597

Ion	Ratio	Lower	Upper
162	100		
127	40.1	32.1	48.1
164	33.7	27.0	40.4





#48
2-Nitroaniline
Concen: 39.058 ng
RT: 9.504 min Scan# 1243
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion: 65 Resp: 213717

Ion	Ratio	Lower	Upper
65	100		
92	66.4	53.1	79.7
138	101.7	81.4	122.0





#49
Acenaphthylene
Concen: 39.490 ng
RT: 9.828 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:152 Resp: 1097291

Ion	Ratio	Lower	Upper
152	100		
151	20.2	16.2	24.2
153	13.3	10.6	16.0





#50
Dimethylphthalate
Concen: 40.398 ng
RT: 9.681 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:163 Resp: 815627

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.3	4.9
164	10.2	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 39.128 ng
RT: 9.745 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:165 Resp: 147260

Ion	Ratio	Lower	Upper
165	100		
63	64.5	51.6	77.4
89	59.6	47.7	71.5





#52
Acenaphthene
Concen: 39.446 ng
RT: 9.998 min Scan# 1327
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:154 Resp: 728691

Ion	Ratio	Lower	Upper
154	100		
153	110.6	88.5	132.7
152	53.0	42.4	63.6





#53
3-Nitroaniline
Concen: 43.642 ng
RT: 9.916 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:138 Resp: 180447

Ion	Ratio	Lower	Upper
138	100		
108	12.0	9.6	14.4
92	116.8	93.4	140.2





#54
2,4-Dinitrophenol
Concen: 39.434 ng
RT: 10.022 min Scan# 1331
Delta R.T. -0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:184 Resp: 45578

Ion	Ratio	Lower	Upper
184	100		
63	78.1	62.5	93.7
154	91.2	73.0	109.4





#55
Dibenzofuran
Concen: 39.267 ng
RT: 10.175 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:168 Resp: 1043986

Ion	Ratio	Lower	Upper
168	100		
139	36.7	29.4	44.0
169	13.8	11.0	16.6





#56
4-Nitrophenol
Concen: 39.132 ng
RT: 10.075 min Scan# 1340
Delta R.T. -0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:139 Resp: 119387

Ion	Ratio	Lower	Upper
139	100		
109	69.4	49.4	89.4
65	103.7	83.7	123.7





#57
2,4-Dinitrotoluene
Concen: 39.946 ng
RT: 10.145 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:165 Resp: 199781

Ion	Ratio	Lower	Upper
165	100		
63	52.3	41.8	62.8
89	78.0	62.4	93.6
182	2.7	2.2	3.2





#58
Fluorene
Concen: 38.860 ng
RT: 10.516 min Scan# 1415
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:166 Resp: 789149

Ion	Ratio	Lower	Upper
166	100		
165	97.8	78.2	117.4
167	13.6	10.9	16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 43.137 ng
RT: 10.292 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:232 Resp: 176166

Ion	Ratio	Lower	Upper
232	100		
131	43.2	34.6	51.8
130	2.1	1.7	2.5
166	29.2	23.4	35.0





#60
Diethylphthalate
Concen: 41.295 ng
RT: 10.381 min Scan# 1392
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:149 Resp: 746813

Ion	Ratio	Lower	Upper
149	100		
177	22.7	18.2	27.2
150	12.4	9.9	14.9





#61
4-Chlorophenyl-phenylether
Concen: 39.656 ng
RT: 10.504 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:204 Resp: 389122

Ion	Ratio	Lower	Upper
204	100		
206	34.3	27.4	41.2
141	58.6	46.9	70.3





#62
4-Nitroaniline
Concen: 42.946 ng
RT: 10.528 min Scan# 1417
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:138 Resp: 171799

Ion	Ratio	Lower	Upper
138	100		
92	51.2	31.2	71.2
108	68.1	48.1	88.1





#63
Azobenzene
Concen: 39.906 ng
RT: 10.663 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 77 Resp: 824319

Ion	Ratio	Lower	Upper
77	100		
182	24.4	4.4	44.4
105	21.8	1.8	41.8
51	33.7	13.7	53.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:188 Resp: 517467

Ion	Ratio	Lower	Upper
188	100		
94	11.0	8.8	13.2
80	12.1	9.7	14.5





#65
4,6-Dinitro-2-methylphenol
Concen: 37.049 ng
RT: 10.557 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:198 Resp: 73478

Ion	Ratio	Lower	Upper
198	100		
51	61.7	41.7	81.7
105	46.8	26.8	66.8





#66
n-Nitrosodiphenylamine
Concen: 39.800 ng
RT: 10.622 min Scan# 1433
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:169 Resp: 678152

Ion	Ratio	Lower	Upper
169	100		
168	65.9	52.7	79.1
167	35.7	28.6	42.8





#67
4-Bromophenyl-phenylether
Concen: 40.461 ng
RT: 10.992 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:248 Resp: 239456

Ion	Ratio	Lower	Upper
248	100		
250	96.4	77.1	115.7
141	73.9	59.1	88.7





#68
Hexachlorobenzene
Concen: 39.589 ng
RT: 11.069 min Scan# 1509
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:284 Resp: 252547

Ion	Ratio	Lower	Upper
284	100		
142	32.1	25.7	38.5
249	30.8	24.6	37.0





#69
Atrazine
Concen: 41.534 ng
RT: 11.145 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:200 Resp: 184584

Ion	Ratio	Lower	Upper
200	100		
173	26.6	6.6	46.6
215	50.6	30.6	70.6





#70
Pentachlorophenol
Concen: 39.119 ng
RT: 11.263 min Scan# 1542
Delta R.T. -0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:266 Resp: 111946

Ion	Ratio	Lower	Upper
266	100		
268	61.0	48.8	73.2
264	61.0	48.8	73.2





#71
Phenanthrene
Concen: 39.627 ng
RT: 11.475 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:178 Resp: 1118795

Ion	Ratio	Lower	Upper
178	100		
176	19.4	15.5	23.3
179	15.6	12.5	18.7





#72
Anthracene
Concen: 39.327 ng
RT: 11.528 min Scan# 1587
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:178 Resp: 1126030

Ion	Ratio	Lower	Upper
178	100		
176	18.9	15.1	22.7
179	15.9	12.7	19.1





#73
Carbazole
Concen: 39.637 ng
RT: 11.680 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:167 Resp: 966534

Ion	Ratio	Lower	Upper
167	100		
166	21.0	16.8	25.2
139	12.7	10.2	15.2





#74
Di-n-butylphthalate
Concen: 43.346 ng
RT: 12.010 min Scan# 1669
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:149 Resp: 894432

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.4	11.0
104	4.8	3.8	5.8





#75
Fluoranthene
Concen: 38.386 ng
RT: 12.663 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:202 Resp: 949305

Ion	Ratio	Lower	Upper
202	100		
101	13.2	0.0	33.2
203	17.6	0.0	37.6





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.092 min Scan# 2023
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:240 Resp: 290137

Ion	Ratio	Lower	Upper
240	100		
120	11.3	9.0	13.6
236	24.9	19.9	29.9





#77
Benzidine
Concen: 43.261 ng
RT: 12.780 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:184 Resp: 343155

Ion	Ratio	Lower	Upper
184	100		
185	16.0	12.8	19.2
183	11.6	9.3	13.9





#78
Pyrene
Concen: 39.593 ng
RT: 12.892 min Scan# 1819
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:202 Resp: 963681

Ion	Ratio	Lower	Upper
202	100		
200	21.0	16.8	25.2
203	17.8	14.2	21.4





#79
Terphenyl-d14
Concen: 77.745 ng
RT: 13.033 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:244 Resp: 1263446

Ion	Ratio	Lower	Upper
244	100		
212	6.4	5.1	7.7
122	11.1	8.9	13.3





#80
Butylbenzylphthalate
Concen: 37.368 ng
RT: 13.504 min Scan# 1923
Delta R.T. -0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:149 Resp: 175897

Ion	Ratio	Lower	Upper
149	100		
91	73.5	58.8	88.2
206	20.5	16.4	24.6





#81
Benzo(a)anthracene
Concen: 39.595 ng
RT: 14.080 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:228 Resp: 730158

Ion	Ratio	Lower	Upper
228	100		
226	27.5	22.0	33.0
229	19.8	15.8	23.8





#82
3,3'-Dichlorobenzidine
Concen: 42.421 ng
RT: 14.039 min Scan# 2014
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:252 Resp: 211236

Ion	Ratio	Lower	Upper
252	100		
254	64.6	51.7	77.5
126	11.5	9.2	13.8





#83
Chrysene
Concen: 39.653 ng
RT: 14.116 min Scan# 2(
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:228 Resp: 681835

Ion	Ratio	Lower	Upper
228	100		
226	30.2	24.2	36.2
229	19.7	15.8	23.6





#84
Bis(2-ethylhexyl)phthalate
Concen: 37.186 ng
RT: 14.063 min Scan# 2018
Delta R.T. -0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:149 Resp: 256146

Ion	Ratio	Lower	Upper
149	100		
167	26.7	21.4	32.0
279	4.0	3.2	4.8





#85
Di-n-octyl phthalate
Concen: 38.008 ng
RT: 14.674 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:149 Resp: 515170

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	13.5	10.8	16.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.580 min Scan# 2276
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:264 Resp: 328158

Ion	Ratio	Lower	Upper
264	100		
260	23.4	18.7	28.1
265	21.5	17.2	25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 40.445 ng
RT: 17.104 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:276 Resp: 950872

Ion	Ratio	Lower	Upper
276	100		
138	26.4	21.1	31.7
277	25.2	20.2	30.2





#88
Benzo(b)fluoranthene
Concen: 40.879 ng
RT: 15.145 min Scan# 2202
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:252 Resp: 733725

Ion	Ratio	Lower	Upper
252	100		
253	22.3	17.8	26.8
125	9.7	7.8	11.6





#89
Benzo(k)fluoranthene
Concen: 38.970 ng
RT: 15.168 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:252 Resp: 679660

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.6	26.4
125	10.5	8.4	12.6





#90
Benzo(a)pyrene
Concen: 40.124 ng
RT: 15.515 min Scan# 2265
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:252 Resp: 678288

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.6	26.4
125	11.4	9.1	13.7





#91
Dibenzo(a,h)anthracene
Concen: 40.870 ng
RT: 17.115 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:278 Resp: 767630

Ion	Ratio	Lower	Upper
278	100		
139	17.5	14.0	21.0
279	24.2	19.4	29.0





#92
Benzo(g,h,i)perylene
Concen: 40.549 ng
RT: 17.562 min Scan# 2613
Delta R.T. 0.000 min
Lab File: BF143347.D
Acq: 12 Aug 2025 11:06

Tgt Ion:276 Resp: 767224

Ion	Ratio	Lower	Upper
276	100		
277	23.4	18.7	28.1
138	22.3	17.8	26.8



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143348.D
Acq On : 12 Aug 2025 11:37
Operator : RC/JU
Sample : SSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Quant Time: Aug 12 13:19:58 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	164745	20.000	ng	0.00
21) Naphthalene-d8	8.216	136	635446	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	333763	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	492512	20.000	ng	0.00
76) Chrysene-d12	14.092	240	286106	20.000	ng	0.00
86) Perylene-d12	15.580	264	342458	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	941847	98.862	ng	0.00
7) Phenol-d6	6.563	99	1192312	97.594	ng	0.00
23) Nitrobenzene-d5	7.493	82	1041552	102.072	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	266796	109.378	ng	0.00
45) 2-Fluorobiphenyl	9.287	172	1769302	89.893	ng	0.00
79) Terphenyl-d14	13.033	244	1395642	87.090	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.763	88	243901	49.475	ng	100
3) Pyridine	3.534	79	668266	50.870	ng	99
4) n-Nitrosodimethylamine	3.475	42	313754	51.272	ng	99
6) Aniline	6.593	93	835697	48.521	ng	97
8) 2-Chlorophenol	6.722	128	510568	50.155	ng	97
9) Benzaldehyde	6.481	77	360210	44.609	ng	99
10) Phenol	6.581	94	708845	48.977	ng	86
11) bis(2-Chloroethyl)ether	6.663	93	515652	48.342	ng	99
12) 1,3-Dichlorobenzene	6.875	146	561710	47.838	ng	99
13) 1,4-Dichlorobenzene	6.951	146	564115	47.868	ng	99
14) 1,2-Dichlorobenzene	7.104	146	533226	47.666	ng	99
15) Benzyl Alcohol	7.069	79	439125	50.143	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.198	45	911815	47.882	ng	97
17) 2-Methylphenol	7.181	107	426865	49.676	ng	99
18) Hexachloroethane	7.445	117	185051	50.086	ng	99
19) n-Nitroso-di-n-propyla...	7.340	70	355609	47.107	ng	99
20) 3+4-Methylphenols	7.334	107	505153	48.609	ng	95
22) Acetophenone	7.340	105	642443	45.886	ng	97
24) Nitrobenzene	7.510	77	558404	50.388	ng	99
25) Isophorone	7.751	82	995651	47.796	ng	99
26) 2-Nitrophenol	7.828	139	213083	47.982	ng	99
27) 2,4-Dimethylphenol	7.863	122	436419	50.217	ng	99
28) bis(2-Chloroethoxy)met...	7.957	93	608760	47.865	ng	100
29) 2,4-Dichlorophenol	8.069	162	428530	50.485	ng	99
30) 1,2,4-Trichlorobenzene	8.151	180	427946	47.795	ng	99
31) Naphthalene	8.234	128	1431280	46.809	ng	100
32) Benzoic acid	7.981	122	191072	49.943	ng	95
33) 4-Chloroaniline	8.281	127	531257	48.171	ng	100
34) Hexachlorobutadiene	8.357	225	264501	47.488	ng	100
35) Caprolactam	8.651	113	123969	51.952	ng	96
36) 4-Chloro-3-methylphenol	8.763	107	442622	49.741	ng	98
37) 2-Methylnaphthalene	8.928	142	938982	46.712	ng	99
38) 1-Methylnaphthalene	9.028	142	902313	46.606	ng	99
40) 1,2,4,5-Tetrachloroben...	9.092	216	437268	47.877	ng	99
41) Hexachlorocyclopentadiene	9.081	237	143487	47.474	ng	98
43) 2,4,6-Trichlorophenol	9.204	196	273471	52.773	ng	99

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143348.D
Acq On : 12 Aug 2025 11:37
Operator : RC/JU
Sample : SSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Quant Time: Aug 12 13:19:58 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.245	196	303993	51.948	ng	99
46) 1,1'-Biphenyl	9.387	154	1098727	46.558	ng	99
47) 2-Chloronaphthalene	9.416	162	872497	46.944	ng	100
48) 2-Nitroaniline	9.504	65	267630	49.816	ng	99
49) Acenaphthylene	9.828	152	1272878	47.424	ng	100
50) Dimethylphthalate	9.681	163	954560	48.946	ng	100
51) 2,6-Dinitrotoluene	9.745	165	182648	49.400	ng	99
52) Acenaphthene	10.004	154	844612	47.334	ng	100
53) 3-Nitroaniline	9.916	138	220926	55.316	ng	99
54) 2,4-Dinitrophenol	10.022	184	61169	49.460	ng	91
55) Dibenzofuran	10.175	168	1199947	46.725	ng	100
56) 4-Nitrophenol	10.075	139	150114	49.286	ng	99
57) 2,4-Dinitrotoluene	10.145	165	246635	50.215	ng	99
58) Fluorene	10.516	166	910380	46.411	ng	98
59) 2,3,4,6-Tetrachlorophenol	10.292	232	215158	54.543	ng	100
60) Diethylphthalate	10.381	149	865395	49.540	ng	100
61) 4-Chlorophenyl-phenyle...	10.504	204	444383	46.885	ng	99
62) 4-Nitroaniline	10.528	138	207188	53.618	ng	99
63) Azobenzene	10.663	77	957306	47.978	ng	100
65) 4,6-Dinitro-2-methylph...	10.563	198	95307	47.856	ng	94
66) n-Nitrosodiphenylamine	10.622	169	787342	48.549	ng	100
67) 4-Bromophenyl-phenylether	10.998	248	279724	49.660	ng	96
68) Hexachlorobenzene	11.069	284	291915	48.079	ng	99
69) Atrazine	11.145	200	221025	52.254	ng	98
70) Pentachlorophenol	11.263	266	139359	49.342	ng	98
71) Phenanthrene	11.480	178	1258386	46.830	ng	100
72) Anthracene	11.528	178	1284165	47.123	ng	100
73) Carbazole	11.680	167	1082772	46.654	ng	99
74) Di-n-butylphthalate	12.010	149	1008389	51.345	ng	99
75) Fluoranthene	12.663	202	1074315	45.641	ng	99
77) Benzidine	12.780	184	392548	50.186	ng	99
78) Pyrene	12.898	202	1081940	45.078	ng	99
80) Butylbenzylphthalate	13.504	149	229034	48.268	ng	99
81) Benzo(a)anthracene	14.080	228	878814	48.327	ng	99
82) 3,3'-Dichlorobenzidine	14.039	252	267204	54.417	ng	100
83) Chrysene	14.116	228	831682	49.049	ng	99
84) Bis(2-ethylhexyl)phtha...	14.063	149	341876	48.921	ng	98
85) Di-n-octyl phthalate	14.674	149	675816	48.572	ng	99
87) Indeno(1,2,3-cd)pyrene	17.110	276	1191556	48.566	ng	100
88) Benzo(b)fluoranthene	15.145	252	895570	47.812	ng	100
89) Benzo(k)fluoranthene	15.174	252	901937	49.555	ng	99
90) Benzo(a)pyrene	15.521	252	866161	49.098	ng	99
91) Dibenzo(a,h)anthracene	17.121	278	957602	48.855	ng	99
92) Benzo(g,h,i)perylene	17.568	276	962236	48.732	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143348.D
Acq On : 12 Aug 2025 11:37
Operator : RC/JU
Sample : SSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Quant Time: Aug 12 13:19:58 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:152 Resp: 164745

Ion	Ratio	Lower	Upper
152	100		
150	161.0	129.8	194.8
115	58.2	47.8	71.8





#2
1,4-Dioxane
Concen: 49.475 ng
RT: 2.763 min Scan# 97
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion: 88 Resp: 243901

Ion	Ratio	Lower	Upper
88	100		
58	88.3	71.0	106.6
43	33.6	27.0	40.6





#3
Pyridine
Concen: 50.870 ng
RT: 3.534 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 79 Resp: 668266

Ion	Ratio	Lower	Upper
79	100		
52	84.5	68.7	103.1
51	41.6	33.4	50.0





#4
n-Nitrosodimethylamine
Concen: 51.272 ng
RT: 3.475 min Scan# 218
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion: 42 Resp: 313754

Ion	Ratio	Lower	Upper
42	100		
74	116.1	94.1	141.1
44	7.3	6.5	9.7





#5
2-Fluorophenol
Concen: 98.862 ng
RT: 5.563 min Scan# 5
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:112 Resp: 941847

Ion	Ratio	Lower	Upper
112	100		
64	65.0	52.1	78.1
63	33.6	26.6	39.8





#6
Aniline
Concen: 48.521 ng
RT: 6.593 min Scan# 748
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion: 93 Resp: 835697

Ion	Ratio	Lower	Upper
93	100		
66	45.9	35.3	52.9
65	24.3	18.2	27.4





#7
Phenol-d6
Concen: 97.594 ng
RT: 6.563 min Scan# 7
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 99 Resp: 1192312

Ion	Ratio	Lower	Upper
99	100		
42	20.8	16.6	25.0
71	32.9	26.2	39.2





#8
2-Chlorophenol
Concen: 50.155 ng
RT: 6.722 min Scan# 770
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:128 Resp: 510568

Ion	Ratio	Lower	Upper
128	100		
130	32.5	12.6	52.6
64	53.2	36.7	76.7





#9
Benzaldehyde
Concen: 44.609 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 77 Resp: 360210

Ion	Ratio	Lower	Upper
77	100		
105	93.5	74.2	114.2
106	91.4	72.2	112.2





#10
Phenol
Concen: 48.977 ng
RT: 6.581 min Scan# 746
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion: 94 Resp: 708845

Ion	Ratio	Lower	Upper
94	100		
65	37.6	12.0	52.0
66	56.2	25.6	65.6





#11
bis(2-Chloroethyl)ether
Concen: 48.342 ng
RT: 6.663 min Scan# 7
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 93 Resp: 515652

Ion	Ratio	Lower	Upper
93	100		
63	86.5	65.7	105.7
95	32.7	13.0	53.0





#12
1,3-Dichlorobenzene
Concen: 47.838 ng
RT: 6.875 min Scan# 796
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:146 Resp: 561710

Ion	Ratio	Lower	Upper
146	100		
148	64.3	50.5	75.7
75	31.2	24.9	37.3





#13
1,4-Dichlorobenzene
Concen: 47.868 ng
RT: 6.951 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:146 Resp: 564115

Ion	Ratio	Lower	Upper
146	100		
148	63.6	51.4	77.0
111	40.1	32.6	48.8





#14
1,2-Dichlorobenzene
Concen: 47.666 ng
RT: 7.104 min Scan# 835
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:146 Resp: 533226

Ion	Ratio	Lower	Upper
146	100		
148	64.9	51.4	77.2
111	42.8	34.1	51.1





#15
Benzyl Alcohol
Concen: 50.143 ng
RT: 7.069 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 79 Resp: 439125

Ion	Ratio	Lower	Upper
79	100		
108	77.1	61.5	92.3
77	61.4	49.8	74.8





#16
2,2'-oxybis(1-Chloropropane)
Concen: 47.882 ng
RT: 7.198 min Scan# 851
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion: 45 Resp: 911815

Ion	Ratio	Lower	Upper
45	100		
77	15.2	0.0	34.0
79	12.1	0.0	31.1





#17
2-Methylphenol
Concen: 49.676 ng
RT: 7.181 min Scan# 84
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:107 Resp: 426865

Ion	Ratio	Lower	Upper
107	100		
108	115.7	92.0	138.0
77	48.1	38.2	57.2
79	47.7	37.9	56.9





#18
Hexachloroethane
Concen: 50.086 ng
RT: 7.445 min Scan# 893
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:117 Resp: 185051

Ion	Ratio	Lower	Upper
117	100		
119	95.6	75.8	113.8
201	98.6	77.2	115.8





#19
n-Nitroso-di-n-propylamine
Concen: 47.107 ng
RT: 7.340 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 70 Resp: 355609

Ion	Ratio	Lower	Upper
70	100		
42	65.3	51.6	77.4
101	9.2	7.5	11.3
130	19.6	15.8	23.6





#20
3+4-Methylphenols
Concen: 48.609 ng
RT: 7.334 min Scan# 874
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:107 Resp: 505153

Ion	Ratio	Lower	Upper
107	100		
108	90.2	70.6	110.6
77	121.1	112.0	152.0
79	29.5	9.9	49.9





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.216 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:136 Resp: 635446

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	13.0
54	9.9	8.4	12.6
68	6.9	5.9	8.9





#22
Acetophenone
Concen: 45.886 ng
RT: 7.340 min Scan# 875
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:105 Resp: 642443

Ion	Ratio	Lower	Upper
105	100		
71	9.2	6.2	9.4
51	40.8	34.8	52.2
120	22.6	17.9	26.9





#23
Nitrobenzene-d5
Concen: 102.072 ng
RT: 7.493 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 82 Resp: 1041552

Ion	Ratio	Lower	Upper
82	100		
128	42.8	33.5	50.3
54	58.2	46.7	70.1





#24
Nitrobenzene
Concen: 50.388 ng
RT: 7.510 min Scan# 904
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion: 77 Resp: 558404

Ion	Ratio	Lower	Upper
77	100		
123	43.9	34.8	52.2
65	14.1	11.0	16.6





#25
Isophorone
Concen: 47.796 ng
RT: 7.751 min Scan# 94
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 82 Resp: 995651

Ion	Ratio	Lower	Upper
82	100		
95	6.8	5.5	8.3
138	17.7	14.6	21.8





#26
2-Nitrophenol
Concen: 47.982 ng
RT: 7.828 min Scan# 958
Delta R.T. -0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:139 Resp: 213083

Ion	Ratio	Lower	Upper
139	100		
109	28.9	22.4	33.6
65	53.4	42.9	64.3





#27
2,4-Dimethylphenol
Concen: 50.217 ng
RT: 7.863 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:122 Resp: 436419

Ion	Ratio	Lower	Upper
122	100		
107	111.1	89.9	134.9
121	57.5	46.2	69.4





#28
bis(2-Chloroethoxy)methane
Concen: 47.865 ng
RT: 7.957 min Scan# 980
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion: 93 Resp: 608760

Ion	Ratio	Lower	Upper
93	100		
95	32.7	26.2	39.4
123	11.4	9.4	14.2





#29
2,4-Dichlorophenol
Concen: 50.485 ng
RT: 8.069 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:162 Resp: 428530

Ion	Ratio	Lower	Upper
162	100		
164	64.0	44.5	84.5
98	38.1	17.7	57.7





#30
1,2,4-Trichlorobenzene
Concen: 47.795 ng
RT: 8.151 min Scan# 1013
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:180 Resp: 427946

Ion	Ratio	Lower	Upper
180	100		
182	94.5	76.1	114.1
145	30.6	24.9	37.3





#31
Naphthalene
Concen: 46.809 ng
RT: 8.234 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:128 Resp: 1431280

Ion	Ratio	Lower	Upper
128	100		
129	11.3	9.0	13.6
127	13.6	10.7	16.1





#32
Benzoic acid
Concen: 49.943 ng
RT: 7.981 min Scan# 984
Delta R.T. 0.012 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:122 Resp: 191072

Ion	Ratio	Lower	Upper
122	100		
105	121.5	106.4	146.4
77	93.2	79.2	119.2





#33
4-Chloroaniline
Concen: 48.171 ng
RT: 8.281 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:127 Resp: 531257

Ion	Ratio	Lower	Upper
127	100		
129	32.8	26.0	39.0
65	33.7	27.0	40.4
92	20.6	16.2	24.2





#34
Hexachlorobutadiene
Concen: 47.488 ng
RT: 8.357 min Scan# 1048
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:225 Resp: 264501

Ion	Ratio	Lower	Upper
225	100		
223	63.0	50.1	75.1
227	63.6	50.6	75.8





#35
Caprolactam
Concen: 51.952 ng
RT: 8.651 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:113 Resp: 123969

Ion	Ratio	Lower	Upper
113	100		
55	207.2	181.4	221.4
56	153.3	127.3	167.3





#36
4-Chloro-3-methylphenol
Concen: 49.741 ng
RT: 8.763 min Scan# 1117
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:107 Resp: 442622

Ion	Ratio	Lower	Upper
107	100		
144	25.2	20.0	30.0
142	78.4	61.3	91.9





#37
2-Methylnaphthalene
Concen: 46.712 ng
RT: 8.928 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:142 Resp: 938982

Ion	Ratio	Lower	Upper
142	100		
141	88.0	69.8	104.8





#38
1-Methylnaphthalene
Concen: 46.606 ng
RT: 9.028 min Scan# 1162
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:142 Resp: 902313

Ion	Ratio	Lower	Upper
142	100		
141	91.9	73.0	109.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:164 Resp: 333763

Ion	Ratio	Lower	Upper
164	100		
162	98.9	78.6	118.0
160	43.8	34.4	51.6





#40
1,2,4,5-Tetrachlorobenzene
Concen: 47.877 ng
RT: 9.092 min Scan# 1173
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:216 Resp: 437268

Ion	Ratio	Lower	Upper
216	100		
214	79.5	63.0	94.4
179	20.9	17.0	25.4
108	18.2	14.6	22.0





#41
Hexachlorocyclopentadiene
Concen: 47.474 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:237 Resp: 143487

Ion	Ratio	Lower	Upper
237	100		
235	63.8	42.0	82.0
272	13.3	0.0	32.6





#42
2,4,6-Tribromophenol
Concen: 109.378 ng
RT: 10.757 min Scan# 1456
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:330 Resp: 266796

Ion	Ratio	Lower	Upper
330	100		
332	95.7	78.1	117.1
141	29.6	25.4	38.0





#43
2,4,6-Trichlorophenol
Concen: 52.773 ng
RT: 9.204 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:196 Resp: 273471

Ion	Ratio	Lower	Upper
196	100		
198	95.1	75.4	113.0
200	30.7	24.3	36.5





#44
2,4,5-Trichlorophenol
Concen: 51.948 ng
RT: 9.245 min Scan# 1199
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:196 Resp: 303993

Ion	Ratio	Lower	Upper
196	100		
198	95.1	75.4	113.2
97	50.0	39.9	59.9
132	28.4	22.6	33.8





#45
2-Fluorobiphenyl
Concen: 89.893 ng
RT: 9.287 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:172 Resp: 1769302

Ion	Ratio	Lower	Upper
172	100		
171	35.7	28.4	42.6
170	23.8	19.1	28.7





#46
1,1'-Biphenyl
Concen: 46.558 ng
RT: 9.387 min Scan# 1223
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:154 Resp: 1098727

Ion	Ratio	Lower	Upper
154	100		
153	40.6	20.2	60.2
76	14.8	0.0	34.4





#47
2-Chloronaphthalene
Concen: 46.944 ng
RT: 9.416 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:162 Resp: 872497

Ion	Ratio	Lower	Upper
162	100		
127	39.9	32.1	48.1
164	33.5	27.0	40.4





#48
2-Nitroaniline
Concen: 49.816 ng
RT: 9.504 min Scan# 1243
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion: 65 Resp: 267630

Ion	Ratio	Lower	Upper
65	100		
92	66.0	53.1	79.7
138	100.4	81.4	122.0





#49
Acenaphthylene
Concen: 47.424 ng
RT: 9.828 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:152 Resp: 1272878

Ion	Ratio	Lower	Upper
152	100		
151	20.4	16.2	24.2
153	13.5	10.6	16.0





#50
Dimethylphthalate
Concen: 48.946 ng
RT: 9.681 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:163 Resp: 954560

Ion	Ratio	Lower	Upper
163	100		
194	4.0	3.3	4.9
164	10.2	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 49.400 ng
RT: 9.745 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:165 Resp: 182648

Ion	Ratio	Lower	Upper
165	100		
63	63.7	51.6	77.4
89	59.3	47.7	71.5





#52
Acenaphthene
Concen: 47.334 ng
RT: 10.004 min Scan# 1328
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:154 Resp: 844612

Ion	Ratio	Lower	Upper
154	100		
153	110.7	88.5	132.7
152	53.0	42.4	63.6





#53
3-Nitroaniline
Concen: 55.316 ng
RT: 9.916 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:138 Resp: 220926

Ion	Ratio	Lower	Upper
138	100		
108	12.0	9.6	14.4
92	117.5	93.4	140.2





#54
2,4-Dinitrophenol
Concen: 49.460 ng
RT: 10.022 min Scan# 1331
Delta R.T. -0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:184 Resp: 61169

Ion	Ratio	Lower	Upper
184	100		
63	79.2	62.5	93.7
154	106.6	73.0	109.4





#55
Dibenzofuran
Concen: 46.725 ng
RT: 10.175 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:168 Resp: 1199947

Ion	Ratio	Lower	Upper
168	100		
139	37.0	29.4	44.0
169	13.6	11.0	16.6





#56
4-Nitrophenol
Concen: 49.286 ng
RT: 10.075 min Scan# 1340
Delta R.T. -0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:139 Resp: 150114

Ion	Ratio	Lower	Upper
139	100		
109	69.4	49.4	89.4
65	102.9	83.7	123.7





#57
2,4-Dinitrotoluene
Concen: 50.215 ng
RT: 10.145 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:165 Resp: 246635

Ion	Ratio	Lower	Upper
165	100		
63	52.4	41.8	62.8
89	77.1	62.4	93.6
182	2.7	2.2	3.2





#58
Fluorene
Concen: 46.411 ng
RT: 10.516 min Scan# 1415
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:166 Resp: 910380

Ion	Ratio	Lower	Upper
166	100		
165	96.1	78.2	117.4
167	13.6	10.9	16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 54.543 ng
RT: 10.292 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:232 Resp: 215158

Ion	Ratio	Lower	Upper
232	100		
131	43.7	34.6	51.8
130	2.1	1.7	2.5
166	29.2	23.4	35.0





#60
Diethylphthalate
Concen: 49.540 ng
RT: 10.381 min Scan# 1392
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:149 Resp: 865395

Ion	Ratio	Lower	Upper
149	100		
177	22.7	18.2	27.2
150	12.7	9.9	14.9





#61
4-Chlorophenyl-phenylether
Concen: 46.885 ng
RT: 10.504 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:204 Resp: 444383

Ion	Ratio	Lower	Upper
204	100		
206	33.7	27.4	41.2
141	59.6	46.9	70.3





#62
4-Nitroaniline
Concen: 53.618 ng
RT: 10.528 min Scan# 1417
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:138 Resp: 207188

Ion	Ratio	Lower	Upper
138	100		
92	51.0	31.2	71.2
108	69.7	48.1	88.1





#63
Azobenzene
Concen: 47.978 ng
RT: 10.663 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 77 Resp: 957306

Ion	Ratio	Lower	Upper
77	100		
182	24.6	4.4	44.4
105	21.7	1.8	41.8
51	33.9	13.7	53.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:188 Resp: 492512

Ion	Ratio	Lower	Upper
188	100		
94	11.3	8.8	13.2
80	12.3	9.7	14.5





#65
4,6-Dinitro-2-methylphenol
Concen: 47.856 ng
RT: 10.563 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:198 Resp: 95307

Ion	Ratio	Lower	Upper
198	100		
51	56.0	41.7	81.7
105	44.5	26.8	66.8





#66
n-Nitrosodiphenylamine
Concen: 48.549 ng
RT: 10.622 min Scan# 1433
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:169 Resp: 787342

Ion	Ratio	Lower	Upper
169	100		
168	65.6	52.7	79.1
167	36.0	28.6	42.8





#67
4-Bromophenyl-phenylether
Concen: 49.660 ng
RT: 10.998 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:248 Resp: 279724

Ion	Ratio	Lower	Upper
248	100		
250	96.0	77.1	115.7
141	66.3	59.1	88.7





#68
Hexachlorobenzene
Concen: 48.079 ng
RT: 11.069 min Scan# 1509
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:284 Resp: 291915

Ion	Ratio	Lower	Upper
284	100		
142	32.0	25.7	38.5
249	31.6	24.6	37.0





#69
Atrazine
Concen: 52.254 ng
RT: 11.145 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:200 Resp: 221025

Ion	Ratio	Lower	Upper
200	100		
173	26.7	6.6	46.6
215	48.4	30.6	70.6





#70
Pentachlorophenol
Concen: 49.342 ng
RT: 11.263 min Scan# 1542
Delta R.T. -0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:266 Resp: 139359

Ion	Ratio	Lower	Upper
266	100		
268	62.2	48.8	73.2
264	62.6	48.8	73.2





#71
Phenanthrene
Concen: 46.830 ng
RT: 11.480 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:178 Resp: 1258386

Ion	Ratio	Lower	Upper
178	100		
176	19.4	15.5	23.3
179	15.7	12.5	18.7





#72
Anthracene
Concen: 47.123 ng
RT: 11.528 min Scan# 1587
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:178 Resp: 1284165

Ion	Ratio	Lower	Upper
178	100		
176	19.1	15.1	22.7
179	15.8	12.7	19.1





#73
Carbazole
Concen: 46.654 ng
RT: 11.680 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:167 Resp: 1082772

Ion	Ratio	Lower	Upper
167	100		
166	21.8	16.8	25.2
139	13.2	10.2	15.2





#74
Di-n-butylphthalate
Concen: 51.345 ng
RT: 12.010 min Scan# 1669
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:149 Resp: 1008389

Ion	Ratio	Lower	Upper
149	100		
150	9.5	7.4	11.0
104	4.8	3.8	5.8





#75
Fluoranthene
Concen: 45.641 ng
RT: 12.663 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:202 Resp: 1074315

Ion	Ratio	Lower	Upper
202	100		
101	13.0	0.0	33.2
203	18.1	0.0	37.6





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.092 min Scan# 2023
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:240 Resp: 286106

Ion	Ratio	Lower	Upper
240	100		
120	11.8	9.0	13.6
236	25.0	19.9	29.9





#77
Benzidine
Concen: 50.186 ng
RT: 12.780 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:184 Resp: 392548

Ion	Ratio	Lower	Upper
184	100		
185	15.4	12.8	19.2
183	11.7	9.3	13.9





#78
Pyrene
Concen: 45.078 ng
RT: 12.898 min Scan# 1820
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:202 Resp: 1081940

Ion	Ratio	Lower	Upper
202	100		
200	21.2	16.8	25.2
203	17.5	14.2	21.4





#79
Terphenyl-d14
Concen: 87.090 ng
RT: 13.033 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:244 Resp: 1395642

Ion	Ratio	Lower	Upper
244	100		
212	6.7	5.1	7.7
122	10.9	8.9	13.3





#80
Butylbenzylphthalate
Concen: 48.268 ng
RT: 13.504 min Scan# 1923
Delta R.T. -0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:149 Resp: 229034

Ion	Ratio	Lower	Upper
149	100		
91	73.9	58.8	88.2
206	21.3	16.4	24.6





#81
Benzo(a)anthracene
Concen: 48.327 ng
RT: 14.080 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:228 Resp: 878814

Ion	Ratio	Lower	Upper
228	100		
226	27.1	22.0	33.0
229	19.9	15.8	23.8





#82
3,3'-Dichlorobenzidine
Concen: 54.417 ng
RT: 14.039 min Scan# 2014
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:252 Resp: 267204

Ion	Ratio	Lower	Upper
252	100		
254	64.2	51.7	77.5
126	11.7	9.2	13.8





#83
Chrysene
Concen: 49.049 ng
RT: 14.116 min Scan# 2(
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:228 Resp: 831682

Ion	Ratio	Lower	Upper
228	100		
226	30.5	24.2	36.2
229	19.9	15.8	23.6





#84
Bis(2-ethylhexyl)phthalate
Concen: 48.921 ng
RT: 14.063 min Scan# 2018
Delta R.T. -0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:149 Resp: 341876

Ion	Ratio	Lower	Upper
149	100		
167	27.7	21.4	32.0
279	4.3	3.2	4.8





#85
Di-n-octyl phthalate
Concen: 48.572 ng
RT: 14.674 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:149 Resp: 675816

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	13.1	10.8	16.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.580 min Scan# 2276
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:264 Resp: 342458

Ion	Ratio	Lower	Upper
264	100		
260	23.2	18.7	28.1
265	21.4	17.2	25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 48.566 ng
RT: 17.110 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:276 Resp: 1191556

Ion	Ratio	Lower	Upper
276	100		
138	26.3	21.1	31.7
277	25.4	20.2	30.2





#88
Benzo(b)fluoranthene
Concen: 47.812 ng
RT: 15.145 min Scan# 2202
Delta R.T. 0.000 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:252 Resp: 895570

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.8	26.8
125	9.8	7.8	11.6





#89
Benzo(k)fluoranthene
Concen: 49.555 ng
RT: 15.174 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:252 Resp: 901937

Ion	Ratio	Lower	Upper
252	100		
253	22.4	17.6	26.4
125	10.3	8.4	12.6





#90
Benzo(a)pyrene
Concen: 49.098 ng
RT: 15.521 min Scan# 2266
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:252 Resp: 866161

Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.6	26.4
125	10.7	9.1	13.7





#91
Dibenzo(a,h)anthracene
Concen: 48.855 ng
RT: 17.121 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:278 Resp: 957602

Ion	Ratio	Lower	Upper
278	100		
139	17.3	14.0	21.0
279	23.9	19.4	29.0





#92
Benzo(g,h,i)perylene
Concen: 48.732 ng
RT: 17.568 min Scan# 2614
Delta R.T. 0.006 min
Lab File: BF143348.D
Acq: 12 Aug 2025 11:37

Tgt Ion:276 Resp: 962236

Ion	Ratio	Lower	Upper
276	100		
277	23.5	18.7	28.1
138	22.6	17.8	26.8



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143349.D
Acq On : 12 Aug 2025 12:07
Operator : RC/JU
Sample : SSTDICC060
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Quant Time: Aug 12 13:20:56 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	6.934	152	161554	20.000	ng		0.00
21) Naphthalene-d8	8.216	136	611608	20.000	ng		0.00
39) Acenaphthene-d10	9.969	164	320321	20.000	ng		0.00
64) Phenanthrene-d10	11.451	188	460173	20.000	ng		0.00
76) Chrysene-d12	14.092	240	273246	20.000	ng		0.00
86) Perylene-d12	15.586	264	337675	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.563	112	1115976	119.453	ng		0.00
7) Phenol-d6	6.569	99	1429946	119.357	ng		0.00
23) Nitrobenzene-d5	7.492	82	1251642	127.441	ng		0.00
42) 2,4,6-Tribromophenol	10.757	330	314370	134.290	ng		0.00
45) 2-Fluorobiphenyl	9.286	172	2021003	106.990	ng		0.00
79) Terphenyl-d14	13.033	244	1568868	102.507	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	2.763	88	296653	61.364	ng		100
3) Pyridine	3.534	79	808240	62.740	ng		99
4) n-Nitrosodimethylamine	3.481	42	375923	62.645	ng		99
6) Aniline	6.592	93	996754	59.015	ng	#	88
8) 2-Chlorophenol	6.722	128	616100	61.717	ng		98
9) Benzaldehyde	6.481	77	387880	48.985	ng		100
10) Phenol	6.581	94	840504	59.221	ng		91
11) bis(2-Chloroethyl)ether	6.663	93	619725	59.247	ng		99
12) 1,3-Dichlorobenzene	6.875	146	671800	58.344	ng		99
13) 1,4-Dichlorobenzene	6.951	146	661936	57.278	ng		100
14) 1,2-Dichlorobenzene	7.104	146	634447	57.835	ng		100
15) Benzyl Alcohol	7.075	79	531507	61.891	ng		99
16) 2,2'-oxybis(1-Chloropr...	7.198	45	1077772	57.714	ng		93
17) 2-Methylphenol	7.186	107	513134	60.895	ng		98
18) Hexachloroethane	7.445	117	225784	62.318	ng		100
19) n-Nitroso-di-n-propyla...	7.345	70	423943	57.269	ng		99
20) 3+4-Methylphenols	7.339	107	594674	58.354	ng		99
22) Acetophenone	7.339	105	765201	56.784	ng		98
24) Nitrobenzene	7.516	77	672780	63.075	ng		99
25) Isophorone	7.751	82	1195220	59.613	ng		99
26) 2-Nitrophenol	7.828	139	276412	63.401	ng		100
27) 2,4-Dimethylphenol	7.863	122	522594	62.476	ng		100
28) bis(2-Chloroethoxy)met...	7.957	93	726373	59.338	ng		99
29) 2,4-Dichlorophenol	8.075	162	512513	62.732	ng		99
30) 1,2,4-Trichlorobenzene	8.157	180	510824	59.275	ng		99
31) Naphthalene	8.239	128	1682766	57.179	ng		100
32) Benzoic acid	7.986	122	248714	62.282	ng		99
33) 4-Chloroaniline	8.281	127	632256	59.564	ng		99
34) Hexachlorobutadiene	8.357	225	314445	58.655	ng		99
35) Caprolactam	8.657	113	148587	64.696	ng		96
36) 4-Chloro-3-methylphenol	8.763	107	525032	61.301	ng		99
37) 2-Methylnaphthalene	8.928	142	1088275	56.249	ng		98
38) 1-Methylnaphthalene	9.028	142	1052909	56.505	ng		100
40) 1,2,4,5-Tetrachloroben...	9.092	216	516108	58.880	ng		99
41) Hexachlorocyclopentadiene	9.080	237	184941	61.485	ng		99
43) 2,4,6-Trichlorophenol	9.204	196	330076	66.369	ng		97

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143349.D
Acq On : 12 Aug 2025 12:07
Operator : RC/JU
Sample : SSTDICC060
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Quant Time: Aug 12 13:20:56 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) 2,4,5-Trichlorophenol	9.245	196	355498	63.299	ng		98
46) 1,1'-Biphenyl	9.392	154	1282862	56.642	ng		99
47) 2-Chloronaphthalene	9.416	162	1038548	58.223	ng		99
48) 2-Nitroaniline	9.504	65	322909	61.917	ng		98
49) Acenaphthylene	9.828	152	1481001	57.494	ng		99
50) Dimethylphthalate	9.680	163	1125050	60.109	ng		99
51) 2,6-Dinitrotoluene	9.745	165	224724	62.496	ng		99
52) Acenaphthene	10.004	154	977067	57.055	ng		99
53) 3-Nitroaniline	9.916	138	270085	70.462	ng		99
54) 2,4-Dinitrophenol	10.022	184	82451	62.319	ng	#	77
55) Dibenzofuran	10.175	168	1389556	56.379	ng		99
56) 4-Nitrophenol	10.075	139	186307	62.130	ng		99
57) 2,4-Dinitrotoluene	10.151	165	295520	61.944	ng		95
58) Fluorene	10.516	166	1046138	55.570	ng		99
59) 2,3,4,6-Tetrachlorophenol	10.292	232	265201	70.050	ng		99
60) Diethylphthalate	10.386	149	990716	59.094	ng		99
61) 4-Chlorophenyl-phenyle...	10.504	204	515436	56.664	ng		99
62) 4-Nitroaniline	10.527	138	242938	65.508	ng		98
63) Azobenzene	10.669	77	1104323	57.669	ng		98
65) 4,6-Dinitro-2-methylph...	10.563	198	119734	61.844	ng		98
66) n-Nitrosodiphenylamine	10.622	169	898967	59.328	ng		99
67) 4-Bromophenyl-phenylether	10.998	248	318696	60.555	ng		98
68) Hexachlorobenzene	11.069	284	341976	60.282	ng		100
69) Atrazine	11.145	200	250602	63.410	ng		98
70) Pentachlorophenol	11.263	266	165675	61.169	ng		98
71) Phenanthrene	11.480	178	1426848	56.831	ng		99
72) Anthracene	11.533	178	1459751	57.330	ng		100
73) Carbazole	11.680	167	1232939	56.857	ng		99
74) Di-n-butylphthalate	12.010	149	1127365	61.437	ng		100
75) Fluoranthene	12.669	202	1181812	53.737	ng		99
77) Benzidine	12.780	184	419198	56.115	ng		99
78) Pyrene	12.898	202	1196849	52.212	ng		100
80) Butylbenzylphthalate	13.504	149	283998	61.669	ng		98
81) Benzo(a)anthracene	14.080	228	1072649	61.763	ng		99
82) 3,3'-Dichlorobenzidine	14.039	252	313084	66.762	ng		99
83) Chrysene	14.121	228	937047	57.863	ng		100
84) Bis(2-ethylhexyl)phtha...	14.068	149	426553	62.688	ng		98
85) Di-n-octyl phthalate	14.680	149	856960	62.516	ng		99
87) Indeno(1,2,3-cd)pyrene	17.115	276	1462168	60.440	ng		100
88) Benzo(b)fluoranthene	15.145	252	1161807	62.905	ng		99
89) Benzo(k)fluoranthene	15.180	252	1035022	57.673	ng		99
90) Benzo(a)pyrene	15.521	252	1052580	60.510	ng		100
91) Dibenzo(a,h)anthracene	17.127	278	1170363	60.556	ng		99
92) Benzo(g,h,i)perylene	17.574	276	1182985	60.761	ng		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143349.D
Acq On : 12 Aug 2025 12:07
Operator : RC/JU
Sample : SSTDICC060
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Quant Time: Aug 12 13:20:56 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:152 Resp: 161554

Ion	Ratio	Lower	Upper
152	100		
150	160.3	129.8	194.8
115	59.3	47.8	71.8





#2
1,4-Dioxane
Concen: 61.364 ng
RT: 2.763 min Scan# 97
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion: 88 Resp: 296653

Ion	Ratio	Lower	Upper
88	100		
58	88.5	71.0	106.6
43	33.6	27.0	40.6





#3
Pyridine
Concen: 62.740 ng
RT: 3.534 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 79 Resp: 808240

Ion	Ratio	Lower	Upper
79	100		
52	84.8	68.7	103.1
51	41.2	33.4	50.0





#4
n-Nitrosodimethylamine
Concen: 62.645 ng
RT: 3.481 min Scan# 219
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion: 42 Resp: 375923

Ion	Ratio	Lower	Upper
42	100		
74	118.2	94.1	141.1
44	7.4	6.5	9.7





#5
2-Fluorophenol
Concen: 119.453 ng
RT: 5.563 min Scan# 5
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:112 Resp: 1115976

Ion	Ratio	Lower	Upper
112	100		
64	65.9	52.1	78.1
63	33.5	26.6	39.8





#6
Aniline
Concen: 59.015 ng
RT: 6.592 min Scan# 748
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion: 93 Resp: 996754

Ion	Ratio	Lower	Upper
93	100		
66	51.6	35.3	52.9
65	28.3	18.2	27.4#





#7
Phenol-d6
Concen: 119.357 ng
RT: 6.569 min Scan# 7
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 99 Resp: 1429946

Ion	Ratio	Lower	Upper
99	100		
42	20.7	16.6	25.0
71	32.6	26.2	39.2





#8
2-Chlorophenol
Concen: 61.717 ng
RT: 6.722 min Scan# 770
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:128 Resp: 616100

Ion	Ratio	Lower	Upper
128	100		
130	32.7	12.6	52.6
64	54.0	36.7	76.7





#9
Benzaldehyde
Concen: 48.985 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 77 Resp: 387880

Ion	Ratio	Lower	Upper
77	100		
105	93.9	74.2	114.2
106	91.6	72.2	112.2





#10
Phenol
Concen: 59.221 ng
RT: 6.581 min Scan# 746
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion: 94 Resp: 840504

Ion	Ratio	Lower	Upper
94	100		
65	35.2	12.0	52.0
66	52.7	25.6	65.6





#11
bis(2-Chloroethyl)ether
Concen: 59.247 ng
RT: 6.663 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 93 Resp: 619725

Ion	Ratio	Lower	Upper
93	100		
63	87.2	65.7	105.7
95	33.0	13.0	53.0





#12
1,3-Dichlorobenzene
Concen: 58.344 ng
RT: 6.875 min Scan# 796
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:146 Resp: 671800

Ion	Ratio	Lower	Upper
146	100		
148	63.5	50.5	75.7
75	31.9	24.9	37.3





#13
1,4-Dichlorobenzene
Concen: 57.278 ng
RT: 6.951 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:146 Resp: 661936

Ion	Ratio	Lower	Upper
146	100		
148	64.2	51.4	77.0
111	41.4	32.6	48.8





#14
1,2-Dichlorobenzene
Concen: 57.835 ng
RT: 7.104 min Scan# 835
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:146 Resp: 634447

Ion	Ratio	Lower	Upper
146	100		
148	64.7	51.4	77.2
111	42.7	34.1	51.1





#15
Benzyl Alcohol
Concen: 61.891 ng
RT: 7.075 min Scan# 8
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 79 Resp: 531507

Ion	Ratio	Lower	Upper
79	100		
108	77.9	61.5	92.3
77	61.2	49.8	74.8





#16
2,2'-oxybis(1-Chloropropane)
Concen: 57.714 ng
RT: 7.198 min Scan# 851
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion: 45 Resp: 1077772

Ion	Ratio	Lower	Upper
45	100		
77	16.9	0.0	34.0
79	13.8	0.0	31.1





#17
2-Methylphenol
Concen: 60.895 ng
RT: 7.186 min Scan# 84
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:107 Resp: 513134

Ion	Ratio	Lower	Upper
107	100		
108	115.9	92.0	138.0
77	51.0	38.2	57.2
79	49.6	37.9	56.9





#18
Hexachloroethane
Concen: 62.318 ng
RT: 7.445 min Scan# 893
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:117 Resp: 225784

Ion	Ratio	Lower	Upper
117	100		
119	94.6	75.8	113.8
201	95.9	77.2	115.8





#19
n-Nitroso-di-n-propylamine
Concen: 57.269 ng
RT: 7.345 min Scan# 8
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 70 Resp: 423943

Ion	Ratio	Lower	Upper
70	100		
42	64.1	51.6	77.4
101	9.6	7.5	11.3
130	20.4	15.8	23.6





#20
3+4-Methylphenols
Concen: 58.354 ng
RT: 7.339 min Scan# 875
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:107 Resp: 594674

Ion	Ratio	Lower	Upper
107	100		
108	91.1	70.6	110.6
77	132.5	112.0	152.0
79	30.2	9.9	49.9





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.216 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:136 Resp: 611608

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	13.0
54	10.1	8.4	12.6
68	7.2	5.9	8.9





#22
Acetophenone
Concen: 56.784 ng
RT: 7.339 min Scan# 875
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:105 Resp: 765201

Ion	Ratio	Lower	Upper
105	100		
71	7.5	6.2	9.4
51	41.6	34.8	52.2
120	22.3	17.9	26.9





#23
Nitrobenzene-d5
Concen: 127.441 ng
RT: 7.492 min Scan# 9(
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 82 Resp: 1251642

Ion	Ratio	Lower	Upper
82	100		
128	42.5	33.5	50.3
54	58.5	46.7	70.1





#24
Nitrobenzene
Concen: 63.075 ng
RT: 7.516 min Scan# 905
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion: 77 Resp: 672780

Ion	Ratio	Lower	Upper
77	100		
123	44.6	34.8	52.2
65	13.8	11.0	16.6





#25
Isophorone
Concen: 59.613 ng
RT: 7.751 min Scan# 94
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 82 Resp: 1195220

Ion	Ratio	Lower	Upper
82	100		
95	6.9	5.5	8.3
138	17.6	14.6	21.8





#26
2-Nitrophenol
Concen: 63.401 ng
RT: 7.828 min Scan# 958
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:139 Resp: 276412

Ion	Ratio	Lower	Upper
139	100		
109	28.5	22.4	33.6
65	53.8	42.9	64.3





#27
2,4-Dimethylphenol
Concen: 62.476 ng
RT: 7.863 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:122 Resp: 522594

Ion	Ratio	Lower	Upper
122	100		
107	112.9	89.9	134.9
121	57.7	46.2	69.4





#28
bis(2-Chloroethoxy)methane
Concen: 59.338 ng
RT: 7.957 min Scan# 980
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion: 93 Resp: 726373

Ion	Ratio	Lower	Upper
93	100		
95	32.4	26.2	39.4
123	11.4	9.4	14.2





#29
2,4-Dichlorophenol
Concen: 62.732 ng
RT: 8.075 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:162 Resp: 512513

Ion	Ratio	Lower	Upper
162	100		
164	63.9	44.5	84.5
98	36.1	17.7	57.7





#30
1,2,4-Trichlorobenzene
Concen: 59.275 ng
RT: 8.157 min Scan# 1014
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:180 Resp: 510824

Ion	Ratio	Lower	Upper
180	100		
182	94.2	76.1	114.1
145	30.0	24.9	37.3





#31
Naphthalene
Concen: 57.179 ng
RT: 8.239 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:128 Resp: 1682766

Ion	Ratio	Lower	Upper
128	100		
129	11.4	9.0	13.6
127	13.3	10.7	16.1





#32
Benzoic acid
Concen: 62.282 ng
RT: 7.986 min Scan# 985
Delta R.T. 0.017 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:122 Resp: 248714

Ion	Ratio	Lower	Upper
122	100		
105	125.9	106.4	146.4
77	98.1	79.2	119.2





#33
4-Chloroaniline
Concen: 59.564 ng
RT: 8.281 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:127 Resp: 632256

Ion	Ratio	Lower	Upper
127	100		
129	32.6	26.0	39.0
65	34.5	27.0	40.4
92	20.7	16.2	24.2





#34
Hexachlorobutadiene
Concen: 58.655 ng
RT: 8.357 min Scan# 1048
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:225 Resp: 314445

Ion	Ratio	Lower	Upper
225	100		
223	63.1	50.1	75.1
227	64.6	50.6	75.8





#35
Caprolactam
Concen: 64.696 ng
RT: 8.657 min Scan# 1
Delta R.T. 0.012 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:113 Resp: 148587

Ion	Ratio	Lower	Upper
113	100		
55	207.6	181.4	221.4
56	152.0	127.3	167.3





#36
4-Chloro-3-methylphenol
Concen: 61.301 ng
RT: 8.763 min Scan# 1117
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:107 Resp: 525032

Ion	Ratio	Lower	Upper
107	100		
144	25.0	20.0	30.0
142	77.2	61.3	91.9





#37
2-Methylnaphthalene
Concen: 56.249 ng
RT: 8.928 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:142 Resp: 1088275

Ion	Ratio	Lower	Upper
142	100		
141	88.9	69.8	104.8





#38
1-Methylnaphthalene
Concen: 56.505 ng
RT: 9.028 min Scan# 1162
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:142 Resp: 1052909

Ion	Ratio	Lower	Upper
142	100		
141	91.6	73.0	109.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:164 Resp: 320321

Ion	Ratio	Lower	Upper
164	100		
162	98.6	78.6	118.0
160	43.2	34.4	51.6





#40
1,2,4,5-Tetrachlorobenzene
Concen: 58.880 ng
RT: 9.092 min Scan# 1173
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:216 Resp: 516108

Ion	Ratio	Lower	Upper
216	100		
214	79.3	63.0	94.4
179	21.2	17.0	25.4
108	18.6	14.6	22.0





#41
Hexachlorocyclopentadiene
Concen: 61.485 ng
RT: 9.080 min Scan# 11
Delta R.T. -0.001 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:237 Resp: 184941

Ion	Ratio	Lower	Upper
237	100		
235	62.8	42.0	82.0
272	12.8	0.0	32.6





#42
2,4,6-Tribromophenol
Concen: 134.290 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:330 Resp: 314370

Ion	Ratio	Lower	Upper
330	100		
332	97.6	78.1	117.1
141	29.3	25.4	38.0





#43
2,4,6-Trichlorophenol
Concen: 66.369 ng
RT: 9.204 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:196 Resp: 330076

Ion	Ratio	Lower	Upper
196	100		
198	97.7	75.4	113.0
200	31.8	24.3	36.5





#44
2,4,5-Trichlorophenol
Concen: 63.299 ng
RT: 9.245 min Scan# 1199
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:196 Resp: 355498

Ion	Ratio	Lower	Upper
196	100		
198	95.9	75.4	113.2
97	52.1	39.9	59.9
132	29.0	22.6	33.8





#45
2-Fluorobiphenyl
Concen: 106.990 ng
RT: 9.286 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:172 Resp: 2021003

Ion	Ratio	Lower	Upper
172	100		
171	36.3	28.4	42.6
170	24.1	19.1	28.7





#46
1,1'-Biphenyl
Concen: 56.642 ng
RT: 9.392 min Scan# 1224
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:154 Resp: 1282862

Ion	Ratio	Lower	Upper
154	100		
153	40.9	20.2	60.2
76	14.2	0.0	34.4





#47
2-Chloronaphthalene
Concen: 58.223 ng
RT: 9.416 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:162 Resp: 1038548

Ion	Ratio	Lower	Upper
162	100		
127	39.9	32.1	48.1
164	33.1	27.0	40.4





#48
2-Nitroaniline
Concen: 61.917 ng
RT: 9.504 min Scan# 1243
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion: 65 Resp: 322909

Ion	Ratio	Lower	Upper
65	100		
92	65.8	53.1	79.7
138	99.2	81.4	122.0





#49
Acenaphthylene
Concen: 57.494 ng
RT: 9.828 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:152 Resp: 1481001

Ion	Ratio	Lower	Upper
152	100		
151	20.6	16.2	24.2
153	13.4	10.6	16.0





#50
Dimethylphthalate
Concen: 60.109 ng
RT: 9.680 min Scan# 1273
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:163 Resp: 1125050

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.3	4.9
164	10.5	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 62.496 ng
RT: 9.745 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:165 Resp: 224724

Ion	Ratio	Lower	Upper
165	100		
63	65.0	51.6	77.4
89	58.4	47.7	71.5





#52
Acenaphthene
Concen: 57.055 ng
RT: 10.004 min Scan# 1328
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:154 Resp: 977067

Ion	Ratio	Lower	Upper
154	100		
153	111.7	88.5	132.7
152	53.1	42.4	63.6





#53
3-Nitroaniline
Concen: 70.462 ng
RT: 9.916 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:138 Resp: 270085

Ion	Ratio	Lower	Upper
138	100		
108	11.3	9.6	14.4
92	115.8	93.4	140.2





#54
2,4-Dinitrophenol
Concen: 62.319 ng
RT: 10.022 min Scan# 1331
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:184 Resp: 82451

Ion	Ratio	Lower	Upper
184	100		
63	81.0	62.5	93.7
154	128.7	73.0	109.4#





#55
Dibenzofuran
Concen: 56.379 ng
RT: 10.175 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:168 Resp: 1389556

Ion	Ratio	Lower	Upper
168	100		
139	37.6	29.4	44.0
169	13.8	11.0	16.6





#56
4-Nitrophenol
Concen: 62.130 ng
RT: 10.075 min Scan# 1340
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:139 Resp: 186307

Ion	Ratio	Lower	Upper
139	100		
109	68.0	49.4	89.4
65	104.1	83.7	123.7





#57
2,4-Dinitrotoluene
Concen: 61.944 ng
RT: 10.151 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:165 Resp: 295520

Ion	Ratio	Lower	Upper
165	100		
63	50.0	41.8	62.8
89	73.0	62.4	93.6
182	2.8	2.2	3.2





#58
Fluorene
Concen: 55.570 ng
RT: 10.516 min Scan# 1415
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:166 Resp: 1046138

Ion	Ratio	Lower	Upper
166	100		
165	96.6	78.2	117.4
167	13.6	10.9	16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 70.050 ng
RT: 10.292 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:232 Resp: 265201

Ion	Ratio	Lower	Upper
232	100		
131	42.0	34.6	51.8
130	2.1	1.7	2.5
166	28.8	23.4	35.0





#60
Diethylphthalate
Concen: 59.094 ng
RT: 10.386 min Scan# 1393
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:149 Resp: 990716

Ion	Ratio	Lower	Upper
149	100		
177	23.4	18.2	27.2
150	12.9	9.9	14.9





#61
4-Chlorophenyl-phenylether
Concen: 56.664 ng
RT: 10.504 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:204 Resp: 515436

Ion	Ratio	Lower	Upper
204	100		
206	33.8	27.4	41.2
141	59.8	46.9	70.3





#62
4-Nitroaniline
Concen: 65.508 ng
RT: 10.527 min Scan# 1417
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:138 Resp: 242938

Ion	Ratio	Lower	Upper
138	100		
92	52.2	31.2	71.2
108	69.5	48.1	88.1





#63
Azobenzene
Concen: 57.669 ng
RT: 10.669 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 77 Resp: 1104323

Ion	Ratio	Lower	Upper
77	100		
182	26.0	4.4	44.4
105	22.1	1.8	41.8
51	33.2	13.7	53.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:188 Resp: 460173

Ion	Ratio	Lower	Upper
188	100		
94	11.4	8.8	13.2
80	11.9	9.7	14.5





#65
4,6-Dinitro-2-methylphenol
Concen: 61.844 ng
RT: 10.563 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:198 Resp: 119734

Ion	Ratio	Lower	Upper
198	100		
51	59.2	41.7	81.7
105	45.8	26.8	66.8





#66
n-Nitrosodiphenylamine
Concen: 59.328 ng
RT: 10.622 min Scan# 1433
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:169 Resp: 898967

Ion	Ratio	Lower	Upper
169	100		
168	66.2	52.7	79.1
167	36.9	28.6	42.8





#67
4-Bromophenyl-phenylether
Concen: 60.555 ng
RT: 10.998 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:248 Resp: 318696

Ion	Ratio	Lower	Upper
248	100		
250	98.0	77.1	115.7
141	70.8	59.1	88.7





#68
Hexachlorobenzene
Concen: 60.282 ng
RT: 11.069 min Scan# 1509
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:284 Resp: 341976

Ion	Ratio	Lower	Upper
284	100		
142	32.0	25.7	38.5
249	31.1	24.6	37.0





#69
Atrazine
Concen: 63.410 ng
RT: 11.145 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:200 Resp: 250602

Ion	Ratio	Lower	Upper
200	100		
173	27.0	6.6	46.6
215	48.9	30.6	70.6





#70
Pentachlorophenol
Concen: 61.169 ng
RT: 11.263 min Scan# 1542
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:266 Resp: 165675

Ion	Ratio	Lower	Upper
266	100		
268	62.8	48.8	73.2
264	61.5	48.8	73.2





#71
Phenanthrene
Concen: 56.831 ng
RT: 11.480 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:178 Resp: 1426848

Ion	Ratio	Lower	Upper
178	100		
176	19.8	15.5	23.3
179	15.9	12.5	18.7





#72
Anthracene
Concen: 57.330 ng
RT: 11.533 min Scan# 1588
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:178 Resp: 1459751

Ion	Ratio	Lower	Upper
178	100		
176	18.8	15.1	22.7
179	15.7	12.7	19.1





#73
Carbazole
Concen: 56.857 ng
RT: 11.680 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:167 Resp: 1232939

Ion	Ratio	Lower	Upper
167	100		
166	21.5	16.8	25.2
139	13.0	10.2	15.2





#74
Di-n-butylphthalate
Concen: 61.437 ng
RT: 12.010 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:149 Resp: 1127365

Ion	Ratio	Lower	Upper
149	100		
150	9.3	7.4	11.0
104	4.8	3.8	5.8





#75
Fluoranthene
Concen: 53.737 ng
RT: 12.669 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:202 Resp: 1181812

Ion	Ratio	Lower	Upper
202	100		
101	12.6	0.0	33.2
203	18.0	0.0	37.6





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.092 min Scan# 2023
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:240 Resp: 273246

Ion	Ratio	Lower	Upper
240	100		
120	11.7	9.0	13.6
236	25.6	19.9	29.9





#77
Benzidine
Concen: 56.115 ng
RT: 12.780 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:184 Resp: 419198

Ion	Ratio	Lower	Upper
184	100		
185	15.5	12.8	19.2
183	11.5	9.3	13.9





#78
Pyrene
Concen: 52.212 ng
RT: 12.898 min Scan# 1820
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:202 Resp: 1196849

Ion	Ratio	Lower	Upper
202	100		
200	21.3	16.8	25.2
203	17.9	14.2	21.4





#79
Terphenyl-d14
Concen: 102.507 ng
RT: 13.033 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:244 Resp: 1568868

Ion	Ratio	Lower	Upper
244	100		
212	6.7	5.1	7.7
122	11.3	8.9	13.3





#80
Butylbenzylphthalate
Concen: 61.669 ng
RT: 13.504 min Scan# 1923
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:149 Resp: 283998

Ion	Ratio	Lower	Upper
149	100		
91	75.5	58.8	88.2
206	21.2	16.4	24.6





#81
Benzo(a)anthracene
Concen: 61.763 ng
RT: 14.080 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:228 Resp: 1072649

Ion	Ratio	Lower	Upper
228	100		
226	27.2	22.0	33.0
229	20.1	15.8	23.8





#82
3,3'-Dichlorobenzidine
Concen: 66.762 ng
RT: 14.039 min Scan# 2014
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:252 Resp: 313084

Ion	Ratio	Lower	Upper
252	100		
254	65.2	51.7	77.5
126	11.7	9.2	13.8





#83
Chrysene
Concen: 57.863 ng
RT: 14.121 min Scan# 2(
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:228 Resp: 937047

Ion	Ratio	Lower	Upper
228	100		
226	30.2	24.2	36.2
229	19.8	15.8	23.6





#84
Bis(2-ethylhexyl)phthalate
Concen: 62.688 ng
RT: 14.068 min Scan# 2019
Delta R.T. 0.005 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:149 Resp: 426553

Ion	Ratio	Lower	Upper
149	100		
167	27.8	21.4	32.0
279	4.4	3.2	4.8





#85
Di-n-octyl phthalate
Concen: 62.516 ng
RT: 14.680 min Scan# 21
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:149 Resp: 856960

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.3	1.9
43	12.9	10.8	16.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.586 min Scan# 2277
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:264 Resp: 337675

Ion	Ratio	Lower	Upper
264	100		
260	23.0	18.7	28.1
265	21.7	17.2	25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 60.440 ng
RT: 17.115 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:276 Resp: 1462168

Ion	Ratio	Lower	Upper
276	100		
138	26.0	21.1	31.7
277	25.2	20.2	30.2





#88
Benzo(b)fluoranthene
Concen: 62.905 ng
RT: 15.145 min Scan# 2202
Delta R.T. -0.000 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:252 Resp: 1161807

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.8	26.8
125	10.3	7.8	11.6





#89
Benzo(k)fluoranthene
Concen: 57.673 ng
RT: 15.180 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:252 Resp: 1035022

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.6	26.4
125	9.5	8.4	12.6





#90
Benzo(a)pyrene
Concen: 60.510 ng
RT: 15.521 min Scan# 2266
Delta R.T. 0.006 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:252 Resp: 1052580

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.6	26.4
125	11.3	9.1	13.7





#91
Dibenzo(a,h)anthracene
Concen: 60.556 ng
RT: 17.127 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:278 Resp: 1170363

Ion	Ratio	Lower	Upper
278	100		
139	16.9	14.0	21.0
279	23.7	19.4	29.0





#92
Benzo(g,h,i)perylene
Concen: 60.761 ng
RT: 17.574 min Scan# 2615
Delta R.T. 0.012 min
Lab File: BF143349.D
Acq: 12 Aug 2025 12:07

Tgt Ion:276 Resp: 1182985

Ion	Ratio	Lower	Upper
276	100		
277	23.5	18.7	28.1
138	22.7	17.8	26.8



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143350.D
Acq On : 12 Aug 2025 12:38
Operator : RC/JU
Sample : SSTDICC080
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Quant Time: Aug 12 13:21:44 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	161665	20.000	ng	0.00
21) Naphthalene-d8	8.216	136	625065	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	322984	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	448378	20.000	ng	0.00
76) Chrysene-d12	14.098	240	287871	20.000	ng	0.00
86) Perylene-d12	15.586	264	348017	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	1409194	150.735	ng	0.00
7) Phenol-d6	6.569	99	1792088	149.482	ng	0.00
23) Nitrobenzene-d5	7.498	82	1619091	161.306	ng	0.00
42) 2,4,6-Tribromophenol	10.763	330	411864	174.486	ng	0.00
45) 2-Fluorobiphenyl	9.292	172	2457872	129.045	ng	0.00
79) Terphenyl-d14	13.039	244	1935761	120.053	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.757	88	379076	78.360	ng	99
3) Pyridine	3.534	79	1042960	80.904	ng	98
4) n-Nitrosodimethylamine	3.493	42	494211	82.300	ng	99
6) Aniline	6.598	93	1263279	74.743	ng	95
8) 2-Chlorophenol	6.722	128	793255	79.409	ng	98
10) Phenol	6.586	94	1037512	73.052	ng	76
11) bis(2-Chloroethyl)ether	6.669	93	798392	76.275	ng	100
12) 1,3-Dichlorobenzene	6.875	146	830769	72.101	ng	98
13) 1,4-Dichlorobenzene	6.951	146	837059	72.382	ng	99
14) 1,2-Dichlorobenzene	7.104	146	806180	73.439	ng	100
15) Benzyl Alcohol	7.075	79	697448	81.158	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.204	45	1335184	71.450	ng	98
17) 2-Methylphenol	7.186	107	654221	77.585	ng	98
18) Hexachloroethane	7.445	117	286839	79.115	ng	99
19) n-Nitroso-di-n-propyla...	7.351	70	541387	73.083	ng	98
20) 3+4-Methylphenols	7.339	107	727332	71.322	ng	93
22) Acetophenone	7.345	105	952975	69.195	ng	97
24) Nitrobenzene	7.516	77	868093	79.634	ng	99
25) Isophorone	7.757	82	1574935	76.861	ng	99
26) 2-Nitrophenol	7.828	139	376225	83.229	ng	99
27) 2,4-Dimethylphenol	7.869	122	667248	78.052	ng	99
28) bis(2-Chloroethoxy)met...	7.957	93	921854	73.686	ng	99
29) 2,4-Dichlorophenol	8.075	162	654545	78.392	ng	99
30) 1,2,4-Trichlorobenzene	8.157	180	649172	73.707	ng	99
31) Naphthalene	8.239	128	2098892	69.783	ng	99
32) Benzoic acid	8.004	122	354618	78.960	ng	99
33) 4-Chloroaniline	8.280	127	816103	75.228	ng	99
34) Hexachlorobutadiene	8.357	225	403199	73.592	ng	100
35) Caprolactam	8.669	113	197571	84.172	ng	97
36) 4-Chloro-3-methylphenol	8.769	107	674001	77.000	ng	98
37) 2-Methylnaphthalene	8.927	142	1370352	69.303	ng	99
38) 1-Methylnaphthalene	9.027	142	1328881	69.780	ng	100
40) 1,2,4,5-Tetrachloroben...	9.098	216	644623	72.936	ng	100
41) Hexachlorocyclopentadiene	9.086	237	259048	82.835	ng	99
43) 2,4,6-Trichlorophenol	9.204	196	437022	87.149	ng	100
44) 2,4,5-Trichlorophenol	9.251	196	466807	82.433	ng	99

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143350.D
Acq On : 12 Aug 2025 12:38
Operator : RC/JU
Sample : SSTDICC080
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Quant Time: Aug 12 13:21:44 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
46) 1,1'-Biphenyl	9.392	154	1580379	69.203	ng		99
47) 2-Chloronaphthalene	9.416	162	1295723	72.042	ng		99
48) 2-Nitroaniline	9.510	65	426490	80.247	ng		98
49) Acenaphthylene	9.833	152	1865988	71.842	ng		100
50) Dimethylphthalate	9.686	163	1425124	75.513	ng		100
51) 2,6-Dinitrotoluene	9.751	165	294018	80.211	ng		95
52) Acenaphthene	10.004	154	1221046	70.714	ng		99
53) 3-Nitroaniline	9.922	138	343541	88.887	ng		98
54) 2,4-Dinitrophenol	10.027	184	118753	79.041	ng	#	84
55) Dibenzofuran	10.174	168	1738835	69.969	ng		98
56) 4-Nitrophenol	10.080	139	245374	79.477	ng		97
57) 2,4-Dinitrotoluene	10.151	165	383533	78.864	ng		97
58) Fluorene	10.522	166	1273759	67.103	ng		99
59) 2,3,4,6-Tetrachlorophenol	10.292	232	349157	91.466	ng		98
60) Diethylphthalate	10.386	149	1258798	74.465	ng		99
61) 4-Chlorophenyl-phenyle...	10.510	204	643793	70.191	ng		98
62) 4-Nitroaniline	10.533	138	312667	83.616	ng		98
63) Azobenzene	10.669	77	1376109	71.269	ng		98
65) 4,6-Dinitro-2-methylph...	10.569	198	162929	83.490	ng		93
66) n-Nitrosodiphenylamine	10.627	169	1124872	76.190	ng		100
67) 4-Bromophenyl-phenylether	10.998	248	405148	79.007	ng		97
68) Hexachlorobenzene	11.074	284	431148	78.001	ng		96
69) Atrazine	11.151	200	309748	80.438	ng		99
70) Pentachlorophenol	11.263	266	218250	80.616	ng		97
71) Phenanthrene	11.480	178	1745493	71.351	ng		99
72) Anthracene	11.533	178	1758274	70.871	ng		100
73) Carbazole	11.686	167	1479652	70.029	ng		99
74) Di-n-butylphthalate	12.010	149	1398975	78.244	ng		100
75) Fluoranthene	12.668	202	1470742	68.634	ng		99
77) Benzidine	12.786	184	500314	63.571	ng		98
78) Pyrene	12.898	202	1513789	62.684	ng		99
80) Butylbenzylphthalate	13.510	149	413801	84.007	ng		98
81) Benzo(a)anthracene	14.086	228	1387766	75.847	ng		100
82) 3,3'-Dichlorobenzidine	14.045	252	412736	83.540	ng		99
83) Chrysene	14.121	228	1263816	74.077	ng		98
84) Bis(2-ethylhexyl)phtha...	14.068	149	611031	83.803	ng		98
85) Di-n-octyl phthalate	14.680	149	1205873	81.478	ng		98
87) Indeno(1,2,3-cd)pyrene	17.121	276	1963736	78.760	ng		99
88) Benzo(b)fluoranthene	15.151	252	1467752	77.108	ng		99
89) Benzo(k)fluoranthene	15.180	252	1429731	77.299	ng		99
90) Benzo(a)pyrene	15.527	252	1403212	78.270	ng		99
91) Dibenzo(a,h)anthracene	17.133	278	1523387	76.479	ng		99
92) Benzo(g,h,i)perylene	17.580	276	1563773	77.932	ng		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143350.D
Acq On : 12 Aug 2025 12:38
Operator : RC/JU
Sample : SSTDICC080
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Quant Time: Aug 12 13:21:44 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:152 Resp: 161665

Ion	Ratio	Lower	Upper
152	100		
150	162.4	129.8	194.8
115	60.0	47.8	71.8





#2
1,4-Dioxane
Concen: 78.360 ng
RT: 2.757 min Scan# 96
Delta R.T. -0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion: 88 Resp: 379076

Ion	Ratio	Lower	Upper
88	100		
58	88.3	71.0	106.6
43	33.1	27.0	40.6





#3
Pyridine
Concen: 80.904 ng
RT: 3.534 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 79 Resp: 1042960

Ion	Ratio	Lower	Upper
79	100		
52	84.2	68.7	103.1
51	40.7	33.4	50.0





#4
n-Nitrosodimethylamine
Concen: 82.300 ng
RT: 3.493 min Scan# 221
Delta R.T. 0.017 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion: 42 Resp: 494211

Ion	Ratio	Lower	Upper
42	100		
74	118.6	94.1	141.1
44	7.3	6.5	9.7





#5
2-Fluorophenol
Concen: 150.735 ng
RT: 5.563 min Scan# 5
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:112 Resp: 1409194

Ion	Ratio	Lower	Upper
112	100		
64	66.1	52.1	78.1
63	34.0	26.6	39.8





#6
Aniline
Concen: 74.743 ng
RT: 6.598 min Scan# 749
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion: 93 Resp: 1263279

Ion	Ratio	Lower	Upper
93	100		
66	47.1	35.3	52.9
65	25.2	18.2	27.4





#7
Phenol-d6
Concen: 149.482 ng
RT: 6.569 min Scan# 7
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 99 Resp: 1792088

Ion	Ratio	Lower	Upper
99	100		
42	20.7	16.6	25.0
71	33.4	26.2	39.2





#8
2-Chlorophenol
Concen: 79.409 ng
RT: 6.722 min Scan# 770
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:128 Resp: 793255

Ion	Ratio	Lower	Upper
128	100		
130	32.7	12.6	52.6
64	54.5	36.7	76.7





#10
Phenol
Concen: 73.052 ng
RT: 6.586 min Scan# 74
Delta R.T. 0.012 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 94 Resp: 1037512

Ion	Ratio	Lower	Upper
94	100		
65	41.2	12.0	52.0
66	64.5	25.6	65.6





#11
bis(2-Chloroethyl)ether
Concen: 76.275 ng
RT: 6.669 min Scan# 761
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion: 93 Resp: 798392

Ion	Ratio	Lower	Upper
93	100		
63	85.7	65.7	105.7
95	32.7	13.0	53.0





#12
1,3-Dichlorobenzene
Concen: 72.101 ng
RT: 6.875 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:146 Resp: 830769

Ion	Ratio	Lower	Upper
146	100		
148	64.5	50.5	75.7
75	32.3	24.9	37.3





#13
1,4-Dichlorobenzene
Concen: 72.382 ng
RT: 6.951 min Scan# 809
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:146 Resp: 837059

Ion	Ratio	Lower	Upper
146	100		
148	63.6	51.4	77.0
111	41.3	32.6	48.8





#14
1,2-Dichlorobenzene
Concen: 73.439 ng
RT: 7.104 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:146 Resp: 806180

Ion	Ratio	Lower	Upper
146	100		
148	63.8	51.4	77.2
111	42.7	34.1	51.1





#15
Benzyl Alcohol
Concen: 81.158 ng
RT: 7.075 min Scan# 830
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion: 79 Resp: 697448

Ion	Ratio	Lower	Upper
79	100		
108	77.5	61.5	92.3
77	61.1	49.8	74.8





#16
2,2'-oxybis(1-Chloropropane)
Concen: 71.450 ng
RT: 7.204 min Scan# 8
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 45 Resp: 1335184

Ion	Ratio	Lower	Upper
45	100		
77	15.0	0.0	34.0
79	11.8	0.0	31.1





#17
2-Methylphenol
Concen: 77.585 ng
RT: 7.186 min Scan# 849
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:107 Resp: 654221

Ion	Ratio	Lower	Upper
107	100		
108	115.0	92.0	138.0
77	50.5	38.2	57.2
79	49.6	37.9	56.9





#18
Hexachloroethane
Concen: 79.115 ng
RT: 7.445 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:117 Resp: 286839

Ion	Ratio	Lower	Upper
117	100		
119	95.2	75.8	113.8
201	98.0	77.2	115.8





#19
n-Nitroso-di-n-propylamine
Concen: 73.083 ng
RT: 7.351 min Scan# 877
Delta R.T. 0.012 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion: 70 Resp: 541387

Ion	Ratio	Lower	Upper
70	100		
42	62.7	51.6	77.4
101	9.4	7.5	11.3
130	20.7	15.8	23.6





#20
3+4-Methylphenols
Concen: 71.322 ng
RT: 7.339 min Scan# 8
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:107 Resp: 727332

Ion	Ratio	Lower	Upper
107	100		
108	90.3	70.6	110.6
77	117.5	112.0	152.0
79	29.6	9.9	49.9





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.216 min Scan# 1024
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:136 Resp: 625065

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	10.0	8.4	12.6
68	6.9	5.9	8.9





#22
Acetophenone
Concen: 69.195 ng
RT: 7.345 min Scan# 8
Delta R.T. 0.012 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:105 Resp: 952975

Ion	Ratio	Lower	Upper
105	100		
71	8.4	6.2	9.4
51	40.7	34.8	52.2
120	22.5	17.9	26.9





#23
Nitrobenzene-d5
Concen: 161.306 ng
RT: 7.498 min Scan# 902
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion: 82 Resp: 1619091

Ion	Ratio	Lower	Upper
82	100		
128	43.6	33.5	50.3
54	57.7	46.7	70.1





#24
Nitrobenzene
Concen: 79.634 ng
RT: 7.516 min Scan# 9
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 77 Resp: 868093

Ion	Ratio	Lower	Upper
77	100		
123	44.4	34.8	52.2
65	14.1	11.0	16.6





#25
Isophorone
Concen: 76.861 ng
RT: 7.757 min Scan# 946
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion: 82 Resp: 1574935

Ion	Ratio	Lower	Upper
82	100		
95	6.8	5.5	8.3
138	17.8	14.6	21.8





#26
2-Nitrophenol
Concen: 83.229 ng
RT: 7.828 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:139 Resp: 376225

Ion	Ratio	Lower	Upper
139	100		
109	28.8	22.4	33.6
65	54.2	42.9	64.3





#27
2,4-Dimethylphenol
Concen: 78.052 ng
RT: 7.869 min Scan# 965
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:122 Resp: 667248

Ion	Ratio	Lower	Upper
122	100		
107	114.0	89.9	134.9
121	58.7	46.2	69.4





#28
bis(2-Chloroethoxy)methane
Concen: 73.686 ng
RT: 7.957 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 93 Resp: 921854

Ion	Ratio	Lower	Upper
93	100		
95	33.0	26.2	39.4
123	11.3	9.4	14.2





#29
2,4-Dichlorophenol
Concen: 78.392 ng
RT: 8.075 min Scan# 1000
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:162 Resp: 654545

Ion	Ratio	Lower	Upper
162	100		
164	65.2	44.5	84.5
98	37.4	17.7	57.7





#30
1,2,4-Trichlorobenzene
Concen: 73.707 ng
RT: 8.157 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:180 Resp: 649172

Ion	Ratio	Lower	Upper
180	100		
182	95.6	76.1	114.1
145	30.0	24.9	37.3





#31
Naphthalene
Concen: 69.783 ng
RT: 8.239 min Scan# 1028
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:128 Resp: 2098892

Ion	Ratio	Lower	Upper
128	100		
129	11.6	9.0	13.6
127	13.6	10.7	16.1





#32
Benzoic acid
Concen: 78.960 ng
RT: 8.004 min Scan# 9
Delta R.T. 0.035 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:122 Resp: 354618

Ion	Ratio	Lower	Upper
122	100		
105	125.6	106.4	146.4
77	97.0	79.2	119.2





#33
4-Chloroaniline
Concen: 75.228 ng
RT: 8.280 min Scan# 1035
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:127 Resp: 816103

Ion	Ratio	Lower	Upper
127	100		
129	32.3	26.0	39.0
65	34.0	27.0	40.4
92	21.2	16.2	24.2





#34
Hexachlorobutadiene
Concen: 73.592 ng
RT: 8.357 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:225 Resp: 403199

Ion	Ratio	Lower	Upper
225	100		
223	63.0	50.1	75.1
227	63.3	50.6	75.8





#35
Caprolactam
Concen: 84.172 ng
RT: 8.669 min Scan# 1101
Delta R.T. 0.023 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:113 Resp: 197571

Ion	Ratio	Lower	Upper
113	100		
55	205.3	181.4	221.4
56	151.6	127.3	167.3





#36
4-Chloro-3-methylphenol
Concen: 77.000 ng
RT: 8.769 min Scan# 11
Delta R.T. 0.012 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:107 Resp: 674001

Ion	Ratio	Lower	Upper
107	100		
144	25.4	20.0	30.0
142	78.5	61.3	91.9





#37
2-Methylnaphthalene
Concen: 69.303 ng
RT: 8.927 min Scan# 1145
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:142 Resp: 1370352

Ion	Ratio	Lower	Upper
142	100		
141	87.9	69.8	104.8





#38
1-Methylnaphthalene
Concen: 69.780 ng
RT: 9.027 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:142 Resp: 1328881

Ion	Ratio	Lower	Upper
142	100		
141	91.2	73.0	109.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1322
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:164 Resp: 322984

Ion	Ratio	Lower	Upper
164	100		
162	98.8	78.6	118.0
160	43.1	34.4	51.6





#40
1,2,4,5-Tetrachlorobenzene
Concen: 72.936 ng
RT: 9.098 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:216 Resp: 644623

Ion	Ratio	Lower	Upper
216	100		
214	79.0	63.0	94.4
179	21.0	17.0	25.4
108	18.6	14.6	22.0





#41
Hexachlorocyclopentadiene
Concen: 82.835 ng
RT: 9.086 min Scan# 1172
Delta R.T. 0.005 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:237 Resp: 259048

Ion	Ratio	Lower	Upper
237	100		
235	62.8	42.0	82.0
272	13.2	0.0	32.6





#42
2,4,6-Tribromophenol
Concen: 174.486 ng
RT: 10.763 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:330 Resp: 411864

Ion	Ratio	Lower	Upper
330	100		
332	95.5	78.1	117.1
141	28.4	25.4	38.0





#43
2,4,6-Trichlorophenol
Concen: 87.149 ng
RT: 9.204 min Scan# 1192
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:196 Resp: 437022

Ion	Ratio	Lower	Upper
196	100		
198	94.5	75.4	113.0
200	30.4	24.3	36.5





#44
2,4,5-Trichlorophenol
Concen: 82.433 ng
RT: 9.251 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:196 Resp: 466807

Ion	Ratio	Lower	Upper
196	100		
198	95.0	75.4	113.2
97	49.0	39.9	59.9
132	27.9	22.6	33.8





#45
2-Fluorobiphenyl
Concen: 129.045 ng
RT: 9.292 min Scan# 1207
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:172 Resp: 2457872

Ion	Ratio	Lower	Upper
172	100		
171	36.4	28.4	42.6
170	24.0	19.1	28.7





#46
1,1'-Biphenyl
Concen: 69.203 ng
RT: 9.392 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:154 Resp: 1580379

Ion	Ratio	Lower	Upper
154	100		
153	41.1	20.2	60.2
76	14.6	0.0	34.4





#47
2-Chloronaphthalene
Concen: 72.042 ng
RT: 9.416 min Scan# 1228
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:162 Resp: 1295723

Ion	Ratio	Lower	Upper
162	100		
127	40.5	32.1	48.1
164	33.1	27.0	40.4





#48
2-Nitroaniline
Concen: 80.247 ng
RT: 9.510 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 65 Resp: 426490

Ion	Ratio	Lower	Upper
65	100		
92	67.1	53.1	79.7
138	104.4	81.4	122.0





#49
Acenaphthylene
Concen: 71.842 ng
RT: 9.833 min Scan# 1299
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:152 Resp: 1865988

Ion	Ratio	Lower	Upper
152	100		
151	20.4	16.2	24.2
153	13.3	10.6	16.0





#50
Dimethylphthalate
Concen: 75.513 ng
RT: 9.686 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:163 Resp: 1425124

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.3	4.9
164	10.4	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 80.211 ng
RT: 9.751 min Scan# 1285
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:165 Resp: 294018

Ion	Ratio	Lower	Upper
165	100		
63	60.6	51.6	77.4
89	56.1	47.7	71.5





#52
Acenaphthene
Concen: 70.714 ng
RT: 10.004 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:154 Resp: 1221046

Ion	Ratio	Lower	Upper
154	100		
153	112.2	88.5	132.7
152	53.7	42.4	63.6





#53
3-Nitroaniline
Concen: 88.887 ng
RT: 9.922 min Scan# 1314
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:138 Resp: 343541

Ion	Ratio	Lower	Upper
138	100		
108	11.3	9.6	14.4
92	114.9	93.4	140.2





#54
2,4-Dinitrophenol
Concen: 79.041 ng
RT: 10.027 min Scan# 1
Delta R.T. 0.005 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:184 Resp: 118753

Ion	Ratio	Lower	Upper
184	100		
63	71.5	62.5	93.7
154	69.2	73.0	109.4#





#55
Dibenzofuran
Concen: 69.969 ng
RT: 10.174 min Scan# 1357
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:168 Resp: 1738835

Ion	Ratio	Lower	Upper
168	100		
139	38.2	29.4	44.0
169	14.1	11.0	16.6





#56
4-Nitrophenol
Concen: 79.477 ng
RT: 10.080 min Scan# 1
Delta R.T. 0.005 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:139 Resp: 245374

Ion	Ratio	Lower	Upper
139	100		
109	67.4	49.4	89.4
65	100.6	83.7	123.7





#57
2,4-Dinitrotoluene
Concen: 78.864 ng
RT: 10.151 min Scan# 1353
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:165 Resp: 383533

Ion	Ratio	Lower	Upper
165	100		
63	51.2	41.8	62.8
89	75.1	62.4	93.6
182	2.8	2.2	3.2





#58
Fluorene
Concen: 67.103 ng
RT: 10.522 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:166 Resp: 1273759

Ion	Ratio	Lower	Upper
166	100		
165	97.0	78.2	117.4
167	13.6	10.9	16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 91.466 ng
RT: 10.292 min Scan# 1377
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:232 Resp: 349157

Ion	Ratio	Lower	Upper
232	100		
131	41.7	34.6	51.8
130	2.1	1.7	2.5
166	28.3	23.4	35.0





#60
Diethylphthalate
Concen: 74.465 ng
RT: 10.386 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:149 Resp: 1258798

Ion	Ratio	Lower	Upper
149	100		
177	23.1	18.2	27.2
150	12.8	9.9	14.9





#61
4-Chlorophenyl-phenylether
Concen: 70.191 ng
RT: 10.510 min Scan# 1414
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:204 Resp: 643793

Ion	Ratio	Lower	Upper
204	100		
206	33.8	27.4	41.2
141	56.8	46.9	70.3





#62
4-Nitroaniline
Concen: 83.616 ng
RT: 10.533 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:138 Resp: 312667

Ion	Ratio	Lower	Upper
138	100		
92	51.7	31.2	71.2
108	70.6	48.1	88.1





#63
Azobenzene
Concen: 71.269 ng
RT: 10.669 min Scan# 1441
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion: 77 Resp: 1376109

Ion	Ratio	Lower	Upper
77	100		
182	25.9	4.4	44.4
105	22.2	1.8	41.8
51	33.1	13.7	53.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:188 Resp: 448378

Ion	Ratio	Lower	Upper
188	100		
94	10.3	8.8	13.2
80	11.4	9.7	14.5





#65
4,6-Dinitro-2-methylphenol
Concen: 83.490 ng
RT: 10.569 min Scan# 1424
Delta R.T. 0.012 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:198 Resp: 162929

Ion	Ratio	Lower	Upper
198	100		
51	54.2	41.7	81.7
105	44.5	26.8	66.8





#66
n-Nitrosodiphenylamine
Concen: 76.190 ng
RT: 10.627 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:169 Resp: 1124872

Ion	Ratio	Lower	Upper
169	100		
168	66.1	52.7	79.1
167	36.0	28.6	42.8





#67
4-Bromophenyl-phenylether
Concen: 79.007 ng
RT: 10.998 min Scan# 1497
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:248 Resp: 405148

Ion	Ratio	Lower	Upper
248	100		
250	98.7	77.1	115.7
141	70.4	59.1	88.7





#68
Hexachlorobenzene
Concen: 78.001 ng
RT: 11.074 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:284 Resp: 431148

Ion	Ratio	Lower	Upper
284	100		
142	29.0	25.7	38.5
249	29.7	24.6	37.0





#69
Atrazine
Concen: 80.438 ng
RT: 11.151 min Scan# 1523
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:200 Resp: 309748

Ion	Ratio	Lower	Upper
200	100		
173	26.9	6.6	46.6
215	49.8	30.6	70.6





#70
Pentachlorophenol
Concen: 80.616 ng
RT: 11.263 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:266 Resp: 218250

Ion	Ratio	Lower	Upper
266	100		
268	64.5	48.8	73.2
264	62.8	48.8	73.2





#71
Phenanthrene
Concen: 71.351 ng
RT: 11.480 min Scan# 1579
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:178 Resp: 1745493

Ion	Ratio	Lower	Upper
178	100		
176	19.7	15.5	23.3
179	15.7	12.5	18.7





#72
Anthracene
Concen: 70.871 ng
RT: 11.533 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:178 Resp: 1758274

Ion	Ratio	Lower	Upper
178	100		
176	19.3	15.1	22.7
179	15.9	12.7	19.1





#73
Carbazole
Concen: 70.029 ng
RT: 11.686 min Scan# 1614
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:167 Resp: 1479652

Ion	Ratio	Lower	Upper
167	100		
166	21.7	16.8	25.2
139	13.1	10.2	15.2





#74
Di-n-butylphthalate
Concen: 78.244 ng
RT: 12.010 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:149 Resp: 1398975

Ion	Ratio	Lower	Upper
149	100		
150	9.4	7.4	11.0
104	4.9	3.8	5.8





#75
Fluoranthene
Concen: 68.634 ng
RT: 12.668 min Scan# 1781
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:202 Resp: 1470742

Ion	Ratio	Lower	Upper
202	100		
101	12.5	0.0	33.2
203	17.9	0.0	37.6





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:240 Resp: 287871

Ion	Ratio	Lower	Upper
240	100		
120	10.7	9.0	13.6
236	25.0	19.9	29.9





#77
Benzidine
Concen: 63.571 ng
RT: 12.786 min Scan# 1801
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:184 Resp: 500314

Ion	Ratio	Lower	Upper
184	100		
185	15.0	12.8	19.2
183	11.2	9.3	13.9





#78
Pyrene
Concen: 62.684 ng
RT: 12.898 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:202 Resp: 1513789

Ion	Ratio	Lower	Upper
202	100		
200	21.5	16.8	25.2
203	18.0	14.2	21.4





#79
Terphenyl-d14
Concen: 120.053 ng
RT: 13.039 min Scan# 1844
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:244 Resp: 1935761

Ion	Ratio	Lower	Upper
244	100		
212	6.6	5.1	7.7
122	10.2	8.9	13.3





#80
Butylbenzylphthalate
Concen: 84.007 ng
RT: 13.510 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:149 Resp: 413801

Ion	Ratio	Lower	Upper
149	100		
91	71.6	58.8	88.2
206	21.9	16.4	24.6





#81
Benzo(a)anthracene
Concen: 75.847 ng
RT: 14.086 min Scan# 2022
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:228 Resp: 1387766

Ion	Ratio	Lower	Upper
228	100		
226	27.7	22.0	33.0
229	19.9	15.8	23.8





#82
3,3'-Dichlorobenzidine
Concen: 83.540 ng
RT: 14.045 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:252 Resp: 412736

Ion	Ratio	Lower	Upper
252	100		
254	65.2	51.7	77.5
126	11.1	9.2	13.8





#83
Chrysene
Concen: 74.077 ng
RT: 14.121 min Scan# 2028
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:228 Resp: 1263816

Ion	Ratio	Lower	Upper
228	100		
226	31.0	24.2	36.2
229	20.4	15.8	23.6





#84
Bis(2-ethylhexyl)phthalate
Concen: 83.803 ng
RT: 14.068 min Scan# 2
Delta R.T. 0.005 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:149 Resp: 611031

Ion	Ratio	Lower	Upper
149	100		
167	27.5	21.4	32.0
279	4.5	3.2	4.8





#85
Di-n-octyl phthalate
Concen: 81.478 ng
RT: 14.680 min Scan# 2123
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:149 Resp: 1205873

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.3	1.9
43	12.6	10.8	16.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.586 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:264 Resp: 348017

Ion	Ratio	Lower	Upper
264	100		
260	23.7	18.7	28.1
265	22.0	17.2	25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 78.760 ng
RT: 17.121 min Scan# 2538
Delta R.T. 0.017 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:276 Resp: 1963736

Ion	Ratio	Lower	Upper
276	100		
138	25.3	21.1	31.7
277	24.9	20.2	30.2





#88
Benzo(b)fluoranthene
Concen: 77.108 ng
RT: 15.151 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:252 Resp: 1467752

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.8	26.8
125	9.8	7.8	11.6





#89
Benzo(k)fluoranthene
Concen: 77.299 ng
RT: 15.180 min Scan# 2208
Delta R.T. 0.012 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:252 Resp: 1429731

Ion	Ratio	Lower	Upper
252	100		
253	22.3	17.6	26.4
125	10.0	8.4	12.6





#90
Benzo(a)pyrene
Concen: 78.270 ng
RT: 15.527 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:252 Resp: 1403212

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.6	26.4
125	11.0	9.1	13.7





#91
Dibenzo(a,h)anthracene
Concen: 76.479 ng
RT: 17.133 min Scan# 2540
Delta R.T. 0.017 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Tgt Ion:278 Resp: 1523387

Ion	Ratio	Lower	Upper
278	100		
139	17.1	14.0	21.0
279	24.3	19.4	29.0





#92
Benzo(g,h,i)perylene
Concen: 77.932 ng
RT: 17.580 min Scan# 2
Delta R.T. 0.017 min
Lab File: BF143350.D
Acq: 12 Aug 2025 12:38

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:276 Resp: 1563773

Ion	Ratio	Lower	Upper
276	100		
277	23.7	18.7	28.1
138	22.6	17.8	26.8



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143351.D
Acq On : 12 Aug 2025 13:52
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Quant Time: Aug 12 14:13:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	162839	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	633786	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	340813	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	507289	20.000	ng	0.00
76) Chrysene-d12	14.092	240	280276	20.000	ng	0.00
86) Perylene-d12	15.580	264	324835	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.557	112	726544	77.155	ng	0.00
7) Phenol-d6	6.557	99	917587	75.986	ng	0.00
23) Nitrobenzene-d5	7.487	82	846400	83.164	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	211383	84.868	ng	0.00
45) 2-Fluorobiphenyl	9.287	172	1489585	74.116	ng	0.00
79) Terphenyl-d14	13.033	244	1227991	78.222	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.758	88	181552	37.259	ng	100
3) Pyridine	3.534	79	503048	38.741	ng	98
4) n-Nitrosodimethylamine	3.469	42	250430	41.403	ng	99
6) Aniline	6.593	93	691138	40.597	ng	98
8) 2-Chlorophenol	6.716	128	412875	41.033	ng	99
9) Benzaldehyde	6.481	77	322014	40.346	ng	99
10) Phenol	6.575	94	575912	40.258	ng	100
11) bis(2-Chloroethyl)ether	6.663	93	411435	39.024	ng	99
12) 1,3-Dichlorobenzene	6.875	146	462064	39.813	ng	99
13) 1,4-Dichlorobenzene	6.946	146	467795	40.160	ng	99
14) 1,2-Dichlorobenzene	7.098	146	446591	40.389	ng	99
15) Benzyl Alcohol	7.069	79	366386	42.327	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.204	45	748899	39.787	ng	96
17) 2-Methylphenol	7.181	107	347573	40.922	ng	99
18) Hexachloroethane	7.445	117	154629	42.342	ng	98
19) n-Nitroso-di-n-propyla...	7.340	70	298013	39.940	ng	99
20) 3+4-Methylphenols	7.334	107	422225	41.105	ng	97
22) Acetophenone	7.334	105	558359	39.985	ng	98
24) Nitrobenzene	7.510	77	452284	40.919	ng	99
25) Isophorone	7.745	82	825406	39.728	ng	98
26) 2-Nitrophenol	7.828	139	190171	43.318	ng	99
27) 2,4-Dimethylphenol	7.863	122	384805	44.394	ng	100
28) bis(2-Chloroethoxy)met...	7.951	93	503776	39.714	ng	100
29) 2,4-Dichlorophenol	8.069	162	349559	41.289	ng	98
30) 1,2,4-Trichlorobenzene	8.151	180	366302	41.017	ng	100
31) Naphthalene	8.234	128	1170219	38.372	ng	100
32) Benzoic acid	7.969	122	157226	43.285	ng	99
33) 4-Chloroaniline	8.275	127	490782	44.618	ng	98
34) Hexachlorobutadiene	8.351	225	218687	39.366	ng	99
35) Caprolactam	8.640	113	99702	41.892	ng	95
36) 4-Chloro-3-methylphenol	8.757	107	361383	40.717	ng	99
37) 2-Methylnaphthalene	8.922	142	707136	35.270	ng	100
38) 1-Methylnaphthalene	9.022	142	733181	37.970	ng	100
40) 1,2,4,5-Tetrachloroben...	9.092	216	365752	39.218	ng	100
41) Hexachlorocyclopentadiene	9.081	237	161472	51.644	ng	100
43) 2,4,6-Trichlorophenol	9.204	196	226704	42.843	ng	97

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143351.D
Acq On : 12 Aug 2025 13:52
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Quant Time: Aug 12 14:13:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.245	196	246815	41.305	ng	99
46) 1,1'-Biphenyl	9.387	154	935277	38.812	ng	100
47) 2-Chloronaphthalene	9.410	162	722952	38.093	ng	99
48) 2-Nitroaniline	9.504	65	228854	42.167	ng	100
49) Acenaphthylene	9.828	152	1164992	42.507	ng	100
50) Dimethylphthalate	9.681	163	799080	40.126	ng	99
51) 2,6-Dinitrotoluene	9.745	165	168880	45.012	ng	94
52) Acenaphthene	10.004	154	690443	37.893	ng	99
53) 3-Nitroaniline	9.916	138	194097	47.593	ng	97
54) 2,4-Dinitrophenol	10.022	184	56042	45.910	ng	98
55) Dibenzofuran	10.175	168	1013581	38.652	ng	99
56) 4-Nitrophenol	10.075	139	124501	41.060	ng	97
57) 2,4-Dinitrotoluene	10.145	165	215795	43.458	ng	98
58) Fluorene	10.516	166	761581	38.022	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.292	232	201768	50.091	ng	98
60) Diethylphthalate	10.381	149	719164	40.317	ng	100
61) 4-Chlorophenyl-phenyle...	10.504	204	368971	38.123	ng	99
62) 4-Nitroaniline	10.522	138	174863	44.317	ng	99
63) Azobenzene	10.663	77	809295	39.721	ng	99
65) 4,6-Dinitro-2-methylph...	10.557	198	87717	43.535	ng	97
66) n-Nitrosodiphenylamine	10.622	169	659263	39.468	ng	99
67) 4-Bromophenyl-phenylether	10.992	248	228971	39.466	ng	99
68) Hexachlorobenzene	11.069	284	240521	38.460	ng	99
69) Atrazine	11.145	200	178347	40.936	ng	99
70) Pentachlorophenol	11.263	266	108593	38.771	ng	96
71) Phenanthrene	11.475	178	1060892	38.330	ng	100
72) Anthracene	11.528	178	1090047	38.834	ng	99
73) Carbazole	11.681	167	929366	38.877	ng	99
74) Di-n-butylphthalate	12.010	149	871054	43.060	ng	100
75) Fluoranthene	12.663	202	910203	37.543	ng	99
77) Benzidine	12.780	184	336170	43.872	ng	99
78) Pyrene	12.892	202	924712	39.329	ng	100
80) Butylbenzylphthalate	13.504	149	188120	41.012	ng	99
81) Benzo(a)anthracene	14.080	228	693960	38.956	ng	100
82) 3,3'-Dichlorobenzidine	14.039	252	222482	46.252	ng	99
83) Chrysene	14.116	228	639568	38.503	ng	100
84) Bis(2-ethylhexyl)phtha...	14.063	149	285665	42.315	ng	100
85) Di-n-octyl phthalate	14.674	149	563193	42.219	ng	98
87) Indeno(1,2,3-cd)pyrene	17.098	276	934056	40.136	ng	100
88) Benzo(b)fluoranthene	15.139	252	725882	40.856	ng	99
89) Benzo(k)fluoranthene	15.169	252	639883	37.064	ng	100
90) Benzo(a)pyrene	15.516	252	686526	41.027	ng	99
91) Dibenzo(a,h)anthracene	17.115	278	757376	40.736	ng	99
92) Benzo(g,h,i)perylene	17.557	276	767923	41.001	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143351.D
Acq On : 12 Aug 2025 13:52
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Quant Time: Aug 12 14:13:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:152 Resp: 162839

Ion	Ratio	Lower	Upper
152	100		
150	158.0	129.8	194.8
115	60.2	47.8	71.8





#2
1,4-Dioxane
Concen: 37.259 ng
RT: 2.758 min Scan# 96
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion: 88 Resp: 181552

Ion	Ratio	Lower	Upper
88	100		
58	88.6	71.0	106.6
43	33.7	27.0	40.6





#3
Pyridine
Concen: 38.741 ng
RT: 3.534 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion: 79 Resp: 503048

Ion	Ratio	Lower	Upper
79	100		
52	84.3	68.7	103.1
51	41.1	33.4	50.0





#4
n-Nitrosodimethylamine
Concen: 41.403 ng
RT: 3.469 min Scan# 217
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion: 42 Resp: 250430

Ion	Ratio	Lower	Upper
42	100		
74	116.3	94.1	141.1
44	7.6	6.5	9.7





#5
2-Fluorophenol
Concen: 77.155 ng
RT: 5.557 min Scan# 5
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:112 Resp: 726544

Ion	Ratio	Lower	Upper
112	100		
64	66.8	52.1	78.1
63	34.4	26.6	39.8





#6
Aniline
Concen: 40.597 ng
RT: 6.593 min Scan# 748
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion: 93 Resp: 691138

Ion	Ratio	Lower	Upper
93	100		
66	42.6	35.3	52.9
65	22.0	18.2	27.4





#7
Phenol-d6
Concen: 75.986 ng
RT: 6.557 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion: 99 Resp: 917587

Ion	Ratio	Lower	Upper
99	100		
42	21.6	16.6	25.0
71	33.0	26.2	39.2





#8
2-Chlorophenol
Concen: 41.033 ng
RT: 6.716 min Scan# 769
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:128 Resp: 412875

Ion	Ratio	Lower	Upper
128	100		
130	32.4	12.6	52.6
64	55.6	36.7	76.7





#9
Benzaldehyde
Concen: 40.346 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion: 77 Resp: 322014

Ion	Ratio	Lower	Upper
77	100		
105	95.2	74.2	114.2
106	94.0	72.2	112.2





#10
Phenol
Concen: 40.258 ng
RT: 6.575 min Scan# 745
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion: 94 Resp: 575912

Ion	Ratio	Lower	Upper
94	100		
65	32.1	12.0	52.0
66	45.8	25.6	65.6





#11
bis(2-Chloroethyl)ether
Concen: 39.024 ng
RT: 6.663 min Scan# 7
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion: 93 Resp: 411435

Ion	Ratio	Lower	Upper
93	100		
63	85.1	65.7	105.7
95	32.6	13.0	53.0





#12
1,3-Dichlorobenzene
Concen: 39.813 ng
RT: 6.875 min Scan# 796
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:146 Resp: 462064

Ion	Ratio	Lower	Upper
146	100		
148	64.1	50.5	75.7
75	31.1	24.9	37.3





#13
1,4-Dichlorobenzene
Concen: 40.160 ng
RT: 6.946 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:146 Resp: 467795

Ion	Ratio	Lower	Upper
146	100		
148	63.0	51.4	77.0
111	41.0	32.6	48.8





#14
1,2-Dichlorobenzene
Concen: 40.389 ng
RT: 7.098 min Scan# 834
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:146 Resp: 446591

Ion	Ratio	Lower	Upper
146	100		
148	63.9	51.4	77.2
111	43.0	34.1	51.1





#15
Benzyl Alcohol
Concen: 42.327 ng
RT: 7.069 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion: 79 Resp: 366386

Ion	Ratio	Lower	Upper
79	100		
108	77.1	61.5	92.3
77	61.3	49.8	74.8





#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.787 ng
RT: 7.204 min Scan# 852
Delta R.T. 0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion: 45 Resp: 748899

Ion	Ratio	Lower	Upper
45	100		
77	12.1	0.0	34.0
79	9.7	0.0	31.1





#17
2-Methylphenol
Concen: 40.922 ng
RT: 7.181 min Scan# 84
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:107 Resp: 347573

Ion	Ratio	Lower	Upper
107	100		
108	114.6	92.0	138.0
77	47.1	38.2	57.2
79	46.4	37.9	56.9





#18
Hexachloroethane
Concen: 42.342 ng
RT: 7.445 min Scan# 893
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:117 Resp: 154629

Ion	Ratio	Lower	Upper
117	100		
119	95.3	75.8	113.8
201	99.7	77.2	115.8





#19
n-Nitroso-di-n-propylamine
Concen: 39.940 ng
RT: 7.340 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion: 70 Resp: 298013

Ion	Ratio	Lower	Upper
70	100		
42	64.0	51.6	77.4
101	9.5	7.5	11.3
130	20.4	15.8	23.6





#20
3+4-Methylphenols
Concen: 41.105 ng
RT: 7.334 min Scan# 874
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:107 Resp: 422225

Ion	Ratio	Lower	Upper
107	100		
108	91.7	70.6	110.6
77	138.9	112.0	152.0
79	29.8	9.9	49.9





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1(
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:136 Resp: 633786

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.6	13.0
54	10.3	8.4	12.6
68	7.2	5.9	8.9





#22
Acetophenone
Concen: 39.985 ng
RT: 7.334 min Scan# 874
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:105 Resp: 558359

Ion	Ratio	Lower	Upper
105	100		
71	8.3	6.2	9.4
51	41.9	34.8	52.2
120	22.4	17.9	26.9





#23
Nitrobenzene-d5
Concen: 83.164 ng
RT: 7.487 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion: 82 Resp: 846400

Ion	Ratio	Lower	Upper
82	100		
128	42.3	33.5	50.3
54	59.7	46.7	70.1





#24
Nitrobenzene
Concen: 40.919 ng
RT: 7.510 min Scan# 904
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion: 77 Resp: 452284

Ion	Ratio	Lower	Upper
77	100		
123	44.6	34.8	52.2
65	13.7	11.0	16.6





#25
Isophorone
Concen: 39.728 ng
RT: 7.745 min Scan# 94
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion: 82 Resp: 825406

Ion	Ratio	Lower	Upper
82	100		
95	6.7	5.5	8.3
138	17.2	14.6	21.8





#26
2-Nitrophenol
Concen: 43.318 ng
RT: 7.828 min Scan# 958
Delta R.T. -0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:139 Resp: 190171

Ion	Ratio	Lower	Upper
139	100		
109	28.3	22.4	33.6
65	52.3	42.9	64.3





#27
2,4-Dimethylphenol
Concen: 44.394 ng
RT: 7.863 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:122 Resp: 384805

Ion	Ratio	Lower	Upper
122	100		
107	111.9	89.9	134.9
121	57.6	46.2	69.4





#28
bis(2-Chloroethoxy)methane
Concen: 39.714 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion: 93 Resp: 503776

Ion	Ratio	Lower	Upper
93	100		
95	32.8	26.2	39.4
123	11.4	9.4	14.2





#29
2,4-Dichlorophenol
Concen: 41.289 ng
RT: 8.069 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:162 Resp: 349559

Ion	Ratio	Lower	Upper
162	100		
164	63.2	44.5	84.5
98	36.2	17.7	57.7





#30
1,2,4-Trichlorobenzene
Concen: 41.017 ng
RT: 8.151 min Scan# 1013
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:180 Resp: 366302

Ion	Ratio	Lower	Upper
180	100		
182	94.8	76.1	114.1
145	30.7	24.9	37.3





#31
Naphthalene
Concen: 38.372 ng
RT: 8.234 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:128 Resp: 1170219

Ion	Ratio	Lower	Upper
128	100		
129	11.3	9.0	13.6
127	13.2	10.7	16.1





#32
Benzoic acid
Concen: 43.285 ng
RT: 7.969 min Scan# 982
Delta R.T. -0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:122 Resp: 157226

Ion	Ratio	Lower	Upper
122	100		
105	124.0	106.4	146.4
77	98.7	79.2	119.2





#33
4-Chloroaniline
Concen: 44.618 ng
RT: 8.275 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:127 Resp: 490782

Ion	Ratio	Lower	Upper
127	100		
129	32.6	26.0	39.0
65	35.2	27.0	40.4
92	21.1	16.2	24.2





#34
Hexachlorobutadiene
Concen: 39.366 ng
RT: 8.351 min Scan# 1047
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:225 Resp: 218687

Ion	Ratio	Lower	Upper
225	100		
223	63.3	50.1	75.1
227	62.0	50.6	75.8





#35
Caprolactam
Concen: 41.892 ng
RT: 8.640 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:113 Resp: 99702

Ion	Ratio	Lower	Upper
113	100		
55	209.5	181.4	221.4
56	153.0	127.3	167.3





#36
4-Chloro-3-methylphenol
Concen: 40.717 ng
RT: 8.757 min Scan# 1116
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:107 Resp: 361383

Ion	Ratio	Lower	Upper
107	100		
144	25.1	20.0	30.0
142	77.6	61.3	91.9





#37
2-Methylnaphthalene
Concen: 35.270 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:142 Resp: 707136

Ion	Ratio	Lower	Upper
142	100		
141	87.6	69.8	104.8





#38
1-Methylnaphthalene
Concen: 37.970 ng
RT: 9.022 min Scan# 1161
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:142 Resp: 733181

Ion	Ratio	Lower	Upper
142	100		
141	91.1	73.0	109.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:164 Resp: 340813

Ion	Ratio	Lower	Upper
164	100		
162	98.0	78.6	118.0
160	42.8	34.4	51.6





#40
1,2,4,5-Tetrachlorobenzene
Concen: 39.218 ng
RT: 9.092 min Scan# 1173
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:216 Resp: 365752

Ion	Ratio	Lower	Upper
216	100		
214	78.8	63.0	94.4
179	20.8	17.0	25.4
108	18.9	14.6	22.0





#41
Hexachlorocyclopentadiene
Concen: 51.644 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:237 Resp: 161472

Ion	Ratio	Lower	Upper
237	100		
235	62.1	42.0	82.0
272	13.5	0.0	32.6





#42
2,4,6-Tribromophenol
Concen: 84.868 ng
RT: 10.757 min Scan# 1456
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:330 Resp: 211383

Ion	Ratio	Lower	Upper
330	100		
332	97.7	78.1	117.1
141	31.2	25.4	38.0





#43
2,4,6-Trichlorophenol
Concen: 42.843 ng
RT: 9.204 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:196 Resp: 226704

Ion	Ratio	Lower	Upper
196	100		
198	97.9	75.4	113.0
200	31.2	24.3	36.5





#44
2,4,5-Trichlorophenol
Concen: 41.305 ng
RT: 9.245 min Scan# 1199
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:196 Resp: 246815

Ion	Ratio	Lower	Upper
196	100		
198	94.6	75.4	113.2
97	49.1	39.9	59.9
132	27.7	22.6	33.8





#45
2-Fluorobiphenyl
Concen: 74.116 ng
RT: 9.287 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:172 Resp: 1489585

Ion	Ratio	Lower	Upper
172	100		
171	35.7	28.4	42.6
170	23.6	19.1	28.7





#46
1,1'-Biphenyl
Concen: 38.812 ng
RT: 9.387 min Scan# 1223
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:154 Resp: 935277

Ion	Ratio	Lower	Upper
154	100		
153	40.1	20.2	60.2
76	14.3	0.0	34.4





#47
2-Chloronaphthalene
Concen: 38.093 ng
RT: 9.410 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:162 Resp: 722952

Ion	Ratio	Lower	Upper
162	100		
127	40.6	32.1	48.1
164	33.3	27.0	40.4





#48
2-Nitroaniline
Concen: 42.167 ng
RT: 9.504 min Scan# 1243
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion: 65 Resp: 228854

Ion	Ratio	Lower	Upper
65	100		
92	65.7	53.1	79.7
138	101.5	81.4	122.0





#49
Acenaphthylene
Concen: 42.507 ng
RT: 9.828 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:152 Resp: 1164992

Ion	Ratio	Lower	Upper
152	100		
151	20.3	16.2	24.2
153	13.3	10.6	16.0





#50
Dimethylphthalate
Concen: 40.126 ng
RT: 9.681 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:163 Resp: 799080

Ion	Ratio	Lower	Upper
163	100		
194	4.0	3.3	4.9
164	10.4	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 45.012 ng
RT: 9.745 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:165 Resp: 168880

Ion	Ratio	Lower	Upper
165	100		
63	60.0	51.6	77.4
89	55.7	47.7	71.5





#52
Acenaphthene
Concen: 37.893 ng
RT: 10.004 min Scan# 1328
Delta R.T. 0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:154 Resp: 690443

Ion	Ratio	Lower	Upper
154	100		
153	112.3	88.5	132.7
152	53.4	42.4	63.6





#53
3-Nitroaniline
Concen: 47.593 ng
RT: 9.916 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:138 Resp: 194097

Ion	Ratio	Lower	Upper
138	100		
108	10.8	9.6	14.4
92	113.7	93.4	140.2





#54
2,4-Dinitrophenol
Concen: 45.910 ng
RT: 10.022 min Scan# 1331
Delta R.T. -0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:184 Resp: 56042

Ion	Ratio	Lower	Upper
184	100		
63	77.4	62.5	93.7
154	94.4	73.0	109.4





#55
Dibenzofuran
Concen: 38.652 ng
RT: 10.175 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:168 Resp: 1013581

Ion	Ratio	Lower	Upper
168	100		
139	36.5	29.4	44.0
169	13.4	11.0	16.6





#56
4-Nitrophenol
Concen: 41.060 ng
RT: 10.075 min Scan# 1340
Delta R.T. -0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:139 Resp: 124501

Ion	Ratio	Lower	Upper
139	100		
109	67.4	49.4	89.4
65	100.1	83.7	123.7





#57
2,4-Dinitrotoluene
Concen: 43.458 ng
RT: 10.145 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:165 Resp: 215795

Ion	Ratio	Lower	Upper
165	100		
63	51.4	41.8	62.8
89	75.9	62.4	93.6
182	2.6	2.2	3.2





#58
Fluorene
Concen: 38.022 ng
RT: 10.516 min Scan# 1415
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:166 Resp: 761581

Ion	Ratio	Lower	Upper
166	100		
165	97.0	78.2	117.4
167	13.6	10.9	16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 50.091 ng
RT: 10.292 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:232 Resp: 201768

Ion	Ratio	Lower	Upper
232	100		
131	42.2	34.6	51.8
130	2.1	1.7	2.5
166	27.8	23.4	35.0





#60
Diethylphthalate
Concen: 40.317 ng
RT: 10.381 min Scan# 1392
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:149 Resp: 719164

Ion	Ratio	Lower	Upper
149	100		
177	22.9	18.2	27.2
150	12.5	9.9	14.9





#61
4-Chlorophenyl-phenylether
Concen: 38.123 ng
RT: 10.504 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:204 Resp: 368971

Ion	Ratio	Lower	Upper
204	100		
206	34.0	27.4	41.2
141	60.1	46.9	70.3





#62
4-Nitroaniline
Concen: 44.317 ng
RT: 10.522 min Scan# 1416
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:138 Resp: 174863

Ion	Ratio	Lower	Upper
138	100		
92	50.4	31.2	71.2
108	68.1	48.1	88.1





#63
Azobenzene
Concen: 39.721 ng
RT: 10.663 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion: 77 Resp: 809295

Ion	Ratio	Lower	Upper
77	100		
182	24.4	4.4	44.4
105	21.7	1.8	41.8
51	34.3	13.7	53.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:188 Resp: 507289

Ion	Ratio	Lower	Upper
188	100		
94	11.2	8.8	13.2
80	11.9	9.7	14.5





#65
4,6-Dinitro-2-methylphenol
Concen: 43.535 ng
RT: 10.557 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:198 Resp: 87717

Ion	Ratio	Lower	Upper
198	100		
51	58.8	41.7	81.7
105	47.3	26.8	66.8





#66
n-Nitrosodiphenylamine
Concen: 39.468 ng
RT: 10.622 min Scan# 1433
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:169 Resp: 659263

Ion	Ratio	Lower	Upper
169	100		
168	66.0	52.7	79.1
167	36.6	28.6	42.8





#67
4-Bromophenyl-phenylether
Concen: 39.466 ng
RT: 10.992 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:248 Resp: 228971

Ion	Ratio	Lower	Upper
248	100		
250	98.9	77.1	115.7
141	73.9	59.1	88.7





#68
Hexachlorobenzene
Concen: 38.460 ng
RT: 11.069 min Scan# 1509
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:284 Resp: 240521

Ion	Ratio	Lower	Upper
284	100		
142	31.7	25.7	38.5
249	31.6	24.6	37.0





#69
Atrazine
Concen: 40.936 ng
RT: 11.145 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:200 Resp: 178347

Ion	Ratio	Lower	Upper
200	100		
173	27.0	6.6	46.6
215	49.4	30.6	70.6





#70
Pentachlorophenol
Concen: 38.771 ng
RT: 11.263 min Scan# 1542
Delta R.T. -0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:266 Resp: 108593

Ion	Ratio	Lower	Upper
266	100		
268	64.2	48.8	73.2
264	63.4	48.8	73.2





#71
Phenanthrene
Concen: 38.330 ng
RT: 11.475 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:178 Resp: 1060892

Ion	Ratio	Lower	Upper
178	100		
176	19.5	15.5	23.3
179	15.5	12.5	18.7





#72
Anthracene
Concen: 38.834 ng
RT: 11.528 min Scan# 1587
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:178 Resp: 1090047

Ion	Ratio	Lower	Upper
178	100		
176	18.6	15.1	22.7
179	15.4	12.7	19.1





#73
Carbazole
Concen: 38.877 ng
RT: 11.681 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:167 Resp: 929366

Ion	Ratio	Lower	Upper
167	100		
166	21.4	16.8	25.2
139	12.4	10.2	15.2





#74
Di-n-butylphthalate
Concen: 43.060 ng
RT: 12.010 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:149 Resp: 871054

Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.4	11.0
104	4.8	3.8	5.8





#75
Fluoranthene
Concen: 37.543 ng
RT: 12.663 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:202 Resp: 910203

Ion	Ratio	Lower	Upper
202	100		
101	12.9	0.0	33.2
203	18.1	0.0	37.6





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.092 min Scan# 2023
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:240 Resp: 280276

Ion	Ratio	Lower	Upper
240	100		
120	10.8	9.0	13.6
236	25.0	19.9	29.9





#77
Benzidine
Concen: 43.872 ng
RT: 12.780 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:184 Resp: 336170

Ion	Ratio	Lower	Upper
184	100		
185	15.4	12.8	19.2
183	11.5	9.3	13.9





#78
Pyrene
Concen: 39.329 ng
RT: 12.892 min Scan# 1819
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:202 Resp: 924712

Ion	Ratio	Lower	Upper
202	100		
200	20.8	16.8	25.2
203	17.7	14.2	21.4





#79
Terphenyl-d14
Concen: 78.222 ng
RT: 13.033 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:244 Resp: 1227991

Ion	Ratio	Lower	Upper
244	100		
212	6.4	5.1	7.7
122	10.8	8.9	13.3





#80
Butylbenzylphthalate
Concen: 41.012 ng
RT: 13.504 min Scan# 1923
Delta R.T. -0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:149 Resp: 188120

Ion	Ratio	Lower	Upper
149	100		
91	73.2	58.8	88.2
206	21.8	16.4	24.6





#81
Benzo(a)anthracene
Concen: 38.956 ng
RT: 14.080 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:228 Resp: 693960

Ion	Ratio	Lower	Upper
228	100		
226	27.3	22.0	33.0
229	20.0	15.8	23.8





#82
3,3'-Dichlorobenzidine
Concen: 46.252 ng
RT: 14.039 min Scan# 2014
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:252 Resp: 222482

Ion	Ratio	Lower	Upper
252	100		
254	65.1	51.7	77.5
126	11.2	9.2	13.8





#83
Chrysene
Concen: 38.503 ng
RT: 14.116 min Scan# 2(
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:228 Resp: 639568

Ion	Ratio	Lower	Upper
228	100		
226	30.2	24.2	36.2
229	19.8	15.8	23.6





#84
Bis(2-ethylhexyl)phthalate
Concen: 42.315 ng
RT: 14.063 min Scan# 2018
Delta R.T. -0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:149 Resp: 285665

Ion	Ratio	Lower	Upper
149	100		
167	26.9	21.4	32.0
279	3.9	3.2	4.8





#85
Di-n-octyl phthalate
Concen: 42.219 ng
RT: 14.674 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:149 Resp: 563193

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	12.6	10.8	16.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.580 min Scan# 2276
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:264 Resp: 324835

Ion	Ratio	Lower	Upper
264	100		
260	23.4	18.7	28.1
265	21.7	17.2	25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 40.136 ng
RT: 17.098 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:276 Resp: 934056

Ion	Ratio	Lower	Upper
276	100		
138	26.0	21.1	31.7
277	25.2	20.2	30.2





#88
Benzo(b)fluoranthene
Concen: 40.856 ng
RT: 15.139 min Scan# 2201
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:252 Resp: 725882

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.8	26.8
125	10.3	7.8	11.6





#89
Benzo(k)fluoranthene
Concen: 37.064 ng
RT: 15.169 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:252 Resp: 639883

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.6	26.4
125	10.3	8.4	12.6





#90
Benzo(a)pyrene
Concen: 41.027 ng
RT: 15.516 min Scan# 2265
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:252 Resp: 686526

Ion	Ratio	Lower	Upper
252	100		
253	21.5	17.6	26.4
125	11.1	9.1	13.7





#91
Dibenzo(a,h)anthracene
Concen: 40.736 ng
RT: 17.115 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Tgt Ion:278 Resp: 757376

Ion	Ratio	Lower	Upper
278	100		
139	17.0	14.0	21.0
279	23.5	19.4	29.0





#92
Benzo(g,h,i)perylene
Concen: 41.001 ng
RT: 17.557 min Scan# 2612
Delta R.T. -0.006 min
Lab File: BF143351.D
Acq: 12 Aug 2025 13:52

Tgt Ion:276 Resp: 767923

Ion	Ratio	Lower	Upper
276	100		
277	23.7	18.7	28.1
138	22.8	17.8	26.8



Evaluate Continuing Calibration Report

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143351.D
Acq On : 12 Aug 2025 13:52
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Quant Time: Aug 12 14:13:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
2		1,4-Dioxane	0.598	0.557	6.9	91	0.00
3		Pyridine	1.595	1.545	3.1	93	0.00
4		n-Nitrosodimethylamine	0.743	0.769	-3.5	99	0.00
5	S	2-Fluorophenol	1.157	1.115	3.6	92	0.00
6		Aniline	2.091	2.122	-1.5	97	0.00
7	S	Phenol-d6	1.483	1.409	5.0	91	0.00
8		2-Chlorophenol	1.236	1.268	-2.6	98	0.00
9		Benzaldehyde	0.980	0.989	-0.9	95	0.00
10	C	Phenol	1.757	1.768	-0.6	97	0.00
11		bis(2-Chloroethyl)ether	1.295	1.263	2.5	94	0.00
12		1,3-Dichlorobenzene	1.425	1.419	0.4	96	0.00
13	C	1,4-Dichlorobenzene	1.431	1.436	-0.3	99	0.00
14		1,2-Dichlorobenzene	1.358	1.371	-1.0	99	0.00
15		Benzyl Alcohol	1.063	1.125	-5.8	101	0.00
16		2,2'-oxybis(1-Chloropropane	2.312	2.300	0.5	97	0.00
17		2-Methylphenol	1.043	1.067	-2.3	98	0.00
18		Hexachloroethane	0.449	0.475	-5.8	100	0.00
19	P	n-Nitroso-di-n-propylamine	0.916	0.915	0.1	98	0.00
20		3+4-Methylphenols	1.262	1.296	-2.7	98	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	97	0.00
22		Acetophenone	0.441	0.440	0.2	99	0.00
23	S	Nitrobenzene-d5	0.321	0.334	-4.0	96	0.00
24		Nitrobenzene	0.349	0.357	-2.3	96	0.00
25		Isophorone	0.656	0.651	0.8	98	0.00
26	C	2-Nitrophenol	0.118	0.150	-27.1#	115	0.00
27		2,4-Dimethylphenol	0.274	0.304	-10.9	105	0.00
28		bis(2-Chloroethoxy)methane	0.400	0.397	0.8	97	0.00
29	C	2,4-Dichlorophenol	0.267	0.276	-3.4	97	0.00
30		1,2,4-Trichlorobenzene	0.282	0.289	-2.5	101	0.00
31		Naphthalene	0.962	0.923	4.1	95	0.00
32		Benzoic acid	0.110	0.124	-12.7	111	0.00
33		4-Chloroaniline	0.347	0.387	-11.5	109	0.00
34	C	Hexachlorobutadiene	0.175	0.173	1.1	95	0.00
35		Caprolactam	0.075	0.079	-5.3	97	0.00
36	C	4-Chloro-3-methylphenol	0.280	0.285	-1.8	96	0.00
37		2-Methylnaphthalene	0.633	0.558	11.8	87	0.00
38		1-Methylnaphthalene	0.609	0.578	5.1	94	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	99	0.00
40		1,2,4,5-Tetrachlorobenzene	0.547	0.537	1.8	98	0.00
41	P	Hexachlorocyclopentadiene	0.158	0.237	-50.0#	140	0.00
42	S	2,4,6-Tribromophenol	0.146	0.155	-6.2	96	0.00
43	C	2,4,6-Trichlorophenol	0.311	0.333	-7.1	98	0.00
44		2,4,5-Trichlorophenol	0.351	0.362	-3.1	95	0.00
45	S	2-Fluorobiphenyl	1.179	1.093	7.3	95	0.00
46		1,1'-Biphenyl	1.414	1.372	3.0	97	0.00
47		2-Chloronaphthalene	1.114	1.061	4.8	96	0.00

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143351.D
Acq On : 12 Aug 2025 13:52
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Quant Time: Aug 12 14:13:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.284	0.336	-18.3	107	0.00
49		Acenaphthylene	1.608	1.709	-6.3	106	0.00
50		Dimethylphthalate	1.169	1.172	-0.3	98	0.00
51		2,6-Dinitrotoluene	0.193	0.248	-28.5#	115	0.00
52	C	Acenaphthene	1.069	1.013	5.2	95	0.00
53		3-Nitroaniline	0.239	0.285	-19.2	108	0.00
54	P	2,4-Dinitrophenol	0.065	0.082	-26.2#	123	0.00
55		Dibenzofuran	1.539	1.487	3.4	97	0.00
56	P	4-Nitrophenol	0.163	0.183	-12.3	104	0.00
57		2,4-Dinitrotoluene	0.256	0.317	-23.8	108	0.00
58		Fluorene	1.175	1.117	4.9	97	0.00
59		2,3,4,6-Tetrachlorophenol	0.236	0.296	-25.4#	115	0.00
60		Diethylphthalate	1.047	1.055	-0.8	96	0.00
61		4-Chlorophenyl-phenylether	0.568	0.541	4.8	95	0.00
62		4-Nitroaniline	0.232	0.257	-10.8	102	0.00
63		Azobenzene	1.196	1.187	0.8	98	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	98	0.00
65		4,6-Dinitro-2-methylphenol	0.069	0.086	-24.6	119	0.00
66	c	n-Nitrosodiphenylamine	0.659	0.650	1.4	97	0.00
67		4-Bromophenyl-phenylether	0.229	0.226	1.3	96	0.00
68		Hexachlorobenzene	0.247	0.237	4.0	95	0.00
69		Atrazine	0.172	0.176	-2.3	97	0.00
70	C	Pentachlorophenol	0.101	0.107	-5.9	97	0.00
71		Phenanthrene	1.091	1.046	4.1	95	0.00
72		Anthracene	1.107	1.074	3.0	97	0.00
73		Carbazole	0.942	0.916	2.8	96	0.00
74		Di-n-butylphthalate	0.798	0.859	-7.6	97	0.00
75	C	Fluoranthene	0.956	0.897	6.2	96	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	97	0.00
77		Benzidine	0.547	0.600	-9.7	98	0.00
78		Pyrene	1.678	1.650	1.7	96	0.00
79	S	Terphenyl-d14	1.120	1.095	2.2	97	0.00
80		Butylbenzylphthalate	0.284	0.336	-18.3	107	0.00
81		Benzo(a)anthracene	1.271	1.238	2.6	95	0.00
82		3,3'-Dichlorobenzidine	0.343	0.397	-15.7	105	0.00
83		Chrysene	1.185	1.141	3.7	94	0.00
84		Bis(2-ethylhexyl)phthalate	0.403	0.510	-26.6#	112	0.00
85	c	Di-n-octyl phthalate	0.860	1.005	-16.9	109	0.00
86	I	Perylene-d12	1.000	1.000	0.0	99	0.00
87		Indeno(1,2,3-cd)pyrene	1.433	1.438	-0.3	98	0.00
88		Benzo(b)fluoranthene	1.094	1.117	-2.1	99	0.00
89		Benzo(k)fluoranthene	1.063	0.985	7.3	94	0.00
90	C	Benzo(a)pyrene	1.030	1.057	-2.6	101	0.00
91		Dibenzo(a,h)anthracene	1.145	1.166	-1.8	99	0.00
92		Benzo(g,h,i)perylene	1.153	1.182	-2.5	100	0.00

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143351.D
Acq On : 12 Aug 2025 13:52
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Quant Time: Aug 12 14:13:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

Evaluate Continuing Calibration Report

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143351.D
Acq On : 12 Aug 2025 13:52
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Quant Time: Aug 12 14:13:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	97	0.00
2		1,4-Dioxane	40.000	37.259	6.9	91	0.00
3		Pyridine	40.000	38.741	3.1	93	0.00
4		n-Nitrosodimethylamine	40.000	41.403	-3.5	99	0.00
5	S	2-Fluorophenol	80.000	77.155	3.6	92	0.00
6		Aniline	40.000	40.597	-1.5	97	0.00
7	S	Phenol-d6	80.000	75.986	5.0	91	0.00
8		2-Chlorophenol	40.000	41.033	-2.6	98	0.00
9		Benzaldehyde	40.000	40.346	-0.9	95	0.00
10	C	Phenol	40.000	40.258	-0.6	97	0.00
11		bis(2-Chloroethyl)ether	40.000	39.024	2.4	94	0.00
12		1,3-Dichlorobenzene	40.000	39.813	0.5	96	0.00
13	C	1,4-Dichlorobenzene	40.000	40.160	-0.4	99	0.00
14		1,2-Dichlorobenzene	40.000	40.389	-1.0	99	0.00
15		Benzyl Alcohol	40.000	42.327	-5.8	101	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	39.787	0.5	97	0.00
17		2-Methylphenol	40.000	40.922	-2.3	98	0.00
18		Hexachloroethane	40.000	42.342	-5.9	100	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	39.940	0.2	98	0.00
20		3+4-Methylphenols	40.000	41.105	-2.8	98	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	97	0.00
22		Acetophenone	40.000	39.985	0.0	99	0.00
23	S	Nitrobenzene-d5	80.000	83.164	-4.0	96	0.00
24		Nitrobenzene	40.000	40.919	-2.3	96	0.00
25		Isophorone	40.000	39.728	0.7	98	0.00
26	C	2-Nitrophenol	40.000	43.318	-8.3	115	0.00
27		2,4-Dimethylphenol	40.000	44.394	-11.0	105	0.00
28		bis(2-Chloroethoxy)methane	40.000	39.714	0.7	97	0.00
29	C	2,4-Dichlorophenol	40.000	41.289	-3.2	97	0.00
30		1,2,4-Trichlorobenzene	40.000	41.017	-2.5	101	0.00
31		Naphthalene	40.000	38.372	4.1	95	0.00
32		Benzoic acid	40.000	43.285	-8.2	111	0.00
33		4-Chloroaniline	40.000	44.618	-11.5	109	0.00
34	C	Hexachlorobutadiene	40.000	39.366	1.6	95	0.00
35		Caprolactam	40.000	41.892	-4.7	97	0.00
36	C	4-Chloro-3-methylphenol	40.000	40.717	-1.8	96	0.00
37		2-Methylnaphthalene	40.000	35.270	11.8	87	0.00
38		1-Methylnaphthalene	40.000	37.970	5.1	94	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	99	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	39.218	2.0	98	0.00
41	P	Hexachlorocyclopentadiene	40.000	51.644	-29.1#	140	0.00
42	S	2,4,6-Tribromophenol	80.000	84.868	-6.1	96	0.00
43	C	2,4,6-Trichlorophenol	40.000	42.843	-7.1	98	0.00
44		2,4,5-Trichlorophenol	40.000	41.305	-3.3	95	0.00
45	S	2-Fluorobiphenyl	80.000	74.116	7.4	95	0.00
46		1,1'-Biphenyl	40.000	38.812	3.0	97	0.00
47		2-Chloronaphthalene	40.000	38.093	4.8	96	0.00

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143351.D
Acq On : 12 Aug 2025 13:52
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Quant Time: Aug 12 14:13:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	42.167	-5.4	107	0.00
49		Acenaphthylene	40.000	42.507	-6.3	106	0.00
50		Dimethylphthalate	40.000	40.126	-0.3	98	0.00
51		2,6-Dinitrotoluene	40.000	45.012	-12.5	115	0.00
52	C	Acenaphthene	40.000	37.893	5.3	95	0.00
53		3-Nitroaniline	40.000	47.593	-19.0	108	0.00
54	P	2,4-Dinitrophenol	40.000	45.910	-14.8	123	0.00
55		Dibenzofuran	40.000	38.652	3.4	97	0.00
56	P	4-Nitrophenol	40.000	41.060	-2.7	104	0.00
57		2,4-Dinitrotoluene	40.000	43.458	-8.6	108	0.00
58		Fluorene	40.000	38.022	4.9	97	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	50.091	-25.2#	115	0.00
60		Diethylphthalate	40.000	40.317	-0.8	96	0.00
61		4-Chlorophenyl-phenylether	40.000	38.123	4.7	95	0.00
62		4-Nitroaniline	40.000	44.317	-10.8	102	0.00
63		Azobenzene	40.000	39.721	0.7	98	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	98	0.00
65		4,6-Dinitro-2-methylphenol	40.000	43.535	-8.8	119	0.00
66	c	n-Nitrosodiphenylamine	40.000	39.468	1.3	97	0.00
67		4-Bromophenyl-phenylether	40.000	39.466	1.3	96	0.00
68		Hexachlorobenzene	40.000	38.460	3.8	95	0.00
69		Atrazine	40.000	40.936	-2.3	97	0.00
70	C	Pentachlorophenol	40.000	38.771	3.1	97	0.00
71		Phenanthrene	40.000	38.330	4.2	95	0.00
72		Anthracene	40.000	38.834	2.9	97	0.00
73		Carbazole	40.000	38.877	2.8	96	0.00
74		Di-n-butylphthalate	40.000	43.060	-7.7	97	0.00
75	C	Fluoranthene	40.000	37.543	6.1	96	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	97	0.00
77		Benzidine	40.000	43.872	-9.7	98	0.00
78		Pyrene	40.000	39.329	1.7	96	0.00
79	S	Terphenyl-d14	80.000	78.222	2.2	97	0.00
80		Butylbenzylphthalate	40.000	41.012	-2.5	107	0.00
81		Benzo(a)anthracene	40.000	38.956	2.6	95	0.00
82		3,3'-Dichlorobenzidine	40.000	46.252	-15.6	105	0.00
83		Chrysene	40.000	38.503	3.7	94	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	42.315	-5.8	112	0.00
85	c	Di-n-octyl phthalate	40.000	42.219	-5.5	109	0.00
86	I	Perylene-d12	20.000	20.000	0.0	99	0.00
87		Indeno(1,2,3-cd)pyrene	40.000	40.136	-0.3	98	0.00
88		Benzo(b)fluoranthene	40.000	40.856	-2.1	99	0.00
89		Benzo(k)fluoranthene	40.000	37.064	7.3	94	0.00
90	C	Benzo(a)pyrene	40.000	41.027	-2.6	101	0.00
91		Dibenzo(a,h)anthracene	40.000	40.736	-1.8	99	0.00
92		Benzo(g,h,i)perylene	40.000	41.001	-2.5	100	0.00

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143351.D
Acq On : 12 Aug 2025 13:52
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF081225

Quant Time: Aug 12 14:13:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Response Factor Report BNA_F

Method Path : Z:\svoasrv\HPCHEM1\BNA_F\Methods\
Method File : 8270-BF082025.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Aug 21 06:12:21 2025
Response Via : Initial Calibration

Calibration Files
2.5 =BF143477.D 5 =BF143478.D 10 =BF143479.D 20 =BF143480.D 40 =BF143481.D 50 =BF143482.D 60 =BF143483.D 80 =BF1434
84.D

		Compound	2.5	5	10	20	40	50	60	80	Avg	%RSD
1)	I	1,4-Dichlorobenzen...	----------ISTD----------									
2)		1,4-Dioxane		0.528	0.529	0.539	0.536	0.519	0.542	0.522	0.531	1.62
3)		Pyridine		1.339	1.392	1.435	1.438	1.389	1.477	1.421	1.413	3.13
4)		n-Nitrosodimet...			0.604	0.619	0.641	0.633	0.666	0.648	0.635	3.44
5)	S	2-Fluorophenol		1.203	1.198	1.194	1.138	1.087	1.137	1.061	1.145	4.92
6)		Aniline		2.034	1.969	1.959	1.890	1.800	1.864	1.714	1.890	5.78
7)	S	Phenol-d6		1.536	1.460	1.471	1.407	1.342	1.384	1.299	1.414	5.76
8)		2-Chlorophenol		1.301	1.284	1.302	1.268	1.229	1.270	1.202	1.265	2.94
9)		Benzaldehyde			1.008	0.981	1.200	1.133	1.402		1.145	14.80
10)	C	Phenol		1.741	1.695	1.725	1.646	1.554	1.593	1.449	1.629	6.43
11)		bis(2-Chloroet...		1.296	1.230	1.235	1.213	1.170	1.221	1.156	1.217	3.78
12)		1,3-Dichlorobe...		1.558	1.451	1.466	1.414	1.345	1.399	1.317	1.421	5.65
13)	C	1,4-Dichlorobe...		1.531	1.487	1.483	1.411	1.355	1.409	1.304	1.426	5.62
14)		1,2-Dichlorobe...		1.448	1.413	1.386	1.348	1.289	1.333	1.233	1.350	5.45
15)		Benzyl Alcohol			1.037	1.063	1.083	1.040	1.088	1.041	1.059	2.14
16)		2,2'-oxybis(1-...		2.144	2.104	2.053	1.954	1.805	1.868	1.703	1.947	8.40
17)		2-Methylphenol		1.052	1.042	1.056	1.011	0.975	1.011	0.960	1.015	3.67
18)		Hexachloroethane		0.495	0.498	0.502	0.491	0.462	0.489	0.456	0.485	3.79
19)	P	n-Nitroso-di-n...	0.922	0.943	0.912	0.879	0.844	0.800	0.832	0.781	0.864	6.86
20)		3+4-Methylphenols			1.337	1.320	1.218	1.143	1.178	1.076	1.212	8.40
21)	I	Naphthalene-d8	----------ISTD----------									
22)		Acetophenone		0.489	0.464	0.459	0.418	0.402	0.410	0.382	0.432	8.99
23)	S	Nitrobenzene-d5		0.354	0.345	0.357	0.344	0.335	0.340	0.325	0.343	3.18
24)		Nitrobenzene		0.353	0.351	0.366	0.356	0.348	0.358	0.337	0.353	2.55
25)		Isophorone		0.666	0.630	0.644	0.621	0.608	0.625	0.603	0.628	3.41
26)	C	2-Nitrophenol		0.162	0.165	0.177	0.177	0.175	0.180	0.173	0.173	3.76
27)		2,4-Dimethylph...		0.283	0.272	0.281	0.270	0.262	0.265	0.251	0.269	4.11
28)		bis(2-Chloroet...		0.409	0.399	0.401	0.386	0.371	0.379	0.357	0.386	4.74
29)	C	2,4-Dichloroph...		0.293	0.299	0.303	0.288	0.281	0.283	0.266	0.288	4.30
30)		1,2,4-Trichlor...		0.318	0.300	0.314	0.292	0.282	0.291	0.274	0.296	5.46
31)		Naphthalene		1.069	1.009	1.014	0.943	0.907	0.921	0.859	0.960	7.58
32)		Benzoic acid			0.086	0.116	0.145	0.153	0.163	0.160	0.137	21.97
33)		4-Chloroaniline		0.359	0.345	0.362	0.343	0.331	0.330	0.315	0.341	4.87
34)	C	Hexachlorobuta...		0.207	0.199	0.201	0.192	0.186	0.190	0.177	0.193	5.21
35)		Caprolactam			0.063	0.068	0.071	0.071	0.070	0.072	0.069	4.96
36)	C	4-Chloro-3-met...		0.303	0.292	0.303	0.287	0.280	0.284	0.269	0.288	4.25
37)		2-Methylnaphth...		0.716	0.684	0.684	0.633	0.600	0.610	0.562	0.641	8.62
38)		1-Methylnaphth...		0.692	0.651	0.650	0.603	0.577	0.581	0.540	0.613	8.62

Method Path : Z:\svoasrv\HPCHEM1\BNA_F\Methods\
Method File : 8270-BF082025.M

39)	I	Acenaphthene-d10	----------ISTD----------								
40)		1,2,4,5-Tetrac...	0.629	0.584	0.613	0.565	0.544	0.552	0.517	0.572	6.88
41)	P	Hexachlorocycl...		0.098	0.153	0.198	0.205	0.226	0.222	0.184	26.99
42)	S	2,4,6-Tribromo...	0.191	0.188	0.194	0.188	0.181	0.184	0.177	0.186	3.12
43)	C	2,4,6-Trichlor...	0.338	0.347	0.364	0.364	0.351	0.360	0.339	0.352	3.18
44)		2,4,5-Trichlor...	0.391	0.376	0.413	0.382	0.377	0.387	0.365	0.385	3.94
45)	S	2-Fluorobiphenyl	1.445	1.336	1.323	1.156	1.106	1.106	0.999	1.210	13.20
46)		1,1'-Biphenyl	1.582	1.505	1.519	1.399	1.335	1.349	1.247	1.420	8.43
47)		2-Chloronaphth...	1.222	1.165	1.172	1.105	1.056	1.068	1.008	1.114	6.77
48)		2-Nitroaniline	0.314	0.313	0.338	0.337	0.329	0.331	0.320	0.326	3.19
49)		Acenaphthylene	1.747	1.663	1.687	1.580	1.516	1.533	1.437	1.595	6.85
50)		Dimethylphthalate	1.293	1.219	1.252	1.201	1.159	1.175	1.133	1.205	4.58
51)		2,6-Dinitrotol...	0.224	0.237	0.259	0.259	0.260	0.257	0.251	0.250	5.63
52)	C	Acenaphthene	1.170	1.131	1.137	1.076	1.037	1.044	0.985	1.083	6.07
53)		3-Nitroaniline	0.260	0.257	0.280	0.278	0.273	0.271	0.269	0.270	3.21
54)	P	2,4-Dinitrophenol		0.072	0.099	0.120	0.132	0.137	0.129	0.115	21.92
55)		Dibenzofuran	1.717	1.625	1.647	1.523	1.461	1.453	1.381	1.544	7.91
56)	P	4-Nitrophenol		0.115	0.147	0.171	0.177	0.172	0.181	0.161	15.78
57)		2,4-Dinitrotol...	0.292	0.318	0.349	0.351	0.344	0.344	0.336	0.333	6.38
58)		Fluorene	1.367	1.286	1.270	1.158	1.111	1.102	1.025	1.188	10.25
59)		2,3,4,6-Tetrac...	0.261	0.264	0.299	0.297	0.294	0.297	0.288	0.286	5.59
60)		Diethylphthalate	1.172	1.097	1.110	1.084	1.053	1.036	1.008	1.080	5.01
61)		4-Chlorophenyl...	0.671	0.624	0.628	0.585	0.558	0.567	0.527	0.594	8.30
62)		4-Nitroaniline	0.230	0.237	0.258	0.257	0.255	0.248	0.250	0.248	4.28
63)		Azobenzene	1.221	1.154	1.177	1.122	1.080	1.067	1.018	1.120	6.26
64)	I	Phenanthrene-d10	----------ISTD----------								
65)		4,6-Dinitro-2-...		0.085	0.103	0.119	0.120	0.124	0.126	0.113	13.97
66)	c	n-Nitrosodiphe...	0.684	0.661	0.679	0.641	0.615	0.636	0.590	0.644	5.29
67)		4-Bromophenyl-...	0.243	0.240	0.250	0.241	0.230	0.240	0.227	0.239	3.35
68)		Hexachlorobenzene	0.266	0.262	0.267	0.257	0.248	0.256	0.243	0.257	3.53
69)		Atrazine	0.154	0.156	0.164	0.168	0.171	0.174	0.176	0.166	5.09
70)	C	Pentachlorophenol		0.088	0.106	0.124	0.127	0.131	0.131	0.118	14.47
71)		Phenanthrene	1.188	1.123	1.130	1.039	1.015	1.033	0.969	1.071	7.23
72)		Anthracene	1.191	1.144	1.148	1.074	1.022	1.036	0.980	1.085	7.16
73)		Carbazole	0.949	0.925	0.932	0.882	0.849	0.861	0.825	0.889	5.30
74)		Di-n-butylphth...	0.782	0.800	0.830	0.850	0.833	0.857	0.855	0.829	3.47
75)	C	Fluoranthene	1.061	1.020	1.002	0.946	0.914	0.923	0.862	0.961	7.21
76)	I	Chrysene-d12	----------ISTD----------								
77)		Benzidine		0.611	0.665	0.516	0.391	0.368	0.372	0.487	26.70
78)		Pyrene	1.891	1.768	1.793	1.635	1.590	1.512	1.327	1.645	11.63
79)	S	Terphenyl-d14	1.341	1.255	1.248	1.130	1.094	1.052	0.904	1.146	12.86
80)		Butylbenzylpht...	0.380	0.402	0.443	0.467	0.461	0.509	0.485	0.449	10.15
81)		Benzo(a)anthra...	1.302	1.274	1.300	1.318	1.266	1.316	1.237	1.288	2.30
82)		3,3'-Dichlorob...		0.353	0.386	0.373	0.354	0.377	0.370	0.369	3.60
83)		Chrysene	1.251	1.195	1.213	1.113	1.089	1.125	1.114	1.157	5.33
84)		Bis(2-ethylhex...	0.600	0.626	0.699	0.710	0.690	0.767	0.700	0.685	8.12
85)	c	Di-n-octyl pht...		1.129	1.289	1.298	1.251	1.413	1.228	1.268	7.36

Method Path : Z:\svoasrv\HPCHEM1\BNA_F\Methods\
Method File : 8270-BF082025.M

86)	I	Perylene-d12	----------ISTD----------							
87)		Indeno(1,2,3-c...	1.425	1.433	1.565	1.449	1.427	1.466	1.295	1.437	5.51
88)		Benzo(b)fluora...	1.135	1.147	1.182	1.074	1.058	1.068	1.119	1.112	4.20
89)		Benzo(k)fluora...	1.157	1.014	1.056	1.081	1.034	1.104	1.005	1.064	5.10
90)	C	Benzo(a)pyrene	1.033	1.021	1.074	1.032	1.010	1.043	1.011	1.032	2.15
91)		Dibenzo(a,h)an...	1.139	1.164	1.260	1.162	1.142	1.168	1.023	1.151	6.04
92)		Benzo(g,h,i)pe...	1.128	1.129	1.242	1.156	1.145	1.172	1.039	1.145	5.30

(#) = Out of Range



Response = 1.430e-001 * Amt - 3.784e-002
Coef of Det (r^2) = 0.996445 Curve Fit: wlr(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF082025.M
Calibration Table Last Updated: Thu Aug 21 06:12:21 2025



Response = 2.418e-001 * Amt - 7.792e-002
Coef of Det (r^2) = 0.997891 Curve Fit: wlr(1/a)
Method Name: Z:\svoasrv\HPCHEM1\BNA F\Methods\8270-BF082025.M
Calibration Table Last Updated: Thu Aug 21 06:12:21 2025

Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143477.D
Acq On : 20 Aug 2025 10:55
Operator : RC/JU
Sample : SSTDICC2.5
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Quant Time: Aug 20 16:19:29 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	139562	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	543954	20.000	ng	0.00
39) Acenaphthene-d10	9.963	164	302590	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	471116	20.000	ng	0.00
76) Chrysene-d12	14.098	240	283668	20.000	ng	0.00
86) Perylene-d12	15.598	264	247340	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	0.000	112	0d	0.000	ng	
7) Phenol-d6	0.000	99	0d	0.000	ng	
23) Nitrobenzene-d5	0.000	82	0d	0.000	ng	
42) 2,4,6-Tribromophenol	0.000	330	0d	0.000	ng	
45) 2-Fluorobiphenyl	0.000	172	0d	0.000	ng	
79) Terphenyl-d14	0.000	244	0d	0.000	ng	
Target Compounds						Qvalue
19) n-Nitroso-di-n-propyla...	7.328	70	16082	2.667	ng	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143477.D
Acq On : 20 Aug 2025 10:55
Operator : RC/JU
Sample : SSTDICC2.5
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Quant Time: Aug 20 16:19:29 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143477.D
Acq: 20 Aug 2025 10:55

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion:152 Resp: 139562

Ion	Ratio	Lower	Upper
152	100		
150	156.9	128.9	193.3
115	60.4	49.2	73.8





#5
2-Fluorophenol
Concen: 0.000 ng
Expected RT: 5.56 min

Lab File: BF143477.D
Acq: 20 Aug 2025 10:55

Tgt Ion: 112

Sig	Exp Ratio
112	100
64	63.0
63	33.0





#7
Phenol-d6
Concen: 0.000 ng
Expected RT: 6.57 min

Lab File: BF143477.D
Acq: 20 Aug 2025 10:55

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion: 99

Sig	Exp Ratio
99	100
42	20.4
71	35.2



#19
n-Nitroso-di-n-propylamine
Concen: 2.667 ng
RT: 7.328 min Scan# 873
Delta R.T. -0.023 min
Lab File: BF143477.D
Acq: 20 Aug 2025 10:55

Tgt Ion: 70 Resp: 16082

Ion	Ratio	Lower	Upper
70	100		
42	65.4	49.3	73.9
101	9.8	7.8	11.8
130	23.2	16.6	25.0





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143477.D
Acq: 20 Aug 2025 10:55

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion:136 Resp: 543954

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.0	13.4
54	8.9	7.4	11.2
68	6.1	5.0	7.4





#23
Nitrobenzene-d5
Concen: 0.000 ng
Expected RT: 7.50 min

Lab File: BF143477.D
Acq: 20 Aug 2025 10:55

Tgt Ion: 82

Sig	Exp Ratio
82	100
128	44.4
54	55.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143477.D
Acq: 20 Aug 2025 10:55

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion:164 Resp: 302590

Ion	Ratio	Lower	Upper
164	100		
162	99.0	80.5	120.7
160	41.9	34.3	51.5





#42
2,4,6-Tribromophenol
Concen: 0.000 ng
Expected RT: 10.76 min

Lab File: BF143477.D
Acq: 20 Aug 2025 10:55

Tgt Ion: 330

Sig	Exp Ratio
330	100
332	97.5
141	29.6





#45
2-Fluorobiphenyl
Concen: 0.000 ng
Expected RT: 9.29 min

Lab File: BF143477.D
Acq: 20 Aug 2025 10:55

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion: 172

Sig	Exp Ratio
172	100
171	36.0
170	23.5



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. -0.006 min
Lab File: BF143477.D
Acq: 20 Aug 2025 10:55

Tgt Ion:188 Resp: 471116

Ion	Ratio	Lower	Upper
188	100		
94	9.9	7.4	11.2
80	10.9	8.2	12.4





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2(
Delta R.T. -0.006 min
Lab File: BF143477.D
Acq: 20 Aug 2025 10:55

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion:240 Resp: 283668

Ion	Ratio	Lower	Upper
240	100		
120	10.5	8.6	12.8
236	25.1	20.4	30.6





#79
Terphenyl-d14
Concen: 0.000 ng
Expected RT: 13.04 min

Lab File: BF143477.D
Acq: 20 Aug 2025 10:55

Tgt Ion: 244

Sig	Exp Ratio
244	100
212	6.5
122	9.9





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.598 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143477.D
Acq: 20 Aug 2025 10:55

Instrument :
BNA_F
ClientSampleId :
SSTDICC2.5

Tgt Ion:264 Resp: 247340

Ion	Ratio	Lower	Upper
264	100		
260	23.5	18.7	28.1
265	21.2	17.6	26.4



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143478.D
Acq On : 20 Aug 2025 11:25
Operator : RC/JU
Sample : SSTDICC005
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Quant Time: Aug 20 16:19:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	6.928	152	139746	20.000	ng		0.00
21) Naphthalene-d8	8.210	136	528467	20.000	ng		0.00
39) Acenaphthene-d10	9.963	164	295421	20.000	ng		0.00
64) Phenanthrene-d10	11.451	188	479059	20.000	ng		0.00
76) Chrysene-d12	14.098	240	275807	20.000	ng		0.00
86) Perylene-d12	15.598	264	257255	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.563	112	84074	10.505	ng		0.00
7) Phenol-d6	6.557	99	107354	10.867	ng		-0.02
23) Nitrobenzene-d5	7.481	82	93525	10.327	ng		-0.02
42) 2,4,6-Tribromophenol	10.751	330	28197	10.254	ng		-0.01
45) 2-Fluorobiphenyl	9.281	172	213485	11.943	ng		0.00
79) Terphenyl-d14	13.033	244	184897	11.698	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	2.746	88	18448	4.976	ng		97
3) Pyridine	3.552	79	46794	4.739	ng		98
6) Aniline	6.587	93	71052	5.381	ng		98
8) 2-Chlorophenol	6.716	128	45449	5.142	ng		99
10) Phenol	6.575	94	60812	5.343	ng		93
11) bis(2-Chloroethyl)ether	6.651	93	45274	5.323	ng		99
12) 1,3-Dichlorobenzene	6.869	146	54424	5.480	ng		98
13) 1,4-Dichlorobenzene	6.945	146	53485	5.368	ng		99
14) 1,2-Dichlorobenzene	7.098	146	50580	5.362	ng		98
16) 2,2'-oxybis(1-Chloropr...	7.192	45	74897	5.504	ng		97
17) 2-Methylphenol	7.181	107	36752	5.180	ng		97
18) Hexachloroethane	7.440	117	17304	5.108	ng		94
19) n-Nitroso-di-n-propyla...	7.328	70	32958	5.458	ng		96
22) Acetophenone	7.328	105	64602	5.658	ng	#	96
24) Nitrobenzene	7.498	77	46642	5.004	ng		99
25) Isophorone	7.739	82	87950	5.298	ng		99
26) 2-Nitrophenol	7.822	139	21447	4.697	ng		98
27) 2,4-Dimethylphenol	7.863	122	37403	5.255	ng		98
28) bis(2-Chloroethoxy)met...	7.951	93	54059	5.299	ng		98
29) 2,4-Dichlorophenol	8.075	162	38716	5.093	ng		96
30) 1,2,4-Trichlorobenzene	8.151	180	42060	5.382	ng		99
31) Naphthalene	8.228	128	141189	5.565	ng		99
33) 4-Chloroaniline	8.281	127	47399	5.264	ng		99
34) Hexachlorobutadiene	8.351	225	27313	5.357	ng		99
36) 4-Chloro-3-methylphenol	8.763	107	40059	5.259	ng		100
37) 2-Methylnaphthalene	8.922	142	94640	5.585	ng		99
38) 1-Methylnaphthalene	9.022	142	91483	5.644	ng		99
40) 1,2,4,5-Tetrachloroben...	9.092	216	46429	5.494	ng		98
43) 2,4,6-Trichlorophenol	9.204	196	24994	4.807	ng		99
44) 2,4,5-Trichlorophenol	9.251	196	28903	5.089	ng		97
46) 1,1'-Biphenyl	9.381	154	116864	5.573	ng		98
47) 2-Chloronaphthalene	9.410	162	90223	5.484	ng		100
48) 2-Nitroaniline	9.504	65	23209	4.820	ng		99
49) Acenaphthylene	9.822	152	129052	5.478	ng		98
50) Dimethylphthalate	9.675	163	95475	5.366	ng		98
51) 2,6-Dinitrotoluene	9.739	165	16519	4.480	ng		93

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143478.D
Acq On : 20 Aug 2025 11:25
Operator : RC/JU
Sample : SSTDICC005
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Quant Time: Aug 20 16:19:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
52)	Acenaphthene	9.998	154	86399	5.402	ng		100
53)	3-Nitroaniline	9.916	138	19195	4.817	ng		98
55)	Dibenzofuran	10.169	168	126806	5.561	ng		100
57)	2,4-Dinitrotoluene	10.145	165	21578	4.382	ng		90
58)	Fluorene	10.510	166	100926	5.751	ng		100
59)	2,3,4,6-Tetrachlorophenol	10.298	232	19308	4.576	ng	#	97
60)	Diethylphthalate	10.375	149	86539	5.425	ng		99
61)	4-Chlorophenyl-phenyle...	10.504	204	49563	5.647	ng		97
62)	4-Nitroaniline	10.522	138	16999	4.645	ng		99
63)	Azobenzene	10.663	77	90174	5.452	ng		99
66)	n-Nitrosodiphenylamine	10.616	169	81920	5.314	ng		99
67)	4-Bromophenyl-phenylether	10.992	248	29139	5.098	ng		95
68)	Hexachlorobenzene	11.069	284	31905	5.178	ng		99
69)	Atrazine	11.139	200	18453	4.637	ng		97
71)	Phenanthrene	11.475	178	142334	5.548	ng		99
72)	Anthracene	11.528	178	142673	5.490	ng		99
73)	Carbazole	11.686	167	113696	5.339	ng		99
74)	Di-n-butylphthalate	12.010	149	93617	4.712	ng		100
75)	Fluoranthene	12.669	202	127015	5.518	ng		98
78)	Pyrene	12.898	202	130407	5.748	ng		99
80)	Butylbenzylphthalate	13.510	149	26173	4.223	ng		99
81)	Benzo(a)anthracene	14.086	228	89757	5.055	ng		99
83)	Chrysene	14.121	228	86291	5.408	ng		99
84)	Bis(2-ethylhexyl)phtha...	14.069	149	41348	4.380	ng		99
87)	Indeno(1,2,3-cd)pyrene	17.121	276	91654	4.958	ng		98
88)	Benzo(b)fluoranthene	15.157	252	72988	5.104	ng		99
89)	Benzo(k)fluoranthene	15.186	252	74440	5.437	ng		99
90)	Benzo(a)pyrene	15.533	252	66416	5.004	ng		99
91)	Dibenzo(a,h)anthracene	17.139	278	73229	4.946	ng		98
92)	Benzo(g,h,i)perylene	17.586	276	72556	4.928	ng		98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143478.D
Acq On : 20 Aug 2025 11:25
Operator : RC/JU
Sample : SSTDICC005
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Quant Time: Aug 20 16:19:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:152 Resp: 139746

Ion	Ratio	Lower	Upper
152	100		
150	154.9	128.9	193.3
115	58.0	49.2	73.8





#2
1,4-Dioxane
Concen: 4.976 ng
RT: 2.746 min Scan# 94
Delta R.T. 0.012 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion: 88 Resp: 18448

Ion	Ratio	Lower	Upper
88	100		
58	85.1	66.7	100.1
43	35.4	25.8	38.8





#3
Pyridine
Concen: 4.739 ng
RT: 3.552 min Scan# 2
Delta R.T. 0.035 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 79 Resp: 46794

Ion	Ratio	Lower	Upper
79	100		
52	82.4	65.6	98.4
51	42.6	31.2	46.8





#5
2-Fluorophenol
Concen: 10.505 ng
RT: 5.563 min Scan# 573
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:112 Resp: 84074

Ion	Ratio	Lower	Upper
112	100		
64	63.4	50.4	75.6
63	32.0	26.4	39.6





#6
Aniline
Concen: 5.381 ng
RT: 6.587 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 93 Resp: 71052

Ion	Ratio	Lower	Upper
93	100		
66	47.7	38.9	58.3
65	27.0	20.6	30.8





#7
Phenol-d6
Concen: 10.867 ng
RT: 6.557 min Scan# 742
Delta R.T. -0.018 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion: 99 Resp: 107354

Ion	Ratio	Lower	Upper
99	100		
42	19.7	16.3	24.5
71	33.7	28.2	42.2





#8
2-Chlorophenol
Concen: 5.142 ng
RT: 6.716 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:128 Resp: 45449

Ion	Ratio	Lower	Upper
128	100		
130	31.5	12.4	52.4
64	52.0	31.6	71.6





#10
Phenol
Concen: 5.343 ng
RT: 6.575 min Scan# 745
Delta R.T. -0.012 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion: 94 Resp: 60812

Ion	Ratio	Lower	Upper
94	100		
65	37.3	19.5	59.5
66	55.1	42.5	82.5





#11
bis(2-Chloroethyl)ether
Concen: 5.323 ng
RT: 6.651 min Scan# 7
Delta R.T. -0.012 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 93 Resp: 45274

Ion	Ratio	Lower	Upper
93	100		
63	82.2	63.6	103.6
95	33.1	12.8	52.8





#12
1,3-Dichlorobenzene
Concen: 5.480 ng
RT: 6.869 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:146 Resp: 54424

Ion	Ratio	Lower	Upper
146	100		
148	62.8	51.3	76.9
75	29.1	24.7	37.1





#13
1,4-Dichlorobenzene
Concen: 5.368 ng
RT: 6.945 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:146 Resp: 53485

Ion	Ratio	Lower	Upper
146	100		
148	64.5	51.5	77.3
111	39.7	32.6	49.0





#14
1,2-Dichlorobenzene
Concen: 5.362 ng
RT: 7.098 min Scan# 834
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:146 Resp: 50580

Ion	Ratio	Lower	Upper
146	100		
148	63.6	51.0	76.6
111	40.2	34.0	51.0





#16
2,2'-oxybis(1-Chloropropane)
Concen: 5.504 ng
RT: 7.192 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 45 Resp: 74897

Ion	Ratio	Lower	Upper
45	100		
77	19.0	0.0	37.9
79	16.4	0.0	34.7





#17
2-Methylphenol
Concen: 5.180 ng
RT: 7.181 min Scan# 848
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:107 Resp: 36752

Ion	Ratio	Lower	Upper
107	100		
108	116.1	91.1	136.7
77	53.7	46.2	69.4
79	52.4	44.2	66.2





#18
Hexachloroethane
Concen: 5.108 ng
RT: 7.440 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:117 Resp: 17304

Ion	Ratio	Lower	Upper
117	100		
119	99.6	75.4	113.0
201	105.1	79.0	118.4





#19
n-Nitroso-di-n-propylamine
Concen: 5.458 ng
RT: 7.328 min Scan# 873
Delta R.T. -0.024 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion: 70 Resp: 32958

Ion	Ratio	Lower	Upper
70	100		
42	66.1	49.3	73.9
101	9.5	7.8	11.8
130	19.9	16.6	25.0





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:136 Resp: 528467

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.0	13.4
54	9.0	7.4	11.2
68	6.1	5.0	7.4





#22
Acetophenone
Concen: 5.658 ng
RT: 7.328 min Scan# 873
Delta R.T. -0.012 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:105 Resp: 64602

Ion	Ratio	Lower	Upper
105	100		
71	9.1	5.9	8.9#
51	36.9	32.5	48.7
120	22.4	18.0	27.0





#23
Nitrobenzene-d5
Concen: 10.327 ng
RT: 7.481 min Scan# 8
Delta R.T. -0.018 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 82 Resp: 93525

Ion	Ratio	Lower	Upper
82	100		
128	42.1	35.5	53.3
54	57.2	44.3	66.5





#24
Nitrobenzene
Concen: 5.004 ng
RT: 7.498 min Scan# 902
Delta R.T. -0.018 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion: 77 Resp: 46642

Ion	Ratio	Lower	Upper
77	100		
123	46.0	36.1	54.1
65	14.0	11.0	16.6





#25
Isophorone
Concen: 5.298 ng
RT: 7.739 min Scan# 94
Delta R.T. -0.018 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 82 Resp: 87950

Ion	Ratio	Lower	Upper
82	100		
95	7.6	5.8	8.8
138	17.6	14.2	21.4





#26
2-Nitrophenol
Concen: 4.697 ng
RT: 7.822 min Scan# 957
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:139 Resp: 21447

Ion	Ratio	Lower	Upper
139	100		
109	29.3	23.0	34.6
65	52.3	40.3	60.5





#27
2,4-Dimethylphenol
Concen: 5.255 ng
RT: 7.863 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:122 Resp: 37403

Ion	Ratio	Lower	Upper
122	100		
107	112.2	91.5	137.3
121	56.3	47.0	70.4





#28
bis(2-Chloroethoxy)methane
Concen: 5.299 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion: 93 Resp: 54059

Ion	Ratio	Lower	Upper
93	100		
95	31.4	26.0	39.0
123	11.9	9.1	13.7





#29
2,4-Dichlorophenol
Concen: 5.093 ng
RT: 8.075 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:162 Resp: 38716

Ion	Ratio	Lower	Upper
162	100		
164	66.5	43.5	83.5
98	38.0	15.1	55.1





#30
1,2,4-Trichlorobenzene
Concen: 5.382 ng
RT: 8.151 min Scan# 1013
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:180 Resp: 42060

Ion	Ratio	Lower	Upper
180	100		
182	95.5	76.6	114.8
145	28.9	24.3	36.5





#31
Naphthalene
Concen: 5.565 ng
RT: 8.228 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:128 Resp: 141189

Ion	Ratio	Lower	Upper
128	100		
129	10.6	8.8	13.2
127	12.7	10.6	16.0





#33
4-Chloroaniline
Concen: 5.264 ng
RT: 8.281 min Scan# 1035
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:127 Resp: 47399

Ion	Ratio	Lower	Upper
127	100		
129	32.4	26.1	39.1
65	34.0	26.2	39.2
92	20.8	16.6	25.0





#34
Hexachlorobutadiene
Concen: 5.357 ng
RT: 8.351 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:225 Resp: 27313

Ion	Ratio	Lower	Upper
225	100		
223	62.8	49.9	74.9
227	64.5	50.9	76.3





#36
4-Chloro-3-methylphenol
Concen: 5.259 ng
RT: 8.763 min Scan# 1117
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:107 Resp: 40059

Ion	Ratio	Lower	Upper
107	100		
144	25.1	19.9	29.9
142	77.4	61.8	92.8





#37
2-Methylnaphthalene
Concen: 5.585 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:142 Resp: 94640

Ion	Ratio	Lower	Upper
142	100		
141	89.2	71.0	106.4





#38
1-Methylnaphthalene
Concen: 5.644 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:142 Resp: 91483

Ion	Ratio	Lower	Upper
142	100		
141	90.9	73.3	109.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:164 Resp: 295421

Ion	Ratio	Lower	Upper
164	100		
162	99.1	80.5	120.7
160	43.0	34.3	51.5





#40
1,2,4,5-Tetrachlorobenzene
Concen: 5.494 ng
RT: 9.092 min Scan# 1173
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:216 Resp: 46429

Ion	Ratio	Lower	Upper
216	100		
214	77.4	63.4	95.0
179	20.2	16.5	24.7
108	16.1	13.9	20.9





#42
2,4,6-Tribromophenol
Concen: 10.254 ng
RT: 10.751 min Scan# 14
Delta R.T. -0.012 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:330 Resp: 28197

Ion	Ratio	Lower	Upper
330	100		
332	95.6	78.0	117.0
141	29.8	23.7	35.5





#43
2,4,6-Trichlorophenol
Concen: 4.807 ng
RT: 9.204 min Scan# 1192
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:196 Resp: 24994

Ion	Ratio	Lower	Upper
196	100		
198	96.9	77.0	115.4
200	30.8	24.6	37.0





#44
2,4,5-Trichlorophenol
Concen: 5.089 ng
RT: 9.251 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:196 Resp: 28903

Ion	Ratio	Lower	Upper
196	100		
198	94.7	77.3	115.9
97	46.2	40.0	60.0
132	28.9	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 11.943 ng
RT: 9.281 min Scan# 1205
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:172 Resp: 213485

Ion	Ratio	Lower	Upper
172	100		
171	35.0	28.8	43.2
170	23.0	18.8	28.2





#46
1,1'-Biphenyl
Concen: 5.573 ng
RT: 9.381 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:154 Resp: 116864

Ion	Ratio	Lower	Upper
154	100		
153	39.2	20.6	60.6
76	13.9	0.0	33.0





#47
2-Chloronaphthalene
Concen: 5.484 ng
RT: 9.410 min Scan# 1227
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:162 Resp: 90223

Ion	Ratio	Lower	Upper
162	100		
127	39.4	31.8	47.6
164	33.0	26.4	39.6





#48
2-Nitroaniline
Concen: 4.820 ng
RT: 9.504 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion: 65 Resp: 23209

Ion	Ratio	Lower	Upper
65	100		
92	67.3	53.8	80.6
138	105.1	82.4	123.6





#49
Acenaphthylene
Concen: 5.478 ng
RT: 9.822 min Scan# 1297
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:152 Resp: 129052

Ion	Ratio	Lower	Upper
152	100		
151	19.3	16.2	24.4
153	12.8	10.6	15.8





#50
Dimethylphthalate
Concen: 5.366 ng
RT: 9.675 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:163 Resp: 95475

Ion	Ratio	Lower	Upper
163	100		
194	3.8	3.4	5.0
164	9.5	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 4.480 ng
RT: 9.739 min Scan# 1283
Delta R.T. -0.012 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:165 Resp: 16519

Ion	Ratio	Lower	Upper
165	100		
63	61.0	45.0	67.6
89	58.3	42.5	63.7





#52
Acenaphthene
Concen: 5.402 ng
RT: 9.998 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:154 Resp: 86399

Ion	Ratio	Lower	Upper
154	100		
153	111.8	89.5	134.3
152	52.3	42.5	63.7





#53
3-Nitroaniline
Concen: 4.817 ng
RT: 9.916 min Scan# 1313
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:138 Resp: 19195

Ion	Ratio	Lower	Upper
138	100		
108	11.8	8.6	13.0
92	114.1	89.8	134.8





#55
Dibenzofuran
Concen: 5.561 ng
RT: 10.169 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:168 Resp: 126806

Ion	Ratio	Lower	Upper
168	100		
139	37.2	29.8	44.6
169	13.7	10.8	16.2





#57
2,4-Dinitrotoluene
Concen: 4.382 ng
RT: 10.145 min Scan# 1352
Delta R.T. -0.012 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:165 Resp: 21578

Ion	Ratio	Lower	Upper
165	100		
63	49.3	34.9	52.3
89	76.0	53.3	79.9
182	3.0	2.3	3.5





#58
Fluorene
Concen: 5.751 ng
RT: 10.510 min Scan# 14
Delta R.T. -0.012 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:166 Resp: 100926

Ion	Ratio	Lower	Upper
166	100		
165	97.5	78.3	117.5
167	13.6	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 4.576 ng
RT: 10.298 min Scan# 1378
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:232 Resp: 19308

Ion	Ratio	Lower	Upper
232	100		
131	43.1	32.7	49.1
130	0.7	1.6	2.4#
166	27.3	22.6	34.0





#60
Diethylphthalate
Concen: 5.425 ng
RT: 10.375 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:149 Resp: 86539

Ion	Ratio	Lower	Upper
149	100		
177	22.6	18.3	27.5
150	12.2	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 5.647 ng
RT: 10.504 min Scan# 1413
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:204 Resp: 49563

Ion	Ratio	Lower	Upper
204	100		
206	33.7	27.0	40.4
141	57.3	48.7	73.1





#62
4-Nitroaniline
Concen: 4.645 ng
RT: 10.522 min Scan# 14
Delta R.T. -0.018 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:138 Resp: 16999

Ion	Ratio	Lower	Upper
138	100		
92	51.2	29.3	69.3
108	71.0	50.7	90.7





#63
Azobenzene
Concen: 5.452 ng
RT: 10.663 min Scan# 1440
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion: 77 Resp: 90174

Ion	Ratio	Lower	Upper
77	100		
182	27.3	6.2	46.2
105	21.4	2.2	42.2
51	32.1	12.4	52.4





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:188 Resp: 479059

Ion	Ratio	Lower	Upper
188	100		
94	9.9	7.4	11.2
80	10.8	8.2	12.4





#66
n-Nitrosodiphenylamine
Concen: 5.314 ng
RT: 10.616 min Scan# 1432
Delta R.T. -0.012 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:169 Resp: 81920

Ion	Ratio	Lower	Upper
169	100		
168	66.0	52.4	78.6
167	35.6	28.9	43.3





#67
4-Bromophenyl-phenylether
Concen: 5.098 ng
RT: 10.992 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:248 Resp: 29139

Ion	Ratio	Lower	Upper
248	100		
250	93.1	77.8	116.8
141	73.2	54.0	81.0





#68
Hexachlorobenzene
Concen: 5.178 ng
RT: 11.069 min Scan# 1509
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:284 Resp: 31905

Ion	Ratio	Lower	Upper
284	100		
142	30.6	24.4	36.6
249	30.7	25.0	37.6





#69
Atrazine
Concen: 4.637 ng
RT: 11.139 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:200 Resp: 18453

Ion	Ratio	Lower	Upper
200	100		
173	28.1	6.9	46.9
215	47.4	30.0	70.0





#71
Phenanthrene
Concen: 5.548 ng
RT: 11.475 min Scan# 1578
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:178 Resp: 142334

Ion	Ratio	Lower	Upper
178	100		
176	18.9	15.5	23.3
179	15.7	12.5	18.7





#72
Anthracene
Concen: 5.490 ng
RT: 11.528 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:178 Resp: 142673

Ion	Ratio	Lower	Upper
178	100		
176	18.1	15.0	22.4
179	15.1	12.3	18.5





#73
Carbazole
Concen: 5.339 ng
RT: 11.686 min Scan# 1614
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:167 Resp: 113696

Ion	Ratio	Lower	Upper
167	100		
166	21.0	17.3	25.9
139	12.3	10.0	15.0





#74
Di-n-butylphthalate
Concen: 4.712 ng
RT: 12.010 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:149 Resp: 93617

Ion	Ratio	Lower	Upper
149	100		
150	9.0	7.2	10.8
104	4.8	3.6	5.4





#75
Fluoranthene
Concen: 5.518 ng
RT: 12.669 min Scan# 1781
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:202 Resp: 127015

Ion	Ratio	Lower	Upper
202	100		
101	11.7	0.0	31.3
203	16.7	0.0	37.9





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2(
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:240 Resp: 275807

Ion	Ratio	Lower	Upper
240	100		
120	10.3	8.6	12.8
236	25.1	20.4	30.6





#78
Pyrene
Concen: 5.748 ng
RT: 12.898 min Scan# 1820
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:202 Resp: 130407

Ion	Ratio	Lower	Upper
202	100		
200	20.9	17.0	25.4
203	17.2	14.3	21.5





#79
Terphenyl-d14
Concen: 11.698 ng
RT: 13.033 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:244 Resp: 184897

Ion	Ratio	Lower	Upper
244	100		
212	6.1	5.2	7.8
122	10.4	7.9	11.9





#80
Butylbenzylphthalate
Concen: 4.223 ng
RT: 13.510 min Scan# 1924
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:149 Resp: 26173

Ion	Ratio	Lower	Upper
149	100		
91	67.6	55.3	82.9
206	22.6	18.2	27.4





#81
Benzo(a)anthracene
Concen: 5.055 ng
RT: 14.086 min Scan# 2(
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:228 Resp: 89757

Ion	Ratio	Lower	Upper
228	100		
226	26.1	21.7	32.5
229	19.3	15.7	23.5





#83
Chrysene
Concen: 5.408 ng
RT: 14.121 min Scan# 2028
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:228 Resp: 86291

Ion	Ratio	Lower	Upper
228	100		
226	29.0	23.7	35.5
229	19.5	15.7	23.5





#84
Bis(2-ethylhexyl)phthalate
Concen: 4.380 ng
RT: 14.069 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:149 Resp: 41348

Ion	Ratio	Lower	Upper
149	100		
167	27.5	22.2	33.2
279	4.0	3.6	5.4





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.598 min Scan# 2279
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:264 Resp: 257255

Ion	Ratio	Lower	Upper
264	100		
260	23.1	18.7	28.1
265	22.0	17.6	26.4





#87
Indeno(1,2,3-cd)pyrene
Concen: 4.958 ng
RT: 17.121 min Scan# 2
Delta R.T. -0.018 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:276 Resp: 91654

Ion	Ratio	Lower	Upper
276	100		
138	24.9	19.2	28.8
277	24.6	20.3	30.5





#88
Benzo(b)fluoranthene
Concen: 5.104 ng
RT: 15.157 min Scan# 2204
Delta R.T. 0.000 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:252 Resp: 72988

Ion	Ratio	Lower	Upper
252	100		
253	21.5	17.5	26.3
125	9.8	7.4	11.0





#89
Benzo(k)fluoranthene
Concen: 5.437 ng
RT: 15.186 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:252 Resp: 74440

Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.4	26.2
125	10.0	7.4	11.0





#90
Benzo(a)pyrene
Concen: 5.004 ng
RT: 15.533 min Scan# 2268
Delta R.T. -0.006 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:252 Resp: 66416

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.4	26.0
125	10.9	8.2	12.2





#91
Dibenzo(a,h)anthracene
Concen: 4.946 ng
RT: 17.139 min Scan# 2
Delta R.T. -0.018 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Instrument :
BNA_F
ClientSampleId :
SSTDICC005

Tgt Ion:278 Resp: 73229

Ion	Ratio	Lower	Upper
278	100		
139	16.8	12.1	18.1
279	23.4	19.2	28.8





#92
Benzo(g,h,i)perylene
Concen: 4.928 ng
RT: 17.586 min Scan# 2617
Delta R.T. -0.018 min
Lab File: BF143478.D
Acq: 20 Aug 2025 11:25

Tgt Ion:276 Resp: 72556

Ion	Ratio	Lower	Upper
276	100		
277	23.8	18.9	28.3
138	22.5	16.3	24.5



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143479.D
Acq On : 20 Aug 2025 11:54
Operator : RC/JU
Sample : SSTDICC010
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Quant Time: Aug 20 16:20:21 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	6.928	152	138225	20.000	ng		0.00
21) Naphthalene-d8	8.210	136	525191	20.000	ng		0.00
39) Acenaphthene-d10	9.963	164	291754	20.000	ng		0.00
64) Phenanthrene-d10	11.451	188	461672	20.000	ng		0.00
76) Chrysene-d12	14.098	240	274933	20.000	ng		0.00
86) Perylene-d12	15.598	264	265385	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.563	112	165533	20.911	ng		0.00
7) Phenol-d6	6.557	99	201752	20.646	ng		-0.02
23) Nitrobenzene-d5	7.481	82	181268	20.141	ng		-0.02
42) 2,4,6-Tribromophenol	10.751	330	54980	20.244	ng		-0.01
45) 2-Fluorobiphenyl	9.280	172	389874	22.085	ng		0.00
79) Terphenyl-d14	13.033	244	344924	21.893	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	2.746	88	36526	9.961	ng		99
3) Pyridine	3.540	79	96225	9.852	ng		99
4) n-Nitrosodimethylamine	3.451	42	41741	9.507	ng	#	97
6) Aniline	6.587	93	136107	10.420	ng		98
8) 2-Chlorophenol	6.716	128	88766	10.152	ng		98
9) Benzaldehyde	6.475	77	69636	8.802	ng		99
10) Phenol	6.569	94	117160	10.408	ng		82
11) bis(2-Chloroethyl)ether	6.651	93	84985	10.102	ng		97
12) 1,3-Dichlorobenzene	6.869	146	100273	10.207	ng		100
13) 1,4-Dichlorobenzene	6.945	146	102802	10.432	ng		97
14) 1,2-Dichlorobenzene	7.098	146	97628	10.464	ng		99
15) Benzyl Alcohol	7.063	79	71642	9.792	ng		99
16) 2,2'-oxybis(1-Chloropr...	7.192	45	145437	10.806	ng		99
17) 2-Methylphenol	7.181	107	71996	10.260	ng		95
18) Hexachloroethane	7.439	117	34428	10.276	ng		98
19) n-Nitroso-di-n-propyla...	7.328	70	63026	10.552	ng		98
20) 3+4-Methylphenols	7.334	107	92430	11.034	ng		99
22) Acetophenone	7.328	105	121914	10.745	ng		97
24) Nitrobenzene	7.504	77	92261	9.960	ng		99
25) Isophorone	7.739	82	165391	10.025	ng		99
26) 2-Nitrophenol	7.822	139	43444	9.575	ng		98
27) 2,4-Dimethylphenol	7.857	122	71477	10.105	ng		99
28) bis(2-Chloroethoxy)met...	7.951	93	104720	10.329	ng		98
29) 2,4-Dichlorophenol	8.069	162	78518	10.394	ng		99
30) 1,2,4-Trichlorobenzene	8.151	180	78780	10.143	ng		100
31) Naphthalene	8.228	128	264837	10.503	ng		100
32) Benzoic acid	7.957	122	22608	10.817	ng		96
33) 4-Chloroaniline	8.281	127	90644	10.129	ng		98
34) Hexachlorobutadiene	8.351	225	52299	10.321	ng		99
35) Caprolactam	8.616	113	16494	9.099	ng		98
36) 4-Chloro-3-methylphenol	8.757	107	76657	10.126	ng		99
37) 2-Methylnaphthalene	8.922	142	179574	10.663	ng		99
38) 1-Methylnaphthalene	9.022	142	170845	10.606	ng		99
40) 1,2,4,5-Tetrachloroben...	9.092	216	85181	10.207	ng		99
41) Hexachlorocyclopentadiene	9.080	237	14243	10.484	ng		99
43) 2,4,6-Trichlorophenol	9.204	196	50602	9.854	ng		98

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143479.D
Acq On : 20 Aug 2025 11:54
Operator : RC/JU
Sample : SSTDICC010
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Quant Time: Aug 20 16:20:21 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44)	2,4,5-Trichlorophenol	9.245	196	54832	9.775	ng		97
46)	1,1'-Biphenyl	9.380	154	219538	10.602	ng		98
47)	2-Chloronaphthalene	9.410	162	169967	10.461	ng		99
48)	2-Nitroaniline	9.504	65	45630	9.596	ng		97
49)	Acenaphthylene	9.827	152	242638	10.429	ng		99
50)	Dimethylphthalate	9.675	163	177820	10.120	ng		99
51)	2,6-Dinitrotoluene	9.739	165	34570	9.493	ng		98
52)	Acenaphthene	9.998	154	164918	10.441	ng		100
53)	3-Nitroaniline	9.910	138	37475	9.523	ng		97
54)	2,4-Dinitrophenol	10.027	184	10431	10.295	ng		87
55)	Dibenzofuran	10.169	168	237099	10.528	ng		99
56)	4-Nitrophenol	10.092	139	16733	7.146	ng		98
57)	2,4-Dinitrotoluene	10.145	165	46361	9.534	ng		96
58)	Fluorene	10.510	166	187535	10.820	ng		98
59)	2,3,4,6-Tetrachlorophenol	10.292	232	38561	9.253	ng	#	98
60)	Diethylphthalate	10.375	149	160006	10.156	ng		99
61)	4-Chlorophenyl-phenyle...	10.504	204	90965	10.494	ng		97
62)	4-Nitroaniline	10.522	138	34518	9.550	ng		98
63)	Azobenzene	10.663	77	168373	10.307	ng		99
65)	4,6-Dinitro-2-methylph...	10.557	198	19659	7.552	ng		95
66)	n-Nitrosodiphenylamine	10.616	169	152607	10.271	ng		98
67)	4-Bromophenyl-phenylether	10.992	248	55324	10.043	ng		98
68)	Hexachlorobenzene	11.069	284	60577	10.202	ng		98
69)	Atrazine	11.139	200	36074	9.406	ng		98
70)	Pentachlorophenol	11.269	266	20373	7.492	ng		98
71)	Phenanthrene	11.474	178	259254	10.486	ng		99
72)	Anthracene	11.527	178	263998	10.541	ng		99
73)	Carbazole	11.680	167	213439	10.400	ng		99
74)	Di-n-butylphthalate	12.010	149	184596	9.642	ng		99
75)	Fluoranthene	12.668	202	235543	10.618	ng		99
77)	Benzidine	12.786	184	84040	12.549	ng		99
78)	Pyrene	12.898	202	243049	10.747	ng		98
80)	Butylbenzylphthalate	13.510	149	55227	8.939	ng		97
81)	Benzo(a)anthracene	14.086	228	175192	9.898	ng		99
82)	3,3'-Dichlorobenzidine	14.045	252	48491	9.566	ng		97
83)	Chrysene	14.121	228	164205	10.323	ng		99
84)	Bis(2-ethylhexyl)phtha...	14.068	149	86065	9.146	ng		99
85)	Di-n-octyl phthalate	14.680	149	155239	8.906	ng		100
87)	Indeno(1,2,3-cd)pyrene	17.121	276	190133	9.970	ng		99
88)	Benzo(b)fluoranthene	15.151	252	152145	10.314	ng		99
89)	Benzo(k)fluoranthene	15.180	252	134513	9.524	ng		99
90)	Benzo(a)pyrene	15.533	252	135536	9.898	ng		100
91)	Dibenzo(a,h)anthracene	17.133	278	154454	10.113	ng		99
92)	Benzo(g,h,i)perylene	17.580	276	149813	9.865	ng		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143479.D
Acq On : 20 Aug 2025 11:54
Operator : RC/JU
Sample : SSTDICC010
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Quant Time: Aug 20 16:20:21 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:152 Resp: 138225

Ion	Ratio	Lower	Upper
152	100		
150	157.2	128.9	193.3
115	59.5	49.2	73.8





#2
1,4-Dioxane
Concen: 9.961 ng
RT: 2.746 min Scan# 94
Delta R.T. 0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion: 88 Resp: 36526

Ion	Ratio	Lower	Upper
88	100		
58	84.9	66.7	100.1
43	32.3	25.8	38.8





#3
Pyridine
Concen: 9.852 ng
RT: 3.540 min Scan# 2
Delta R.T. 0.023 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 79 Resp: 96225

Ion	Ratio	Lower	Upper
79	100		
52	81.2	65.6	98.4
51	39.6	31.2	46.8





#4
n-Nitrosodimethylamine
Concen: 9.507 ng
RT: 3.451 min Scan# 214
Delta R.T. -0.024 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion: 42 Resp: 41741

Ion	Ratio	Lower	Upper
42	100		
74	120.6	98.6	148.0
44	10.0	5.8	8.8#





#5
2-Fluorophenol
Concen: 20.911 ng
RT: 5.563 min Scan# 5
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:112 Resp: 165533

Ion	Ratio	Lower	Upper
112	100		
64	61.1	50.4	75.6
63	31.0	26.4	39.6





#6
Aniline
Concen: 10.420 ng
RT: 6.587 min Scan# 747
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion: 93 Resp: 136107

Ion	Ratio	Lower	Upper
93	100		
66	47.4	38.9	58.3
65	24.2	20.6	30.8





#7
Phenol-d6
Concen: 20.646 ng
RT: 6.557 min Scan# 7
Delta R.T. -0.018 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 99 Resp: 201752

Ion	Ratio	Lower	Upper
99	100		
42	19.6	16.3	24.5
71	33.9	28.2	42.2





#8
2-Chlorophenol
Concen: 10.152 ng
RT: 6.716 min Scan# 769
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:128 Resp: 88766

Ion	Ratio	Lower	Upper
128	100		
130	31.7	12.4	52.4
64	50.0	31.6	71.6





#9
Benzaldehyde
Concen: 8.802 ng
RT: 6.475 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 77 Resp: 69636

Ion	Ratio	Lower	Upper
77	100		
105	97.5	78.1	118.1
106	94.0	74.9	114.9





#10
Phenol
Concen: 10.408 ng
RT: 6.569 min Scan# 744
Delta R.T. -0.018 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion: 94 Resp: 117160

Ion	Ratio	Lower	Upper
94	100		
65	32.0	19.5	59.5
66	45.4	42.5	82.5





#11
bis(2-Chloroethyl)ether
Concen: 10.102 ng
RT: 6.651 min Scan# 7
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 93 Resp: 84985

Ion	Ratio	Lower	Upper
93	100		
63	80.4	63.6	103.6
95	31.8	12.8	52.8





#12
1,3-Dichlorobenzene
Concen: 10.207 ng
RT: 6.869 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:146 Resp: 100273

Ion	Ratio	Lower	Upper
146	100		
148	64.5	51.3	76.9
75	31.1	24.7	37.1





#13
1,4-Dichlorobenzene
Concen: 10.432 ng
RT: 6.945 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:146 Resp: 102802

Ion	Ratio	Lower	Upper
146	100		
148	62.3	51.5	77.3
111	39.1	32.6	49.0





#14
1,2-Dichlorobenzene
Concen: 10.464 ng
RT: 7.098 min Scan# 834
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:146 Resp: 97628

Ion	Ratio	Lower	Upper
146	100		
148	64.3	51.0	76.6
111	41.5	34.0	51.0





#15
Benzyl Alcohol
Concen: 9.792 ng
RT: 7.063 min Scan# 8
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 79 Resp: 71642

Ion	Ratio	Lower	Upper
79	100		
108	74.8	59.8	89.6
77	59.8	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 10.806 ng
RT: 7.192 min Scan# 850
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion: 45 Resp: 145437

Ion	Ratio	Lower	Upper
45	100		
77	17.2	0.0	37.9
79	14.9	0.0	34.7





#17
2-Methylphenol
Concen: 10.260 ng
RT: 7.181 min Scan# 84
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:107 Resp: 71996

Ion	Ratio	Lower	Upper
107	100		
108	115.9	91.1	136.7
77	51.1	46.2	69.4
79	51.0	44.2	66.2





#18
Hexachloroethane
Concen: 10.276 ng
RT: 7.439 min Scan# 892
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:117 Resp: 34428

Ion	Ratio	Lower	Upper
117	100		
119	95.3	75.4	113.0
201	100.6	79.0	118.4





#19
n-Nitroso-di-n-propylamine
Concen: 10.552 ng
RT: 7.328 min Scan# 8
Delta R.T. -0.024 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 70 Resp: 63026

Ion	Ratio	Lower	Upper
70	100		
42	63.8	49.3	73.9
101	9.9	7.8	11.8
130	20.6	16.6	25.0





#20
3+4-Methylphenols
Concen: 11.034 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:107 Resp: 92430

Ion	Ratio	Lower	Upper
107	100		
108	90.9	68.4	108.4
77	134.9	116.1	156.1
79	30.0	9.8	49.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:136 Resp: 525191

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.0	13.4
54	9.0	7.4	11.2
68	5.9	5.0	7.4





#22
Acetophenone
Concen: 10.745 ng
RT: 7.328 min Scan# 873
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:105 Resp: 121914

Ion	Ratio	Lower	Upper
105	100		
71	8.8	5.9	8.9
51	38.4	32.5	48.7
120	21.8	18.0	27.0





#23
Nitrobenzene-d5
Concen: 20.141 ng
RT: 7.481 min Scan# 8
Delta R.T. -0.018 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 82 Resp: 181268

Ion	Ratio	Lower	Upper
82	100		
128	42.9	35.5	53.3
54	57.3	44.3	66.5





#24
Nitrobenzene
Concen: 9.960 ng
RT: 7.504 min Scan# 903
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion: 77 Resp: 92261

Ion	Ratio	Lower	Upper
77	100		
123	46.0	36.1	54.1
65	13.4	11.0	16.6





#25
Isophorone
Concen: 10.025 ng
RT: 7.739 min Scan# 94
Delta R.T. -0.018 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 82 Resp: 165391

Ion	Ratio	Lower	Upper
82	100		
95	6.9	5.8	8.8
138	18.1	14.2	21.4





#26
2-Nitrophenol
Concen: 9.575 ng
RT: 7.822 min Scan# 957
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:139 Resp: 43444

Ion	Ratio	Lower	Upper
139	100		
109	28.6	23.0	34.6
65	52.3	40.3	60.5





#27
2,4-Dimethylphenol
Concen: 10.105 ng
RT: 7.857 min Scan# 9
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:122 Resp: 71477

Ion	Ratio	Lower	Upper
122	100		
107	116.1	91.5	137.3
121	57.9	47.0	70.4





#28
bis(2-Chloroethoxy)methane
Concen: 10.329 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion: 93 Resp: 104720

Ion	Ratio	Lower	Upper
93	100		
95	31.4	26.0	39.0
123	11.6	9.1	13.7





#29
2,4-Dichlorophenol
Concen: 10.394 ng
RT: 8.069 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:162 Resp: 78518

Ion	Ratio	Lower	Upper
162	100		
164	63.0	43.5	83.5
98	36.3	15.1	55.1





#30
1,2,4-Trichlorobenzene
Concen: 10.143 ng
RT: 8.151 min Scan# 1013
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:180 Resp: 78780

Ion	Ratio	Lower	Upper
180	100		
182	95.9	76.6	114.8
145	29.8	24.3	36.5





#31
Naphthalene
Concen: 10.503 ng
RT: 8.228 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:128 Resp: 264837

Ion	Ratio	Lower	Upper
128	100		
129	10.8	8.8	13.2
127	13.4	10.6	16.0





#32
Benzoic acid
Concen: 10.817 ng
RT: 7.957 min Scan# 980
Delta R.T. -0.053 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:122 Resp: 22608

Ion	Ratio	Lower	Upper
122	100		
105	120.4	104.7	144.7
77	93.4	77.3	117.3





#33
4-Chloroaniline
Concen: 10.129 ng
RT: 8.281 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:127 Resp: 90644

Ion	Ratio	Lower	Upper
127	100		
129	31.7	26.1	39.1
65	31.6	26.2	39.2
92	20.2	16.6	25.0





#34
Hexachlorobutadiene
Concen: 10.321 ng
RT: 8.351 min Scan# 1047
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:225 Resp: 52299

Ion	Ratio	Lower	Upper
225	100		
223	62.9	49.9	74.9
227	63.1	50.9	76.3





#35
Caprolactam
Concen: 9.099 ng
RT: 8.616 min Scan# 1
Delta R.T. -0.059 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:113 Resp: 16494

Ion	Ratio	Lower	Upper
113	100		
55	187.6	162.8	202.8
56	139.5	118.1	158.1





#36
4-Chloro-3-methylphenol
Concen: 10.126 ng
RT: 8.757 min Scan# 1116
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:107 Resp: 76657

Ion	Ratio	Lower	Upper
107	100		
144	24.2	19.9	29.9
142	77.7	61.8	92.8





#37
2-Methylnaphthalene
Concen: 10.663 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:142 Resp: 179574

Ion	Ratio	Lower	Upper
142	100		
141	87.4	71.0	106.4





#38
1-Methylnaphthalene
Concen: 10.606 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:142 Resp: 170845

Ion	Ratio	Lower	Upper
142	100		
141	92.4	73.3	109.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:164 Resp: 291754

Ion	Ratio	Lower	Upper
164	100		
162	99.3	80.5	120.7
160	42.9	34.3	51.5





#40
1,2,4,5-Tetrachlorobenzene
Concen: 10.207 ng
RT: 9.092 min Scan# 1173
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:216 Resp: 85181

Ion	Ratio	Lower	Upper
216	100		
214	79.8	63.4	95.0
179	21.1	16.5	24.7
108	17.1	13.9	20.9





#41
Hexachlorocyclopentadiene
Concen: 10.484 ng
RT: 9.080 min Scan# 11
Delta R.T. -0.001 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:237 Resp: 14243

Ion	Ratio	Lower	Upper
237	100		
235	62.1	42.6	82.6
272	13.8	0.0	33.4





#42
2,4,6-Tribromophenol
Concen: 20.244 ng
RT: 10.751 min Scan# 1455
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:330 Resp: 54980

Ion	Ratio	Lower	Upper
330	100		
332	96.1	78.0	117.0
141	31.3	23.7	35.5





#43
2,4,6-Trichlorophenol
Concen: 9.854 ng
RT: 9.204 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:196 Resp: 50602

Ion	Ratio	Lower	Upper
196	100		
198	94.7	77.0	115.4
200	31.7	24.6	37.0





#44
2,4,5-Trichlorophenol
Concen: 9.775 ng
RT: 9.245 min Scan# 1199
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:196 Resp: 54832

Ion	Ratio	Lower	Upper
196	100		
198	91.8	77.3	115.9
97	48.8	40.0	60.0
132	28.2	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 22.085 ng
RT: 9.280 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:172 Resp: 389874

Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.8	43.2
170	22.9	18.8	28.2





#46
1,1'-Biphenyl
Concen: 10.602 ng
RT: 9.380 min Scan# 1222
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:154 Resp: 219538

Ion	Ratio	Lower	Upper
154	100		
153	39.2	20.6	60.6
76	12.4	0.0	33.0





#47
2-Chloronaphthalene
Concen: 10.461 ng
RT: 9.410 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:162 Resp: 169967

Ion	Ratio	Lower	Upper
162	100		
127	39.5	31.8	47.6
164	31.5	26.4	39.6





#48
2-Nitroaniline
Concen: 9.596 ng
RT: 9.504 min Scan# 1243
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion: 65 Resp: 45630

Ion	Ratio	Lower	Upper
65	100		
92	65.7	53.8	80.6
138	107.1	82.4	123.6





#49
Acenaphthylene
Concen: 10.429 ng
RT: 9.827 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:152 Resp: 242638

Ion	Ratio	Lower	Upper
152	100		
151	19.8	16.2	24.4
153	12.7	10.6	15.8





#50
Dimethylphthalate
Concen: 10.120 ng
RT: 9.675 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:163 Resp: 177820

Ion	Ratio	Lower	Upper
163	100		
194	4.4	3.4	5.0
164	9.9	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 9.493 ng
RT: 9.739 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:165 Resp: 34570

Ion	Ratio	Lower	Upper
165	100		
63	57.0	45.0	67.6
89	55.4	42.5	63.7





#52
Acenaphthene
Concen: 10.441 ng
RT: 9.998 min Scan# 1327
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:154 Resp: 164918

Ion	Ratio	Lower	Upper
154	100		
153	112.6	89.5	134.3
152	53.1	42.5	63.7





#53
3-Nitroaniline
Concen: 9.523 ng
RT: 9.910 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:138 Resp: 37475

Ion	Ratio	Lower	Upper
138	100		
108	12.5	8.6	13.0
92	115.3	89.8	134.8





#54
2,4-Dinitrophenol
Concen: 10.295 ng
RT: 10.027 min Scan# 1332
Delta R.T. -0.001 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:184 Resp: 10431

Ion	Ratio	Lower	Upper
184	100		
63	75.6	52.6	78.8
154	73.9	51.0	76.4





#55
Dibenzofuran
Concen: 10.528 ng
RT: 10.169 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:168 Resp: 237099

Ion	Ratio	Lower	Upper
168	100		
139	36.9	29.8	44.6
169	13.1	10.8	16.2





#56
4-Nitrophenol
Concen: 7.146 ng
RT: 10.092 min Scan# 1343
Delta R.T. 0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:139 Resp: 16733

Ion	Ratio	Lower	Upper
139	100		
109	68.9	48.2	88.2
65	98.8	75.8	115.8





#57
2,4-Dinitrotoluene
Concen: 9.534 ng
RT: 10.145 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:165 Resp: 46361

Ion	Ratio	Lower	Upper
165	100		
63	46.9	34.9	52.3
89	69.2	53.3	79.9
182	3.1	2.3	3.5





#58
Fluorene
Concen: 10.820 ng
RT: 10.510 min Scan# 1414
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:166 Resp: 187535

Ion	Ratio	Lower	Upper
166	100		
165	96.1	78.3	117.5
167	13.4	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 9.253 ng
RT: 10.292 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:232 Resp: 38561

Ion	Ratio	Lower	Upper
232	100		
131	41.1	32.7	49.1
130	1.6	1.6	2.4#
166	30.3	22.6	34.0





#60
Diethylphthalate
Concen: 10.156 ng
RT: 10.375 min Scan# 1391
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:149 Resp: 160006

Ion	Ratio	Lower	Upper
149	100		
177	23.2	18.3	27.5
150	12.7	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 10.494 ng
RT: 10.504 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:204 Resp: 90965

Ion	Ratio	Lower	Upper
204	100		
206	32.1	27.0	40.4
141	58.3	48.7	73.1





#62
4-Nitroaniline
Concen: 9.550 ng
RT: 10.522 min Scan# 1416
Delta R.T. -0.018 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:138 Resp: 34518

Ion	Ratio	Lower	Upper
138	100		
92	50.5	29.3	69.3
108	69.5	50.7	90.7





#63
Azobenzene
Concen: 10.307 ng
RT: 10.663 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 77 Resp: 168373

Ion	Ratio	Lower	Upper
77	100		
182	26.9	6.2	46.2
105	21.8	2.2	42.2
51	32.3	12.4	52.4





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:188 Resp: 461672

Ion	Ratio	Lower	Upper
188	100		
94	9.9	7.4	11.2
80	11.1	8.2	12.4





#65
4,6-Dinitro-2-methylphenol
Concen: 7.552 ng
RT: 10.557 min Scan# 14
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:198 Resp: 19659

Ion	Ratio	Lower	Upper
198	100		
51	55.1	29.6	69.6
105	43.0	21.5	61.5





#66
n-Nitrosodiphenylamine
Concen: 10.271 ng
RT: 10.616 min Scan# 1432
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:169 Resp: 152607

Ion	Ratio	Lower	Upper
169	100		
168	66.7	52.4	78.6
167	34.8	28.9	43.3





#67
4-Bromophenyl-phenylether
Concen: 10.043 ng
RT: 10.992 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:248 Resp: 55324

Ion	Ratio	Lower	Upper
248	100		
250	98.3	77.8	116.8
141	70.4	54.0	81.0





#68
Hexachlorobenzene
Concen: 10.202 ng
RT: 11.069 min Scan# 1509
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:284 Resp: 60577

Ion	Ratio	Lower	Upper
284	100		
142	28.9	24.4	36.6
249	31.1	25.0	37.6





#69
Atrazine
Concen: 9.406 ng
RT: 11.139 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:200 Resp: 36074

Ion	Ratio	Lower	Upper
200	100		
173	26.7	6.9	46.9
215	48.5	30.0	70.0





#70
Pentachlorophenol
Concen: 7.492 ng
RT: 11.269 min Scan# 1543
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:266 Resp: 20373

Ion	Ratio	Lower	Upper
266	100		
268	61.6	50.5	75.7
264	60.9	49.8	74.8





#71
Phenanthrene
Concen: 10.486 ng
RT: 11.474 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:178 Resp: 259254

Ion	Ratio	Lower	Upper
178	100		
176	18.7	15.5	23.3
179	15.3	12.5	18.7





#72
Anthracene
Concen: 10.541 ng
RT: 11.527 min Scan# 1587
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:178 Resp: 263998

Ion	Ratio	Lower	Upper
178	100		
176	18.2	15.0	22.4
179	15.0	12.3	18.5





#73
Carbazole
Concen: 10.400 ng
RT: 11.680 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:167 Resp: 213439

Ion	Ratio	Lower	Upper
167	100		
166	20.9	17.3	25.9
139	12.6	10.0	15.0





#74
Di-n-butylphthalate
Concen: 9.642 ng
RT: 12.010 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:149 Resp: 184596

Ion	Ratio	Lower	Upper
149	100		
150	8.8	7.2	10.8
104	4.8	3.6	5.4





#75
Fluoranthene
Concen: 10.618 ng
RT: 12.668 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:202 Resp: 235543

Ion	Ratio	Lower	Upper
202	100		
101	11.3	0.0	31.3
203	17.4	0.0	37.9





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:240 Resp: 274933

Ion	Ratio	Lower	Upper
240	100		
120	10.3	8.6	12.8
236	25.2	20.4	30.6





#77
Benzidine
Concen: 12.549 ng
RT: 12.786 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:184 Resp: 84040

Ion	Ratio	Lower	Upper
184	100		
185	14.2	11.3	16.9
183	11.3	9.5	14.3





#78
Pyrene
Concen: 10.747 ng
RT: 12.898 min Scan# 1820
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:202 Resp: 243049

Ion	Ratio	Lower	Upper
202	100		
200	20.7	17.0	25.4
203	17.0	14.3	21.5





#79
Terphenyl-d14
Concen: 21.893 ng
RT: 13.033 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:244 Resp: 344924

Ion	Ratio	Lower	Upper
244	100		
212	6.3	5.2	7.8
122	10.4	7.9	11.9





#80
Butylbenzylphthalate
Concen: 8.939 ng
RT: 13.510 min Scan# 1924
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:149 Resp: 55227

Ion	Ratio	Lower	Upper
149	100		
91	66.4	55.3	82.9
206	23.1	18.2	27.4





#81
Benzo(a)anthracene
Concen: 9.898 ng
RT: 14.086 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:228 Resp: 175192

Ion	Ratio	Lower	Upper
228	100		
226	26.4	21.7	32.5
229	19.3	15.7	23.5





#82
3,3'-Dichlorobenzidine
Concen: 9.566 ng
RT: 14.045 min Scan# 2015
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:252 Resp: 48491

Ion	Ratio	Lower	Upper
252	100		
254	63.7	52.6	79.0
126	11.9	8.7	13.1





#83
Chrysene
Concen: 10.323 ng
RT: 14.121 min Scan# 2(
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:228 Resp: 164205

Ion	Ratio	Lower	Upper
228	100		
226	28.9	23.7	35.5
229	19.0	15.7	23.5





#84
Bis(2-ethylhexyl)phthalate
Concen: 9.146 ng
RT: 14.068 min Scan# 2019
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:149 Resp: 86065

Ion	Ratio	Lower	Upper
149	100		
167	27.2	22.2	33.2
279	4.4	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 8.906 ng
RT: 14.680 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:149 Resp: 155239

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.2	1.8
43	10.5	8.5	12.7





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.598 min Scan# 2279
Delta R.T. -0.000 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:264 Resp: 265385

Ion	Ratio	Lower	Upper
264	100		
260	23.1	18.7	28.1
265	21.3	17.6	26.4





#87
Indeno(1,2,3-cd)pyrene
Concen: 9.970 ng
RT: 17.121 min Scan# 2
Delta R.T. -0.018 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:276 Resp: 190133

Ion	Ratio	Lower	Upper
276	100		
138	25.0	19.2	28.8
277	25.5	20.3	30.5





#88
Benzo(b)fluoranthene
Concen: 10.314 ng
RT: 15.151 min Scan# 2203
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:252 Resp: 152145

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.5	26.3
125	9.4	7.4	11.0





#89
Benzo(k)fluoranthene
Concen: 9.524 ng
RT: 15.180 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:252 Resp: 134513

Ion	Ratio	Lower	Upper
252	100		
253	21.2	17.4	26.2
125	9.2	7.4	11.0





#90
Benzo(a)pyrene
Concen: 9.898 ng
RT: 15.533 min Scan# 2268
Delta R.T. -0.006 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:252 Resp: 135536

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.4	26.0
125	10.1	8.2	12.2





#91
Dibenzo(a,h)anthracene
Concen: 10.113 ng
RT: 17.133 min Scan# 2
Delta R.T. -0.024 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:278 Resp: 154454

Ion	Ratio	Lower	Upper
278	100		
139	15.3	12.1	18.1
279	23.1	19.2	28.8





#92
Benzo(g,h,i)perylene
Concen: 9.865 ng
RT: 17.580 min Scan# 2616
Delta R.T. -0.024 min
Lab File: BF143479.D
Acq: 20 Aug 2025 11:54

Tgt Ion:276 Resp: 149813

Ion	Ratio	Lower	Upper
276	100		
277	23.2	18.9	28.3
138	20.5	16.3	24.5



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143480.D
Acq On : 20 Aug 2025 12:23
Operator : RC/JU
Sample : SSTDICC020
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Quant Time: Aug 20 16:23:08 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	6.928	152	135122	20.000	ng		0.00
21) Naphthalene-d8	8.210	136	502602	20.000	ng		0.00
39) Acenaphthene-d10	9.963	164	273375	20.000	ng		0.00
64) Phenanthrene-d10	11.451	188	425626	20.000	ng		0.00
76) Chrysene-d12	14.098	240	241250	20.000	ng		0.00
86) Perylene-d12	15.598	264	255472	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.557	112	322546	41.682	ng		0.00
7) Phenol-d6	6.557	99	397415	41.604	ng		-0.02
23) Nitrobenzene-d5	7.487	82	358365	41.608	ng		-0.01
42) 2,4,6-Tribromophenol	10.757	330	106021	41.663	ng		0.00
45) 2-Fluorobiphenyl	9.281	172	723237	43.723	ng		0.00
79) Terphenyl-d14	13.033	244	601957	43.541	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	2.740	88	72831	20.317	ng		99
3) Pyridine	3.528	79	193877	20.306	ng		100
4) n-Nitrosodimethylamine	3.452	42	83662	19.492	ng		97
6) Aniline	6.587	93	264694	20.731	ng		99
8) 2-Chlorophenol	6.716	128	175887	20.579	ng		99
9) Benzaldehyde	6.475	77	132575	17.142	ng		100
10) Phenol	6.575	94	233093	21.182	ng		91
11) bis(2-Chloroethyl)ether	6.657	93	166906	20.296	ng		99
12) 1,3-Dichlorobenzene	6.869	146	198141	20.633	ng		99
13) 1,4-Dichlorobenzene	6.945	146	200428	20.806	ng		99
14) 1,2-Dichlorobenzene	7.098	146	187297	20.536	ng		100
15) Benzyl Alcohol	7.063	79	143623	20.082	ng		99
16) 2,2'-oxybis(1-Chloropr...	7.192	45	277424	21.087	ng		96
17) 2-Methylphenol	7.181	107	142643	20.794	ng		95
18) Hexachloroethane	7.439	117	67887	20.727	ng		98
19) n-Nitroso-di-n-propyla...	7.328	70	118831	20.353	ng		97
20) 3+4-Methylphenols	7.334	107	178398	21.785	ng		98
22) Acetophenone	7.328	105	230609	21.238	ng	#	99
24) Nitrobenzene	7.504	77	183817	20.736	ng		99
25) Isophorone	7.745	82	323869	20.513	ng		98
26) 2-Nitrophenol	7.822	139	88771	20.444	ng		98
27) 2,4-Dimethylphenol	7.863	122	141452	20.897	ng		99
28) bis(2-Chloroethoxy)met...	7.951	93	201584	20.776	ng		99
29) 2,4-Dichlorophenol	8.069	162	152215	21.055	ng		99
30) 1,2,4-Trichlorobenzene	8.151	180	157575	21.200	ng		99
31) Naphthalene	8.234	128	509408	21.111	ng		100
32) Benzoic acid	7.963	122	58396	19.199	ng		98
33) 4-Chloroaniline	8.275	127	181928	21.243	ng		99
34) Hexachlorobutadiene	8.351	225	100875	20.802	ng		99
35) Caprolactam	8.628	113	33991	19.594	ng		99
36) 4-Chloro-3-methylphenol	8.757	107	152197	21.008	ng		98
37) 2-Methylnaphthalene	8.922	142	343900	21.339	ng		99
38) 1-Methylnaphthalene	9.022	142	326683	21.191	ng		100
40) 1,2,4,5-Tetrachloroben...	9.092	216	167691	21.445	ng		100
41) Hexachlorocyclopentadiene	9.081	237	41723	19.072	ng		100
43) 2,4,6-Trichlorophenol	9.204	196	99517	20.683	ng		99

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143480.D
Acq On : 20 Aug 2025 12:23
Operator : RC/JU
Sample : SSTDICC020
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Quant Time: Aug 20 16:23:08 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.245	196	112939	21.488	ng	97
46) 1,1'-Biphenyl	9.386	154	415294	21.403	ng	99
47) 2-Chloronaphthalene	9.410	162	320277	21.037	ng	99
48) 2-Nitroaniline	9.504	65	92468	20.753	ng	98
49) Acenaphthylene	9.828	152	461236	21.158	ng	100
50) Dimethylphthalate	9.675	163	342268	20.788	ng	100
51) 2,6-Dinitrotoluene	9.739	165	70716	20.723	ng	98
52) Acenaphthene	9.998	154	310782	20.998	ng	100
53) 3-Nitroaniline	9.910	138	76663	20.791	ng	97
54) 2,4-Dinitrophenol	10.028	184	26974	19.096	ng	94
55) Dibenzofuran	10.169	168	450207	21.335	ng	100
56) 4-Nitrophenol	10.086	139	40278	18.359	ng	99
57) 2,4-Dinitrotoluene	10.145	165	95333	20.923	ng	98
58) Fluorene	10.516	166	347075	21.370	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.292	232	81629	20.905	ng	99
60) Diethylphthalate	10.375	149	303476	20.558	ng	99
61) 4-Chlorophenyl-phenyle...	10.504	204	171724	21.142	ng	98
62) 4-Nitroaniline	10.522	138	70583	20.840	ng	99
63) Azobenzene	10.663	77	321721	21.019	ng	99
65) 4,6-Dinitro-2-methylph...	10.557	198	43824	18.261	ng	93
66) n-Nitrosodiphenylamine	10.616	169	288871	21.089	ng	99
67) 4-Bromophenyl-phenylether	10.992	248	106363	20.944	ng	97
68) Hexachlorobenzene	11.069	284	113714	20.773	ng	98
69) Atrazine	11.139	200	69831	19.750	ng	98
70) Pentachlorophenol	11.269	266	45302	18.070	ng	97
71) Phenanthrene	11.475	178	480915	21.099	ng	99
72) Anthracene	11.527	178	488675	21.164	ng	100
73) Carbazole	11.680	167	396704	20.967	ng	100
74) Di-n-butylphthalate	12.010	149	353228	20.013	ng	100
75) Fluoranthene	12.669	202	426351	20.846	ng	99
77) Benzidine	12.786	184	160347	27.286	ng	99
78) Pyrene	12.898	202	432575	21.798	ng	99
80) Butylbenzylphthalate	13.510	149	106788	19.698	ng	98
81) Benzo(a)anthracene	14.086	228	313687	20.196	ng	100
82) 3,3'-Dichlorobenzidine	14.045	252	93226	20.959	ng	98
83) Chrysene	14.121	228	292523	20.957	ng	99
84) Bis(2-ethylhexyl)phtha...	14.068	149	168717	20.434	ng	99
85) Di-n-octyl phthalate	14.680	149	310954	20.329	ng	99
87) Indeno(1,2,3-cd)pyrene	17.121	276	399711	21.773	ng	100
88) Benzo(b)fluoranthene	15.151	252	302016	21.268	ng	100
89) Benzo(k)fluoranthene	15.180	252	269685	19.835	ng	100
90) Benzo(a)pyrene	15.533	252	274418	20.819	ng	100
91) Dibenzo(a,h)anthracene	17.133	278	321851	21.891	ng	98
92) Benzo(g,h,i)perylene	17.580	276	317263	21.701	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143480.D
Acq On : 20 Aug 2025 12:23
Operator : RC/JU
Sample : SSTDICC020
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Quant Time: Aug 20 16:23:08 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:152 Resp: 135122

Ion	Ratio	Lower	Upper
152	100		
150	155.9	128.9	193.3
115	58.8	49.2	73.8





#2
1,4-Dioxane
Concen: 20.317 ng
RT: 2.740 min Scan# 93
Delta R.T. 0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion: 88 Resp: 72831

Ion	Ratio	Lower	Upper
88	100		
58	84.0	66.7	100.1
43	31.7	25.8	38.8





#3
Pyridine
Concen: 20.306 ng
RT: 3.528 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 79 Resp: 193877

Ion	Ratio	Lower	Upper
79	100		
52	81.8	65.6	98.4
51	39.3	31.2	46.8





#4
n-Nitrosodimethylamine
Concen: 19.492 ng
RT: 3.452 min Scan# 214
Delta R.T. -0.024 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion: 42 Resp: 83662

Ion	Ratio	Lower	Upper
42	100		
74	119.3	98.6	148.0
44	7.4	5.8	8.8





#5
2-Fluorophenol
Concen: 41.682 ng
RT: 5.557 min Scan# 5
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:112 Resp: 322546

Ion	Ratio	Lower	Upper
112	100		
64	64.5	50.4	75.6
63	33.5	26.4	39.6





#6
Aniline
Concen: 20.731 ng
RT: 6.587 min Scan# 747
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion: 93 Resp: 264694

Ion	Ratio	Lower	Upper
93	100		
66	49.7	38.9	58.3
65	26.2	20.6	30.8





#7
Phenol-d6
Concen: 41.604 ng
RT: 6.557 min Scan# 7
Delta R.T. -0.018 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 99 Resp: 397415

Ion	Ratio	Lower	Upper
99	100		
42	20.4	16.3	24.5
71	34.7	28.2	42.2





#8
2-Chlorophenol
Concen: 20.579 ng
RT: 6.716 min Scan# 769
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:128 Resp: 175887

Ion	Ratio	Lower	Upper
128	100		
130	33.2	12.4	52.4
64	51.7	31.6	71.6





#9
Benzaldehyde
Concen: 17.142 ng
RT: 6.475 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 77 Resp: 132575

Ion	Ratio	Lower	Upper
77	100		
105	98.8	78.1	118.1
106	95.2	74.9	114.9





#10
Phenol
Concen: 21.182 ng
RT: 6.575 min Scan# 745
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion: 94 Resp: 233093

Ion	Ratio	Lower	Upper
94	100		
65	36.2	19.5	59.5
66	53.9	42.5	82.5





#11
bis(2-Chloroethyl)ether
Concen: 20.296 ng
RT: 6.657 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 93 Resp: 166906

Ion	Ratio	Lower	Upper
93	100		
63	82.3	63.6	103.6
95	32.7	12.8	52.8





#12
1,3-Dichlorobenzene
Concen: 20.633 ng
RT: 6.869 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:146 Resp: 198141

Ion	Ratio	Lower	Upper
146	100		
148	63.2	51.3	76.9
75	30.5	24.7	37.1





#13
1,4-Dichlorobenzene
Concen: 20.806 ng
RT: 6.945 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:146 Resp: 200428

Ion	Ratio	Lower	Upper
146	100		
148	63.3	51.5	77.3
111	40.9	32.6	49.0





#14
1,2-Dichlorobenzene
Concen: 20.536 ng
RT: 7.098 min Scan# 834
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:146 Resp: 187297

Ion	Ratio	Lower	Upper
146	100		
148	64.1	51.0	76.6
111	42.6	34.0	51.0





#15
Benzyl Alcohol
Concen: 20.082 ng
RT: 7.063 min Scan# 8
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 79 Resp: 143623

Ion	Ratio	Lower	Upper
79	100		
108	75.9	59.8	89.6
77	60.9	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 21.087 ng
RT: 7.192 min Scan# 850
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion: 45 Resp: 277424

Ion	Ratio	Lower	Upper
45	100		
77	19.7	0.0	37.9
79	16.7	0.0	34.7





#17
2-Methylphenol
Concen: 20.794 ng
RT: 7.181 min Scan# 84
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:107 Resp: 142643

Ion	Ratio	Lower	Upper
107	100		
108	114.2	91.1	136.7
77	49.5	46.2	69.4
79	50.1	44.2	66.2





#18
Hexachloroethane
Concen: 20.727 ng
RT: 7.439 min Scan# 892
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:117 Resp: 67887

Ion	Ratio	Lower	Upper
117	100		
119	96.0	75.4	113.0
201	99.9	79.0	118.4





#19
n-Nitroso-di-n-propylamine
Concen: 20.353 ng
RT: 7.328 min Scan# 8
Delta R.T. -0.024 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 70 Resp: 118831

Ion	Ratio	Lower	Upper
70	100		
42	65.0	49.3	73.9
101	10.1	7.8	11.8
130	20.5	16.6	25.0





#20
3+4-Methylphenols
Concen: 21.785 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:107 Resp: 178398

Ion	Ratio	Lower	Upper
107	100		
108	90.1	68.4	108.4
77	138.5	116.1	156.1
79	30.0	9.8	49.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:136 Resp: 502602

Ion	Ratio	Lower	Upper
136	100		
137	10.7	9.0	13.4
54	9.1	7.4	11.2
68	6.0	5.0	7.4





#22
Acetophenone
Concen: 21.238 ng
RT: 7.328 min Scan# 873
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:105 Resp: 230609

Ion	Ratio	Lower	Upper
105	100		
71	9.0	5.9	8.9#
51	39.9	32.5	48.7
120	21.9	18.0	27.0





#23
Nitrobenzene-d5
Concen: 41.608 ng
RT: 7.487 min Scan# 9
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 82 Resp: 358365

Ion	Ratio	Lower	Upper
82	100		
128	44.3	35.5	53.3
54	56.3	44.3	66.5





#24
Nitrobenzene
Concen: 20.736 ng
RT: 7.504 min Scan# 903
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion: 77 Resp: 183817

Ion	Ratio	Lower	Upper
77	100		
123	45.5	36.1	54.1
65	14.3	11.0	16.6





#25
Isophorone
Concen: 20.513 ng
RT: 7.745 min Scan# 94
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 82 Resp: 323869

Ion	Ratio	Lower	Upper
82	100		
95	7.0	5.8	8.8
138	18.6	14.2	21.4





#26
2-Nitrophenol
Concen: 20.444 ng
RT: 7.822 min Scan# 957
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:139 Resp: 88771

Ion	Ratio	Lower	Upper
139	100		
109	28.9	23.0	34.6
65	52.2	40.3	60.5





#27
2,4-Dimethylphenol
Concen: 20.897 ng
RT: 7.863 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:122 Resp: 141452

Ion	Ratio	Lower	Upper
122	100		
107	113.2	91.5	137.3
121	58.5	47.0	70.4





#28
bis(2-Chloroethoxy)methane
Concen: 20.776 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion: 93 Resp: 201584

Ion	Ratio	Lower	Upper
93	100		
95	32.6	26.0	39.0
123	12.1	9.1	13.7





#29
2,4-Dichlorophenol
Concen: 21.055 ng
RT: 8.069 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:162 Resp: 152215

Ion	Ratio	Lower	Upper
162	100		
164	63.7	43.5	83.5
98	37.0	15.1	55.1





#30
1,2,4-Trichlorobenzene
Concen: 21.200 ng
RT: 8.151 min Scan# 1013
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:180 Resp: 157575

Ion	Ratio	Lower	Upper
180	100		
182	94.8	76.6	114.8
145	28.7	24.3	36.5





#31
Naphthalene
Concen: 21.111 ng
RT: 8.234 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:128 Resp: 509408

Ion	Ratio	Lower	Upper
128	100		
129	11.0	8.8	13.2
127	13.1	10.6	16.0





#32
Benzoic acid
Concen: 19.199 ng
RT: 7.963 min Scan# 981
Delta R.T. -0.047 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:122 Resp: 58396

Ion	Ratio	Lower	Upper
122	100		
105	124.1	104.7	144.7
77	100.1	77.3	117.3





#33
4-Chloroaniline
Concen: 21.243 ng
RT: 8.275 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:127 Resp: 181928

Ion	Ratio	Lower	Upper
127	100		
129	31.5	26.1	39.1
65	33.1	26.2	39.2
92	20.0	16.6	25.0





#34
Hexachlorobutadiene
Concen: 20.802 ng
RT: 8.351 min Scan# 1047
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:225 Resp: 100875

Ion	Ratio	Lower	Upper
225	100		
223	63.3	49.9	74.9
227	63.9	50.9	76.3





#35
Caprolactam
Concen: 19.594 ng
RT: 8.628 min Scan# 1
Delta R.T. -0.047 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:113 Resp: 33991

Ion	Ratio	Lower	Upper
113	100		
55	186.1	162.8	202.8
56	138.4	118.1	158.1





#36
4-Chloro-3-methylphenol
Concen: 21.008 ng
RT: 8.757 min Scan# 1116
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:107 Resp: 152197

Ion	Ratio	Lower	Upper
107	100		
144	23.5	19.9	29.9
142	76.2	61.8	92.8





#37
2-Methylnaphthalene
Concen: 21.339 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:142 Resp: 343900

Ion	Ratio	Lower	Upper
142	100		
141	88.0	71.0	106.4





#38
1-Methylnaphthalene
Concen: 21.191 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:142 Resp: 326683

Ion	Ratio	Lower	Upper
142	100		
141	92.0	73.3	109.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:164 Resp: 273375

Ion	Ratio	Lower	Upper
164	100		
162	99.7	80.5	120.7
160	43.1	34.3	51.5





#40
1,2,4,5-Tetrachlorobenzene
Concen: 21.445 ng
RT: 9.092 min Scan# 1173
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:216 Resp: 167691

Ion	Ratio	Lower	Upper
216	100		
214	78.9	63.4	95.0
179	20.5	16.5	24.7
108	17.0	13.9	20.9





#41
Hexachlorocyclopentadiene
Concen: 19.072 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:237 Resp: 41723

Ion	Ratio	Lower	Upper
237	100		
235	62.5	42.6	82.6
272	13.5	0.0	33.4





#42
2,4,6-Tribromophenol
Concen: 41.663 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:330 Resp: 106021

Ion	Ratio	Lower	Upper
330	100		
332	98.1	78.0	117.0
141	29.9	23.7	35.5





#43
2,4,6-Trichlorophenol
Concen: 20.683 ng
RT: 9.204 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:196 Resp: 99517

Ion	Ratio	Lower	Upper
196	100		
198	96.9	77.0	115.4
200	30.9	24.6	37.0





#44
2,4,5-Trichlorophenol
Concen: 21.488 ng
RT: 9.245 min Scan# 1199
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:196 Resp: 112939

Ion	Ratio	Lower	Upper
196	100		
198	93.8	77.3	115.9
97	47.4	40.0	60.0
132	27.7	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 43.723 ng
RT: 9.281 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:172 Resp: 723237

Ion	Ratio	Lower	Upper
172	100		
171	35.6	28.8	43.2
170	23.0	18.8	28.2





#46
1,1'-Biphenyl
Concen: 21.403 ng
RT: 9.386 min Scan# 1223
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:154 Resp: 415294

Ion	Ratio	Lower	Upper
154	100		
153	39.9	20.6	60.6
76	12.0	0.0	33.0





#47
2-Chloronaphthalene
Concen: 21.037 ng
RT: 9.410 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:162 Resp: 320277

Ion	Ratio	Lower	Upper
162	100		
127	40.3	31.8	47.6
164	32.6	26.4	39.6





#48
2-Nitroaniline
Concen: 20.753 ng
RT: 9.504 min Scan# 1243
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion: 65 Resp: 92468

Ion	Ratio	Lower	Upper
65	100		
92	68.6	53.8	80.6
138	106.0	82.4	123.6





#49
Acenaphthylene
Concen: 21.158 ng
RT: 9.828 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:152 Resp: 461236

Ion	Ratio	Lower	Upper
152	100		
151	20.0	16.2	24.4
153	13.1	10.6	15.8





#50
Dimethylphthalate
Concen: 20.788 ng
RT: 9.675 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:163 Resp: 342268

Ion	Ratio	Lower	Upper
163	100		
194	4.3	3.4	5.0
164	10.3	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 20.723 ng
RT: 9.739 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:165 Resp: 70716

Ion	Ratio	Lower	Upper
165	100		
63	58.9	45.0	67.6
89	53.4	42.5	63.7





#52
Acenaphthene
Concen: 20.998 ng
RT: 9.998 min Scan# 1327
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:154 Resp: 310782

Ion	Ratio	Lower	Upper
154	100		
153	112.5	89.5	134.3
152	52.9	42.5	63.7





#53
3-Nitroaniline
Concen: 20.791 ng
RT: 9.910 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:138 Resp: 76663

Ion	Ratio	Lower	Upper
138	100		
108	11.6	8.6	13.0
92	115.3	89.8	134.8





#54
2,4-Dinitrophenol
Concen: 19.096 ng
RT: 10.028 min Scan# 1332
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:184 Resp: 26974

Ion	Ratio	Lower	Upper
184	100		
63	68.7	52.6	78.8
154	69.6	51.0	76.4





#55
Dibenzofuran
Concen: 21.335 ng
RT: 10.169 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:168 Resp: 450207

Ion	Ratio	Lower	Upper
168	100		
139	37.4	29.8	44.6
169	13.5	10.8	16.2





#56
4-Nitrophenol
Concen: 18.359 ng
RT: 10.086 min Scan# 1342
Delta R.T. 0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:139 Resp: 40278

Ion	Ratio	Lower	Upper
139	100		
109	67.8	48.2	88.2
65	97.6	75.8	115.8





#57
2,4-Dinitrotoluene
Concen: 20.923 ng
RT: 10.145 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:165 Resp: 95333

Ion	Ratio	Lower	Upper
165	100		
63	45.6	34.9	52.3
89	67.9	53.3	79.9
182	2.9	2.3	3.5





#58
Fluorene
Concen: 21.370 ng
RT: 10.516 min Scan# 1415
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:166 Resp: 347075

Ion	Ratio	Lower	Upper
166	100		
165	97.8	78.3	117.5
167	13.3	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 20.905 ng
RT: 10.292 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:232 Resp: 81629

Ion	Ratio	Lower	Upper
232	100		
131	39.8	32.7	49.1
130	1.8	1.6	2.4
166	28.5	22.6	34.0





#60
Diethylphthalate
Concen: 20.558 ng
RT: 10.375 min Scan# 1391
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:149 Resp: 303476

Ion	Ratio	Lower	Upper
149	100		
177	23.2	18.3	27.5
150	12.7	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 21.142 ng
RT: 10.504 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:204 Resp: 171724

Ion	Ratio	Lower	Upper
204	100		
206	33.7	27.0	40.4
141	59.1	48.7	73.1





#62
4-Nitroaniline
Concen: 20.840 ng
RT: 10.522 min Scan# 1416
Delta R.T. -0.018 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:138 Resp: 70583

Ion	Ratio	Lower	Upper
138	100		
92	49.1	29.3	69.3
108	69.5	50.7	90.7





#63
Azobenzene
Concen: 21.019 ng
RT: 10.663 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion: 77 Resp: 321721

Ion	Ratio	Lower	Upper
77	100		
182	26.7	6.2	46.2
105	21.6	2.2	42.2
51	32.2	12.4	52.4





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:188 Resp: 425626

Ion	Ratio	Lower	Upper
188	100		
94	10.0	7.4	11.2
80	10.8	8.2	12.4





#65
4,6-Dinitro-2-methylphenol
Concen: 18.261 ng
RT: 10.557 min Scan# 14
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:198 Resp: 43824

Ion	Ratio	Lower	Upper
198	100		
51	54.3	29.6	69.6
105	45.5	21.5	61.5





#66
n-Nitrosodiphenylamine
Concen: 21.089 ng
RT: 10.616 min Scan# 1432
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:169 Resp: 288871

Ion	Ratio	Lower	Upper
169	100		
168	66.2	52.4	78.6
167	35.9	28.9	43.3





#67
4-Bromophenyl-phenylether
Concen: 20.944 ng
RT: 10.992 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:248 Resp: 106363

Ion	Ratio	Lower	Upper
248	100		
250	96.9	77.8	116.8
141	72.9	54.0	81.0





#68
Hexachlorobenzene
Concen: 20.773 ng
RT: 11.069 min Scan# 1509
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:284 Resp: 113714

Ion	Ratio	Lower	Upper
284	100		
142	29.0	24.4	36.6
249	30.2	25.0	37.6





#69
Atrazine
Concen: 19.750 ng
RT: 11.139 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:200 Resp: 69831

Ion	Ratio	Lower	Upper
200	100		
173	26.6	6.9	46.9
215	48.0	30.0	70.0





#70
Pentachlorophenol
Concen: 18.070 ng
RT: 11.269 min Scan# 1543
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:266 Resp: 45302

Ion	Ratio	Lower	Upper
266	100		
268	63.7	50.5	75.7
264	58.6	49.8	74.8





#71
Phenanthrene
Concen: 21.099 ng
RT: 11.475 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:178 Resp: 480915

Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.5	23.3
179	15.3	12.5	18.7





#72
Anthracene
Concen: 21.164 ng
RT: 11.527 min Scan# 1587
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:178 Resp: 488675

Ion	Ratio	Lower	Upper
178	100		
176	18.3	15.0	22.4
179	15.4	12.3	18.5





#73
Carbazole
Concen: 20.967 ng
RT: 11.680 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:167 Resp: 396704

Ion	Ratio	Lower	Upper
167	100		
166	21.3	17.3	25.9
139	12.6	10.0	15.0





#74
Di-n-butylphthalate
Concen: 20.013 ng
RT: 12.010 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:149 Resp: 353228

Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.2	10.8
104	4.6	3.6	5.4





#75
Fluoranthene
Concen: 20.846 ng
RT: 12.669 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:202 Resp: 426351

Ion	Ratio	Lower	Upper
202	100		
101	11.5	0.0	31.3
203	17.1	0.0	37.9





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:240 Resp: 241250

Ion	Ratio	Lower	Upper
240	100		
120	9.8	8.6	12.8
236	25.0	20.4	30.6





#77
Benzidine
Concen: 27.286 ng
RT: 12.786 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:184 Resp: 160347

Ion	Ratio	Lower	Upper
184	100		
185	14.5	11.3	16.9
183	11.6	9.5	14.3





#78
Pyrene
Concen: 21.798 ng
RT: 12.898 min Scan# 1820
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:202 Resp: 432575

Ion	Ratio	Lower	Upper
202	100		
200	21.2	17.0	25.4
203	17.4	14.3	21.5





#79
Terphenyl-d14
Concen: 43.541 ng
RT: 13.033 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:244 Resp: 601957

Ion	Ratio	Lower	Upper
244	100		
212	6.6	5.2	7.8
122	10.3	7.9	11.9





#80
Butylbenzylphthalate
Concen: 19.698 ng
RT: 13.510 min Scan# 1924
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:149 Resp: 106788

Ion	Ratio	Lower	Upper
149	100		
91	67.3	55.3	82.9
206	22.7	18.2	27.4





#81
Benzo(a)anthracene
Concen: 20.196 ng
RT: 14.086 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:228 Resp: 313687

Ion	Ratio	Lower	Upper
228	100		
226	26.9	21.7	32.5
229	19.6	15.7	23.5





#82
3,3'-Dichlorobenzidine
Concen: 20.959 ng
RT: 14.045 min Scan# 2015
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:252 Resp: 93226

Ion	Ratio	Lower	Upper
252	100		
254	64.0	52.6	79.0
126	10.3	8.7	13.1





#83
Chrysene
Concen: 20.957 ng
RT: 14.121 min Scan# 2(
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:228 Resp: 292523

Ion	Ratio	Lower	Upper
228	100		
226	29.2	23.7	35.5
229	19.1	15.7	23.5





#84
Bis(2-ethylhexyl)phthalate
Concen: 20.434 ng
RT: 14.068 min Scan# 2019
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:149 Resp: 168717

Ion	Ratio	Lower	Upper
149	100		
167	27.3	22.2	33.2
279	4.8	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 20.329 ng
RT: 14.680 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:149 Resp: 310954

Ion	Ratio	Lower	Upper
149	100		
167	1.7	1.2	1.8
43	11.0	8.5	12.7





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.598 min Scan# 2279
Delta R.T. -0.000 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:264 Resp: 255472

Ion	Ratio	Lower	Upper
264	100		
260	23.3	18.7	28.1
265	21.1	17.6	26.4





#87
Indeno(1,2,3-cd)pyrene
Concen: 21.773 ng
RT: 17.121 min Scan# 2
Delta R.T. -0.018 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:276 Resp: 399711

Ion	Ratio	Lower	Upper
276	100		
138	23.8	19.2	28.8
277	25.2	20.3	30.5





#88
Benzo(b)fluoranthene
Concen: 21.268 ng
RT: 15.151 min Scan# 2203
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:252 Resp: 302016

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	9.5	7.4	11.0





#89
Benzo(k)fluoranthene
Concen: 19.835 ng
RT: 15.180 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:252 Resp: 269685

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.4	26.2
125	9.4	7.4	11.0





#90
Benzo(a)pyrene
Concen: 20.819 ng
RT: 15.533 min Scan# 2268
Delta R.T. -0.006 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:252 Resp: 274418

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.4	26.0
125	10.0	8.2	12.2





#91
Dibenzo(a,h)anthracene
Concen: 21.891 ng
RT: 17.133 min Scan# 2
Delta R.T. -0.024 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Instrument :
BNA_F
ClientSampleId :
SSTDICC020

Tgt Ion:278 Resp: 321851

Ion	Ratio	Lower	Upper
278	100		
139	16.0	12.1	18.1
279	23.3	19.2	28.8





#92
Benzo(g,h,i)perylene
Concen: 21.701 ng
RT: 17.580 min Scan# 2616
Delta R.T. -0.024 min
Lab File: BF143480.D
Acq: 20 Aug 2025 12:23

Tgt Ion:276 Resp: 317263

Ion	Ratio	Lower	Upper
276	100		
277	23.1	18.9	28.3
138	21.0	16.3	24.5



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143481.D
Acq On : 20 Aug 2025 12:53
Operator : RC/JU
Sample : SSTDICCC040
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Quant Time: Aug 20 16:23:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	137770	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	521928	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	282852	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	436106	20.000	ng	0.00
76) Chrysene-d12	14.098	240	249960	20.000	ng	0.00
86) Perylene-d12	15.598	264	288139	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	627397	79.519	ng	0.00
7) Phenol-d6	6.563	99	775270	79.600	ng	-0.01
23) Nitrobenzene-d5	7.492	82	717900	80.266	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	212595	80.744	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1307900	76.419	ng	0.00
79) Terphenyl-d14	13.039	244	1129659	78.865	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.740	88	147614	40.387	ng	100
3) Pyridine	3.522	79	396205	40.700	ng	100
4) n-Nitrosodimethylamine	3.463	42	176726	40.383	ng	100
6) Aniline	6.592	93	520870	40.010	ng	100
8) 2-Chlorophenol	6.716	128	349331	40.086	ng	100
9) Benzaldehyde	6.481	77	330624	41.929	ng	100
10) Phenol	6.581	94	453508	40.419	ng	100
11) bis(2-Chloroethyl)ether	6.657	93	334229	39.862	ng	100
12) 1,3-Dichlorobenzene	6.869	146	389485	39.778	ng	100
13) 1,4-Dichlorobenzene	6.945	146	388762	39.581	ng	100
14) 1,2-Dichlorobenzene	7.098	146	371439	39.943	ng	100
15) Benzyl Alcohol	7.069	79	298360	40.916	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.198	45	538319	40.131	ng	100
17) 2-Methylphenol	7.187	107	278676	39.844	ng	100
18) Hexachloroethane	7.439	117	135258	40.503	ng	100
19) n-Nitroso-di-n-propyla...	7.339	70	232621	39.076	ng	100
20) 3+4-Methylphenols	7.334	107	335474	40.179	ng	100
22) Acetophenone	7.334	105	436693	38.728	ng	100
24) Nitrobenzene	7.510	77	371931	40.403	ng	100
25) Isophorone	7.745	82	648362	39.546	ng	100
26) 2-Nitrophenol	7.828	139	185255	41.084	ng	100
27) 2,4-Dimethylphenol	7.863	122	281983	40.116	ng	100
28) bis(2-Chloroethoxy)met...	7.951	93	402757	39.973	ng	100
29) 2,4-Dichlorophenol	8.075	162	301002	40.095	ng	100
30) 1,2,4-Trichlorobenzene	8.151	180	305107	39.529	ng	100
31) Naphthalene	8.234	128	984671	39.296	ng	100
32) Benzoic acid	7.981	122	151495	39.150	ng	100
33) 4-Chloroaniline	8.281	127	357854	40.237	ng	100
34) Hexachlorobutadiene	8.351	225	200199	39.756	ng	100
35) Caprolactam	8.651	113	73867	41.004	ng	100
36) 4-Chloro-3-methylphenol	8.763	107	300101	39.889	ng	100
37) 2-Methylnaphthalene	8.922	142	660885	39.489	ng	100
38) 1-Methylnaphthalene	9.022	142	629141	39.300	ng	100
40) 1,2,4,5-Tetrachloroben...	9.092	216	319789	39.526	ng	100
41) Hexachlorocyclopentadiene	9.081	237	112053	39.218	ng	100
43) 2,4,6-Trichlorophenol	9.204	196	206042	41.387	ng	100

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143481.D
Acq On : 20 Aug 2025 12:53
Operator : RC/JU
Sample : SSTDICCC040
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Quant Time: Aug 20 16:23:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.245	196	216152	39.748	ng	100
46) 1,1'-Biphenyl	9.386	154	791238	39.412	ng	100
47) 2-Chloronaphthalene	9.416	162	625355	39.699	ng	100
48) 2-Nitroaniline	9.504	65	190564	41.336	ng	100
49) Acenaphthylene	9.828	152	893624	39.620	ng	100
50) Dimethylphthalate	9.681	163	679389	39.881	ng	100
51) 2,6-Dinitrotoluene	9.745	165	146703	41.551	ng	100
52) Acenaphthene	9.998	154	608648	39.745	ng	100
53) 3-Nitroaniline	9.916	138	157042	41.163	ng	100
54) 2,4-Dinitrophenol	10.028	184	67793	38.822	ng	100
55) Dibenzofuran	10.175	168	861659	39.465	ng	100
56) 4-Nitrophenol	10.086	139	96926	42.699	ng	100
57) 2,4-Dinitrotoluene	10.151	165	198600	42.127	ng	100
58) Fluorene	10.516	166	654929	38.975	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.292	232	167834	41.542	ng	100
60) Diethylphthalate	10.380	149	613485	40.167	ng	100
61) 4-Chlorophenyl-phenyle...	10.504	204	330692	39.350	ng	100
62) 4-Nitroaniline	10.528	138	145120	41.412	ng	100
63) Azobenzene	10.663	77	634664	40.076	ng	100
65) 4,6-Dinitro-2-methylph...	10.563	198	103558	42.115	ng	100
66) n-Nitrosodiphenylamine	10.622	169	558998	39.830	ng	100
67) 4-Bromophenyl-phenylether	10.998	248	210081	40.374	ng	100
68) Hexachlorobenzene	11.069	284	224294	39.989	ng	100
69) Atrazine	11.145	200	146499	40.437	ng	100
70) Pentachlorophenol	11.263	266	108200	42.121	ng	100
71) Phenanthrene	11.480	178	906136	38.800	ng	100
72) Anthracene	11.533	178	936575	39.587	ng	100
73) Carbazole	11.686	167	769702	39.704	ng	100
74) Di-n-butylphthalate	12.010	149	741021	40.975	ng	100
75) Fluoranthene	12.669	202	825200	39.378	ng	100
77) Benzidine	12.786	184	258175	42.403	ng	100
78) Pyrene	12.898	202	817477	39.759	ng	100
80) Butylbenzylphthalate	13.510	149	233397	41.552	ng	100
81) Benzo(a)anthracene	14.086	228	658804	40.938	ng	100
82) 3,3'-Dichlorobenzidine	14.045	252	186301	40.425	ng	100
83) Chrysene	14.127	228	556527	38.482	ng	100
84) Bis(2-ethylhexyl)phtha...	14.068	149	354779	41.471	ng	100
85) Di-n-octyl phthalate	14.680	149	649137	40.959	ng	100
87) Indeno(1,2,3-cd)pyrene	17.133	276	835150	40.334	ng	100
88) Benzo(b)fluoranthene	15.157	252	618677	38.627	ng	100
89) Benzo(k)fluoranthene	15.186	252	623043	40.628	ng	100
90) Benzo(a)pyrene	15.533	252	594623	39.996	ng	100
91) Dibenzo(a,h)anthracene	17.145	278	669452	40.370	ng	100
92) Benzo(g,h,i)perylene	17.592	276	666442	40.417	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143481.D
Acq On : 20 Aug 2025 12:53
Operator : RC/JU
Sample : SSTDICCC040
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Quant Time: Aug 20 16:23:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:152 Resp: 137770

Ion	Ratio	Lower	Upper
152	100		
150	161.1	128.9	193.3
115	61.5	49.2	73.8





#2
1,4-Dioxane
Concen: 40.387 ng
RT: 2.740 min Scan# 93
Delta R.T. 0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion: 88 Resp: 147614

Ion	Ratio	Lower	Upper
88	100		
58	83.4	66.7	100.1
43	32.3	25.8	38.8





#3
Pyridine
Concen: 40.700 ng
RT: 3.522 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 79 Resp: 396205

Ion	Ratio	Lower	Upper
79	100		
52	82.0	65.6	98.4
51	39.0	31.2	46.8





#4
n-Nitrosodimethylamine
Concen: 40.383 ng
RT: 3.463 min Scan# 216
Delta R.T. -0.012 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion: 42 Resp: 176726

Ion	Ratio	Lower	Upper
42	100		
74	123.3	98.6	148.0
44	7.3	5.8	8.8





#5
2-Fluorophenol
Concen: 79.519 ng
RT: 5.563 min Scan# 5
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:112 Resp: 627397

Ion	Ratio	Lower	Upper
112	100		
64	63.0	50.4	75.6
63	33.0	26.4	39.6





#6
Aniline
Concen: 40.010 ng
RT: 6.592 min Scan# 748
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion: 93 Resp: 520870

Ion	Ratio	Lower	Upper
93	100		
66	48.6	38.9	58.3
65	25.7	20.6	30.8





#7
Phenol-d6
Concen: 79.600 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.012 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 99 Resp: 775270

Ion	Ratio	Lower	Upper
99	100		
42	20.4	16.3	24.5
71	35.2	28.2	42.2





#8
2-Chlorophenol
Concen: 40.086 ng
RT: 6.716 min Scan# 769
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:128 Resp: 349331

Ion	Ratio	Lower	Upper
128	100		
130	32.4	12.4	52.4
64	51.6	31.6	71.6





#9
Benzaldehyde
Concen: 41.929 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 77 Resp: 330624

Ion	Ratio	Lower	Upper
77	100		
105	98.1	78.1	118.1
106	94.9	74.9	114.9





#10
Phenol
Concen: 40.419 ng
RT: 6.581 min Scan# 746
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion: 94 Resp: 453508

Ion	Ratio	Lower	Upper
94	100		
65	39.5	19.5	59.5
66	62.5	42.5	82.5





#11
bis(2-Chloroethyl)ether
Concen: 39.862 ng
RT: 6.657 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 93 Resp: 334229

Ion	Ratio	Lower	Upper
93	100		
63	83.6	63.6	103.6
95	32.8	12.8	52.8





#12
1,3-Dichlorobenzene
Concen: 39.778 ng
RT: 6.869 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:146 Resp: 389485

Ion	Ratio	Lower	Upper
146	100		
148	64.1	51.3	76.9
75	30.9	24.7	37.1





#13
1,4-Dichlorobenzene
Concen: 39.581 ng
RT: 6.945 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:146 Resp: 388762

Ion	Ratio	Lower	Upper
146	100		
148	64.4	51.5	77.3
111	40.8	32.6	49.0





#14
1,2-Dichlorobenzene
Concen: 39.943 ng
RT: 7.098 min Scan# 834
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:146 Resp: 371439

Ion	Ratio	Lower	Upper
146	100		
148	63.8	51.0	76.6
111	42.5	34.0	51.0





#15
Benzyl Alcohol
Concen: 40.916 ng
RT: 7.069 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 79 Resp: 298360

Ion	Ratio	Lower	Upper
79	100		
108	74.7	59.8	89.6
77	61.2	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 40.131 ng
RT: 7.198 min Scan# 851
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion: 45 Resp: 538319

Ion	Ratio	Lower	Upper
45	100		
77	17.9	0.0	37.9
79	14.7	0.0	34.7





#17
2-Methylphenol
Concen: 39.844 ng
RT: 7.187 min Scan# 84
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:107 Resp: 278676

Ion	Ratio	Lower	Upper
107	100		
108	113.9	91.1	136.7
77	57.8	46.2	69.4
79	55.2	44.2	66.2





#18
Hexachloroethane
Concen: 40.503 ng
RT: 7.439 min Scan# 892
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:117 Resp: 135258

Ion	Ratio	Lower	Upper
117	100		
119	94.2	75.4	113.0
201	98.7	79.0	118.4





#19
n-Nitroso-di-n-propylamine
Concen: 39.076 ng
RT: 7.339 min Scan# 8
Delta R.T. -0.012 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 70 Resp: 232621

Ion	Ratio	Lower	Upper
70	100		
42	61.6	49.3	73.9
101	9.8	7.8	11.8
130	20.8	16.6	25.0





#20
3+4-Methylphenols
Concen: 40.179 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:107 Resp: 335474

Ion	Ratio	Lower	Upper
107	100		
108	88.4	68.4	108.4
77	136.1	116.1	156.1
79	29.8	9.8	49.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:136 Resp: 521928

Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.0	13.4
54	9.3	7.4	11.2
68	6.2	5.0	7.4





#22
Acetophenone
Concen: 38.728 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:105 Resp: 436693

Ion	Ratio	Lower	Upper
105	100		
71	7.4	5.9	8.9
51	40.6	32.5	48.7
120	22.5	18.0	27.0





#23
Nitrobenzene-d5
Concen: 80.266 ng
RT: 7.492 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 82 Resp: 717900

Ion	Ratio	Lower	Upper
82	100		
128	44.4	35.5	53.3
54	55.4	44.3	66.5





#24
Nitrobenzene
Concen: 40.403 ng
RT: 7.510 min Scan# 904
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion: 77 Resp: 371931

Ion	Ratio	Lower	Upper
77	100		
123	45.1	36.1	54.1
65	13.8	11.0	16.6





#25
Isophorone
Concen: 39.546 ng
RT: 7.745 min Scan# 94
Delta R.T. -0.012 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 82 Resp: 648362

Ion	Ratio	Lower	Upper
82	100		
95	7.3	5.8	8.8
138	17.8	14.2	21.4





#26
2-Nitrophenol
Concen: 41.084 ng
RT: 7.828 min Scan# 958
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:139 Resp: 185255

Ion	Ratio	Lower	Upper
139	100		
109	28.8	23.0	34.6
65	50.4	40.3	60.5





#27
2,4-Dimethylphenol
Concen: 40.116 ng
RT: 7.863 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:122 Resp: 281983

Ion	Ratio	Lower	Upper
122	100		
107	114.4	91.5	137.3
121	58.7	47.0	70.4





#28
bis(2-Chloroethoxy)methane
Concen: 39.973 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion: 93 Resp: 402757

Ion	Ratio	Lower	Upper
93	100		
95	32.5	26.0	39.0
123	11.4	9.1	13.7





#29
2,4-Dichlorophenol
Concen: 40.095 ng
RT: 8.075 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:162 Resp: 301002

Ion	Ratio	Lower	Upper
162	100		
164	63.5	43.5	83.5
98	35.1	15.1	55.1





#30
1,2,4-Trichlorobenzene
Concen: 39.529 ng
RT: 8.151 min Scan# 1013
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:180 Resp: 305107

Ion	Ratio	Lower	Upper
180	100		
182	95.7	76.6	114.8
145	30.4	24.3	36.5





#31
Naphthalene
Concen: 39.296 ng
RT: 8.234 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:128 Resp: 984671

Ion	Ratio	Lower	Upper
128	100		
129	11.0	8.8	13.2
127	13.3	10.6	16.0





#32
Benzoic acid
Concen: 39.150 ng
RT: 7.981 min Scan# 984
Delta R.T. -0.029 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:122 Resp: 151495

Ion	Ratio	Lower	Upper
122	100		
105	124.7	104.7	144.7
77	97.3	77.3	117.3





#33
4-Chloroaniline
Concen: 40.237 ng
RT: 8.281 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:127 Resp: 357854

Ion	Ratio	Lower	Upper
127	100		
129	32.6	26.1	39.1
65	32.7	26.2	39.2
92	20.8	16.6	25.0





#34
Hexachlorobutadiene
Concen: 39.756 ng
RT: 8.351 min Scan# 1047
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:225 Resp: 200199

Ion	Ratio	Lower	Upper
225	100		
223	62.4	49.9	74.9
227	63.6	50.9	76.3





#35
Caprolactam
Concen: 41.004 ng
RT: 8.651 min Scan# 1
Delta R.T. -0.024 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:113 Resp: 73867

Ion	Ratio	Lower	Upper
113	100		
55	182.8	162.8	202.8
56	138.1	118.1	158.1





#36
4-Chloro-3-methylphenol
Concen: 39.889 ng
RT: 8.763 min Scan# 1117
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:107 Resp: 300101

Ion	Ratio	Lower	Upper
107	100		
144	24.9	19.9	29.9
142	77.3	61.8	92.8





#37
2-Methylnaphthalene
Concen: 39.489 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:142 Resp: 660885

Ion	Ratio	Lower	Upper
142	100		
141	88.7	71.0	106.4





#38
1-Methylnaphthalene
Concen: 39.300 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:142 Resp: 629141

Ion	Ratio	Lower	Upper
142	100		
141	91.6	73.3	109.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:164 Resp: 282852

Ion	Ratio	Lower	Upper
164	100		
162	100.6	80.5	120.7
160	42.9	34.3	51.5





#40
1,2,4,5-Tetrachlorobenzene
Concen: 39.526 ng
RT: 9.092 min Scan# 1173
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:216 Resp: 319789

Ion	Ratio	Lower	Upper
216	100		
214	79.2	63.4	95.0
179	20.6	16.5	24.7
108	17.4	13.9	20.9





#41
Hexachlorocyclopentadiene
Concen: 39.218 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:237 Resp: 112053

Ion	Ratio	Lower	Upper
237	100		
235	62.6	42.6	82.6
272	13.4	0.0	33.4





#42
2,4,6-Tribromophenol
Concen: 80.744 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:330 Resp: 212595

Ion	Ratio	Lower	Upper
330	100		
332	97.5	78.0	117.0
141	29.6	23.7	35.5





#43
2,4,6-Trichlorophenol
Concen: 41.387 ng
RT: 9.204 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:196 Resp: 206042

Ion	Ratio	Lower	Upper
196	100		
198	96.2	77.0	115.4
200	30.8	24.6	37.0





#44
2,4,5-Trichlorophenol
Concen: 39.748 ng
RT: 9.245 min Scan# 1199
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:196 Resp: 216152

Ion	Ratio	Lower	Upper
196	100		
198	96.6	77.3	115.9
97	50.0	40.0	60.0
132	28.3	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 76.419 ng
RT: 9.286 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:172 Resp: 1307900

Ion	Ratio	Lower	Upper
172	100		
171	36.0	28.8	43.2
170	23.5	18.8	28.2





#46
1,1'-Biphenyl
Concen: 39.412 ng
RT: 9.386 min Scan# 1223
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:154 Resp: 791238

Ion	Ratio	Lower	Upper
154	100		
153	40.6	20.6	60.6
76	13.0	0.0	33.0





#47
2-Chloronaphthalene
Concen: 39.699 ng
RT: 9.416 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:162 Resp: 625355

Ion	Ratio	Lower	Upper
162	100		
127	39.7	31.8	47.6
164	33.0	26.4	39.6





#48
2-Nitroaniline
Concen: 41.336 ng
RT: 9.504 min Scan# 1243
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion: 65 Resp: 190564

Ion	Ratio	Lower	Upper
65	100		
92	67.2	53.8	80.6
138	103.0	82.4	123.6





#49
Acenaphthylene
Concen: 39.620 ng
RT: 9.828 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:152 Resp: 893624

Ion	Ratio	Lower	Upper
152	100		
151	20.3	16.2	24.4
153	13.2	10.6	15.8





#50
Dimethylphthalate
Concen: 39.881 ng
RT: 9.681 min Scan# 1273
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:163 Resp: 679389

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.2	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 41.551 ng
RT: 9.745 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:165 Resp: 146703

Ion	Ratio	Lower	Upper
165	100		
63	56.3	45.0	67.6
89	53.1	42.5	63.7





#52
Acenaphthene
Concen: 39.745 ng
RT: 9.998 min Scan# 1327
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:154 Resp: 608648

Ion	Ratio	Lower	Upper
154	100		
153	111.9	89.5	134.3
152	53.1	42.5	63.7





#53
3-Nitroaniline
Concen: 41.163 ng
RT: 9.916 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:138 Resp: 157042

Ion	Ratio	Lower	Upper
138	100		
108	10.8	8.6	13.0
92	112.3	89.8	134.8





#54
2,4-Dinitrophenol
Concen: 38.822 ng
RT: 10.028 min Scan# 1332
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:184 Resp: 67793

Ion	Ratio	Lower	Upper
184	100		
63	65.7	52.6	78.8
154	63.7	51.0	76.4





#55
Dibenzofuran
Concen: 39.465 ng
RT: 10.175 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:168 Resp: 861659

Ion	Ratio	Lower	Upper
168	100		
139	37.2	29.8	44.6
169	13.5	10.8	16.2





#56
4-Nitrophenol
Concen: 42.699 ng
RT: 10.086 min Scan# 1342
Delta R.T. 0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:139 Resp: 96926

Ion	Ratio	Lower	Upper
139	100		
109	68.2	48.2	88.2
65	95.8	75.8	115.8





#57
2,4-Dinitrotoluene
Concen: 42.127 ng
RT: 10.151 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:165 Resp: 198600

Ion	Ratio	Lower	Upper
165	100		
63	43.6	34.9	52.3
89	66.6	53.3	79.9
182	2.9	2.3	3.5





#58
Fluorene
Concen: 38.975 ng
RT: 10.516 min Scan# 1415
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:166 Resp: 654929

Ion	Ratio	Lower	Upper
166	100		
165	97.9	78.3	117.5
167	13.7	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 41.542 ng
RT: 10.292 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:232 Resp: 167834

Ion	Ratio	Lower	Upper
232	100		
131	40.9	32.7	49.1
130	2.0	1.6	2.4
166	28.3	22.6	34.0





#60
Diethylphthalate
Concen: 40.167 ng
RT: 10.380 min Scan# 1392
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:149 Resp: 613485

Ion	Ratio	Lower	Upper
149	100		
177	22.9	18.3	27.5
150	12.9	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 39.350 ng
RT: 10.504 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:204 Resp: 330692

Ion	Ratio	Lower	Upper
204	100		
206	33.7	27.0	40.4
141	60.9	48.7	73.1





#62
4-Nitroaniline
Concen: 41.412 ng
RT: 10.528 min Scan# 1417
Delta R.T. -0.012 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:138 Resp: 145120

Ion	Ratio	Lower	Upper
138	100		
92	49.3	29.3	69.3
108	70.7	50.7	90.7





#63
Azobenzene
Concen: 40.076 ng
RT: 10.663 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion: 77 Resp: 634664

Ion	Ratio	Lower	Upper
77	100		
182	26.2	6.2	46.2
105	22.2	2.2	42.2
51	32.4	12.4	52.4





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1575
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:188 Resp: 436106

Ion	Ratio	Lower	Upper
188	100		
94	9.3	7.4	11.2
80	10.3	8.2	12.4





#65
4,6-Dinitro-2-methylphenol
Concen: 42.115 ng
RT: 10.563 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:198 Resp: 103558

Ion	Ratio	Lower	Upper
198	100		
51	49.6	29.6	69.6
105	41.5	21.5	61.5





#66
n-Nitrosodiphenylamine
Concen: 39.830 ng
RT: 10.622 min Scan# 1433
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:169 Resp: 558998

Ion	Ratio	Lower	Upper
169	100		
168	65.5	52.4	78.6
167	36.1	28.9	43.3





#67
4-Bromophenyl-phenylether
Concen: 40.374 ng
RT: 10.998 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:248 Resp: 210081

Ion	Ratio	Lower	Upper
248	100		
250	97.3	77.8	116.8
141	67.5	54.0	81.0





#68
Hexachlorobenzene
Concen: 39.989 ng
RT: 11.069 min Scan# 1509
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:284 Resp: 224294

Ion	Ratio	Lower	Upper
284	100		
142	30.5	24.4	36.6
249	31.3	25.0	37.6





#69
Atrazine
Concen: 40.437 ng
RT: 11.145 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:200 Resp: 146499

Ion	Ratio	Lower	Upper
200	100		
173	26.9	6.9	46.9
215	50.0	30.0	70.0





#70
Pentachlorophenol
Concen: 42.121 ng
RT: 11.263 min Scan# 1542
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:266 Resp: 108200

Ion	Ratio	Lower	Upper
266	100		
268	63.1	50.5	75.7
264	62.3	49.8	74.8





#71
Phenanthrene
Concen: 38.800 ng
RT: 11.480 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:178 Resp: 906136

Ion	Ratio	Lower	Upper
178	100		
176	19.4	15.5	23.3
179	15.6	12.5	18.7





#72
Anthracene
Concen: 39.587 ng
RT: 11.533 min Scan# 1588
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:178 Resp: 936575

Ion	Ratio	Lower	Upper
178	100		
176	18.7	15.0	22.4
179	15.4	12.3	18.5





#73
Carbazole
Concen: 39.704 ng
RT: 11.686 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:167 Resp: 769702

Ion	Ratio	Lower	Upper
167	100		
166	21.6	17.3	25.9
139	12.5	10.0	15.0





#74
Di-n-butylphthalate
Concen: 40.975 ng
RT: 12.010 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:149 Resp: 741021

Ion	Ratio	Lower	Upper
149	100		
150	9.0	7.2	10.8
104	4.5	3.6	5.4





#75
Fluoranthene
Concen: 39.378 ng
RT: 12.669 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:202 Resp: 825200

Ion	Ratio	Lower	Upper
202	100		
101	11.3	0.0	31.3
203	17.9	0.0	37.9





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:240 Resp: 249960

Ion	Ratio	Lower	Upper
240	100		
120	10.7	8.6	12.8
236	25.5	20.4	30.6





#77
Benzidine
Concen: 42.403 ng
RT: 12.786 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:184 Resp: 258175

Ion	Ratio	Lower	Upper
184	100		
185	14.1	11.3	16.9
183	11.9	9.5	14.3





#78
Pyrene
Concen: 39.759 ng
RT: 12.898 min Scan# 1820
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:202 Resp: 817477

Ion	Ratio	Lower	Upper
202	100		
200	21.2	17.0	25.4
203	17.9	14.3	21.5





#79
Terphenyl-d14
Concen: 78.865 ng
RT: 13.039 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:244 Resp: 1129659

Ion	Ratio	Lower	Upper
244	100		
212	6.5	5.2	7.8
122	9.9	7.9	11.9





#80
Butylbenzylphthalate
Concen: 41.552 ng
RT: 13.510 min Scan# 1924
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:149 Resp: 233397

Ion	Ratio	Lower	Upper
149	100		
91	69.1	55.3	82.9
206	22.8	18.2	27.4





#81
Benzo(a)anthracene
Concen: 40.938 ng
RT: 14.086 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:228 Resp: 658804

Ion	Ratio	Lower	Upper
228	100		
226	27.1	21.7	32.5
229	19.6	15.7	23.5





#82
3,3'-Dichlorobenzidine
Concen: 40.425 ng
RT: 14.045 min Scan# 2015
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:252 Resp: 186301

Ion	Ratio	Lower	Upper
252	100		
254	65.8	52.6	79.0
126	10.9	8.7	13.1





#83
Chrysene
Concen: 38.482 ng
RT: 14.127 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:228 Resp: 556527

Ion	Ratio	Lower	Upper
228	100		
226	29.6	23.7	35.5
229	19.6	15.7	23.5





#84
Bis(2-ethylhexyl)phthalate
Concen: 41.471 ng
RT: 14.068 min Scan# 2019
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:149 Resp: 354779

Ion	Ratio	Lower	Upper
149	100		
167	27.7	22.2	33.2
279	4.5	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 40.959 ng
RT: 14.680 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:149 Resp: 649137

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.2	1.8
43	10.6	8.5	12.7





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.598 min Scan# 2279
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:264 Resp: 288139

Ion	Ratio	Lower	Upper
264	100		
260	23.4	18.7	28.1
265	22.0	17.6	26.4





#87
Indeno(1,2,3-cd)pyrene
Concen: 40.334 ng
RT: 17.133 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:276 Resp: 835150

Ion	Ratio	Lower	Upper
276	100		
138	24.0	19.2	28.8
277	25.4	20.3	30.5





#88
Benzo(b)fluoranthene
Concen: 38.627 ng
RT: 15.157 min Scan# 2204
Delta R.T. -0.000 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:252 Resp: 618677

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	9.2	7.4	11.0





#89
Benzo(k)fluoranthene
Concen: 40.628 ng
RT: 15.186 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:252 Resp: 623043

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.4	26.2
125	9.2	7.4	11.0





#90
Benzo(a)pyrene
Concen: 39.996 ng
RT: 15.533 min Scan# 2268
Delta R.T. -0.006 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:252 Resp: 594623

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.4	26.0
125	10.2	8.2	12.2





#91
Dibenzo(a,h)anthracene
Concen: 40.370 ng
RT: 17.145 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Instrument :
BNA_F
ClientSampleId :
SSTDICCC040

Tgt Ion:278 Resp: 669452

Ion	Ratio	Lower	Upper
278	100		
139	15.1	12.1	18.1
279	24.0	19.2	28.8





#92
Benzo(g,h,i)perylene
Concen: 40.417 ng
RT: 17.592 min Scan# 2618
Delta R.T. -0.012 min
Lab File: BF143481.D
Acq: 20 Aug 2025 12:53

Tgt Ion:276 Resp: 666442

Ion	Ratio	Lower	Upper
276	100		
277	23.6	18.9	28.3
138	20.4	16.3	24.5



ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143482.D
Acq On : 20 Aug 2025 13:22
Operator : RC/JU
Sample : SSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Quant Time: Aug 20 16:23:34 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	6.928	152	136821	20.000	ng		0.00
21) Naphthalene-d8	8.210	136	508977	20.000	ng		0.00
39) Acenaphthene-d10	9.969	164	274766	20.000	ng		0.00
64) Phenanthrene-d10	11.457	188	422398	20.000	ng		0.00
76) Chrysene-d12	14.098	240	244315	20.000	ng		0.00
86) Perylene-d12	15.598	264	288719	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.563	112	743545	94.894	ng		0.00
7) Phenol-d6	6.569	99	917735	94.880	ng		0.00
23) Nitrobenzene-d5	7.492	82	851921	97.674	ng		0.00
42) 2,4,6-Tribromophenol	10.757	330	248877	97.306	ng		0.00
45) 2-Fluorobiphenyl	9.286	172	1518897	91.359	ng		0.00
79) Terphenyl-d14	13.039	244	1336561	95.465	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	2.740	88	177472	48.893	ng		99
3) Pyridine	3.516	79	475201	49.153	ng		99
4) n-Nitrosodimethylamine	3.463	42	216544	49.825	ng		98
6) Aniline	6.592	93	615592	47.614	ng		93
8) 2-Chlorophenol	6.722	128	420515	48.589	ng		98
9) Benzaldehyde	6.481	77	387617	49.497	ng		99
10) Phenol	6.581	94	531465	47.696	ng		98
11) bis(2-Chloroethyl)ether	6.663	93	400326	48.077	ng		98
12) 1,3-Dichlorobenzene	6.869	146	460100	47.316	ng		99
13) 1,4-Dichlorobenzene	6.945	146	463354	47.503	ng		99
14) 1,2-Dichlorobenzene	7.098	146	440736	47.724	ng		100
15) Benzyl Alcohol	7.069	79	355789	49.130	ng		99
16) 2,2'-oxybis(1-Chloropr...	7.198	45	617519	46.354	ng		95
17) 2-Methylphenol	7.187	107	333608	48.029	ng		98
18) Hexachloroethane	7.439	117	157972	47.633	ng		97
19) n-Nitroso-di-n-propyla...	7.339	70	273528	46.266	ng		98
20) 3+4-Methylphenols	7.339	107	391106	47.167	ng		96
22) Acetophenone	7.339	105	511600	46.526	ng	#	99
24) Nitrobenzene	7.510	77	443345	49.387	ng		100
25) Isophorone	7.751	82	773853	48.401	ng		99
26) 2-Nitrophenol	7.828	139	222383	50.572	ng		100
27) 2,4-Dimethylphenol	7.863	122	333188	48.606	ng		98
28) bis(2-Chloroethoxy)met...	7.957	93	472331	48.070	ng		99
29) 2,4-Dichlorophenol	8.075	162	358054	48.908	ng		100
30) 1,2,4-Trichlorobenzene	8.151	180	358839	47.673	ng		99
31) Naphthalene	8.234	128	1154068	47.228	ng		100
32) Benzoic acid	7.992	122	194231	49.619	ng		97
33) 4-Chloroaniline	8.281	127	421648	48.617	ng		99
34) Hexachlorobutadiene	8.351	225	236186	48.095	ng		100
35) Caprolactam	8.657	113	90192	51.340	ng		98
36) 4-Chloro-3-methylphenol	8.763	107	355809	48.497	ng		99
37) 2-Methylnaphthalene	8.922	142	763368	46.774	ng		100
38) 1-Methylnaphthalene	9.022	142	734490	47.049	ng		100
40) 1,2,4,5-Tetrachloroben...	9.092	216	373639	47.541	ng		100
41) Hexachlorocyclopentadiene	9.081	237	141023	48.905	ng		99
43) 2,4,6-Trichlorophenol	9.204	196	241322	49.900	ng		99

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143482.D
Acq On : 20 Aug 2025 13:22
Operator : RC/JU
Sample : SSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Quant Time: Aug 20 16:23:34 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.251	196	259061	49.041	ng	98
46) 1,1'-Biphenyl	9.386	154	917350	47.038	ng	100
47) 2-Chloronaphthalene	9.416	162	725620	47.420	ng	99
48) 2-Nitroaniline	9.510	65	226106	50.489	ng	94
49) Acenaphthylene	9.828	152	1041531	47.536	ng	100
50) Dimethylphthalate	9.681	163	795814	48.090	ng	100
51) 2,6-Dinitrotoluene	9.745	165	178703	52.104	ng	100
52) Acenaphthene	10.004	154	712642	47.905	ng	100
53) 3-Nitroaniline	9.916	138	187598	50.620	ng	99
54) 2,4-Dinitrophenol	10.028	184	90529	51.384	ng	100
55) Dibenzofuran	10.175	168	1003468	47.313	ng	100
56) 4-Nitrophenol	10.086	139	121261	54.991	ng	98
57) 2,4-Dinitrotoluene	10.151	165	236039	51.542	ng	99
58) Fluorene	10.516	166	763347	46.763	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.292	232	202049	51.483	ng	99
60) Diethylphthalate	10.380	149	723386	48.756	ng	100
61) 4-Chlorophenyl-phenyle...	10.504	204	383570	46.985	ng	100
62) 4-Nitroaniline	10.533	138	175033	51.418	ng	99
63) Azobenzene	10.669	77	742238	48.247	ng	98
65) 4,6-Dinitro-2-methylph...	10.563	198	126533	53.128	ng	98
66) n-Nitrosodiphenylamine	10.622	169	649619	47.789	ng	99
67) 4-Bromophenyl-phenylether	10.998	248	242477	48.112	ng	99
68) Hexachlorobenzene	11.069	284	261883	48.206	ng	98
69) Atrazine	11.145	200	180342	51.394	ng	99
70) Pentachlorophenol	11.263	266	133776	53.767	ng	100
71) Phenanthrene	11.480	178	1071808	47.383	ng	100
72) Anthracene	11.533	178	1079686	47.117	ng	100
73) Carbazole	11.686	167	896352	47.738	ng	99
74) Di-n-butylphthalate	12.010	149	879812	50.228	ng	99
75) Fluoranthene	12.669	202	964831	47.536	ng	99
77) Benzidine	12.786	184	238772	40.122	ng	100
78) Pyrene	12.898	202	970991	48.316	ng	100
80) Butylbenzylphthalate	13.510	149	281664	51.304	ng	99
81) Benzo(a)anthracene	14.086	228	773434	49.172	ng	99
82) 3,3'-Dichlorobenzidine	14.045	252	216024	47.957	ng	98
83) Chrysene	14.127	228	665070	47.050	ng	99
84) Bis(2-ethylhexyl)phtha...	14.068	149	421199	50.372	ng	100
85) Di-n-octyl phthalate	14.680	149	764123	49.329	ng	100
87) Indeno(1,2,3-cd)pyrene	17.133	276	1030025	49.646	ng	100
88) Benzo(b)fluoranthene	15.157	252	763584	47.579	ng	100
89) Benzo(k)fluoranthene	15.186	252	746332	48.570	ng	100
90) Benzo(a)pyrene	15.533	252	728853	48.927	ng	100
91) Dibenzo(a,h)anthracene	17.145	278	824368	49.612	ng	100
92) Benzo(g,h,i)perylene	17.592	276	826803	50.042	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143482.D
Acq On : 20 Aug 2025 13:22
Operator : RC/JU
Sample : SSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Quant Time: Aug 20 16:23:34 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:152 Resp: 136821

Ion	Ratio	Lower	Upper
152	100		
150	157.1	128.9	193.3
115	60.2	49.2	73.8





#2
1,4-Dioxane
Concen: 48.893 ng
RT: 2.740 min Scan# 93
Delta R.T. 0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion: 88 Resp: 177472

Ion	Ratio	Lower	Upper
88	100		
58	82.6	66.7	100.1
43	31.1	25.8	38.8





#3
Pyridine
Concen: 49.153 ng
RT: 3.516 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 79 Resp: 475201

Ion	Ratio	Lower	Upper
79	100		
52	80.9	65.6	98.4
51	39.6	31.2	46.8





#4
n-Nitrosodimethylamine
Concen: 49.825 ng
RT: 3.463 min Scan# 216
Delta R.T. -0.012 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion: 42 Resp: 216544

Ion	Ratio	Lower	Upper
42	100		
74	120.7	98.6	148.0
44	7.2	5.8	8.8





#5
2-Fluorophenol
Concen: 94.894 ng
RT: 5.563 min Scan# 5
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:112 Resp: 743545

Ion	Ratio	Lower	Upper
112	100		
64	63.5	50.4	75.6
63	32.9	26.4	39.6





#6
Aniline
Concen: 47.614 ng
RT: 6.592 min Scan# 748
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion: 93 Resp: 615592

Ion	Ratio	Lower	Upper
93	100		
66	53.1	38.9	58.3
65	29.2	20.6	30.8





#7
Phenol-d6
Concen: 94.880 ng
RT: 6.569 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 99 Resp: 917735

Ion	Ratio	Lower	Upper
99	100		
42	19.9	16.3	24.5
71	34.8	28.2	42.2





#8
2-Chlorophenol
Concen: 48.589 ng
RT: 6.722 min Scan# 770
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:128 Resp: 420515

Ion	Ratio	Lower	Upper
128	100		
130	32.9	12.4	52.4
64	49.8	31.6	71.6





#9
Benzaldehyde
Concen: 49.497 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 77 Resp: 387617

Ion	Ratio	Lower	Upper
77	100		
105	97.5	78.1	118.1
106	93.5	74.9	114.9





#10
Phenol
Concen: 47.696 ng
RT: 6.581 min Scan# 746
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion: 94 Resp: 531465

Ion	Ratio	Lower	Upper
94	100		
65	38.2	19.5	59.5
66	61.0	42.5	82.5





#11
bis(2-Chloroethyl)ether
Concen: 48.077 ng
RT: 6.663 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 93 Resp: 400326

Ion	Ratio	Lower	Upper
93	100		
63	82.0	63.6	103.6
95	32.2	12.8	52.8





#12
1,3-Dichlorobenzene
Concen: 47.316 ng
RT: 6.869 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:146 Resp: 460100

Ion	Ratio	Lower	Upper
146	100		
148	63.6	51.3	76.9
75	31.8	24.7	37.1





#13
1,4-Dichlorobenzene
Concen: 47.503 ng
RT: 6.945 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:146 Resp: 463354

Ion	Ratio	Lower	Upper
146	100		
148	64.0	51.5	77.3
111	41.2	32.6	49.0





#14
1,2-Dichlorobenzene
Concen: 47.724 ng
RT: 7.098 min Scan# 834
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:146 Resp: 440736

Ion	Ratio	Lower	Upper
146	100		
148	63.7	51.0	76.6
111	42.4	34.0	51.0





#15
Benzyl Alcohol
Concen: 49.130 ng
RT: 7.069 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 79 Resp: 355789

Ion	Ratio	Lower	Upper
79	100		
108	75.6	59.8	89.6
77	61.5	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 46.354 ng
RT: 7.198 min Scan# 851
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion: 45 Resp: 617519

Ion	Ratio	Lower	Upper
45	100		
77	20.2	0.0	37.9
79	16.9	0.0	34.7





#17
2-Methylphenol
Concen: 48.029 ng
RT: 7.187 min Scan# 84
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:107 Resp: 333608

Ion	Ratio	Lower	Upper
107	100		
108	111.7	91.1	136.7
77	55.4	46.2	69.4
79	53.6	44.2	66.2





#18
Hexachloroethane
Concen: 47.633 ng
RT: 7.439 min Scan# 892
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:117 Resp: 157972

Ion	Ratio	Lower	Upper
117	100		
119	97.2	75.4	113.0
201	101.6	79.0	118.4





#19
n-Nitroso-di-n-propylamine
Concen: 46.266 ng
RT: 7.339 min Scan# 8
Delta R.T. -0.012 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 70 Resp: 273528

Ion	Ratio	Lower	Upper
70	100		
42	62.9	49.3	73.9
101	9.5	7.8	11.8
130	20.0	16.6	25.0





#20
3+4-Methylphenols
Concen: 47.167 ng
RT: 7.339 min Scan# 875
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:107 Resp: 391106

Ion	Ratio	Lower	Upper
107	100		
108	90.2	68.4	108.4
77	129.6	116.1	156.1
79	31.6	9.8	49.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:136 Resp: 508977

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.0	13.4
54	9.3	7.4	11.2
68	6.0	5.0	7.4





#22
Acetophenone
Concen: 46.526 ng
RT: 7.339 min Scan# 875
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:105 Resp: 511600

Ion	Ratio	Lower	Upper
105	100		
71	9.1	5.9	8.9#
51	40.3	32.5	48.7
120	22.5	18.0	27.0





#23
Nitrobenzene-d5
Concen: 97.674 ng
RT: 7.492 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 82 Resp: 851921

Ion	Ratio	Lower	Upper
82	100		
128	44.3	35.5	53.3
54	55.8	44.3	66.5





#24
Nitrobenzene
Concen: 49.387 ng
RT: 7.510 min Scan# 904
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion: 77 Resp: 443345

Ion	Ratio	Lower	Upper
77	100		
123	45.2	36.1	54.1
65	14.1	11.0	16.6





#25
Isophorone
Concen: 48.401 ng
RT: 7.751 min Scan# 94
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 82 Resp: 773853

Ion	Ratio	Lower	Upper
82	100		
95	7.3	5.8	8.8
138	18.3	14.2	21.4





#26
2-Nitrophenol
Concen: 50.572 ng
RT: 7.828 min Scan# 958
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:139 Resp: 222383

Ion	Ratio	Lower	Upper
139	100		
109	29.1	23.0	34.6
65	50.5	40.3	60.5





#27
2,4-Dimethylphenol
Concen: 48.606 ng
RT: 7.863 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:122 Resp: 333188

Ion	Ratio	Lower	Upper
122	100		
107	116.2	91.5	137.3
121	57.7	47.0	70.4





#28
bis(2-Chloroethoxy)methane
Concen: 48.070 ng
RT: 7.957 min Scan# 980
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion: 93 Resp: 472331

Ion	Ratio	Lower	Upper
93	100		
95	32.9	26.0	39.0
123	11.7	9.1	13.7





#29
2,4-Dichlorophenol
Concen: 48.908 ng
RT: 8.075 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:162 Resp: 358054

Ion	Ratio	Lower	Upper
162	100		
164	63.8	43.5	83.5
98	35.5	15.1	55.1





#30
1,2,4-Trichlorobenzene
Concen: 47.673 ng
RT: 8.151 min Scan# 1013
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:180 Resp: 358839

Ion	Ratio	Lower	Upper
180	100		
182	94.9	76.6	114.8
145	30.8	24.3	36.5





#31
Naphthalene
Concen: 47.228 ng
RT: 8.234 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:128 Resp: 1154068

Ion	Ratio	Lower	Upper
128	100		
129	11.2	8.8	13.2
127	13.4	10.6	16.0





#32
Benzoic acid
Concen: 49.619 ng
RT: 7.992 min Scan# 986
Delta R.T. -0.018 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:122 Resp: 194231

Ion	Ratio	Lower	Upper
122	100		
105	121.3	104.7	144.7
77	94.1	77.3	117.3





#33
4-Chloroaniline
Concen: 48.617 ng
RT: 8.281 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:127 Resp: 421648

Ion	Ratio	Lower	Upper
127	100		
129	31.9	26.1	39.1
65	32.5	26.2	39.2
92	20.6	16.6	25.0





#34
Hexachlorobutadiene
Concen: 48.095 ng
RT: 8.351 min Scan# 1047
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:225 Resp: 236186

Ion	Ratio	Lower	Upper
225	100		
223	62.7	49.9	74.9
227	63.6	50.9	76.3





#35
Caprolactam
Concen: 51.340 ng
RT: 8.657 min Scan# 1
Delta R.T. -0.018 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:113 Resp: 90192

Ion	Ratio	Lower	Upper
113	100		
55	184.7	162.8	202.8
56	140.7	118.1	158.1





#36
4-Chloro-3-methylphenol
Concen: 48.497 ng
RT: 8.763 min Scan# 1117
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:107 Resp: 355809

Ion	Ratio	Lower	Upper
107	100		
144	24.9	19.9	29.9
142	75.9	61.8	92.8





#37
2-Methylnaphthalene
Concen: 46.774 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:142 Resp: 763368

Ion	Ratio	Lower	Upper
142	100		
141	88.5	71.0	106.4





#38
1-Methylnaphthalene
Concen: 47.049 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:142 Resp: 734490

Ion	Ratio	Lower	Upper
142	100		
141	91.8	73.3	109.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:164 Resp: 274766

Ion	Ratio	Lower	Upper
164	100		
162	98.9	80.5	120.7
160	42.6	34.3	51.5





#40
1,2,4,5-Tetrachlorobenzene
Concen: 47.541 ng
RT: 9.092 min Scan# 1173
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:216 Resp: 373639

Ion	Ratio	Lower	Upper
216	100		
214	78.9	63.4	95.0
179	20.9	16.5	24.7
108	17.4	13.9	20.9





#41
Hexachlorocyclopentadiene
Concen: 48.905 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:237 Resp: 141023

Ion	Ratio	Lower	Upper
237	100		
235	62.3	42.6	82.6
272	12.8	0.0	33.4





#42
2,4,6-Tribromophenol
Concen: 97.306 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:330 Resp: 248877

Ion	Ratio	Lower	Upper
330	100		
332	98.3	78.0	117.0
141	29.6	23.7	35.5





#43
2,4,6-Trichlorophenol
Concen: 49.900 ng
RT: 9.204 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:196 Resp: 241322

Ion	Ratio	Lower	Upper
196	100		
198	95.5	77.0	115.4
200	30.4	24.6	37.0





#44
2,4,5-Trichlorophenol
Concen: 49.041 ng
RT: 9.251 min Scan# 1200
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:196 Resp: 259061

Ion	Ratio	Lower	Upper
196	100		
198	95.9	77.3	115.9
97	47.2	40.0	60.0
132	27.0	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 91.359 ng
RT: 9.286 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:172 Resp: 1518897

Ion	Ratio	Lower	Upper
172	100		
171	35.9	28.8	43.2
170	23.9	18.8	28.2





#46
1,1'-Biphenyl
Concen: 47.038 ng
RT: 9.386 min Scan# 1223
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:154 Resp: 917350

Ion	Ratio	Lower	Upper
154	100		
153	40.9	20.6	60.6
76	13.2	0.0	33.0





#47
2-Chloronaphthalene
Concen: 47.420 ng
RT: 9.416 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:162 Resp: 725620

Ion	Ratio	Lower	Upper
162	100		
127	40.5	31.8	47.6
164	33.0	26.4	39.6





#48
2-Nitroaniline
Concen: 50.489 ng
RT: 9.510 min Scan# 1244
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion: 65 Resp: 226106

Ion	Ratio	Lower	Upper
65	100		
92	69.4	53.8	80.6
138	110.5	82.4	123.6





#49
Acenaphthylene
Concen: 47.536 ng
RT: 9.828 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:152 Resp: 1041531

Ion	Ratio	Lower	Upper
152	100		
151	20.4	16.2	24.4
153	13.3	10.6	15.8





#50
Dimethylphthalate
Concen: 48.090 ng
RT: 9.681 min Scan# 1273
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:163 Resp: 795814

Ion	Ratio	Lower	Upper
163	100		
194	4.3	3.4	5.0
164	10.1	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 52.104 ng
RT: 9.745 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:165 Resp: 178703

Ion	Ratio	Lower	Upper
165	100		
63	56.5	45.0	67.6
89	52.9	42.5	63.7





#52
Acenaphthene
Concen: 47.905 ng
RT: 10.004 min Scan# 1328
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:154 Resp: 712642

Ion	Ratio	Lower	Upper
154	100		
153	111.9	89.5	134.3
152	53.1	42.5	63.7





#53
3-Nitroaniline
Concen: 50.620 ng
RT: 9.916 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:138 Resp: 187598

Ion	Ratio	Lower	Upper
138	100		
108	11.2	8.6	13.0
92	113.5	89.8	134.8





#54
2,4-Dinitrophenol
Concen: 51.384 ng
RT: 10.028 min Scan# 1332
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:184 Resp: 90529

Ion	Ratio	Lower	Upper
184	100		
63	65.5	52.6	78.8
154	63.7	51.0	76.4





#55
Dibenzofuran
Concen: 47.313 ng
RT: 10.175 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:168 Resp: 1003468

Ion	Ratio	Lower	Upper
168	100		
139	37.5	29.8	44.6
169	13.6	10.8	16.2





#56
4-Nitrophenol
Concen: 54.991 ng
RT: 10.086 min Scan# 1342
Delta R.T. 0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:139 Resp: 121261

Ion	Ratio	Lower	Upper
139	100		
109	68.0	48.2	88.2
65	93.3	75.8	115.8





#57
2,4-Dinitrotoluene
Concen: 51.542 ng
RT: 10.151 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:165 Resp: 236039

Ion	Ratio	Lower	Upper
165	100		
63	44.3	34.9	52.3
89	67.3	53.3	79.9
182	2.8	2.3	3.5





#58
Fluorene
Concen: 46.763 ng
RT: 10.516 min Scan# 1415
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:166 Resp: 763347

Ion	Ratio	Lower	Upper
166	100		
165	97.6	78.3	117.5
167	13.5	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 51.483 ng
RT: 10.292 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:232 Resp: 202049

Ion	Ratio	Lower	Upper
232	100		
131	41.0	32.7	49.1
130	2.1	1.6	2.4
166	27.7	22.6	34.0





#60
Diethylphthalate
Concen: 48.756 ng
RT: 10.380 min Scan# 1392
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:149 Resp: 723386

Ion	Ratio	Lower	Upper
149	100		
177	22.9	18.3	27.5
150	12.8	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 46.985 ng
RT: 10.504 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:204 Resp: 383570

Ion	Ratio	Lower	Upper
204	100		
206	33.6	27.0	40.4
141	61.0	48.7	73.1





#62
4-Nitroaniline
Concen: 51.418 ng
RT: 10.533 min Scan# 1418
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:138 Resp: 175033

Ion	Ratio	Lower	Upper
138	100		
92	48.7	29.3	69.3
108	71.0	50.7	90.7





#63
Azobenzene
Concen: 48.247 ng
RT: 10.669 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion: 77 Resp: 742238

Ion	Ratio	Lower	Upper
77	100		
182	28.4	6.2	46.2
105	21.9	2.2	42.2
51	31.8	12.4	52.4





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1575
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:188 Resp: 422398

Ion	Ratio	Lower	Upper
188	100		
94	9.4	7.4	11.2
80	10.1	8.2	12.4





#65
4,6-Dinitro-2-methylphenol
Concen: 53.128 ng
RT: 10.563 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:198 Resp: 126533

Ion	Ratio	Lower	Upper
198	100		
51	50.8	29.6	69.6
105	43.4	21.5	61.5





#66
n-Nitrosodiphenylamine
Concen: 47.789 ng
RT: 10.622 min Scan# 1433
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:169 Resp: 649619

Ion	Ratio	Lower	Upper
169	100		
168	66.0	52.4	78.6
167	35.8	28.9	43.3





#67
4-Bromophenyl-phenylether
Concen: 48.112 ng
RT: 10.998 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:248 Resp: 242477

Ion	Ratio	Lower	Upper
248	100		
250	98.4	77.8	116.8
141	67.4	54.0	81.0





#68
Hexachlorobenzene
Concen: 48.206 ng
RT: 11.069 min Scan# 1509
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:284 Resp: 261883

Ion	Ratio	Lower	Upper
284	100		
142	32.4	24.4	36.6
249	31.6	25.0	37.6





#69
Atrazine
Concen: 51.394 ng
RT: 11.145 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:200 Resp: 180342

Ion	Ratio	Lower	Upper
200	100		
173	26.5	6.9	46.9
215	49.1	30.0	70.0





#70
Pentachlorophenol
Concen: 53.767 ng
RT: 11.263 min Scan# 1542
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:266 Resp: 133776

Ion	Ratio	Lower	Upper
266	100		
268	62.8	50.5	75.7
264	62.0	49.8	74.8





#71
Phenanthrene
Concen: 47.383 ng
RT: 11.480 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:178 Resp: 1071808

Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.5	23.3
179	15.6	12.5	18.7





#72
Anthracene
Concen: 47.117 ng
RT: 11.533 min Scan# 1588
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:178 Resp: 1079686

Ion	Ratio	Lower	Upper
178	100		
176	18.8	15.0	22.4
179	15.7	12.3	18.5





#73
Carbazole
Concen: 47.738 ng
RT: 11.686 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:167 Resp: 896352

Ion	Ratio	Lower	Upper
167	100		
166	21.9	17.3	25.9
139	12.7	10.0	15.0





#74
Di-n-butylphthalate
Concen: 50.228 ng
RT: 12.010 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:149 Resp: 879812

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.2	10.8
104	4.7	3.6	5.4





#75
Fluoranthene
Concen: 47.536 ng
RT: 12.669 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:202 Resp: 964831

Ion	Ratio	Lower	Upper
202	100		
101	11.5	0.0	31.3
203	17.6	0.0	37.9





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:240 Resp: 244315

Ion	Ratio	Lower	Upper
240	100		
120	10.5	8.6	12.8
236	25.3	20.4	30.6





#77
Benzidine
Concen: 40.122 ng
RT: 12.786 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:184 Resp: 238772

Ion	Ratio	Lower	Upper
184	100		
185	14.1	11.3	16.9
183	11.6	9.5	14.3





#78
Pyrene
Concen: 48.316 ng
RT: 12.898 min Scan# 1820
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:202 Resp: 970991

Ion	Ratio	Lower	Upper
202	100		
200	21.0	17.0	25.4
203	17.8	14.3	21.5





#79
Terphenyl-d14
Concen: 95.465 ng
RT: 13.039 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:244 Resp: 1336561

Ion	Ratio	Lower	Upper
244	100		
212	6.5	5.2	7.8
122	9.7	7.9	11.9





#80
Butylbenzylphthalate
Concen: 51.304 ng
RT: 13.510 min Scan# 1924
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:149 Resp: 281664

Ion	Ratio	Lower	Upper
149	100		
91	68.7	55.3	82.9
206	22.5	18.2	27.4





#81
Benzo(a)anthracene
Concen: 49.172 ng
RT: 14.086 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:228 Resp: 773434

Ion	Ratio	Lower	Upper
228	100		
226	27.3	21.7	32.5
229	20.0	15.7	23.5





#82
3,3'-Dichlorobenzidine
Concen: 47.957 ng
RT: 14.045 min Scan# 2015
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:252 Resp: 216024

Ion	Ratio	Lower	Upper
252	100		
254	64.1	52.6	79.0
126	10.3	8.7	13.1





#83
Chrysene
Concen: 47.050 ng
RT: 14.127 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:228 Resp: 665070

Ion	Ratio	Lower	Upper
228	100		
226	29.2	23.7	35.5
229	19.7	15.7	23.5





#84
Bis(2-ethylhexyl)phthalate
Concen: 50.372 ng
RT: 14.068 min Scan# 2019
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:149 Resp: 421199

Ion	Ratio	Lower	Upper
149	100		
167	27.8	22.2	33.2
279	4.7	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 49.329 ng
RT: 14.680 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:149 Resp: 764123

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.2	1.8
43	10.5	8.5	12.7





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.598 min Scan# 2279
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:264 Resp: 288719

Ion	Ratio	Lower	Upper
264	100		
260	23.0	18.7	28.1
265	21.1	17.6	26.4





#87
Indeno(1,2,3-cd)pyrene
Concen: 49.646 ng
RT: 17.133 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:276 Resp: 1030025

Ion	Ratio	Lower	Upper
276	100		
138	24.0	19.2	28.8
277	25.3	20.3	30.5





#88
Benzo(b)fluoranthene
Concen: 47.579 ng
RT: 15.157 min Scan# 2204
Delta R.T. -0.000 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:252 Resp: 763584

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	8.9	7.4	11.0





#89
Benzo(k)fluoranthene
Concen: 48.570 ng
RT: 15.186 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:252 Resp: 746332

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.4	26.2
125	9.1	7.4	11.0





#90
Benzo(a)pyrene
Concen: 48.927 ng
RT: 15.533 min Scan# 2268
Delta R.T. -0.006 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:252 Resp: 728853

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.4	26.0
125	10.1	8.2	12.2





#91
Dibenzo(a,h)anthracene
Concen: 49.612 ng
RT: 17.145 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Instrument :
BNA_F
ClientSampleId :
SSTDICC050

Tgt Ion:278 Resp: 824368

Ion	Ratio	Lower	Upper
278	100		
139	15.2	12.1	18.1
279	24.1	19.2	28.8





#92
Benzo(g,h,i)perylene
Concen: 50.042 ng
RT: 17.592 min Scan# 2618
Delta R.T. -0.012 min
Lab File: BF143482.D
Acq: 20 Aug 2025 13:22

Tgt Ion:276 Resp: 826803

Ion	Ratio	Lower	Upper
276	100		
277	23.8	18.9	28.3
138	20.8	16.3	24.5



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143483.D
Acq On : 20 Aug 2025 13:51
Operator : RC/JU
Sample : SSTDICC060
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Quant Time: Aug 20 16:23:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	6.928	152	125960	20.000	ng		0.00
21) Naphthalene-d8	8.210	136	475666	20.000	ng		0.00
39) Acenaphthene-d10	9.969	164	254778	20.000	ng		0.00
64) Phenanthrene-d10	11.457	188	374631	20.000	ng		0.00
76) Chrysene-d12	14.098	240	227355	20.000	ng		0.00
86) Perylene-d12	15.592	264	280304	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.563	112	859036	119.087	ng		0.00
7) Phenol-d6	6.569	99	1045685	117.430	ng		0.00
23) Nitrobenzene-d5	7.492	82	970478	119.058	ng		0.00
42) 2,4,6-Tribromophenol	10.757	330	280822	118.410	ng		0.00
45) 2-Fluorobiphenyl	9.286	172	1690255	109.642	ng		0.00
79) Terphenyl-d14	13.039	244	1434829	110.129	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	2.740	88	204781	61.281	ng		99
3) Pyridine	3.522	79	558243	62.721	ng		99
4) n-Nitrosodimethylamine	3.469	42	251614	62.886	ng		97
6) Aniline	6.593	93	704213	59.165	ng	#	85
8) 2-Chlorophenol	6.722	128	479780	60.217	ng		98
9) Benzaldehyde	6.481	77	529696	73.472	ng		99
10) Phenol	6.587	94	601782	58.663	ng		87
11) bis(2-Chloroethyl)ether	6.663	93	461238	60.168	ng		98
12) 1,3-Dichlorobenzene	6.875	146	528623	59.050	ng		100
13) 1,4-Dichlorobenzene	6.945	146	532575	59.307	ng		99
14) 1,2-Dichlorobenzene	7.098	146	503841	59.261	ng		99
15) Benzyl Alcohol	7.075	79	411011	61.650	ng		99
16) 2,2'-oxybis(1-Chloropr...	7.198	45	705931	57.560	ng		92
17) 2-Methylphenol	7.187	107	382072	59.749	ng		99
18) Hexachloroethane	7.445	117	184846	60.543	ng		94
19) n-Nitroso-di-n-propyla...	7.345	70	314244	57.737	ng		99
20) 3+4-Methylphenols	7.340	107	445057	58.302	ng		96
22) Acetophenone	7.340	105	584698	56.897	ng		100
24) Nitrobenzene	7.510	77	510499	60.850	ng		98
25) Isophorone	7.751	82	892536	59.733	ng		99
26) 2-Nitrophenol	7.828	139	256573	62.434	ng		98
27) 2,4-Dimethylphenol	7.863	122	378590	59.098	ng		99
28) bis(2-Chloroethoxy)met...	7.957	93	541094	58.925	ng		99
29) 2,4-Dichlorophenol	8.075	162	403885	59.031	ng		99
30) 1,2,4-Trichlorobenzene	8.151	180	414723	58.956	ng		99
31) Naphthalene	8.234	128	1314277	57.551	ng		100
32) Benzoic acid	7.998	122	232136	61.815	ng		98
33) 4-Chloroaniline	8.281	127	471374	58.156	ng		99
34) Hexachlorobutadiene	8.351	225	270626	58.968	ng		99
35) Caprolactam	8.663	113	99502	60.607	ng		99
36) 4-Chloro-3-methylphenol	8.763	107	404673	59.020	ng		100
37) 2-Methylnaphthalene	8.922	142	869902	57.034	ng		100
38) 1-Methylnaphthalene	9.022	142	828346	56.776	ng		100
40) 1,2,4,5-Tetrachloroben...	9.092	216	421909	57.894	ng		99
41) Hexachlorocyclopentadiene	9.081	237	172625	62.497	ng		100
43) 2,4,6-Trichlorophenol	9.204	196	275502	61.437	ng		100

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143483.D
Acq On : 20 Aug 2025 13:51
Operator : RC/JU
Sample : SSTDICC060
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Quant Time: Aug 20 16:23:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.251	196	295585	60.345	ng	98
46) 1,1'-Biphenyl	9.386	154	1031320	57.031	ng	100
47) 2-Chloronaphthalene	9.416	162	816474	57.544	ng	99
48) 2-Nitroaniline	9.510	65	252618	60.835	ng	95
49) Acenaphthylene	9.828	152	1171986	57.687	ng	100
50) Dimethylphthalate	9.681	163	898362	58.546	ng	100
51) 2,6-Dinitrotoluene	9.745	165	196694	61.849	ng	98
52) Acenaphthene	10.004	154	798226	57.868	ng	100
53) 3-Nitroaniline	9.916	138	207068	60.257	ng	99
54) 2,4-Dinitrophenol	10.028	184	105073	62.986	ng	98
55) Dibenzofuran	10.175	168	1110414	56.463	ng	99
56) 4-Nitrophenol	10.086	139	131356	64.242	ng	97
57) 2,4-Dinitrotoluene	10.151	165	263001	61.935	ng	99
58) Fluorene	10.516	166	842185	55.641	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.292	232	226735	62.306	ng	99
60) Diethylphthalate	10.381	149	791582	57.538	ng	100
61) 4-Chlorophenyl-phenyle...	10.504	204	433351	57.247	ng	99
62) 4-Nitroaniline	10.533	138	189435	60.015	ng	98
63) Azobenzene	10.669	77	815353	57.158	ng	98
65) 4,6-Dinitro-2-methylph...	10.563	198	139830	66.197	ng	95
66) n-Nitrosodiphenylamine	10.622	169	714577	59.270	ng	99
67) 4-Bromophenyl-phenylether	10.998	248	270225	60.454	ng	100
68) Hexachlorobenzene	11.069	284	288119	59.797	ng	99
69) Atrazine	11.145	200	195334	62.765	ng	99
70) Pentachlorophenol	11.263	266	146959	66.597	ng	99
71) Phenanthrene	11.480	178	1160860	57.863	ng	100
72) Anthracene	11.533	178	1164449	57.295	ng	100
73) Carbazole	11.686	167	967633	58.105	ng	99
74) Di-n-butylphthalate	12.010	149	963249	62.003	ng	99
75) Fluoranthene	12.669	202	1037239	57.619	ng	100
77) Benzidine	12.786	184	250962	45.316	ng	99
78) Pyrene	12.898	202	1030970	55.127	ng	99
80) Butylbenzylphthalate	13.510	149	347496	68.017	ng	99
81) Benzo(a)anthracene	14.086	228	897535	61.318	ng	99
82) 3,3'-Dichlorobenzidine	14.045	252	257059	61.324	ng	97
83) Chrysene	14.127	228	767443	58.342	ng	100
84) Bis(2-ethylhexyl)phtha...	14.069	149	523115	67.227	ng	99
85) Di-n-octyl phthalate	14.680	149	963857	66.864	ng	100
87) Indeno(1,2,3-cd)pyrene	17.133	276	1232879	61.208	ng	100
88) Benzo(b)fluoranthene	15.157	252	897808	57.622	ng	99
89) Benzo(k)fluoranthene	15.186	252	928660	62.250	ng	100
90) Benzo(a)pyrene	15.533	252	876864	60.630	ng	99
91) Dibenzo(a,h)anthracene	17.145	278	982366	60.896	ng	99
92) Benzo(g,h,i)perylene	17.598	276	985608	61.444	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143483.D
Acq On : 20 Aug 2025 13:51
Operator : RC/JU
Sample : SSTDICC060
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Quant Time: Aug 20 16:23:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:152 Resp: 125960

Ion	Ratio	Lower	Upper
152	100		
150	161.2	128.9	193.3
115	61.1	49.2	73.8





#2
1,4-Dioxane
Concen: 61.281 ng
RT: 2.740 min Scan# 93
Delta R.T. 0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion: 88 Resp: 204781

Ion	Ratio	Lower	Upper
88	100		
58	84.0	66.7	100.1
43	31.8	25.8	38.8





#3
Pyridine
Concen: 62.721 ng
RT: 3.522 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 79 Resp: 558243

Ion	Ratio	Lower	Upper
79	100		
52	81.1	65.6	98.4
51	39.4	31.2	46.8





#4
n-Nitrosodimethylamine
Concen: 62.886 ng
RT: 3.469 min Scan# 217
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion: 42 Resp: 251614

Ion	Ratio	Lower	Upper
42	100		
74	120.0	98.6	148.0
44	7.0	5.8	8.8





#5
2-Fluorophenol
Concen: 119.087 ng
RT: 5.563 min Scan# 5
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:112 Resp: 859036

Ion	Ratio	Lower	Upper
112	100		
64	63.1	50.4	75.6
63	32.8	26.4	39.6





#6
Aniline
Concen: 59.165 ng
RT: 6.593 min Scan# 748
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion: 93 Resp: 704213

Ion	Ratio	Lower	Upper
93	100		
66	59.1	38.9	58.3#
65	33.3	20.6	30.8#





#7
Phenol-d6
Concen: 117.430 ng
RT: 6.569 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 99 Resp: 1045685

Ion	Ratio	Lower	Upper
99	100		
42	20.2	16.3	24.5
71	35.4	28.2	42.2





#8
2-Chlorophenol
Concen: 60.217 ng
RT: 6.722 min Scan# 770
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:128 Resp: 479780

Ion	Ratio	Lower	Upper
128	100		
130	32.9	12.4	52.4
64	50.3	31.6	71.6





#9
Benzaldehyde
Concen: 73.472 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 77 Resp: 529696

Ion	Ratio	Lower	Upper
77	100		
105	97.0	78.1	118.1
106	93.4	74.9	114.9





#10
Phenol
Concen: 58.663 ng
RT: 6.587 min Scan# 747
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion: 94 Resp: 601782

Ion	Ratio	Lower	Upper
94	100		
65	45.3	19.5	59.5
66	74.7	42.5	82.5





#11
bis(2-Chloroethyl)ether
Concen: 60.168 ng
RT: 6.663 min Scan# 7
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 93 Resp: 461238

Ion	Ratio	Lower	Upper
93	100		
63	81.7	63.6	103.6
95	32.7	12.8	52.8





#12
1,3-Dichlorobenzene
Concen: 59.050 ng
RT: 6.875 min Scan# 796
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:146 Resp: 528623

Ion	Ratio	Lower	Upper
146	100		
148	64.1	51.3	76.9
75	30.3	24.7	37.1





#13
1,4-Dichlorobenzene
Concen: 59.307 ng
RT: 6.945 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:146 Resp: 532575

Ion	Ratio	Lower	Upper
146	100		
148	63.7	51.5	77.3
111	41.7	32.6	49.0





#14
1,2-Dichlorobenzene
Concen: 59.261 ng
RT: 7.098 min Scan# 834
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:146 Resp: 503841

Ion	Ratio	Lower	Upper
146	100		
148	63.8	51.0	76.6
111	43.4	34.0	51.0





#15
Benzyl Alcohol
Concen: 61.650 ng
RT: 7.075 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 79 Resp: 411011

Ion	Ratio	Lower	Upper
79	100		
108	76.1	59.8	89.6
77	60.8	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 57.560 ng
RT: 7.198 min Scan# 851
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion: 45 Resp: 705931

Ion	Ratio	Lower	Upper
45	100		
77	21.6	0.0	37.9
79	18.2	0.0	34.7





#17
2-Methylphenol
Concen: 59.749 ng
RT: 7.187 min Scan# 84
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:107 Resp: 382072

Ion	Ratio	Lower	Upper
107	100		
108	113.8	91.1	136.7
77	56.0	46.2	69.4
79	53.8	44.2	66.2





#18
Hexachloroethane
Concen: 60.543 ng
RT: 7.445 min Scan# 893
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:117 Resp: 184846

Ion	Ratio	Lower	Upper
117	100		
119	96.7	75.4	113.0
201	108.2	79.0	118.4





#19
n-Nitroso-di-n-propylamine
Concen: 57.737 ng
RT: 7.345 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 70 Resp: 314244

Ion	Ratio	Lower	Upper
70	100		
42	60.7	49.3	73.9
101	9.6	7.8	11.8
130	20.9	16.6	25.0





#20
3+4-Methylphenols
Concen: 58.302 ng
RT: 7.340 min Scan# 875
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:107 Resp: 445057

Ion	Ratio	Lower	Upper
107	100		
108	89.4	68.4	108.4
77	128.2	116.1	156.1
79	31.0	9.8	49.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:136 Resp: 475666

Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.0	13.4
54	9.6	7.4	11.2
68	6.1	5.0	7.4





#22
Acetophenone
Concen: 56.897 ng
RT: 7.340 min Scan# 875
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:105 Resp: 584698

Ion	Ratio	Lower	Upper
105	100		
71	7.9	5.9	8.9
51	40.6	32.5	48.7
120	22.5	18.0	27.0





#23
Nitrobenzene-d5
Concen: 119.058 ng
RT: 7.492 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 82 Resp: 970478

Ion	Ratio	Lower	Upper
82	100		
128	44.1	35.5	53.3
54	55.9	44.3	66.5





#24
Nitrobenzene
Concen: 60.850 ng
RT: 7.510 min Scan# 904
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion: 77 Resp: 510499

Ion	Ratio	Lower	Upper
77	100		
123	43.9	36.1	54.1
65	14.4	11.0	16.6





#25
Isophorone
Concen: 59.733 ng
RT: 7.751 min Scan# 94
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 82 Resp: 892536

Ion	Ratio	Lower	Upper
82	100		
95	7.2	5.8	8.8
138	18.1	14.2	21.4





#26
2-Nitrophenol
Concen: 62.434 ng
RT: 7.828 min Scan# 958
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:139 Resp: 256573

Ion	Ratio	Lower	Upper
139	100		
109	30.3	23.0	34.6
65	51.0	40.3	60.5





#27
2,4-Dimethylphenol
Concen: 59.098 ng
RT: 7.863 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:122 Resp: 378590

Ion	Ratio	Lower	Upper
122	100		
107	116.3	91.5	137.3
121	58.7	47.0	70.4





#28
bis(2-Chloroethoxy)methane
Concen: 58.925 ng
RT: 7.957 min Scan# 980
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion: 93 Resp: 541094

Ion	Ratio	Lower	Upper
93	100		
95	32.9	26.0	39.0
123	11.7	9.1	13.7





#29
2,4-Dichlorophenol
Concen: 59.031 ng
RT: 8.075 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:162 Resp: 403885

Ion	Ratio	Lower	Upper
162	100		
164	64.0	43.5	83.5
98	36.7	15.1	55.1





#30
1,2,4-Trichlorobenzene
Concen: 58.956 ng
RT: 8.151 min Scan# 1013
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:180 Resp: 414723

Ion	Ratio	Lower	Upper
180	100		
182	95.0	76.6	114.8
145	30.6	24.3	36.5





#31
Naphthalene
Concen: 57.551 ng
RT: 8.234 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:128 Resp: 1314277

Ion	Ratio	Lower	Upper
128	100		
129	11.3	8.8	13.2
127	13.4	10.6	16.0





#32
Benzoic acid
Concen: 61.815 ng
RT: 7.998 min Scan# 987
Delta R.T. -0.012 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:122 Resp: 232136

Ion	Ratio	Lower	Upper
122	100		
105	122.6	104.7	144.7
77	94.3	77.3	117.3





#33
4-Chloroaniline
Concen: 58.156 ng
RT: 8.281 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:127 Resp: 471374

Ion	Ratio	Lower	Upper
127	100		
129	32.5	26.1	39.1
65	33.6	26.2	39.2
92	21.2	16.6	25.0





#34
Hexachlorobutadiene
Concen: 58.968 ng
RT: 8.351 min Scan# 1047
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:225 Resp: 270626

Ion	Ratio	Lower	Upper
225	100		
223	63.1	49.9	74.9
227	63.4	50.9	76.3





#35
Caprolactam
Concen: 60.607 ng
RT: 8.663 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:113 Resp: 99502

Ion	Ratio	Lower	Upper
113	100		
55	184.3	162.8	202.8
56	138.6	118.1	158.1





#36
4-Chloro-3-methylphenol
Concen: 59.020 ng
RT: 8.763 min Scan# 1117
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:107 Resp: 404673

Ion	Ratio	Lower	Upper
107	100		
144	25.0	19.9	29.9
142	77.1	61.8	92.8





#37
2-Methylnaphthalene
Concen: 57.034 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:142 Resp: 869902

Ion	Ratio	Lower	Upper
142	100		
141	88.5	71.0	106.4





#38
1-Methylnaphthalene
Concen: 56.776 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:142 Resp: 828346

Ion	Ratio	Lower	Upper
142	100		
141	92.1	73.3	109.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:164 Resp: 254778

Ion	Ratio	Lower	Upper
164	100		
162	99.7	80.5	120.7
160	42.7	34.3	51.5





#40
1,2,4,5-Tetrachlorobenzene
Concen: 57.894 ng
RT: 9.092 min Scan# 1173
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:216 Resp: 421909

Ion	Ratio	Lower	Upper
216	100		
214	78.8	63.4	95.0
179	21.3	16.5	24.7
108	17.9	13.9	20.9





#41
Hexachlorocyclopentadiene
Concen: 62.497 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:237 Resp: 172625

Ion	Ratio	Lower	Upper
237	100		
235	62.8	42.6	82.6
272	12.9	0.0	33.4





#42
2,4,6-Tribromophenol
Concen: 118.410 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:330 Resp: 280822

Ion	Ratio	Lower	Upper
330	100		
332	96.6	78.0	117.0
141	28.5	23.7	35.5





#43
2,4,6-Trichlorophenol
Concen: 61.437 ng
RT: 9.204 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:196 Resp: 275502

Ion	Ratio	Lower	Upper
196	100		
198	96.2	77.0	115.4
200	30.7	24.6	37.0





#44
2,4,5-Trichlorophenol
Concen: 60.345 ng
RT: 9.251 min Scan# 1200
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:196 Resp: 295585

Ion	Ratio	Lower	Upper
196	100		
198	95.3	77.3	115.9
97	46.8	40.0	60.0
132	27.0	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 109.642 ng
RT: 9.286 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:172 Resp: 1690255

Ion	Ratio	Lower	Upper
172	100		
171	36.1	28.8	43.2
170	23.7	18.8	28.2





#46
1,1'-Biphenyl
Concen: 57.031 ng
RT: 9.386 min Scan# 1223
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:154 Resp: 1031320

Ion	Ratio	Lower	Upper
154	100		
153	40.6	20.6	60.6
76	13.1	0.0	33.0





#47
2-Chloronaphthalene
Concen: 57.544 ng
RT: 9.416 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:162 Resp: 816474

Ion	Ratio	Lower	Upper
162	100		
127	40.9	31.8	47.6
164	33.1	26.4	39.6





#48
2-Nitroaniline
Concen: 60.835 ng
RT: 9.510 min Scan# 1244
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion: 65 Resp: 252618

Ion	Ratio	Lower	Upper
65	100		
92	69.1	53.8	80.6
138	110.3	82.4	123.6





#49
Acenaphthylene
Concen: 57.687 ng
RT: 9.828 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:152 Resp: 1171986

Ion	Ratio	Lower	Upper
152	100		
151	20.0	16.2	24.4
153	13.2	10.6	15.8





#50
Dimethylphthalate
Concen: 58.546 ng
RT: 9.681 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:163 Resp: 898362

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.2	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 61.849 ng
RT: 9.745 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:165 Resp: 196694

Ion	Ratio	Lower	Upper
165	100		
63	58.8	45.0	67.6
89	53.7	42.5	63.7





#52
Acenaphthene
Concen: 57.868 ng
RT: 10.004 min Scan# 1328
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:154 Resp: 798226

Ion	Ratio	Lower	Upper
154	100		
153	111.8	89.5	134.3
152	53.0	42.5	63.7





#53
3-Nitroaniline
Concen: 60.257 ng
RT: 9.916 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:138 Resp: 207068

Ion	Ratio	Lower	Upper
138	100		
108	11.4	8.6	13.0
92	113.6	89.8	134.8





#54
2,4-Dinitrophenol
Concen: 62.986 ng
RT: 10.028 min Scan# 1332
Delta R.T. -0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:184 Resp: 105073

Ion	Ratio	Lower	Upper
184	100		
63	64.1	52.6	78.8
154	62.6	51.0	76.4





#55
Dibenzofuran
Concen: 56.463 ng
RT: 10.175 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:168 Resp: 1110414

Ion	Ratio	Lower	Upper
168	100		
139	38.0	29.8	44.6
169	13.4	10.8	16.2





#56
4-Nitrophenol
Concen: 64.242 ng
RT: 10.086 min Scan# 1342
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:139 Resp: 131356

Ion	Ratio	Lower	Upper
139	100		
109	69.7	48.2	88.2
65	99.0	75.8	115.8





#57
2,4-Dinitrotoluene
Concen: 61.935 ng
RT: 10.151 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:165 Resp: 263001

Ion	Ratio	Lower	Upper
165	100		
63	44.7	34.9	52.3
89	67.1	53.3	79.9
182	2.8	2.3	3.5





#58
Fluorene
Concen: 55.641 ng
RT: 10.516 min Scan# 1415
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:166 Resp: 842185

Ion	Ratio	Lower	Upper
166	100		
165	98.4	78.3	117.5
167	13.7	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 62.306 ng
RT: 10.292 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:232 Resp: 226735

Ion	Ratio	Lower	Upper
232	100		
131	40.1	32.7	49.1
130	2.0	1.6	2.4
166	27.9	22.6	34.0





#60
Diethylphthalate
Concen: 57.538 ng
RT: 10.381 min Scan# 1392
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:149 Resp: 791582

Ion	Ratio	Lower	Upper
149	100		
177	22.9	18.3	27.5
150	13.0	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 57.247 ng
RT: 10.504 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:204 Resp: 433351

Ion	Ratio	Lower	Upper
204	100		
206	33.3	27.0	40.4
141	59.9	48.7	73.1





#62
4-Nitroaniline
Concen: 60.015 ng
RT: 10.533 min Scan# 1418
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:138 Resp: 189435

Ion	Ratio	Lower	Upper
138	100		
92	50.6	29.3	69.3
108	73.0	50.7	90.7





#63
Azobenzene
Concen: 57.158 ng
RT: 10.669 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion: 77 Resp: 815353

Ion	Ratio	Lower	Upper
77	100		
182	28.4	6.2	46.2
105	22.5	2.2	42.2
51	32.0	12.4	52.4





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1575
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:188 Resp: 374631

Ion	Ratio	Lower	Upper
188	100		
94	9.2	7.4	11.2
80	10.2	8.2	12.4





#65
4,6-Dinitro-2-methylphenol
Concen: 66.197 ng
RT: 10.563 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:198 Resp: 139830

Ion	Ratio	Lower	Upper
198	100		
51	53.3	29.6	69.6
105	43.7	21.5	61.5





#66
n-Nitrosodiphenylamine
Concen: 59.270 ng
RT: 10.622 min Scan# 1433
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:169 Resp: 714577

Ion	Ratio	Lower	Upper
169	100		
168	66.7	52.4	78.6
167	36.4	28.9	43.3





#67
4-Bromophenyl-phenylether
Concen: 60.454 ng
RT: 10.998 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:248 Resp: 270225

Ion	Ratio	Lower	Upper
248	100		
250	97.4	77.8	116.8
141	68.2	54.0	81.0





#68
Hexachlorobenzene
Concen: 59.797 ng
RT: 11.069 min Scan# 1509
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:284 Resp: 288119

Ion	Ratio	Lower	Upper
284	100		
142	31.2	24.4	36.6
249	31.8	25.0	37.6





#69
Atrazine
Concen: 62.765 ng
RT: 11.145 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:200 Resp: 195334

Ion	Ratio	Lower	Upper
200	100		
173	27.0	6.9	46.9
215	48.5	30.0	70.0





#70
Pentachlorophenol
Concen: 66.597 ng
RT: 11.263 min Scan# 1542
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:266 Resp: 146959

Ion	Ratio	Lower	Upper
266	100		
268	64.0	50.5	75.7
264	62.5	49.8	74.8





#71
Phenanthrene
Concen: 57.863 ng
RT: 11.480 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:178 Resp: 1160860

Ion	Ratio	Lower	Upper
178	100		
176	19.4	15.5	23.3
179	15.6	12.5	18.7





#72
Anthracene
Concen: 57.295 ng
RT: 11.533 min Scan# 1588
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:178 Resp: 1164449

Ion	Ratio	Lower	Upper
178	100		
176	18.9	15.0	22.4
179	15.7	12.3	18.5





#73
Carbazole
Concen: 58.105 ng
RT: 11.686 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:167 Resp: 967633

Ion	Ratio	Lower	Upper
167	100		
166	21.8	17.3	25.9
139	13.0	10.0	15.0





#74
Di-n-butylphthalate
Concen: 62.003 ng
RT: 12.010 min Scan# 1669
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:149 Resp: 963249

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.2	10.8
104	4.7	3.6	5.4





#75
Fluoranthene
Concen: 57.619 ng
RT: 12.669 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:202 Resp: 1037239

Ion	Ratio	Lower	Upper
202	100		
101	11.4	0.0	31.3
203	17.7	0.0	37.9





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:240 Resp: 227355

Ion	Ratio	Lower	Upper
240	100		
120	10.3	8.6	12.8
236	25.8	20.4	30.6





#77
Benzidine
Concen: 45.316 ng
RT: 12.786 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:184 Resp: 250962

Ion	Ratio	Lower	Upper
184	100		
185	14.7	11.3	16.9
183	11.6	9.5	14.3





#78
Pyrene
Concen: 55.127 ng
RT: 12.898 min Scan# 1820
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:202 Resp: 1030970

Ion	Ratio	Lower	Upper
202	100		
200	21.6	17.0	25.4
203	17.8	14.3	21.5





#79
Terphenyl-d14
Concen: 110.129 ng
RT: 13.039 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:244 Resp: 1434829

Ion	Ratio	Lower	Upper
244	100		
212	6.5	5.2	7.8
122	9.8	7.9	11.9





#80
Butylbenzylphthalate
Concen: 68.017 ng
RT: 13.510 min Scan# 1924
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:149 Resp: 347496

Ion	Ratio	Lower	Upper
149	100		
91	67.8	55.3	82.9
206	22.8	18.2	27.4





#81
Benzo(a)anthracene
Concen: 61.318 ng
RT: 14.086 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:228 Resp: 897535

Ion	Ratio	Lower	Upper
228	100		
226	27.4	21.7	32.5
229	20.0	15.7	23.5





#82
3,3'-Dichlorobenzidine
Concen: 61.324 ng
RT: 14.045 min Scan# 2015
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:252 Resp: 257059

Ion	Ratio	Lower	Upper
252	100		
254	63.5	52.6	79.0
126	10.4	8.7	13.1





#83
Chrysene
Concen: 58.342 ng
RT: 14.127 min Scan# 2(
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:228 Resp: 767443

Ion	Ratio	Lower	Upper
228	100		
226	29.7	23.7	35.5
229	19.8	15.7	23.5





#84
Bis(2-ethylhexyl)phthalate
Concen: 67.227 ng
RT: 14.069 min Scan# 2019
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:149 Resp: 523115

Ion	Ratio	Lower	Upper
149	100		
167	28.0	22.2	33.2
279	4.7	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 66.864 ng
RT: 14.680 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:149 Resp: 963857

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.2	1.8
43	10.5	8.5	12.7





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:264 Resp: 280304

Ion	Ratio	Lower	Upper
264	100		
260	23.1	18.7	28.1
265	21.4	17.6	26.4





#87
Indeno(1,2,3-cd)pyrene
Concen: 61.208 ng
RT: 17.133 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:276 Resp: 1232879

Ion	Ratio	Lower	Upper
276	100		
138	23.7	19.2	28.8
277	25.4	20.3	30.5





#88
Benzo(b)fluoranthene
Concen: 57.622 ng
RT: 15.157 min Scan# 2204
Delta R.T. 0.000 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:252 Resp: 897808

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.5	26.3
125	9.0	7.4	11.0





#89
Benzo(k)fluoranthene
Concen: 62.250 ng
RT: 15.186 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:252 Resp: 928660

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.4	26.2
125	9.2	7.4	11.0





#90
Benzo(a)pyrene
Concen: 60.630 ng
RT: 15.533 min Scan# 2268
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:252 Resp: 876864

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.4	26.0
125	10.4	8.2	12.2





#91
Dibenzo(a,h)anthracene
Concen: 60.896 ng
RT: 17.145 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Instrument :
BNA_F
ClientSampleId :
SSTDICC060

Tgt Ion:278 Resp: 982366

Ion	Ratio	Lower	Upper
278	100		
139	16.0	12.1	18.1
279	23.9	19.2	28.8





#92
Benzo(g,h,i)perylene
Concen: 61.444 ng
RT: 17.598 min Scan# 2619
Delta R.T. -0.006 min
Lab File: BF143483.D
Acq: 20 Aug 2025 13:51

Tgt Ion:276 Resp: 985608

Ion	Ratio	Lower	Upper
276	100		
277	23.8	18.9	28.3
138	20.6	16.3	24.5



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143484.D
Acq On : 20 Aug 2025 14:20
Operator : RC/JU
Sample : SSTDICC080
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Quant Time: Aug 20 16:23:56 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	6.928	152	125123	20.000	ng		0.00
21) Naphthalene-d8	8.210	136	471095	20.000	ng		0.00
39) Acenaphthene-d10	9.969	164	252899	20.000	ng		0.00
64) Phenanthrene-d10	11.457	188	380140	20.000	ng		0.00
76) Chrysene-d12	14.104	240	250059	20.000	ng		0.00
86) Perylene-d12	15.598	264	296923	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.563	112	1062268	148.245	ng		0.00
7) Phenol-d6	6.575	99	1300018	146.969	ng		0.00
23) Nitrobenzene-d5	7.498	82	1224256	151.649	ng		0.00
42) 2,4,6-Tribromophenol	10.763	330	358471	152.274	ng		0.00
45) 2-Fluorobiphenyl	9.286	172	2022059	132.140	ng		0.00
79) Terphenyl-d14	13.039	244	1808474	126.204	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	2.734	88	261319	78.723	ng		99
3) Pyridine	3.516	79	711417	80.466	ng		98
4) n-Nitrosodimethylamine	3.475	42	324491	81.643	ng		98
6) Aniline	6.593	93	857604	72.534	ng	#	69
8) 2-Chlorophenol	6.722	128	601470	75.996	ng		99
10) Phenol	6.587	94	725059	71.153	ng		89
11) bis(2-Chloroethyl)ether	6.663	93	578357	75.951	ng		99
12) 1,3-Dichlorobenzene	6.875	146	659299	74.140	ng		100
13) 1,4-Dichlorobenzene	6.945	146	652783	73.180	ng		99
14) 1,2-Dichlorobenzene	7.098	146	617296	73.091	ng		99
15) Benzyl Alcohol	7.075	79	521147	78.692	ng		100
16) 2,2'-oxybis(1-Chloropr...	7.198	45	852253	69.956	ng		82
17) 2-Methylphenol	7.187	107	480610	75.661	ng		98
18) Hexachloroethane	7.445	117	228092	75.207	ng		95
19) n-Nitroso-di-n-propyla...	7.351	70	391129	72.344	ng		99
20) 3+4-Methylphenols	7.340	107	538601	71.028	ng		97
22) Acetophenone	7.340	105	720554	70.797	ng	#	98
24) Nitrobenzene	7.516	77	634384	76.350	ng		99
25) Isophorone	7.757	82	1136551	76.802	ng		99
26) 2-Nitrophenol	7.828	139	326185	80.143	ng		99
27) 2,4-Dimethylphenol	7.869	122	473860	74.687	ng		99
28) bis(2-Chloroethoxy)met...	7.957	93	673547	74.061	ng		100
29) 2,4-Dichlorophenol	8.075	162	501321	73.984	ng		99
30) 1,2,4-Trichlorobenzene	8.151	180	515561	74.002	ng		99
31) Naphthalene	8.234	128	1619392	71.600	ng		99
32) Benzoic acid	8.010	122	302185	79.400	ng		99
33) 4-Chloroaniline	8.281	127	593863	73.979	ng		99
34) Hexachlorobutadiene	8.351	225	333754	73.429	ng		99
35) Caprolactam	8.675	113	136369	83.868	ng		99
36) 4-Chloro-3-methylphenol	8.769	107	507643	74.756	ng		99
37) 2-Methylnaphthalene	8.928	142	1059150	70.116	ng		100
38) 1-Methylnaphthalene	9.028	142	1018285	70.472	ng		100
40) 1,2,4,5-Tetrachloroben...	9.092	216	523305	72.341	ng		99
41) Hexachlorocyclopentadiene	9.081	237	224318	79.823	ng		100
43) 2,4,6-Trichlorophenol	9.204	196	342710	76.993	ng		100
44) 2,4,5-Trichlorophenol	9.251	196	369517	75.999	ng		99

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143484.D
Acq On : 20 Aug 2025 14:20
Operator : RC/JU
Sample : SSTDICC080
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Quant Time: Aug 20 16:23:56 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
46) 1,1'-Biphenyl	9.392	154	1261514	70.278	ng	100
47) 2-Chloronaphthalene	9.416	162	1020070	72.427	ng	99
48) 2-Nitroaniline	9.510	65	323688	78.529	ng	97
49) Acenaphthylene	9.828	152	1453334	72.067	ng	99
50) Dimethylphthalate	9.681	163	1146434	75.267	ng	100
51) 2,6-Dinitrotoluene	9.751	165	254308	80.559	ng	99
52) Acenaphthene	10.004	154	996259	72.761	ng	100
53) 3-Nitroaniline	9.922	138	272588	79.912	ng	99
54) 2,4-Dinitrophenol	10.028	184	130385	77.416	ng	97
55) Dibenzofuran	10.175	168	1396682	71.547	ng	99
56) 4-Nitrophenol	10.086	139	183388	90.356	ng	97
57) 2,4-Dinitrotoluene	10.157	165	339818	80.619	ng	99
58) Fluorene	10.522	166	1036620	68.995	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.298	232	291172	80.607	ng	100
60) Diethylphthalate	10.386	149	1019464	74.653	ng	100
61) 4-Chlorophenyl-phenyle...	10.504	204	532970	70.930	ng	100
62) 4-Nitroaniline	10.539	138	253207	80.815	ng	97
63) Azobenzene	10.669	77	1029397	72.699	ng	99
65) 4,6-Dinitro-2-methylph...	10.569	198	190849	89.041	ng	99
66) n-Nitrosodiphenylamine	10.628	169	896806	73.307	ng	99
67) 4-Bromophenyl-phenylether	10.998	248	344616	75.979	ng	98
68) Hexachlorobenzene	11.075	284	369632	75.603	ng	98
69) Atrazine	11.151	200	267710	84.774	ng	98
70) Pentachlorophenol	11.269	266	198658	88.721	ng	100
71) Phenanthrene	11.480	178	1473414	72.378	ng	100
72) Anthracene	11.533	178	1489612	72.232	ng	99
73) Carbazole	11.686	167	1254509	74.240	ng	99
74) Di-n-butylphthalate	12.010	149	1299399	82.429	ng	99
75) Fluoranthene	12.674	202	1310616	71.750	ng	99
77) Benzidine	12.786	184	371810	61.042	ng	100
78) Pyrene	12.904	202	1327454	64.536	ng	100
80) Butylbenzylphthalate	13.510	149	484637	86.247	ng	99
81) Benzo(a)anthracene	14.092	228	1237164	76.847	ng	100
82) 3,3'-Dichlorobenzidine	14.045	252	370170	80.290	ng	99
83) Chrysene	14.127	228	1114466	77.031	ng	99
84) Bis(2-ethylhexyl)phtha...	14.069	149	700384	81.836	ng	99
85) Di-n-octyl phthalate	14.686	149	1227818	77.442	ng	100
87) Indeno(1,2,3-cd)pyrene	17.139	276	1538560	72.108	ng	100
88) Benzo(b)fluoranthene	15.157	252	1329385	80.545	ng	99
89) Benzo(k)fluoranthene	15.192	252	1193283	75.511	ng	99
90) Benzo(a)pyrene	15.539	252	1200553	78.365	ng	100
91) Dibenzo(a,h)anthracene	17.157	278	1214959	71.099	ng	100
92) Benzo(g,h,i)perylene	17.604	276	1233571	72.598	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143484.D
Acq On : 20 Aug 2025 14:20
Operator : RC/JU
Sample : SSTDICC080
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Quant Time: Aug 20 16:23:56 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:152 Resp: 125123

Ion	Ratio	Lower	Upper
152	100		
150	160.1	128.9	193.3
115	61.1	49.2	73.8





#2
1,4-Dioxane
Concen: 78.723 ng
RT: 2.734 min Scan# 92
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion: 88 Resp: 261319

Ion	Ratio	Lower	Upper
88	100		
58	84.6	66.7	100.1
43	31.5	25.8	38.8





#3
Pyridine
Concen: 80.466 ng
RT: 3.516 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 79 Resp: 711417

Ion	Ratio	Lower	Upper
79	100		
52	80.0	65.6	98.4
51	38.9	31.2	46.8





#4
n-Nitrosodimethylamine
Concen: 81.643 ng
RT: 3.475 min Scan# 218
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion: 42 Resp: 324491

Ion	Ratio	Lower	Upper
42	100		
74	120.6	98.6	148.0
44	7.2	5.8	8.8





#5
2-Fluorophenol
Concen: 148.245 ng
RT: 5.563 min Scan# 5
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:112 Resp: 1062268

Ion	Ratio	Lower	Upper
112	100		
64	64.5	50.4	75.6
63	33.5	26.4	39.6





#6
Aniline
Concen: 72.534 ng
RT: 6.593 min Scan# 748
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion: 93 Resp: 857604

Ion	Ratio	Lower	Upper
93	100		
66	69.7	38.9	58.3#
65	40.9	20.6	30.8#





#7
Phenol-d6
Concen: 146.969 ng
RT: 6.575 min Scan# 7
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 99 Resp: 1300018

Ion	Ratio	Lower	Upper
99	100		
42	20.1	16.3	24.5
71	35.9	28.2	42.2





#8
2-Chlorophenol
Concen: 75.996 ng
RT: 6.722 min Scan# 770
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:128 Resp: 601470

Ion	Ratio	Lower	Upper
128	100		
130	32.8	12.4	52.4
64	50.8	31.6	71.6





#10
Phenol
Concen: 71.153 ng
RT: 6.587 min Scan# 74
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 94 Resp: 725059

Ion	Ratio	Lower	Upper
94	100		
65	44.0	19.5	59.5
66	72.4	42.5	82.5





#11
bis(2-Chloroethyl)ether
Concen: 75.951 ng
RT: 6.663 min Scan# 760
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion: 93 Resp: 578357

Ion	Ratio	Lower	Upper
93	100		
63	82.9	63.6	103.6
95	32.6	12.8	52.8





#12
1,3-Dichlorobenzene
Concen: 74.140 ng
RT: 6.875 min Scan# 7
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:146 Resp: 659299

Ion	Ratio	Lower	Upper
146	100		
148	64.0	51.3	76.9
75	30.7	24.7	37.1





#13
1,4-Dichlorobenzene
Concen: 73.180 ng
RT: 6.945 min Scan# 808
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:146 Resp: 652783

Ion	Ratio	Lower	Upper
146	100		
148	63.8	51.5	77.3
111	42.1	32.6	49.0





#14
1,2-Dichlorobenzene
Concen: 73.091 ng
RT: 7.098 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:146 Resp: 617296

Ion	Ratio	Lower	Upper
146	100		
148	64.2	51.0	76.6
111	44.2	34.0	51.0





#15
Benzyl Alcohol
Concen: 78.692 ng
RT: 7.075 min Scan# 830
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion: 79 Resp: 521147

Ion	Ratio	Lower	Upper
79	100		
108	75.1	59.8	89.6
77	61.0	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 69.956 ng
RT: 7.198 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 45 Resp: 852253

Ion	Ratio	Lower	Upper
45	100		
77	25.4	0.0	37.9
79	22.3	0.0	34.7





#17
2-Methylphenol
Concen: 75.661 ng
RT: 7.187 min Scan# 849
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:107 Resp: 480610

Ion	Ratio	Lower	Upper
107	100		
108	112.8	91.1	136.7
77	55.1	46.2	69.4
79	53.7	44.2	66.2





#18
Hexachloroethane
Concen: 75.207 ng
RT: 7.445 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:117 Resp: 228092

Ion	Ratio	Lower	Upper
117	100		
119	96.0	75.4	113.0
201	107.4	79.0	118.4





#19
n-Nitroso-di-n-propylamine
Concen: 72.344 ng
RT: 7.351 min Scan# 877
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion: 70 Resp: 391129

Ion	Ratio	Lower	Upper
70	100		
42	60.7	49.3	73.9
101	9.7	7.8	11.8
130	21.5	16.6	25.0





#20
3+4-Methylphenols
Concen: 71.028 ng
RT: 7.340 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:107 Resp: 538601

Ion	Ratio	Lower	Upper
107	100		
108	88.3	68.4	108.4
77	129.6	116.1	156.1
79	30.8	9.8	49.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1023
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:136 Resp: 471095

Ion	Ratio	Lower	Upper
136	100		
137	11.1	9.0	13.4
54	9.4	7.4	11.2
68	6.0	5.0	7.4





#22
Acetophenone
Concen: 70.797 ng
RT: 7.340 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:105 Resp: 720554

Ion	Ratio	Lower	Upper
105	100		
71	5.5	5.9	8.9#
51	42.2	32.5	48.7
120	22.2	18.0	27.0





#23
Nitrobenzene-d5
Concen: 151.649 ng
RT: 7.498 min Scan# 902
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion: 82 Resp: 1224256

Ion	Ratio	Lower	Upper
82	100		
128	45.2	35.5	53.3
54	55.7	44.3	66.5





#24
Nitrobenzene
Concen: 76.350 ng
RT: 7.516 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 77 Resp: 634384

Ion	Ratio	Lower	Upper
77	100		
123	45.8	36.1	54.1
65	14.2	11.0	16.6





#25
Isophorone
Concen: 76.802 ng
RT: 7.757 min Scan# 946
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion: 82 Resp: 1136551

Ion	Ratio	Lower	Upper
82	100		
95	7.3	5.8	8.8
138	18.4	14.2	21.4





#26
2-Nitrophenol
Concen: 80.143 ng
RT: 7.828 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:139 Resp: 326185

Ion	Ratio	Lower	Upper
139	100		
109	29.8	23.0	34.6
65	51.1	40.3	60.5





#27
2,4-Dimethylphenol
Concen: 74.687 ng
RT: 7.869 min Scan# 965
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:122 Resp: 473860

Ion	Ratio	Lower	Upper
122	100		
107	116.1	91.5	137.3
121	58.3	47.0	70.4





#28
bis(2-Chloroethoxy)methane
Concen: 74.061 ng
RT: 7.957 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 93 Resp: 673547

Ion	Ratio	Lower	Upper
93	100		
95	32.7	26.0	39.0
123	11.5	9.1	13.7





#29
2,4-Dichlorophenol
Concen: 73.984 ng
RT: 8.075 min Scan# 1000
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:162 Resp: 501321

Ion	Ratio	Lower	Upper
162	100		
164	63.7	43.5	83.5
98	37.0	15.1	55.1





#30
1,2,4-Trichlorobenzene
Concen: 74.002 ng
RT: 8.151 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:180 Resp: 515561

Ion	Ratio	Lower	Upper
180	100		
182	94.5	76.6	114.8
145	30.9	24.3	36.5





#31
Naphthalene
Concen: 71.600 ng
RT: 8.234 min Scan# 1027
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:128 Resp: 1619392

Ion	Ratio	Lower	Upper
128	100		
129	11.4	8.8	13.2
127	13.4	10.6	16.0





#32
Benzoic acid
Concen: 79.400 ng
RT: 8.010 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:122 Resp: 302185

Ion	Ratio	Lower	Upper
122	100		
105	124.1	104.7	144.7
77	94.8	77.3	117.3





#33
4-Chloroaniline
Concen: 73.979 ng
RT: 8.281 min Scan# 1035
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:127 Resp: 593863

Ion	Ratio	Lower	Upper
127	100		
129	32.1	26.1	39.1
65	33.6	26.2	39.2
92	21.2	16.6	25.0





#34
Hexachlorobutadiene
Concen: 73.429 ng
RT: 8.351 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:225 Resp: 333754

Ion	Ratio	Lower	Upper
225	100		
223	63.3	49.9	74.9
227	63.6	50.9	76.3





#35
Caprolactam
Concen: 83.868 ng
RT: 8.675 min Scan# 1102
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:113 Resp: 136369

Ion	Ratio	Lower	Upper
113	100		
55	184.3	162.8	202.8
56	138.5	118.1	158.1





#36
4-Chloro-3-methylphenol
Concen: 74.756 ng
RT: 8.769 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:107 Resp: 507643

Ion	Ratio	Lower	Upper
107	100		
144	25.0	19.9	29.9
142	76.6	61.8	92.8





#37
2-Methylnaphthalene
Concen: 70.116 ng
RT: 8.928 min Scan# 1145
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:142 Resp: 1059150

Ion	Ratio	Lower	Upper
142	100		
141	88.6	71.0	106.4





#38
1-Methylnaphthalene
Concen: 70.472 ng
RT: 9.028 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:142 Resp: 1018285

Ion	Ratio	Lower	Upper
142	100		
141	91.6	73.3	109.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1322
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:164 Resp: 252899

Ion	Ratio	Lower	Upper
164	100		
162	99.1	80.5	120.7
160	42.7	34.3	51.5





#40
1,2,4,5-Tetrachlorobenzene
Concen: 72.341 ng
RT: 9.092 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:216 Resp: 523305

Ion	Ratio	Lower	Upper
216	100		
214	80.0	63.4	95.0
179	21.4	16.5	24.7
108	17.7	13.9	20.9





#41
Hexachlorocyclopentadiene
Concen: 79.823 ng
RT: 9.081 min Scan# 1171
Delta R.T. -0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:237 Resp: 224318

Ion	Ratio	Lower	Upper
237	100		
235	62.6	42.6	82.6
272	13.3	0.0	33.4





#42
2,4,6-Tribromophenol
Concen: 152.274 ng
RT: 10.763 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:330 Resp: 358471

Ion	Ratio	Lower	Upper
330	100		
332	96.9	78.0	117.0
141	28.6	23.7	35.5





#43
2,4,6-Trichlorophenol
Concen: 76.993 ng
RT: 9.204 min Scan# 1192
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:196 Resp: 342710

Ion	Ratio	Lower	Upper
196	100		
198	95.9	77.0	115.4
200	30.6	24.6	37.0





#44
2,4,5-Trichlorophenol
Concen: 75.999 ng
RT: 9.251 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:196 Resp: 369517

Ion	Ratio	Lower	Upper
196	100		
198	95.6	77.3	115.9
97	48.9	40.0	60.0
132	28.0	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 132.140 ng
RT: 9.286 min Scan# 1206
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:172 Resp: 2022059

Ion	Ratio	Lower	Upper
172	100		
171	36.1	28.8	43.2
170	24.0	18.8	28.2





#46
1,1'-Biphenyl
Concen: 70.278 ng
RT: 9.392 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:154 Resp: 1261514

Ion	Ratio	Lower	Upper
154	100		
153	40.7	20.6	60.6
76	12.8	0.0	33.0





#47
2-Chloronaphthalene
Concen: 72.427 ng
RT: 9.416 min Scan# 1228
Delta R.T. -0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:162 Resp: 1020070

Ion	Ratio	Lower	Upper
162	100		
127	41.1	31.8	47.6
164	33.1	26.4	39.6





#48
2-Nitroaniline
Concen: 78.529 ng
RT: 9.510 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion: 65 Resp: 323688

Ion	Ratio	Lower	Upper
65	100		
92	68.6	53.8	80.6
138	107.7	82.4	123.6





#49
Acenaphthylene
Concen: 72.067 ng
RT: 9.828 min Scan# 1298
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:152 Resp: 1453334

Ion	Ratio	Lower	Upper
152	100		
151	20.5	16.2	24.4
153	13.5	10.6	15.8





#50
Dimethylphthalate
Concen: 75.267 ng
RT: 9.681 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:163 Resp: 1146434

Ion	Ratio	Lower	Upper
163	100		
194	4.3	3.4	5.0
164	10.3	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 80.559 ng
RT: 9.751 min Scan# 1285
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:165 Resp: 254308

Ion	Ratio	Lower	Upper
165	100		
63	55.5	45.0	67.6
89	51.9	42.5	63.7





#52
Acenaphthene
Concen: 72.761 ng
RT: 10.004 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:154 Resp: 996259

Ion	Ratio	Lower	Upper
154	100		
153	112.2	89.5	134.3
152	53.7	42.5	63.7





#53
3-Nitroaniline
Concen: 79.912 ng
RT: 9.922 min Scan# 1314
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:138 Resp: 272588

Ion	Ratio	Lower	Upper
138	100		
108	11.0	8.6	13.0
92	110.6	89.8	134.8





#54
2,4-Dinitrophenol
Concen: 77.416 ng
RT: 10.028 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:184 Resp: 130385

Ion	Ratio	Lower	Upper
184	100		
63	67.6	52.6	78.8
154	67.0	51.0	76.4





#55
Dibenzofuran
Concen: 71.547 ng
RT: 10.175 min Scan# 1357
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:168 Resp: 1396682

Ion	Ratio	Lower	Upper
168	100		
139	37.9	29.8	44.6
169	13.5	10.8	16.2





#56
4-Nitrophenol
Concen: 90.356 ng
RT: 10.086 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:139 Resp: 183388

Ion	Ratio	Lower	Upper
139	100		
109	68.3	48.2	88.2
65	100.2	75.8	115.8





#57
2,4-Dinitrotoluene
Concen: 80.619 ng
RT: 10.157 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:165 Resp: 339818

Ion	Ratio	Lower	Upper
165	100		
63	46.0	34.9	52.3
89	66.5	53.3	79.9
182	2.9	2.3	3.5





#58
Fluorene
Concen: 68.995 ng
RT: 10.522 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:166 Resp: 1036620

Ion	Ratio	Lower	Upper
166	100		
165	96.9	78.3	117.5
167	13.3	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 80.607 ng
RT: 10.298 min Scan# 1378
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:232 Resp: 291172

Ion	Ratio	Lower	Upper
232	100		
131	41.1	32.7	49.1
130	1.9	1.6	2.4
166	28.4	22.6	34.0





#60
Diethylphthalate
Concen: 74.653 ng
RT: 10.386 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:149 Resp: 1019464

Ion	Ratio	Lower	Upper
149	100		
177	23.2	18.3	27.5
150	12.9	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 70.930 ng
RT: 10.504 min Scan# 1413
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:204 Resp: 532970

Ion	Ratio	Lower	Upper
204	100		
206	33.5	27.0	40.4
141	61.0	48.7	73.1





#62
4-Nitroaniline
Concen: 80.815 ng
RT: 10.539 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:138 Resp: 253207

Ion	Ratio	Lower	Upper
138	100		
92	50.0	29.3	69.3
108	73.8	50.7	90.7





#63
Azobenzene
Concen: 72.699 ng
RT: 10.669 min Scan# 1441
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion: 77 Resp: 1029397

Ion	Ratio	Lower	Upper
77	100		
182	28.1	6.2	46.2
105	22.0	2.2	42.2
51	32.5	12.4	52.4





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:188 Resp: 380140

Ion	Ratio	Lower	Upper
188	100		
94	9.6	7.4	11.2
80	10.3	8.2	12.4





#65
4,6-Dinitro-2-methylphenol
Concen: 89.041 ng
RT: 10.569 min Scan# 1424
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:198 Resp: 190849

Ion	Ratio	Lower	Upper
198	100		
51	48.1	29.6	69.6
105	41.7	21.5	61.5





#66
n-Nitrosodiphenylamine
Concen: 73.307 ng
RT: 10.628 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:169 Resp: 896806

Ion	Ratio	Lower	Upper
169	100		
168	66.4	52.4	78.6
167	36.5	28.9	43.3





#67
4-Bromophenyl-phenylether
Concen: 75.979 ng
RT: 10.998 min Scan# 1497
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:248 Resp: 344616

Ion	Ratio	Lower	Upper
248	100		
250	98.7	77.8	116.8
141	70.4	54.0	81.0





#68
Hexachlorobenzene
Concen: 75.603 ng
RT: 11.075 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:284 Resp: 369632

Ion	Ratio	Lower	Upper
284	100		
142	28.3	24.4	36.6
249	31.0	25.0	37.6





#69
Atrazine
Concen: 84.774 ng
RT: 11.151 min Scan# 1523
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:200 Resp: 267710

Ion	Ratio	Lower	Upper
200	100		
173	25.9	6.9	46.9
215	48.2	30.0	70.0





#70
Pentachlorophenol
Concen: 88.721 ng
RT: 11.269 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:266 Resp: 198658

Ion	Ratio	Lower	Upper
266	100		
268	63.2	50.5	75.7
264	62.7	49.8	74.8





#71
Phenanthrene
Concen: 72.378 ng
RT: 11.480 min Scan# 1579
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:178 Resp: 1473414

Ion	Ratio	Lower	Upper
178	100		
176	19.5	15.5	23.3
179	15.7	12.5	18.7





#72
Anthracene
Concen: 72.232 ng
RT: 11.533 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:178 Resp: 1489612

Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.0	22.4
179	15.7	12.3	18.5





#73
Carbazole
Concen: 74.240 ng
RT: 11.686 min Scan# 1614
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:167 Resp: 1254509

Ion	Ratio	Lower	Upper
167	100		
166	21.9	17.3	25.9
139	13.1	10.0	15.0





#74
Di-n-butylphthalate
Concen: 82.429 ng
RT: 12.010 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:149 Resp: 1299399

Ion	Ratio	Lower	Upper
149	100		
150	9.5	7.2	10.8
104	4.7	3.6	5.4





#75
Fluoranthene
Concen: 71.750 ng
RT: 12.674 min Scan# 1782
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:202 Resp: 1310616

Ion	Ratio	Lower	Upper
202	100		
101	10.9	0.0	31.3
203	17.8	0.0	37.9





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.104 min Scan# 2(
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:240 Resp: 250059

Ion	Ratio	Lower	Upper
240	100		
120	9.7	8.6	12.8
236	25.6	20.4	30.6





#77
Benzidine
Concen: 61.042 ng
RT: 12.786 min Scan# 1801
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:184 Resp: 371810

Ion	Ratio	Lower	Upper
184	100		
185	14.2	11.3	16.9
183	11.7	9.5	14.3





#78
Pyrene
Concen: 64.536 ng
RT: 12.904 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:202 Resp: 1327454

Ion	Ratio	Lower	Upper
202	100		
200	21.2	17.0	25.4
203	17.7	14.3	21.5





#79
Terphenyl-d14
Concen: 126.204 ng
RT: 13.039 min Scan# 1844
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:244 Resp: 1808474

Ion	Ratio	Lower	Upper
244	100		
212	6.9	5.2	7.8
122	9.9	7.9	11.9





#80
Butylbenzylphthalate
Concen: 86.247 ng
RT: 13.510 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:149 Resp: 484637

Ion	Ratio	Lower	Upper
149	100		
91	69.5	55.3	82.9
206	23.0	18.2	27.4





#81
Benzo(a)anthracene
Concen: 76.847 ng
RT: 14.092 min Scan# 2023
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:228 Resp: 1237164

Ion	Ratio	Lower	Upper
228	100		
226	27.3	21.7	32.5
229	19.9	15.7	23.5





#82
3,3'-Dichlorobenzidine
Concen: 80.290 ng
RT: 14.045 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:252 Resp: 370170

Ion	Ratio	Lower	Upper
252	100		
254	64.7	52.6	79.0
126	11.0	8.7	13.1





#83
Chrysene
Concen: 77.031 ng
RT: 14.127 min Scan# 2029
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:228 Resp: 1114466

Ion	Ratio	Lower	Upper
228	100		
226	29.9	23.7	35.5
229	19.8	15.7	23.5





#84
Bis(2-ethylhexyl)phthalate
Concen: 81.836 ng
RT: 14.069 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:149 Resp: 700384

Ion	Ratio	Lower	Upper
149	100		
167	28.3	22.2	33.2
279	4.9	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 77.442 ng
RT: 14.686 min Scan# 2124
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:149 Resp: 1227818

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.2	1.8
43	10.6	8.5	12.7





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.598 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:264 Resp: 296923

Ion	Ratio	Lower	Upper
264	100		
260	24.0	18.7	28.1
265	22.1	17.6	26.4





#87
Indeno(1,2,3-cd)pyrene
Concen: 72.108 ng
RT: 17.139 min Scan# 2541
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:276 Resp: 1538560

Ion	Ratio	Lower	Upper
276	100		
138	23.6	19.2	28.8
277	25.4	20.3	30.5





#88
Benzo(b)fluoranthene
Concen: 80.545 ng
RT: 15.157 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:252 Resp: 1329385

Ion	Ratio	Lower	Upper
252	100		
253	22.3	17.5	26.3
125	9.5	7.4	11.0





#89
Benzo(k)fluoranthene
Concen: 75.511 ng
RT: 15.192 min Scan# 2210
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:252 Resp: 1193283

Ion	Ratio	Lower	Upper
252	100		
253	22.3	17.4	26.2
125	8.9	7.4	11.0





#90
Benzo(a)pyrene
Concen: 78.365 ng
RT: 15.539 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:252 Resp: 1200553

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.4	26.0
125	10.1	8.2	12.2





#91
Dibenzo(a,h)anthracene
Concen: 71.099 ng
RT: 17.157 min Scan# 2544
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Tgt Ion:278 Resp: 1214959

Ion	Ratio	Lower	Upper
278	100		
139	15.0	12.1	18.1
279	24.0	19.2	28.8





#92
Benzo(g,h,i)perylene
Concen: 72.598 ng
RT: 17.604 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143484.D
Acq: 20 Aug 2025 14:20

Instrument :
BNA_F
ClientSampleId :
SSTDICC080

Tgt Ion:276 Resp: 1233571

Ion	Ratio	Lower	Upper
276	100		
277	23.9	18.9	28.3
138	20.9	16.3	24.5



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143485.D
Acq On : 20 Aug 2025 15:16
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Quant Time: Aug 20 16:24:07 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	147483	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	560799	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	307376	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	481864	20.000	ng	0.00
76) Chrysene-d12	14.098	240	290808	20.000	ng	0.00
86) Perylene-d12	15.598	264	304631	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.557	112	673963	79.796	ng	0.00
7) Phenol-d6	6.563	99	826142	79.236	ng	-0.01
23) Nitrobenzene-d5	7.492	82	774657	80.608	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	231053	80.753	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1418903	76.290	ng	0.00
79) Terphenyl-d14	13.039	244	1278285	76.705	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.740	88	153305	39.182	ng	99
3) Pyridine	3.516	79	420783	40.378	ng	100
4) n-Nitrosodimethylamine	3.457	42	191147	40.802	ng	96
6) Aniline	6.592	93	563974	40.468	ng	98
8) 2-Chlorophenol	6.716	128	375251	40.225	ng	99
9) Benzaldehyde	6.481	77	357456	42.346	ng	100
10) Phenol	6.581	94	487495	40.587	ng	98
11) bis(2-Chloroethyl)ether	6.657	93	359124	40.011	ng	99
12) 1,3-Dichlorobenzene	6.869	146	416344	39.721	ng	99
13) 1,4-Dichlorobenzene	6.945	146	414739	39.445	ng	99
14) 1,2-Dichlorobenzene	7.098	146	395851	39.765	ng	100
15) Benzyl Alcohol	7.069	79	321497	41.185	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.198	45	574948	40.039	ng	99
17) 2-Methylphenol	7.181	107	304639	40.687	ng	96
18) Hexachloroethane	7.439	117	145111	40.592	ng	99
19) n-Nitroso-di-n-propyla...	7.339	70	252025	39.547	ng	99
20) 3+4-Methylphenols	7.334	107	362521	40.559	ng	99
22) Acetophenone	7.334	105	472388	38.990	ng	99
24) Nitrobenzene	7.510	77	401365	40.579	ng	99
25) Isophorone	7.751	82	710700	40.343	ng	98
26) 2-Nitrophenol	7.828	139	202267	41.747	ng	99
27) 2,4-Dimethylphenol	7.863	122	299505	39.655	ng	98
28) bis(2-Chloroethoxy)met...	7.951	93	435322	40.210	ng	100
29) 2,4-Dichlorophenol	8.069	162	324407	40.217	ng	97
30) 1,2,4-Trichlorobenzene	8.151	180	326797	39.404	ng	99
31) Naphthalene	8.233	128	1050936	39.033	ng	100
32) Benzoic acid	7.986	122	174224	41.489	ng	98
33) 4-Chloroaniline	8.281	127	384473	40.234	ng	100
34) Hexachlorobutadiene	8.351	225	213848	39.523	ng	99
35) Caprolactam	8.651	113	86788	44.838	ng	95
36) 4-Chloro-3-methylphenol	8.763	107	327951	40.569	ng	99
37) 2-Methylnaphthalene	8.922	142	699087	38.877	ng	99
38) 1-Methylnaphthalene	9.022	142	675310	39.260	ng	99
40) 1,2,4,5-Tetrachloroben...	9.092	216	341006	38.786	ng	99
41) Hexachlorocyclopentadiene	9.080	237	123767	39.756	ng	100
43) 2,4,6-Trichlorophenol	9.204	196	222378	41.105	ng	99

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143485.D
Acq On : 20 Aug 2025 15:16
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Quant Time: Aug 20 16:24:07 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.251	196	231521	39.178	ng	98
46) 1,1'-Biphenyl	9.386	154	850787	38.997	ng	100
47) 2-Chloronaphthalene	9.416	162	668760	39.068	ng	99
48) 2-Nitroaniline	9.504	65	209716	41.861	ng	99
49) Acenaphthylene	9.827	152	969574	39.557	ng	99
50) Dimethylphthalate	9.680	163	757804	40.935	ng	100
51) 2,6-Dinitrotoluene	9.745	165	162905	42.459	ng	98
52) Acenaphthene	9.998	154	664685	39.941	ng	100
53) 3-Nitroaniline	9.916	138	176223	42.506	ng	98
54) 2,4-Dinitrophenol	10.027	184	84522	43.761	ng	99
55) Dibenzofuran	10.175	168	925864	39.023	ng	99
56) 4-Nitrophenol	10.086	139	114429	46.387	ng	99
57) 2,4-Dinitrotoluene	10.151	165	221231	43.183	ng	97
58) Fluorene	10.516	166	710368	38.901	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.292	232	187764	42.767	ng	100
60) Diethylphthalate	10.380	149	692256	41.708	ng	100
61) 4-Chlorophenyl-phenyle...	10.504	204	358628	39.269	ng	99
62) 4-Nitroaniline	10.533	138	167278	43.927	ng	99
63) Azobenzene	10.669	77	688082	39.982	ng	99
65) 4,6-Dinitro-2-methylph...	10.563	198	119136	43.849	ng	97
66) n-Nitrosodiphenylamine	10.622	169	608072	39.212	ng	99
67) 4-Bromophenyl-phenylether	10.998	248	231727	40.305	ng	99
68) Hexachlorobenzene	11.069	284	245068	39.544	ng	98
69) Atrazine	11.145	200	174902	43.693	ng	99
70) Pentachlorophenol	11.269	266	124649	43.916	ng	99
71) Phenanthrene	11.480	178	1012486	39.237	ng	100
72) Anthracene	11.533	178	1029696	39.390	ng	100
73) Carbazole	11.686	167	865651	40.413	ng	100
74) Di-n-butylphthalate	12.010	149	869364	43.507	ng	99
75) Fluoranthene	12.668	202	932217	40.261	ng	100
77) Benzidine	12.786	184	283076	39.962	ng	99
78) Pyrene	12.898	202	930449	38.897	ng	100
80) Butylbenzylphthalate	13.510	149	271515	41.549	ng	99
81) Benzo(a)anthracene	14.086	228	763549	40.783	ng	100
82) 3,3'-Dichlorobenzidine	14.045	252	208975	38.975	ng	99
83) Chrysene	14.127	228	651325	38.711	ng	99
84) Bis(2-ethylhexyl)phtha...	14.068	149	388068	38.990	ng	99
85) Di-n-octyl phthalate	14.680	149	700201	37.975	ng	100
87) Indeno(1,2,3-cd)pyrene	17.133	276	859881	39.281	ng	99
88) Benzo(b)fluoranthene	15.157	252	667733	39.433	ng	100
89) Benzo(k)fluoranthene	15.186	252	664593	40.992	ng	100
90) Benzo(a)pyrene	15.533	252	631989	40.208	ng	99
91) Dibenzo(a,h)anthracene	17.145	278	690364	39.378	ng	99
92) Benzo(g,h,i)perylene	17.592	276	697169	39.992	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143485.D
Acq On : 20 Aug 2025 15:16
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Quant Time: Aug 20 16:24:07 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:152 Resp: 147483

Ion	Ratio	Lower	Upper
152	100		
150	159.8	128.9	193.3
115	60.4	49.2	73.8





#2
1,4-Dioxane
Concen: 39.182 ng
RT: 2.740 min Scan# 93
Delta R.T. 0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion: 88 Resp: 153305

Ion	Ratio	Lower	Upper
88	100		
58	84.6	66.7	100.1
43	32.8	25.8	38.8





#3
Pyridine
Concen: 40.378 ng
RT: 3.516 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion: 79 Resp: 420783

Ion	Ratio	Lower	Upper
79	100		
52	81.9	65.6	98.4
51	39.6	31.2	46.8





#4
n-Nitrosodimethylamine
Concen: 40.802 ng
RT: 3.457 min Scan# 215
Delta R.T. -0.018 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion: 42 Resp: 191147

Ion	Ratio	Lower	Upper
42	100		
74	118.9	98.6	148.0
44	6.9	5.8	8.8





#5
2-Fluorophenol
Concen: 79.796 ng
RT: 5.557 min Scan# 5
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:112 Resp: 673963

Ion	Ratio	Lower	Upper
112	100		
64	64.6	50.4	75.6
63	33.6	26.4	39.6





#6
Aniline
Concen: 40.468 ng
RT: 6.592 min Scan# 748
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion: 93 Resp: 563974

Ion	Ratio	Lower	Upper
93	100		
66	47.5	38.9	58.3
65	24.9	20.6	30.8





#7
Phenol-d6
Concen: 79.236 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.012 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion: 99 Resp: 826142

Ion	Ratio	Lower	Upper
99	100		
42	20.8	16.3	24.5
71	35.4	28.2	42.2





#8
2-Chlorophenol
Concen: 40.225 ng
RT: 6.716 min Scan# 769
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:128 Resp: 375251

Ion	Ratio	Lower	Upper
128	100		
130	32.2	12.4	52.4
64	52.3	31.6	71.6





#9
Benzaldehyde
Concen: 42.346 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion: 77 Resp: 357456

Ion	Ratio	Lower	Upper
77	100		
105	97.9	78.1	118.1
106	94.3	74.9	114.9





#10
Phenol
Concen: 40.587 ng
RT: 6.581 min Scan# 746
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion: 94 Resp: 487495

Ion	Ratio	Lower	Upper
94	100		
65	40.3	19.5	59.5
66	64.2	42.5	82.5





#11
bis(2-Chloroethyl)ether
Concen: 40.011 ng
RT: 6.657 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion: 93 Resp: 359124

Ion	Ratio	Lower	Upper
93	100		
63	84.4	63.6	103.6
95	32.5	12.8	52.8





#12
1,3-Dichlorobenzene
Concen: 39.721 ng
RT: 6.869 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:146 Resp: 416344

Ion	Ratio	Lower	Upper
146	100		
148	63.8	51.3	76.9
75	31.4	24.7	37.1





#13
1,4-Dichlorobenzene
Concen: 39.445 ng
RT: 6.945 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:146 Resp: 414739

Ion	Ratio	Lower	Upper
146	100		
148	63.5	51.5	77.3
111	41.1	32.6	49.0





#14
1,2-Dichlorobenzene
Concen: 39.765 ng
RT: 7.098 min Scan# 834
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:146 Resp: 395851

Ion	Ratio	Lower	Upper
146	100		
148	63.4	51.0	76.6
111	42.6	34.0	51.0





#15
Benzyl Alcohol
Concen: 41.185 ng
RT: 7.069 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion: 79 Resp: 321497

Ion	Ratio	Lower	Upper
79	100		
108	74.6	59.8	89.6
77	61.6	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 40.039 ng
RT: 7.198 min Scan# 851
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion: 45 Resp: 574948

Ion	Ratio	Lower	Upper
45	100		
77	17.6	0.0	37.9
79	14.3	0.0	34.7





#17
2-Methylphenol
Concen: 40.687 ng
RT: 7.181 min Scan# 84
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:107 Resp: 304639

Ion	Ratio	Lower	Upper
107	100		
108	113.6	91.1	136.7
77	50.5	46.2	69.4
79	50.2	44.2	66.2





#18
Hexachloroethane
Concen: 40.592 ng
RT: 7.439 min Scan# 892
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:117 Resp: 145111

Ion	Ratio	Lower	Upper
117	100		
119	94.2	75.4	113.0
201	100.1	79.0	118.4





#19
n-Nitroso-di-n-propylamine
Concen: 39.547 ng
RT: 7.339 min Scan# 8
Delta R.T. -0.012 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion: 70 Resp: 252025

Ion	Ratio	Lower	Upper
70	100		
42	62.4	49.3	73.9
101	9.8	7.8	11.8
130	21.0	16.6	25.0





#20
3+4-Methylphenols
Concen: 40.559 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:107 Resp: 362521

Ion	Ratio	Lower	Upper
107	100		
108	89.0	68.4	108.4
77	134.8	116.1	156.1
79	29.9	9.8	49.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:136 Resp: 560799

Ion	Ratio	Lower	Upper
136	100		
137	11.1	9.0	13.4
54	9.3	7.4	11.2
68	6.0	5.0	7.4





#22
Acetophenone
Concen: 38.990 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:105 Resp: 472388

Ion	Ratio	Lower	Upper
105	100		
71	7.6	5.9	8.9
51	41.3	32.5	48.7
120	21.9	18.0	27.0





#23
Nitrobenzene-d5
Concen: 80.608 ng
RT: 7.492 min Scan# 9(
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion: 82 Resp: 774657

Ion	Ratio	Lower	Upper
82	100		
128	44.3	35.5	53.3
54	55.6	44.3	66.5





#24
Nitrobenzene
Concen: 40.579 ng
RT: 7.510 min Scan# 904
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion: 77 Resp: 401365

Ion	Ratio	Lower	Upper
77	100		
123	45.7	36.1	54.1
65	14.1	11.0	16.6





#25
Isophorone
Concen: 40.343 ng
RT: 7.751 min Scan# 94
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion: 82 Resp: 710700

Ion	Ratio	Lower	Upper
82	100		
95	7.3	5.8	8.8
138	18.8	14.2	21.4





#26
2-Nitrophenol
Concen: 41.747 ng
RT: 7.828 min Scan# 958
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:139 Resp: 202267

Ion	Ratio	Lower	Upper
139	100		
109	28.7	23.0	34.6
65	49.4	40.3	60.5





#27
2,4-Dimethylphenol
Concen: 39.655 ng
RT: 7.863 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:122 Resp: 299505

Ion	Ratio	Lower	Upper
122	100		
107	117.1	91.5	137.3
121	58.6	47.0	70.4





#28
bis(2-Chloroethoxy)methane
Concen: 40.210 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion: 93 Resp: 435322

Ion	Ratio	Lower	Upper
93	100		
95	32.6	26.0	39.0
123	11.7	9.1	13.7





#29
2,4-Dichlorophenol
Concen: 40.217 ng
RT: 8.069 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:162 Resp: 324407

Ion	Ratio	Lower	Upper
162	100		
164	64.6	43.5	83.5
98	37.8	15.1	55.1





#30
1,2,4-Trichlorobenzene
Concen: 39.404 ng
RT: 8.151 min Scan# 1013
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:180 Resp: 326797

Ion	Ratio	Lower	Upper
180	100		
182	95.0	76.6	114.8
145	30.3	24.3	36.5





#31
Naphthalene
Concen: 39.033 ng
RT: 8.233 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:128 Resp: 1050936

Ion	Ratio	Lower	Upper
128	100		
129	11.4	8.8	13.2
127	13.3	10.6	16.0





#32
Benzoic acid
Concen: 41.489 ng
RT: 7.986 min Scan# 985
Delta R.T. -0.024 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:122 Resp: 174224

Ion	Ratio	Lower	Upper
122	100		
105	122.1	104.7	144.7
77	95.0	77.3	117.3





#33
4-Chloroaniline
Concen: 40.234 ng
RT: 8.281 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:127 Resp: 384473

Ion	Ratio	Lower	Upper
127	100		
129	32.6	26.1	39.1
65	32.9	26.2	39.2
92	20.7	16.6	25.0





#34
Hexachlorobutadiene
Concen: 39.523 ng
RT: 8.351 min Scan# 1047
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:225 Resp: 213848

Ion	Ratio	Lower	Upper
225	100		
223	62.2	49.9	74.9
227	64.2	50.9	76.3





#35
Caprolactam
Concen: 44.838 ng
RT: 8.651 min Scan# 1
Delta R.T. -0.024 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:113 Resp: 86788

Ion	Ratio	Lower	Upper
113	100		
55	188.9	162.8	202.8
56	144.0	118.1	158.1





#36
4-Chloro-3-methylphenol
Concen: 40.569 ng
RT: 8.763 min Scan# 1117
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:107 Resp: 327951

Ion	Ratio	Lower	Upper
107	100		
144	24.9	19.9	29.9
142	76.5	61.8	92.8





#37
2-Methylnaphthalene
Concen: 38.877 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:142 Resp: 699087

Ion	Ratio	Lower	Upper
142	100		
141	89.8	71.0	106.4





#38
1-Methylnaphthalene
Concen: 39.260 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:142 Resp: 675310

Ion	Ratio	Lower	Upper
142	100		
141	92.3	73.3	109.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:164 Resp: 307376

Ion	Ratio	Lower	Upper
164	100		
162	99.2	80.5	120.7
160	42.7	34.3	51.5





#40
1,2,4,5-Tetrachlorobenzene
Concen: 38.786 ng
RT: 9.092 min Scan# 1173
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:216 Resp: 341006

Ion	Ratio	Lower	Upper
216	100		
214	78.7	63.4	95.0
179	21.5	16.5	24.7
108	17.9	13.9	20.9





#41
Hexachlorocyclopentadiene
Concen: 39.756 ng
RT: 9.080 min Scan# 11
Delta R.T. -0.001 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:237 Resp: 123767

Ion	Ratio	Lower	Upper
237	100		
235	62.7	42.6	82.6
272	13.0	0.0	33.4





#42
2,4,6-Tribromophenol
Concen: 80.753 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:330 Resp: 231053

Ion	Ratio	Lower	Upper
330	100		
332	97.7	78.0	117.0
141	29.3	23.7	35.5





#43
2,4,6-Trichlorophenol
Concen: 41.105 ng
RT: 9.204 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:196 Resp: 222378

Ion	Ratio	Lower	Upper
196	100		
198	94.8	77.0	115.4
200	30.4	24.6	37.0





#44
2,4,5-Trichlorophenol
Concen: 39.178 ng
RT: 9.251 min Scan# 1200
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:196 Resp: 231521

Ion	Ratio	Lower	Upper
196	100		
198	97.7	77.3	115.9
97	47.9	40.0	60.0
132	28.1	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 76.290 ng
RT: 9.286 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:172 Resp: 1418903

Ion	Ratio	Lower	Upper
172	100		
171	35.7	28.8	43.2
170	23.6	18.8	28.2





#46
1,1'-Biphenyl
Concen: 38.997 ng
RT: 9.386 min Scan# 1223
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:154 Resp: 850787

Ion	Ratio	Lower	Upper
154	100		
153	40.5	20.6	60.6
76	12.8	0.0	33.0





#47
2-Chloronaphthalene
Concen: 39.068 ng
RT: 9.416 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:162 Resp: 668760

Ion	Ratio	Lower	Upper
162	100		
127	40.4	31.8	47.6
164	33.0	26.4	39.6





#48
2-Nitroaniline
Concen: 41.861 ng
RT: 9.504 min Scan# 1243
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion: 65 Resp: 209716

Ion	Ratio	Lower	Upper
65	100		
92	67.1	53.8	80.6
138	104.9	82.4	123.6





#49
Acenaphthylene
Concen: 39.557 ng
RT: 9.827 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:152 Resp: 969574

Ion	Ratio	Lower	Upper
152	100		
151	19.9	16.2	24.4
153	13.1	10.6	15.8





#50
Dimethylphthalate
Concen: 40.935 ng
RT: 9.680 min Scan# 1273
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:163 Resp: 757804

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.2	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 42.459 ng
RT: 9.745 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:165 Resp: 162905

Ion	Ratio	Lower	Upper
165	100		
63	58.4	45.0	67.6
89	53.9	42.5	63.7





#52
Acenaphthene
Concen: 39.941 ng
RT: 9.998 min Scan# 1327
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:154 Resp: 664685

Ion	Ratio	Lower	Upper
154	100		
153	112.5	89.5	134.3
152	53.1	42.5	63.7





#53
3-Nitroaniline
Concen: 42.506 ng
RT: 9.916 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:138 Resp: 176223

Ion	Ratio	Lower	Upper
138	100		
108	11.0	8.6	13.0
92	115.0	89.8	134.8





#54
2,4-Dinitrophenol
Concen: 43.761 ng
RT: 10.027 min Scan# 1332
Delta R.T. -0.001 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:184 Resp: 84522

Ion	Ratio	Lower	Upper
184	100		
63	66.1	52.6	78.8
154	62.6	51.0	76.4





#55
Dibenzofuran
Concen: 39.023 ng
RT: 10.175 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:168 Resp: 925864

Ion	Ratio	Lower	Upper
168	100		
139	37.8	29.8	44.6
169	13.6	10.8	16.2





#56
4-Nitrophenol
Concen: 46.387 ng
RT: 10.086 min Scan# 1342
Delta R.T. 0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:139 Resp: 114429

Ion	Ratio	Lower	Upper
139	100		
109	68.9	48.2	88.2
65	97.6	75.8	115.8





#57
2,4-Dinitrotoluene
Concen: 43.183 ng
RT: 10.151 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:165 Resp: 221231

Ion	Ratio	Lower	Upper
165	100		
63	46.0	34.9	52.3
89	68.2	53.3	79.9
182	3.0	2.3	3.5





#58
Fluorene
Concen: 38.901 ng
RT: 10.516 min Scan# 1415
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:166 Resp: 710368

Ion	Ratio	Lower	Upper
166	100		
165	97.5	78.3	117.5
167	13.5	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 42.767 ng
RT: 10.292 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:232 Resp: 187764

Ion	Ratio	Lower	Upper
232	100		
131	40.8	32.7	49.1
130	1.9	1.6	2.4
166	28.1	22.6	34.0





#60
Diethylphthalate
Concen: 41.708 ng
RT: 10.380 min Scan# 1392
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:149 Resp: 692256

Ion	Ratio	Lower	Upper
149	100		
177	23.0	18.3	27.5
150	12.8	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 39.269 ng
RT: 10.504 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:204 Resp: 358628

Ion	Ratio	Lower	Upper
204	100		
206	33.9	27.0	40.4
141	61.4	48.7	73.1





#62
4-Nitroaniline
Concen: 43.927 ng
RT: 10.533 min Scan# 1418
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:138 Resp: 167278

Ion	Ratio	Lower	Upper
138	100		
92	48.9	29.3	69.3
108	71.6	50.7	90.7





#63
Azobenzene
Concen: 39.982 ng
RT: 10.669 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion: 77 Resp: 688082

Ion	Ratio	Lower	Upper
77	100		
182	28.2	6.2	46.2
105	22.2	2.2	42.2
51	32.3	12.4	52.4





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1575
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:188 Resp: 481864

Ion	Ratio	Lower	Upper
188	100		
94	9.9	7.4	11.2
80	10.5	8.2	12.4





#65
4,6-Dinitro-2-methylphenol
Concen: 43.849 ng
RT: 10.563 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:198 Resp: 119136

Ion	Ratio	Lower	Upper
198	100		
51	51.9	29.6	69.6
105	43.6	21.5	61.5





#66
n-Nitrosodiphenylamine
Concen: 39.212 ng
RT: 10.622 min Scan# 1433
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:169 Resp: 608072

Ion	Ratio	Lower	Upper
169	100		
168	67.0	52.4	78.6
167	36.0	28.9	43.3





#67
4-Bromophenyl-phenylether
Concen: 40.305 ng
RT: 10.998 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:248 Resp: 231727

Ion	Ratio	Lower	Upper
248	100		
250	96.1	77.8	116.8
141	66.9	54.0	81.0





#68
Hexachlorobenzene
Concen: 39.544 ng
RT: 11.069 min Scan# 1509
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:284 Resp: 245068

Ion	Ratio	Lower	Upper
284	100		
142	32.1	24.4	36.6
249	31.5	25.0	37.6





#69
Atrazine
Concen: 43.693 ng
RT: 11.145 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:200 Resp: 174902

Ion	Ratio	Lower	Upper
200	100		
173	27.0	6.9	46.9
215	49.5	30.0	70.0





#70
Pentachlorophenol
Concen: 43.916 ng
RT: 11.269 min Scan# 1543
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:266 Resp: 124649

Ion	Ratio	Lower	Upper
266	100		
268	62.5	50.5	75.7
264	62.5	49.8	74.8





#71
Phenanthrene
Concen: 39.237 ng
RT: 11.480 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:178 Resp: 1012486

Ion	Ratio	Lower	Upper
178	100		
176	19.4	15.5	23.3
179	15.6	12.5	18.7





#72
Anthracene
Concen: 39.390 ng
RT: 11.533 min Scan# 1588
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:178 Resp: 1029696

Ion	Ratio	Lower	Upper
178	100		
176	18.7	15.0	22.4
179	15.5	12.3	18.5





#73
Carbazole
Concen: 40.413 ng
RT: 11.686 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:167 Resp: 865651

Ion	Ratio	Lower	Upper
167	100		
166	21.6	17.3	25.9
139	13.0	10.0	15.0





#74
Di-n-butylphthalate
Concen: 43.507 ng
RT: 12.010 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:149 Resp: 869364

Ion	Ratio	Lower	Upper
149	100		
150	9.3	7.2	10.8
104	4.7	3.6	5.4





#75
Fluoranthene
Concen: 40.261 ng
RT: 12.668 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:202 Resp: 932217

Ion	Ratio	Lower	Upper
202	100		
101	11.5	0.0	31.3
203	17.8	0.0	37.9





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:240 Resp: 290808

Ion	Ratio	Lower	Upper
240	100		
120	11.0	8.6	12.8
236	25.5	20.4	30.6





#77
Benzidine
Concen: 39.962 ng
RT: 12.786 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:184 Resp: 283076

Ion	Ratio	Lower	Upper
184	100		
185	14.0	11.3	16.9
183	11.3	9.5	14.3





#78
Pyrene
Concen: 38.897 ng
RT: 12.898 min Scan# 1820
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:202 Resp: 930449

Ion	Ratio	Lower	Upper
202	100		
200	21.2	17.0	25.4
203	17.9	14.3	21.5





#79
Terphenyl-d14
Concen: 76.705 ng
RT: 13.039 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:244 Resp: 1278285

Ion	Ratio	Lower	Upper
244	100		
212	6.7	5.2	7.8
122	9.8	7.9	11.9





#80
Butylbenzylphthalate
Concen: 41.549 ng
RT: 13.510 min Scan# 1924
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:149 Resp: 271515

Ion	Ratio	Lower	Upper
149	100		
91	69.5	55.3	82.9
206	22.3	18.2	27.4





#81
Benzo(a)anthracene
Concen: 40.783 ng
RT: 14.086 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:228 Resp: 763549

Ion	Ratio	Lower	Upper
228	100		
226	27.2	21.7	32.5
229	19.6	15.7	23.5





#82
3,3'-Dichlorobenzidine
Concen: 38.975 ng
RT: 14.045 min Scan# 2015
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:252 Resp: 208975

Ion	Ratio	Lower	Upper
252	100		
254	64.5	52.6	79.0
126	10.8	8.7	13.1





#83
Chrysene
Concen: 38.711 ng
RT: 14.127 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:228 Resp: 651325

Ion	Ratio	Lower	Upper
228	100		
226	30.1	23.7	35.5
229	19.6	15.7	23.5





#84
Bis(2-ethylhexyl)phthalate
Concen: 38.990 ng
RT: 14.068 min Scan# 2019
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:149 Resp: 388068

Ion	Ratio	Lower	Upper
149	100		
167	28.4	22.2	33.2
279	4.7	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 37.975 ng
RT: 14.680 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:149 Resp: 700201

Ion	Ratio	Lower	Upper
149	100		
167	1.7	1.2	1.8
43	10.5	8.5	12.7





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.598 min Scan# 2279
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:264 Resp: 304631

Ion	Ratio	Lower	Upper
264	100		
260	23.7	18.7	28.1
265	21.2	17.6	26.4





#87
Indeno(1,2,3-cd)pyrene
Concen: 39.281 ng
RT: 17.133 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:276 Resp: 859881

Ion	Ratio	Lower	Upper
276	100		
138	24.2	19.2	28.8
277	26.1	20.3	30.5





#88
Benzo(b)fluoranthene
Concen: 39.433 ng
RT: 15.157 min Scan# 2204
Delta R.T. -0.000 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:252 Resp: 667733

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.5	26.3
125	9.0	7.4	11.0





#89
Benzo(k)fluoranthene
Concen: 40.992 ng
RT: 15.186 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:252 Resp: 664593

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.4	26.2
125	8.9	7.4	11.0





#90
Benzo(a)pyrene
Concen: 40.208 ng
RT: 15.533 min Scan# 2268
Delta R.T. -0.006 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:252 Resp: 631989

Ion	Ratio	Lower	Upper
252	100		
253	22.3	17.4	26.0
125	10.5	8.2	12.2





#91
Dibenzo(a,h)anthracene
Concen: 39.378 ng
RT: 17.145 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Tgt Ion:278 Resp: 690364

Ion	Ratio	Lower	Upper
278	100		
139	15.6	12.1	18.1
279	23.9	19.2	28.8





#92
Benzo(g,h,i)perylene
Concen: 39.992 ng
RT: 17.592 min Scan# 2618
Delta R.T. -0.012 min
Lab File: BF143485.D
Acq: 20 Aug 2025 15:16

Tgt Ion:276 Resp: 697169

Ion	Ratio	Lower	Upper
276	100		
277	23.6	18.9	28.3
138	20.4	16.3	24.5



Evaluate Continuing Calibration Report

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143485.D
Acq On : 20 Aug 2025 15:16
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Quant Time: Aug 20 16:24:07 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	107	0.00
2		1,4-Dioxane	0.531	0.520	2.1	104	0.00
3		Pyridine	1.413	1.427	-1.0	106	0.00
4		n-Nitrosodimethylamine	0.635	0.648	-2.0	108	-0.02
5	S	2-Fluorophenol	1.145	1.142	0.3	107	0.00
6		Aniline	1.890	1.912	-1.2	108	0.00
7	S	Phenol-d6	1.414	1.400	1.0	107	-0.01
8		2-Chlorophenol	1.265	1.272	-0.6	107	0.00
9		Benzaldehyde	1.145	1.212	-5.9	108	0.00
10	C	Phenol	1.629	1.653	-1.5	107	0.00
11		bis(2-Chloroethyl)ether	1.217	1.218	-0.1	107	0.00
12		1,3-Dichlorobenzene	1.421	1.411	0.7	107	0.00
13	C	1,4-Dichlorobenzene	1.426	1.406	1.4	107	0.00
14		1,2-Dichlorobenzene	1.350	1.342	0.6	107	0.00
15		Benzyl Alcohol	1.059	1.090	-2.9	108	0.00
16		2,2'-oxybis(1-Chloropropane	1.947	1.949	-0.1	107	0.00
17		2-Methylphenol	1.015	1.033	-1.8	109	0.00
18		Hexachloroethane	0.485	0.492	-1.4	107	0.00
19	P	n-Nitroso-di-n-propylamine	0.864	0.854	1.2	108	-0.01
20		3+4-Methylphenols	1.212	1.229	-1.4	108	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	107	0.00
22		Acetophenone	0.432	0.421	2.5	108	0.00
23	S	Nitrobenzene-d5	0.343	0.345	-0.6	108	0.00
24		Nitrobenzene	0.353	0.358	-1.4	108	0.00
25		Isophorone	0.628	0.634	-1.0	110	0.00
26	C	2-Nitrophenol	0.173	0.180	-4.0	109	0.00
27		2,4-Dimethylphenol	0.269	0.267	0.7	106	0.00
28		bis(2-Chloroethoxy)methane	0.386	0.388	-0.5	108	0.00
29	C	2,4-Dichlorophenol	0.288	0.289	-0.3	108	0.00
30		1,2,4-Trichlorobenzene	0.296	0.291	1.7	107	0.00
31		Naphthalene	0.960	0.937	2.4	107	0.00
32		Benzoic acid	0.137	0.155	-13.1	115	-0.02
33		4-Chloroaniline	0.341	0.343	-0.6	107	0.00
34	C	Hexachlorobutadiene	0.193	0.191	1.0	107	0.00
35		Caprolactam	0.069	0.077	-11.6	117	-0.02
36	C	4-Chloro-3-methylphenol	0.288	0.292	-1.4	109	0.00
37		2-Methylnaphthalene	0.641	0.623	2.8	106	0.00
38		1-Methylnaphthalene	0.613	0.602	1.8	107	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	109	0.00
40		1,2,4,5-Tetrachlorobenzene	0.572	0.555	3.0	107	0.00
41	P	Hexachlorocyclopentadiene	0.184	0.201	-9.2	110	0.00
42	S	2,4,6-Tribromophenol	0.186	0.188	-1.1	109	0.00
43	C	2,4,6-Trichlorophenol	0.352	0.362	-2.8	108	0.00
44		2,4,5-Trichlorophenol	0.385	0.377	2.1	107	0.00
45	S	2-Fluorobiphenyl	1.210	1.154	4.6	108	0.00
46		1,1'-Biphenyl	1.420	1.384	2.5	108	0.00
47		2-Chloronaphthalene	1.114	1.088	2.3	107	0.00

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143485.D
Acq On : 20 Aug 2025 15:16
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Quant Time: Aug 20 16:24:07 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.326	0.341	-4.6	110	0.00
49		Acenaphthylene	1.595	1.577	1.1	108	0.00
50		Dimethylphthalate	1.205	1.233	-2.3	112	0.00
51		2,6-Dinitrotoluene	0.250	0.265	-6.0	111	0.00
52	C	Acenaphthene	1.083	1.081	0.2	109	0.00
53		3-Nitroaniline	0.270	0.287	-6.3	112	0.00
54	P	2,4-Dinitrophenol	0.115	0.137	-19.1	125	0.00
55		Dibenzofuran	1.544	1.506	2.5	107	0.00
56	P	4-Nitrophenol	0.161	0.186	-15.5	118	0.00
57		2,4-Dinitrotoluene	0.333	0.360	-8.1	111	0.00
58		Fluorene	1.188	1.156	2.7	108	0.00
59		2,3,4,6-Tetrachlorophenol	0.286	0.305	-6.6	112	0.00
60		Diethylphthalate	1.080	1.126	-4.3	113	0.00
61		4-Chlorophenyl-phenylether	0.594	0.583	1.9	108	0.00
62		4-Nitroaniline	0.248	0.272	-9.7	115	0.00
63		Azobenzene	1.120	1.119	0.1	108	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	110	0.00
65		4,6-Dinitro-2-methylphenol	0.113	0.124	-9.7	115	0.00
66	c	n-Nitrosodiphenylamine	0.644	0.631	2.0	109	0.00
67		4-Bromophenyl-phenylether	0.239	0.240	-0.4	110	0.00
68		Hexachlorobenzene	0.257	0.254	1.2	109	0.00
69		Atrazine	0.166	0.181	-9.0	119	0.00
70	C	Pentachlorophenol	0.118	0.129	-9.3	115	0.00
71		Phenanthrene	1.071	1.051	1.9	112	0.00
72		Anthracene	1.085	1.068	1.6	110	0.00
73		Carbazole	0.889	0.898	-1.0	112	0.00
74		Di-n-butylphthalate	0.829	0.902	-8.8	117	0.00
75	C	Fluoranthene	0.961	0.967	-0.6	113	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	116	0.00
77		Benzidine	0.487	0.487	0.0	110	0.00
78		Pyrene	1.645	1.600	2.7	114	0.00
79	S	Terphenyl-d14	1.146	1.099	4.1	113	0.00
80		Butylbenzylphthalate	0.449	0.467	-4.0	116	0.00
81		Benzo(a)anthracene	1.288	1.313	-1.9	116	0.00
82		3,3'-Dichlorobenzidine	0.369	0.359	2.7	112	0.00
83		Chrysene	1.157	1.120	3.2	117	0.00
84		Bis(2-ethylhexyl)phthalate	0.685	0.667	2.6	109	0.00
85	c	Di-n-octyl phthalate	1.268	1.204	5.0	108	0.00
86	I	Perylene-d12	1.000	1.000	0.0	106	0.00
87		Indeno(1,2,3-cd)pyrene	1.437	1.411	1.8	103	0.00
88		Benzo(b)fluoranthene	1.112	1.096	1.4	108	0.00
89		Benzo(k)fluoranthene	1.064	1.091	-2.5	107	0.00
90	C	Benzo(a)pyrene	1.032	1.037	-0.5	106	0.00
91		Dibenzo(a,h)anthracene	1.151	1.133	1.6	103	-0.01
92		Benzo(g,h,i)perylene	1.145	1.144	0.1	105	-0.01

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143485.D
Acq On : 20 Aug 2025 15:16
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Quant Time: Aug 20 16:24:07 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143485.D
Acq On : 20 Aug 2025 15:16
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Quant Time: Aug 20 16:24:07 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	107	0.00
2		1,4-Dioxane	40.000	39.182	2.0	104	0.00
3		Pyridine	40.000	40.378	-0.9	106	0.00
4		n-Nitrosodimethylamine	40.000	40.802	-2.0	108	-0.02
5	S	2-Fluorophenol	80.000	79.796	0.3	107	0.00
6		Aniline	40.000	40.468	-1.2	108	0.00
7	S	Phenol-d6	80.000	79.236	1.0	107	-0.01
8		2-Chlorophenol	40.000	40.225	-0.6	107	0.00
9		Benzaldehyde	40.000	42.346	-5.9	108	0.00
10	C	Phenol	40.000	40.587	-1.5	107	0.00
11		bis(2-Chloroethyl)ether	40.000	40.011	-0.0	107	0.00
12		1,3-Dichlorobenzene	40.000	39.721	0.7	107	0.00
13	C	1,4-Dichlorobenzene	40.000	39.445	1.4	107	0.00
14		1,2-Dichlorobenzene	40.000	39.765	0.6	107	0.00
15		Benzyl Alcohol	40.000	41.185	-3.0	108	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	40.039	-0.1	107	0.00
17		2-Methylphenol	40.000	40.687	-1.7	109	0.00
18		Hexachloroethane	40.000	40.592	-1.5	107	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	39.547	1.1	108	-0.01
20		3+4-Methylphenols	40.000	40.559	-1.4	108	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	107	0.00
22		Acetophenone	40.000	38.990	2.5	108	0.00
23	S	Nitrobenzene-d5	80.000	80.608	-0.8	108	0.00
24		Nitrobenzene	40.000	40.579	-1.4	108	0.00
25		Isophorone	40.000	40.343	-0.9	110	0.00
26	C	2-Nitrophenol	40.000	41.747	-4.4	109	0.00
27		2,4-Dimethylphenol	40.000	39.655	0.9	106	0.00
28		bis(2-Chloroethoxy)methane	40.000	40.210	-0.5	108	0.00
29	C	2,4-Dichlorophenol	40.000	40.217	-0.5	108	0.00
30		1,2,4-Trichlorobenzene	40.000	39.404	1.5	107	0.00
31		Naphthalene	40.000	39.033	2.4	107	0.00
32		Benzoic acid	40.000	41.489	-3.7	115	-0.02
33		4-Chloroaniline	40.000	40.234	-0.6	107	0.00
34	C	Hexachlorobutadiene	40.000	39.523	1.2	107	0.00
35		Caprolactam	40.000	44.838	-12.1	117	-0.02
36	C	4-Chloro-3-methylphenol	40.000	40.569	-1.4	109	0.00
37		2-Methylnaphthalene	40.000	38.877	2.8	106	0.00
38		1-Methylnaphthalene	40.000	39.260	1.9	107	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	109	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	38.786	3.0	107	0.00
41	P	Hexachlorocyclopentadiene	40.000	39.756	0.6	110	0.00
42	S	2,4,6-Tribromophenol	80.000	80.753	-0.9	109	0.00
43	C	2,4,6-Trichlorophenol	40.000	41.105	-2.8	108	0.00
44		2,4,5-Trichlorophenol	40.000	39.178	2.1	107	0.00
45	S	2-Fluorobiphenyl	80.000	76.290	4.6	108	0.00
46		1,1'-Biphenyl	40.000	38.997	2.5	108	0.00
47		2-Chloronaphthalene	40.000	39.068	2.3	107	0.00

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143485.D
Acq On : 20 Aug 2025 15:16
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Quant Time: Aug 20 16:24:07 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	41.861	-4.7	110	0.00
49		Acenaphthylene	40.000	39.557	1.1	108	0.00
50		Dimethylphthalate	40.000	40.935	-2.3	112	0.00
51		2,6-Dinitrotoluene	40.000	42.459	-6.1	111	0.00
52	C	Acenaphthene	40.000	39.941	0.1	109	0.00
53		3-Nitroaniline	40.000	42.506	-6.3	112	0.00
54	P	2,4-Dinitrophenol	40.000	43.761	-9.4	125	0.00
55		Dibenzofuran	40.000	39.023	2.4	107	0.00
56	P	4-Nitrophenol	40.000	46.387	-16.0	118	0.00
57		2,4-Dinitrotoluene	40.000	43.183	-8.0	111	0.00
58		Fluorene	40.000	38.901	2.7	108	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	42.767	-6.9	112	0.00
60		Diethylphthalate	40.000	41.708	-4.3	113	0.00
61		4-Chlorophenyl-phenylether	40.000	39.269	1.8	108	0.00
62		4-Nitroaniline	40.000	43.927	-9.8	115	0.00
63		Azobenzene	40.000	39.982	0.0	108	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	110	0.00
65		4,6-Dinitro-2-methylphenol	40.000	43.849	-9.6	115	0.00
66	c	n-Nitrosodiphenylamine	40.000	39.212	2.0	109	0.00
67		4-Bromophenyl-phenylether	40.000	40.305	-0.8	110	0.00
68		Hexachlorobenzene	40.000	39.544	1.1	109	0.00
69		Atrazine	40.000	43.693	-9.2	119	0.00
70	C	Pentachlorophenol	40.000	43.916	-9.8	115	0.00
71		Phenanthrene	40.000	39.237	1.9	112	0.00
72		Anthracene	40.000	39.390	1.5	110	0.00
73		Carbazole	40.000	40.413	-1.0	112	0.00
74		Di-n-butylphthalate	40.000	43.507	-8.8	117	0.00
75	C	Fluoranthene	40.000	40.261	-0.7	113	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	116	0.00
77		Benzidine	40.000	39.962	0.1	110	0.00
78		Pyrene	40.000	38.897	2.8	114	0.00
79	S	Terphenyl-d14	80.000	76.705	4.1	113	0.00
80		Butylbenzylphthalate	40.000	41.549	-3.9	116	0.00
81		Benzo(a)anthracene	40.000	40.783	-2.0	116	0.00
82		3,3'-Dichlorobenzidine	40.000	38.975	2.6	112	0.00
83		Chrysene	40.000	38.711	3.2	117	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	38.990	2.5	109	0.00
85	c	Di-n-octyl phthalate	40.000	37.975	5.1	108	0.00
86	I	Perylene-d12	20.000	20.000	0.0	106	0.00
87		Indeno(1,2,3-cd)pyrene	40.000	39.281	1.8	103	0.00
88		Benzo(b)fluoranthene	40.000	39.433	1.4	108	0.00
89		Benzo(k)fluoranthene	40.000	40.992	-2.5	107	0.00
90	C	Benzo(a)pyrene	40.000	40.208	-0.5	106	0.00
91		Dibenzo(a,h)anthracene	40.000	39.378	1.6	103	-0.01
92		Benzo(g,h,i)perylene	40.000	39.992	0.0	105	-0.01

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143485.D
Acq On : 20 Aug 2025 15:16
Operator : RC/JU
Sample : SSTDICV040
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
ICVBF082025

Quant Time: Aug 20 16:24:07 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Response Factor Report MSBNA_P

Method Path : Z:\svoasrv\HPCHEM1\BNA_P\Methods\
Method File : 8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Aug 14 18:14:31 2025
Response Via : Initial Calibration

Calibration Files
2.5 =BP025392.D 5 =BP025393.D 10 =BP025394.D 20 =BP025395.D 40 =BP025396.D 50 =BP025397.D 60 =BP025398.D 80 =BP0253
99.D

		Compound	2.5	5	10	20	40	50	60	80	Avg	%RSD
1)	I	1,4-Dichlorobenzen...	----------	ISTD	----------							
2)		1,4-Dioxane		0.520	0.464	0.475	0.445	0.479	0.462	0.458	0.472	5.07
3)		Pyridine		1.446	1.250	1.256	1.220	1.317	1.281	1.268	1.291	5.77
4)		n-Nitrosodimet...			0.515	0.512	0.511	0.559	0.555	0.541	0.532	4.13
5)	S	2-Fluorophenol		1.232	1.177	1.194	1.162	1.240	1.226	1.199	1.204	2.42
6)		Aniline		2.098	1.962	2.030	2.020	2.194	2.164	2.094	2.080	3.96
7)	S	Phenol-d6		1.483	1.467	1.533	1.513	1.641	1.609	1.563	1.544	4.16
8)		2-Chlorophenol		1.351	1.283	1.347	1.313	1.428	1.414	1.378	1.359	3.83
9)		Benzaldehyde			0.987	0.956	1.366	1.262	1.005	0.915	1.082	17.12
10)	C	Phenol		1.594	1.529	1.613	1.575	1.707	1.688	1.635	1.620	3.87
11)		bis(2-Chloroet...		1.283	1.183	1.273	1.222	1.321	1.303	1.255	1.263	3.78
12)		1,3-Dichlorobe...		1.532	1.433	1.503	1.443	1.555	1.530	1.493	1.499	3.07
13)	C	1,4-Dichlorobe...		1.587	1.490	1.527	1.467	1.596	1.544	1.510	1.532	3.12
14)		1,2-Dichlorobe...		1.558	1.430	1.491	1.431	1.533	1.487	1.449	1.483	3.35
15)		Benzyl Alcohol			1.138	1.205	1.193	1.287	1.289	1.250	1.227	4.83
16)		2,2'-oxybis(1-...		1.762	1.592	1.712	1.620	1.751	1.740	1.665	1.692	3.96
17)		2-Methylphenol		1.075	1.030	1.123	1.107	1.198	1.191	1.154	1.125	5.41
18)		Hexachloroethane		0.577	0.544	0.552	0.545	0.588	0.578	0.559	0.563	3.13
19)	P	n-Nitroso-di-n...	1.014	1.066	0.959	1.056	0.992	1.053	1.042	1.000	1.023	3.68
20)		3+4-Methylphenols			1.442	1.533	1.525	1.639	1.640	1.580	1.560	4.87
21)	I	Naphthalene-d8	----------	ISTD	----------							
22)		Acetophenone		0.515	0.487	0.506	0.485	0.523	0.506	0.488	0.502	2.96
23)	S	Nitrobenzene-d5		0.395	0.376	0.392	0.383	0.419	0.408	0.394	0.395	3.65
24)		Nitrobenzene		0.350	0.342	0.348	0.344	0.375	0.362	0.352	0.353	3.21
25)		Isophorone		0.734	0.672	0.700	0.674	0.730	0.709	0.680	0.700	3.70
26)	C	2-Nitrophenol		0.167	0.163	0.177	0.181	0.197	0.195	0.190	0.181	7.43
27)		2,4-Dimethylph...		0.303	0.303	0.296	0.308	0.336	0.325	0.313	0.312	4.46
28)		bis(2-Chloroet...		0.443	0.407	0.425	0.407	0.439	0.430	0.410	0.423	3.61
29)	C	2,4-Dichloroph...		0.293	0.293	0.308	0.305	0.331	0.324	0.314	0.310	4.71
30)		1,2,4-Trichlor...		0.357	0.329	0.335	0.327	0.354	0.344	0.332	0.340	3.61
31)		Naphthalene		1.069	1.020	1.037	1.000	1.087	1.052	1.011	1.040	3.06
32)		Benzoic acid			0.188	0.207	0.227	0.249	0.255	0.255	0.230	12.20
33)		4-Chloroaniline		0.453	0.435	0.447	0.452	0.492	0.478	0.458	0.459	4.19
34)	C	Hexachlorobuta...		0.222	0.205	0.211	0.205	0.218	0.213	0.207	0.211	3.05
35)		Caprolactam			0.114	0.110	0.109	0.120	0.116	0.113	0.114	3.67
36)	C	4-Chloro-3-met...		0.366	0.335	0.347	0.346	0.373	0.368	0.353	0.355	3.85
37)		2-Methylnaphth...		0.716	0.653	0.678	0.652	0.700	0.682	0.654	0.676	3.69
38)		1-Methylnaphth...		0.777	0.706	0.713	0.686	0.751	0.719	0.685	0.719	4.67

Method Path : Z:\svoasrv\HPCHEM1\BNA_P\Methods\
Method File : 8270E-BP081425.M

39)	I	Acenaphthene-d10	----------ISTD----------								
40)		1,2,4,5-Tetrac...	0.578	0.559	0.585	0.560	0.610	0.581	0.571	0.578	3.00
41)	P	Hexachlorocycl...		0.274	0.313	0.348	0.387	0.388	0.383	0.349	13.46
42)	S	2,4,6-Tribromo...	0.266	0.259	0.267	0.263	0.286	0.275	0.268	0.269	3.39
43)	C	2,4,6-Trichlor...	0.368	0.364	0.381	0.382	0.421	0.408	0.405	0.390	5.56
44)		2,4,5-Trichlor...	0.417	0.385	0.424	0.424	0.457	0.448	0.437	0.427	5.52
45)	S	2-Fluorobiphenyl	1.558	1.483	1.507	1.392	1.517	1.435	1.351	1.463	5.04
46)		1,1'-Biphenyl	1.495	1.418	1.457	1.408	1.537	1.445	1.407	1.453	3.37
47)		2-Chloronaphth...	1.152	1.093	1.144	1.101	1.184	1.142	1.100	1.131	2.99
48)		2-Nitroaniline	0.301	0.306	0.317	0.330	0.360	0.351	0.341	0.329	6.85
49)		Acenaphthylene	1.907	1.806	1.848	1.806	1.992	1.907	1.832	1.871	3.63
50)		Dimethylphthalate	1.569	1.449	1.438	1.403	1.512	1.479	1.403	1.465	4.12
51)		2,6-Dinitrotol...	0.297	0.287	0.302	0.309	0.331	0.323	0.311	0.309	4.95
52)	C	Acenaphthene	1.149	1.082	1.100	1.041	1.155	1.106	1.056	1.098	3.93
53)		3-Nitroaniline	0.318	0.329	0.337	0.342	0.384	0.367	0.354	0.347	6.56
54)	P	2,4-Dinitrophenol		0.114	0.140	0.163	0.186	0.192	0.194	0.165	19.83
55)		Dibenzofuran	1.820	1.711	1.737	1.677	1.811	1.729	1.672	1.736	3.40
56)	P	4-Nitrophenol		0.251	0.265	0.279	0.315	0.304	0.298	0.285	8.56
57)		2,4-Dinitrotol...	0.404	0.407	0.431	0.438	0.479	0.471	0.454	0.440	6.61
58)		Fluorene	1.506	1.391	1.390	1.306	1.415	1.330	1.253	1.370	6.02
59)		2,3,4,6-Tetrac...	0.375	0.360	0.366	0.368	0.402	0.392	0.379	0.377	4.01
60)		Diethylphthalate	1.615	1.475	1.465	1.434	1.540	1.459	1.430	1.488	4.48
61)		4-Chlorophenyl...	0.761	0.684	0.679	0.651	0.690	0.671	0.634	0.681	5.91
62)		4-Nitroaniline	0.341	0.336	0.349	0.351	0.387	0.370	0.359	0.356	4.89
63)		Azobenzene	1.315	1.226	1.274	1.237	1.341	1.301	1.227	1.274	3.62
64)	I	Phenanthrene-d10	----------ISTD----------								
65)		4,6-Dinitro-2-...		0.096	0.113	0.123	0.139	0.139	0.138	0.125	14.21
66)	c	n-Nitrosodiphe...	0.636	0.603	0.607	0.591	0.634	0.605	0.594	0.610	2.99
67)		4-Bromophenyl-...	0.233	0.206	0.217	0.213	0.230	0.223	0.218	0.220	4.34
68)		Hexachlorobenzene	0.264	0.253	0.254	0.242	0.264	0.257	0.251	0.255	3.06
69)		Atrazine	0.229	0.226	0.228	0.218	0.240	0.229	0.229	0.228	2.74
70)	C	Pentachlorophenol		0.135	0.154	0.157	0.177	0.171	0.172	0.161	9.76
71)		Phenanthrene	1.162	1.101	1.111	1.040	1.135	1.085	1.057	1.099	3.88
72)		Anthracene	1.161	1.124	1.133	1.079	1.175	1.101	1.080	1.122	3.37
73)		Carbazole	1.079	1.052	1.074	1.007	1.111	1.053	1.022	1.057	3.32
74)		Di-n-butylphth...	1.345	1.255	1.332	1.244	1.374	1.285	1.265	1.300	3.86
75)	C	Fluoranthene	1.370	1.323	1.348	1.228	1.361	1.286	1.258	1.311	4.13
76)	I	Chrysene-d12	----------ISTD----------								
77)		Benzidine		0.642	0.642	0.967	0.664	0.608	0.573	0.683	20.94
78)		Pyrene	1.398	1.261	1.287	1.274	1.320	1.319	1.241	1.300	4.00
79)	S	Terphenyl-d14	1.249	1.100	1.097	1.045	1.100	1.061	0.999	1.093	7.15
80)		Butylbenzylpht...	0.589	0.557	0.592	0.579	0.614	0.616	0.578	0.589	3.55
81)		Benzo(a)anthra...	1.384	1.302	1.313	1.268	1.359	1.333	1.275	1.319	3.21
82)		3,3'-Dichlorob...		0.482	0.507	0.488	0.521	0.506	0.480	0.497	3.31
83)		Chrysene	1.292	1.214	1.249	1.182	1.280	1.243	1.186	1.235	3.49
84)		Bis(2-ethylhex...	0.907	0.826	0.874	0.831	0.901	0.882	0.850	0.867	3.73
85)	c	Di-n-octyl pht...		1.381	1.498	1.444	1.572	1.563	1.491	1.492	4.84

Method Path : Z:\svoasrv\HPCHEM1\BNA_P\Methods\
Method File : 8270E-BP081425.M

86)	I	Perylene-d12	----------ISTD----------							
87)		Indeno(1,2,3-c...	1.454	1.385	1.440	1.411	1.569	1.522	1.486	1.467	4.36
88)		Benzo(b)fluora...	1.203	1.126	1.171	1.134	1.250	1.197	1.175	1.179	3.60
89)		Benzo(k)fluora...	1.202	1.157	1.200	1.130	1.226	1.206	1.141	1.180	3.16
90)	C	Benzo(a)pyrene	1.139	1.093	1.150	1.108	1.219	1.185	1.141	1.148	3.77
91)		Dibenzo(a,h)an...	1.180	1.125	1.179	1.156	1.290	1.244	1.216	1.199	4.64
92)		Benzo(g,h,i)pe...	1.162	1.118	1.169	1.138	1.248	1.220	1.192	1.178	3.86

(#) = Out of Range

Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025392.D
Acq On : 14 Aug 2025 12:33
Operator : CG/JU
Sample : SSTDICC2.5
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5

Quant Time: Aug 14 17:51:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	140275	20.000	ng	0.00
21) Naphthalene-d8	10.566	136	567766	20.000	ng	0.00
39) Acenaphthene-d10	14.419	164	380728	20.000	ng	0.01
64) Phenanthrene-d10	17.213	188	796256	20.000	ng	0.01
76) Chrysene-d12	21.660	240	884747	20.000	ng	0.01
86) Perylene-d12	25.042	264	1005304	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	0.000	112	0d	0.000	ng	
7) Phenol-d6	0.000	99	0d	0.000	ng	
23) Nitrobenzene-d5	0.000	82	0d	0.000	ng	
42) 2,4,6-Tribromophenol	0.000	330	0d	0.000	ng	
45) 2-Fluorobiphenyl	0.000	172	0d	0.000	ng	
79) Terphenyl-d14	0.000	244	0d	0.000	ng	
Target Compounds						Qvalue
19) n-Nitroso-di-n-propyla...	8.584	70	17781	2.476	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025392.D
Acq On : 14 Aug 2025 12:33
Operator : CG/JU
Sample : SSTDICC2.5
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5

Quant Time: Aug 14 17:51:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025392.D
Acq: 14 Aug 2025 12:33

Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5

Tgt Ion:152 Resp: 140275

Ion	Ratio	Lower	Upper
152	100		
150	156.6	125.9	188.9
115	61.9	48.5	72.7





#5
2-Fluorophenol
Concen: 0.000 ng
Expected RT: 5.41 min

Lab File: BP025392.D
Acq: 14 Aug 2025 12:33

Tgt Ion: 112

Sig	Exp Ratio
112	100
64	54.8
63	28.4





#7
Phenol-d6
Concen: 0.000 ng
Expected RT: 6.97 min

Lab File: BP025392.D
Acq: 14 Aug 2025 12:33

Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5

Tgt Ion: 99

Sig	Exp Ratio
99	100
42	17.1
71	35.3



#19
n-Nitroso-di-n-propylamine
Concen: 2.476 ng
RT: 8.584 min Scan# 960
Delta R.T. -0.006 min
Lab File: BP025392.D
Acq: 14 Aug 2025 12:33

Tgt Ion: 70 Resp: 17781

Ion	Ratio	Lower	Upper
70	100		
42	55.2	43.8	65.6
101	10.3	8.5	12.7
130	22.5	19.4	29.0





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.566 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025392.D
Acq: 14 Aug 2025 12:33

Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5

Tgt Ion:136 Resp: 567766

Ion	Ratio	Lower	Upper
136	100		
137	10.3	9.2	13.8
54	7.4	6.0	9.0
68	5.3	4.3	6.5





#23
Nitrobenzene-d5
Concen: 0.000 ng
Expected RT: 8.94 min

Lab File: BP025392.D
Acq: 14 Aug 2025 12:33

Tgt Ion: 82

Sig	Exp Ratio
82	100
128	47.1
54	49.7





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.419 min Scan# 1
Delta R.T. 0.012 min
Lab File: BP025392.D
Acq: 14 Aug 2025 12:33

Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5

Tgt Ion:164 Resp: 380728

Ion	Ratio	Lower	Upper
164	100		
162	98.7	81.0	121.6
160	44.9	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 0.000 ng
Expected RT: 15.91 min

Lab File: BP025392.D
Acq: 14 Aug 2025 12:33

Tgt Ion: 330

Sig	Exp Ratio
330	100
332	96.6
141	33.2





#45
2-Fluorobiphenyl
Concen: 0.000 ng
Expected RT: 13.02 min

Lab File: BP025392.D
Acq: 14 Aug 2025 12:33

Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5

Tgt Ion: 172

Sig	Exp Ratio
172	100
171	35.1
170	23.3



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.213 min Scan# 2427
Delta R.T. 0.012 min
Lab File: BP025392.D
Acq: 14 Aug 2025 12:33

Tgt Ion:188 Resp: 796256

Ion	Ratio	Lower	Upper
188	100		
94	8.6	6.6	10.0
80	9.0	6.7	10.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.660 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025392.D
Acq: 14 Aug 2025 12:33

Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5

Tgt Ion:240 Resp: 884747

Ion	Ratio	Lower	Upper
240	100		
120	10.0	8.9	13.3
236	25.2	19.8	29.8





#79
Terphenyl-d14
Concen: 0.000 ng
Expected RT: 19.92 min

Lab File: BP025392.D
Acq: 14 Aug 2025 12:33

Tgt Ion: 244

Sig	Exp Ratio
244	100
212	7.2
122	9.3





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.042 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025392.D
Acq: 14 Aug 2025 12:33

Instrument :
BNA_P
ClientSampleId :
SSTDICC2.5

Tgt Ion:264 Resp: 1005304

Ion	Ratio	Lower	Upper
264	100		
260	23.5	19.3	28.9
265	21.4	17.4	26.0



ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025393.D
Acq On : 14 Aug 2025 13:15
Operator : CG/JU
Sample : SSTDICC005
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations APPROVED
Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 14 17:52:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	130958	20.000	ng		0.00
21) Naphthalene-d8	10.560	136	551384	20.000	ng		0.00
39) Acenaphthene-d10	14.401	164	392376	20.000	ng		0.00
64) Phenanthrene-d10	17.207	188	816331	20.000	ng		0.00
76) Chrysene-d12	21.654	240	858165	20.000	ng		0.00
86) Perylene-d12	25.036	264	963881	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	80645	10.227	ng		0.00
7) Phenol-d6	6.966	99	97106	9.605	ng		0.00
23) Nitrobenzene-d5	8.931	82	108814	9.983	ng		0.00
42) 2,4,6-Tribromophenol	15.913	330	52188	9.881	ng		0.00
45) 2-Fluorobiphenyl	13.019	172	305742	10.649	ng		0.00
79) Terphenyl-d14	19.925	244	536049	11.428	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	3.337	88	17016	5.509	ng		95
3) Pyridine	3.731	79	47347	5.600	ng		95
6) Aniline	7.119	93	68694	5.043	ng		100
8) 2-Chlorophenol	7.366	128	44217	4.969	ng		98
10) Phenol	6.990	94	52186	4.919	ng		98
11) bis(2-Chloroethyl)ether	7.219	93	41995	5.079	ng		98
12) 1,3-Dichlorobenzene	7.684	146	50146	5.111	ng		96
13) 1,4-Dichlorobenzene	7.825	146	51948	5.180	ng		97
14) 1,2-Dichlorobenzene	8.143	146	50995	5.253	ng		96
16) 2,2'-oxybis(1-Chloropr...	8.313	45	57686	5.208	ng		98
17) 2-Methylphenol	8.225	107	35186	4.776	ng		96
18) Hexachloroethane	8.866	117	18905	5.127	ng		99
19) n-Nitroso-di-n-propyla...	8.584	70	34898	5.205	ng		95
22) Acetophenone	8.602	105	70986	5.134	ng	#	96
24) Nitrobenzene	8.972	77	48234	4.951	ng		99
25) Isophorone	9.496	82	101112	5.242	ng		98
26) 2-Nitrophenol	9.678	139	23020	4.605	ng		95
27) 2,4-Dimethylphenol	9.737	122	41790	4.861	ng		99
28) bis(2-Chloroethoxy)met...	9.972	93	61017	5.233	ng		98
29) 2,4-Dichlorophenol	10.213	162	40336	4.723	ng		94
30) 1,2,4-Trichlorobenzene	10.425	180	49237	5.259	ng		97
31) Naphthalene	10.613	128	147346	5.141	ng		99
33) 4-Chloroaniline	10.713	127	62452	4.933	ng		96
34) Hexachlorobutadiene	10.902	225	30559	5.241	ng		95
36) 4-Chloro-3-methylphenol	11.837	107	50515	5.154	ng		91
37) 2-Methylnaphthalene	12.219	142	98648	5.289	ng		97
38) 1-Methylnaphthalene	12.437	142	107044	5.397	ng		97
40) 1,2,4,5-Tetrachloroben...	12.590	216	56676	5.001	ng		100
43) 2,4,6-Trichlorophenol	12.831	196	36093	4.718	ng		95
44) 2,4,5-Trichlorophenol	12.901	196	40875	4.875	ng		95
46) 1,1'-Biphenyl	13.237	154	146651	5.146	ng		98
47) 2-Chloronaphthalene	13.272	162	113015	5.094	ng		99
48) 2-Nitroaniline	13.466	65	29527	4.568	ng		98
49) Acenaphthylene	14.125	152	187026	5.095	ng		99
50) Dimethylphthalate	13.860	163	153868	5.355	ng		99
51) 2,6-Dinitrotoluene	13.966	165	29088	4.803	ng		94

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025393.D
Acq On : 14 Aug 2025 13:15
Operator : CG/JU
Sample : SSTDICC005
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 14 17:52:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
52) Acenaphthene	14.472	154	112730m	5.232	ng	
53) 3-Nitroaniline	14.301	138	31224	4.583	ng	85
55) Dibenzofuran	14.813	168	178494	5.240	ng	99
57) 2,4-Dinitrotoluene	14.760	165	39658	4.590	ng	94
58) Fluorene	15.472	166	147760	5.497	ng	97
59) 2,3,4,6-Tetrachlorophenol	15.037	232	36779	4.968	ng	99
60) Diethylphthalate	15.237	149	158426	5.426	ng	99
61) 4-Chlorophenyl-phenyle...	15.466	204	74636	5.583	ng	99
62) 4-Nitroaniline	15.478	138	33466	4.791	ng	90
63) Azobenzene	15.760	77	128978	5.159	ng	99
66) n-Nitrosodiphenylamine	15.678	169	129805	5.214	ng	97
67) 4-Bromophenyl-phenylether	16.378	248	47579	5.299	ng	98
68) Hexachlorobenzene	16.501	284	53940	5.183	ng	98
69) Atrazine	16.648	200	46750	5.015	ng	96
71) Phenanthrene	17.248	178	237107	5.287	ng	98
72) Anthracene	17.342	178	236938	5.174	ng	99
73) Carbazole	17.619	167	220112	5.103	ng	98
74) Di-n-butylphthalate	18.231	149	274467	5.172	ng	99
75) Fluoranthene	19.336	202	279497	5.225	ng	99
78) Pyrene	19.713	202	299922	5.377	ng	98
80) Butylbenzylphthalate	20.654	149	126321	4.997	ng	99
81) Benzo(a)anthracene	21.636	228	296847	5.245	ng	100
83) Chrysene	21.701	228	277175	5.229	ng	99
84) Bis(2-ethylhexyl)phtha...	21.583	149	194541	5.228	ng	97
87) Indeno(1,2,3-cd)pyrene	28.865	276	350414	4.956	ng	98
88) Benzo(b)fluoranthene	23.960	252	289797	5.099	ng	99
89) Benzo(k)fluoranthene	24.042	252	289556	5.091	ng	98
90) Benzo(a)pyrene	24.877	252	274440	4.960	ng	99
91) Dibenzo(a,h)anthracene	28.942	278	284440	4.924	ng	100
92) Benzo(g,h,i)perylene	30.036	276	279987	4.931	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025393.D
Acq On : 14 Aug 2025 13:15
Operator : CG/JU
Sample : SSTDICC005
Misc :
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 14 17:52:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:152 Resp: 13095

Ion	Ratio	Lower	Upper
152	100		
150	158.5	125.9	188.9
115	63.8	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#2
1,4-Dioxane
Concen: 5.509 ng
RT: 3.337 min Scan# 68
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 88 Resp: 17016

Ion	Ratio	Lower	Upper
88	100		
58	69.1	59.2	88.8
43	26.1	21.7	32.5





#3
Pyridine
Concen: 5.600 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 79 Resp: 4734

Ion	Ratio	Lower	Upper
79	100		
52	64.7	55.5	83.3
51	37.0	28.3	42.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#5
2-Fluorophenol
Concen: 10.227 ng
RT: 5.408 min Scan# 420
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:112 Resp: 80645

Ion	Ratio	Lower	Upper
112	100		
64	55.9	43.8	65.8
63	28.3	22.7	34.1





#6
Aniline
Concen: 5.043 ng
RT: 7.119 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 93 Resp: 6869

Ion	Ratio	Lower	Upper
93	100		
66	38.0	30.4	45.6
65	18.6	15.3	22.9



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#7
Phenol-d6
Concen: 9.605 ng
RT: 6.966 min Scan# 685
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 99 Resp: 97106

Ion	Ratio	Lower	Upper
99	100		
42	16.5	13.7	20.5
71	33.7	28.2	42.4





#8
2-Chlorophenol
Concen: 4.969 ng
RT: 7.366 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:128 Resp: 4421

Ion	Ratio	Lower	Upper
128	100		
130	33.8	12.6	52.6
64	44.1	23.4	63.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#10
Phenol
Concen: 4.919 ng
RT: 6.990 min Scan# 689
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 94 Resp: 52186

Ion	Ratio	Lower	Upper
94	100		
65	26.5	6.8	46.8
66	36.2	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 5.079 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 93 Resp: 4199

Ion	Ratio	Lower	Upper
93	100		
63	75.4	52.6	92.6
95	32.6	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#12
1,3-Dichlorobenzene
Concen: 5.111 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:146 Resp: 50146

Ion	Ratio	Lower	Upper
146	100		
148	62.1	51.9	77.9
75	32.6	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 5.180 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:146 Resp: 5194

Ion	Ratio	Lower	Upper
146	100		
148	64.0	51.6	77.4
111	38.3	33.4	50.0

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#14
1,2-Dichlorobenzene
Concen: 5.253 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:146 Resp: 50995

Ion	Ratio	Lower	Upper
146	100		
148	67.2	50.4	75.6
111	43.7	34.5	51.7





#16
2,2'-oxybis(1-Chloropropane)
Concen: 5.208 ng
RT: 8.313 min Scan# 9
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 45 Resp: 5768

Ion	Ratio	Lower	Upper
45	100		
77	14.1	0.0	35.3
79	12.4	0.0	31.8

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#17
2-Methylphenol
Concen: 4.776 ng
RT: 8.225 min Scan# 899
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:107 Resp: 35186

Ion	Ratio	Lower	Upper
107	100		
108	117.2	89.4	134.0
77	47.2	36.3	54.5
79	48.4	36.6	54.8





#18
Hexachloroethane
Concen: 5.127 ng
RT: 8.866 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:117 Resp: 1890

Ion	Ratio	Lower	Upper
117	100		
119	94.5	75.1	112.7
201	101.5	80.1	120.1

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#19
n-Nitroso-di-n-propylamine
Concen: 5.205 ng
RT: 8.584 min Scan# 960
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 70 Resp: 34898

Ion	Ratio	Lower	Upper
70	100		
42	59.8	43.8	65.6
101	10.3	8.5	12.7
130	23.7	19.4	29.0





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:136 Resp: 55138

Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.2	13.8
54	7.8	6.0	9.0
68	5.5	4.3	6.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#22
Acetophenone
Concen: 5.134 ng
RT: 8.602 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:105 Resp: 70986

Ion	Ratio	Lower	Upper
105	100		
71	1.5	2.6	4.0#
51	28.7	20.6	30.8
120	22.7	18.6	27.8





#23
Nitrobenzene-d5
Concen: 9.983 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 82 Resp: 10881

Ion	Ratio	Lower	Upper
82	100		
128	47.0	37.7	56.5
54	47.2	39.8	59.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#24
Nitrobenzene
Concen: 4.951 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 77 Resp: 48234

Ion	Ratio	Lower	Upper
77	100		
123	47.6	38.6	58.0
65	13.9	10.6	15.8





#25
Isophorone
Concen: 5.242 ng
RT: 9.496 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 82 Resp: 10111

Ion	Ratio	Lower	Upper
82	100		
95	6.9	6.4	9.6
138	19.8	15.4	23.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#26
2-Nitrophenol
Concen: 4.605 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:139 Resp: 23020

Ion	Ratio	Lower	Upper
139	100		
109	37.5	26.9	40.3
65	50.9	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 4.861 ng
RT: 9.737 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:122 Resp: 4179

Ion	Ratio	Lower	Upper
122	100		
107	116.7	93.7	140.5
121	60.0	46.6	69.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#28
bis(2-Chloroethoxy)methane
Concen: 5.233 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 93 Resp: 61017

Ion	Ratio	Lower	Upper
93	100		
95	31.3	25.4	38.0
123	13.4	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 4.723 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:162 Resp: 4033

Ion	Ratio	Lower	Upper
162	100		
164	60.3	44.4	84.4
98	38.4	14.9	54.9



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#30
1,2,4-Trichlorobenzene
Concen: 5.259 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:180 Resp: 49237

Ion	Ratio	Lower	Upper
180	100		
182	101.2	78.0	117.0
145	30.9	25.9	38.9





#31
Naphthalene
Concen: 5.141 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:128 Resp: 14734

Ion	Ratio	Lower	Upper
128	100		
129	10.6	8.6	13.0
127	13.9	10.7	16.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#33
4-Chloroaniline
Concen: 4.933 ng
RT: 10.713 min Scan# 1322
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:127 Resp: 62452

Ion	Ratio	Lower	Upper
127	100		
129	29.4	25.4	38.2
65	26.9	23.8	35.6
92	19.8	15.8	23.8





#34
Hexachlorobutadiene
Concen: 5.241 ng
RT: 10.902 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:225 Resp: 3055

Ion	Ratio	Lower	Upper
225	100		
223	59.4	50.0	75.0
227	66.3	49.7	74.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#36
4-Chloro-3-methylphenol
Concen: 5.154 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:107 Resp: 50515

Ion	Ratio	Lower	Upper
107	100		
144	25.4	21.0	31.4
142	70.9	64.6	97.0





#37
2-Methylnaphthalene
Concen: 5.289 ng
RT: 12.219 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:142 Resp: 9864

Ion	Ratio	Lower	Upper
142	100		
141	86.1	70.3	105.5
115	33.5	28.9	43.3



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#38
1-Methylnaphthalene
Concen: 5.397 ng
RT: 12.437 min Scan# 1615
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:142 Resp: 107044

Ion	Ratio	Lower	Upper
142	100		
141	88.4	73.1	109.7
116	3.9	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:164 Resp: 39237

Ion	Ratio	Lower	Upper
164	100		
162	103.6	81.0	121.6
160	45.3	35.4	53.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 5.001 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:216 Resp: 56676

Ion	Ratio	Lower	Upper
216	100		
214	79.1	63.0	94.4
179	21.3	17.1	25.7
108	18.2	14.9	22.3





#42
2,4,6-Tribromophenol
Concen: 9.881 ng
RT: 15.913 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:330 Resp: 5218

Ion	Ratio	Lower	Upper
330	100		
332	100.4	77.3	115.9
141	34.9	26.6	39.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#43
2,4,6-Trichlorophenol
Concen: 4.718 ng
RT: 12.831 min Scan# 1682
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:196 Resp: 36093

Ion	Ratio	Lower	Upper
196	100		
198	101.0	77.2	115.8
200	33.7	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 4.875 ng
RT: 12.901 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:196 Resp: 4087

Ion	Ratio	Lower	Upper
196	100		
198	91.0	76.2	114.2
97	46.0	41.2	61.8
132	27.6	22.6	34.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#45
2-Fluorobiphenyl
Concen: 10.649 ng
RT: 13.019 min Scan# 1714
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:172 Resp: 305742

Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.1	42.1
170	23.1	18.6	28.0





#46
1,1'-Biphenyl
Concen: 5.146 ng
RT: 13.237 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:154 Resp: 14665

Ion	Ratio	Lower	Upper
154	100		
153	40.3	19.5	59.5
76	12.2	0.0	31.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#47
2-Chloronaphthalene
Concen: 5.094 ng
RT: 13.272 min Scan# 1757
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:162 Resp: 113015

Ion	Ratio	Lower	Upper
162	100		
127	41.5	33.4	50.2
164	33.0	26.2	39.2





#48
2-Nitroaniline
Concen: 4.568 ng
RT: 13.466 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 65 Resp: 2952

Ion	Ratio	Lower	Upper
65	100		
92	69.3	57.6	86.4
138	111.8	91.0	136.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#49
Acenaphthylene
Concen: 5.095 ng
RT: 14.125 min Scan# 1902
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:152 Resp: 187026

Ion	Ratio	Lower	Upper
152	100		
151	19.8	16.0	24.0
153	13.8	10.6	15.8





#50
Dimethylphthalate
Concen: 5.355 ng
RT: 13.860 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:163 Resp: 15386

Ion	Ratio	Lower	Upper
163	100		
194	4.4	3.4	5.0
164	10.1	7.9	11.9



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#51
2,6-Dinitrotoluene
Concen: 4.803 ng
RT: 13.966 min Scan# 1875
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:165 Resp: 29088

Ion	Ratio	Lower	Upper
165	100		
63	55.7	40.9	61.3
89	56.2	42.1	63.1





#52
Acenaphthene
Concen: 5.232 ng m
RT: 14.472 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:154 Resp: 11273

Ion	Ratio	Lower	Upper
154	100		
153	115.1	90.2	135.2
152	55.7	42.1	63.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#53
3-Nitroaniline
Concen: 4.583 ng
RT: 14.301 min Scan# 1932
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:138 Resp: 31224

Ion	Ratio	Lower	Upper
138	100		
108	12.5	8.3	12.5
92	124.5	86.2	129.2





#55
Dibenzofuran
Concen: 5.240 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:168 Resp: 17849

Ion	Ratio	Lower	Upper
168	100		
139	39.6	31.5	47.3
169	12.9	10.9	16.3



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#57
2,4-Dinitrotoluene
Concen: 4.590 ng
RT: 14.760 min Scan# 2010
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:165 Resp: 39658

Ion	Ratio	Lower	Upper
165	100		
63	43.9	31.4	47.2
89	70.6	53.3	79.9
182	2.8	2.3	3.5





#58
Fluorene
Concen: 5.497 ng
RT: 15.472 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:166 Resp: 14776

Ion	Ratio	Lower	Upper
166	100		
165	95.7	78.8	118.2
167	13.8	11.0	16.4

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#59
2,3,4,6-Tetrachlorophenol
Concen: 4.968 ng
RT: 15.037 min Scan# 2057
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:232 Resp: 36779

Ion	Ratio	Lower	Upper
232	100		
131	46.0	37.0	55.6
130	2.7	1.9	2.9
166	31.1	25.4	38.0





#60
Diethylphthalate
Concen: 5.426 ng
RT: 15.237 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:149 Resp: 15842

Ion	Ratio	Lower	Upper
149	100		
177	20.9	17.3	25.9
150	13.3	10.3	15.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#61
4-Chlorophenyl-phenylether
Concen: 5.583 ng
RT: 15.466 min Scan# 2130
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:204 Resp: 74636

Ion	Ratio	Lower	Upper
204	100		
206	32.0	25.8	38.8
141	60.6	49.4	74.2





#62
4-Nitroaniline
Concen: 4.791 ng
RT: 15.478 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:138 Resp: 3346

Ion	Ratio	Lower	Upper
138	100		
92	43.2	29.1	69.1
108	71.5	61.5	101.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#63
Azobenzene
Concen: 5.159 ng
RT: 15.760 min Scan# 2180
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 77 Resp: 128978

Ion	Ratio	Lower	Upper
77	100		
182	26.8	7.5	47.5
105	21.6	2.1	42.1
51	29.7	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:188 Resp: 81633

Ion	Ratio	Lower	Upper
188	100		
94	8.9	6.6	10.0
80	9.4	6.7	10.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#66
n-Nitrosodiphenylamine
Concen: 5.214 ng
RT: 15.678 min Scan# 2166
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:169 Resp: 129805

Ion	Ratio	Lower	Upper
169	100		
168	64.3	53.2	79.8
167	38.0	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 5.299 ng
RT: 16.378 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:248 Resp: 4757

Ion	Ratio	Lower	Upper
248	100		
250	95.1	78.2	117.2
141	76.0	59.6	89.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#68
Hexachlorobenzene
Concen: 5.183 ng
RT: 16.501 min Scan# 2306
Delta R.T. 0.012 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:284 Resp: 53940

Ion	Ratio	Lower	Upper
284	100		
142	34.7	29.1	43.7
249	30.6	25.0	37.4





#69
Atrazine
Concen: 5.015 ng
RT: 16.648 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:200 Resp: 4675

Ion	Ratio	Lower	Upper
200	100		
173	27.3	6.7	46.7
215	45.9	29.7	69.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#71
Phenanthrene
Concen: 5.287 ng
RT: 17.248 min Scan# 2433
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:178 Resp: 237107

Ion	Ratio	Lower	Upper
178	100		
176	18.6	15.5	23.3
179	15.8	12.2	18.4





#72
Anthracene
Concen: 5.174 ng
RT: 17.342 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:178 Resp: 23693

Ion	Ratio	Lower	Upper
178	100		
176	17.7	14.7	22.1
179	15.4	12.2	18.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#73
Carbazole
Concen: 5.103 ng
RT: 17.619 min Scan# 2496
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:167 Resp: 220112

Ion	Ratio	Lower	Upper
167	100		
166	21.0	17.5	26.3
139	14.4	10.6	16.0





#74
Di-n-butylphthalate
Concen: 5.172 ng
RT: 18.231 min Scan# 2
Delta R.T. 0.024 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:149 Resp: 27446

Ion	Ratio	Lower	Upper
149	100		
150	8.8	7.4	11.0
104	5.3	4.2	6.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#75
Fluoranthene
Concen: 5.225 ng
RT: 19.336 min Scan# 2788
Delta R.T. 0.012 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:202 Resp: 279497

Ion	Ratio	Lower	Upper
202	100		
101	10.2	0.0	31.1
203	17.3	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.654 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:240 Resp: 85816

Ion	Ratio	Lower	Upper
240	100		
120	10.6	8.9	13.3
236	25.2	19.8	29.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#78
Pyrene
Concen: 5.377 ng
RT: 19.713 min Scan# 2852
Delta R.T. 0.012 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:202 Resp: 299922

Ion	Ratio	Lower	Upper
202	100		
200	19.6	16.9	25.3
203	17.8	14.2	21.2





#79
Terphenyl-d14
Concen: 11.428 ng
RT: 19.925 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:244 Resp: 53604

Ion	Ratio	Lower	Upper
244	100		
212	7.3	5.8	8.6
122	9.5	7.4	11.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#80
Butylbenzylphthalate
Concen: 4.997 ng
RT: 20.654 min Scan# 3012
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:149 Resp: 126321

Ion	Ratio	Lower	Upper
149	100		
91	68.0	54.2	81.2
206	21.1	16.6	24.8





#81
Benzo(a)anthracene
Concen: 5.245 ng
RT: 21.636 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:228 Resp: 29684

Ion	Ratio	Lower	Upper
228	100		
226	27.1	21.7	32.5
229	19.8	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#83
Chrysene
Concen: 5.229 ng
RT: 21.701 min Scan# 3190
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:228 Resp: 277175

Ion	Ratio	Lower	Upper
228	100		
226	29.5	23.2	34.8
229	20.0	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 5.228 ng
RT: 21.583 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:149 Resp: 19454

Ion	Ratio	Lower	Upper
149	100		
167	26.3	22.1	33.1
279	3.8	3.8	5.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.036 min Scan# 3757
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:264 Resp: 963881

Ion	Ratio	Lower	Upper
264	100		
260	22.5	19.3	28.9
265	22.3	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 4.956 ng
RT: 28.865 min Scan# 44
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:276 Resp: 35041

Ion	Ratio	Lower	Upper
276	100		
138	17.1	12.9	19.3
277	20.8	17.0	25.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#88
Benzo(b)fluoranthene
Concen: 5.099 ng
RT: 23.960 min Scan# 3574
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:252 Resp: 289797

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.7	26.5
125	10.8	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 5.091 ng
RT: 24.042 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:252 Resp: 28955

Ion	Ratio	Lower	Upper
252	100		
253	22.5	17.1	25.7
125	10.5	7.8	11.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#90
Benzo(a)pyrene
Concen: 4.960 ng
RT: 24.877 min Scan# 3730
Delta R.T. 0.024 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:252 Resp: 274440

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.5	26.3
125	12.4	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 4.924 ng
RT: 28.942 min Scan# 44
Delta R.T. -0.012 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:278 Resp: 28444

Ion	Ratio	Lower	Upper
278	100		
139	15.9	13.0	19.4
279	24.3	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#92
Benzo(g,h,i)perylene
Concen: 4.931 ng
RT: 30.036 min Scan# 4607
Delta R.T. -0.023 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:276 Resp: 279987

Ion	Ratio	Lower	Upper
276	100		
277	26.0	19.4	29.0
138	22.4	16.7	25.1



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025394.D
Acq On : 14 Aug 2025 13:56
Operator : CG/JU
Sample : SSTDICC010
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 14 17:53:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	137852	20.000	ng		0.00
21) Naphthalene-d8	10.566	136	563995	20.000	ng		0.00
39) Acenaphthene-d10	14.407	164	383199	20.000	ng		0.00
64) Phenanthrene-d10	17.207	188	780940	20.000	ng		0.00
76) Chrysene-d12	21.648	240	860386	20.000	ng		0.00
86) Perylene-d12	25.036	264	980670	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	162289	19.551	ng		0.00
7) Phenol-d6	6.966	99	202204	19.000	ng		0.00
23) Nitrobenzene-d5	8.931	82	212236	19.036	ng		0.00
42) 2,4,6-Tribromophenol	15.919	330	99083	19.210	ng		0.00
45) 2-Fluorobiphenyl	13.019	172	568359	20.271	ng		0.00
79) Terphenyl-d14	19.924	244	946422	20.125	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	31948	9.826	ng		98
3) Pyridine	3.731	79	86156	9.681	ng		100
4) n-Nitrosodimethylamine	3.637	42	35519	9.681	ng	#	99
6) Aniline	7.125	93	135217	9.430	ng		99
8) 2-Chlorophenol	7.366	128	88413	9.439	ng		98
9) Benzaldehyde	6.943	77	68064m	9.129	ng		
10) Phenol	6.996	94	105394	9.438	ng		99
11) bis(2-Chloroethyl)ether	7.219	93	81541	9.368	ng		98
12) 1,3-Dichlorobenzene	7.684	146	98782	9.564	ng		98
13) 1,4-Dichlorobenzene	7.825	146	102729	9.731	ng		98
14) 1,2-Dichlorobenzene	8.143	146	98589	9.647	ng		98
15) Benzyl Alcohol	8.025	79	78411	9.273	ng		99
16) 2,2'-oxybis(1-Chloropr...	8.313	45	109744	9.412	ng		99
17) 2-Methylphenol	8.231	107	70991	9.153	ng		98
18) Hexachloroethane	8.866	117	37473	9.654	ng		98
19) n-Nitroso-di-n-propyla...	8.584	70	66105	9.366	ng		99
20) 3+4-Methylphenols	8.549	107	99382	9.244	ng		97
22) Acetophenone	8.602	105	137361	9.712	ng	#	98
24) Nitrobenzene	8.972	77	96502	9.685	ng		97
25) Isophorone	9.502	82	189510	9.604	ng		99
26) 2-Nitrophenol	9.678	139	45860	8.968	ng		96
27) 2,4-Dimethylphenol	9.737	122	85465	9.718	ng		98
28) bis(2-Chloroethoxy)met...	9.972	93	114635	9.611	ng		99
29) 2,4-Dichlorophenol	10.213	162	82676	9.464	ng		97
30) 1,2,4-Trichlorobenzene	10.431	180	92664	9.676	ng		94
31) Naphthalene	10.613	128	287754	9.816	ng		99
32) Benzoic acid	9.825	122	53034m	8.188	ng		
33) 4-Chloroaniline	10.713	127	122647	9.472	ng		98
34) Hexachlorobutadiene	10.901	225	57821	9.695	ng		97
35) Caprolactam	11.472	113	32038	10.001	ng		93
36) 4-Chloro-3-methylphenol	11.837	107	94538	9.431	ng		97
37) 2-Methylnaphthalene	12.219	142	184172	9.654	ng		100
38) 1-Methylnaphthalene	12.437	142	199160	9.817	ng		97
40) 1,2,4,5-Tetrachloroben...	12.590	216	107104	9.678	ng		99
41) Hexachlorocyclopentadiene	12.572	237	52588	7.867	ng		97
43) 2,4,6-Trichlorophenol	12.831	196	69780	9.339	ng		97

Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025394.D
Acq On : 14 Aug 2025 13:56
Operator : CG/JU
Sample : SSTDICC010
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 14 17:53:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	73744	9.006	ng	98
46) 1,1'-Biphenyl	13.237	154	271710	9.763	ng	98
47) 2-Chloronaphthalene	13.272	162	209419	9.666	ng	99
48) 2-Nitroaniline	13.466	65	58630	9.287	ng	97
49) Acenaphthylene	14.119	152	346021	9.652	ng	99
50) Dimethylphthalate	13.860	163	277701	9.896	ng	99
51) 2,6-Dinitrotoluene	13.972	165	54957	9.292	ng	96
52) Acenaphthene	14.472	154	207239m	9.848	ng	
53) 3-Nitroaniline	14.301	138	62991	9.466	ng	93
54) 2,4-Dinitrophenol	14.513	184	21748	6.886	ng	99
55) Dibenzofuran	14.807	168	327734	9.851	ng	100
56) 4-Nitrophenol	14.625	139	48103	8.797	ng	97
57) 2,4-Dinitrotoluene	14.766	165	77950	9.237	ng	100
58) Fluorene	15.472	166	266610	10.156	ng	96
59) 2,3,4,6-Tetrachlorophenol	15.042	232	68931	9.533	ng	99
60) Diethylphthalate	15.242	149	282526	9.909	ng	98
61) 4-Chlorophenyl-phenyle...	15.466	204	131137	10.044	ng	99
62) 4-Nitroaniline	15.478	138	64375	9.437	ng	99
63) Azobenzene	15.766	77	234879	9.620	ng	98
65) 4,6-Dinitro-2-methylph...	15.542	198	37380	7.679	ng	97
66) n-Nitrosodiphenylamine	15.684	169	235344	9.883	ng	100
67) 4-Bromophenyl-phenylether	16.384	248	80373	9.358	ng	98
68) Hexachlorobenzene	16.501	284	98614	9.905	ng	96
69) Atrazine	16.660	200	88240	9.894	ng	98
70) Pentachlorophenol	16.854	266	52539	8.360	ng	97
71) Phenanthrene	17.248	178	429752	10.018	ng	99
72) Anthracene	17.348	178	438953	10.020	ng	100
73) Carbazole	17.619	167	410726	9.954	ng	99
74) Di-n-butylphthalate	18.219	149	490232	9.656	ng	99
75) Fluoranthene	19.330	202	516523	10.094	ng	99
77) Benzidine	19.525	184	276193	9.406	ng	99
78) Pyrene	19.707	202	542670	9.704	ng	100
80) Butylbenzylphthalate	20.660	149	239416	9.446	ng	98
81) Benzo(a)anthracene	21.624	228	560279	9.874	ng	99
82) 3,3'-Dichlorobenzidine	21.554	252	207153	9.686	ng	99
83) Chrysene	21.701	228	522411	9.831	ng	99
84) Bis(2-ethylhexyl)phtha...	21.583	149	355530	9.529	ng	99
85) Di-n-octyl phthalate	22.877	149	594195	9.259	ng	99
87) Indeno(1,2,3-cd)pyrene	28.853	276	678980m	9.438	ng	
88) Benzo(b)fluoranthene	23.954	252	552191	9.549	ng	99
89) Benzo(k)fluoranthene	24.018	252	567080	9.800	ng	98
90) Benzo(a)pyrene	24.854	252	535820	9.519	ng	99
91) Dibenzo(a,h)anthracene	28.959	278	551694	9.387	ng	99
92) Benzo(g,h,i)perylene	30.047	276	548117	9.489	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025394.D
Acq On : 14 Aug 2025 13:56
Operator : CG/JU
Sample : SSTDICC010
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 14 17:53:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:152 Resp: 13785

Ion	Ratio	Lower	Upper
152	100		
150	158.6	125.9	188.9
115	61.1	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#2
1,4-Dioxane
Concen: 9.826 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 88 Resp: 31948

Ion	Ratio	Lower	Upper
88	100		
58	74.0	59.2	88.8
43	30.8	21.7	32.5





#3
Pyridine
Concen: 9.681 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 79 Resp: 8615

Ion	Ratio	Lower	Upper
79	100		
52	69.4	55.5	83.3
51	35.8	28.3	42.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#4
n-Nitrosodimethylamine
Concen: 9.681 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 42 Resp: 35519

Ion	Ratio	Lower	Upper
42	100		
74	133.3	107.0	160.4
44	11.4	6.2	9.4#





#5
2-Fluorophenol
Concen: 19.551 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:112 Resp: 16228

Ion	Ratio	Lower	Upper
112	100		
64	54.3	43.8	65.8
63	29.3	22.7	34.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#6
Aniline
Concen: 9.430 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 93 Resp: 135217

Ion	Ratio	Lower	Upper
93	100		
66	38.4	30.4	45.6
65	18.5	15.3	22.9





#7
Phenol-d6
Concen: 19.000 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 99 Resp: 20220

Ion	Ratio	Lower	Upper
99	100		
42	18.3	13.7	20.5
71	34.2	28.2	42.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#8
2-Chlorophenol
Concen: 9.439 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:128 Resp: 88413

Ion	Ratio	Lower	Upper
128	100		
130	32.8	12.6	52.6
64	40.8	23.4	63.4





#9
Benzaldehyde
Concen: 9.129 ng m
RT: 6.943 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 77 Resp: 6806

Ion	Ratio	Lower	Upper
77	100		
105	109.4	84.8	124.8
106	103.0	80.5	120.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#10
Phenol
Concen: 9.438 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 94 Resp: 105394

Ion	Ratio	Lower	Upper
94	100		
65	26.6	6.8	46.8
66	37.2	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 9.368 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 93 Resp: 8154

Ion	Ratio	Lower	Upper
93	100		
63	73.7	52.6	92.6
95	31.7	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#12
1,3-Dichlorobenzene
Concen: 9.564 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:146 Resp: 98782

Ion	Ratio	Lower	Upper
146	100		
148	67.0	51.9	77.9
75	29.9	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 9.731 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:146 Resp: 10272

Ion	Ratio	Lower	Upper
146	100		
148	63.3	51.6	77.4
111	40.8	33.4	50.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#14
1,2-Dichlorobenzene
Concen: 9.647 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:146 Resp: 98589

Ion	Ratio	Lower	Upper
146	100		
148	65.1	50.4	75.6
111	43.7	34.5	51.7





#15
Benzyl Alcohol
Concen: 9.273 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 79 Resp: 7841

Ion	Ratio	Lower	Upper
79	100		
108	78.4	63.8	95.6
77	61.0	49.0	73.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 9.412 ng
RT: 8.313 min Scan# 914
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 45 Resp: 109744

Ion	Ratio	Lower	Upper
45	100		
77	15.9	0.0	35.3
79	11.6	0.0	31.8





#17
2-Methylphenol
Concen: 9.153 ng
RT: 8.231 min Scan# 9
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:107 Resp: 7099

Ion	Ratio	Lower	Upper
107	100		
108	108.4	89.4	134.0
77	45.5	36.3	54.5
79	45.3	36.6	54.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#18
Hexachloroethane
Concen: 9.654 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:117 Resp: 37473

Ion	Ratio	Lower	Upper
117	100		
119	94.8	75.1	112.7
201	103.5	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 9.366 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 70 Resp: 6610

Ion	Ratio	Lower	Upper
70	100		
42	54.2	43.8	65.6
101	11.1	8.5	12.7
130	24.9	19.4	29.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#20
3+4-Methylphenols
Concen: 9.244 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:107 Resp: 99382

Ion	Ratio	Lower	Upper
107	100		
108	88.8	66.3	106.3
77	31.3	12.3	52.3
79	25.3	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.566 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:136 Resp: 56399

Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.2	13.8
54	7.3	6.0	9.0
68	5.4	4.3	6.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#22
Acetophenone
Concen: 9.712 ng
RT: 8.602 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:105 Resp: 137361

Ion	Ratio	Lower	Upper
105	100		
71	2.3	2.6	4.0#
51	23.7	20.6	30.8
120	23.1	18.6	27.8





#23
Nitrobenzene-d5
Concen: 19.036 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 82 Resp: 21223

Ion	Ratio	Lower	Upper
82	100		
128	46.6	37.7	56.5
54	51.2	39.8	59.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#24
Nitrobenzene
Concen: 9.685 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 77 Resp: 96502

Ion	Ratio	Lower	Upper
77	100		
123	50.8	38.6	58.0
65	13.6	10.6	15.8





#25
Isophorone
Concen: 9.604 ng
RT: 9.502 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 82 Resp: 18951

Ion	Ratio	Lower	Upper
82	100		
95	7.0	6.4	9.6
138	18.8	15.4	23.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#26
2-Nitrophenol
Concen: 8.968 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:139 Resp: 45860

Ion	Ratio	Lower	Upper
139	100		
109	30.9	26.9	40.3
65	45.6	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 9.718 ng
RT: 9.737 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:122 Resp: 8546

Ion	Ratio	Lower	Upper
122	100		
107	114.2	93.7	140.5
121	57.8	46.6	69.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#28
bis(2-Chloroethoxy)methane
Concen: 9.611 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 93 Resp: 114635

Ion	Ratio	Lower	Upper
93	100		
95	31.5	25.4	38.0
123	12.5	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 9.464 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:162 Resp: 8267

Ion	Ratio	Lower	Upper
162	100		
164	61.6	44.4	84.4
98	33.8	14.9	54.9



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#30
1,2,4-Trichlorobenzene
Concen: 9.676 ng
RT: 10.431 min Scan# 1274
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:180 Resp: 92664

Ion	Ratio	Lower	Upper
180	100		
182	90.7	78.0	117.0
145	30.1	25.9	38.9





#31
Naphthalene
Concen: 9.816 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:128 Resp: 28775

Ion	Ratio	Lower	Upper
128	100		
129	10.7	8.6	13.0
127	14.0	10.7	16.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#32
Benzoic acid
Concen: 8.188 ng m
RT: 9.825 min Scan# 1171
Delta R.T. -0.047 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:122 Resp: 53034

Ion	Ratio	Lower	Upper
122	100		
105	130.4	100.6	140.6
77	88.0	71.5	111.5





#33
4-Chloroaniline
Concen: 9.472 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:127 Resp: 12264

Ion	Ratio	Lower	Upper
127	100		
129	33.5	25.4	38.2
65	29.7	23.8	35.6
92	18.8	15.8	23.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#34
Hexachlorobutadiene
Concen: 9.695 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:225 Resp: 57821

Ion	Ratio	Lower	Upper
225	100		
223	60.5	50.0	75.0
227	65.1	49.7	74.5





#35
Caprolactam
Concen: 10.001 ng
RT: 11.472 min Scan# 14
Delta R.T. -0.023 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:113 Resp: 3203

Ion	Ratio	Lower	Upper
113	100		
55	172.3	140.0	180.0
56	124.4	100.0	140.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#36
4-Chloro-3-methylphenol
Concen: 9.431 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:107 Resp: 94538

Ion	Ratio	Lower	Upper
107	100		
144	27.6	21.0	31.4
142	78.6	64.6	97.0





#37
2-Methylnaphthalene
Concen: 9.654 ng
RT: 12.219 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:142 Resp: 18417

Ion	Ratio	Lower	Upper
142	100		
141	87.5	70.3	105.5
115	35.7	28.9	43.3



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#38
1-Methylnaphthalene
Concen: 9.817 ng
RT: 12.437 min Scan# 1615
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:142 Resp: 199160

Ion	Ratio	Lower	Upper
142	100		
141	88.6	73.1	109.7
116	4.0	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:164 Resp: 38319

Ion	Ratio	Lower	Upper
164	100		
162	99.7	81.0	121.6
160	44.2	35.4	53.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 9.678 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:216 Resp: 107104

Ion	Ratio	Lower	Upper
216	100		
214	77.8	63.0	94.4
179	22.0	17.1	25.7
108	18.7	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 7.867 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:237 Resp: 5258

Ion	Ratio	Lower	Upper
237	100		
235	61.1	42.7	82.7
272	12.0	0.0	34.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#42
2,4,6-Tribromophenol
Concen: 19.210 ng
RT: 15.919 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:330 Resp: 99083

Ion	Ratio	Lower	Upper
330	100		
332	95.4	77.3	115.9
141	33.1	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 9.339 ng
RT: 12.831 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:196 Resp: 6978

Ion	Ratio	Lower	Upper
196	100		
198	99.9	77.2	115.8
200	31.3	23.9	35.9



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#44
2,4,5-Trichlorophenol
Concen: 9.006 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:196 Resp: 73744

Ion	Ratio	Lower	Upper
196	100		
198	95.7	76.2	114.2
97	48.2	41.2	61.8
132	27.6	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 20.271 ng
RT: 13.019 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:172 Resp: 56835

Ion	Ratio	Lower	Upper
172	100		
171	35.5	28.1	42.1
170	22.9	18.6	28.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#46
1,1'-Biphenyl
Concen: 9.763 ng
RT: 13.237 min Scan# 1751
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:154 Resp: 271710

Ion	Ratio	Lower	Upper
154	100		
153	41.0	19.5	59.5
76	11.2	0.0	31.1





#47
2-Chloronaphthalene
Concen: 9.666 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:162 Resp: 20941

Ion	Ratio	Lower	Upper
162	100		
127	40.9	33.4	50.2
164	32.0	26.2	39.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#48
2-Nitroaniline
Concen: 9.287 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 65 Resp: 58630

Ion	Ratio	Lower	Upper
65	100		
92	70.3	57.6	86.4
138	109.3	91.0	136.6





#49
Acenaphthylene
Concen: 9.652 ng
RT: 14.119 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:152 Resp: 34602

Ion	Ratio	Lower	Upper
152	100		
151	19.6	16.0	24.0
153	13.6	10.6	15.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#50
Dimethylphthalate
Concen: 9.896 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:163 Resp: 277701

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.2	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 9.292 ng
RT: 13.972 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:165 Resp: 5495

Ion	Ratio	Lower	Upper
165	100		
63	52.3	40.9	61.3
89	56.9	42.1	63.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#52
Acenaphthene
Concen: 9.848 ng m
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:154 Resp: 207239

Ion	Ratio	Lower	Upper
154	100		
153	114.8	90.2	135.2
152	53.6	42.1	63.1





#53
3-Nitroaniline
Concen: 9.466 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:138 Resp: 6299

Ion	Ratio	Lower	Upper
138	100		
108	12.1	8.3	12.5
92	114.9	86.2	129.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#54
2,4-Dinitrophenol
Concen: 6.886 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:184 Resp: 21748

Ion	Ratio	Lower	Upper
184	100		
63	60.8	49.4	74.2
154	69.1	54.6	82.0





#55
Dibenzofuran
Concen: 9.851 ng
RT: 14.807 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:168 Resp: 32773

Ion	Ratio	Lower	Upper
168	100		
139	39.3	31.5	47.3
169	13.4	10.9	16.3

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#56
4-Nitrophenol
Concen: 8.797 ng
RT: 14.625 min Scan# 1987
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:139 Resp: 48103

Ion	Ratio	Lower	Upper
139	100		
109	73.8	56.6	96.6
65	90.2	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 9.237 ng
RT: 14.766 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:165 Resp: 7795

Ion	Ratio	Lower	Upper
165	100		
63	38.9	31.4	47.2
89	66.9	53.3	79.9
182	2.8	2.3	3.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#58
Fluorene
Concen: 10.156 ng
RT: 15.472 min Scan# 2131
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:166 Resp: 266610

Ion	Ratio	Lower	Upper
166	100		
165	94.6	78.8	118.2
167	12.7	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 9.533 ng
RT: 15.042 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:232 Resp: 6893

Ion	Ratio	Lower	Upper
232	100		
131	45.2	37.0	55.6
130	2.5	1.9	2.9
166	31.1	25.4	38.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#60
Diethylphthalate
Concen: 9.909 ng
RT: 15.242 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:149 Resp: 282526

Ion	Ratio	Lower	Upper
149	100		
177	22.7	17.3	25.9
150	12.8	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 10.044 ng
RT: 15.466 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:204 Resp: 13113

Ion	Ratio	Lower	Upper
204	100		
206	33.6	25.8	38.8
141	62.5	49.4	74.2

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#62
4-Nitroaniline
Concen: 9.437 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:138 Resp: 64375

Ion	Ratio	Lower	Upper
138	100		
92	49.1	29.1	69.1
108	82.8	61.5	101.5





#63
Azobenzene
Concen: 9.620 ng
RT: 15.766 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 77 Resp: 23487

Ion	Ratio	Lower	Upper
77	100		
182	28.3	7.5	47.5
105	21.7	2.1	42.1
51	30.6	9.6	49.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 2426
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:188 Resp: 780940

Ion	Ratio	Lower	Upper
188	100		
94	8.7	6.6	10.0
80	9.1	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 7.679 ng
RT: 15.542 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:198 Resp: 3738

Ion	Ratio	Lower	Upper
198	100		
51	42.0	19.6	59.6
105	39.4	20.9	60.9

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#66
n-Nitrosodiphenylamine
Concen: 9.883 ng
RT: 15.684 min Scan# 2167
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:169 Resp: 235344

Ion	Ratio	Lower	Upper
169	100		
168	66.7	53.2	79.8
167	35.5	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 9.358 ng
RT: 16.384 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:248 Resp: 8037

Ion	Ratio	Lower	Upper
248	100		
250	95.9	78.2	117.2
141	72.1	59.6	89.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#68
Hexachlorobenzene
Concen: 9.905 ng
RT: 16.501 min Scan# 2306
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:284 Resp: 98614

Ion	Ratio	Lower	Upper
284	100		
142	32.1	29.1	43.7
249	30.8	25.0	37.4





#69
Atrazine
Concen: 9.894 ng
RT: 16.660 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:200 Resp: 8824

Ion	Ratio	Lower	Upper
200	100		
173	26.2	6.7	46.7
215	51.3	29.7	69.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#70
Pentachlorophenol
Concen: 8.360 ng
RT: 16.854 min Scan# 2366
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:266 Resp: 52539

Ion	Ratio	Lower	Upper
266	100		
268	65.4	52.6	79.0
264	69.5	52.0	78.0





#71
Phenanthrene
Concen: 10.018 ng
RT: 17.248 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:178 Resp: 42975

Ion	Ratio	Lower	Upper
178	100		
176	18.4	15.5	23.3
179	15.1	12.2	18.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#72
Anthracene
Concen: 10.020 ng
RT: 17.348 min Scan# 2450
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:178 Resp: 438953

Ion	Ratio	Lower	Upper
178	100		
176	18.3	14.7	22.1
179	15.1	12.2	18.2





#73
Carbazole
Concen: 9.954 ng
RT: 17.619 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:167 Resp: 41072

Ion	Ratio	Lower	Upper
167	100		
166	22.5	17.5	26.3
139	13.6	10.6	16.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#74
Di-n-butylphthalate
Concen: 9.656 ng
RT: 18.219 min Scan# 2598
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:149 Resp: 490232

Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.4	11.0
104	4.7	4.2	6.2





#75
Fluoranthene
Concen: 10.094 ng
RT: 19.330 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:202 Resp: 51652

Ion	Ratio	Lower	Upper
202	100		
101	10.6	0.0	31.1
203	17.2	0.0	37.3

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:240 Resp: 860386

Ion	Ratio	Lower	Upper
240	100		
120	11.1	8.9	13.3
236	25.5	19.8	29.8





#77
Benzidine
Concen: 9.406 ng
RT: 19.525 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:184 Resp: 27619

Ion	Ratio	Lower	Upper
184	100		
185	13.8	11.5	17.3
183	12.1	9.4	14.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#78
Pyrene
Concen: 9.704 ng
RT: 19.707 min Scan# 2851
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:202 Resp: 542670

Ion	Ratio	Lower	Upper
202	100		
200	21.2	16.9	25.3
203	17.5	14.2	21.2





#79
Terphenyl-d14
Concen: 20.125 ng
RT: 19.924 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:244 Resp: 94642

Ion	Ratio	Lower	Upper
244	100		
212	7.4	5.8	8.6
122	10.9	7.4	11.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#80
Butylbenzylphthalate
Concen: 9.446 ng
RT: 20.660 min Scan# 3013
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:149 Resp: 239416

Ion	Ratio	Lower	Upper
149	100		
91	65.5	54.2	81.2
206	21.1	16.6	24.8





#81
Benzo(a)anthracene
Concen: 9.874 ng
RT: 21.624 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:228 Resp: 56027

Ion	Ratio	Lower	Upper
228	100		
226	26.3	21.7	32.5
229	19.8	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#82
3,3'-Dichlorobenzidine
Concen: 9.686 ng
RT: 21.554 min Scan# 3165
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:252 Resp: 207153

Ion	Ratio	Lower	Upper
252	100		
254	65.6	51.8	77.6
126	11.7	9.1	13.7





#83
Chrysene
Concen: 9.831 ng
RT: 21.701 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:228 Resp: 52241

Ion	Ratio	Lower	Upper
228	100		
226	29.6	23.2	34.8
229	19.5	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 9.529 ng
RT: 21.583 min Scan# 3170
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:149 Resp: 355530

Ion	Ratio	Lower	Upper
149	100		
167	27.9	22.1	33.1
279	4.9	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 9.259 ng
RT: 22.877 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:149 Resp: 59419

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.3	1.9
43	8.4	6.3	9.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.036 min Scan# 3757
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:264 Resp: 980670

Ion	Ratio	Lower	Upper
264	100		
260	23.0	19.3	28.9
265	22.3	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 9.438 ng m
RT: 28.853 min Scan# 4
Delta R.T. -0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:276 Resp: 67898

Ion	Ratio	Lower	Upper
276	100		
138	16.7	12.9	19.3
277	21.1	17.0	25.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#88
Benzo(b)fluoranthene
Concen: 9.549 ng
RT: 23.954 min Scan# 3573
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:252 Resp: 552191

Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.7	26.5
125	10.0	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 9.800 ng
RT: 24.018 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:252 Resp: 56708

Ion	Ratio	Lower	Upper
252	100		
253	22.6	17.1	25.7
125	10.0	7.8	11.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#90
Benzo(a)pyrene
Concen: 9.519 ng
RT: 24.854 min Scan# 3726
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:252 Resp: 535820

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	11.8	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 9.387 ng
RT: 28.959 min Scan# 44
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:278 Resp: 55169

Ion	Ratio	Lower	Upper
278	100		
139	15.0	13.0	19.4
279	24.2	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#92
Benzo(g,h,i)perylene
Concen: 9.489 ng
RT: 30.047 min Scan# 4609
Delta R.T. -0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:276 Resp: 548117

Ion	Ratio	Lower	Upper
276	100		
277	25.1	19.4	29.0
138	20.4	16.7	25.1



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025395.D
Acq On : 14 Aug 2025 14:38
Operator : CG/JU
Sample : SSTDICC020
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations APPROVED
Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 14 17:54:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	141721	20.000	ng		0.00
21) Naphthalene-d8	10.560	136	603797	20.000	ng		0.00
39) Acenaphthene-d10	14.413	164	399034	20.000	ng		0.00
64) Phenanthrene-d10	17.213	188	785736	20.000	ng		0.01
76) Chrysene-d12	21.654	240	852065	20.000	ng		0.00
86) Perylene-d12	25.036	264	958651	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	338568	39.674	ng		0.00
7) Phenol-d6	6.966	99	434388	39.702	ng		0.00
23) Nitrobenzene-d5	8.931	82	473937	39.706	ng		0.00
42) 2,4,6-Tribromophenol	15.925	330	212968	39.651	ng		0.01
45) 2-Fluorobiphenyl	13.025	172	1203064	41.205	ng		0.00
79) Terphenyl-d14	19.930	244	1869951	40.152	ng		0.01
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	67276	20.126	ng		99
3) Pyridine	3.731	79	177948	19.450	ng		98
4) n-Nitrosodimethylamine	3.637	42	72627	19.255	ng	#	96
6) Aniline	7.125	93	287645	19.513	ng		99
8) 2-Chlorophenol	7.366	128	190858	19.819	ng		99
9) Benzaldehyde	6.937	77	135464	17.672	ng		99
10) Phenol	6.990	94	228580	19.910	ng		98
11) bis(2-Chloroethyl)ether	7.219	93	180390	20.159	ng		98
12) 1,3-Dichlorobenzene	7.684	146	213023	20.061	ng		99
13) 1,4-Dichlorobenzene	7.825	146	216400	19.938	ng		99
14) 1,2-Dichlorobenzene	8.143	146	211243	20.106	ng		99
15) Benzyl Alcohol	8.019	79	170736	19.640	ng		98
16) 2,2'-oxybis(1-Chloropr...	8.307	45	242616	20.240	ng		99
17) 2-Methylphenol	8.225	107	159119	19.956	ng		98
18) Hexachloroethane	8.866	117	78205	19.597	ng		94
19) n-Nitroso-di-n-propyla...	8.584	70	149715	20.633	ng		97
20) 3+4-Methylphenols	8.543	107	217240	19.655	ng		98
22) Acetophenone	8.596	105	305812	20.196	ng		99
24) Nitrobenzene	8.972	77	210234	19.708	ng		100
25) Isophorone	9.496	82	422370	19.995	ng		99
26) 2-Nitrophenol	9.678	139	106805	19.509	ng		98
27) 2,4-Dimethylphenol	9.743	122	178534	18.963	ng		99
28) bis(2-Chloroethoxy)met...	9.972	93	256656	20.100	ng		99
29) 2,4-Dichlorophenol	10.207	162	186076	19.896	ng		99
30) 1,2,4-Trichlorobenzene	10.425	180	201995	19.702	ng		98
31) Naphthalene	10.613	128	625899	19.944	ng		99
32) Benzoic acid	9.843	122	124836m	18.004	ng		
33) 4-Chloroaniline	10.713	127	270158	19.489	ng		99
34) Hexachlorobutadiene	10.901	225	127593	19.983	ng		99
35) Caprolactam	11.484	113	66168	19.294	ng		95
36) 4-Chloro-3-methylphenol	11.837	107	209817	19.551	ng		97
37) 2-Methylnaphthalene	12.219	142	409613	20.057	ng		99
38) 1-Methylnaphthalene	12.443	142	430666	19.829	ng		100
40) 1,2,4,5-Tetrachloroben...	12.590	216	233523	20.263	ng		99
41) Hexachlorocyclopentadiene	12.572	237	124759	17.922	ng		98
43) 2,4,6-Trichlorophenol	12.831	196	152031	19.540	ng		99

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025395.D
Acq On : 14 Aug 2025 14:38
Operator : CG/JU
Sample : SSTDICC020
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations APPROVED
Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 14 17:54:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	169197	19.842	ng	98
46) 1,1'-Biphenyl	13.237	154	581464	20.064	ng	100
47) 2-Chloronaphthalene	13.272	162	456552	20.237	ng	98
48) 2-Nitroaniline	13.478	65	126433	19.233	ng	99
49) Acenaphthylene	14.137	152	737527	19.756	ng	99
50) Dimethylphthalate	13.866	163	573661	19.632	ng	100
51) 2,6-Dinitrotoluene	13.966	165	120693	19.597	ng	96
52) Acenaphthene	14.484	154	438852m	20.027	ng	
53) 3-Nitroaniline	14.301	138	134502	19.410	ng	97
54) 2,4-Dinitrophenol	14.519	184	55713	16.939	ng	98
55) Dibenzofuran	14.819	168	692966	20.002	ng	99
56) 4-Nitrophenol	14.619	139	105787	18.578	ng	98
57) 2,4-Dinitrotoluene	14.772	165	172020	19.576	ng	96
58) Fluorene	15.478	166	554647	20.289	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.048	232	145926	19.381	ng	99
60) Diethylphthalate	15.248	149	584590	19.689	ng	99
61) 4-Chlorophenyl-phenyle...	15.472	204	270949	19.929	ng	98
62) 4-Nitroaniline	15.478	138	139202	19.595	ng	100
63) Azobenzene	15.766	77	508563	20.004	ng	100
65) 4,6-Dinitro-2-methylph...	15.548	198	88992	18.169	ng	97
66) n-Nitrosodiphenylamine	15.684	169	477080	19.911	ng	99
67) 4-Bromophenyl-phenylether	16.389	248	170738	19.758	ng	97
68) Hexachlorobenzene	16.495	284	199410	19.906	ng	99
69) Atrazine	16.666	200	179513	20.006	ng	99
70) Pentachlorophenol	16.848	266	120958	19.128	ng	99
71) Phenanthrene	17.254	178	872890	20.223	ng	99
72) Anthracene	17.342	178	890292	20.198	ng	100
73) Carbazole	17.625	167	843970	20.328	ng	99
74) Di-n-butylphthalate	18.219	149	1046709	20.491	ng	100
75) Fluoranthene	19.342	202	1058912	20.567	ng	99
77) Benzidine	19.525	184	546647	18.799	ng	99
78) Pyrene	19.713	202	1096965	19.807	ng	99
80) Butylbenzylphthalate	20.666	149	504019	20.081	ng	97
81) Benzo(a)anthracene	21.630	228	1118590	19.906	ng	100
82) 3,3'-Dichlorobenzidine	21.548	252	432075	20.399	ng	100
83) Chrysene	21.707	228	1063898	20.216	ng	99
84) Bis(2-ethylhexyl)phtha...	21.577	149	744704	20.155	ng	99
85) Di-n-octyl phthalate	22.871	149	1276798	20.091	ng	100
87) Indeno(1,2,3-cd)pyrene	28.865	276	1380331m	19.627	ng	
88) Benzo(b)fluoranthene	23.948	252	1122408	19.855	ng	100
89) Benzo(k)fluoranthene	24.018	252	1150366	20.336	ng	100
90) Benzo(a)pyrene	24.854	252	1102804	20.041	ng	100
91) Dibenzo(a,h)anthracene	28.965	278	1130209	19.672	ng	98
92) Benzo(g,h,i)perylene	30.053	276	1120307	19.840	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025395.D
Acq On : 14 Aug 2025 14:38
Operator : CG/JU
Sample : SSTDICC020
Misc :
ALS Vial : 6 Sample Multiplier: 1

Quant Time: Aug 14 17:54:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:152 Resp: 14172

Ion	Ratio	Lower	Upper
152	100		
150	153.0	125.9	188.9
115	60.0	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#2
1,4-Dioxane
Concen: 20.126 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 88 Resp: 67276

Ion	Ratio	Lower	Upper
88	100		
58	73.2	59.2	88.8
43	27.9	21.7	32.5





#3
Pyridine
Concen: 19.450 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 79 Resp: 17794

Ion	Ratio	Lower	Upper
79	100		
52	71.9	55.5	83.3
51	36.1	28.3	42.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#4
n-Nitrosodimethylamine
Concen: 19.255 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 42 Resp: 72627

Ion	Ratio	Lower	Upper
42	100		
74	138.9	107.0	160.4
44	9.5	6.2	9.4#





#5
2-Fluorophenol
Concen: 39.674 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:112 Resp: 33856

Ion	Ratio	Lower	Upper
112	100		
64	53.6	43.8	65.8
63	29.1	22.7	34.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#6
Aniline
Concen: 19.513 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 93 Resp: 287645

Ion	Ratio	Lower	Upper
93	100		
66	38.6	30.4	45.6
65	19.4	15.3	22.9





#7
Phenol-d6
Concen: 39.702 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 99 Resp: 43438

Ion	Ratio	Lower	Upper
99	100		
42	16.7	13.7	20.5
71	33.7	28.2	42.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#8
2-Chlorophenol
Concen: 19.819 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:128 Resp: 190858

Ion	Ratio	Lower	Upper
128	100		
130	31.9	12.6	52.6
64	44.0	23.4	63.4





#9
Benzaldehyde
Concen: 17.672 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 77 Resp: 13546

Ion	Ratio	Lower	Upper
77	100		
105	102.7	84.8	124.8
106	100.6	80.5	120.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#10
Phenol
Concen: 19.910 ng
RT: 6.990 min Scan# 689
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 94 Resp: 228580

Ion	Ratio	Lower	Upper
94	100		
65	28.1	6.8	46.8
66	37.7	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 20.159 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 93 Resp: 18039

Ion	Ratio	Lower	Upper
93	100		
63	71.2	52.6	92.6
95	31.6	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#12
1,3-Dichlorobenzene
Concen: 20.061 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:146 Resp: 213023

Ion	Ratio	Lower	Upper
146	100		
148	64.4	51.9	77.9
75	28.9	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 19.938 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:146 Resp: 21640

Ion	Ratio	Lower	Upper
146	100		
148	66.2	51.6	77.4
111	41.6	33.4	50.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#14
1,2-Dichlorobenzene
Concen: 20.106 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:146 Resp: 211243

Ion	Ratio	Lower	Upper
146	100		
148	64.0	50.4	75.6
111	42.4	34.5	51.7





#15
Benzyl Alcohol
Concen: 19.640 ng
RT: 8.019 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 79 Resp: 17073

Ion	Ratio	Lower	Upper
79	100		
108	77.1	63.8	95.6
77	60.3	49.0	73.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 20.240 ng
RT: 8.307 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 45 Resp: 242616

Ion	Ratio	Lower	Upper
45	100		
77	14.7	0.0	35.3
79	12.2	0.0	31.8





#17
2-Methylphenol
Concen: 19.956 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:107 Resp: 15911

Ion	Ratio	Lower	Upper
107	100		
108	109.2	89.4	134.0
77	43.2	36.3	54.5
79	45.6	36.6	54.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#18
Hexachloroethane
Concen: 19.597 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:117 Resp: 78205

Ion	Ratio	Lower	Upper
117	100		
119	98.8	75.1	112.7
201	107.5	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 20.633 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 70 Resp: 14971

Ion	Ratio	Lower	Upper
70	100		
42	52.0	43.8	65.6
101	11.3	8.5	12.7
130	23.8	19.4	29.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#20
3+4-Methylphenols
Concen: 19.655 ng
RT: 8.543 min Scan# 953
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:107 Resp: 217240

Ion	Ratio	Lower	Upper
107	100		
108	89.1	66.3	106.3
77	31.8	12.3	52.3
79	26.9	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:136 Resp: 60379

Ion	Ratio	Lower	Upper
136	100		
137	11.6	9.2	13.8
54	7.7	6.0	9.0
68	5.3	4.3	6.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#22
Acetophenone
Concen: 20.196 ng
RT: 8.596 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:105 Resp: 305812

Ion	Ratio	Lower	Upper
105	100		
71	2.8	2.6	4.0
51	25.0	20.6	30.8
120	22.8	18.6	27.8





#23
Nitrobenzene-d5
Concen: 39.706 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 82 Resp: 47393

Ion	Ratio	Lower	Upper
82	100		
128	46.3	37.7	56.5
54	50.8	39.8	59.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#24
Nitrobenzene
Concen: 19.708 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 77 Resp: 210234

Ion	Ratio	Lower	Upper
77	100		
123	48.3	38.6	58.0
65	13.3	10.6	15.8





#25
Isophorone
Concen: 19.995 ng
RT: 9.496 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 82 Resp: 42237

Ion	Ratio	Lower	Upper
82	100		
95	7.6	6.4	9.6
138	18.9	15.4	23.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#26
2-Nitrophenol
Concen: 19.509 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:139 Resp: 106805

Ion	Ratio	Lower	Upper
139	100		
109	31.5	26.9	40.3
65	46.9	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 18.963 ng
RT: 9.743 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:122 Resp: 17853

Ion	Ratio	Lower	Upper
122	100		
107	116.5	93.7	140.5
121	58.8	46.6	69.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#28
bis(2-Chloroethoxy)methane
Concen: 20.100 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 93 Resp: 256656

Ion	Ratio	Lower	Upper
93	100		
95	32.5	25.4	38.0
123	11.9	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 19.896 ng
RT: 10.207 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:162 Resp: 18607

Ion	Ratio	Lower	Upper
162	100		
164	64.9	44.4	84.4
98	35.7	14.9	54.9



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#30
1,2,4-Trichlorobenzene
Concen: 19.702 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:180 Resp: 201995

Ion	Ratio	Lower	Upper
180	100		
182	95.6	78.0	117.0
145	30.7	25.9	38.9





#31
Naphthalene
Concen: 19.944 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:128 Resp: 625899

Ion	Ratio	Lower	Upper
128	100		
129	11.0	8.6	13.0
127	13.7	10.7	16.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#32
Benzoic acid
Concen: 18.004 ng m
RT: 9.843 min Scan# 1174
Delta R.T. -0.029 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:122 Resp: 124836

Ion	Ratio	Lower	Upper
122	100		
105	122.9	100.6	140.6
77	88.5	71.5	111.5





#33
4-Chloroaniline
Concen: 19.489 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:127 Resp: 27015

Ion	Ratio	Lower	Upper
127	100		
129	32.5	25.4	38.2
65	29.4	23.8	35.6
92	19.5	15.8	23.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#34
Hexachlorobutadiene
Concen: 19.983 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:225 Resp: 127593

Ion	Ratio	Lower	Upper
225	100		
223	64.0	50.0	75.0
227	62.5	49.7	74.5





#35
Caprolactam
Concen: 19.294 ng
RT: 11.484 min Scan# 14
Delta R.T. -0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:113 Resp: 6616

Ion	Ratio	Lower	Upper
113	100		
55	151.5	140.0	180.0
56	117.4	100.0	140.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#36
4-Chloro-3-methylphenol
Concen: 19.551 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:107 Resp: 209817

Ion	Ratio	Lower	Upper
107	100		
144	25.5	21.0	31.4
142	77.1	64.6	97.0





#37
2-Methylnaphthalene
Concen: 20.057 ng
RT: 12.219 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:142 Resp: 40961

Ion	Ratio	Lower	Upper
142	100		
141	88.7	70.3	105.5
115	35.0	28.9	43.3



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#38
1-Methylnaphthalene
Concen: 19.829 ng
RT: 12.443 min Scan# 1616
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:142 Resp: 430666

Ion	Ratio	Lower	Upper
142	100		
141	91.1	73.1	109.7
116	3.9	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.413 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:164 Resp: 39903

Ion	Ratio	Lower	Upper
164	100		
162	101.6	81.0	121.6
160	44.6	35.4	53.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 20.263 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:216 Resp: 233523

Ion	Ratio	Lower	Upper
216	100		
214	78.0	63.0	94.4
179	21.6	17.1	25.7
108	18.5	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 17.922 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:237 Resp: 12475

Ion	Ratio	Lower	Upper
237	100		
235	64.0	42.7	82.7
272	13.1	0.0	34.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#42
2,4,6-Tribromophenol
Concen: 39.651 ng
RT: 15.925 min Scan# 2208
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:330 Resp: 212968

Ion	Ratio	Lower	Upper
330	100		
332	97.8	77.3	115.9
141	32.8	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 19.540 ng
RT: 12.831 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:196 Resp: 15203

Ion	Ratio	Lower	Upper
196	100		
198	96.3	77.2	115.8
200	31.8	23.9	35.9



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#44
2,4,5-Trichlorophenol
Concen: 19.842 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:196 Resp: 169197

Ion	Ratio	Lower	Upper
196	100		
198	96.2	76.2	114.2
97	48.1	41.2	61.8
132	28.5	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 41.205 ng
RT: 13.025 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:172 Resp: 120306

Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.1	42.1
170	22.7	18.6	28.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#46
1,1'-Biphenyl
Concen: 20.064 ng
RT: 13.237 min Scan# 1751
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:154 Resp: 581464

Ion	Ratio	Lower	Upper
154	100		
153	39.5	19.5	59.5
76	11.5	0.0	31.1





#47
2-Chloronaphthalene
Concen: 20.237 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:162 Resp: 45655

Ion	Ratio	Lower	Upper
162	100		
127	40.9	33.4	50.2
164	31.2	26.2	39.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#48
2-Nitroaniline
Concen: 19.233 ng
RT: 13.478 min Scan# 1792
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 65 Resp: 126433

Ion	Ratio	Lower	Upper
65	100		
92	72.0	57.6	86.4
138	115.1	91.0	136.6





#49
Acenaphthylene
Concen: 19.756 ng
RT: 14.137 min Scan# 1
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:152 Resp: 73752

Ion	Ratio	Lower	Upper
152	100		
151	19.8	16.0	24.0
153	12.8	10.6	15.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#50
Dimethylphthalate
Concen: 19.632 ng
RT: 13.866 min Scan# 1858
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:163 Resp: 573661

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	10.1	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 19.597 ng
RT: 13.966 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:165 Resp: 12069

Ion	Ratio	Lower	Upper
165	100		
63	52.9	40.9	61.3
89	55.7	42.1	63.1

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#52
Acenaphthene
Concen: 20.027 ng m
RT: 14.484 min Scan# 1963
Delta R.T. 0.018 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:154 Resp: 438852

Ion	Ratio	Lower	Upper
154	100		
153	111.2	90.2	135.2
152	52.7	42.1	63.1





#53
3-Nitroaniline
Concen: 19.410 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:138 Resp: 13450

Ion	Ratio	Lower	Upper
138	100		
108	11.3	8.3	12.5
92	111.4	86.2	129.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#54
2,4-Dinitrophenol
Concen: 16.939 ng
RT: 14.519 min Scan# 1969
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:184 Resp: 55713

Ion	Ratio	Lower	Upper
184	100		
63	60.4	49.4	74.2
154	70.4	54.6	82.0





#55
Dibenzofuran
Concen: 20.002 ng
RT: 14.819 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:168 Resp: 69296

Ion	Ratio	Lower	Upper
168	100		
139	38.6	31.5	47.3
169	13.1	10.9	16.3



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#56
4-Nitrophenol
Concen: 18.578 ng
RT: 14.619 min Scan# 1986
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:139 Resp: 105787

Ion	Ratio	Lower	Upper
139	100		
109	75.0	56.6	96.6
65	89.8	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 19.576 ng
RT: 14.772 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:165 Resp: 17202

Ion	Ratio	Lower	Upper
165	100		
63	37.8	31.4	47.2
89	62.8	53.3	79.9
182	2.8	2.3	3.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#58
Fluorene
Concen: 20.289 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:166 Resp: 554647

Ion	Ratio	Lower	Upper
166	100		
165	98.8	78.8	118.2
167	13.3	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 19.381 ng
RT: 15.048 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:232 Resp: 14592

Ion	Ratio	Lower	Upper
232	100		
131	45.5	37.0	55.6
130	2.7	1.9	2.9
166	31.3	25.4	38.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#60
Diethylphthalate
Concen: 19.689 ng
RT: 15.248 min Scan# 2093
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:149 Resp: 584590

Ion	Ratio	Lower	Upper
149	100		
177	21.1	17.3	25.9
150	12.4	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 19.929 ng
RT: 15.472 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:204 Resp: 270949

Ion	Ratio	Lower	Upper
204	100		
206	33.6	25.8	38.8
141	60.5	49.4	74.2

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#62
4-Nitroaniline
Concen: 19.595 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:138 Resp: 139202

Ion	Ratio	Lower	Upper
138	100		
92	48.4	29.1	69.1
108	81.6	61.5	101.5





#63
Azobenzene
Concen: 20.004 ng
RT: 15.766 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 77 Resp: 50856

Ion	Ratio	Lower	Upper
77	100		
182	27.7	7.5	47.5
105	21.9	2.1	42.1
51	29.4	9.6	49.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.213 min Scan# 2427
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:188 Resp: 785736

Ion	Ratio	Lower	Upper
188	100		
94	9.1	6.6	10.0
80	9.9	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 18.169 ng
RT: 15.548 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:198 Resp: 8899

Ion	Ratio	Lower	Upper
198	100		
51	42.6	19.6	59.6
105	42.2	20.9	60.9



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#66
n-Nitrosodiphenylamine
Concen: 19.911 ng
RT: 15.684 min Scan# 2167
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:169 Resp: 477080

Ion	Ratio	Lower	Upper
169	100		
168	67.5	53.2	79.8
167	36.8	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 19.758 ng
RT: 16.389 min Scan# 2
Delta R.T. 0.018 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:248 Resp: 17073

Ion	Ratio	Lower	Upper
248	100		
250	101.4	78.2	117.2
141	75.7	59.6	89.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#68
Hexachlorobenzene
Concen: 19.906 ng
RT: 16.495 min Scan# 2305
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:284 Resp: 199410

Ion	Ratio	Lower	Upper
284	100		
142	35.2	29.1	43.7
249	31.0	25.0	37.4





#69
Atrazine
Concen: 20.006 ng
RT: 16.666 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:200 Resp: 17951

Ion	Ratio	Lower	Upper
200	100		
173	26.4	6.7	46.7
215	50.3	29.7	69.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#70
Pentachlorophenol
Concen: 19.128 ng
RT: 16.848 min Scan# 2365
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:266 Resp: 120958

Ion	Ratio	Lower	Upper
266	100		
268	65.1	52.6	79.0
264	63.6	52.0	78.0





#71
Phenanthrene
Concen: 20.223 ng
RT: 17.254 min Scan# 24
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:178 Resp: 87289

Ion	Ratio	Lower	Upper
178	100		
176	18.7	15.5	23.3
179	15.2	12.2	18.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#72
Anthracene
Concen: 20.198 ng
RT: 17.342 min Scan# 2449
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:178 Resp: 890292

Ion	Ratio	Lower	Upper
178	100		
176	18.3	14.7	22.1
179	15.2	12.2	18.2





#73
Carbazole
Concen: 20.328 ng
RT: 17.625 min Scan# 24
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:167 Resp: 84397

Ion	Ratio	Lower	Upper
167	100		
166	21.4	17.5	26.3
139	13.4	10.6	16.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#74
Di-n-butylphthalate
Concen: 20.491 ng
RT: 18.219 min Scan# 2598
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:149 Resp: 1046709

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.4	11.0
104	5.1	4.2	6.2





#75
Fluoranthene
Concen: 20.567 ng
RT: 19.342 min Scan# 2
Delta R.T. 0.018 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:202 Resp: 105891

Ion	Ratio	Lower	Upper
202	100		
101	10.5	0.0	31.1
203	17.3	0.0	37.3

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.654 min Scan# 3182
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:240 Resp: 852065

Ion	Ratio	Lower	Upper
240	100		
120	11.2	8.9	13.3
236	25.6	19.8	29.8





#77
Benzidine
Concen: 18.799 ng
RT: 19.525 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:184 Resp: 54664

Ion	Ratio	Lower	Upper
184	100		
185	13.9	11.5	17.3
183	11.9	9.4	14.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#78
Pyrene
Concen: 19.807 ng
RT: 19.713 min Scan# 2852
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:202 Resp: 1096965

Ion	Ratio	Lower	Upper
202	100		
200	21.0	16.9	25.3
203	17.3	14.2	21.2





#79
Terphenyl-d14
Concen: 40.152 ng
RT: 19.930 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:244 Resp: 186995

Ion	Ratio	Lower	Upper
244	100		
212	7.1	5.8	8.6
122	9.9	7.4	11.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#80
Butylbenzylphthalate
Concen: 20.081 ng
RT: 20.666 min Scan# 3014
Delta R.T. 0.018 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:149 Resp: 504019

Ion	Ratio	Lower	Upper
149	100		
91	64.4	54.2	81.2
206	20.9	16.6	24.8





#81
Benzo(a)anthracene
Concen: 19.906 ng
RT: 21.630 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:228 Resp: 111859

Ion	Ratio	Lower	Upper
228	100		
226	27.1	21.7	32.5
229	19.9	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#82
3,3'-Dichlorobenzidine
Concen: 20.399 ng
RT: 21.548 min Scan# 3164
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:252 Resp: 432075

Ion	Ratio	Lower	Upper
252	100		
254	65.0	51.8	77.6
126	10.9	9.1	13.7





#83
Chrysene
Concen: 20.216 ng
RT: 21.707 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:228 Resp: 106389

Ion	Ratio	Lower	Upper
228	100		
226	29.4	23.2	34.8
229	19.4	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 20.155 ng
RT: 21.577 min Scan# 3169
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:149 Resp: 744704

Ion	Ratio	Lower	Upper
149	100		
167	27.3	22.1	33.1
279	4.6	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 20.091 ng
RT: 22.871 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:149 Resp: 127679

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	7.9	6.3	9.5

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.036 min Scan# 3757
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:264 Resp: 958651

Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.3	28.9
265	22.2	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 19.627 ng m
RT: 28.865 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:276 Resp: 138033

Ion	Ratio	Lower	Upper
276	100		
138	16.2	12.9	19.3
277	20.1	17.0	25.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#88
Benzo(b)fluoranthene
Concen: 19.855 ng
RT: 23.948 min Scan# 3572
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:252 Resp: 1122408

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.7	26.5
125	9.9	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 20.336 ng
RT: 24.018 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:252 Resp: 115036

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.1	25.7
125	9.6	7.8	11.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#90
Benzo(a)pyrene
Concen: 20.041 ng
RT: 24.854 min Scan# 3726
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:252 Resp: 1102804

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	10.9	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 19.672 ng
RT: 28.965 min Scan# 44
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:278 Resp: 113020

Ion	Ratio	Lower	Upper
278	100		
139	14.6	13.0	19.4
279	24.1	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#92
Benzo(g,h,i)perylene
Concen: 19.840 ng
RT: 30.053 min Scan# 4610
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:276 Resp: 1120307

Ion	Ratio	Lower	Upper
276	100		
277	23.5	19.4	29.0
138	20.4	16.7	25.1



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025396.D
Acq On : 14 Aug 2025 15:19
Operator : CG/JU
Sample : SSTDICCC040
Misc :
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 14 17:55:59 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.796	152	157704	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	663553	20.000	ng	0.00
39) Acenaphthene-d10	14.407	164	441110	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	884529	20.000	ng	0.00
76) Chrysene-d12	21.648	240	899207	20.000	ng	0.00
86) Perylene-d12	25.030	264	1022138	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	733191	77.209	ng	0.00
7) Phenol-d6	6.966	99	954285	78.381	ng	0.00
23) Nitrobenzene-d5	8.937	82	1015557	77.420	ng	0.00
42) 2,4,6-Tribromophenol	15.913	330	463783	78.112	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	2456787	76.118	ng	0.00
79) Terphenyl-d14	19.919	244	3760236	76.508	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.337	88	140326	37.726	ng	100
3) Pyridine	3.731	79	384936	37.809	ng	100
4) n-Nitrosodimethylamine	3.637	42	161267	38.421	ng	100
6) Aniline	7.125	93	637156	38.842	ng	100
8) 2-Chlorophenol	7.366	128	414233	38.655	ng	100
9) Benzaldehyde	6.943	77	430704	50.493	ng	100
10) Phenol	6.996	94	496755	38.884	ng	100
11) bis(2-Chloroethyl)ether	7.219	93	385335	38.698	ng	100
12) 1,3-Dichlorobenzene	7.684	146	455200	38.523	ng	100
13) 1,4-Dichlorobenzene	7.831	146	462800	38.319	ng	100
14) 1,2-Dichlorobenzene	8.143	146	451306	38.602	ng	100
15) Benzyl Alcohol	8.025	79	376323	38.901	ng	100
16) 2,2'-oxybis(1-Chloropr...	8.313	45	510991	38.308	ng	100
17) 2-Methylphenol	8.225	107	349313	39.369	ng	100
18) Hexachloroethane	8.866	117	171906	38.712	ng	100
19) n-Nitroso-di-n-propyla...	8.590	70	312773	38.737	ng	100
20) 3+4-Methylphenols	8.549	107	481148	39.121	ng	100
22) Acetophenone	8.601	105	644124	38.708	ng	100
24) Nitrobenzene	8.972	77	457175	38.997	ng	100
25) Isophorone	9.501	82	893987	38.510	ng	100
26) 2-Nitrophenol	9.678	139	239675	39.837	ng	100
27) 2,4-Dimethylphenol	9.743	122	408572	39.489	ng	100
28) bis(2-Chloroethoxy)met...	9.972	93	540282	38.502	ng	100
29) 2,4-Dichlorophenol	10.213	162	405233	39.427	ng	100
30) 1,2,4-Trichlorobenzene	10.425	180	434105	38.529	ng	100
31) Naphthalene	10.613	128	1326839	38.472	ng	100
32) Benzoic acid	9.872	122	301281	39.537	ng	100
33) 4-Chloroaniline	10.713	127	599466	39.350	ng	100
34) Hexachlorobutadiene	10.901	225	271549	38.700	ng	100
35) Caprolactam	11.495	113	145175	38.520	ng	100
36) 4-Chloro-3-methylphenol	11.837	107	459473	38.959	ng	100
37) 2-Methylnaphthalene	12.219	142	865427	38.559	ng	100
38) 1-Methylnaphthalene	12.437	142	909865	38.120	ng	100
40) 1,2,4,5-Tetrachloroben...	12.590	216	494141	38.787	ng	100
41) Hexachlorocyclopentadiene	12.572	237	307015	39.896	ng	100
43) 2,4,6-Trichlorophenol	12.825	196	337157	39.201	ng	100

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025396.D
Acq On : 14 Aug 2025 15:19
Operator : CG/JU
Sample : SSTDICCC040
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations APPROVED
Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 14 17:55:59 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.895	196	373880	39.664	ng	100
46) 1,1'-Biphenyl	13.231	154	1242247	38.777	ng	100
47) 2-Chloronaphthalene	13.272	162	970903	38.930	ng	100
48) 2-Nitroaniline	13.472	65	291341	40.092	ng	100
49) Acenaphthylene	14.125	152	1593636	38.617	ng	100
50) Dimethylphthalate	13.860	163	1237666	38.316	ng	100
51) 2,6-Dinitrotoluene	13.966	165	272750	40.061	ng	100
52) Acenaphthene	14.466	154	918569	37.921	ng	100
53) 3-Nitroaniline	14.301	138	301417	39.349	ng	100
54) 2,4-Dinitrophenol	14.507	184	144100	39.633	ng	100
55) Dibenzofuran	14.807	168	1479220	38.624	ng	100
56) 4-Nitrophenol	14.613	139	246542	39.168	ng	100
57) 2,4-Dinitrotoluene	14.766	165	386189	39.757	ng	100
58) Fluorene	15.466	166	1151825	38.115	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.036	232	324396	38.975	ng	100
60) Diethylphthalate	15.236	149	1264740	38.533	ng	100
61) 4-Chlorophenyl-phenyle...	15.460	204	574546	38.228	ng	100
62) 4-Nitroaniline	15.478	138	309740	39.443	ng	100
63) Azobenzene	15.754	77	1091004	38.820	ng	100
65) 4,6-Dinitro-2-methylph...	15.542	198	217153	39.384	ng	100
66) n-Nitrosodiphenylamine	15.678	169	1045170	38.749	ng	100
67) 4-Bromophenyl-phenylether	16.372	248	376864	38.739	ng	100
68) Hexachlorobenzene	16.489	284	428361	37.986	ng	100
69) Atrazine	16.654	200	386256	38.238	ng	100
70) Pentachlorophenol	16.842	266	278412	39.110	ng	100
71) Phenanthrene	17.242	178	1839191	37.851	ng	100
72) Anthracene	17.336	178	1908189	38.456	ng	100
73) Carbazole	17.613	167	1781890	38.125	ng	100
74) Di-n-butylphthalate	18.207	149	2201043	38.277	ng	100
75) Fluoranthene	19.324	202	2172758	37.488	ng	100
77) Benzidine	19.513	184	1738926	56.665	ng	100
78) Pyrene	19.701	202	2290461	39.189	ng	100
80) Butylbenzylphthalate	20.648	149	1041998	39.338	ng	100
81) Benzo(a)anthracene	21.630	228	2280774	38.460	ng	100
82) 3,3'-Dichlorobenzidine	21.542	252	877708	39.266	ng	100
83) Chrysene	21.695	228	2125866	38.278	ng	100
84) Bis(2-ethylhexyl)phtha...	21.583	149	1493804	38.310	ng	100
85) Di-n-octyl phthalate	22.871	149	2597558	38.730	ng	100
87) Indeno(1,2,3-cd)pyrene	28.865	276	2884713m	38.470	ng	
88) Benzo(b)fluoranthene	23.954	252	2318198	38.462	ng	100
89) Benzo(k)fluoranthene	24.030	252	2309091	38.285	ng	100
90) Benzo(a)pyrene	24.854	252	2265862	38.620	ng	100
91) Dibenzo(a,h)anthracene	28.953	278	2363840	38.589	ng	100
92) Benzo(g,h,i)perylene	30.059	276	2327292	38.654	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025396.D
Acq On : 14 Aug 2025 15:19
Operator : CG/JU
Sample : SSTDICCC040
Misc :
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Aug 14 17:55:59 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.796 min Scan# 8
Delta R.T. -0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:152 Resp: 15770

Ion	Ratio	Lower	Upper
152	100		
150	157.4	125.9	188.9
115	60.6	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#2
1,4-Dioxane
Concen: 37.726 ng
RT: 3.337 min Scan# 68
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 88 Resp: 140326

Ion	Ratio	Lower	Upper
88	100		
58	74.0	59.2	88.8
43	27.1	21.7	32.5





#3
Pyridine
Concen: 37.809 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 79 Resp: 38493

Ion	Ratio	Lower	Upper
79	100		
52	69.4	55.5	83.3
51	35.4	28.3	42.5



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#4
n-Nitrosodimethylamine
Concen: 38.421 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 42 Resp: 161267

Ion	Ratio	Lower	Upper
42	100		
74	133.7	107.0	160.4
44	7.8	6.2	9.4





#5
2-Fluorophenol
Concen: 77.209 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:112 Resp: 73319

Ion	Ratio	Lower	Upper
112	100		
64	54.8	43.8	65.8
63	28.4	22.7	34.1



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#6
Aniline
Concen: 38.842 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 93 Resp: 637156

Ion	Ratio	Lower	Upper
93	100		
66	38.0	30.4	45.6
65	19.1	15.3	22.9





#7
Phenol-d6
Concen: 78.381 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 99 Resp: 95428

Ion	Ratio	Lower	Upper
99	100		
42	17.1	13.7	20.5
71	35.3	28.2	42.4



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#8
2-Chlorophenol
Concen: 38.655 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:128 Resp: 414233

Ion	Ratio	Lower	Upper
128	100		
130	32.6	12.6	52.6
64	43.4	23.4	63.4





#9
Benzaldehyde
Concen: 50.493 ng
RT: 6.943 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 77 Resp: 43070

Ion	Ratio	Lower	Upper
77	100		
105	104.8	84.8	124.8
106	100.5	80.5	120.5



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#10
Phenol
Concen: 38.884 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 94 Resp: 496755

Ion	Ratio	Lower	Upper
94	100		
65	26.8	6.8	46.8
66	38.2	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 38.698 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 93 Resp: 38533

Ion	Ratio	Lower	Upper
93	100		
63	72.6	52.6	92.6
95	32.7	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#12
1,3-Dichlorobenzene
Concen: 38.523 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:146 Resp: 455200

Ion	Ratio	Lower	Upper
146	100		
148	64.9	51.9	77.9
75	29.6	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 38.319 ng
RT: 7.831 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:146 Resp: 46280

Ion	Ratio	Lower	Upper
146	100		
148	64.5	51.6	77.4
111	41.7	33.4	50.0



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#14
1,2-Dichlorobenzene
Concen: 38.602 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:146 Resp: 451306

Ion	Ratio	Lower	Upper
146	100		
148	63.0	50.4	75.6
111	43.1	34.5	51.7





#15
Benzyl Alcohol
Concen: 38.901 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 79 Resp: 37632

Ion	Ratio	Lower	Upper
79	100		
108	79.7	63.8	95.6
77	61.2	49.0	73.4

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#16
2,2'-oxybis(1-Chloropropane)
Concen: 38.308 ng
RT: 8.313 min Scan# 914
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 45 Resp: 510991

Ion	Ratio	Lower	Upper
45	100		
77	15.3	0.0	35.3
79	11.8	0.0	31.8





#17
2-Methylphenol
Concen: 39.369 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:107 Resp: 34931

Ion	Ratio	Lower	Upper
107	100		
108	111.7	89.4	134.0
77	45.4	36.3	54.5
79	45.7	36.6	54.8



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#18
Hexachloroethane
Concen: 38.712 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:117 Resp: 171906

Ion	Ratio	Lower	Upper
117	100		
119	93.9	75.1	112.7
201	100.1	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 38.737 ng
RT: 8.590 min Scan# 9
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 70 Resp: 31277

Ion	Ratio	Lower	Upper
70	100		
42	54.7	43.8	65.6
101	10.6	8.5	12.7
130	24.2	19.4	29.0



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#20
3+4-Methylphenols
Concen: 39.121 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:107 Resp: 481148

Ion	Ratio	Lower	Upper
107	100		
108	86.3	66.3	106.3
77	32.3	12.3	52.3
79	27.8	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:136 Resp: 66355

Ion	Ratio	Lower	Upper
136	100		
137	11.5	9.2	13.8
54	7.5	6.0	9.0
68	5.4	4.3	6.5



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#22
Acetophenone
Concen: 38.708 ng
RT: 8.601 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:105 Resp: 644124

Ion	Ratio	Lower	Upper
105	100		
71	3.3	2.6	4.0
51	25.7	20.6	30.8
120	23.2	18.6	27.8





#23
Nitrobenzene-d5
Concen: 77.420 ng
RT: 8.937 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 82 Resp: 101555

Ion	Ratio	Lower	Upper
82	100		
128	47.1	37.7	56.5
54	49.7	39.8	59.6



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#24
Nitrobenzene
Concen: 38.997 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 77 Resp: 457175

Ion	Ratio	Lower	Upper
77	100		
123	48.3	38.6	58.0
65	13.2	10.6	15.8





#25
Isophorone
Concen: 38.510 ng
RT: 9.501 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 82 Resp: 89398

Ion	Ratio	Lower	Upper
82	100		
95	8.0	6.4	9.6
138	19.2	15.4	23.0



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#26
2-Nitrophenol
Concen: 39.837 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:139 Resp: 239675

Ion	Ratio	Lower	Upper
139	100		
109	33.6	26.9	40.3
65	47.9	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 39.489 ng
RT: 9.743 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:122 Resp: 40857

Ion	Ratio	Lower	Upper
122	100		
107	117.1	93.7	140.5
121	58.2	46.6	69.8



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#28
bis(2-Chloroethoxy)methane
Concen: 38.502 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 93 Resp: 540282

Ion	Ratio	Lower	Upper
93	100		
95	31.7	25.4	38.0
123	11.7	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 39.427 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:162 Resp: 40523

Ion	Ratio	Lower	Upper
162	100		
164	64.4	44.4	84.4
98	34.9	14.9	54.9



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#30
1,2,4-Trichlorobenzene
Concen: 38.529 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:180 Resp: 434105

Ion	Ratio	Lower	Upper
180	100		
182	97.5	78.0	117.0
145	32.4	25.9	38.9





#31
Naphthalene
Concen: 38.472 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:128 Resp: 132683

Ion	Ratio	Lower	Upper
128	100		
129	10.8	8.6	13.0
127	13.4	10.7	16.1



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#32
Benzoic acid
Concen: 39.537 ng
RT: 9.872 min Scan# 1179
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:122 Resp: 301281

Ion	Ratio	Lower	Upper
122	100		
105	120.6	100.6	140.6
77	91.5	71.5	111.5





#33
4-Chloroaniline
Concen: 39.350 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:127 Resp: 59946

Ion	Ratio	Lower	Upper
127	100		
129	31.8	25.4	38.2
65	29.7	23.8	35.6
92	19.8	15.8	23.8



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#34
Hexachlorobutadiene
Concen: 38.700 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:225 Resp: 271549

Ion	Ratio	Lower	Upper
225	100		
223	62.5	50.0	75.0
227	62.1	49.7	74.5





#35
Caprolactam
Concen: 38.520 ng
RT: 11.495 min Scan# 14
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:113 Resp: 14517

Ion	Ratio	Lower	Upper
113	100		
55	160.0	140.0	180.0
56	120.0	100.0	140.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#36
4-Chloro-3-methylphenol
Concen: 38.959 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:107 Resp: 459473

Ion	Ratio	Lower	Upper
107	100		
144	26.2	21.0	31.4
142	80.8	64.6	97.0





#37
2-Methylnaphthalene
Concen: 38.559 ng
RT: 12.219 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:142 Resp: 86542

Ion	Ratio	Lower	Upper
142	100		
141	87.9	70.3	105.5
115	36.1	28.9	43.3



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#38
1-Methylnaphthalene
Concen: 38.120 ng
RT: 12.437 min Scan# 1615
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:142 Resp: 909865

Ion	Ratio	Lower	Upper
142	100		
141	91.4	73.1	109.7
116	4.0	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:164 Resp: 44111

Ion	Ratio	Lower	Upper
164	100		
162	101.3	81.0	121.6
160	44.3	35.4	53.2



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 38.787 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:216 Resp: 494141

Ion	Ratio	Lower	Upper
216	100		
214	78.7	63.0	94.4
179	21.4	17.1	25.7
108	18.6	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 39.896 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:237 Resp: 30701

Ion	Ratio	Lower	Upper
237	100		
235	62.7	42.7	82.7
272	14.0	0.0	34.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#42
2,4,6-Tribromophenol
Concen: 78.112 ng
RT: 15.913 min Scan# 2206
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:330 Resp: 463783

Ion	Ratio	Lower	Upper
330	100		
332	96.6	77.3	115.9
141	33.2	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 39.201 ng
RT: 12.825 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:196 Resp: 33715

Ion	Ratio	Lower	Upper
196	100		
198	96.5	77.2	115.8
200	29.9	23.9	35.9

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#44
2,4,5-Trichlorophenol
Concen: 39.664 ng
RT: 12.895 min Scan# 1693
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:196 Resp: 373880

Ion	Ratio	Lower	Upper
196	100		
198	95.2	76.2	114.2
97	51.5	41.2	61.8
132	28.3	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 76.118 ng
RT: 13.019 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:172 Resp: 245678

Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.1	42.1
170	23.3	18.6	28.0



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#46
1,1'-Biphenyl
Concen: 38.777 ng
RT: 13.231 min Scan# 1750
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:154 Resp: 1242247

Ion	Ratio	Lower	Upper
154	100		
153	39.5	19.5	59.5
76	11.1	0.0	31.1





#47
2-Chloronaphthalene
Concen: 38.930 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:162 Resp: 97090

Ion	Ratio	Lower	Upper
162	100		
127	41.8	33.4	50.2
164	32.7	26.2	39.2



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#48
2-Nitroaniline
Concen: 40.092 ng
RT: 13.472 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 65 Resp: 291341

Ion	Ratio	Lower	Upper
65	100		
92	72.0	57.6	86.4
138	113.8	91.0	136.6





#49
Acenaphthylene
Concen: 38.617 ng
RT: 14.125 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:152 Resp: 159363

Ion	Ratio	Lower	Upper
152	100		
151	20.0	16.0	24.0
153	13.2	10.6	15.8



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#50
Dimethylphthalate
Concen: 38.316 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:163 Resp: 1237666

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	9.9	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 40.061 ng
RT: 13.966 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:165 Resp: 27275

Ion	Ratio	Lower	Upper
165	100		
63	51.1	40.9	61.3
89	52.6	42.1	63.1

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#52
Acenaphthene
Concen: 37.921 ng
RT: 14.466 min Scan# 1960
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:154 Resp: 918569

Ion	Ratio	Lower	Upper
154	100		
153	112.7	90.2	135.2
152	52.6	42.1	63.1





#53
3-Nitroaniline
Concen: 39.349 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:138 Resp: 30141

Ion	Ratio	Lower	Upper
138	100		
108	10.4	8.3	12.5
92	107.7	86.2	129.2

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#54
2,4-Dinitrophenol
Concen: 39.633 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:184 Resp: 144100

Ion	Ratio	Lower	Upper
184	100		
63	61.8	49.4	74.2
154	68.3	54.6	82.0





#55
Dibenzofuran
Concen: 38.624 ng
RT: 14.807 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:168 Resp: 147922

Ion	Ratio	Lower	Upper
168	100		
139	39.4	31.5	47.3
169	13.6	10.9	16.3



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#56
4-Nitrophenol
Concen: 39.168 ng
RT: 14.613 min Scan# 1985
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:139 Resp: 246542

Ion	Ratio	Lower	Upper
139	100		
109	76.6	56.6	96.6
65	88.2	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 39.757 ng
RT: 14.766 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:165 Resp: 38618

Ion	Ratio	Lower	Upper
165	100		
63	39.3	31.4	47.2
89	66.6	53.3	79.9
182	2.9	2.3	3.5



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#58
Fluorene
Concen: 38.115 ng
RT: 15.466 min Scan# 2130
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:166 Resp: 1151825

Ion	Ratio	Lower	Upper
166	100		
165	98.5	78.8	118.2
167	13.7	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 38.975 ng
RT: 15.036 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:232 Resp: 32439

Ion	Ratio	Lower	Upper
232	100		
131	46.3	37.0	55.6
130	2.4	1.9	2.9
166	31.7	25.4	38.0



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#60
Diethylphthalate
Concen: 38.533 ng
RT: 15.236 min Scan# 2091
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:149 Resp: 1264740

Ion	Ratio	Lower	Upper
149	100		
177	21.6	17.3	25.9
150	12.9	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 38.228 ng
RT: 15.460 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:204 Resp: 57454

Ion	Ratio	Lower	Upper
204	100		
206	32.3	25.8	38.8
141	61.8	49.4	74.2



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#62
4-Nitroaniline
Concen: 39.443 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:138 Resp: 309740

Ion	Ratio	Lower	Upper
138	100		
92	49.1	29.1	69.1
108	81.5	61.5	101.5





#63
Azobenzene
Concen: 38.820 ng
RT: 15.754 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 77 Resp: 109100

Ion	Ratio	Lower	Upper
77	100		
182	27.5	7.5	47.5
105	22.1	2.1	42.1
51	29.6	9.6	49.6



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 2425
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:188 Resp: 884529

Ion	Ratio	Lower	Upper
188	100		
94	8.3	6.6	10.0
80	8.4	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 39.384 ng
RT: 15.542 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:198 Resp: 21715

Ion	Ratio	Lower	Upper
198	100		
51	39.6	19.6	59.6
105	40.9	20.9	60.9

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#66
n-Nitrosodiphenylamine
Concen: 38.749 ng
RT: 15.678 min Scan# 2166
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:169 Resp: 1045170

Ion	Ratio	Lower	Upper
169	100		
168	66.5	53.2	79.8
167	35.9	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 38.739 ng
RT: 16.372 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:248 Resp: 37686

Ion	Ratio	Lower	Upper
248	100		
250	97.7	78.2	117.2
141	74.5	59.6	89.4

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#68
Hexachlorobenzene
Concen: 37.986 ng
RT: 16.489 min Scan# 2304
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:284 Resp: 428361

Ion	Ratio	Lower	Upper
284	100		
142	36.4	29.1	43.7
249	31.2	25.0	37.4





#69
Atrazine
Concen: 38.238 ng
RT: 16.654 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:200 Resp: 38625

Ion	Ratio	Lower	Upper
200	100		
173	26.7	6.7	46.7
215	49.7	29.7	69.7

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#70
Pentachlorophenol
Concen: 39.110 ng
RT: 16.842 min Scan# 2364
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:266 Resp: 278412

Ion	Ratio	Lower	Upper
266	100		
268	65.8	52.6	79.0
264	65.0	52.0	78.0





#71
Phenanthrene
Concen: 37.851 ng
RT: 17.242 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:178 Resp: 183919

Ion	Ratio	Lower	Upper
178	100		
176	19.4	15.5	23.3
179	15.3	12.2	18.4



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#72
Anthracene
Concen: 38.456 ng
RT: 17.336 min Scan# 2448
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:178 Resp: 1908189

Ion	Ratio	Lower	Upper
178	100		
176	18.4	14.7	22.1
179	15.2	12.2	18.2





#73
Carbazole
Concen: 38.125 ng
RT: 17.613 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:167 Resp: 178189

Ion	Ratio	Lower	Upper
167	100		
166	21.9	17.5	26.3
139	13.3	10.6	16.0

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#74
Di-n-butylphthalate
Concen: 38.277 ng
RT: 18.207 min Scan# 2596
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:149 Resp: 2201043

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.4	11.0
104	5.2	4.2	6.2





#75
Fluoranthene
Concen: 37.488 ng
RT: 19.324 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:202 Resp: 217275

Ion	Ratio	Lower	Upper
202	100		
101	11.1	0.0	31.1
203	17.3	0.0	37.3



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:240 Resp: 899207

Ion	Ratio	Lower	Upper
240	100		
120	11.1	8.9	13.3
236	24.8	19.8	29.8





#77
Benzidine
Concen: 56.665 ng
RT: 19.513 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:184 Resp: 173892

Ion	Ratio	Lower	Upper
184	100		
185	14.4	11.5	17.3
183	11.8	9.4	14.2



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#78
Pyrene
Concen: 39.189 ng
RT: 19.701 min Scan# 2850
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:202 Resp: 2290461

Ion	Ratio	Lower	Upper
202	100		
200	21.1	16.9	25.3
203	17.7	14.2	21.2





#79
Terphenyl-d14
Concen: 76.508 ng
RT: 19.919 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:244 Resp: 376023

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	9.3	7.4	11.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#80
Butylbenzylphthalate
Concen: 39.338 ng
RT: 20.648 min Scan# 3011
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:149 Resp: 1041998

Ion	Ratio	Lower	Upper
149	100		
91	67.7	54.2	81.2
206	20.7	16.6	24.8





#81
Benzo(a)anthracene
Concen: 38.460 ng
RT: 21.630 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:228 Resp: 228077

Ion	Ratio	Lower	Upper
228	100		
226	27.1	21.7	32.5
229	19.5	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#82
3,3'-Dichlorobenzidine
Concen: 39.266 ng
RT: 21.542 min Scan# 3163
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:252 Resp: 877708

Ion	Ratio	Lower	Upper
252	100		
254	64.7	51.8	77.6
126	11.4	9.1	13.7





#83
Chrysene
Concen: 38.278 ng
RT: 21.695 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:228 Resp: 212586

Ion	Ratio	Lower	Upper
228	100		
226	29.0	23.2	34.8
229	19.5	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 38.310 ng
RT: 21.583 min Scan# 3170
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:149 Resp: 1493804

Ion	Ratio	Lower	Upper
149	100		
167	27.6	22.1	33.1
279	4.7	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 38.730 ng
RT: 22.871 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:149 Resp: 259755

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	7.9	6.3	9.5

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.030 min Scan# 3756
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:264 Resp: 1022138

Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.3	28.9
265	21.7	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 38.470 ng m
RT: 28.865 min Scan# 44
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:276 Resp: 288471

Ion	Ratio	Lower	Upper
276	100		
138	16.1	12.9	19.3
277	21.3	17.0	25.6



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#88
Benzo(b)fluoranthene
Concen: 38.462 ng
RT: 23.954 min Scan# 3573
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:252 Resp: 2318198

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.7	26.5
125	9.9	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 38.285 ng
RT: 24.030 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:252 Resp: 230909

Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.1	25.7
125	9.7	7.8	11.6



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#90
Benzo(a)pyrene
Concen: 38.620 ng
RT: 24.854 min Scan# 3726
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:252 Resp: 2265862

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	10.9	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 38.589 ng
RT: 28.953 min Scan# 44
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:278 Resp: 236384

Ion	Ratio	Lower	Upper
278	100		
139	16.2	13.0	19.4
279	24.3	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#92
Benzo(g,h,i)perylene
Concen: 38.654 ng
RT: 30.059 min Scan# 4611
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:276 Resp: 2327292

Ion	Ratio	Lower	Upper
276	100		
277	24.2	19.4	29.0
138	20.9	16.7	25.1



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025397.D
Acq On : 14 Aug 2025 16:01
Operator : CG/JU
Sample : SSTDICC050
Misc :
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 14 17:57:10 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	137945	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	573916	20.000	ng	0.00
39) Acenaphthene-d10	14.407	164	376731	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	753705	20.000	ng	0.00
76) Chrysene-d12	21.648	240	801742	20.000	ng	0.00
86) Perylene-d12	25.036	264	918939	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	855256	102.963	ng	0.00
7) Phenol-d6	6.966	99	1131869	106.283	ng	0.00
23) Nitrobenzene-d5	8.937	82	1201601	105.910	ng	0.00
42) 2,4,6-Tribromophenol	15.913	330	539295	106.352	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	2856639	103.632	ng	0.00
79) Terphenyl-d14	19.925	244	4409094	100.615	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.331	88	165184	50.769	ng	98
3) Pyridine	3.725	79	454022	50.983	ng	97
4) n-Nitrosodimethylamine	3.631	42	192837	52.524	ng	99
6) Aniline	7.125	93	756782	52.743	ng	100
8) 2-Chlorophenol	7.366	128	492570	52.550	ng	99
9) Benzaldehyde	6.943	77	435174	58.325	ng	97
10) Phenol	6.996	94	588764	52.687	ng	99
11) bis(2-Chloroethyl)ether	7.219	93	455697	52.320	ng	99
12) 1,3-Dichlorobenzene	7.684	146	536261	51.884	ng	99
13) 1,4-Dichlorobenzene	7.825	146	550541	52.113	ng	99
14) 1,2-Dichlorobenzene	8.143	146	528750	51.705	ng	99
15) Benzyl Alcohol	8.025	79	443889	52.458	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.319	45	603716	51.742	ng	99
17) 2-Methylphenol	8.225	107	412974	53.211	ng	98
18) Hexachloroethane	8.866	117	202672	52.178	ng	96
19) n-Nitroso-di-n-propyla...	8.590	70	363151	51.419	ng	98
20) 3+4-Methylphenols	8.549	107	565208	52.538	ng	99
22) Acetophenone	8.602	105	750308	52.131	ng	100
24) Nitrobenzene	8.978	77	537647	53.024	ng	98
25) Isophorone	9.502	82	1047736	52.182	ng	99
26) 2-Nitrophenol	9.678	139	282682	54.323	ng	98
27) 2,4-Dimethylphenol	9.737	122	481502	53.806	ng	97
28) bis(2-Chloroethoxy)met...	9.972	93	630027	51.909	ng	99
29) 2,4-Dichlorophenol	10.213	162	475406	53.478	ng	99
30) 1,2,4-Trichlorobenzene	10.431	180	507724	52.101	ng	99
31) Naphthalene	10.607	128	1560240	52.305	ng	100
32) Benzoic acid	9.884	122	357706	54.274	ng	96
33) 4-Chloroaniline	10.713	127	705562	53.548	ng	99
34) Hexachlorobutadiene	10.902	225	312163	51.436	ng	98
35) Caprolactam	11.502	113	172663	52.969	ng	94
36) 4-Chloro-3-methylphenol	11.843	107	534583	52.407	ng	100
37) 2-Methylnaphthalene	12.219	142	1003813	51.710	ng	99
38) 1-Methylnaphthalene	12.443	142	1076949	52.167	ng	99
40) 1,2,4,5-Tetrachloroben...	12.590	216	574152	52.769	ng	99
41) Hexachlorocyclopentadiene	12.572	237	364047	55.392	ng	98
43) 2,4,6-Trichlorophenol	12.831	196	396440	53.971	ng	99

Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025397.D
Acq On : 14 Aug 2025 16:01
Operator : CG/JU
Sample : SSTDICC050
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations APPROVED
Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 14 17:57:10 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.896	196	430061	53.421	ng	99
46) 1,1'-Biphenyl	13.231	154	1447968	52.922	ng	99
47) 2-Chloronaphthalene	13.272	162	1114922	52.344	ng	99
48) 2-Nitroaniline	13.472	65	338939	54.613	ng	98
49) Acenaphthylene	14.125	152	1875998	53.227	ng	100
50) Dimethylphthalate	13.860	163	1424127	51.622	ng	100
51) 2,6-Dinitrotoluene	13.966	165	312149	53.683	ng	97
52) Acenaphthene	14.472	154	1087721	52.577	ng	98
53) 3-Nitroaniline	14.301	138	362030	55.339	ng	99
54) 2,4-Dinitrophenol	14.507	184	175453	56.503	ng	98
55) Dibenzofuran	14.813	168	1705630	52.147	ng	99
56) 4-Nitrophenol	14.619	139	296227	55.103	ng	98
57) 2,4-Dinitrotoluene	14.766	165	450923	54.354	ng	97
58) Fluorene	15.466	166	1332448	51.627	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.043	232	378743	53.281	ng	99
60) Diethylphthalate	15.243	149	1450033	51.728	ng	99
61) 4-Chlorophenyl-phenyle...	15.466	204	650101	50.647	ng	99
62) 4-Nitroaniline	15.478	138	364030	54.278	ng	99
63) Azobenzene	15.760	77	1262576	52.602	ng	99
65) 4,6-Dinitro-2-methylph...	15.542	198	262126	55.792	ng	98
66) n-Nitrosodiphenylamine	15.678	169	1195077	51.997	ng	100
67) 4-Bromophenyl-phenylether	16.372	248	433740	52.325	ng	99
68) Hexachlorobenzene	16.495	284	497906	51.816	ng	97
69) Atrazine	16.654	200	451704	52.479	ng	98
70) Pentachlorophenol	16.842	266	332839	54.872	ng	97
71) Phenanthrene	17.248	178	2139431	51.673	ng	100
72) Anthracene	17.337	178	2214911	52.385	ng	100
73) Carbazole	17.613	167	2093175	52.559	ng	99
74) Di-n-butylphthalate	18.213	149	2589522	52.849	ng	99
75) Fluoranthene	19.325	202	2563702	51.910	ng	99
77) Benzidine	19.513	184	1330198	48.615	ng	99
78) Pyrene	19.701	202	2644850	50.754	ng	100
80) Butylbenzylphthalate	20.660	149	1231376	52.139	ng	98
81) Benzo(a)anthracene	21.630	228	2723006	51.499	ng	100
82) 3,3'-Dichlorobenzidine	21.548	252	1043476	52.357	ng	99
83) Chrysene	21.701	228	2565856	51.817	ng	99
84) Bis(2-ethylhexyl)phtha...	21.577	149	1805478	51.933	ng	100
85) Di-n-octyl phthalate	22.877	149	3150824	52.690	ng	100
87) Indeno(1,2,3-cd)pyrene	28.859	276	3604179m	53.463	ng	
88) Benzo(b)fluoranthene	23.960	252	2870971	52.982	ng	100
89) Benzo(k)fluoranthene	24.042	252	2817276	51.956	ng	99
90) Benzo(a)pyrene	24.877	252	2800880	53.100	ng	99
91) Dibenzo(a,h)anthracene	28.965	278	2962622	53.795	ng	98
92) Benzo(g,h,i)perylene	30.053	276	2866689m	52.960	ng	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025397.D
Acq On : 14 Aug 2025 16:01
Operator : CG/JU
Sample : SSTDICC050
Misc :
ALS Vial : 8 Sample Multiplier: 1

Quant Time: Aug 14 17:57:10 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:152 Resp: 13794

Ion	Ratio	Lower	Upper
152	100		
150	153.9	125.9	188.9
115	60.2	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#2
1,4-Dioxane
Concen: 50.769 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 88 Resp: 165184

Ion	Ratio	Lower	Upper
88	100		
58	72.6	59.2	88.8
43	27.8	21.7	32.5





#3
Pyridine
Concen: 50.983 ng
RT: 3.725 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 79 Resp: 45402

Ion	Ratio	Lower	Upper
79	100		
52	72.9	55.5	83.3
51	36.3	28.3	42.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#4
n-Nitrosodimethylamine
Concen: 52.524 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 42 Resp: 192837

Ion	Ratio	Lower	Upper
42	100		
74	133.0	107.0	160.4
44	6.9	6.2	9.4





#5
2-Fluorophenol
Concen: 102.963 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:112 Resp: 85525

Ion	Ratio	Lower	Upper
112	100		
64	55.4	43.8	65.8
63	28.8	22.7	34.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#6
Aniline
Concen: 52.743 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 93 Resp: 756782

Ion	Ratio	Lower	Upper
93	100		
66	38.0	30.4	45.6
65	19.1	15.3	22.9





#7
Phenol-d6
Concen: 106.283 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 99 Resp: 113186

Ion	Ratio	Lower	Upper
99	100		
42	16.7	13.7	20.5
71	34.4	28.2	42.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#8
2-Chlorophenol
Concen: 52.550 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:128 Resp: 492570

Ion	Ratio	Lower	Upper
128	100		
130	33.4	12.6	52.6
64	42.7	23.4	63.4





#9
Benzaldehyde
Concen: 58.325 ng
RT: 6.943 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 77 Resp: 43517

Ion	Ratio	Lower	Upper
77	100		
105	102.9	84.8	124.8
106	96.7	80.5	120.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#10
Phenol
Concen: 52.687 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 94 Resp: 588764

Ion	Ratio	Lower	Upper
94	100		
65	28.1	6.8	46.8
66	38.4	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 52.320 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 93 Resp: 45569

Ion	Ratio	Lower	Upper
93	100		
63	73.4	52.6	92.6
95	32.9	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#12
1,3-Dichlorobenzene
Concen: 51.884 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:146 Resp: 536261

Ion	Ratio	Lower	Upper
146	100		
148	63.3	51.9	77.9
75	29.6	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 52.113 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:146 Resp: 55054

Ion	Ratio	Lower	Upper
146	100		
148	63.3	51.6	77.4
111	42.2	33.4	50.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#14
1,2-Dichlorobenzene
Concen: 51.705 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:146 Resp: 528750

Ion	Ratio	Lower	Upper
146	100		
148	64.3	50.4	75.6
111	43.1	34.5	51.7





#15
Benzyl Alcohol
Concen: 52.458 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 79 Resp: 44388

Ion	Ratio	Lower	Upper
79	100		
108	77.9	63.8	95.6
77	63.4	49.0	73.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 51.742 ng
RT: 8.319 min Scan# 915
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 45 Resp: 603716

Ion	Ratio	Lower	Upper
45	100		
77	15.6	0.0	35.3
79	12.4	0.0	31.8





#17
2-Methylphenol
Concen: 53.211 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:107 Resp: 41297

Ion	Ratio	Lower	Upper
107	100		
108	113.8	89.4	134.0
77	45.5	36.3	54.5
79	44.3	36.6	54.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#18
Hexachloroethane
Concen: 52.178 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:117 Resp: 202672

Ion	Ratio	Lower	Upper
117	100		
119	95.4	75.1	112.7
201	106.7	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 51.419 ng
RT: 8.590 min Scan# 9
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 70 Resp: 36315

Ion	Ratio	Lower	Upper
70	100		
42	56.4	43.8	65.6
101	10.6	8.5	12.7
130	23.4	19.4	29.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#20
3+4-Methylphenols
Concen: 52.538 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:107 Resp: 565208

Ion	Ratio	Lower	Upper
107	100		
108	86.8	66.3	106.3
77	32.2	12.3	52.3
79	28.4	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:136 Resp: 57391

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.2	13.8
54	7.9	6.0	9.0
68	5.5	4.3	6.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#22
Acetophenone
Concen: 52.131 ng
RT: 8.602 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:105 Resp: 750308

Ion	Ratio	Lower	Upper
105	100		
71	3.9	2.6	4.0
51	25.5	20.6	30.8
120	23.3	18.6	27.8





#23
Nitrobenzene-d5
Concen: 105.910 ng
RT: 8.937 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 82 Resp: 120160

Ion	Ratio	Lower	Upper
82	100		
128	46.2	37.7	56.5
54	49.4	39.8	59.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#24
Nitrobenzene
Concen: 53.024 ng
RT: 8.978 min Scan# 1027
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 77 Resp: 537647

Ion	Ratio	Lower	Upper
77	100		
123	49.5	38.6	58.0
65	13.9	10.6	15.8





#25
Isophorone
Concen: 52.182 ng
RT: 9.502 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 82 Resp: 104773

Ion	Ratio	Lower	Upper
82	100		
95	7.8	6.4	9.6
138	18.5	15.4	23.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#26
2-Nitrophenol
Concen: 54.323 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:139 Resp: 282682

Ion	Ratio	Lower	Upper
139	100		
109	32.3	26.9	40.3
65	46.8	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 53.806 ng
RT: 9.737 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:122 Resp: 48150

Ion	Ratio	Lower	Upper
122	100		
107	120.8	93.7	140.5
121	60.2	46.6	69.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#28
bis(2-Chloroethoxy)methane
Concen: 51.909 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 93 Resp: 630027

Ion	Ratio	Lower	Upper
93	100		
95	32.2	25.4	38.0
123	11.8	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 53.478 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:162 Resp: 47540

Ion	Ratio	Lower	Upper
162	100		
164	64.1	44.4	84.4
98	36.2	14.9	54.9



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#30
1,2,4-Trichlorobenzene
Concen: 52.101 ng
RT: 10.431 min Scan# 1274
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:180 Resp: 507724

Ion	Ratio	Lower	Upper
180	100		
182	97.0	78.0	117.0
145	30.8	25.9	38.9





#31
Naphthalene
Concen: 52.305 ng
RT: 10.607 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:128 Resp: 156024

Ion	Ratio	Lower	Upper
128	100		
129	10.8	8.6	13.0
127	13.1	10.7	16.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#32
Benzoic acid
Concen: 54.274 ng
RT: 9.884 min Scan# 1181
Delta R.T. 0.012 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:122 Resp: 357706

Ion	Ratio	Lower	Upper
122	100		
105	128.1	100.6	140.6
77	92.6	71.5	111.5





#33
4-Chloroaniline
Concen: 53.548 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:127 Resp: 70556

Ion	Ratio	Lower	Upper
127	100		
129	31.9	25.4	38.2
65	28.7	23.8	35.6
92	18.8	15.8	23.8

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#34
Hexachlorobutadiene
Concen: 51.436 ng
RT: 10.902 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:225 Resp: 312163

Ion	Ratio	Lower	Upper
225	100		
223	63.5	50.0	75.0
227	63.7	49.7	74.5





#35
Caprolactam
Concen: 52.969 ng
RT: 11.502 min Scan# 14
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:113 Resp: 17266

Ion	Ratio	Lower	Upper
113	100		
55	149.6	140.0	180.0
56	116.0	100.0	140.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#36
4-Chloro-3-methylphenol
Concen: 52.407 ng
RT: 11.843 min Scan# 1514
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:107 Resp: 534583

Ion	Ratio	Lower	Upper
107	100		
144	26.0	21.0	31.4
142	80.6	64.6	97.0





#37
2-Methylnaphthalene
Concen: 51.710 ng
RT: 12.219 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:142 Resp: 100381

Ion	Ratio	Lower	Upper
142	100		
141	88.5	70.3	105.5
115	36.7	28.9	43.3



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#38
1-Methylnaphthalene
Concen: 52.167 ng
RT: 12.443 min Scan# 1616
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:142 Resp: 1076949

Ion	Ratio	Lower	Upper
142	100		
141	92.5	73.1	109.7
116	3.9	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:164 Resp: 37673

Ion	Ratio	Lower	Upper
164	100		
162	100.0	81.0	121.6
160	45.2	35.4	53.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#40
1,2,4,5-Tetrachlorobenzene
Concen: 52.769 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:216 Resp: 574152

Ion	Ratio	Lower	Upper
216	100		
214	78.2	63.0	94.4
179	21.5	17.1	25.7
108	18.1	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 55.392 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:237 Resp: 36404

Ion	Ratio	Lower	Upper
237	100		
235	63.6	42.7	82.7
272	12.7	0.0	34.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#42
2,4,6-Tribromophenol
Concen: 106.352 ng
RT: 15.913 min Scan# 2206
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:330 Resp: 539295

Ion	Ratio	Lower	Upper
330	100		
332	96.8	77.3	115.9
141	33.5	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 53.971 ng
RT: 12.831 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:196 Resp: 39644

Ion	Ratio	Lower	Upper
196	100		
198	96.3	77.2	115.8
200	31.0	23.9	35.9



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#44
2,4,5-Trichlorophenol
Concen: 53.421 ng
RT: 12.896 min Scan# 1693
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:196 Resp: 430061

Ion	Ratio	Lower	Upper
196	100		
198	95.8	76.2	114.2
97	50.1	41.2	61.8
132	28.8	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 103.632 ng
RT: 13.019 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:172 Resp: 285663

Ion	Ratio	Lower	Upper
172	100		
171	35.3	28.1	42.1
170	23.4	18.6	28.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#46
1,1'-Biphenyl
Concen: 52.922 ng
RT: 13.231 min Scan# 1750
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:154 Resp: 1447968

Ion	Ratio	Lower	Upper
154	100		
153	39.8	19.5	59.5
76	11.6	0.0	31.1





#47
2-Chloronaphthalene
Concen: 52.344 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:162 Resp: 111492

Ion	Ratio	Lower	Upper
162	100		
127	41.3	33.4	50.2
164	33.2	26.2	39.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#48
2-Nitroaniline
Concen: 54.613 ng
RT: 13.472 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 65 Resp: 338939

Ion	Ratio	Lower	Upper
65	100		
92	70.7	57.6	86.4
138	110.5	91.0	136.6





#49
Acenaphthylene
Concen: 53.227 ng
RT: 14.125 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:152 Resp: 187599

Ion	Ratio	Lower	Upper
152	100		
151	20.1	16.0	24.0
153	13.1	10.6	15.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#50
Dimethylphthalate
Concen: 51.622 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:163 Resp: 1424127

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	10.1	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 53.683 ng
RT: 13.966 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:165 Resp: 31214

Ion	Ratio	Lower	Upper
165	100		
63	53.8	40.9	61.3
89	54.2	42.1	63.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#52
Acenaphthene
Concen: 52.577 ng
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:154 Resp: 1087721

Ion	Ratio	Lower	Upper
154	100		
153	110.6	90.2	135.2
152	53.1	42.1	63.1





#53
3-Nitroaniline
Concen: 55.339 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:138 Resp: 36203

Ion	Ratio	Lower	Upper
138	100		
108	11.0	8.3	12.5
92	106.6	86.2	129.2

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#54
2,4-Dinitrophenol
Concen: 56.503 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:184 Resp: 175453

Ion	Ratio	Lower	Upper
184	100		
63	59.7	49.4	74.2
154	69.4	54.6	82.0





#55
Dibenzofuran
Concen: 52.147 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:168 Resp: 170563

Ion	Ratio	Lower	Upper
168	100		
139	38.9	31.5	47.3
169	13.0	10.9	16.3



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#56
4-Nitrophenol
Concen: 55.103 ng
RT: 14.619 min Scan# 1986
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:139 Resp: 296227

Ion	Ratio	Lower	Upper
139	100		
109	76.8	56.6	96.6
65	85.5	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 54.354 ng
RT: 14.766 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:165 Resp: 45092

Ion	Ratio	Lower	Upper
165	100		
63	42.0	31.4	47.2
89	67.9	53.3	79.9
182	2.9	2.3	3.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#58
Fluorene
Concen: 51.627 ng
RT: 15.466 min Scan# 2130
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:166 Resp: 1332448

Ion	Ratio	Lower	Upper
166	100		
165	97.6	78.8	118.2
167	13.9	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 53.281 ng
RT: 15.043 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:232 Resp: 37874

Ion	Ratio	Lower	Upper
232	100		
131	46.0	37.0	55.6
130	2.5	1.9	2.9
166	30.9	25.4	38.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#60
Diethylphthalate
Concen: 51.728 ng
RT: 15.243 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:149 Resp: 1450033

Ion	Ratio	Lower	Upper
149	100		
177	21.9	17.3	25.9
150	12.8	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 50.647 ng
RT: 15.466 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:204 Resp: 65010

Ion	Ratio	Lower	Upper
204	100		
206	33.4	25.8	38.8
141	61.8	49.4	74.2

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#62
4-Nitroaniline
Concen: 54.278 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:138 Resp: 364030

Ion	Ratio	Lower	Upper
138	100		
92	48.6	29.1	69.1
108	80.9	61.5	101.5





#63
Azobenzene
Concen: 52.602 ng
RT: 15.760 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 77 Resp: 126257

Ion	Ratio	Lower	Upper
77	100		
182	28.3	7.5	47.5
105	22.4	2.1	42.1
51	29.8	9.6	49.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 2425
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:188 Resp: 753705

Ion	Ratio	Lower	Upper
188	100		
94	9.2	6.6	10.0
80	9.8	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 55.792 ng
RT: 15.542 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:198 Resp: 26212

Ion	Ratio	Lower	Upper
198	100		
51	41.2	19.6	59.6
105	42.0	20.9	60.9

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#66
n-Nitrosodiphenylamine
Concen: 51.997 ng
RT: 15.678 min Scan# 2166
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:169 Resp: 1195077

Ion	Ratio	Lower	Upper
169	100		
168	66.4	53.2	79.8
167	35.4	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 52.325 ng
RT: 16.372 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:248 Resp: 43374

Ion	Ratio	Lower	Upper
248	100		
250	98.3	78.2	117.2
141	75.0	59.6	89.4

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#68
Hexachlorobenzene
Concen: 51.816 ng
RT: 16.495 min Scan# 2305
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:284 Resp: 497906

Ion	Ratio	Lower	Upper
284	100		
142	33.3	29.1	43.7
249	30.5	25.0	37.4





#69
Atrazine
Concen: 52.479 ng
RT: 16.654 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:200 Resp: 45170

Ion	Ratio	Lower	Upper
200	100		
173	26.1	6.7	46.7
215	47.7	29.7	69.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#70
Pentachlorophenol
Concen: 54.872 ng
RT: 16.842 min Scan# 2364
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:266 Resp: 332839

Ion	Ratio	Lower	Upper
266	100		
268	63.2	52.6	79.0
264	62.1	52.0	78.0





#71
Phenanthrene
Concen: 51.673 ng
RT: 17.248 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:178 Resp: 213943

Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.5	23.3
179	15.2	12.2	18.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#72
Anthracene
Concen: 52.385 ng
RT: 17.337 min Scan# 2448
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:178 Resp: 2214911

Ion	Ratio	Lower	Upper
178	100		
176	18.6	14.7	22.1
179	15.4	12.2	18.2





#73
Carbazole
Concen: 52.559 ng
RT: 17.613 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:167 Resp: 209317

Ion	Ratio	Lower	Upper
167	100		
166	21.2	17.5	26.3
139	13.4	10.6	16.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#74
Di-n-butylphthalate
Concen: 52.849 ng
RT: 18.213 min Scan# 2597
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:149 Resp: 2589522

Ion	Ratio	Lower	Upper
149	100		
150	9.0	7.4	11.0
104	4.7	4.2	6.2





#75
Fluoranthene
Concen: 51.910 ng
RT: 19.325 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:202 Resp: 256370

Ion	Ratio	Lower	Upper
202	100		
101	10.1	0.0	31.1
203	17.5	0.0	37.3



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:240 Resp: 801742

Ion	Ratio	Lower	Upper
240	100		
120	10.7	8.9	13.3
236	25.5	19.8	29.8





#77
Benzidine
Concen: 48.615 ng
RT: 19.513 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:184 Resp: 133019

Ion	Ratio	Lower	Upper
184	100		
185	14.2	11.5	17.3
183	12.1	9.4	14.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#78
Pyrene
Concen: 50.754 ng
RT: 19.701 min Scan# 2850
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:202 Resp: 2644850

Ion	Ratio	Lower	Upper
202	100		
200	21.0	16.9	25.3
203	17.4	14.2	21.2





#79
Terphenyl-d14
Concen: 100.615 ng
RT: 19.925 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:244 Resp: 440909

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	9.2	7.4	11.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#80
Butylbenzylphthalate
Concen: 52.139 ng
RT: 20.660 min Scan# 3013
Delta R.T. 0.012 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:149 Resp: 1231376

Ion	Ratio	Lower	Upper
149	100		
91	65.9	54.2	81.2
206	22.2	16.6	24.8





#81
Benzo(a)anthracene
Concen: 51.499 ng
RT: 21.630 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:228 Resp: 272300

Ion	Ratio	Lower	Upper
228	100		
226	27.0	21.7	32.5
229	19.8	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#82
3,3'-Dichlorobenzidine
Concen: 52.357 ng
RT: 21.548 min Scan# 3164
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:252 Resp: 1043476

Ion	Ratio	Lower	Upper
252	100		
254	63.7	51.8	77.6
126	11.1	9.1	13.7





#83
Chrysene
Concen: 51.817 ng
RT: 21.701 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:228 Resp: 256585

Ion	Ratio	Lower	Upper
228	100		
226	29.6	23.2	34.8
229	19.7	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 51.933 ng
RT: 21.577 min Scan# 3169
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:149 Resp: 1805478

Ion	Ratio	Lower	Upper
149	100		
167	27.6	22.1	33.1
279	4.8	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 52.690 ng
RT: 22.877 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:149 Resp: 315082

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	7.9	6.3	9.5

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.036 min Scan# 3757
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:264 Resp: 918939

Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.3	28.9
265	21.5	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 53.463 ng m
RT: 28.859 min Scan# 4
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:276 Resp: 360417

Ion	Ratio	Lower	Upper
276	100		
138	8.3	12.9	19.3#
277	9.7	17.0	25.6#



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#88
Benzo(b)fluoranthene
Concen: 52.982 ng
RT: 23.960 min Scan# 3574
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:252 Resp: 2870971

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.7	26.5
125	9.8	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 51.956 ng
RT: 24.042 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:252 Resp: 281727

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.1	25.7
125	9.5	7.8	11.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#90
Benzo(a)pyrene
Concen: 53.100 ng
RT: 24.877 min Scan# 3730
Delta R.T. 0.024 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:252 Resp: 2800880

Ion	Ratio	Lower	Upper
252	100		
253	21.5	17.5	26.3
125	10.7	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 53.795 ng
RT: 28.965 min Scan# 44
Delta R.T. 0.012 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:278 Resp: 296262

Ion	Ratio	Lower	Upper
278	100		
139	15.5	13.0	19.4
279	22.9	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#92
Benzo(g,h,i)perylene
Concen: 52.960 ng m
RT: 30.053 min Scan# 4610
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:276 Resp: 2866689

Ion	Ratio	Lower	Upper
276	100		
277	23.5	19.4	29.0
138	21.6	16.7	25.1



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025398.D
Acq On : 14 Aug 2025 16:42
Operator : CG/JU
Sample : SSTDICC060
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Quant Time: Aug 14 17:58:29 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	162248	20.000	ng		0.00
21) Naphthalene-d8	10.566	136	693237	20.000	ng		0.00
39) Acenaphthene-d10	14.413	164	460439	20.000	ng		0.00
64) Phenanthrene-d10	17.213	188	923402	20.000	ng		0.01
76) Chrysene-d12	21.666	240	926019	20.000	ng		0.02
86) Perylene-d12	25.042	264	1081163	20.000	ng		0.01
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	1193329	122.144	ng		0.00
7) Phenol-d6	6.972	99	1566626	125.072	ng		0.00
23) Nitrobenzene-d5	8.931	82	1698557	123.944	ng		0.00
42) 2,4,6-Tribromophenol	15.925	330	760738	122.748	ng		0.01
45) 2-Fluorobiphenyl	13.025	172	3963871	117.656	ng		0.00
79) Terphenyl-d14	19.930	244	5896004	116.490	ng		0.01
Target Compounds							Qvalue
2) 1,4-Dioxane	3.337	88	225015	58.799	ng		99
3) Pyridine	3.731	79	623639	59.539	ng		97
4) n-Nitrosodimethylamine	3.637	42	269971	62.518	ng		100
6) Aniline	7.125	93	1053232	62.408	ng		99
8) 2-Chlorophenol	7.366	128	688094	62.413	ng		100
9) Benzaldehyde	6.943	77	489205	55.745	ng		97
10) Phenol	7.002	94	821863	62.530	ng		98
11) bis(2-Chloroethyl)ether	7.219	93	634374	61.925	ng		99
12) 1,3-Dichlorobenzene	7.684	146	744884	61.273	ng		99
13) 1,4-Dichlorobenzene	7.825	146	751354	60.469	ng		100
14) 1,2-Dichlorobenzene	8.143	146	723663	60.165	ng		99
15) Benzyl Alcohol	8.025	79	627198	63.019	ng		98
16) 2,2'-oxybis(1-Chloropr...	8.313	45	846896	61.712	ng		99
17) 2-Methylphenol	8.225	107	579471	63.480	ng		99
18) Hexachloroethane	8.866	117	281129	61.535	ng		95
19) n-Nitroso-di-n-propyla...	8.590	70	507223	61.060	ng		98
20) 3+4-Methylphenols	8.555	107	798107	63.075	ng		96
22) Acetophenone	8.602	105	1051848	60.503	ng	#	99
24) Nitrobenzene	8.978	77	752762	61.461	ng		98
25) Isophorone	9.502	82	1475193	60.825	ng		99
26) 2-Nitrophenol	9.678	139	405821	64.564	ng		98
27) 2,4-Dimethylphenol	9.743	122	675186	62.463	ng		100
28) bis(2-Chloroethoxy)met...	9.972	93	894872	61.040	ng		99
29) 2,4-Dichlorophenol	10.213	162	673952	62.764	ng		99
30) 1,2,4-Trichlorobenzene	10.425	180	715954	60.823	ng		98
31) Naphthalene	10.613	128	2187912	60.722	ng		100
32) Benzoic acid	9.907	122	530609	66.651	ng		98
33) 4-Chloroaniline	10.713	127	993155	62.401	ng		99
34) Hexachlorobutadiene	10.901	225	442929	60.421	ng		100
35) Caprolactam	11.513	113	241521	61.340	ng		95
36) 4-Chloro-3-methylphenol	11.843	107	764338	62.033	ng		98
37) 2-Methylnaphthalene	12.219	142	1418882	60.511	ng		99
38) 1-Methylnaphthalene	12.437	142	1494304	59.925	ng		100
40) 1,2,4,5-Tetrachloroben...	12.590	216	802737	60.365	ng		100
41) Hexachlorocyclopentadiene	12.572	237	536440	66.784	ng		99
43) 2,4,6-Trichlorophenol	12.831	196	564165	62.841	ng		99

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025398.D
Acq On : 14 Aug 2025 16:42
Operator : CG/JU
Sample : SSTDICC060
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Quant Time: Aug 14 17:58:29 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

	Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44)	2,4,5-Trichlorophenol	12.901	196	619246	62.937	ng	97
46)	1,1'-Biphenyl	13.237	154	1996186	59.695	ng	99
47)	2-Chloronaphthalene	13.272	162	1577577	60.600	ng	99
48)	2-Nitroaniline	13.472	65	485429	63.996	ng	100
49)	Acenaphthylene	14.131	152	2634005	61.147	ng	99
50)	Dimethylphthalate	13.866	163	2042324	60.572	ng	99
51)	2,6-Dinitrotoluene	13.972	165	446520	62.831	ng	100
52)	Acenaphthene	14.478	154	1527191	60.399	ng	100
53)	3-Nitroaniline	14.301	138	506373	63.331	ng	96
54)	2,4-Dinitrophenol	14.519	184	265089	69.849	ng	98
55)	Dibenzofuran	14.819	168	2387933	59.734	ng	100
56)	4-Nitrophenol	14.625	139	419801	63.893	ng	99
57)	2,4-Dinitrotoluene	14.778	165	650054	64.112	ng	96
58)	Fluorene	15.478	166	1836972	58.236	ng	99
59)	2,3,4,6-Tetrachlorophenol	15.042	232	541317	62.307	ng	100
60)	Diethylphthalate	15.254	149	2015888	58.840	ng	99
61)	4-Chlorophenyl-phenyle...	15.472	204	926280	59.044	ng	99
62)	4-Nitroaniline	15.489	138	510438	62.272	ng	99
63)	Azobenzene	15.766	77	1796580	61.242	ng	99
65)	4,6-Dinitro-2-methylph...	15.554	198	385873	67.038	ng	98
66)	n-Nitrosodiphenylamine	15.684	169	1674806	59.478	ng	99
67)	4-Bromophenyl-phenylether	16.378	248	616767	60.731	ng	97
68)	Hexachlorobenzene	16.501	284	711778	60.461	ng	100
69)	Atrazine	16.666	200	633381	60.063	ng	99
70)	Pentachlorophenol	16.854	266	474276	63.820	ng	97
71)	Phenanthrene	17.260	178	3006132	59.263	ng	100
72)	Anthracene	17.342	178	3050794	58.895	ng	99
73)	Carbazole	17.625	167	2916606	59.776	ng	99
74)	Di-n-butylphthalate	18.219	149	3560427	59.310	ng	100
75)	Fluoranthene	19.342	202	3563798	58.899	ng	99
77)	Benzidine	19.525	184	1690432	53.489	ng	99
78)	Pyrene	19.713	202	3664453	60.883	ng	100
80)	Butylbenzylphthalate	20.660	149	1710246	62.697	ng	99
81)	Benzo(a)anthracene	21.648	228	3702064	60.619	ng	99
82)	3,3'-Dichlorobenzidine	21.554	252	1405597	61.062	ng	100
83)	Chrysene	21.707	228	3453736	60.387	ng	99
84)	Bis(2-ethylhexyl)phtha...	21.583	149	2450963	61.038	ng	100
85)	Di-n-octyl phthalate	22.883	149	4342211	62.869	ng	100
87)	Indeno(1,2,3-cd)pyrene	28.901	276	4937235	62.248	ng	96
88)	Benzo(b)fluoranthene	23.960	252	3883465	60.914	ng	99
89)	Benzo(k)fluoranthene	24.036	252	3912900	61.334	ng	99
90)	Benzo(a)pyrene	24.883	252	3845093	61.959	ng	99
91)	Dibenzo(a,h)anthracene	28.977	278	4035414	62.280	ng	98
92)	Benzo(g,h,i)perylene	30.083	276	3958545	62.159	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025398.D
Acq On : 14 Aug 2025 16:42
Operator : CG/JU
Sample : SSTDICC060
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Quant Time: Aug 14 17:58:29 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:152 Resp: 162248

Ion	Ratio	Lower	Upper
152	100		
150	156.4	125.9	188.9
115	60.5	48.5	72.7





#2
1,4-Dioxane
Concen: 58.799 ng
RT: 3.337 min Scan# 68
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 88 Resp: 225015

Ion	Ratio	Lower	Upper
88	100		
58	73.0	59.2	88.8
43	27.9	21.7	32.5





#3
Pyridine
Concen: 59.539 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion: 79 Resp: 623639

Ion	Ratio	Lower	Upper
79	100		
52	72.1	55.5	83.3
51	36.5	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 62.518 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 42 Resp: 269971

Ion	Ratio	Lower	Upper
42	100		
74	133.4	107.0	160.4
44	7.2	6.2	9.4





#5
2-Fluorophenol
Concen: 122.144 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:112 Resp: 1193329

Ion	Ratio	Lower	Upper
112	100		
64	56.0	43.8	65.8
63	29.0	22.7	34.1





#6
Aniline
Concen: 62.408 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 93 Resp: 1053232

Ion	Ratio	Lower	Upper
93	100		
66	37.5	30.4	45.6
65	18.9	15.3	22.9





#7
Phenol-d6
Concen: 125.072 ng
RT: 6.972 min Scan# 6
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion: 99 Resp: 1566626

Ion	Ratio	Lower	Upper
99	100		
42	17.0	13.7	20.5
71	34.8	28.2	42.4





#8
2-Chlorophenol
Concen: 62.413 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:128 Resp: 688094

Ion	Ratio	Lower	Upper
128	100		
130	32.3	12.6	52.6
64	43.7	23.4	63.4





#9
Benzaldehyde
Concen: 55.745 ng
RT: 6.943 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion: 77 Resp: 489205

Ion	Ratio	Lower	Upper
77	100		
105	101.4	84.8	124.8
106	97.4	80.5	120.5





#10
Phenol
Concen: 62.530 ng
RT: 7.002 min Scan# 691
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 94 Resp: 821863

Ion	Ratio	Lower	Upper
94	100		
65	26.9	6.8	46.8
66	36.8	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 61.925 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion: 93 Resp: 634374

Ion	Ratio	Lower	Upper
93	100		
63	73.6	52.6	92.6
95	32.0	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 61.273 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:146 Resp: 744884

Ion	Ratio	Lower	Upper
146	100		
148	64.8	51.9	77.9
75	28.2	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 60.469 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:146 Resp: 751354

Ion	Ratio	Lower	Upper
146	100		
148	64.5	51.6	77.4
111	42.0	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 60.165 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:146 Resp: 723663

Ion	Ratio	Lower	Upper
146	100		
148	63.6	50.4	75.6
111	43.0	34.5	51.7





#15
Benzyl Alcohol
Concen: 63.019 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion: 79 Resp: 627198

Ion	Ratio	Lower	Upper
79	100		
108	77.2	63.8	95.6
77	62.3	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 61.712 ng
RT: 8.313 min Scan# 914
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 45 Resp: 846896

Ion	Ratio	Lower	Upper
45	100		
77	14.9	0.0	35.3
79	11.0	0.0	31.8





#17
2-Methylphenol
Concen: 63.480 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:107 Resp: 579471

Ion	Ratio	Lower	Upper
107	100		
108	110.9	89.4	134.0
77	45.5	36.3	54.5
79	45.3	36.6	54.8





#18
Hexachloroethane
Concen: 61.535 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:117 Resp: 281129

Ion	Ratio	Lower	Upper
117	100		
119	95.7	75.1	112.7
201	108.4	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 61.060 ng
RT: 8.590 min Scan# 9
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion: 70 Resp: 507223

Ion	Ratio	Lower	Upper
70	100		
42	56.5	43.8	65.6
101	11.1	8.5	12.7
130	24.8	19.4	29.0





#20
3+4-Methylphenols
Concen: 63.075 ng
RT: 8.555 min Scan# 955
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:107 Resp: 798107

Ion	Ratio	Lower	Upper
107	100		
108	91.0	66.3	106.3
77	33.1	12.3	52.3
79	29.9	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.566 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:136 Resp: 693237

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.2	13.8
54	7.6	6.0	9.0
68	5.7	4.3	6.5





#22
Acetophenone
Concen: 60.503 ng
RT: 8.602 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:105 Resp: 1051848

Ion	Ratio	Lower	Upper
105	100		
71	4.2	2.6	4.0#
51	25.5	20.6	30.8
120	22.6	18.6	27.8





#23
Nitrobenzene-d5
Concen: 123.944 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion: 82 Resp: 1698557

Ion	Ratio	Lower	Upper
82	100		
128	45.7	37.7	56.5
54	48.6	39.8	59.6





#24
Nitrobenzene
Concen: 61.461 ng
RT: 8.978 min Scan# 1027
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 77 Resp: 752762

Ion	Ratio	Lower	Upper
77	100		
123	50.3	38.6	58.0
65	13.4	10.6	15.8





#25
Isophorone
Concen: 60.825 ng
RT: 9.502 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion: 82 Resp: 1475193

Ion	Ratio	Lower	Upper
82	100		
95	7.6	6.4	9.6
138	19.0	15.4	23.0





#26
2-Nitrophenol
Concen: 64.564 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:139 Resp: 405821

Ion	Ratio	Lower	Upper
139	100		
109	32.7	26.9	40.3
65	48.9	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 62.463 ng
RT: 9.743 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:122 Resp: 675186

Ion	Ratio	Lower	Upper
122	100		
107	116.7	93.7	140.5
121	58.6	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 61.040 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 93 Resp: 894872

Ion	Ratio	Lower	Upper
93	100		
95	32.6	25.4	38.0
123	11.9	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 62.764 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:162 Resp: 673952

Ion	Ratio	Lower	Upper
162	100		
164	63.3	44.4	84.4
98	35.8	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 60.823 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:180 Resp: 715954

Ion	Ratio	Lower	Upper
180	100		
182	95.0	78.0	117.0
145	31.2	25.9	38.9





#31
Naphthalene
Concen: 60.722 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:128 Resp: 2187912

Ion	Ratio	Lower	Upper
128	100		
129	10.8	8.6	13.0
127	13.2	10.7	16.1





#32
Benzoic acid
Concen: 66.651 ng
RT: 9.907 min Scan# 1185
Delta R.T. 0.035 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:122 Resp: 530609

Ion	Ratio	Lower	Upper
122	100		
105	121.0	100.6	140.6
77	88.6	71.5	111.5





#33
4-Chloroaniline
Concen: 62.401 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:127 Resp: 993155

Ion	Ratio	Lower	Upper
127	100		
129	32.0	25.4	38.2
65	28.5	23.8	35.6
92	19.6	15.8	23.8





#34
Hexachlorobutadiene
Concen: 60.421 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:225 Resp: 442929

Ion	Ratio	Lower	Upper
225	100		
223	62.4	50.0	75.0
227	62.1	49.7	74.5





#35
Caprolactam
Concen: 61.340 ng
RT: 11.513 min Scan# 14
Delta R.T. 0.018 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:113 Resp: 241521

Ion	Ratio	Lower	Upper
113	100		
55	151.8	140.0	180.0
56	117.0	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 62.033 ng
RT: 11.843 min Scan# 1514
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:107 Resp: 764338

Ion	Ratio	Lower	Upper
107	100		
144	25.7	21.0	31.4
142	79.2	64.6	97.0





#37
2-Methylnaphthalene
Concen: 60.511 ng
RT: 12.219 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:142 Resp: 1418882

Ion	Ratio	Lower	Upper
142	100		
141	87.1	70.3	105.5
115	36.5	28.9	43.3





#38
1-Methylnaphthalene
Concen: 59.925 ng
RT: 12.437 min Scan# 1615
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:142 Resp: 1494304

Ion	Ratio	Lower	Upper
142	100		
141	91.7	73.1	109.7
116	4.1	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.413 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:164 Resp: 460439

Ion	Ratio	Lower	Upper
164	100		
162	99.0	81.0	121.6
160	43.6	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 60.365 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:216 Resp: 802737

Ion	Ratio	Lower	Upper
216	100		
214	78.3	63.0	94.4
179	21.6	17.1	25.7
108	18.7	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 66.784 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:237 Resp: 536440

Ion	Ratio	Lower	Upper
237	100		
235	61.9	42.7	82.7
272	13.0	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 122.748 ng
RT: 15.925 min Scan# 2208
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:330 Resp: 760738

Ion	Ratio	Lower	Upper
330	100		
332	97.5	77.3	115.9
141	33.3	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 62.841 ng
RT: 12.831 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:196 Resp: 564165

Ion	Ratio	Lower	Upper
196	100		
198	96.9	77.2	115.8
200	31.5	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 62.937 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:196 Resp: 619246

Ion	Ratio	Lower	Upper
196	100		
198	93.8	76.2	114.2
97	47.7	41.2	61.8
132	27.4	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 117.656 ng
RT: 13.025 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:172 Resp: 3963871

Ion	Ratio	Lower	Upper
172	100		
171	35.3	28.1	42.1
170	23.5	18.6	28.0





#46
1,1'-Biphenyl
Concen: 59.695 ng
RT: 13.237 min Scan# 1751
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:154 Resp: 1996186

Ion	Ratio	Lower	Upper
154	100		
153	39.8	19.5	59.5
76	11.6	0.0	31.1





#47
2-Chloronaphthalene
Concen: 60.600 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:162 Resp: 1577577

Ion	Ratio	Lower	Upper
162	100		
127	40.7	33.4	50.2
164	32.2	26.2	39.2





#48
2-Nitroaniline
Concen: 63.996 ng
RT: 13.472 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 65 Resp: 485429

Ion	Ratio	Lower	Upper
65	100		
92	72.4	57.6	86.4
138	113.7	91.0	136.6





#49
Acenaphthylene
Concen: 61.147 ng
RT: 14.131 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:152 Resp: 2634005

Ion	Ratio	Lower	Upper
152	100		
151	19.7	16.0	24.0
153	13.0	10.6	15.8





#50
Dimethylphthalate
Concen: 60.572 ng
RT: 13.866 min Scan# 1858
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:163 Resp: 2042324

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.3	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 62.831 ng
RT: 13.972 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:165 Resp: 446520

Ion	Ratio	Lower	Upper
165	100		
63	51.6	40.9	61.3
89	52.5	42.1	63.1





#52
Acenaphthene
Concen: 60.399 ng
RT: 14.478 min Scan# 1962
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:154 Resp: 1527191

Ion	Ratio	Lower	Upper
154	100		
153	112.7	90.2	135.2
152	52.8	42.1	63.1





#53
3-Nitroaniline
Concen: 63.331 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:138 Resp: 506373

Ion	Ratio	Lower	Upper
138	100		
108	11.1	8.3	12.5
92	111.9	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 69.849 ng
RT: 14.519 min Scan# 1969
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:184 Resp: 265089

Ion	Ratio	Lower	Upper
184	100		
63	60.1	49.4	74.2
154	67.3	54.6	82.0





#55
Dibenzofuran
Concen: 59.734 ng
RT: 14.819 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:168 Resp: 2387933

Ion	Ratio	Lower	Upper
168	100		
139	39.5	31.5	47.3
169	13.4	10.9	16.3





#56
4-Nitrophenol
Concen: 63.893 ng
RT: 14.625 min Scan# 1987
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:139 Resp: 419801

Ion	Ratio	Lower	Upper
139	100		
109	77.0	56.6	96.6
65	87.6	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 64.112 ng
RT: 14.778 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:165 Resp: 650054

Ion	Ratio	Lower	Upper
165	100		
63	37.0	31.4	47.2
89	63.3	53.3	79.9
182	2.9	2.3	3.5





#58
Fluorene
Concen: 58.236 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:166 Resp: 1836972

Ion	Ratio	Lower	Upper
166	100		
165	97.8	78.8	118.2
167	13.6	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 62.307 ng
RT: 15.042 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:232 Resp: 541317

Ion	Ratio	Lower	Upper
232	100		
131	46.2	37.0	55.6
130	2.4	1.9	2.9
166	32.0	25.4	38.0





#60
Diethylphthalate
Concen: 58.840 ng
RT: 15.254 min Scan# 2094
Delta R.T. 0.018 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:149 Resp: 2015888

Ion	Ratio	Lower	Upper
149	100		
177	22.0	17.3	25.9
150	12.6	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 59.044 ng
RT: 15.472 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:204 Resp: 926280

Ion	Ratio	Lower	Upper
204	100		
206	32.4	25.8	38.8
141	63.3	49.4	74.2





#62
4-Nitroaniline
Concen: 62.272 ng
RT: 15.489 min Scan# 2134
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:138 Resp: 510438

Ion	Ratio	Lower	Upper
138	100		
92	47.7	29.1	69.1
108	81.8	61.5	101.5





#63
Azobenzene
Concen: 61.242 ng
RT: 15.766 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion: 77 Resp: 1796580

Ion	Ratio	Lower	Upper
77	100		
182	26.7	7.5	47.5
105	22.1	2.1	42.1
51	30.6	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.213 min Scan# 2427
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:188 Resp: 923402

Ion	Ratio	Lower	Upper
188	100		
94	8.5	6.6	10.0
80	9.3	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 67.038 ng
RT: 15.554 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:198 Resp: 385873

Ion	Ratio	Lower	Upper
198	100		
51	38.9	19.6	59.6
105	39.4	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 59.478 ng
RT: 15.684 min Scan# 2167
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:169 Resp: 1674806

Ion	Ratio	Lower	Upper
169	100		
168	66.1	53.2	79.8
167	36.3	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 60.731 ng
RT: 16.378 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:248 Resp: 616767

Ion	Ratio	Lower	Upper
248	100		
250	98.4	78.2	117.2
141	78.7	59.6	89.4





#68
Hexachlorobenzene
Concen: 60.461 ng
RT: 16.501 min Scan# 2306
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:284 Resp: 711778

Ion	Ratio	Lower	Upper
284	100		
142	36.1	29.1	43.7
249	31.3	25.0	37.4





#69
Atrazine
Concen: 60.063 ng
RT: 16.666 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:200 Resp: 633381

Ion	Ratio	Lower	Upper
200	100		
173	26.0	6.7	46.7
215	49.4	29.7	69.7





#70
Pentachlorophenol
Concen: 63.820 ng
RT: 16.854 min Scan# 2366
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:266 Resp: 474276

Ion	Ratio	Lower	Upper
266	100		
268	63.5	52.6	79.0
264	62.4	52.0	78.0





#71
Phenanthrene
Concen: 59.263 ng
RT: 17.260 min Scan# 24
Delta R.T. 0.018 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:178 Resp: 3006132

Ion	Ratio	Lower	Upper
178	100		
176	19.4	15.5	23.3
179	15.4	12.2	18.4





#72
Anthracene
Concen: 58.895 ng
RT: 17.342 min Scan# 2449
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:178 Resp: 3050794

Ion	Ratio	Lower	Upper
178	100		
176	18.6	14.7	22.1
179	15.9	12.2	18.2





#73
Carbazole
Concen: 59.776 ng
RT: 17.625 min Scan# 24
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:167 Resp: 2916606

Ion	Ratio	Lower	Upper
167	100		
166	21.4	17.5	26.3
139	13.4	10.6	16.0





#74
Di-n-butylphthalate
Concen: 59.310 ng
RT: 18.219 min Scan# 2598
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:149 Resp: 3560427

Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.4	11.0
104	5.1	4.2	6.2





#75
Fluoranthene
Concen: 58.899 ng
RT: 19.342 min Scan# 2
Delta R.T. 0.018 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:202 Resp: 3563798

Ion	Ratio	Lower	Upper
202	100		
101	10.3	0.0	31.1
203	17.3	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.666 min Scan# 3184
Delta R.T. 0.018 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:240 Resp: 926019

Ion	Ratio	Lower	Upper
240	100		
120	10.5	8.9	13.3
236	25.3	19.8	29.8





#77
Benzidine
Concen: 53.489 ng
RT: 19.525 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:184 Resp: 1690432

Ion	Ratio	Lower	Upper
184	100		
185	13.8	11.5	17.3
183	11.7	9.4	14.2





#78
Pyrene
Concen: 60.883 ng
RT: 19.713 min Scan# 2852
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:202 Resp: 3664453

Ion	Ratio	Lower	Upper
202	100		
200	20.9	16.9	25.3
203	17.7	14.2	21.2





#79
Terphenyl-d14
Concen: 116.490 ng
RT: 19.930 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:244 Resp: 5896004

Ion	Ratio	Lower	Upper
244	100		
212	7.5	5.8	8.6
122	9.0	7.4	11.2





#80
Butylbenzylphthalate
Concen: 62.697 ng
RT: 20.660 min Scan# 3013
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:149 Resp: 1710246

Ion	Ratio	Lower	Upper
149	100		
91	66.9	54.2	81.2
206	20.9	16.6	24.8





#81
Benzo(a)anthracene
Concen: 60.619 ng
RT: 21.648 min Scan# 3
Delta R.T. 0.018 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:228 Resp: 3702064

Ion	Ratio	Lower	Upper
228	100		
226	26.8	21.7	32.5
229	19.2	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 61.062 ng
RT: 21.554 min Scan# 3165
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:252 Resp: 1405597

Ion	Ratio	Lower	Upper
252	100		
254	64.4	51.8	77.6
126	11.2	9.1	13.7





#83
Chrysene
Concen: 60.387 ng
RT: 21.707 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:228 Resp: 3453736

Ion	Ratio	Lower	Upper
228	100		
226	29.7	23.2	34.8
229	19.6	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 61.038 ng
RT: 21.583 min Scan# 3170
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:149 Resp: 2450963

Ion	Ratio	Lower	Upper
149	100		
167	27.6	22.1	33.1
279	4.6	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 62.869 ng
RT: 22.883 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:149 Resp: 4342211

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	7.8	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.042 min Scan# 3758
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:264 Resp: 1081163

Ion	Ratio	Lower	Upper
264	100		
260	24.6	19.3	28.9
265	22.5	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 62.248 ng
RT: 28.901 min Scan# 44
Delta R.T. 0.035 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:276 Resp: 4937235

Ion	Ratio	Lower	Upper
276	100		
138	18.5	12.9	19.3
277	22.4	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 60.914 ng
RT: 23.960 min Scan# 3574
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:252 Resp: 3883465

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.7	26.5
125	9.4	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 61.334 ng
RT: 24.036 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:252 Resp: 3912900

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.1	25.7
125	10.1	7.8	11.6





#90
Benzo(a)pyrene
Concen: 61.959 ng
RT: 24.883 min Scan# 3731
Delta R.T. 0.030 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:252 Resp: 3845093

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.5	26.3
125	10.3	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 62.280 ng
RT: 28.977 min Scan# 44
Delta R.T. 0.024 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Instrument :
BNA_P
ClientSampleId :
SSTDICC060

Tgt Ion:278 Resp: 4035414

Ion	Ratio	Lower	Upper
278	100		
139	15.1	13.0	19.4
279	23.5	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 62.159 ng
RT: 30.083 min Scan# 4615
Delta R.T. 0.024 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:276 Resp: 3958545

Ion	Ratio	Lower	Upper
276	100		
277	24.0	19.4	29.0
138	20.8	16.7	25.1



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025399.D
Acq On : 14 Aug 2025 17:24
Operator : CG/JU
Sample : SSTDICC080
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Quant Time: Aug 14 17:59:43 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.796	152	159148	20.000	ng	0.00
21) Naphthalene-d8	10.566	136	673018	20.000	ng	0.00
39) Acenaphthene-d10	14.401	164	436046	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	856946	20.000	ng	# 0.00
76) Chrysene-d12	21.660	240	888879	20.000	ng	0.01
86) Perylene-d12	25.030	264	1037707	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	1526166	159.254	ng	0.00
7) Phenol-d6	6.972	99	1989633	161.937	ng	0.00
23) Nitrobenzene-d5	8.937	82	2123522	159.609	ng	0.00
42) 2,4,6-Tribromophenol	15.913	330	936489	159.559	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	4712591	147.705	ng	0.00
79) Terphenyl-d14	19.930	244	7103816	146.217	ng	0.01
Target Compounds						Qvalue
2) 1,4-Dioxane	3.337	88	291527	77.664	ng	99
3) Pyridine	3.731	79	807269	78.572	ng	97
4) n-Nitrosodimethylamine	3.637	42	344349	81.296	ng	99
6) Aniline	7.131	93	1333221	80.538	ng	100
8) 2-Chlorophenol	7.372	128	877073	81.104	ng	99
9) Benzaldehyde	6.943	77	582344	67.651	ng	98
10) Phenol	7.002	94	1040534	80.710	ng	98
11) bis(2-Chloroethyl)ether	7.219	93	798672	79.481	ng	99
12) 1,3-Dichlorobenzene	7.684	146	950596	79.718	ng	98
13) 1,4-Dichlorobenzene	7.825	146	961421	78.882	ng	99
14) 1,2-Dichlorobenzene	8.143	146	922658	78.203	ng	99
15) Benzyl Alcohol	8.031	79	795618	81.498	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.319	45	1059824	78.732	ng	99
17) 2-Methylphenol	8.225	107	734482	82.028	ng	100
18) Hexachloroethane	8.866	117	355791	79.395	ng	94
19) n-Nitroso-di-n-propyla...	8.596	70	636387	78.102	ng	99
20) 3+4-Methylphenols	8.555	107	1005632	81.023	ng	97
22) Acetophenone	8.607	105	1314548	77.886	ng	99
24) Nitrobenzene	8.978	77	947511	79.686	ng	99
25) Isophorone	9.507	82	1829675	77.708	ng	99
26) 2-Nitrophenol	9.678	139	511806	83.872	ng	99
27) 2,4-Dimethylphenol	9.743	122	842467	80.280	ng	100
28) bis(2-Chloroethoxy)met...	9.972	93	1103640	77.542	ng	99
29) 2,4-Dichlorophenol	10.213	162	844787	81.037	ng	99
30) 1,2,4-Trichlorobenzene	10.425	180	892771	78.123	ng	98
31) Naphthalene	10.613	128	2722703	77.835	ng	99
32) Benzoic acid	9.901	122	686791	88.861	ng	99
33) 4-Chloroaniline	10.713	127	1232431	79.761	ng	100
34) Hexachlorobutadiene	10.901	225	557922	78.393	ng	99
35) Caprolactam	11.519	113	302874	79.233	ng	95
36) 4-Chloro-3-methylphenol	11.843	107	949779	79.399	ng	99
37) 2-Methylnaphthalene	12.213	142	1761325	77.372	ng	99
38) 1-Methylnaphthalene	12.437	142	1844376	76.186	ng	99
40) 1,2,4,5-Tetrachloroben...	12.584	216	995064	79.014	ng	100
41) Hexachlorocyclopentadiene	12.572	237	668771	87.916	ng	99
43) 2,4,6-Trichlorophenol	12.825	196	706484	83.096	ng	98

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025399.D
Acq On : 14 Aug 2025 17:24
Operator : CG/JU
Sample : SSTDICC080
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 14 17:59:43 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	762861	81.870	ng	99
46) 1,1'-Biphenyl	13.231	154	2453536	77.476	ng	99
47) 2-Chloronaphthalene	13.272	162	1918120	77.804	ng	100
48) 2-Nitroaniline	13.472	65	594696	82.788	ng	96
49) Acenaphthylene	14.125	152	3194918	78.318	ng	100
50) Dimethylphthalate	13.860	163	2446951	76.632	ng	99
51) 2,6-Dinitrotoluene	13.972	165	542710	80.639	ng	99
52) Acenaphthene	14.472	154	1841448	76.902	ng	99
53) 3-Nitroaniline	14.301	138	618087	81.627	ng	100
54) 2,4-Dinitrophenol	14.507	184	339125	94.356	ng	100
55) Dibenzofuran	14.807	168	2915933	77.023	ng	99
56) 4-Nitrophenol	14.619	139	520294	83.618	ng	96
57) 2,4-Dinitrotoluene	14.766	165	791214	82.399	ng	99
58) Fluorene	15.466	166	2185593	73.164	ng	98
59) 2,3,4,6-Tetrachlorophenol	15.031	232	661890	80.448	ng	100
60) Diethylphthalate	15.242	149	2494087	76.870	ng	100
61) 4-Chlorophenyl-phenyle...	15.460	204	1105157	74.388	ng	97
62) 4-Nitroaniline	15.484	138	626525	80.710	ng	97
63) Azobenzene	15.760	77	2139674	77.017	ng	99
65) 4,6-Dinitro-2-methylph...	15.542	198	472602	88.473	ng	93
66) n-Nitrosodiphenylamine	15.678	169	2034782	77.866	ng	100
67) 4-Bromophenyl-phenylether	16.372	248	745915	79.144	ng	98
68) Hexachlorobenzene	16.495	284	860051	78.721	ng	97
69) Atrazine	16.654	200	783533	80.064	ng	98
70) Pentachlorophenol	16.842	266	589673	85.502	ng	98
71) Phenanthrene	17.242	178	3623454	76.972	ng	99
72) Anthracene	17.336	178	3702277	77.014	ng	99
73) Carbazole	17.607	167	3503273	77.368	ng	99
74) Di-n-butylphthalate	18.219	149	4336701	77.844	ng	100
75) Fluoranthene	19.330	202	4313301	76.815	ng	99
77) Benzidine	19.525	184	2036246	67.124	ng	99
78) Pyrene	19.707	202	4410693	76.343	ng	99
80) Butylbenzylphthalate	20.660	149	2054404	78.460	ng	97
81) Benzo(a)anthracene	21.642	228	4532763	77.322	ng	100
82) 3,3'-Dichlorobenzidine	21.554	252	1705746	77.197	ng	100
83) Chrysene	21.707	228	4218161	76.835	ng	99
84) Bis(2-ethylhexyl)phtha...	21.583	149	3021891	78.400	ng	100
85) Di-n-octyl phthalate	22.877	149	5302080	79.974	ng	100
87) Indeno(1,2,3-cd)pyrene	28.895	276	6168570m	81.030	ng	
88) Benzo(b)fluoranthene	23.977	252	4876398	79.692	ng	100
89) Benzo(k)fluoranthene	24.054	252	4734637	77.323	ng	99
90) Benzo(a)pyrene	24.889	252	4735685	79.505	ng	99
91) Dibenzo(a,h)anthracene	28.983	278	5046260	81.142	ng	99
92) Benzo(g,h,i)perylene	30.106	276	4949477	80.973	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025399.D
Acq On : 14 Aug 2025 17:24
Operator : CG/JU
Sample : SSTDICC080
Misc :
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Aug 14 17:59:43 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.796 min Scan# 8
Delta R.T. -0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:152 Resp: 15914

Ion	Ratio	Lower	Upper
152	100		
150	157.9	125.9	188.9
115	59.9	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#2
1,4-Dioxane
Concen: 77.664 ng
RT: 3.337 min Scan# 68
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 88 Resp: 291527

Ion	Ratio	Lower	Upper
88	100		
58	73.3	59.2	88.8
43	27.4	21.7	32.5





#3
Pyridine
Concen: 78.572 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 79 Resp: 80726

Ion	Ratio	Lower	Upper
79	100		
52	72.4	55.5	83.3
51	36.4	28.3	42.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#4
n-Nitrosodimethylamine
Concen: 81.296 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 42 Resp: 344349

Ion	Ratio	Lower	Upper
42	100		
74	134.3	107.0	160.4
44	6.7	6.2	9.4





#5
2-Fluorophenol
Concen: 159.254 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:112 Resp: 152616

Ion	Ratio	Lower	Upper
112	100		
64	54.7	43.8	65.8
63	29.3	22.7	34.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#6
Aniline
Concen: 80.538 ng
RT: 7.131 min Scan# 713
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 93 Resp: 1333221

Ion	Ratio	Lower	Upper
93	100		
66	38.0	30.4	45.6
65	18.5	15.3	22.9





#7
Phenol-d6
Concen: 161.937 ng
RT: 6.972 min Scan# 6
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 99 Resp: 198963

Ion	Ratio	Lower	Upper
99	100		
42	17.1	13.7	20.5
71	35.1	28.2	42.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#8
2-Chlorophenol
Concen: 81.104 ng
RT: 7.372 min Scan# 754
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:128 Resp: 877073

Ion	Ratio	Lower	Upper
128	100		
130	32.6	12.6	52.6
64	42.5	23.4	63.4





#9
Benzaldehyde
Concen: 67.651 ng
RT: 6.943 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 77 Resp: 58234

Ion	Ratio	Lower	Upper
77	100		
105	103.0	84.8	124.8
106	99.3	80.5	120.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#10
Phenol
Concen: 80.710 ng
RT: 7.002 min Scan# 691
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 94 Resp: 1040534

Ion	Ratio	Lower	Upper
94	100		
65	28.0	6.8	46.8
66	38.9	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 79.481 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 93 Resp: 79867

Ion	Ratio	Lower	Upper
93	100		
63	71.7	52.6	92.6
95	32.2	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#12
1,3-Dichlorobenzene
Concen: 79.718 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:146 Resp: 950596

Ion	Ratio	Lower	Upper
146	100		
148	63.4	51.9	77.9
75	30.3	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 78.882 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:146 Resp: 96142

Ion	Ratio	Lower	Upper
146	100		
148	63.8	51.6	77.4
111	41.2	33.4	50.0

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#14
1,2-Dichlorobenzene
Concen: 78.203 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:146 Resp: 922658

Ion	Ratio	Lower	Upper
146	100		
148	64.1	50.4	75.6
111	43.1	34.5	51.7





#15
Benzyl Alcohol
Concen: 81.498 ng
RT: 8.031 min Scan# 8
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 79 Resp: 79561

Ion	Ratio	Lower	Upper
79	100		
108	78.3	63.8	95.6
77	62.8	49.0	73.4

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#16
2,2'-oxybis(1-Chloropropane)
Concen: 78.732 ng
RT: 8.319 min Scan# 915
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 45 Resp: 1059824

Ion	Ratio	Lower	Upper
45	100		
77	15.6	0.0	35.3
79	12.2	0.0	31.8





#17
2-Methylphenol
Concen: 82.028 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:107 Resp: 73448

Ion	Ratio	Lower	Upper
107	100		
108	111.5	89.4	134.0
77	44.8	36.3	54.5
79	45.9	36.6	54.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#18
Hexachloroethane
Concen: 79.395 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:117 Resp: 355791

Ion	Ratio	Lower	Upper
117	100		
119	97.9	75.1	112.7
201	108.5	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 78.102 ng
RT: 8.596 min Scan# 9
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 70 Resp: 63638

Ion	Ratio	Lower	Upper
70	100		
42	54.2	43.8	65.6
101	11.0	8.5	12.7
130	24.2	19.4	29.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#20
3+4-Methylphenols
Concen: 81.023 ng
RT: 8.555 min Scan# 955
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:107 Resp: 1005632

Ion	Ratio	Lower	Upper
107	100		
108	89.6	66.3	106.3
77	33.2	12.3	52.3
79	28.6	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.566 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:136 Resp: 673018

Ion	Ratio	Lower	Upper
136	100		
137	10.1	9.2	13.8
54	7.8	6.0	9.0
68	5.2	4.3	6.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#22
Acetophenone
Concen: 77.886 ng
RT: 8.607 min Scan# 964
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:105 Resp: 1314548

Ion	Ratio	Lower	Upper
105	100		
71	3.4	2.6	4.0
51	25.1	20.6	30.8
120	23.1	18.6	27.8





#23
Nitrobenzene-d5
Concen: 159.609 ng
RT: 8.937 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 82 Resp: 212352

Ion	Ratio	Lower	Upper
82	100		
128	46.0	37.7	56.5
54	49.7	39.8	59.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#24
Nitrobenzene
Concen: 79.686 ng
RT: 8.978 min Scan# 1027
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 77 Resp: 947511

Ion	Ratio	Lower	Upper
77	100		
123	48.7	38.6	58.0
65	13.9	10.6	15.8





#25
Isophorone
Concen: 77.708 ng
RT: 9.507 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 82 Resp: 182967

Ion	Ratio	Lower	Upper
82	100		
95	7.8	6.4	9.6
138	19.4	15.4	23.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#26
2-Nitrophenol
Concen: 83.872 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:139 Resp: 511806

Ion	Ratio	Lower	Upper
139	100		
109	34.2	26.9	40.3
65	47.6	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 80.280 ng
RT: 9.743 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:122 Resp: 84246

Ion	Ratio	Lower	Upper
122	100		
107	116.4	93.7	140.5
121	58.2	46.6	69.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#28
bis(2-Chloroethoxy)methane
Concen: 77.542 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 93 Resp: 1103640

Ion	Ratio	Lower	Upper
93	100		
95	32.7	25.4	38.0
123	11.8	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 81.037 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:162 Resp: 84478

Ion	Ratio	Lower	Upper
162	100		
164	64.6	44.4	84.4
98	35.6	14.9	54.9



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#30
1,2,4-Trichlorobenzene
Concen: 78.123 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:180 Resp: 892771

Ion	Ratio	Lower	Upper
180	100		
182	95.4	78.0	117.0
145	31.9	25.9	38.9





#31
Naphthalene
Concen: 77.835 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:128 Resp: 272270

Ion	Ratio	Lower	Upper
128	100		
129	11.0	8.6	13.0
127	13.2	10.7	16.1



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#32
Benzoic acid
Concen: 88.861 ng
RT: 9.901 min Scan# 1184
Delta R.T. 0.029 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:122 Resp: 686791

Ion	Ratio	Lower	Upper
122	100		
105	121.0	100.6	140.6
77	89.3	71.5	111.5





#33
4-Chloroaniline
Concen: 79.761 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:127 Resp: 123243

Ion	Ratio	Lower	Upper
127	100		
129	31.9	25.4	38.2
65	29.4	23.8	35.6
92	19.7	15.8	23.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#34
Hexachlorobutadiene
Concen: 78.393 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:225 Resp: 557922

Ion	Ratio	Lower	Upper
225	100		
223	61.8	50.0	75.0
227	62.9	49.7	74.5





#35
Caprolactam
Concen: 79.233 ng
RT: 11.519 min Scan# 14
Delta R.T. 0.024 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:113 Resp: 30287

Ion	Ratio	Lower	Upper
113	100		
55	151.5	140.0	180.0
56	115.6	100.0	140.0

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#36
4-Chloro-3-methylphenol
Concen: 79.399 ng
RT: 11.843 min Scan# 1514
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:107 Resp: 949779

Ion	Ratio	Lower	Upper
107	100		
144	25.7	21.0	31.4
142	80.2	64.6	97.0





#37
2-Methylnaphthalene
Concen: 77.372 ng
RT: 12.213 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:142 Resp: 176132

Ion	Ratio	Lower	Upper
142	100		
141	88.9	70.3	105.5
115	37.2	28.9	43.3



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#38
1-Methylnaphthalene
Concen: 76.186 ng
RT: 12.437 min Scan# 1615
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:142 Resp: 1844376

Ion	Ratio	Lower	Upper
142	100		
141	92.0	73.1	109.7
116	4.1	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:164 Resp: 43604

Ion	Ratio	Lower	Upper
164	100		
162	98.6	81.0	121.6
160	42.6	35.4	53.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 79.014 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:216 Resp: 995064

Ion	Ratio	Lower	Upper
216	100		
214	78.8	63.0	94.4
179	21.2	17.1	25.7
108	18.7	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 87.916 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:237 Resp: 66877

Ion	Ratio	Lower	Upper
237	100		
235	61.9	42.7	82.7
272	12.7	0.0	34.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#42
2,4,6-Tribromophenol
Concen: 159.559 ng
RT: 15.913 min Scan# 2206
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:330 Resp: 936489

Ion	Ratio	Lower	Upper
330	100		
332	96.5	77.3	115.9
141	32.8	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 83.096 ng
RT: 12.825 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:196 Resp: 70648

Ion	Ratio	Lower	Upper
196	100		
198	94.8	77.2	115.8
200	30.5	23.9	35.9



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#44
2,4,5-Trichlorophenol
Concen: 81.870 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:196 Resp: 762861

Ion	Ratio	Lower	Upper
196	100		
198	96.1	76.2	114.2
97	49.5	41.2	61.8
132	28.2	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 147.705 ng
RT: 13.019 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:172 Resp: 471259

Ion	Ratio	Lower	Upper
172	100		
171	35.5	28.1	42.1
170	23.3	18.6	28.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#46
1,1'-Biphenyl
Concen: 77.476 ng
RT: 13.231 min Scan# 1750
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:154 Resp: 2453536

Ion	Ratio	Lower	Upper
154	100		
153	40.2	19.5	59.5
76	11.5	0.0	31.1





#47
2-Chloronaphthalene
Concen: 77.804 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:162 Resp: 191812

Ion	Ratio	Lower	Upper
162	100		
127	41.9	33.4	50.2
164	33.0	26.2	39.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#48
2-Nitroaniline
Concen: 82.788 ng
RT: 13.472 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 65 Resp: 594696

Ion	Ratio	Lower	Upper
65	100		
92	72.9	57.6	86.4
138	120.4	91.0	136.6





#49
Acenaphthylene
Concen: 78.318 ng
RT: 14.125 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:152 Resp: 319491

Ion	Ratio	Lower	Upper
152	100		
151	20.2	16.0	24.0
153	13.0	10.6	15.8



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#50
Dimethylphthalate
Concen: 76.632 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:163 Resp: 2446951

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	10.3	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 80.639 ng
RT: 13.972 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:165 Resp: 54271

Ion	Ratio	Lower	Upper
165	100		
63	51.0	40.9	61.3
89	54.4	42.1	63.1

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#52
Acenaphthene
Concen: 76.902 ng
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:154 Resp: 1841448

Ion	Ratio	Lower	Upper
154	100		
153	111.9	90.2	135.2
152	53.1	42.1	63.1





#53
3-Nitroaniline
Concen: 81.627 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:138 Resp: 61808

Ion	Ratio	Lower	Upper
138	100		
108	11.1	8.3	12.5
92	108.1	86.2	129.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#54
2,4-Dinitrophenol
Concen: 94.356 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:184 Resp: 339125

Ion	Ratio	Lower	Upper
184	100		
63	61.4	49.4	74.2
154	68.6	54.6	82.0





#55
Dibenzofuran
Concen: 77.023 ng
RT: 14.807 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:168 Resp: 291593

Ion	Ratio	Lower	Upper
168	100		
139	39.7	31.5	47.3
169	13.1	10.9	16.3

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#56
4-Nitrophenol
Concen: 83.618 ng
RT: 14.619 min Scan# 1986
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:139 Resp: 520294

Ion	Ratio	Lower	Upper
139	100		
109	80.0	56.6	96.6
65	91.5	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 82.399 ng
RT: 14.766 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:165 Resp: 79121

Ion	Ratio	Lower	Upper
165	100		
63	38.7	31.4	47.2
89	66.0	53.3	79.9
182	2.9	2.3	3.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#58
Fluorene
Concen: 73.164 ng
RT: 15.466 min Scan# 2130
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:166 Resp: 2185593

Ion	Ratio	Lower	Upper
166	100		
165	96.8	78.8	118.2
167	13.4	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 80.448 ng
RT: 15.031 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:232 Resp: 66189

Ion	Ratio	Lower	Upper
232	100		
131	45.9	37.0	55.6
130	2.5	1.9	2.9
166	31.7	25.4	38.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#60
Diethylphthalate
Concen: 76.870 ng
RT: 15.242 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:149 Resp: 2494087

Ion	Ratio	Lower	Upper
149	100		
177	21.6	17.3	25.9
150	12.5	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 74.388 ng
RT: 15.460 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:204 Resp: 110515

Ion	Ratio	Lower	Upper
204	100		
206	33.6	25.8	38.8
141	64.1	49.4	74.2

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#62
4-Nitroaniline
Concen: 80.710 ng
RT: 15.484 min Scan# 2133
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:138 Resp: 626525

Ion	Ratio	Lower	Upper
138	100		
92	50.8	29.1	69.1
108	85.1	61.5	101.5





#63
Azobenzene
Concen: 77.017 ng
RT: 15.760 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 77 Resp: 213967

Ion	Ratio	Lower	Upper
77	100		
182	27.9	7.5	47.5
105	22.3	2.1	42.1
51	29.8	9.6	49.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 2425
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:188 Resp: 856946

Ion	Ratio	Lower	Upper
188	100		
94	8.7	6.6	10.0
80	10.1	6.7	10.1#





#65
4,6-Dinitro-2-methylphenol
Concen: 88.473 ng
RT: 15.542 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:198 Resp: 47260

Ion	Ratio	Lower	Upper
198	100		
51	44.3	19.6	59.6
105	44.6	20.9	60.9



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#66
n-Nitrosodiphenylamine
Concen: 77.866 ng
RT: 15.678 min Scan# 2166
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:169 Resp: 2034782

Ion	Ratio	Lower	Upper
169	100		
168	66.7	53.2	79.8
167	36.2	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 79.144 ng
RT: 16.372 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:248 Resp: 74591

Ion	Ratio	Lower	Upper
248	100		
250	97.2	78.2	117.2
141	77.2	59.6	89.4

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#68
Hexachlorobenzene
Concen: 78.721 ng
RT: 16.495 min Scan# 2305
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:284 Resp: 860051

Ion	Ratio	Lower	Upper
284	100		
142	33.7	29.1	43.7
249	31.3	25.0	37.4





#69
Atrazine
Concen: 80.064 ng
RT: 16.654 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:200 Resp: 78353

Ion	Ratio	Lower	Upper
200	100		
173	25.7	6.7	46.7
215	48.2	29.7	69.7



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#70
Pentachlorophenol
Concen: 85.502 ng
RT: 16.842 min Scan# 2364
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:266 Resp: 589673

Ion	Ratio	Lower	Upper
266	100		
268	63.8	52.6	79.0
264	63.4	52.0	78.0





#71
Phenanthrene
Concen: 76.972 ng
RT: 17.242 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:178 Resp: 362345

Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.5	23.3
179	15.7	12.2	18.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#72
Anthracene
Concen: 77.014 ng
RT: 17.336 min Scan# 2448
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:178 Resp: 3702277

Ion	Ratio	Lower	Upper
178	100		
176	18.9	14.7	22.1
179	15.7	12.2	18.2





#73
Carbazole
Concen: 77.368 ng
RT: 17.607 min Scan# 24
Delta R.T. -0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:167 Resp: 350327

Ion	Ratio	Lower	Upper
167	100		
166	21.4	17.5	26.3
139	13.7	10.6	16.0



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#74
Di-n-butylphthalate
Concen: 77.844 ng
RT: 18.219 min Scan# 2598
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:149 Resp: 4336701

Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.4	11.0
104	5.0	4.2	6.2





#75
Fluoranthene
Concen: 76.815 ng
RT: 19.330 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:202 Resp: 431330

Ion	Ratio	Lower	Upper
202	100		
101	10.6	0.0	31.1
203	17.8	0.0	37.3

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.660 min Scan# 3183
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:240 Resp: 888879

Ion	Ratio	Lower	Upper
240	100		
120	10.9	8.9	13.3
236	25.7	19.8	29.8





#77
Benzidine
Concen: 67.124 ng
RT: 19.525 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:184 Resp: 203624

Ion	Ratio	Lower	Upper
184	100		
185	13.9	11.5	17.3
183	11.9	9.4	14.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#78
Pyrene
Concen: 76.343 ng
RT: 19.707 min Scan# 2851
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:202 Resp: 4410693

Ion	Ratio	Lower	Upper
202	100		
200	21.3	16.9	25.3
203	18.1	14.2	21.2





#79
Terphenyl-d14
Concen: 146.217 ng
RT: 19.930 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:244 Resp: 710381

Ion	Ratio	Lower	Upper
244	100		
212	7.5	5.8	8.6
122	9.0	7.4	11.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#80
Butylbenzylphthalate
Concen: 78.460 ng
RT: 20.660 min Scan# 3013
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:149 Resp: 2054404

Ion	Ratio	Lower	Upper
149	100		
91	65.0	54.2	81.2
206	22.1	16.6	24.8





#81
Benzo(a)anthracene
Concen: 77.322 ng
RT: 21.642 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:228 Resp: 453276

Ion	Ratio	Lower	Upper
228	100		
226	27.0	21.7	32.5
229	19.5	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#82
3,3'-Dichlorobenzidine
Concen: 77.197 ng
RT: 21.554 min Scan# 3165
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:252 Resp: 1705746

Ion	Ratio	Lower	Upper
252	100		
254	64.8	51.8	77.6
126	11.0	9.1	13.7





#83
Chrysene
Concen: 76.835 ng
RT: 21.707 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:228 Resp: 421816

Ion	Ratio	Lower	Upper
228	100		
226	30.1	23.2	34.8
229	19.7	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 78.400 ng
RT: 21.583 min Scan# 3170
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:149 Resp: 3021891

Ion	Ratio	Lower	Upper
149	100		
167	27.8	22.1	33.1
279	4.8	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 79.974 ng
RT: 22.877 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:149 Resp: 530208

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.0	6.3	9.5



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.030 min Scan# 3756
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:264 Resp: 1037707

Ion	Ratio	Lower	Upper
264	100		
260	23.2	19.3	28.9
265	21.8	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 81.030 ng m
RT: 28.895 min Scan# 4
Delta R.T. 0.029 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:276 Resp: 616857

Ion	Ratio	Lower	Upper
276	100		
138	16.9	12.9	19.3
277	20.5	17.0	25.6



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#88
Benzo(b)fluoranthene
Concen: 79.692 ng
RT: 23.977 min Scan# 3577
Delta R.T. 0.024 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:252 Resp: 4876398

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.7	26.5
125	9.7	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 77.323 ng
RT: 24.054 min Scan# 3
Delta R.T. 0.024 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:252 Resp: 473463

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.1	25.7
125	9.5	7.8	11.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#90
Benzo(a)pyrene
Concen: 79.505 ng
RT: 24.889 min Scan# 3732
Delta R.T. 0.035 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:252 Resp: 4735685

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.5	26.3
125	10.5	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 81.142 ng
RT: 28.983 min Scan# 4
Delta R.T. 0.029 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:278 Resp: 504626

Ion	Ratio	Lower	Upper
278	100		
139	15.6	13.0	19.4
279	23.6	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#92
Benzo(g,h,i)perylene
Concen: 80.973 ng
RT: 30.106 min Scan# 4619
Delta R.T. 0.047 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:276 Resp: 4949477

Ion	Ratio	Lower	Upper
276	100		
277	23.4	19.4	29.0
138	19.9	16.7	25.1



Quantitation Report (QT Reviewed)

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025400.D
Acq On : 14 Aug 2025 18:05
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 14 18:24:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	174007	20.000	ng		0.00
21) Naphthalene-d8	10.566	136	750079	20.000	ng		0.00
39) Acenaphthene-d10	14.407	164	503239	20.000	ng		0.00
64) Phenanthrene-d10	17.213	188	1034378	20.000	ng		0.01
76) Chrysene-d12	21.654	240	1060337	20.000	ng		0.00
86) Perylene-d12	25.024	264	1200519	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	727486	69.430	ng		0.00
7) Phenol-d6	6.966	99	962695	71.663	ng		0.00
23) Nitrobenzene-d5	8.937	82	984441	66.391	ng		0.00
42) 2,4,6-Tribromophenol	15.919	330	484870	71.582	ng		0.00
45) 2-Fluorobiphenyl	13.025	172	2430828	66.016	ng		0.00
79) Terphenyl-d14	19.936	244	3848160	66.399	ng		0.02
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	138687	33.792	ng		99
3) Pyridine	3.731	79	403298	35.901	ng		98
4) n-Nitrosodimethylamine	3.631	42	176521	38.115	ng		98
6) Aniline	7.125	93	690437	38.147	ng		99
8) 2-Chlorophenol	7.366	128	455230	38.501	ng		99
9) Benzaldehyde	6.943	77	321335	34.142	ng		96
10) Phenol	6.996	94	541123	38.388	ng		99
11) bis(2-Chloroethyl)ether	7.219	93	421318	38.348	ng		99
12) 1,3-Dichlorobenzene	7.684	146	492014	37.738	ng		100
13) 1,4-Dichlorobenzene	7.825	146	504919	37.890	ng		97
14) 1,2-Dichlorobenzene	8.143	146	487845	37.818	ng		99
15) Benzyl Alcohol	8.025	79	416544	39.025	ng		98
16) 2,2'-oxybis(1-Chloropr...	8.319	45	563276	38.271	ng		99
17) 2-Methylphenol	8.225	107	380608	38.877	ng		100
18) Hexachloroethane	8.866	117	186691	38.103	ng		97
19) n-Nitroso-di-n-propyla...	8.590	70	340533	38.270	ng		99
20) 3+4-Methylphenols	8.549	107	524095	38.620	ng		99
22) Acetophenone	8.602	105	718869	38.216	ng	#	99
24) Nitrobenzene	8.978	77	494466	37.313	ng		98
25) Isophorone	9.501	82	993378	37.855	ng		99
26) 2-Nitrophenol	9.678	139	263348	38.722	ng		97
27) 2,4-Dimethylphenol	9.743	122	455078	38.910	ng		99
28) bis(2-Chloroethoxy)met...	9.972	93	599862	37.816	ng		99
29) 2,4-Dichlorophenol	10.213	162	449034	38.649	ng		98
30) 1,2,4-Trichlorobenzene	10.431	180	474183	37.231	ng		98
31) Naphthalene	10.613	128	1459279	37.431	ng		99
32) Benzoic acid	9.884	122	330207	38.242	ng		96
33) 4-Chloroaniline	10.713	127	655135	38.043	ng		99
34) Hexachlorobutadiene	10.901	225	293728	37.031	ng		98
35) Caprolactam	11.501	113	163211	38.310	ng		98
36) 4-Chloro-3-methylphenol	11.837	107	517126	38.789	ng		98
37) 2-Methylnaphthalene	12.219	142	960146	37.845	ng		99
38) 1-Methylnaphthalene	12.443	142	1012844	37.539	ng		99
40) 1,2,4,5-Tetrachloroben...	12.590	216	550777	37.895	ng		100
41) Hexachlorocyclopentadiene	12.572	237	351819	40.074	ng		100
43) 2,4,6-Trichlorophenol	12.831	196	382393	38.972	ng		98

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025400.D
Acq On : 14 Aug 2025 18:05
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Quant Time: Aug 14 18:24:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	420565	39.108	ng	99
46) 1,1'-Biphenyl	13.237	154	1376834	37.672	ng	99
47) 2-Chloronaphthalene	13.272	162	1072147	37.682	ng	99
48) 2-Nitroaniline	13.472	65	323995	39.081	ng	99
49) Acenaphthylene	14.125	152	1775899	37.720	ng	100
50) Dimethylphthalate	13.860	163	1406620	38.170	ng	100
51) 2,6-Dinitrotoluene	13.972	165	304562	39.211	ng	98
52) Acenaphthene	14.472	154	1018011m	36.837	ng	
53) 3-Nitroaniline	14.301	138	349791	40.027	ng	98
54) 2,4-Dinitrophenol	14.507	184	172743	41.646	ng	100
55) Dibenzofuran	14.813	168	1630744	37.324	ng	100
56) 4-Nitrophenol	14.619	139	284585	39.630	ng	99
57) 2,4-Dinitrotoluene	14.772	165	448143	40.439	ng	98
58) Fluorene	15.478	166	1275341	36.992	ng	98
59) 2,3,4,6-Tetrachlorophenol	15.036	232	371715	39.147	ng	99
60) Diethylphthalate	15.242	149	1415787	37.810	ng	99
61) 4-Chlorophenyl-phenyle...	15.472	204	627477	36.596	ng	99
62) 4-Nitroaniline	15.484	138	346865	38.717	ng	99
63) Azobenzene	15.766	77	1235242	38.526	ng	99
65) 4,6-Dinitro-2-methylph...	15.548	198	256111	39.721	ng	99
66) n-Nitrosodiphenylamine	15.684	169	1174244	37.227	ng	100
67) 4-Bromophenyl-phenylether	16.378	248	422072	37.101	ng	96
68) Hexachlorobenzene	16.501	284	488749	37.062	ng	98
69) Atrazine	16.660	200	449555	38.057	ng	100
70) Pentachlorophenol	16.854	266	322435	38.733	ng	98
71) Phenanthrene	17.254	178	2070873	36.445	ng	99
72) Anthracene	17.342	178	2179669	37.563	ng	100
73) Carbazole	17.619	167	2028595	37.116	ng	100
74) Di-n-butylphthalate	18.225	149	2528547	37.602	ng	100
75) Fluoranthene	19.342	202	2540417	37.481	ng	99
77) Benzidine	19.519	184	1529656	42.271	ng	99
78) Pyrene	19.713	202	2577810	37.404	ng	99
80) Butylbenzylphthalate	20.660	149	1199445	38.401	ng	98
81) Benzo(a)anthracene	21.636	228	2583866	36.950	ng	99
82) 3,3'-Dichlorobenzidine	21.554	252	1002597	38.038	ng	99
83) Chrysene	21.701	228	2446197	37.353	ng	99
84) Bis(2-ethylhexyl)phtha...	21.583	149	1780746	38.729	ng	100
85) Di-n-octyl phthalate	22.877	149	2998528	37.915	ng	100
87) Indeno(1,2,3-cd)pyrene	28.877	276	3267965	37.119	ng	94
88) Benzo(b)fluoranthene	23.971	252	2616701	36.964	ng	100
89) Benzo(k)fluoranthene	24.042	252	2653905	37.464	ng	99
90) Benzo(a)pyrene	24.871	252	2560692	37.160	ng	100
91) Dibenzo(a,h)anthracene	28.948	278	2697336	37.490	ng	99
92) Benzo(g,h,i)perylene	30.089	276	2632085	37.216	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025400.D
Acq On : 14 Aug 2025 18:05
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Quant Time: Aug 14 18:24:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:152 Resp: 17400

Ion	Ratio	Lower	Upper
152	100		
150	157.6	125.9	188.9
115	62.0	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#2
1,4-Dioxane
Concen: 33.792 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 88 Resp: 138687

Ion	Ratio	Lower	Upper
88	100		
58	73.7	59.2	88.8
43	27.9	21.7	32.5





#3
Pyridine
Concen: 35.901 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 79 Resp: 40329

Ion	Ratio	Lower	Upper
79	100		
52	70.8	55.5	83.3
51	34.7	28.3	42.5



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#4
n-Nitrosodimethylamine
Concen: 38.115 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 42 Resp: 176521

Ion	Ratio	Lower	Upper
42	100		
74	130.8	107.0	160.4
44	7.7	6.2	9.4





#5
2-Fluorophenol
Concen: 69.430 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:112 Resp: 72748

Ion	Ratio	Lower	Upper
112	100		
64	54.2	43.8	65.8
63	28.8	22.7	34.1



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#6
Aniline
Concen: 38.147 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 93 Resp: 690437

Ion	Ratio	Lower	Upper
93	100		
66	37.3	30.4	45.6
65	18.7	15.3	22.9





#7
Phenol-d6
Concen: 71.663 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 99 Resp: 96269

Ion	Ratio	Lower	Upper
99	100		
42	16.6	13.7	20.5
71	33.7	28.2	42.4



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#8
2-Chlorophenol
Concen: 38.501 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:128 Resp: 455230

Ion	Ratio	Lower	Upper
128	100		
130	31.6	12.6	52.6
64	43.2	23.4	63.4





#9
Benzaldehyde
Concen: 34.142 ng
RT: 6.943 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 77 Resp: 32133

Ion	Ratio	Lower	Upper
77	100		
105	100.9	84.8	124.8
106	96.6	80.5	120.5



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#10
Phenol
Concen: 38.388 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 94 Resp: 541123

Ion	Ratio	Lower	Upper
94	100		
65	27.1	6.8	46.8
66	37.5	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 38.348 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 93 Resp: 42131

Ion	Ratio	Lower	Upper
93	100		
63	73.1	52.6	92.6
95	33.6	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#12
1,3-Dichlorobenzene
Concen: 37.738 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:146 Resp: 492014

Ion	Ratio	Lower	Upper
146	100		
148	64.8	51.9	77.9
75	30.1	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 37.890 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:146 Resp: 50491

Ion	Ratio	Lower	Upper
146	100		
148	62.3	51.6	77.4
111	39.8	33.4	50.0



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#14
1,2-Dichlorobenzene
Concen: 37.818 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:146 Resp: 487845

Ion	Ratio	Lower	Upper
146	100		
148	63.7	50.4	75.6
111	42.1	34.5	51.7





#15
Benzyl Alcohol
Concen: 39.025 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 79 Resp: 41654

Ion	Ratio	Lower	Upper
79	100		
108	78.5	63.8	95.6
77	62.8	49.0	73.4



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 38.271 ng
RT: 8.319 min Scan# 915
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 45 Resp: 563276

Ion	Ratio	Lower	Upper
45	100		
77	14.8	0.0	35.3
79	11.7	0.0	31.8





#17
2-Methylphenol
Concen: 38.877 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:107 Resp: 38060

Ion	Ratio	Lower	Upper
107	100		
108	111.0	89.4	134.0
77	45.3	36.3	54.5
79	45.7	36.6	54.8

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#18
Hexachloroethane
Concen: 38.103 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:117 Resp: 186691

Ion	Ratio	Lower	Upper
117	100		
119	95.0	75.1	112.7
201	105.6	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 38.270 ng
RT: 8.590 min Scan# 9
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 70 Resp: 34053

Ion	Ratio	Lower	Upper
70	100		
42	55.7	43.8	65.6
101	10.7	8.5	12.7
130	24.6	19.4	29.0



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#20
3+4-Methylphenols
Concen: 38.620 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:107 Resp: 524095

Ion	Ratio	Lower	Upper
107	100		
108	88.0	66.3	106.3
77	32.5	12.3	52.3
79	28.3	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.566 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:136 Resp: 75007

Ion	Ratio	Lower	Upper
136	100		
137	10.6	9.2	13.8
54	7.3	6.0	9.0
68	5.6	4.3	6.5



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#22
Acetophenone
Concen: 38.216 ng
RT: 8.602 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:105 Resp: 718869

Ion	Ratio	Lower	Upper
105	100		
71	4.2	2.6	4.0#
51	26.2	20.6	30.8
120	23.1	18.6	27.8





#23
Nitrobenzene-d5
Concen: 66.391 ng
RT: 8.937 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 82 Resp: 98444

Ion	Ratio	Lower	Upper
82	100		
128	47.3	37.7	56.5
54	49.6	39.8	59.6



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#24
Nitrobenzene
Concen: 37.313 ng
RT: 8.978 min Scan# 1027
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 77 Resp: 494466

Ion	Ratio	Lower	Upper
77	100		
123	50.3	38.6	58.0
65	12.9	10.6	15.8





#25
Isophorone
Concen: 37.855 ng
RT: 9.501 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 82 Resp: 99337

Ion	Ratio	Lower	Upper
82	100		
95	7.7	6.4	9.6
138	18.9	15.4	23.0

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#26
2-Nitrophenol
Concen: 38.722 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:139 Resp: 263348

Ion	Ratio	Lower	Upper
139	100		
109	31.7	26.9	40.3
65	46.4	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 38.910 ng
RT: 9.743 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:122 Resp: 45507

Ion	Ratio	Lower	Upper
122	100		
107	115.6	93.7	140.5
121	59.1	46.6	69.8



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#28
bis(2-Chloroethoxy)methane
Concen: 37.816 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 93 Resp: 599862

Ion	Ratio	Lower	Upper
93	100		
95	32.7	25.4	38.0
123	11.9	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 38.649 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:162 Resp: 44903

Ion	Ratio	Lower	Upper
162	100		
164	63.3	44.4	84.4
98	36.9	14.9	54.9



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#30
1,2,4-Trichlorobenzene
Concen: 37.231 ng
RT: 10.431 min Scan# 1274
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:180 Resp: 474183

Ion	Ratio	Lower	Upper
180	100		
182	95.9	78.0	117.0
145	31.7	25.9	38.9





#31
Naphthalene
Concen: 37.431 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:128 Resp: 145927

Ion	Ratio	Lower	Upper
128	100		
129	10.9	8.6	13.0
127	12.8	10.7	16.1



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#32
Benzoic acid
Concen: 38.242 ng
RT: 9.884 min Scan# 1181
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:122 Resp: 330207

Ion	Ratio	Lower	Upper
122	100		
105	126.0	100.6	140.6
77	88.0	71.5	111.5





#33
4-Chloroaniline
Concen: 38.043 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:127 Resp: 65513

Ion	Ratio	Lower	Upper
127	100		
129	31.7	25.4	38.2
65	28.7	23.8	35.6
92	19.3	15.8	23.8



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#34
Hexachlorobutadiene
Concen: 37.031 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:225 Resp: 293728

Ion	Ratio	Lower	Upper
225	100		
223	61.5	50.0	75.0
227	63.6	49.7	74.5





#35
Caprolactam
Concen: 38.310 ng
RT: 11.501 min Scan# 14
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:113 Resp: 16321

Ion	Ratio	Lower	Upper
113	100		
55	156.9	140.0	180.0
56	121.2	100.0	140.0



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#36
4-Chloro-3-methylphenol
Concen: 38.789 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:107 Resp: 517126

Ion	Ratio	Lower	Upper
107	100		
144	25.4	21.0	31.4
142	79.2	64.6	97.0





#37
2-Methylnaphthalene
Concen: 37.845 ng
RT: 12.219 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:142 Resp: 96014

Ion	Ratio	Lower	Upper
142	100		
141	89.0	70.3	105.5
115	37.2	28.9	43.3



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#38
1-Methylnaphthalene
Concen: 37.539 ng
RT: 12.443 min Scan# 1616
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:142 Resp: 1012844

Ion	Ratio	Lower	Upper
142	100		
141	90.0	73.1	109.7
116	3.9	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:164 Resp: 50323

Ion	Ratio	Lower	Upper
164	100		
162	99.1	81.0	121.6
160	44.5	35.4	53.2



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 37.895 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:216 Resp: 550777

Ion	Ratio	Lower	Upper
216	100		
214	78.8	63.0	94.4
179	21.4	17.1	25.7
108	18.9	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 40.074 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:237 Resp: 35181

Ion	Ratio	Lower	Upper
237	100		
235	62.7	42.7	82.7
272	13.0	0.0	34.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#42
2,4,6-Tribromophenol
Concen: 71.582 ng
RT: 15.919 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:330 Resp: 484870

Ion	Ratio	Lower	Upper
330	100		
332	96.4	77.3	115.9
141	33.4	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 38.972 ng
RT: 12.831 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:196 Resp: 38239

Ion	Ratio	Lower	Upper
196	100		
198	94.8	77.2	115.8
200	31.1	23.9	35.9



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#44
2,4,5-Trichlorophenol
Concen: 39.108 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:196 Resp: 420565

Ion	Ratio	Lower	Upper
196	100		
198	94.5	76.2	114.2
97	50.2	41.2	61.8
132	27.4	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 66.016 ng
RT: 13.025 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:172 Resp: 243082

Ion	Ratio	Lower	Upper
172	100		
171	35.3	28.1	42.1
170	23.1	18.6	28.0



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#46
1,1'-Biphenyl
Concen: 37.672 ng
RT: 13.237 min Scan# 1751
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:154 Resp: 1376834

Ion	Ratio	Lower	Upper
154	100		
153	40.2	19.5	59.5
76	11.4	0.0	31.1





#47
2-Chloronaphthalene
Concen: 37.682 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:162 Resp: 107214

Ion	Ratio	Lower	Upper
162	100		
127	40.5	33.4	50.2
164	32.8	26.2	39.2



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#48
2-Nitroaniline
Concen: 39.081 ng
RT: 13.472 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 65 Resp: 323995

Ion	Ratio	Lower	Upper
65	100		
92	72.2	57.6	86.4
138	114.9	91.0	136.6





#49
Acenaphthylene
Concen: 37.720 ng
RT: 14.125 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:152 Resp: 177589

Ion	Ratio	Lower	Upper
152	100		
151	19.8	16.0	24.0
153	13.1	10.6	15.8



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#50
Dimethylphthalate
Concen: 38.170 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:163 Resp: 1406620

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.1	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 39.211 ng
RT: 13.972 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:165 Resp: 30456

Ion	Ratio	Lower	Upper
165	100		
63	52.1	40.9	61.3
89	54.2	42.1	63.1



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#52
Acenaphthene
Concen: 36.837 ng m
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:154 Resp: 1018011

Ion	Ratio	Lower	Upper
154	100		
153	110.9	90.2	135.2
152	52.6	42.1	63.1





#53
3-Nitroaniline
Concen: 40.027 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:138 Resp: 34979

Ion	Ratio	Lower	Upper
138	100		
108	10.6	8.3	12.5
92	110.0	86.2	129.2



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#54
2,4-Dinitrophenol
Concen: 41.646 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:184 Resp: 172743

Ion	Ratio	Lower	Upper
184	100		
63	61.3	49.4	74.2
154	68.1	54.6	82.0





#55
Dibenzofuran
Concen: 37.324 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:168 Resp: 163074

Ion	Ratio	Lower	Upper
168	100		
139	39.8	31.5	47.3
169	13.5	10.9	16.3



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#56
4-Nitrophenol
Concen: 39.630 ng
RT: 14.619 min Scan# 1986
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:139 Resp: 284585

Ion	Ratio	Lower	Upper
139	100		
109	77.1	56.6	96.6
65	90.2	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 40.439 ng
RT: 14.772 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:165 Resp: 44814

Ion	Ratio	Lower	Upper
165	100		
63	37.5	31.4	47.2
89	65.6	53.3	79.9
182	2.8	2.3	3.5



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#58
Fluorene
Concen: 36.992 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:166 Resp: 1275341

Ion	Ratio	Lower	Upper
166	100		
165	97.0	78.8	118.2
167	13.2	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 39.147 ng
RT: 15.036 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:232 Resp: 37171

Ion	Ratio	Lower	Upper
232	100		
131	45.3	37.0	55.6
130	2.6	1.9	2.9
166	31.4	25.4	38.0



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#60
Diethylphthalate
Concen: 37.810 ng
RT: 15.242 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:149 Resp: 1415787

Ion	Ratio	Lower	Upper
149	100		
177	22.0	17.3	25.9
150	12.7	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 36.596 ng
RT: 15.472 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:204 Resp: 62747

Ion	Ratio	Lower	Upper
204	100		
206	32.7	25.8	38.8
141	62.9	49.4	74.2

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#62
4-Nitroaniline
Concen: 38.717 ng
RT: 15.484 min Scan# 2133
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:138 Resp: 346865

Ion	Ratio	Lower	Upper
138	100		
92	48.5	29.1	69.1
108	82.4	61.5	101.5





#63
Azobenzene
Concen: 38.526 ng
RT: 15.766 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 77 Resp: 123524

Ion	Ratio	Lower	Upper
77	100		
182	26.8	7.5	47.5
105	22.8	2.1	42.1
51	29.9	9.6	49.6



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.213 min Scan# 2427
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:188 Resp: 1034378

Ion	Ratio	Lower	Upper
188	100		
94	8.8	6.6	10.0
80	9.4	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 39.721 ng
RT: 15.548 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:198 Resp: 25611

Ion	Ratio	Lower	Upper
198	100		
51	40.6	19.6	59.6
105	40.7	20.9	60.9



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#66
n-Nitrosodiphenylamine
Concen: 37.227 ng
RT: 15.684 min Scan# 2167
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:169 Resp: 1174244

Ion	Ratio	Lower	Upper
169	100		
168	66.0	53.2	79.8
167	35.7	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 37.101 ng
RT: 16.378 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:248 Resp: 42207

Ion	Ratio	Lower	Upper
248	100		
250	99.4	78.2	117.2
141	81.1	59.6	89.4

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#68
Hexachlorobenzene
Concen: 37.062 ng
RT: 16.501 min Scan# 2306
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:284 Resp: 488749

Ion	Ratio	Lower	Upper
284	100		
142	35.3	29.1	43.7
249	32.1	25.0	37.4





#69
Atrazine
Concen: 38.057 ng
RT: 16.660 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:200 Resp: 44955

Ion	Ratio	Lower	Upper
200	100		
173	26.7	6.7	46.7
215	49.7	29.7	69.7



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#70
Pentachlorophenol
Concen: 38.733 ng
RT: 16.854 min Scan# 2366
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:266 Resp: 322435

Ion	Ratio	Lower	Upper
266	100		
268	66.4	52.6	79.0
264	63.2	52.0	78.0





#71
Phenanthrene
Concen: 36.445 ng
RT: 17.254 min Scan# 24
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:178 Resp: 207087

Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.5	23.3
179	15.3	12.2	18.4



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#72
Anthracene
Concen: 37.563 ng
RT: 17.342 min Scan# 2449
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:178 Resp: 2179669

Ion	Ratio	Lower	Upper
178	100		
176	18.5	14.7	22.1
179	15.1	12.2	18.2





#73
Carbazole
Concen: 37.116 ng
RT: 17.619 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:167 Resp: 202859

Ion	Ratio	Lower	Upper
167	100		
166	21.8	17.5	26.3
139	13.3	10.6	16.0



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#74
Di-n-butylphthalate
Concen: 37.602 ng
RT: 18.225 min Scan# 2599
Delta R.T. 0.018 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:149 Resp: 2528547

Ion	Ratio	Lower	Upper
149	100		
150	9.4	7.4	11.0
104	5.1	4.2	6.2





#75
Fluoranthene
Concen: 37.481 ng
RT: 19.342 min Scan# 2
Delta R.T. 0.018 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:202 Resp: 254041

Ion	Ratio	Lower	Upper
202	100		
101	9.9	0.0	31.1
203	17.4	0.0	37.3



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.654 min Scan# 3182
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:240 Resp: 1060337

Ion	Ratio	Lower	Upper
240	100		
120	10.3	8.9	13.3
236	25.7	19.8	29.8





#77
Benzidine
Concen: 42.271 ng
RT: 19.519 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:184 Resp: 152965

Ion	Ratio	Lower	Upper
184	100		
185	13.9	11.5	17.3
183	12.1	9.4	14.2



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#78
Pyrene
Concen: 37.404 ng
RT: 19.713 min Scan# 2852
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:202 Resp: 2577810

Ion	Ratio	Lower	Upper
202	100		
200	20.8	16.9	25.3
203	17.5	14.2	21.2





#79
Terphenyl-d14
Concen: 66.399 ng
RT: 19.936 min Scan# 2
Delta R.T. 0.018 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:244 Resp: 384816

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	9.9	7.4	11.2



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#80
Butylbenzylphthalate
Concen: 38.401 ng
RT: 20.660 min Scan# 3013
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:149 Resp: 1199445

Ion	Ratio	Lower	Upper
149	100		
91	65.6	54.2	81.2
206	21.1	16.6	24.8





#81
Benzo(a)anthracene
Concen: 36.950 ng
RT: 21.636 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:228 Resp: 258386

Ion	Ratio	Lower	Upper
228	100		
226	26.6	21.7	32.5
229	19.5	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#82
3,3'-Dichlorobenzidine
Concen: 38.038 ng
RT: 21.554 min Scan# 3165
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:252 Resp: 1002597

Ion	Ratio	Lower	Upper
252	100		
254	64.1	51.8	77.6
126	10.7	9.1	13.7





#83
Chrysene
Concen: 37.353 ng
RT: 21.701 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:228 Resp: 244619

Ion	Ratio	Lower	Upper
228	100		
226	29.7	23.2	34.8
229	19.7	15.6	23.4

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#84
Bis(2-ethylhexyl)phthalate
Concen: 38.729 ng
RT: 21.583 min Scan# 3170
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:149 Resp: 1780746

Ion	Ratio	Lower	Upper
149	100		
167	27.8	22.1	33.1
279	4.5	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 37.915 ng
RT: 22.877 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:149 Resp: 299852

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.0	6.3	9.5

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.024 min Scan# 3755
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:264 Resp: 1200519

Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.3	28.9
265	21.6	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 37.119 ng
RT: 28.877 min Scan# 4
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:276 Resp: 326796

Ion	Ratio	Lower	Upper
276	100		
138	17.0	12.9	19.3
277	25.5	17.0	25.6



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#88
Benzo(b)fluoranthene
Concen: 36.964 ng
RT: 23.971 min Scan# 3576
Delta R.T. 0.018 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:252 Resp: 2616701

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.7	26.5
125	10.2	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 37.464 ng
RT: 24.042 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:252 Resp: 265390

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.1	25.7
125	10.4	7.8	11.6



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#90
Benzo(a)pyrene
Concen: 37.160 ng
RT: 24.871 min Scan# 3729
Delta R.T. 0.018 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:252 Resp: 2560692

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.5	26.3
125	10.7	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 37.490 ng
RT: 28.948 min Scan# 4
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:278 Resp: 269733

Ion	Ratio	Lower	Upper
278	100		
139	15.4	13.0	19.4
279	24.4	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#92
Benzo(g,h,i)perylene
Concen: 37.216 ng
RT: 30.089 min Scan# 4616
Delta R.T. 0.029 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:276 Resp: 2632085

Ion	Ratio	Lower	Upper
276	100		
277	24.0	19.4	29.0
138	19.6	16.7	25.1



Evaluate Continuing Calibration Report

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025400.D
Acq On : 14 Aug 2025 18:05
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Quant Time: Aug 14 18:24:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	110	0.00
2		1,4-Dioxane	0.472	0.399	15.5	99	0.00
3		Pyridine	1.291	1.159	10.2	105	0.00
4		n-Nitrosodimethylamine	0.532	0.507	4.7	109	0.00
5	S	2-Fluorophenol	1.204	1.045	13.2	99	0.00
6		Aniline	2.080	1.984	4.6	108	0.00
7	S	Phenol-d6	1.544	1.383	10.4	101	0.00
8		2-Chlorophenol	1.359	1.308	3.8	110	0.00
9		Benzaldehyde	1.082	0.923	14.7	75	0.00
10	C	Phenol	1.620	1.555	4.0	109	0.00
11		bis(2-Chloroethyl)ether	1.263	1.211	4.1	109	0.00
12		1,3-Dichlorobenzene	1.499	1.414	5.7	108	0.00
13	C	1,4-Dichlorobenzene	1.532	1.451	5.3	109	0.00
14		1,2-Dichlorobenzene	1.483	1.402	5.5	108	0.00
15		Benzyl Alcohol	1.227	1.197	2.4	111	0.00
16		2,2'-oxybis(1-Chloropropane	1.692	1.619	4.3	110	0.00
17		2-Methylphenol	1.125	1.094	2.8	109	0.00
18		Hexachloroethane	0.563	0.536	4.8	109	0.00
19	P	n-Nitroso-di-n-propylamine	1.023	0.979	4.3	109	0.00
20		3+4-Methylphenols	1.560	1.506	3.5	109	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	113	0.00
22		Acetophenone	0.502	0.479	4.6	112	0.00
23	S	Nitrobenzene-d5	0.395	0.328	17.0	97	0.00
24		Nitrobenzene	0.353	0.330	6.5	108	0.00
25		Isophorone	0.700	0.662	5.4	111	0.00
26	C	2-Nitrophenol	0.181	0.176	2.8	110	0.00
27		2,4-Dimethylphenol	0.312	0.303	2.9	111	0.00
28		bis(2-Chloroethoxy)methane	0.423	0.400	5.4	111	0.00
29	C	2,4-Dichlorophenol	0.310	0.299	3.5	111	0.00
30		1,2,4-Trichlorobenzene	0.340	0.316	7.1	109	0.00
31		Naphthalene	1.040	0.973	6.4	110	0.00
32		Benzoic acid	0.230	0.220	4.3	110	0.01
33		4-Chloroaniline	0.459	0.437	4.8	109	0.00
34	C	Hexachlorobutadiene	0.211	0.196	7.1	108	0.00
35		Caprolactam	0.114	0.109	4.4	112	0.00
36	C	4-Chloro-3-methylphenol	0.355	0.345	2.8	113	0.00
37		2-Methylnaphthalene	0.676	0.640	5.3	111	0.00
38		1-Methylnaphthalene	0.719	0.675	6.1	111	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	114	0.00
40		1,2,4,5-Tetrachlorobenzene	0.578	0.547	5.4	111	0.00
41	P	Hexachlorocyclopentadiene	0.349	0.350	-0.3	115	0.00
42	S	2,4,6-Tribromophenol	0.269	0.241	10.4	105	0.00
43	C	2,4,6-Trichlorophenol	0.390	0.380	2.6	113	0.00
44		2,4,5-Trichlorophenol	0.427	0.418	2.1	112	0.00
45	S	2-Fluorobiphenyl	1.463	1.208	17.4	99	0.00
46		1,1'-Biphenyl	1.453	1.368	5.8	111	0.00
47		2-Chloronaphthalene	1.131	1.065	5.8	110	0.00

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025400.D
Acq On : 14 Aug 2025 18:05
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Quant Time: Aug 14 18:24:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.329	0.322	2.1	111	0.00
49		Acenaphthylene	1.871	1.764	5.7	111	0.00
50		Dimethylphthalate	1.465	1.398	4.6	114	0.00
51		2,6-Dinitrotoluene	0.309	0.303	1.9	112	0.00
52	C	Acenaphthene	1.098	1.011	7.9	111	0.00
53		3-Nitroaniline	0.347	0.348	-0.3	116	0.00
54	P	2,4-Dinitrophenol	0.165	0.172	-4.2	120	0.00
55		Dibenzofuran	1.736	1.620	6.7	110	0.00
56	P	4-Nitrophenol	0.285	0.283	0.7	115	0.00
57		2,4-Dinitrotoluene	0.440	0.445	-1.1	116	0.00
58		Fluorene	1.370	1.267	7.5	111	0.01
59		2,3,4,6-Tetrachlorophenol	0.377	0.369	2.1	115	0.00
60		Diethylphthalate	1.488	1.407	5.4	112	0.00
61		4-Chlorophenyl-phenylether	0.681	0.623	8.5	109	0.01
62		4-Nitroaniline	0.356	0.345	3.1	112	0.00
63		Azobenzene	1.274	1.227	3.7	113	0.01
64	I	Phenanthrene-d10	1.000	1.000	0.0	117	0.01
65		4,6-Dinitro-2-methylphenol	0.125	0.124	0.8	118	0.00
66	c	n-Nitrosodiphenylamine	0.610	0.568	6.9	112	0.00
67		4-Bromophenyl-phenylether	0.220	0.204	7.3	112	0.00
68		Hexachlorobenzene	0.255	0.236	7.5	114	0.01
69		Atrazine	0.228	0.217	4.8	116	0.00
70	C	Pentachlorophenol	0.161	0.156	3.1	116	0.01
71		Phenanthrene	1.099	1.001	8.9	113	0.01
72		Anthracene	1.122	1.054	6.1	114	0.00
73		Carbazole	1.057	0.981	7.2	114	0.00
74		Di-n-butylphthalate	1.300	1.222	6.0	115	0.02
75	C	Fluoranthene	1.311	1.228	6.3	117	0.02
76	I	Chrysene-d12	1.000	1.000	0.0	118	0.00
77		Benzidine	0.683	0.721	-5.6	88	0.00
78		Pyrene	1.300	1.216	6.5	113	0.01
79	S	Terphenyl-d14	1.093	0.907	17.0	102	0.02
80		Butylbenzylphthalate	0.589	0.566	3.9	115	0.01
81		Benzo(a)anthracene	1.319	1.218	7.7	113	0.00
82		3,3'-Dichlorobenzidine	0.497	0.473	4.8	114	0.01
83		Chrysene	1.235	1.153	6.6	115	0.00
84		Bis(2-ethylhexyl)phthalate	0.867	0.840	3.1	119	0.00
85	c	Di-n-octyl phthalate	1.492	1.414	5.2	115	0.00
86	I	Perylene-d12	1.000	1.000	0.0	117	0.00
87		Indeno(1,2,3-cd)pyrene	1.467	1.361	7.2	113	0.01
88		Benzo(b)fluoranthene	1.179	1.090	7.5	113	0.02
89		Benzo(k)fluoranthene	1.180	1.105	6.4	115	0.01
90	C	Benzo(a)pyrene	1.148	1.066	7.1	113	0.02
91		Dibenzo(a,h)anthracene	1.199	1.123	6.3	114	0.00
92		Benzo(g,h,i)perylene	1.178	1.096	7.0	113	0.03

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025400.D
Acq On : 14 Aug 2025 18:05
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Quant Time: Aug 14 18:24:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025400.D
Acq On : 14 Aug 2025 18:05
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Quant Time: Aug 14 18:24:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	110	0.00
2		1,4-Dioxane	40.000	33.792	15.5	99	0.00
3		Pyridine	40.000	35.901	10.2	105	0.00
4		n-Nitrosodimethylamine	40.000	38.115	4.7	109	0.00
5	S	2-Fluorophenol	80.000	69.430	13.2	99	0.00
6		Aniline	40.000	38.147	4.6	108	0.00
7	S	Phenol-d6	80.000	71.663	10.4	101	0.00
8		2-Chlorophenol	40.000	38.501	3.7	110	0.00
9		Benzaldehyde	40.000	34.142	14.6	75	0.00
10	C	Phenol	40.000	38.388	4.0	109	0.00
11		bis(2-Chloroethyl)ether	40.000	38.348	4.1	109	0.00
12		1,3-Dichlorobenzene	40.000	37.738	5.7	108	0.00
13	C	1,4-Dichlorobenzene	40.000	37.890	5.3	109	0.00
14		1,2-Dichlorobenzene	40.000	37.818	5.5	108	0.00
15		Benzyl Alcohol	40.000	39.025	2.4	111	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	38.271	4.3	110	0.00
17		2-Methylphenol	40.000	38.877	2.8	109	0.00
18		Hexachloroethane	40.000	38.103	4.7	109	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	38.270	4.3	109	0.00
20		3+4-Methylphenols	40.000	38.620	3.5	109	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	113	0.00
22		Acetophenone	40.000	38.216	4.5	112	0.00
23	S	Nitrobenzene-d5	80.000	66.391	17.0	97	0.00
24		Nitrobenzene	40.000	37.313	6.7	108	0.00
25		Isophorone	40.000	37.855	5.4	111	0.00
26	C	2-Nitrophenol	40.000	38.722	3.2	110	0.00
27		2,4-Dimethylphenol	40.000	38.910	2.7	111	0.00
28		bis(2-Chloroethoxy)methane	40.000	37.816	5.5	111	0.00
29	C	2,4-Dichlorophenol	40.000	38.649	3.4	111	0.00
30		1,2,4-Trichlorobenzene	40.000	37.231	6.9	109	0.00
31		Naphthalene	40.000	37.431	6.4	110	0.00
32		Benzoic acid	40.000	38.242	4.4	110	0.01
33		4-Chloroaniline	40.000	38.043	4.9	109	0.00
34	C	Hexachlorobutadiene	40.000	37.031	7.4	108	0.00
35		Caprolactam	40.000	38.310	4.2	112	0.00
36	C	4-Chloro-3-methylphenol	40.000	38.789	3.0	113	0.00
37		2-Methylnaphthalene	40.000	37.845	5.4	111	0.00
38		1-Methylnaphthalene	40.000	37.539	6.2	111	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	114	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	37.895	5.3	111	0.00
41	P	Hexachlorocyclopentadiene	40.000	40.074	-0.2	115	0.00
42	S	2,4,6-Tribromophenol	80.000	71.582	10.5	105	0.00
43	C	2,4,6-Trichlorophenol	40.000	38.972	2.6	113	0.00
44		2,4,5-Trichlorophenol	40.000	39.108	2.2	112	0.00
45	S	2-Fluorobiphenyl	80.000	66.016	17.5	99	0.00
46		1,1'-Biphenyl	40.000	37.672	5.8	111	0.00
47		2-Chloronaphthalene	40.000	37.682	5.8	110	0.00

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025400.D
Acq On : 14 Aug 2025 18:05
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Quant Time: Aug 14 18:24:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	39.081	2.3	111	0.00
49		Acenaphthylene	40.000	37.720	5.7	111	0.00
50		Dimethylphthalate	40.000	38.170	4.6	114	0.00
51		2,6-Dinitrotoluene	40.000	39.211	2.0	112	0.00
52	C	Acenaphthene	40.000	36.837	7.9	111	0.00
53		3-Nitroaniline	40.000	40.027	-0.1	116	0.00
54	P	2,4-Dinitrophenol	40.000	41.646	-4.1	120	0.00
55		Dibenzofuran	40.000	37.324	6.7	110	0.00
56	P	4-Nitrophenol	40.000	39.630	0.9	115	0.00
57		2,4-Dinitrotoluene	40.000	40.439	-1.1	116	0.00
58		Fluorene	40.000	36.992	7.5	111	0.01
59		2,3,4,6-Tetrachlorophenol	40.000	39.147	2.1	115	0.00
60		Diethylphthalate	40.000	37.810	5.5	112	0.00
61		4-Chlorophenyl-phenylether	40.000	36.596	8.5	109	0.01
62		4-Nitroaniline	40.000	38.717	3.2	112	0.00
63		Azobenzene	40.000	38.526	3.7	113	0.01
64	I	Phenanthrene-d10	20.000	20.000	0.0	117	0.01
65		4,6-Dinitro-2-methylphenol	40.000	39.721	0.7	118	0.00
66	c	n-Nitrosodiphenylamine	40.000	37.227	6.9	112	0.00
67		4-Bromophenyl-phenylether	40.000	37.101	7.2	112	0.00
68		Hexachlorobenzene	40.000	37.062	7.3	114	0.01
69		Atrazine	40.000	38.057	4.9	116	0.00
70	C	Pentachlorophenol	40.000	38.733	3.2	116	0.01
71		Phenanthrene	40.000	36.445	8.9	113	0.01
72		Anthracene	40.000	37.563	6.1	114	0.00
73		Carbazole	40.000	37.116	7.2	114	0.00
74		Di-n-butylphthalate	40.000	37.602	6.0	115	0.02
75	C	Fluoranthene	40.000	37.481	6.3	117	0.02
76	I	Chrysene-d12	20.000	20.000	0.0	118	0.00
77		Benzidine	40.000	42.271	-5.7	88	0.00
78		Pyrene	40.000	37.404	6.5	113	0.01
79	S	Terphenyl-d14	80.000	66.399	17.0	102	0.02
80		Butylbenzylphthalate	40.000	38.401	4.0	115	0.01
81		Benzo(a)anthracene	40.000	36.950	7.6	113	0.00
82		3,3'-Dichlorobenzidine	40.000	38.038	4.9	114	0.01
83		Chrysene	40.000	37.353	6.6	115	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	38.729	3.2	119	0.00
85	c	Di-n-octyl phthalate	40.000	37.915	5.2	115	0.00
86	I	Perylene-d12	20.000	20.000	0.0	117	0.00
87		Indeno(1,2,3-cd)pyrene	40.000	37.119	7.2	113	0.01
88		Benzo(b)fluoranthene	40.000	36.964	7.6	113	0.02
89		Benzo(k)fluoranthene	40.000	37.464	6.3	115	0.01
90	C	Benzo(a)pyrene	40.000	37.160	7.1	113	0.02
91		Dibenzo(a,h)anthracene	40.000	37.490	6.3	114	0.00
92		Benzo(g,h,i)perylene	40.000	37.216	7.0	113	0.03

ICAL Form

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025400.D
Acq On : 14 Aug 2025 18:05
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Quant Time: Aug 14 18:24:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Raw Data: **BF143399.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_F Calibration Date/Time: 08/15/2025 03:54

Lab File ID: BF143399.D Init. Calib. Date(s): 08/12/2025 08/12/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 09:03 12:38

GC Column: DB-UI ID: 0.18 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.157	1.081		-6.6	
Benzaldehyde	0.980	0.803		-18.1	
Phenol-d6	1.483	1.325		-10.7	
Phenol	1.757	1.562		-11.1	20.0
bis(2-Chloroethyl)ether	1.295	1.165		-10.0	
2-Chlorophenol	1.236	1.194		-3.4	
2-Methylphenol	1.043	0.969		-7.1	
2,2-oxybis(1-Chloropropane)	2.312	1.961		-15.2	
Acetophenone	0.441	0.385		-12.7	
3+4-Methylphenols	1.262	1.138		-9.8	
n-Nitroso-di-n-propylamine	0.916	0.781	0.050	-14.7	
Nitrobenzene-d5	0.321	0.315		-1.9	
Hexachloroethane	0.449	0.446		-0.7	
Nitrobenzene	0.349	0.335		-4.0	
Isophorone	0.656	0.580		-11.6	
2-Nitrophenol	0.118	0.162		37.3	20.0
2,4-Dimethylphenol	0.274	0.260		-5.1	
bis(2-Chloroethoxy)methane	0.400	0.364		-9.0	
2,4-Dichlorophenol	0.267	0.264		-1.1	20.0
Naphthalene	0.962	0.867		-9.9	
4-Chloroaniline	0.347	0.315		-9.2	
Hexachlorobutadiene	0.175	0.169		-3.4	20.0
Caprolactam	0.075	0.074		-1.3	
4-Chloro-3-methylphenol	0.280	0.259		-7.5	20.0
2-Methylnaphthalene	0.633	0.571		-9.8	
Hexachlorocyclopentadiene	0.158	0.243	0.050	53.8	
2,4,6-Trichlorophenol	0.311	0.321		3.2	20.0
2-Fluorobiphenyl	1.179	1.063		-9.8	
2,4,5-Trichlorophenol	0.351	0.348		-0.9	
1,1-Biphenyl	1.414	1.278		-9.6	
2-Chloronaphthalene	1.114	1.021		-8.3	
2-Nitroaniline	0.284	0.309		8.8	
Dimethylphthalate	1.169	1.109		-5.1	
Acenaphthylene	1.608	1.460		-9.2	
2,6-Dinitrotoluene	0.193	0.236		22.3	
3-Nitroaniline	0.239	0.256		7.1	
Acenaphthene	1.069	0.973		-9.0	20.0
2,4-Dinitrophenol	0.065	0.097	0.050	49.2	
4-Nitrophenol	0.163	0.187	0.050	14.7	

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name:	Alliance	Contract:	FIRS02
Lab Code:	ACE	SDG No.:	Q2815
Instrument ID:	BNA_F	Calibration Date/Time:	08/15/2025 03:54
Lab File ID:	BF143399.D	Init. Calib. Date(s):	08/12/2025 08/12/2025
EPA Sample No.:	SSTDCCC040	Init. Calib. Time(s):	09:03 12:38

GC Column: DB-UI ID: 0.18 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.539	1.376		-10.6	
2,4-Dinitrotoluene	0.256	0.308		20.3	
Diethylphthalate	1.047	1.011		-3.4	
4-Chlorophenyl-phenylether	0.568	0.521		-8.3	
Fluorene	1.175	1.025		-12.8	
4-Nitroaniline	0.232	0.232		0.0	
4,6-Dinitro-2-methylphenol	0.069	0.098		42.0	
n-Nitrosodiphenylamine	0.659	0.607		-7.9	20.0
2,4,6-Tribromophenol	0.146	0.158		8.2	
4-Bromophenyl-phenylether	0.229	0.221		-3.5	
Hexachlorobenzene	0.247	0.231		-6.5	
Atrazine	0.172	0.183		6.4	
Pentachlorophenol	0.101	0.288		185.1	20.0
Phenanthrene	1.091	0.975		-10.6	
Anthracene	1.107	0.977		-11.7	
Carbazole	0.942	0.826		-12.3	
Di-n-butylphthalate	0.798	0.904		13.3	
Fluoranthene	0.956	0.865		-9.5	20.0
Pyrene	1.678	1.335		-20.4	
Terphenyl-d14	1.120	0.924		-17.5	
Butylbenzylphthalate	0.284	0.448		57.7	
3,3-Dichlorobenzidine	0.343	0.379		10.5	
Benzo(a)anthracene	1.271	1.124		-11.6	
Chrysene	1.185	1.108		-6.5	
Bis(2-ethylhexyl)phthalate	0.403	0.630		56.3	
Di-n-octyl phthalate	0.860	1.156		34.4	20.0
Benzo(b)fluoranthene	1.094	1.059		-3.2	
Benzo(k)fluoranthene	1.063	0.910		-14.4	
Benzo(a)pyrene	1.030	0.949		-7.9	20.0
Indeno(1,2,3-cd)pyrene	1.433	1.295		-9.6	
Dibenzo(a,h)anthracene	1.145	1.020		-10.9	
Benzo(g,h,i)perylene	1.153	1.014		-12.1	
1,2,4,5-Tetrachlorobenzene	0.547	0.510		-6.8	
1,4-Dioxane	0.598	0.580		-3.0	20.0
2,3,4,6-Tetrachlorophenol	0.236	0.257		8.9	

All other compounds must meet a minimum RRF of 0.010.

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143399.D
Acq On : 15 Aug 2025 03:54
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 43 Sample Multiplier: 1

Quant Time: Aug 15 13:04:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	154119	20.000	ng	0.00
21) Naphthalene-d8	8.216	136	585558	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	307669	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	448323	20.000	ng	0.00
76) Chrysene-d12	14.098	240	298922	20.000	ng	0.00
86) Perylene-d12	15.592	264	377299	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	666444	74.777	ng	0.00
7) Phenol-d6	6.563	99	816901	71.476	ng	0.00
23) Nitrobenzene-d5	7.493	82	737761	78.460	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	193949	86.257	ng	0.00
45) 2-Fluorobiphenyl	9.287	172	1308576	72.124	ng	0.00
79) Terphenyl-d14	13.039	244	1104297	65.955	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.740	88	178884	38.788	ng	97
3) Pyridine	3.516	79	440108	35.812	ng	98
4) n-Nitrosodimethylamine	3.458	42	199433	34.837	ng	98
6) Aniline	6.598	93	562376	34.903	ng	98
8) 2-Chlorophenol	6.722	128	368039	38.646	ng	96
9) Benzaldehyde	6.487	77	247585	32.775	ng	97
10) Phenol	6.581	94	481619	35.572	ng	96
11) bis(2-Chloroethyl)ether	6.663	93	359103	35.987	ng	99
12) 1,3-Dichlorobenzene	6.875	146	399589	36.378	ng	99
13) 1,4-Dichlorobenzene	6.951	146	401173	36.389	ng	100
14) 1,2-Dichlorobenzene	7.104	146	380149	36.325	ng	100
15) Benzyl Alcohol	7.075	79	303375	37.031	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.204	45	604495	33.932	ng	100
17) 2-Methylphenol	7.187	107	298798	37.170	ng	99
18) Hexachloroethane	7.451	117	137360	39.741	ng	94
19) n-Nitroso-di-n-propyla...	7.345	70	240660	34.078	ng	99
20) 3+4-Methylphenols	7.340	107	350891	36.093	ng	98
22) Acetophenone	7.340	105	450772	34.939	ng	97
24) Nitrobenzene	7.510	77	391763	38.363	ng	99
25) Isophorone	7.751	82	679055	35.375	ng	100
26) 2-Nitrophenol	7.828	139	189734	46.487	ng	99
27) 2,4-Dimethylphenol	7.863	122	304951m	38.079	ng	
28) bis(2-Chloroethoxy)met...	7.957	93	426215	36.367	ng	99
29) 2,4-Dichlorophenol	8.075	162	308637	39.458	ng	98
30) 1,2,4-Trichlorobenzene	8.157	180	309994	37.571	ng	100
31) Naphthalene	8.240	128	1015616	36.045	ng	99
32) Benzoic acid	7.981	122	148637	44.034	ng	97
33) 4-Chloroaniline	8.281	127	369334	36.342	ng	100
34) Hexachlorobutadiene	8.357	225	197920	38.562	ng	99
35) Caprolactam	8.645	113	86672	39.416	ng	99
36) 4-Chloro-3-methylphenol	8.763	107	303083	36.961	ng	98
37) 2-Methylnaphthalene	8.928	142	668140	36.070	ng	99
38) 1-Methylnaphthalene	9.028	142	640396	35.896	ng	100
40) 1,2,4,5-Tetrachloroben...	9.098	216	313835	37.276	ng	99
41) Hexachlorocyclopentadiene	9.087	237	149463	52.784	ng	100
43) 2,4,6-Trichlorophenol	9.204	196	197297	41.302	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143399.D
Acq On : 15 Aug 2025 03:54
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 43 Sample Multiplier: 1

Quant Time: Aug 15 13:04:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) 2,4,5-Trichlorophenol	9.251	196	214438	39.752	ng		97
46) 1,1'-Biphenyl	9.392	154	786326	36.146	ng		99
47) 2-Chloronaphthalene	9.416	162	628536	36.686	ng		99
48) 2-Nitroaniline	9.510	65	190071	39.015	ng		94
49) Acenaphthylene	9.828	152	898622	36.320	ng		99
50) Dimethylphthalate	9.681	163	682495	37.964	ng		100
51) 2,6-Dinitrotoluene	9.745	165	145324	43.044	ng		95
52) Acenaphthene	10.004	154	598801	36.404	ng		99
53) 3-Nitroaniline	9.916	138	157424	42.759	ng		97
54) 2,4-Dinitrophenol	10.028	184	59555	51.347	ng	#	82
55) Dibenzofuran	10.175	168	846919	35.775	ng		99
56) 4-Nitrophenol	10.081	139	114908	41.856	ng		96
57) 2,4-Dinitrotoluene	10.151	165	189688	42.395	ng		89
58) Fluorene	10.516	166	630662	34.878	ng		100
59) 2,3,4,6-Tetrachlorophenol	10.298	232	158397	43.560	ng		97
60) Diethylphthalate	10.386	149	622164	38.637	ng		99
61) 4-Chlorophenyl-phenyle...	10.510	204	320765	36.713	ng		98
62) 4-Nitroaniline	10.528	138	142815	40.094	ng		98
63) Azobenzene	10.669	77	633989	34.469	ng		97
65) 4,6-Dinitro-2-methylph...	10.563	198	88176	48.521	ng		91
66) n-Nitrosodiphenylamine	10.628	169	544301	36.871	ng		99
67) 4-Bromophenyl-phenylether	10.998	248	197816	38.580	ng		98
68) Hexachlorobenzene	11.069	284	206818	37.421	ng		98
69) Atrazine	11.151	200	163775	42.535	ng		99
70) Pentachlorophenol	11.269	266	258266	94.322	ng		96
71) Phenanthrene	11.480	178	874214	35.740	ng		100
72) Anthracene	11.533	178	876126	35.318	ng		100
73) Carbazole	11.686	167	740341	35.043	ng		99
74) Di-n-butylphthalate	12.010	149	810616	45.343	ng		100
75) Fluoranthene	12.669	202	775610	36.199	ng		99
77) Benzidine	12.786	184	322181	39.424	ng		98
78) Pyrene	12.898	202	798173	31.829	ng		99
80) Butylbenzylphthalate	13.510	149	267587	53.579	ng		97
81) Benzo(a)anthracene	14.086	228	672240	35.382	ng		100
82) 3,3'-Dichlorobenzidine	14.045	252	226457	44.142	ng		99
83) Chrysene	14.127	228	662658	37.405	ng		99
84) Bis(2-ethylhexyl)phtha...	14.069	149	376483	51.348	ng		98
85) Di-n-octyl phthalate	14.686	149	690916	47.658	ng		95
87) Indeno(1,2,3-cd)pyrene	17.121	276	977103	36.148	ng		99
88) Benzo(b)fluoranthene	15.151	252	799255	38.730	ng		99
89) Benzo(k)fluoranthene	15.180	252	687057	34.263	ng		99
90) Benzo(a)pyrene	15.527	252	716381	36.858	ng		99
91) Dibenzo(a,h)anthracene	17.133	278	769353	35.627	ng		99
92) Benzo(g,h,i)perylene	17.580	276	765398	35.184	ng		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143399.D
Acq On : 15 Aug 2025 03:54
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 43 Sample Multiplier: 1

Quant Time: Aug 15 13:04:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:152 Resp: 15411

Ion	Ratio	Lower	Upper
152	100		
150	160.8	129.8	194.8
115	60.9	47.8	71.8



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#2
1,4-Dioxane
Concen: 38.788 ng
RT: 2.740 min Scan# 93
Delta R.T. -0.023 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 88 Resp: 178884

Ion	Ratio	Lower	Upper
88	100		
58	86.5	71.0	106.6
43	32.2	27.0	40.6





#3
Pyridine
Concen: 35.812 ng
RT: 3.516 min Scan# 2
Delta R.T. -0.018 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 79 Resp: 44010

Ion	Ratio	Lower	Upper
79	100		
52	83.8	68.7	103.1
51	41.0	33.4	50.0



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#4
n-Nitrosodimethylamine
Concen: 34.837 ng
RT: 3.458 min Scan# 215
Delta R.T. -0.018 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 42 Resp: 199433

Ion	Ratio	Lower	Upper
42	100		
74	119.4	94.1	141.1
44	7.4	6.5	9.7





#5
2-Fluorophenol
Concen: 74.777 ng
RT: 5.563 min Scan# 5
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:112 Resp: 66644

Ion	Ratio	Lower	Upper
112	100		
64	64.8	52.1	78.1
63	33.3	26.6	39.8

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#6
Aniline
Concen: 34.903 ng
RT: 6.598 min Scan# 749
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 93 Resp: 562376

Ion	Ratio	Lower	Upper
93	100		
66	42.8	35.3	52.9
65	21.6	18.2	27.4





#7
Phenol-d6
Concen: 71.476 ng
RT: 6.563 min Scan# 7
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 99 Resp: 81690

Ion	Ratio	Lower	Upper
99	100		
42	20.7	16.6	25.0
71	34.0	26.2	39.2



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#8
2-Chlorophenol
Concen: 38.646 ng
RT: 6.722 min Scan# 770
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:128 Resp: 368039

Ion	Ratio	Lower	Upper
128	100		
130	32.1	12.6	52.6
64	52.9	36.7	76.7





#9
Benzaldehyde
Concen: 32.775 ng
RT: 6.487 min Scan# 7
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 24758

Ion	Ratio	Lower	Upper
77	100		
105	97.8	74.2	114.2
106	94.2	72.2	112.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#10
Phenol
Concen: 35.572 ng
RT: 6.581 min Scan# 746
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 94 Resp: 481619

Ion	Ratio	Lower	Upper
94	100		
65	33.5	12.0	52.0
66	49.0	25.6	65.6





#11
bis(2-Chloroethyl)ether
Concen: 35.987 ng
RT: 6.663 min Scan# 7
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 93 Resp: 35910

Ion	Ratio	Lower	Upper
93	100		
63	85.2	65.7	105.7
95	32.4	13.0	53.0



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#12
1,3-Dichlorobenzene
Concen: 36.378 ng
RT: 6.875 min Scan# 796
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:146 Resp: 399589

Ion	Ratio	Lower	Upper
146	100		
148	64.0	50.5	75.7
75	31.6	24.9	37.3





#13
1,4-Dichlorobenzene
Concen: 36.389 ng
RT: 6.951 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:146 Resp: 40117

Ion	Ratio	Lower	Upper
146	100		
148	64.3	51.4	77.0
111	40.7	32.6	48.8



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#14
1,2-Dichlorobenzene
Concen: 36.325 ng
RT: 7.104 min Scan# 835
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:146 Resp: 380149

Ion	Ratio	Lower	Upper
146	100		
148	64.1	51.4	77.2
111	42.4	34.1	51.1





#15
Benzyl Alcohol
Concen: 37.031 ng
RT: 7.075 min Scan# 8
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 79 Resp: 30337

Ion	Ratio	Lower	Upper
79	100		
108	77.2	61.5	92.3
77	60.5	49.8	74.8

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#16
2,2'-oxybis(1-Chloropropane)
Concen: 33.932 ng
RT: 7.204 min Scan# 852
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 45 Resp: 604495

Ion	Ratio	Lower	Upper
45	100		
77	14.1	0.0	34.0
79	10.9	0.0	31.1





#17
2-Methylphenol
Concen: 37.170 ng
RT: 7.187 min Scan# 84
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:107 Resp: 29879

Ion	Ratio	Lower	Upper
107	100		
108	114.7	92.0	138.0
77	48.9	38.2	57.2
79	48.5	37.9	56.9



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#18
Hexachloroethane
Concen: 39.741 ng
RT: 7.451 min Scan# 894
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:117 Resp: 137360

Ion	Ratio	Lower	Upper
117	100		
119	96.6	75.8	113.8
201	107.1	77.2	115.8





#19
n-Nitroso-di-n-propylamine
Concen: 34.078 ng
RT: 7.345 min Scan# 8
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 70 Resp: 24066

Ion	Ratio	Lower	Upper
70	100		
42	63.6	51.6	77.4
101	9.9	7.5	11.3
130	20.8	15.8	23.6



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#20
3+4-Methylphenols
Concen: 36.093 ng
RT: 7.340 min Scan# 875
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:107 Resp: 350891

Ion	Ratio	Lower	Upper
107	100		
108	91.9	70.6	110.6
77	134.6	112.0	152.0
79	30.3	9.9	49.9





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.216 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:136 Resp: 58555

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.6	13.0
54	9.6	8.4	12.6
68	6.6	5.9	8.9



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#22
Acetophenone
Concen: 34.939 ng
RT: 7.340 min Scan# 875
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:105 Resp: 450772

Ion	Ratio	Lower	Upper
105	100		
71	8.3	6.2	9.4
51	41.0	34.8	52.2
120	22.8	17.9	26.9





#23
Nitrobenzene-d5
Concen: 78.460 ng
RT: 7.493 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 82 Resp: 73776

Ion	Ratio	Lower	Upper
82	100		
128	43.8	33.5	50.3
54	57.7	46.7	70.1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#24
Nitrobenzene
Concen: 38.363 ng
RT: 7.510 min Scan# 904
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 77 Resp: 391763

Ion	Ratio	Lower	Upper
77	100		
123	44.1	34.8	52.2
65	14.5	11.0	16.6





#25
Isophorone
Concen: 35.375 ng
RT: 7.751 min Scan# 94
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 82 Resp: 67905

Ion	Ratio	Lower	Upper
82	100		
95	6.8	5.5	8.3
138	18.3	14.6	21.8

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#26
2-Nitrophenol
Concen: 46.487 ng
RT: 7.828 min Scan# 958
Delta R.T. -0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:139 Resp: 189734

Ion	Ratio	Lower	Upper
139	100		
109	28.7	22.4	33.6
65	52.6	42.9	64.3





#27
2,4-Dimethylphenol
Concen: 38.079 ng m
RT: 7.863 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:122 Resp: 30495

Ion	Ratio	Lower	Upper
122	100		
107	114.2	89.9	134.9
121	58.9	46.2	69.4



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#28
bis(2-Chloroethoxy)methane
Concen: 36.367 ng
RT: 7.957 min Scan# 980
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 93 Resp: 426215

Ion	Ratio	Lower	Upper
93	100		
95	32.4	26.2	39.4
123	11.6	9.4	14.2





#29
2,4-Dichlorophenol
Concen: 39.458 ng
RT: 8.075 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:162 Resp: 30863

Ion	Ratio	Lower	Upper
162	100		
164	63.8	44.5	84.5
98	35.8	17.7	57.7



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#30
1,2,4-Trichlorobenzene
Concen: 37.571 ng
RT: 8.157 min Scan# 1014
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:180 Resp: 309994

Ion	Ratio	Lower	Upper
180	100		
182	94.8	76.1	114.1
145	30.7	24.9	37.3





#31
Naphthalene
Concen: 36.045 ng
RT: 8.240 min Scan# 1(
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:128 Resp: 101561(

Ion	Ratio	Lower	Upper
128	100		
129	11.0	9.0	13.6
127	13.2	10.7	16.1



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#32
Benzoic acid
Concen: 44.034 ng
RT: 7.981 min Scan# 984
Delta R.T. 0.012 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:122 Resp: 148637

Ion	Ratio	Lower	Upper
122	100		
105	122.3	106.4	146.4
77	96.1	79.2	119.2





#33
4-Chloroaniline
Concen: 36.342 ng
RT: 8.281 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:127 Resp: 36933

Ion	Ratio	Lower	Upper
127	100		
129	32.7	26.0	39.0
65	33.9	27.0	40.4
92	20.1	16.2	24.2



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#34
Hexachlorobutadiene
Concen: 38.562 ng
RT: 8.357 min Scan# 1048
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:225 Resp: 197920

Ion	Ratio	Lower	Upper
225	100		
223	62.5	50.1	75.1
227	63.9	50.6	75.8





#35
Caprolactam
Concen: 39.416 ng
RT: 8.645 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:113 Resp: 8667

Ion	Ratio	Lower	Upper
113	100		
55	198.1	181.4	221.4
56	147.0	127.3	167.3

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#36
4-Chloro-3-methylphenol
Concen: 36.961 ng
RT: 8.763 min Scan# 1117
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:107 Resp: 303083

Ion	Ratio	Lower	Upper
107	100		
144	24.8	20.0	30.0
142	78.5	61.3	91.9





#37
2-Methylnaphthalene
Concen: 36.070 ng
RT: 8.928 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:142 Resp: 66814

Ion	Ratio	Lower	Upper
142	100		
141	87.8	69.8	104.8

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#38
1-Methylnaphthalene
Concen: 35.896 ng
RT: 9.028 min Scan# 1162
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:142 Resp: 640396

Ion	Ratio	Lower	Upper
142	100		
141	91.5	73.0	109.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:164 Resp: 30766

Ion	Ratio	Lower	Upper
164	100		
162	98.3	78.6	118.0
160	43.3	34.4	51.6



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 37.276 ng
RT: 9.098 min Scan# 1174
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:216 Resp: 313835

Ion	Ratio	Lower	Upper
216	100		
214	79.8	63.0	94.4
179	21.1	17.0	25.4
108	18.3	14.6	22.0





#41
Hexachlorocyclopentadiene
Concen: 52.784 ng
RT: 9.087 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:237 Resp: 14946

Ion	Ratio	Lower	Upper
237	100		
235	61.8	42.0	82.0
272	12.6	0.0	32.6

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#42
2,4,6-Tribromophenol
Concen: 86.257 ng
RT: 10.757 min Scan# 1456
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:330 Resp: 193949

Ion	Ratio	Lower	Upper
330	100		
332	95.5	78.1	117.1
141	29.8	25.4	38.0





#43
2,4,6-Trichlorophenol
Concen: 41.302 ng
RT: 9.204 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:196 Resp: 19729

Ion	Ratio	Lower	Upper
196	100		
198	94.3	75.4	113.0
200	30.4	24.3	36.5



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#44
2,4,5-Trichlorophenol
Concen: 39.752 ng
RT: 9.251 min Scan# 1200
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:196 Resp: 214438

Ion	Ratio	Lower	Upper
196	100		
198	96.1	75.4	113.2
97	46.4	39.9	59.9
132	27.2	22.6	33.8





#45
2-Fluorobiphenyl
Concen: 72.124 ng
RT: 9.287 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:172 Resp: 130857

Ion	Ratio	Lower	Upper
172	100		
171	35.4	28.4	42.6
170	23.4	19.1	28.7



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#46
1,1'-Biphenyl
Concen: 36.146 ng
RT: 9.392 min Scan# 1224
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:154 Resp: 786326

Ion	Ratio	Lower	Upper
154	100		
153	40.7	20.2	60.2
76	13.1	0.0	34.4





#47
2-Chloronaphthalene
Concen: 36.686 ng
RT: 9.416 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:162 Resp: 62853

Ion	Ratio	Lower	Upper
162	100		
127	39.6	32.1	48.1
164	32.7	27.0	40.4



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#48
2-Nitroaniline
Concen: 39.015 ng
RT: 9.510 min Scan# 1244
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 65 Resp: 190071

Ion	Ratio	Lower	Upper
65	100		
92	67.1	53.1	79.7
138	110.3	81.4	122.0





#49
Acenaphthylene
Concen: 36.320 ng
RT: 9.828 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:152 Resp: 89862

Ion	Ratio	Lower	Upper
152	100		
151	19.7	16.2	24.2
153	13.2	10.6	16.0



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#50
Dimethylphthalate
Concen: 37.964 ng
RT: 9.681 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:163 Resp: 682495

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.3	4.9
164	10.2	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 43.044 ng
RT: 9.745 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:165 Resp: 14532

Ion	Ratio	Lower	Upper
165	100		
63	61.1	51.6	77.4
89	54.6	47.7	71.5



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#52
Acenaphthene
Concen: 36.404 ng
RT: 10.004 min Scan# 1328
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:154 Resp: 598801

Ion	Ratio	Lower	Upper
154	100		
153	111.7	88.5	132.7
152	52.7	42.4	63.6





#53
3-Nitroaniline
Concen: 42.759 ng
RT: 9.916 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:138 Resp: 15742

Ion	Ratio	Lower	Upper
138	100		
108	10.8	9.6	14.4
92	113.6	93.4	140.2

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#54
2,4-Dinitrophenol
Concen: 51.347 ng
RT: 10.028 min Scan# 1332
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:184 Resp: 59555

Ion	Ratio	Lower	Upper
184	100		
63	69.0	62.5	93.7
154	67.5	73.0	109.4#





#55
Dibenzofuran
Concen: 35.775 ng
RT: 10.175 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:168 Resp: 84691

Ion	Ratio	Lower	Upper
168	100		
139	37.0	29.4	44.0
169	13.7	11.0	16.6



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#56
4-Nitrophenol
Concen: 41.856 ng
RT: 10.081 min Scan# 1341
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:139 Resp: 114908

Ion	Ratio	Lower	Upper
139	100		
109	65.8	49.4	89.4
65	99.1	83.7	123.7





#57
2,4-Dinitrotoluene
Concen: 42.395 ng
RT: 10.151 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:165 Resp: 18968

Ion	Ratio	Lower	Upper
165	100		
63	45.4	41.8	62.8
89	67.2	62.4	93.6
182	2.7	2.2	3.2



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#58
Fluorene
Concen: 34.878 ng
RT: 10.516 min Scan# 1415
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:166 Resp: 630662

Ion	Ratio	Lower	Upper
166	100		
165	98.2	78.2	117.4
167	13.9	10.9	16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 43.560 ng
RT: 10.298 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:232 Resp: 15839

Ion	Ratio	Lower	Upper
232	100		
131	40.9	34.6	51.8
130	1.9	1.7	2.5
166	27.5	23.4	35.0



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#60
Diethylphthalate
Concen: 38.637 ng
RT: 10.386 min Scan# 1393
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:149 Resp: 622164

Ion	Ratio	Lower	Upper
149	100		
177	23.6	18.2	27.2
150	12.7	9.9	14.9





#61
4-Chlorophenyl-phenylether
Concen: 36.713 ng
RT: 10.510 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:204 Resp: 32076

Ion	Ratio	Lower	Upper
204	100		
206	33.4	27.4	41.2
141	57.3	46.9	70.3

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#62
4-Nitroaniline
Concen: 40.094 ng
RT: 10.528 min Scan# 1417
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:138 Resp: 142815

Ion	Ratio	Lower	Upper
138	100		
92	49.2	31.2	71.2
108	69.2	48.1	88.1





#63
Azobenzene
Concen: 34.469 ng
RT: 10.669 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 633989

Ion	Ratio	Lower	Upper
77	100		
182	26.7	4.4	44.4
105	22.3	1.8	41.8
51	32.6	13.7	53.7

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1575
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:188 Resp: 448323

Ion	Ratio	Lower	Upper
188	100		
94	10.7	8.8	13.2
80	11.4	9.7	14.5





#65
4,6-Dinitro-2-methylphenol
Concen: 48.521 ng
RT: 10.563 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:198 Resp: 8817

Ion	Ratio	Lower	Upper
198	100		
51	53.3	41.7	81.7
105	42.4	26.8	66.8

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#66
n-Nitrosodiphenylamine
Concen: 36.871 ng
RT: 10.628 min Scan# 1434
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:169 Resp: 544301

Ion	Ratio	Lower	Upper
169	100		
168	66.6	52.7	79.1
167	35.8	28.6	42.8





#67
4-Bromophenyl-phenylether
Concen: 38.580 ng
RT: 10.998 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:248 Resp: 19781(

Ion	Ratio	Lower	Upper
248	100		
250	96.2	77.1	115.7
141	69.6	59.1	88.7

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#68
Hexachlorobenzene
Concen: 37.421 ng
RT: 11.069 min Scan# 1509
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:284 Resp: 206818

Ion	Ratio	Lower	Upper
284	100		
142	33.5	25.7	38.5
249	31.4	24.6	37.0





#69
Atrazine
Concen: 42.535 ng
RT: 11.151 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:200 Resp: 16377

Ion	Ratio	Lower	Upper
200	100		
173	26.3	6.6	46.6
215	49.9	30.6	70.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#70
Pentachlorophenol
Concen: 94.322 ng
RT: 11.269 min Scan# 1543
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:266 Resp: 258266

Ion	Ratio	Lower	Upper
266	100		
268	64.1	48.8	73.2
264	63.6	48.8	73.2





#71
Phenanthrene
Concen: 35.740 ng
RT: 11.480 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:178 Resp: 87421

Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.5	23.3
179	15.5	12.5	18.7



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#72
Anthracene
Concen: 35.318 ng
RT: 11.533 min Scan# 1588
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:178 Resp: 876126

Ion	Ratio	Lower	Upper
178	100		
176	18.9	15.1	22.7
179	15.7	12.7	19.1





#73
Carbazole
Concen: 35.043 ng
RT: 11.686 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:167 Resp: 74034

Ion	Ratio	Lower	Upper
167	100		
166	21.5	16.8	25.2
139	12.8	10.2	15.2



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#74
Di-n-butylphthalate
Concen: 45.343 ng
RT: 12.010 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:149 Resp: 810616

Ion	Ratio	Lower	Upper
149	100		
150	9.4	7.4	11.0
104	4.8	3.8	5.8





#75
Fluoranthene
Concen: 36.199 ng
RT: 12.669 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:202 Resp: 77561

Ion	Ratio	Lower	Upper
202	100		
101	12.5	0.0	33.2
203	17.4	0.0	37.6

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:240 Resp: 298922

Ion	Ratio	Lower	Upper
240	100		
120	11.3	9.0	13.6
236	25.4	19.9	29.9





#77
Benzidine
Concen: 39.424 ng
RT: 12.786 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:184 Resp: 32218

Ion	Ratio	Lower	Upper
184	100		
185	15.0	12.8	19.2
183	11.4	9.3	13.9



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#78
Pyrene
Concen: 31.829 ng
RT: 12.898 min Scan# 1820
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:202 Resp: 798173

Ion	Ratio	Lower	Upper
202	100		
200	20.8	16.8	25.2
203	17.3	14.2	21.4





#79
Terphenyl-d14
Concen: 65.955 ng
RT: 13.039 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:244 Resp: 110429

Ion	Ratio	Lower	Upper
244	100		
212	6.5	5.1	7.7
122	10.1	8.9	13.3



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#80
Butylbenzylphthalate
Concen: 53.579 ng
RT: 13.510 min Scan# 1924
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:149 Resp: 267587

Ion	Ratio	Lower	Upper
149	100		
91	70.7	58.8	88.2
206	22.1	16.4	24.6





#81
Benzo(a)anthracene
Concen: 35.382 ng
RT: 14.086 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:228 Resp: 67224

Ion	Ratio	Lower	Upper
228	100		
226	27.5	22.0	33.0
229	20.2	15.8	23.8



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#82
3,3'-Dichlorobenzidine
Concen: 44.142 ng
RT: 14.045 min Scan# 2015
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:252 Resp: 226457

Ion	Ratio	Lower	Upper
252	100		
254	65.2	51.7	77.5
126	11.0	9.2	13.8





#83
Chrysene
Concen: 37.405 ng
RT: 14.127 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:228 Resp: 66265

Ion	Ratio	Lower	Upper
228	100		
226	29.5	24.2	36.2
229	19.4	15.8	23.6



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 51.348 ng
RT: 14.069 min Scan# 2019
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:149 Resp: 376483

Ion	Ratio	Lower	Upper
149	100		
167	27.7	21.4	32.0
279	4.4	3.2	4.8





#85
Di-n-octyl phthalate
Concen: 47.658 ng
RT: 14.686 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:149 Resp: 69091

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	11.4	10.8	16.2

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. 0.012 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:264 Resp: 377299

Ion	Ratio	Lower	Upper
264	100		
260	23.6	18.7	28.1
265	21.9	17.2	25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 36.148 ng
RT: 17.121 min Scan# 2
Delta R.T. 0.018 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:276 Resp: 97710

Ion	Ratio	Lower	Upper
276	100		
138	25.4	21.1	31.7
277	25.0	20.2	30.2



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#88
Benzo(b)fluoranthene
Concen: 38.730 ng
RT: 15.151 min Scan# 2203
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:252 Resp: 799255

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.8	26.8
125	9.9	7.8	11.6





#89
Benzo(k)fluoranthene
Concen: 34.263 ng
RT: 15.180 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:252 Resp: 68705

Ion	Ratio	Lower	Upper
252	100		
253	22.7	17.6	26.4
125	10.1	8.4	12.6



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#90
Benzo(a)pyrene
Concen: 36.858 ng
RT: 15.527 min Scan# 2267
Delta R.T. 0.012 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:252 Resp: 716381

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.6	26.4
125	11.0	9.1	13.7





#91
Dibenzo(a,h)anthracene
Concen: 35.627 ng
RT: 17.133 min Scan# 2
Delta R.T. 0.018 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:278 Resp: 76935

Ion	Ratio	Lower	Upper
278	100		
139	16.9	14.0	21.0
279	24.3	19.4	29.0



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#92
Benzo(g,h,i)perylene
Concen: 35.184 ng
RT: 17.580 min Scan# 2616
Delta R.T. 0.018 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:276 Resp: 765398

Ion	Ratio	Lower	Upper
276	100		
277	23.8	18.7	28.1
138	22.5	17.8	26.8



Sample Results: **BF143399.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143399.D
Acq On : 15 Aug 2025 03:54
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 13:04:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00
2		1,4-Dioxane	0.598	0.580	3.0	90	-0.02
3		Pyridine	1.595	1.428	10.5	81	-0.02
4		n-Nitrosodimethylamine	0.743	0.647	12.9	79	-0.02
5	S	2-Fluorophenol	1.157	1.081	6.6	84	0.00
6		Aniline	2.091	1.824	12.8	79	0.00
7	S	Phenol-d6	1.483	1.325	10.7	81	0.00
8		2-Chlorophenol	1.236	1.194	3.4	87	0.00
9		Benzaldehyde	0.980	0.803	18.1	73	0.00
10	C	Phenol	1.757	1.562	11.1	81	0.00
11		bis(2-Chloroethyl)ether	1.295	1.165	10.0	82	0.00
12		1,3-Dichlorobenzene	1.425	1.296	9.1	83	0.00
13	C	1,4-Dichlorobenzene	1.431	1.302	9.0	85	0.00
14		1,2-Dichlorobenzene	1.358	1.233	9.2	84	0.00
15		Benzyl Alcohol	1.063	0.984	7.4	83	0.00
16		2,2'-oxybis(1-Chloropropane	2.312	1.961	15.2	78	0.00
17		2-Methylphenol	1.043	0.969	7.1	84	0.00
18		Hexachloroethane	0.449	0.446	0.7	89	0.00
19	P	n-Nitroso-di-n-propylamine	0.916	0.781	14.7	79	0.00
20		3+4-Methylphenols	1.262	1.138	9.8	81	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	89	0.00
22		Acetophenone	0.441	0.385	12.7	80	0.00
23	S	Nitrobenzene-d5	0.321	0.315	1.9	84	0.00
24		Nitrobenzene	0.349	0.335	4.0	83	0.00
25		Isophorone	0.656	0.580	11.6	80	0.00
26	C	2-Nitrophenol	0.118	0.162	-37.3#	115	0.00
27		2,4-Dimethylphenol	0.274	0.260	5.1	83	0.00
28		bis(2-Chloroethoxy)methane	0.400	0.364	9.0	82	0.00
29	C	2,4-Dichlorophenol	0.267	0.264	1.1	86	0.00
30		1,2,4-Trichlorobenzene	0.282	0.265	6.0	85	0.00
31		Naphthalene	0.962	0.867	9.9	82	0.00
32		Benzoic acid	0.110	0.127	-15.5	105	0.01
33		4-Chloroaniline	0.347	0.315	9.2	82	0.00
34	C	Hexachlorobutadiene	0.175	0.169	3.4	86	0.00
35		Caprolactam	0.075	0.074	1.3	84	0.00
36	C	4-Chloro-3-methylphenol	0.280	0.259	7.5	81	0.00
37		2-Methylnaphthalene	0.633	0.571	9.8	82	0.00
38		1-Methylnaphthalene	0.609	0.547	10.2	82	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	89	0.00
40		1,2,4,5-Tetrachlorobenzene	0.547	0.510	6.8	84	0.00
41	P	Hexachlorocyclopentadiene	0.158	0.243	-53.8#	129	0.00
42	S	2,4,6-Tribromophenol	0.146	0.158	-8.2	88	0.00
43	C	2,4,6-Trichlorophenol	0.311	0.321	-3.2	86	0.00
44		2,4,5-Trichlorophenol	0.351	0.348	0.9	82	0.00
45	S	2-Fluorobiphenyl	1.179	1.063	9.8	84	0.00
46		1,1'-Biphenyl	1.414	1.278	9.6	82	0.00
47		2-Chloronaphthalene	1.114	1.021	8.3	83	0.00

Sample Results: **BF143399.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143399.D
Acq On : 15 Aug 2025 03:54
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 13:04:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.284	0.309	-8.8	89	0.00
49		Acenaphthylene	1.608	1.460	9.2	82	0.00
50		Dimethylphthalate	1.169	1.109	5.1	84	0.00
51		2,6-Dinitrotoluene	0.193	0.236	-22.3	99	0.00
52	C	Acenaphthene	1.069	0.973	9.0	82	0.00
53		3-Nitroaniline	0.239	0.256	-7.1	87	0.00
54	P	2,4-Dinitrophenol	0.065	0.097	-49.2#	131	0.00
55		Dibenzofuran	1.539	1.376	10.6	81	0.00
56	P	4-Nitrophenol	0.163	0.187	-14.7	96	0.00
57		2,4-Dinitrotoluene	0.256	0.308	-20.3	95	0.00
58		Fluorene	1.175	1.025	12.8	80	0.00
59		2,3,4,6-Tetrachlorophenol	0.236	0.257	-8.9	90	0.00
60		Diethylphthalate	1.047	1.011	3.4	83	0.00
61		4-Chlorophenyl-phenylether	0.568	0.521	8.3	82	0.00
62		4-Nitroaniline	0.232	0.232	0.0	83	0.00
63		Azobenzene	1.196	1.030	13.9	77	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	87	0.00
65		4,6-Dinitro-2-methylphenol	0.069	0.098	-42.0#	120	0.00
66	c	n-Nitrosodiphenylamine	0.659	0.607	7.9	80	0.00
67		4-Bromophenyl-phenylether	0.229	0.221	3.5	83	0.00
68		Hexachlorobenzene	0.247	0.231	6.5	82	0.00
69		Atrazine	0.172	0.183	-6.4	89	0.00
70	C	Pentachlorophenol	0.101	0.288	-185.1#	231#	0.00
71		Phenanthrene	1.091	0.975	10.6	78	0.00
72		Anthracene	1.107	0.977	11.7	78	0.00
73		Carbazole	0.942	0.826	12.3	77	0.00
74		Di-n-butylphthalate	0.798	0.904	-13.3	91	0.00
75	C	Fluoranthene	0.956	0.865	9.5	82	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	103	0.00
77		Benzidine	0.547	0.539	1.5	94	0.00
78		Pyrene	1.678	1.335	20.4	83	0.00
79	S	Terphenyl-d14	1.120	0.924	17.5	87	0.00
80		Butylbenzylphthalate	0.284	0.448	-57.7#	152#	0.00
81		Benzo(a)anthracene	1.271	1.124	11.6	92	0.00
82		3,3'-Dichlorobenzidine	0.343	0.379	-10.5	107	0.00
83		Chrysene	1.185	1.108	6.5	97	0.01
84		Bis(2-ethylhexyl)phthalate	0.403	0.630	-56.3#	147	0.00
85	c	Di-n-octyl phthalate	0.860	1.156	-34.4#	134	0.01
86	I	Perylene-d12	1.000	1.000	0.0	115	0.01
87		Indeno(1,2,3-cd)pyrene	1.433	1.295	9.6	103	0.02
88		Benzo(b)fluoranthene	1.094	1.059	3.2	109	0.00
89		Benzo(k)fluoranthene	1.063	0.910	14.4	101	0.01
90	C	Benzo(a)pyrene	1.030	0.949	7.9	106	0.01
91		Dibenzo(a,h)anthracene	1.145	1.020	10.9	100	0.02
92		Benzo(g,h,i)perylene	1.153	1.014	12.1	100	0.02

Sample Results: **BF143399.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143399.D
Acq On : 15 Aug 2025 03:54
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 13:04:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 3

Sample Results: **BF143399.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143399.D
Acq On : 15 Aug 2025 03:54
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 13:04:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	92	0.00
2		1,4-Dioxane	40.000	38.788	3.0	90	-0.02
3		Pyridine	40.000	35.812	10.5	81	-0.02
4		n-Nitrosodimethylamine	40.000	34.837	12.9	79	-0.02
5	S	2-Fluorophenol	80.000	74.777	6.5	84	0.00
6		Aniline	40.000	34.903	12.7	79	0.00
7	S	Phenol-d6	80.000	71.476	10.7	81	0.00
8		2-Chlorophenol	40.000	38.646	3.4	87	0.00
9		Benzaldehyde	40.000	32.775	18.1	73	0.00
10	C	Phenol	40.000	35.572	11.1	81	0.00
11		bis(2-Chloroethyl)ether	40.000	35.987	10.0	82	0.00
12		1,3-Dichlorobenzene	40.000	36.378	9.1	83	0.00
13	C	1,4-Dichlorobenzene	40.000	36.389	9.0	85	0.00
14		1,2-Dichlorobenzene	40.000	36.325	9.2	84	0.00
15		Benzyl Alcohol	40.000	37.031	7.4	83	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	33.932	15.2	78	0.00
17		2-Methylphenol	40.000	37.170	7.1	84	0.00
18		Hexachloroethane	40.000	39.741	0.6	89	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	34.078	14.8	79	0.00
20		3+4-Methylphenols	40.000	36.093	9.8	81	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	89	0.00
22		Acetophenone	40.000	34.939	12.7	80	0.00
23	S	Nitrobenzene-d5	80.000	78.460	1.9	84	0.00
24		Nitrobenzene	40.000	38.363	4.1	83	0.00
25		Isophorone	40.000	35.375	11.6	80	0.00
26	C	2-Nitrophenol	40.000	46.487	-16.2	115	0.00
27		2,4-Dimethylphenol	40.000	38.079	4.8	83	0.00
28		bis(2-Chloroethoxy)methane	40.000	36.367	9.1	82	0.00
29	C	2,4-Dichlorophenol	40.000	39.458	1.4	86	0.00
30		1,2,4-Trichlorobenzene	40.000	37.571	6.1	85	0.00
31		Naphthalene	40.000	36.045	9.9	82	0.00
32		Benzoic acid	40.000	44.034	-10.1	105	0.01
33		4-Chloroaniline	40.000	36.342	9.1	82	0.00
34	C	Hexachlorobutadiene	40.000	38.562	3.6	86	0.00
35		Caprolactam	40.000	39.416	1.5	84	0.00
36	C	4-Chloro-3-methylphenol	40.000	36.961	7.6	81	0.00
37		2-Methylnaphthalene	40.000	36.070	9.8	82	0.00
38		1-Methylnaphthalene	40.000	35.896	10.3	82	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	89	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	37.276	6.8	84	0.00
41	P	Hexachlorocyclopentadiene	40.000	52.784	-32.0#	129	0.00
42	S	2,4,6-Tribromophenol	80.000	86.257	-7.8	88	0.00
43	C	2,4,6-Trichlorophenol	40.000	41.302	-3.3	86	0.00
44		2,4,5-Trichlorophenol	40.000	39.752	0.6	82	0.00
45	S	2-Fluorobiphenyl	80.000	72.124	9.8	84	0.00
46		1,1'-Biphenyl	40.000	36.146	9.6	82	0.00
47		2-Chloronaphthalene	40.000	36.686	8.3	83	0.00

Sample Results: **BF143399.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143399.D
Acq On : 15 Aug 2025 03:54
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 13:04:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	39.015	2.5	89	0.00
49		Acenaphthylene	40.000	36.320	9.2	82	0.00
50		Dimethylphthalate	40.000	37.964	5.1	84	0.00
51		2,6-Dinitrotoluene	40.000	43.044	-7.6	99	0.00
52	C	Acenaphthene	40.000	36.404	9.0	82	0.00
53		3-Nitroaniline	40.000	42.759	-6.9	87	0.00
54	P	2,4-Dinitrophenol	40.000	51.347	-28.4#	131	0.00
55		Dibenzofuran	40.000	35.775	10.6	81	0.00
56	P	4-Nitrophenol	40.000	41.856	-4.6	96	0.00
57		2,4-Dinitrotoluene	40.000	42.395	-6.0	95	0.00
58		Fluorene	40.000	34.878	12.8	80	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	43.560	-8.9	90	0.00
60		Diethylphthalate	40.000	38.637	3.4	83	0.00
61		4-Chlorophenyl-phenylether	40.000	36.713	8.2	82	0.00
62		4-Nitroaniline	40.000	40.094	-0.2	83	0.00
63		Azobenzene	40.000	34.469	13.8	77	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	87	0.00
65		4,6-Dinitro-2-methylphenol	40.000	48.521	-21.3	120	0.00
66	c	n-Nitrosodiphenylamine	40.000	36.871	7.8	80	0.00
67		4-Bromophenyl-phenylether	40.000	38.580	3.6	83	0.00
68		Hexachlorobenzene	40.000	37.421	6.4	82	0.00
69		Atrazine	40.000	42.535	-6.3	89	0.00
70	C	Pentachlorophenol	40.000	94.322	-135.8#	231	0.00
71		Phenanthrene	40.000	35.740	10.6	78	0.00
72		Anthracene	40.000	35.318	11.7	78	0.00
73		Carbazole	40.000	35.043	12.4	77	0.00
74		Di-n-butylphthalate	40.000	45.343	-13.4	91	0.00
75	C	Fluoranthene	40.000	36.199	9.5	82	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	103	0.00
77		Benzidine	40.000	39.424	1.4	94	0.00
78		Pyrene	40.000	31.829	20.4	83	0.00
79	S	Terphenyl-d14	80.000	65.955	17.6	87	0.00
80		Butylbenzylphthalate	40.000	53.579	-33.9#	152	0.00
81		Benzo(a)anthracene	40.000	35.382	11.5	92	0.00
82		3,3'-Dichlorobenzidine	40.000	44.142	-10.4	107	0.00
83		Chrysene	40.000	37.405	6.5	97	0.01
84		Bis(2-ethylhexyl)phthalate	40.000	51.348	-28.4#	147	0.00
85	c	Di-n-octyl phthalate	40.000	47.658	-19.1	134	0.01
86	I	Perylene-d12	20.000	20.000	0.0	115	0.01
87		Indeno(1,2,3-cd)pyrene	40.000	36.148	9.6	103	0.02
88		Benzo(b)fluoranthene	40.000	38.730	3.2	109	0.00
89		Benzo(k)fluoranthene	40.000	34.263	14.3	101	0.01
90	C	Benzo(a)pyrene	40.000	36.858	7.9	106	0.01
91		Dibenzo(a,h)anthracene	40.000	35.627	10.9	100	0.02
92		Benzo(g,h,i)perylene	40.000	35.184	12.0	100	0.02

Sample Results: **BF143399.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143399.D
Acq On : 15 Aug 2025 03:54
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 13:04:24 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

Raw Data: **BF143414.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_F Calibration Date/Time: 08/15/2025 12:45

Lab File ID: BF143414.D Init. Calib. Date(s): 08/12/2025 08/12/2025

EPA Sample No.: SSTDCCC040EC Init. Calib. Time(s): 09:03 12:38

GC Column: DB-UI ID: 0.18 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.157	0.947		-18.1	50.0
Benzaldehyde	0.980	0.712		-27.3	50.0
Phenol-d6	1.483	1.193		-19.6	50.0
Phenol	1.757	1.426		-18.8	50.0
bis(2-Chloroethyl)ether	1.295	1.043		-19.5	50.0
2-Chlorophenol	1.236	1.054		-14.7	50.0
2-Methylphenol	1.043	0.867		-16.9	50.0
2,2-oxybis(1-Chloropropane)	2.312	1.796		-22.3	50.0
Acetophenone	0.441	0.354		-19.7	50.0
3+4-Methylphenols	1.262	1.071		-15.1	50.0
n-Nitroso-di-n-propylamine	0.916	0.747	0.050	-18.5	50.0
Nitrobenzene-d5	0.321	0.283		-11.8	50.0
Hexachloroethane	0.449	0.405		-9.8	50.0
Nitrobenzene	0.349	0.297		-14.9	50.0
Isophorone	0.656	0.540		-17.7	50.0
2-Nitrophenol	0.118	0.145		22.9	50.0
2,4-Dimethylphenol	0.274	0.238		-13.1	50.0
bis(2-Chloroethoxy)methane	0.400	0.331		-17.3	50.0
2,4-Dichlorophenol	0.267	0.236		-11.6	50.0
Naphthalene	0.962	0.784		-18.5	50.0
4-Chloroaniline	0.347	0.289		-16.7	50.0
Hexachlorobutadiene	0.175	0.152		-13.1	50.0
Caprolactam	0.075	0.072		-4.0	50.0
4-Chloro-3-methylphenol	0.280	0.243		-13.2	50.0
2-Methylnaphthalene	0.633	0.537		-15.2	50.0
Hexachlorocyclopentadiene	0.158	0.142	0.050	-10.1	50.0
2,4,6-Trichlorophenol	0.311	0.287		-7.7	50.0
2-Fluorobiphenyl	1.179	0.962		-18.4	50.0
2,4,5-Trichlorophenol	0.351	0.311		-11.4	50.0
1,1-Biphenyl	1.414	1.152		-18.5	50.0
2-Chloronaphthalene	1.114	0.905		-18.8	50.0
2-Nitroaniline	0.284	0.284		0.0	50.0
Dimethylphthalate	1.169	1.059		-9.4	50.0
Acenaphthylene	1.608	1.310		-18.5	50.0
2,6-Dinitrotoluene	0.193	0.222		15.0	50.0
3-Nitroaniline	0.239	0.241		0.8	50.0
Acenaphthene	1.069	0.850		-20.5	50.0
2,4-Dinitrophenol	0.065	0.042	0.050	-35.4	50.0
4-Nitrophenol	0.163	0.131	0.050	-19.6	50.0

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_F Calibration Date/Time: 08/15/2025 12:45

Lab File ID: BF143414.D Init. Calib. Date(s): 08/12/2025 08/12/2025

EPA Sample No.: SSTDCCC040EC Init. Calib. Time(s): 09:03 12:38

GC Column: DB-UI ID: 0.18 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.539	1.271		-17.4	50.0
2,4-Dinitrotoluene	0.256	0.295		15.2	50.0
Diethylphthalate	1.047	1.010		-3.5	50.0
4-Chlorophenyl-phenylether	0.568	0.491		-13.6	50.0
Fluorene	1.175	0.950		-19.1	50.0
4-Nitroaniline	0.232	0.219		-5.6	50.0
4,6-Dinitro-2-methylphenol	0.069	0.064		-7.2	50.0
n-Nitrosodiphenylamine	0.659	0.548		-16.8	50.0
2,4,6-Tribromophenol	0.146	0.148		1.4	50.0
4-Bromophenyl-phenylether	0.229	0.201		-12.2	50.0
Hexachlorobenzene	0.247	0.207		-16.2	50.0
Atrazine	0.172	0.185		7.0	50.0
Pentachlorophenol	0.101	0.083		-17.8	50.0
Phenanthrene	1.091	0.875		-19.8	50.0
Anthracene	1.107	0.890		-19.6	50.0
Carbazole	0.942	0.743		-21.1	50.0
Di-n-butylphthalate	0.798	0.951		19.2	50.0
Fluoranthene	0.956	0.752		-21.3	50.0
Pyrene	1.678	1.252		-25.4	50.0
Terphenyl-d14	1.120	0.922		-17.7	50.0
Butylbenzylphthalate	0.284	0.454		59.9	50.0
3,3-Dichlorobenzidine	0.343	0.331		-3.5	50.0
Benzo(a)anthracene	1.271	1.019		-19.8	50.0
Chrysene	1.185	0.984		-17.0	50.0
Bis(2-ethylhexyl)phthalate	0.403	0.592		46.9	50.0
Di-n-octyl phthalate	0.860	1.033		20.1	50.0
Benzo(b)fluoranthene	1.094	0.989		-9.6	50.0
Benzo(k)fluoranthene	1.063	0.880		-17.2	50.0
Benzo(a)pyrene	1.030	0.859		-16.6	50.0
Indeno(1,2,3-cd)pyrene	1.433	0.897		-37.4	50.0
Dibenzo(a,h)anthracene	1.145	0.737		-35.6	50.0
Benzo(g,h,i)perylene	1.153	0.661		-42.7	50.0
1,2,4,5-Tetrachlorobenzene	0.547	0.455		-16.8	50.0
1,4-Dioxane	0.598	0.439		-26.6	50.0
2,3,4,6-Tetrachlorophenol	0.236	0.228		-3.4	50.0

All other compounds must meet a minimum RRF of 0.010.

Sample Results: **BF143414.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143414.D
Acq On : 15 Aug 2025 12:45
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 37 Sample Multiplier: 1

Quant Time: Aug 15 13:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	132531	20.000	ng	0.00
21) Naphthalene-d8	8.216	136	517048	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	290133	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	440724	20.000	ng	0.00
76) Chrysene-d12	14.098	240	263251	20.000	ng	0.00
86) Perylene-d12	15.592	264	287708	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	501865	65.483	ng	0.00
7) Phenol-d6	6.563	99	632566	64.363	ng	0.00
23) Nitrobenzene-d5	7.492	82	586323	70.617	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	171695	80.975	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1116757	65.272	ng	0.00
79) Terphenyl-d14	13.039	244	970470	65.816	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.722	88	116348	29.338	ng	97
3) Pyridine	3.504	79	314400	29.750	ng	98
4) n-Nitrosodimethylamine	3.440	42	143636	29.178	ng	95
6) Aniline	6.592	93	435030	31.397	ng	96
8) 2-Chlorophenol	6.722	128	279422	34.120	ng	97
9) Benzaldehyde	6.481	77	188756	29.058	ng	97
10) Phenol	6.581	94	377915	32.459	ng	92
11) bis(2-Chloroethyl)ether	6.663	93	276577	32.232	ng	99
12) 1,3-Dichlorobenzene	6.875	146	310626	32.885	ng	99
13) 1,4-Dichlorobenzene	6.951	146	313512	33.070	ng	99
14) 1,2-Dichlorobenzene	7.104	146	297152	33.020	ng	99
15) Benzyl Alcohol	7.069	79	242210	34.380	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.204	45	475921	31.066	ng	99
17) 2-Methylphenol	7.187	107	229936	33.263	ng	98
18) Hexachloroethane	7.445	117	107231	36.078	ng	99
19) n-Nitroso-di-n-propyla...	7.339	70	198094	32.620	ng	99
20) 3+4-Methylphenols	7.334	107	283796	33.947	ng	99
22) Acetophenone	7.339	105	365619	32.094	ng	97
24) Nitrobenzene	7.510	77	306868	34.031	ng	99
25) Isophorone	7.751	82	558781	32.967	ng	99
26) 2-Nitrophenol	7.828	139	150133	42.036	ng	99
27) 2,4-Dimethylphenol	7.863	122	246303m	34.831	ng	
28) bis(2-Chloroethoxy)met...	7.957	93	342133	33.061	ng	99
29) 2,4-Dichlorophenol	8.075	162	243882	35.311	ng	99
30) 1,2,4-Trichlorobenzene	8.157	180	246099	33.779	ng	100
31) Naphthalene	8.239	128	810500	32.577	ng	100
32) Benzoic acid	7.969	122	107890	38.012	ng	99
33) 4-Chloroaniline	8.281	127	299367	33.361	ng	100
34) Hexachlorobutadiene	8.357	225	157186	34.683	ng	99
35) Caprolactam	8.639	113	74885	38.568	ng	99
36) 4-Chloro-3-methylphenol	8.763	107	251420	34.724	ng	100
37) 2-Methylnaphthalene	8.928	142	554956	33.929	ng	100
38) 1-Methylnaphthalene	9.028	142	529993	33.644	ng	99
40) 1,2,4,5-Tetrachloroben...	9.098	216	264167	33.273	ng	100
41) Hexachlorocyclopentadiene	9.086	237	82626	33.685	ng	100
43) 2,4,6-Trichlorophenol	9.204	196	166424	36.945	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143414.D
Acq On : 15 Aug 2025 12:45
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 37 Sample Multiplier: 1

Quant Time: Aug 15 13:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.251	196	180539	35.491	ng	98
46) 1,1'-Biphenyl	9.392	154	668180	32.572	ng	99
47) 2-Chloronaphthalene	9.416	162	525241	32.510	ng	99
48) 2-Nitroaniline	9.510	65	164879	36.111	ng	97
49) Acenaphthylene	9.833	152	760268	32.585	ng	99
50) Dimethylphthalate	9.680	163	614540	36.250	ng	100
51) 2,6-Dinitrotoluene	9.745	165	128875	40.656	ng	92
52) Acenaphthene	10.004	154	493236	31.799	ng	99
53) 3-Nitroaniline	9.916	138	139833	40.277	ng	97
54) 2,4-Dinitrophenol	10.028	184	24625	29.103	ng	90
55) Dibenzofuran	10.175	168	737792	33.049	ng	100
56) 4-Nitrophenol	10.080	139	75898	30.958	ng	98
57) 2,4-Dinitrotoluene	10.151	165	171422	40.754	ng	89
58) Fluorene	10.522	166	551057	32.317	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.298	232	132484	38.636	ng	97
60) Diethylphthalate	10.386	149	586261	38.608	ng	99
61) 4-Chlorophenyl-phenyle...	10.510	204	284659	34.550	ng	100
62) 4-Nitroaniline	10.527	138	127282	37.893	ng	99
63) Azobenzene	10.669	77	563404	32.483	ng	98
65) 4,6-Dinitro-2-methylph...	10.563	198	56010	33.921	ng	90
66) n-Nitrosodiphenylamine	10.622	169	483005	33.283	ng	99
67) 4-Bromophenyl-phenylether	10.998	248	177054	35.127	ng	97
68) Hexachlorobenzene	11.075	284	182234	33.541	ng	97
69) Atrazine	11.151	200	162627	42.966	ng	98
70) Pentachlorophenol	11.269	266	73538	31.527	ng	97
71) Phenanthrene	11.480	178	770997	32.064	ng	100
72) Anthracene	11.533	178	784923	32.187	ng	98
73) Carbazole	11.686	167	654998	31.538	ng	99
74) Di-n-butylphthalate	12.010	149	837836	47.674	ng	100
75) Fluoranthene	12.669	202	663149	31.484	ng	99
77) Benzidine	12.786	184	254862	35.412	ng	98
78) Pyrene	12.898	202	659217	29.850	ng	99
80) Butylbenzylphthalate	13.510	149	238799	54.249	ng	97
81) Benzo(a)anthracene	14.086	228	536603	32.070	ng	99
82) 3,3'-Dichlorobenzidine	14.045	252	174378	38.596	ng	99
83) Chrysene	14.121	228	518068	33.206	ng	100
84) Bis(2-ethylhexyl)phtha...	14.068	149	311459	48.477	ng	97
85) Di-n-octyl phthalate	14.686	149	543645	43.223	ng	94
87) Indeno(1,2,3-cd)pyrene	17.121	276	516402	25.053	ng	99
88) Benzo(b)fluoranthene	15.151	252	568955	36.155	ng	99
89) Benzo(k)fluoranthene	15.180	252	506257	33.108	ng	99
90) Benzo(a)pyrene	15.527	252	494384	33.357	ng	99
91) Dibenzo(a,h)anthracene	17.133	278	424135	25.756	ng	98
92) Benzo(g,h,i)perylene	17.574	276	380387	22.931	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143414.D
Acq On : 15 Aug 2025 12:45
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 37 Sample Multiplier: 1

Quant Time: Aug 15 13:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:152 Resp: 13253

Ion	Ratio	Lower	Upper
152	100		
150	159.9	129.8	194.8
115	58.8	47.8	71.8



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#2
1,4-Dioxane
Concen: 29.338 ng
RT: 2.722 min Scan# 90
Delta R.T. -0.041 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 88 Resp: 116348

Ion	Ratio	Lower	Upper
88	100		
58	85.9	71.0	106.6
43	32.6	27.0	40.6





#3
Pyridine
Concen: 29.750 ng
RT: 3.504 min Scan# 2
Delta R.T. -0.029 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 79 Resp: 31440

Ion	Ratio	Lower	Upper
79	100		
52	84.3	68.7	103.1
51	40.5	33.4	50.0

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#4
n-Nitrosodimethylamine
Concen: 29.178 ng
RT: 3.440 min Scan# 212
Delta R.T. -0.035 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 42 Resp: 143636

Ion	Ratio	Lower	Upper
42	100		
74	123.3	94.1	141.1
44	7.5	6.5	9.7





#5
2-Fluorophenol
Concen: 65.483 ng
RT: 5.563 min Scan# 5
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:112 Resp: 50186

Ion	Ratio	Lower	Upper
112	100		
64	63.1	52.1	78.1
63	32.3	26.6	39.8

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#6
Aniline
Concen: 31.397 ng
RT: 6.592 min Scan# 748
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 93 Resp: 435030

Ion	Ratio	Lower	Upper
93	100		
66	47.0	35.3	52.9
65	24.5	18.2	27.4





#7
Phenol-d6
Concen: 64.363 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 99 Resp: 63256

Ion	Ratio	Lower	Upper
99	100		
42	20.5	16.6	25.0
71	34.5	26.2	39.2



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#8
2-Chlorophenol
Concen: 34.120 ng
RT: 6.722 min Scan# 770
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:128 Resp: 279422

Ion	Ratio	Lower	Upper
128	100		
130	32.6	12.6	52.6
64	52.8	36.7	76.7





#9
Benzaldehyde
Concen: 29.058 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 77 Resp: 18875

Ion	Ratio	Lower	Upper
77	100		
105	97.6	74.2	114.2
106	93.6	72.2	112.2



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#10
Phenol
Concen: 32.459 ng
RT: 6.581 min Scan# 746
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 94 Resp: 377915

Ion	Ratio	Lower	Upper
94	100		
65	34.8	12.0	52.0
66	52.5	25.6	65.6





#11
bis(2-Chloroethyl)ether
Concen: 32.232 ng
RT: 6.663 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 93 Resp: 27657

Ion	Ratio	Lower	Upper
93	100		
63	84.4	65.7	105.7
95	32.3	13.0	53.0



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#12
1,3-Dichlorobenzene
Concen: 32.885 ng
RT: 6.875 min Scan# 796
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:146 Resp: 310626

Ion	Ratio	Lower	Upper
146	100		
148	63.9	50.5	75.7
75	31.1	24.9	37.3





#13
1,4-Dichlorobenzene
Concen: 33.070 ng
RT: 6.951 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:146 Resp: 31351

Ion	Ratio	Lower	Upper
146	100		
148	63.4	51.4	77.0
111	40.8	32.6	48.8



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#14
1,2-Dichlorobenzene
Concen: 33.020 ng
RT: 7.104 min Scan# 835
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:146 Resp: 297152

Ion	Ratio	Lower	Upper
146	100		
148	64.2	51.4	77.2
111	41.9	34.1	51.1





#15
Benzyl Alcohol
Concen: 34.380 ng
RT: 7.069 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 79 Resp: 24221

Ion	Ratio	Lower	Upper
79	100		
108	75.5	61.5	92.3
77	61.0	49.8	74.8

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#16
2,2'-oxybis(1-Chloropropane)
Concen: 31.066 ng
RT: 7.204 min Scan# 852
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 45 Resp: 475921

Ion	Ratio	Lower	Upper
45	100		
77	13.8	0.0	34.0
79	10.5	0.0	31.1





#17
2-Methylphenol
Concen: 33.263 ng
RT: 7.187 min Scan# 84
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:107 Resp: 22993

Ion	Ratio	Lower	Upper
107	100		
108	113.5	92.0	138.0
77	49.5	38.2	57.2
79	48.6	37.9	56.9



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#18
Hexachloroethane
Concen: 36.078 ng
RT: 7.445 min Scan# 893
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:117 Resp: 107231

Ion	Ratio	Lower	Upper
117	100		
119	94.5	75.8	113.8
201	98.9	77.2	115.8





#19
n-Nitroso-di-n-propylamine
Concen: 32.620 ng
RT: 7.339 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 70 Resp: 19809

Ion	Ratio	Lower	Upper
70	100		
42	64.6	51.6	77.4
101	9.7	7.5	11.3
130	20.6	15.8	23.6



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#20
3+4-Methylphenols
Concen: 33.947 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:107 Resp: 283796

Ion	Ratio	Lower	Upper
107	100		
108	88.4	70.6	110.6
77	131.8	112.0	152.0
79	29.1	9.9	49.9





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.216 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:136 Resp: 51704

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.6	13.0
54	9.5	8.4	12.6
68	6.4	5.9	8.9



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#22
Acetophenone
Concen: 32.094 ng
RT: 7.339 min Scan# 875
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:105 Resp: 365619

Ion	Ratio	Lower	Upper
105	100		
71	9.3	6.2	9.4
51	40.5	34.8	52.2
120	22.8	17.9	26.9





#23
Nitrobenzene-d5
Concen: 70.617 ng
RT: 7.492 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 82 Resp: 58632

Ion	Ratio	Lower	Upper
82	100		
128	44.1	33.5	50.3
54	57.0	46.7	70.1



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#24
Nitrobenzene
Concen: 34.031 ng
RT: 7.510 min Scan# 904
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 77 Resp: 306868

Ion	Ratio	Lower	Upper
77	100		
123	44.5	34.8	52.2
65	14.3	11.0	16.6





#25
Isophorone
Concen: 32.967 ng
RT: 7.751 min Scan# 94
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 82 Resp: 55878

Ion	Ratio	Lower	Upper
82	100		
95	6.9	5.5	8.3
138	17.9	14.6	21.8

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#26
2-Nitrophenol
Concen: 42.036 ng
RT: 7.828 min Scan# 958
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:139 Resp: 150133

Ion	Ratio	Lower	Upper
139	100		
109	28.3	22.4	33.6
65	52.6	42.9	64.3





#27
2,4-Dimethylphenol
Concen: 34.831 ng m
RT: 7.863 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:122 Resp: 24630

Ion	Ratio	Lower	Upper
122	100		
107	113.6	89.9	134.9
121	58.0	46.2	69.4



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#28
bis(2-Chloroethoxy)methane
Concen: 33.061 ng
RT: 7.957 min Scan# 980
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 93 Resp: 342133

Ion	Ratio	Lower	Upper
93	100		
95	32.3	26.2	39.4
123	12.0	9.4	14.2





#29
2,4-Dichlorophenol
Concen: 35.311 ng
RT: 8.075 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:162 Resp: 24388

Ion	Ratio	Lower	Upper
162	100		
164	64.2	44.5	84.5
98	36.4	17.7	57.7



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#30
1,2,4-Trichlorobenzene
Concen: 33.779 ng
RT: 8.157 min Scan# 1014
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:180 Resp: 246099

Ion	Ratio	Lower	Upper
180	100		
182	95.1	76.1	114.1
145	30.6	24.9	37.3





#31
Naphthalene
Concen: 32.577 ng
RT: 8.239 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:128 Resp: 81050

Ion	Ratio	Lower	Upper
128	100		
129	11.1	9.0	13.6
127	13.3	10.7	16.1



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#32
Benzoic acid
Concen: 38.012 ng
RT: 7.969 min Scan# 982
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:122 Resp: 107890

Ion	Ratio	Lower	Upper
122	100		
105	125.9	106.4	146.4
77	99.8	79.2	119.2





#33
4-Chloroaniline
Concen: 33.361 ng
RT: 8.281 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:127 Resp: 29936

Ion	Ratio	Lower	Upper
127	100		
129	32.2	26.0	39.0
65	33.3	27.0	40.4
92	20.2	16.2	24.2



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#34
Hexachlorobutadiene
Concen: 34.683 ng
RT: 8.357 min Scan# 1048
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:225 Resp: 157186

Ion	Ratio	Lower	Upper
225	100		
223	63.7	50.1	75.1
227	64.0	50.6	75.8





#35
Caprolactam
Concen: 38.568 ng
RT: 8.639 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:113 Resp: 7488

Ion	Ratio	Lower	Upper
113	100		
55	198.9	181.4	221.4
56	147.7	127.3	167.3



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#36
4-Chloro-3-methylphenol
Concen: 34.724 ng
RT: 8.763 min Scan# 1117
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:107 Resp: 251420

Ion	Ratio	Lower	Upper
107	100		
144	25.3	20.0	30.0
142	76.9	61.3	91.9





#37
2-Methylnaphthalene
Concen: 33.929 ng
RT: 8.928 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:142 Resp: 55495

Ion	Ratio	Lower	Upper
142	100		
141	87.0	69.8	104.8

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#38
1-Methylnaphthalene
Concen: 33.644 ng
RT: 9.028 min Scan# 1162
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:142 Resp: 529993

Ion	Ratio	Lower	Upper
142	100		
141	91.8	73.0	109.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:164 Resp: 29013

Ion	Ratio	Lower	Upper
164	100		
162	98.2	78.6	118.0
160	42.8	34.4	51.6

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#40
1,2,4,5-Tetrachlorobenzene
Concen: 33.273 ng
RT: 9.098 min Scan# 1174
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:216 Resp: 264167

Ion	Ratio	Lower	Upper
216	100		
214	79.0	63.0	94.4
179	21.2	17.0	25.4
108	18.0	14.6	22.0





#41
Hexachlorocyclopentadiene
Concen: 33.685 ng
RT: 9.086 min Scan# 1
Delta R.T. 0.005 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:237 Resp: 8262

Ion	Ratio	Lower	Upper
237	100		
235	62.2	42.0	82.0
272	12.4	0.0	32.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#42
2,4,6-Tribromophenol
Concen: 80.975 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:330 Resp: 171695

Ion	Ratio	Lower	Upper
330	100		
332	94.3	78.1	117.1
141	30.0	25.4	38.0





#43
2,4,6-Trichlorophenol
Concen: 36.945 ng
RT: 9.204 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:196 Resp: 16642

Ion	Ratio	Lower	Upper
196	100		
198	94.3	75.4	113.0
200	31.0	24.3	36.5



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#44
2,4,5-Trichlorophenol
Concen: 35.491 ng
RT: 9.251 min Scan# 1200
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:196 Resp: 180539

Ion	Ratio	Lower	Upper
196	100		
198	95.0	75.4	113.2
97	46.3	39.9	59.9
132	27.5	22.6	33.8





#45
2-Fluorobiphenyl
Concen: 65.272 ng
RT: 9.286 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:172 Resp: 111675

Ion	Ratio	Lower	Upper
172	100		
171	35.7	28.4	42.6
170	23.3	19.1	28.7



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#46
1,1'-Biphenyl
Concen: 32.572 ng
RT: 9.392 min Scan# 1224
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:154 Resp: 668180

Ion	Ratio	Lower	Upper
154	100		
153	39.9	20.2	60.2
76	13.1	0.0	34.4





#47
2-Chloronaphthalene
Concen: 32.510 ng
RT: 9.416 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:162 Resp: 52524

Ion	Ratio	Lower	Upper
162	100		
127	39.6	32.1	48.1
164	32.6	27.0	40.4



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#48
2-Nitroaniline
Concen: 36.111 ng
RT: 9.510 min Scan# 1244
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 65 Resp: 164879

Ion	Ratio	Lower	Upper
65	100		
92	67.1	53.1	79.7
138	106.9	81.4	122.0





#49
Acenaphthylene
Concen: 32.585 ng
RT: 9.833 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:152 Resp: 76026

Ion	Ratio	Lower	Upper
152	100		
151	20.0	16.2	24.2
153	12.9	10.6	16.0



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#50
Dimethylphthalate
Concen: 36.250 ng
RT: 9.680 min Scan# 1273
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:163 Resp: 614540

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.3	4.9
164	10.4	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 40.656 ng
RT: 9.745 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:165 Resp: 12887

Ion	Ratio	Lower	Upper
165	100		
63	58.3	51.6	77.4
89	53.9	47.7	71.5

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#52
Acenaphthene
Concen: 31.799 ng
RT: 10.004 min Scan# 1328
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:154 Resp: 493236

Ion	Ratio	Lower	Upper
154	100		
153	112.7	88.5	132.7
152	53.2	42.4	63.6





#53
3-Nitroaniline
Concen: 40.277 ng
RT: 9.916 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:138 Resp: 13983

Ion	Ratio	Lower	Upper
138	100		
108	10.6	9.6	14.4
92	113.1	93.4	140.2

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#54
2,4-Dinitrophenol
Concen: 29.103 ng
RT: 10.028 min Scan# 1332
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:184 Resp: 24625

Ion	Ratio	Lower	Upper
184	100		
63	73.0	62.5	93.7
154	78.0	73.0	109.4





#55
Dibenzofuran
Concen: 33.049 ng
RT: 10.175 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:168 Resp: 73779

Ion	Ratio	Lower	Upper
168	100		
139	36.5	29.4	44.0
169	13.5	11.0	16.6



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#56
4-Nitrophenol
Concen: 30.958 ng
RT: 10.080 min Scan# 1341
Delta R.T. 0.005 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:139 Resp: 75898

Ion	Ratio	Lower	Upper
139	100		
109	68.4	49.4	89.4
65	101.3	83.7	123.7





#57
2,4-Dinitrotoluene
Concen: 40.754 ng
RT: 10.151 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:165 Resp: 17142

Ion	Ratio	Lower	Upper
165	100		
63	45.1	41.8	62.8
89	67.8	62.4	93.6
182	2.7	2.2	3.2



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#58
Fluorene
Concen: 32.317 ng
RT: 10.522 min Scan# 1416
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:166 Resp: 551057

Ion	Ratio	Lower	Upper
166	100		
165	98.0	78.2	117.4
167	13.1	10.9	16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 38.636 ng
RT: 10.298 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:232 Resp: 13248

Ion	Ratio	Lower	Upper
232	100		
131	40.6	34.6	51.8
130	1.9	1.7	2.5
166	28.2	23.4	35.0



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#60
Diethylphthalate
Concen: 38.608 ng
RT: 10.386 min Scan# 1393
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:149 Resp: 586261

Ion	Ratio	Lower	Upper
149	100		
177	23.4	18.2	27.2
150	12.7	9.9	14.9





#61
4-Chlorophenyl-phenylether
Concen: 34.550 ng
RT: 10.510 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:204 Resp: 28465

Ion	Ratio	Lower	Upper
204	100		
206	34.0	27.4	41.2
141	58.5	46.9	70.3



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#62
4-Nitroaniline
Concen: 37.893 ng
RT: 10.527 min Scan# 1417
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:138 Resp: 127282

Ion	Ratio	Lower	Upper
138	100		
92	50.3	31.2	71.2
108	69.1	48.1	88.1





#63
Azobenzene
Concen: 32.483 ng
RT: 10.669 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 56340

Ion	Ratio	Lower	Upper
77	100		
182	26.4	4.4	44.4
105	21.8	1.8	41.8
51	32.6	13.7	53.7

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1575
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:188 Resp: 440724

Ion	Ratio	Lower	Upper
188	100		
94	10.5	8.8	13.2
80	11.0	9.7	14.5





#65
4,6-Dinitro-2-methylphenol
Concen: 33.921 ng
RT: 10.563 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:198 Resp: 5601

Ion	Ratio	Lower	Upper
198	100		
51	52.5	41.7	81.7
105	42.0	26.8	66.8



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#66
n-Nitrosodiphenylamine
Concen: 33.283 ng
RT: 10.622 min Scan# 1433
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:169 Resp: 483005

Ion	Ratio	Lower	Upper
169	100		
168	66.5	52.7	79.1
167	35.9	28.6	42.8





#67
4-Bromophenyl-phenylether
Concen: 35.127 ng
RT: 10.998 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:248 Resp: 17705

Ion	Ratio	Lower	Upper
248	100		
250	97.9	77.1	115.7
141	70.2	59.1	88.7



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#68
Hexachlorobenzene
Concen: 33.541 ng
RT: 11.075 min Scan# 1510
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:284 Resp: 182234

Ion	Ratio	Lower	Upper
284	100		
142	29.4	25.7	38.5
249	30.3	24.6	37.0





#69
Atrazine
Concen: 42.966 ng
RT: 11.151 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:200 Resp: 16262

Ion	Ratio	Lower	Upper
200	100		
173	26.4	6.6	46.6
215	48.9	30.6	70.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#70
Pentachlorophenol
Concen: 31.527 ng
RT: 11.269 min Scan# 1543
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:266 Resp: 73538

Ion	Ratio	Lower	Upper
266	100		
268	63.7	48.8	73.2
264	62.9	48.8	73.2





#71
Phenanthrene
Concen: 32.064 ng
RT: 11.480 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:178 Resp: 77099

Ion	Ratio	Lower	Upper
178	100		
176	19.5	15.5	23.3
179	15.4	12.5	18.7

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025





#72
Anthracene
Concen: 32.187 ng
RT: 11.533 min Scan# 1588
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:178 Resp: 784923

Ion	Ratio	Lower	Upper
178	100		
176	18.3	15.1	22.7
179	15.2	12.7	19.1





#73
Carbazole
Concen: 31.538 ng
RT: 11.686 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:167 Resp: 654998

Ion	Ratio	Lower	Upper
167	100		
166	21.5	16.8	25.2
139	12.6	10.2	15.2



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#74
Di-n-butylphthalate
Concen: 47.674 ng
RT: 12.010 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:149 Resp: 837836

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.4	11.0
104	4.7	3.8	5.8





#75
Fluoranthene
Concen: 31.484 ng
RT: 12.669 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:202 Resp: 66314

Ion	Ratio	Lower	Upper
202	100		
101	12.5	0.0	33.2
203	17.5	0.0	37.6



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:240 Resp: 263251

Ion	Ratio	Lower	Upper
240	100		
120	10.9	9.0	13.6
236	25.5	19.9	29.9





#77
Benzidine
Concen: 35.412 ng
RT: 12.786 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:184 Resp: 25486

Ion	Ratio	Lower	Upper
184	100		
185	15.0	12.8	19.2
183	11.4	9.3	13.9



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#78
Pyrene
Concen: 29.850 ng
RT: 12.898 min Scan# 1820
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:202 Resp: 659217

Ion	Ratio	Lower	Upper
202	100		
200	20.6	16.8	25.2
203	17.4	14.2	21.4





#79
Terphenyl-d14
Concen: 65.816 ng
RT: 13.039 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:244 Resp: 97047

Ion	Ratio	Lower	Upper
244	100		
212	6.5	5.1	7.7
122	10.3	8.9	13.3



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#80
Butylbenzylphthalate
Concen: 54.249 ng
RT: 13.510 min Scan# 1924
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:149 Resp: 238799

Ion	Ratio	Lower	Upper
149	100		
91	70.9	58.8	88.2
206	21.9	16.4	24.6





#81
Benzo(a)anthracene
Concen: 32.070 ng
RT: 14.086 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:228 Resp: 53660

Ion	Ratio	Lower	Upper
228	100		
226	26.6	22.0	33.0
229	19.8	15.8	23.8



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#82
3,3'-Dichlorobenzidine
Concen: 38.596 ng
RT: 14.045 min Scan# 2015
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:252 Resp: 174378

Ion	Ratio	Lower	Upper
252	100		
254	63.9	51.7	77.5
126	11.0	9.2	13.8





#83
Chrysene
Concen: 33.206 ng
RT: 14.121 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:228 Resp: 51806

Ion	Ratio	Lower	Upper
228	100		
226	29.8	24.2	36.2
229	19.7	15.8	23.6



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 48.477 ng
RT: 14.068 min Scan# 2019
Delta R.T. 0.005 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:149 Resp: 311459

Ion	Ratio	Lower	Upper
149	100		
167	28.2	21.4	32.0
279	4.3	3.2	4.8





#85
Di-n-octyl phthalate
Concen: 43.223 ng
RT: 14.686 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:149 Resp: 54364

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	10.8	10.8	16.2



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. 0.012 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:264 Resp: 287708

Ion	Ratio	Lower	Upper
264	100		
260	22.7	18.7	28.1
265	21.2	17.2	25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 25.053 ng
RT: 17.121 min Scan# 2
Delta R.T. 0.018 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:276 Resp: 51640

Ion	Ratio	Lower	Upper
276	100		
138	25.8	21.1	31.7
277	25.0	20.2	30.2



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#88
Benzo(b)fluoranthene
Concen: 36.155 ng
RT: 15.151 min Scan# 2203
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:252 Resp: 568955

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.8	26.8
125	10.1	7.8	11.6





#89
Benzo(k)fluoranthene
Concen: 33.108 ng
RT: 15.180 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:252 Resp: 50625

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.6	26.4
125	10.1	8.4	12.6



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#90
Benzo(a)pyrene
Concen: 33.357 ng
RT: 15.527 min Scan# 2267
Delta R.T. 0.012 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:252 Resp: 494384

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.6	26.4
125	10.9	9.1	13.7





#91
Dibenzo(a,h)anthracene
Concen: 25.756 ng
RT: 17.133 min Scan# 2
Delta R.T. 0.018 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:278 Resp: 42413

Ion	Ratio	Lower	Upper
278	100		
139	16.3	14.0	21.0
279	23.9	19.4	29.0



Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#92
Benzo(g,h,i)perylene
Concen: 22.931 ng
RT: 17.574 min Scan# 2615
Delta R.T. 0.012 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:276 Resp: 380387

Ion	Ratio	Lower	Upper
276	100		
277	23.7	18.7	28.1
138	22.3	17.8	26.8



Sample Results: **BF143414.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143414.D
Acq On : 15 Aug 2025 12:45
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 13:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	79	0.00
2		1,4-Dioxane	0.598	0.439	26.6#	58	-0.04
3		Pyridine	1.595	1.186	25.6#	58	-0.03
4		n-Nitrosodimethylamine	0.743	0.542	27.1#	57	-0.04
5	S	2-Fluorophenol	1.157	0.947	18.2	64	0.00
6		Aniline	2.091	1.641	21.5	61	0.00
7	S	Phenol-d6	1.483	1.193	19.6	63	0.00
8		2-Chlorophenol	1.236	1.054	14.7	66	0.00
9		Benzaldehyde	0.980	0.712	27.3#	56	0.00
10	C	Phenol	1.757	1.426	18.8	63	0.00
11		bis(2-Chloroethyl)ether	1.295	1.043	19.5	63	0.00
12		1,3-Dichlorobenzene	1.425	1.172	17.8	65	0.00
13	C	1,4-Dichlorobenzene	1.431	1.183	17.3	66	0.00
14		1,2-Dichlorobenzene	1.358	1.121	17.5	66	0.00
15		Benzyl Alcohol	1.063	0.914	14.0	66	0.00
16		2,2'-oxybis(1-Chloropropane	2.312	1.796	22.3	61	0.00
17		2-Methylphenol	1.043	0.867	16.9	65	0.00
18		Hexachloroethane	0.449	0.405	9.8	69	0.00
19	P	n-Nitroso-di-n-propylamine	0.916	0.747	18.4	65	0.00
20		3+4-Methylphenols	1.262	1.071	15.1	66	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	79	0.00
22		Acetophenone	0.441	0.354	19.7	65	0.00
23	S	Nitrobenzene-d5	0.321	0.283	11.8	67	0.00
24		Nitrobenzene	0.349	0.297	14.9	65	0.00
25		Isophorone	0.656	0.540	17.7	66	0.00
26	C	2-Nitrophenol	0.118	0.145	-22.9#	91	0.00
27		2,4-Dimethylphenol	0.274	0.238	13.1	67	0.00
28		bis(2-Chloroethoxy)methane	0.400	0.331	17.3	66	0.00
29	C	2,4-Dichlorophenol	0.267	0.236	11.6	68	0.00
30		1,2,4-Trichlorobenzene	0.282	0.238	15.6	68	0.00
31		Naphthalene	0.962	0.784	18.5	66	0.00
32		Benzoic acid	0.110	0.104	5.5	76	0.00
33		4-Chloroaniline	0.347	0.289	16.7	66	0.00
34	C	Hexachlorobutadiene	0.175	0.152	13.1	69	0.00
35		Caprolactam	0.075	0.072	4.0	73	0.00
36	C	4-Chloro-3-methylphenol	0.280	0.243	13.2	67	0.00
37		2-Methylnaphthalene	0.633	0.537	15.2	68	0.00
38		1-Methylnaphthalene	0.609	0.513	15.8	68	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	84	0.00
40		1,2,4,5-Tetrachlorobenzene	0.547	0.455	16.8	70	0.00
41	P	Hexachlorocyclopentadiene	0.158	0.142	10.1	72	0.00
42	S	2,4,6-Tribromophenol	0.146	0.148	-1.4	78	0.00
43	C	2,4,6-Trichlorophenol	0.311	0.287	7.7	72	0.00
44		2,4,5-Trichlorophenol	0.351	0.311	11.4	69	0.00
45	S	2-Fluorobiphenyl	1.179	0.962	18.4	71	0.00
46		1,1'-Biphenyl	1.414	1.152	18.5	70	0.00
47		2-Chloronaphthalene	1.114	0.905	18.8	69	0.00

Sample Results: **BF143414.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143414.D
Acq On : 15 Aug 2025 12:45
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 13:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.284	0.284	0.0	77	0.00
49		Acenaphthylene	1.608	1.310	18.5	69	0.00
50		Dimethylphthalate	1.169	1.059	9.4	75	0.00
51		2,6-Dinitrotoluene	0.193	0.222	-15.0	88	0.00
52	C	Acenaphthene	1.069	0.850	20.5#	68	0.00
53		3-Nitroaniline	0.239	0.241	-0.8	77	0.00
54	P	2,4-Dinitrophenol	0.065	0.042#	35.4#	54	0.00
55		Dibenzofuran	1.539	1.271	17.4	71	0.00
56	P	4-Nitrophenol	0.163	0.131	19.6	64	0.00
57		2,4-Dinitrotoluene	0.256	0.295	-15.2	86	0.00
58		Fluorene	1.175	0.950	19.1	70	0.00
59		2,3,4,6-Tetrachlorophenol	0.236	0.228	3.4	75	0.00
60		Diethylphthalate	1.047	1.010	3.5	79	0.00
61		4-Chlorophenyl-phenylether	0.568	0.491	13.6	73	0.00
62		4-Nitroaniline	0.232	0.219	5.6	74	0.00
63		Azobenzene	1.196	0.971	18.8	68	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	85	0.00
65		4,6-Dinitro-2-methylphenol	0.069	0.064	7.2	76	0.00
66	c	n-Nitrosodiphenylamine	0.659	0.548	16.8	71	0.00
67		4-Bromophenyl-phenylether	0.229	0.201	12.2	74	0.00
68		Hexachlorobenzene	0.247	0.207	16.2	72	0.00
69		Atrazine	0.172	0.184	-7.0	88	0.00
70	C	Pentachlorophenol	0.101	0.083	17.8	66	0.00
71		Phenanthrene	1.091	0.875	19.8	69	0.00
72		Anthracene	1.107	0.890	19.6	70	0.00
73		Carbazole	0.942	0.743	21.1	68	0.00
74		Di-n-butylphthalate	0.798	0.951	-19.2	94	0.00
75	C	Fluoranthene	0.956	0.752	21.3#	70	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	91	0.00
77		Benzidine	0.547	0.484	11.5	74	0.00
78		Pyrene	1.678	1.252	25.4#	68	0.00
79	S	Terphenyl-d14	1.120	0.922	17.7	77	0.00
80		Butylbenzylphthalate	0.284	0.454	-59.9#	136	0.00
81		Benzo(a)anthracene	1.271	1.019	19.8	73	0.00
82		3,3'-Dichlorobenzidine	0.343	0.331	3.5	83	0.00
83		Chrysene	1.185	0.984	17.0	76	0.00
84		Bis(2-ethylhexyl)phthalate	0.403	0.592	-46.9#	122	0.00
85	c	Di-n-octyl phthalate	0.860	1.033	-20.1#	106	0.01
86	I	Perylene-d12	1.000	1.000	0.0	88	0.01
87		Indeno(1,2,3-cd)pyrene	1.433	0.897	37.4#	54	0.02
88		Benzo(b)fluoranthene	1.094	0.989	9.6	78	0.00
89		Benzo(k)fluoranthene	1.063	0.880	17.2	74	0.01
90	C	Benzo(a)pyrene	1.030	0.859	16.6	73	0.01
91		Dibenzo(a,h)anthracene	1.145	0.737	35.6#	55	0.02
92		Benzo(g,h,i)perylene	1.153	0.661	42.7#	50#	0.01

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143414.D
Acq On : 15 Aug 2025 12:45
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 13:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 1 CCC's out = 4

Sample Results: **BF143414.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143414.D
Acq On : 15 Aug 2025 12:45
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 13:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	79	0.00
2		1,4-Dioxane	40.000	29.338	26.7#	58	-0.04
3		Pyridine	40.000	29.750	25.6#	58	-0.03
4		n-Nitrosodimethylamine	40.000	29.178	27.1#	57	-0.04
5	S	2-Fluorophenol	80.000	65.483	18.1	64	0.00
6		Aniline	40.000	31.397	21.5	61	0.00
7	S	Phenol-d6	80.000	64.363	19.5	63	0.00
8		2-Chlorophenol	40.000	34.120	14.7	66	0.00
9		Benzaldehyde	40.000	29.058	27.4#	56	0.00
10	C	Phenol	40.000	32.459	18.9	63	0.00
11		bis(2-Chloroethyl)ether	40.000	32.232	19.4	63	0.00
12		1,3-Dichlorobenzene	40.000	32.885	17.8	65	0.00
13	C	1,4-Dichlorobenzene	40.000	33.070	17.3	66	0.00
14		1,2-Dichlorobenzene	40.000	33.020	17.4	66	0.00
15		Benzyl Alcohol	40.000	34.380	14.0	66	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	31.066	22.3	61	0.00
17		2-Methylphenol	40.000	33.263	16.8	65	0.00
18		Hexachloroethane	40.000	36.078	9.8	69	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	32.620	18.5	65	0.00
20		3+4-Methylphenols	40.000	33.947	15.1	66	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	79	0.00
22		Acetophenone	40.000	32.094	19.8	65	0.00
23	S	Nitrobenzene-d5	80.000	70.617	11.7	67	0.00
24		Nitrobenzene	40.000	34.031	14.9	65	0.00
25		Isophorone	40.000	32.967	17.6	66	0.00
26	C	2-Nitrophenol	40.000	42.036	-5.1	91	0.00
27		2,4-Dimethylphenol	40.000	34.831	12.9	67	0.00
28		bis(2-Chloroethoxy)methane	40.000	33.061	17.3	66	0.00
29	C	2,4-Dichlorophenol	40.000	35.311	11.7	68	0.00
30		1,2,4-Trichlorobenzene	40.000	33.779	15.6	68	0.00
31		Naphthalene	40.000	32.577	18.6	66	0.00
32		Benzoic acid	40.000	38.012	5.0	76	0.00
33		4-Chloroaniline	40.000	33.361	16.6	66	0.00
34	C	Hexachlorobutadiene	40.000	34.683	13.3	69	0.00
35		Caprolactam	40.000	38.568	3.6	73	0.00
36	C	4-Chloro-3-methylphenol	40.000	34.724	13.2	67	0.00
37		2-Methylnaphthalene	40.000	33.929	15.2	68	0.00
38		1-Methylnaphthalene	40.000	33.644	15.9	68	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	84	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	33.273	16.8	70	0.00
41	P	Hexachlorocyclopentadiene	40.000	33.685	15.8	72	0.00
42	S	2,4,6-Tribromophenol	80.000	80.975	-1.2	78	0.00
43	C	2,4,6-Trichlorophenol	40.000	36.945	7.6	72	0.00
44		2,4,5-Trichlorophenol	40.000	35.491	11.3	69	0.00
45	S	2-Fluorobiphenyl	80.000	65.272	18.4	71	0.00
46		1,1'-Biphenyl	40.000	32.572	18.6	70	0.00
47		2-Chloronaphthalene	40.000	32.510	18.7	69	0.00

Sample Results: **BF143414.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143414.D
Acq On : 15 Aug 2025 12:45
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 13:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	36.111	9.7	77	0.00
49		Acenaphthylene	40.000	32.585	18.5	69	0.00
50		Dimethylphthalate	40.000	36.250	9.4	75	0.00
51		2,6-Dinitrotoluene	40.000	40.656	-1.6	88	0.00
52	C	Acenaphthene	40.000	31.799	20.5#	68	0.00
53		3-Nitroaniline	40.000	40.277	-0.7	77	0.00
54	P	2,4-Dinitrophenol	40.000	29.103	27.2#	54	0.00
55		Dibenzofuran	40.000	33.049	17.4	71	0.00
56	P	4-Nitrophenol	40.000	30.958	22.6	64	0.00
57		2,4-Dinitrotoluene	40.000	40.754	-1.9	86	0.00
58		Fluorene	40.000	32.317	19.2	70	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	38.636	3.4	75	0.00
60		Diethylphthalate	40.000	38.608	3.5	79	0.00
61		4-Chlorophenyl-phenylether	40.000	34.550	13.6	73	0.00
62		4-Nitroaniline	40.000	37.893	5.3	74	0.00
63		Azobenzene	40.000	32.483	18.8	68	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	85	0.00
65		4,6-Dinitro-2-methylphenol	40.000	33.921	15.2	76	0.00
66	c	n-Nitrosodiphenylamine	40.000	33.283	16.8	71	0.00
67		4-Bromophenyl-phenylether	40.000	35.127	12.2	74	0.00
68		Hexachlorobenzene	40.000	33.541	16.1	72	0.00
69		Atrazine	40.000	42.966	-7.4	88	0.00
70	C	Pentachlorophenol	40.000	31.527	21.2#	66	0.00
71		Phenanthrene	40.000	32.064	19.8	69	0.00
72		Anthracene	40.000	32.187	19.5	70	0.00
73		Carbazole	40.000	31.538	21.2	68	0.00
74		Di-n-butylphthalate	40.000	47.674	-19.2	94	0.00
75	C	Fluoranthene	40.000	31.484	21.3#	70	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	91	0.00
77		Benzidine	40.000	35.412	11.5	74	0.00
78		Pyrene	40.000	29.850	25.4#	68	0.00
79	S	Terphenyl-d14	80.000	65.816	17.7	77	0.00
80		Butylbenzylphthalate	40.000	54.249	-35.6#	136	0.00
81		Benzo(a)anthracene	40.000	32.070	19.8	73	0.00
82		3,3'-Dichlorobenzidine	40.000	38.596	3.5	83	0.00
83		Chrysene	40.000	33.206	17.0	76	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	48.477	-21.2	122	0.00
85	c	Di-n-octyl phthalate	40.000	43.223	-8.1	106	0.01
86	I	Perylene-d12	20.000	20.000	0.0	88	0.01
87		Indeno(1,2,3-cd)pyrene	40.000	25.053	37.4#	54	0.02
88		Benzo(b)fluoranthene	40.000	36.155	9.6	78	0.00
89		Benzo(k)fluoranthene	40.000	33.108	17.2	74	0.01
90	C	Benzo(a)pyrene	40.000	33.357	16.6	73	0.01
91		Dibenzo(a,h)anthracene	40.000	25.756	35.6#	55	0.02
92		Benzo(g,h,i)perylene	40.000	22.931	42.7#	50	0.01

Sample Results: **BF143414.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143414.D
Acq On : 15 Aug 2025 12:45
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 13:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 3

Raw Data: **BF143498.D**

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_F Calibration Date/Time: 08/20/2025 22:05

Lab File ID: BF143498.D Init. Calib. Date(s): 08/20/2025 08/20/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 10:55 14:20

GC Column: DB-UI ID: 0.18 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.145	1.150		0.4	
Benzaldehyde	1.145	1.081		-5.6	
Phenol-d6	1.414	1.395		-1.3	
Phenol	1.629	1.649		1.2	20.0
bis(2-Chloroethyl)ether	1.217	1.211		-0.5	
2-Chlorophenol	1.265	1.270		0.4	
2-Methylphenol	1.015	1.021		0.6	
2,2-oxybis(1-Chloropropane)	1.947	1.949		0.1	
Acetophenone	0.432	0.424		-1.9	
3+4-Methylphenols	1.212	1.222		0.8	
n-Nitroso-di-n-propylamine	0.864	0.852	0.050	-1.4	
Nitrobenzene-d5	0.343	0.349		1.7	
Hexachloroethane	0.485	0.481		-0.8	
Nitrobenzene	0.353	0.362		2.5	
Isophorone	0.628	0.635		1.1	
2-Nitrophenol	0.173	0.181		4.6	20.0
2,4-Dimethylphenol	0.269	0.270		0.4	
bis(2-Chloroethoxy)methane	0.386	0.385		-0.3	
2,4-Dichlorophenol	0.288	0.290		0.7	20.0
Naphthalene	0.960	0.933		-2.8	
4-Chloroaniline	0.341	0.343		0.6	
Hexachlorobutadiene	0.193	0.192		-0.5	20.0
Caprolactam	0.069	0.078		13.0	
4-Chloro-3-methylphenol	0.288	0.293		1.7	20.0
2-Methylnaphthalene	0.641	0.630		-1.7	
Hexachlorocyclopentadiene	0.184	0.163	0.050	-11.4	
2,4,6-Trichlorophenol	0.352	0.356		1.1	20.0
2-Fluorobiphenyl	1.210	1.135		-6.2	
2,4,5-Trichlorophenol	0.385	0.377		-2.1	
1,1-Biphenyl	1.420	1.373		-3.3	
2-Chloronaphthalene	1.114	1.101		-1.2	
2-Nitroaniline	0.326	0.341		4.6	
Dimethylphthalate	1.205	1.228		1.9	
Acenaphthylene	1.595	1.574		-1.3	
2,6-Dinitrotoluene	0.250	0.262		4.8	
3-Nitroaniline	0.270	0.286		5.9	
Acenaphthene	1.083	1.061		-2.0	20.0
2,4-Dinitrophenol	0.115	0.099	0.050	-13.9	
4-Nitrophenol	0.161	0.174	0.050	8.1	

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_F Calibration Date/Time: 08/20/2025 22:05

Lab File ID: BF143498.D Init. Calib. Date(s): 08/20/2025 08/20/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 10:55 14:20

GC Column: DB-UI ID: 0.18 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.544	1.518		-1.7	
2,4-Dinitrotoluene	0.333	0.354		6.3	
Diethylphthalate	1.080	1.104		2.2	
4-Chlorophenyl-phenylether	0.594	0.578		-2.7	
Fluorene	1.188	1.156		-2.7	
4-Nitroaniline	0.248	0.268		8.1	
4,6-Dinitro-2-methylphenol	0.113	0.110		-2.7	
n-Nitrosodiphenylamine	0.644	0.627		-2.6	20.0
2,4,6-Tribromophenol	0.186	0.184		-1.1	
4-Bromophenyl-phenylether	0.239	0.237		-0.8	
Hexachlorobenzene	0.257	0.247		-3.9	
Atrazine	0.166	0.185		11.4	
Pentachlorophenol	0.118	0.119		0.8	20.0
Phenanthrene	1.071	1.039		-3.0	
Anthracene	1.085	1.059		-2.4	
Carbazole	0.889	0.887		-0.2	
Di-n-butylphthalate	0.829	0.911		9.9	
Fluoranthene	0.961	0.962		0.1	20.0
Pyrene	1.645	1.665		1.2	
Terphenyl-d14	1.146	1.151		0.4	
Butylbenzylphthalate	0.449	0.480		6.9	
3,3-Dichlorobenzidine	0.369	0.369		0.0	
Benzo(a)anthracene	1.288	1.254		-2.6	
Chrysene	1.157	1.176		1.6	
Bis(2-ethylhexyl)phthalate	0.685	0.667		-2.6	
Di-n-octyl phthalate	1.268	1.215		-4.2	20.0
Benzo(b)fluoranthene	1.112	1.107		-0.4	
Benzo(k)fluoranthene	1.064	1.049		-1.4	
Benzo(a)pyrene	1.032	1.033		0.1	20.0
Indeno(1,2,3-cd)pyrene	1.437	1.484		3.3	
Dibenzo(a,h)anthracene	1.151	1.194		3.7	
Benzo(g,h,i)perylene	1.145	1.178		2.9	
1,2,4,5-Tetrachlorobenzene	0.572	0.553		-3.3	
1,4-Dioxane	0.531	0.507		-4.5	20.0
2,3,4,6-Tetrachlorophenol	0.286	0.296		3.5	

All other compounds must meet a minimum RRF of 0.010.

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143498.D
Acq On : 20 Aug 2025 22:05
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Quant Time: Aug 21 06:37:22 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	138596	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	522619	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	286971	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	448105	20.000	ng	0.00
76) Chrysene-d12	14.098	240	253253	20.000	ng	0.00
86) Perylene-d12	15.592	264	290056	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.557	112	637738	80.348	ng	0.00
7) Phenol-d6	6.563	99	773234	78.917	ng	-0.01
23) Nitrobenzene-d5	7.487	82	729626	81.469	ng	-0.01
42) 2,4,6-Tribromophenol	10.757	330	211727	79.261	ng	0.00
45) 2-Fluorobiphenyl	9.287	172	1303360	75.061	ng	0.00
79) Terphenyl-d14	13.033	244	1165752	80.326	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.740	88	140603	38.239	ng	98
3) Pyridine	3.516	79	375727	38.366	ng	98
4) n-Nitrosodimethylamine	3.463	42	178227	40.483	ng	96
6) Aniline	6.593	93	522533	39.899	ng	97
8) 2-Chlorophenol	6.716	128	352106	40.164	ng	100
9) Benzaldehyde	6.481	77	299609	37.769	ng	99
10) Phenol	6.581	94	457188	40.504	ng	96
11) bis(2-Chloroethyl)ether	6.657	93	335666	39.795	ng	100
12) 1,3-Dichlorobenzene	6.869	146	387151	39.304	ng	99
13) 1,4-Dichlorobenzene	6.945	146	392595	39.733	ng	99
14) 1,2-Dichlorobenzene	7.098	146	368248	39.364	ng	99
15) Benzyl Alcohol	7.069	79	295313	40.257	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.198	45	540115	40.025	ng	98
17) 2-Methylphenol	7.181	107	283139	40.241	ng	97
18) Hexachloroethane	7.440	117	133370	39.700	ng	97
19) n-Nitroso-di-n-propyla...	7.340	70	236284	39.455	ng	99
20) 3+4-Methylphenols	7.334	107	338683	40.322	ng	99
22) Acetophenone	7.334	105	443559	39.285	ng	98
24) Nitrobenzene	7.510	77	377880	40.995	ng	100
25) Isophorone	7.745	82	663816	40.435	ng	100
26) 2-Nitrophenol	7.822	139	189065	41.873	ng	96
27) 2,4-Dimethylphenol	7.863	122	282610	40.152	ng	99
28) bis(2-Chloroethoxy)met...	7.951	93	402537	39.898	ng	99
29) 2,4-Dichlorophenol	8.069	162	303216	40.336	ng	98
30) 1,2,4-Trichlorobenzene	8.151	180	300881	38.930	ng	99
31) Naphthalene	8.234	128	975102	38.863	ng	100
32) Benzoic acid	7.981	122	142723	37.123	ng	99
33) 4-Chloroaniline	8.275	127	358457	40.252	ng	98
34) Hexachlorobutadiene	8.351	225	200566	39.776	ng	100
35) Caprolactam	8.651	113	81048	44.931	ng	94
36) 4-Chloro-3-methylphenol	8.763	107	306743	40.718	ng	99
37) 2-Methylnaphthalene	8.922	142	658303	39.283	ng	100
38) 1-Methylnaphthalene	9.022	142	632252	39.442	ng	100
40) 1,2,4,5-Tetrachloroben...	9.092	216	317550	38.686	ng	100
41) Hexachlorocyclopentadiene	9.081	237	93698	33.457	ng	99
43) 2,4,6-Trichlorophenol	9.204	196	204187	40.426	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143498.D
Acq On : 20 Aug 2025 22:05
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Quant Time: Aug 21 06:37:22 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.245	196	216241	39.194	ng	99
46) 1,1'-Biphenyl	9.386	154	788125	38.693	ng	100
47) 2-Chloronaphthalene	9.410	162	631796	39.533	ng	98
48) 2-Nitroaniline	9.504	65	195526	41.804	ng	99
49) Acenaphthylene	9.828	152	903587	39.486	ng	100
50) Dimethylphthalate	9.681	163	704558	40.765	ng	100
51) 2,6-Dinitrotoluene	9.745	165	150329	41.967	ng	99
52) Acenaphthene	9.998	154	609043	39.200	ng	100
53) 3-Nitroaniline	9.916	138	164001	42.370	ng	100
54) 2,4-Dinitrophenol	10.028	184	56727	32.946	ng	99
55) Dibenzofuran	10.175	168	871391	39.338	ng	99
56) 4-Nitrophenol	10.081	139	99803	43.335	ng	93
57) 2,4-Dinitrotoluene	10.151	165	203299	42.505	ng	98
58) Fluorene	10.516	166	663350	38.909	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.292	232	169934	41.458	ng	99
60) Diethylphthalate	10.381	149	633362	40.873	ng	99
61) 4-Chlorophenyl-phenyle...	10.504	204	331842	38.920	ng	99
62) 4-Nitroaniline	10.528	138	154077	43.337	ng	96
63) Azobenzene	10.663	77	653457	40.670	ng	99
65) 4,6-Dinitro-2-methylph...	10.563	198	98928	39.155	ng	99
66) n-Nitrosodiphenylamine	10.622	169	562277	38.990	ng	99
67) 4-Bromophenyl-phenylether	10.992	248	212441	39.734	ng	96
68) Hexachlorobenzene	11.069	284	221451	38.425	ng	98
69) Atrazine	11.145	200	166044	44.605	ng	99
70) Pentachlorophenol	11.263	266	107054	40.559	ng	100
71) Phenanthrene	11.480	178	931062	38.800	ng	100
72) Anthracene	11.533	178	949077	39.041	ng	100
73) Carbazole	11.680	167	795296	39.926	ng	99
74) Di-n-butylphthalate	12.010	149	816139	43.920	ng	99
75) Fluoranthene	12.669	202	862364	40.050	ng	100
77) Benzidine	12.786	184	284041	46.044	ng	99
78) Pyrene	12.898	202	843384	40.485	ng	100
80) Butylbenzylphthalate	13.504	149	242873	42.677	ng	97
81) Benzo(a)anthracene	14.086	228	635317	38.965	ng	99
82) 3,3'-Dichlorobenzidine	14.045	252	187129	40.076	ng	99
83) Chrysene	14.121	228	595706	40.656	ng	100
84) Bis(2-ethylhexyl)phtha...	14.069	149	337867	38.980	ng	99
85) Di-n-octyl phthalate	14.680	149	615416	38.327	ng	99
87) Indeno(1,2,3-cd)pyrene	17.127	276	861001	41.308	ng	100
88) Benzo(b)fluoranthene	15.157	252	642454	39.847	ng	100
89) Benzo(k)fluoranthene	15.186	252	608451	39.415	ng	99
90) Benzo(a)pyrene	15.533	252	599182	40.037	ng	99
91) Dibenzo(a,h)anthracene	17.139	278	692716	41.497	ng	99
92) Benzo(g,h,i)perylene	17.586	276	683631	41.185	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143498.D
Acq On : 20 Aug 2025 22:05
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Quant Time: Aug 21 06:37:22 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 138596

Ion	Ratio	Lower	Upper
152	100		
150	159.0	128.9	193.3
115	60.0	49.2	73.8





#2
1,4-Dioxane
Concen: 38.239 ng
RT: 2.740 min Scan# 93
Delta R.T. 0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion: 88 Resp: 140603

Ion	Ratio	Lower	Upper
88	100		
58	85.9	66.7	100.1
43	32.3	25.8	38.8





#3
Pyridine
Concen: 38.366 ng
RT: 3.516 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 375727

Ion	Ratio	Lower	Upper
79	100		
52	83.7	65.6	98.4
51	40.9	31.2	46.8





#4
n-Nitrosodimethylamine
Concen: 40.483 ng
RT: 3.463 min Scan# 216
Delta R.T. -0.012 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion: 42 Resp: 178227

Ion	Ratio	Lower	Upper
42	100		
74	118.9	98.6	148.0
44	7.2	5.8	8.8





#5
2-Fluorophenol
Concen: 80.348 ng
RT: 5.557 min Scan# 5
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:112 Resp: 637738

Ion	Ratio	Lower	Upper
112	100		
64	65.9	50.4	75.6
63	34.1	26.4	39.6





#6
Aniline
Concen: 39.899 ng
RT: 6.593 min Scan# 748
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion: 93 Resp: 522533

Ion	Ratio	Lower	Upper
93	100		
66	46.6	38.9	58.3
65	24.4	20.6	30.8





#7
Phenol-d6
Concen: 78.917 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.012 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 99 Resp: 773234

Ion	Ratio	Lower	Upper
99	100		
42	20.5	16.3	24.5
71	35.5	28.2	42.2





#8
2-Chlorophenol
Concen: 40.164 ng
RT: 6.716 min Scan# 769
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:128 Resp: 352106

Ion	Ratio	Lower	Upper
128	100		
130	32.4	12.4	52.4
64	52.1	31.6	71.6





#9
Benzaldehyde
Concen: 37.769 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 299609

Ion	Ratio	Lower	Upper
77	100		
105	97.4	78.1	118.1
106	94.5	74.9	114.9





#10
Phenol
Concen: 40.504 ng
RT: 6.581 min Scan# 746
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion: 94 Resp: 457188

Ion	Ratio	Lower	Upper
94	100		
65	41.5	19.5	59.5
66	65.9	42.5	82.5





#11
bis(2-Chloroethyl)ether
Concen: 39.795 ng
RT: 6.657 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 93 Resp: 335666

Ion	Ratio	Lower	Upper
93	100		
63	83.8	63.6	103.6
95	32.2	12.8	52.8





#12
1,3-Dichlorobenzene
Concen: 39.304 ng
RT: 6.869 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:146 Resp: 387151

Ion	Ratio	Lower	Upper
146	100		
148	64.4	51.3	76.9
75	31.4	24.7	37.1





#13
1,4-Dichlorobenzene
Concen: 39.733 ng
RT: 6.945 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:146 Resp: 392595

Ion	Ratio	Lower	Upper
146	100		
148	63.7	51.5	77.3
111	40.5	32.6	49.0





#14
1,2-Dichlorobenzene
Concen: 39.364 ng
RT: 7.098 min Scan# 834
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:146 Resp: 368248

Ion	Ratio	Lower	Upper
146	100		
148	64.1	51.0	76.6
111	43.2	34.0	51.0





#15
Benzyl Alcohol
Concen: 40.257 ng
RT: 7.069 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 295313

Ion	Ratio	Lower	Upper
79	100		
108	76.5	59.8	89.6
77	62.4	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 40.025 ng
RT: 7.198 min Scan# 851
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion: 45 Resp: 540115

Ion	Ratio	Lower	Upper
45	100		
77	17.1	0.0	37.9
79	14.0	0.0	34.7





#17
2-Methylphenol
Concen: 40.241 ng
RT: 7.181 min Scan# 84
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:107 Resp: 283139

Ion	Ratio	Lower	Upper
107	100		
108	113.6	91.1	136.7
77	51.4	46.2	69.4
79	51.7	44.2	66.2





#18
Hexachloroethane
Concen: 39.700 ng
RT: 7.440 min Scan# 892
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:117 Resp: 133370

Ion	Ratio	Lower	Upper
117	100		
119	96.4	75.4	113.0
201	102.7	79.0	118.4





#19
n-Nitroso-di-n-propylamine
Concen: 39.455 ng
RT: 7.340 min Scan# 8
Delta R.T. -0.012 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 70 Resp: 236284

Ion	Ratio	Lower	Upper
70	100		
42	62.7	49.3	73.9
101	9.4	7.8	11.8
130	20.5	16.6	25.0





#20
3+4-Methylphenols
Concen: 40.322 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:107 Resp: 338683

Ion	Ratio	Lower	Upper
107	100		
108	89.9	68.4	108.4
77	137.6	116.1	156.1
79	31.1	9.8	49.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:136 Resp: 522619

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.0	13.4
54	9.4	7.4	11.2
68	6.0	5.0	7.4





#22
Acetophenone
Concen: 39.285 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:105 Resp: 443559

Ion	Ratio	Lower	Upper
105	100		
71	7.9	5.9	8.9
51	42.4	32.5	48.7
120	22.1	18.0	27.0





#23
Nitrobenzene-d5
Concen: 81.469 ng
RT: 7.487 min Scan# 9
Delta R.T. -0.012 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 729626

Ion	Ratio	Lower	Upper
82	100		
128	42.3	35.5	53.3
54	58.1	44.3	66.5





#24
Nitrobenzene
Concen: 40.995 ng
RT: 7.510 min Scan# 904
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion: 77 Resp: 377880

Ion	Ratio	Lower	Upper
77	100		
123	45.2	36.1	54.1
65	13.8	11.0	16.6





#25
Isophorone
Concen: 40.435 ng
RT: 7.745 min Scan# 94
Delta R.T. -0.012 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 663816

Ion	Ratio	Lower	Upper
82	100		
95	7.2	5.8	8.8
138	18.0	14.2	21.4





#26
2-Nitrophenol
Concen: 41.873 ng
RT: 7.822 min Scan# 957
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:139 Resp: 189065

Ion	Ratio	Lower	Upper
139	100		
109	29.8	23.0	34.6
65	54.4	40.3	60.5





#27
2,4-Dimethylphenol
Concen: 40.152 ng
RT: 7.863 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:122 Resp: 282610

Ion	Ratio	Lower	Upper
122	100		
107	115.3	91.5	137.3
121	57.9	47.0	70.4





#28
bis(2-Chloroethoxy)methane
Concen: 39.898 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion: 93 Resp: 402537

Ion	Ratio	Lower	Upper
93	100		
95	33.2	26.0	39.0
123	11.8	9.1	13.7





#29
2,4-Dichlorophenol
Concen: 40.336 ng
RT: 8.069 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 303216

Ion	Ratio	Lower	Upper
162	100		
164	64.1	43.5	83.5
98	37.4	15.1	55.1





#30
1,2,4-Trichlorobenzene
Concen: 38.930 ng
RT: 8.151 min Scan# 1013
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:180 Resp: 300881

Ion	Ratio	Lower	Upper
180	100		
182	96.4	76.6	114.8
145	30.4	24.3	36.5





#31
Naphthalene
Concen: 38.863 ng
RT: 8.234 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:128 Resp: 975102

Ion	Ratio	Lower	Upper
128	100		
129	11.2	8.8	13.2
127	13.3	10.6	16.0





#32
Benzoic acid
Concen: 37.123 ng
RT: 7.981 min Scan# 984
Delta R.T. -0.029 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:122 Resp: 142723

Ion	Ratio	Lower	Upper
122	100		
105	125.7	104.7	144.7
77	95.2	77.3	117.3





#33
4-Chloroaniline
Concen: 40.252 ng
RT: 8.275 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:127 Resp: 358457

Ion	Ratio	Lower	Upper
127	100		
129	32.2	26.1	39.1
65	34.4	26.2	39.2
92	21.0	16.6	25.0





#34
Hexachlorobutadiene
Concen: 39.776 ng
RT: 8.351 min Scan# 1047
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:225 Resp: 200566

Ion	Ratio	Lower	Upper
225	100		
223	62.2	49.9	74.9
227	64.0	50.9	76.3





#35
Caprolactam
Concen: 44.931 ng
RT: 8.651 min Scan# 1
Delta R.T. -0.024 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:113 Resp: 81048

Ion	Ratio	Lower	Upper
113	100		
55	192.0	162.8	202.8
56	145.4	118.1	158.1





#36
4-Chloro-3-methylphenol
Concen: 40.718 ng
RT: 8.763 min Scan# 1117
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:107 Resp: 306743

Ion	Ratio	Lower	Upper
107	100		
144	24.9	19.9	29.9
142	76.4	61.8	92.8





#37
2-Methylnaphthalene
Concen: 39.283 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:142 Resp: 658303

Ion	Ratio	Lower	Upper
142	100		
141	88.4	71.0	106.4





#38
1-Methylnaphthalene
Concen: 39.442 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:142 Resp: 632252

Ion	Ratio	Lower	Upper
142	100		
141	91.3	73.3	109.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:164 Resp: 286971

Ion	Ratio	Lower	Upper
164	100		
162	99.9	80.5	120.7
160	43.2	34.3	51.5





#40
1,2,4,5-Tetrachlorobenzene
Concen: 38.686 ng
RT: 9.092 min Scan# 1173
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:216 Resp: 317550

Ion	Ratio	Lower	Upper
216	100		
214	79.1	63.4	95.0
179	21.3	16.5	24.7
108	17.5	13.9	20.9





#41
Hexachlorocyclopentadiene
Concen: 33.457 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:237 Resp: 93698

Ion	Ratio	Lower	Upper
237	100		
235	61.9	42.6	82.6
272	12.9	0.0	33.4





#42
2,4,6-Tribromophenol
Concen: 79.261 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:330 Resp: 211727

Ion	Ratio	Lower	Upper
330	100		
332	97.3	78.0	117.0
141	30.3	23.7	35.5





#43
2,4,6-Trichlorophenol
Concen: 40.426 ng
RT: 9.204 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:196 Resp: 204187

Ion	Ratio	Lower	Upper
196	100		
198	96.5	77.0	115.4
200	30.4	24.6	37.0





#44
2,4,5-Trichlorophenol
Concen: 39.194 ng
RT: 9.245 min Scan# 1199
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:196 Resp: 216241

Ion	Ratio	Lower	Upper
196	100		
198	95.1	77.3	115.9
97	50.2	40.0	60.0
132	28.2	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 75.061 ng
RT: 9.287 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:172 Resp: 1303360

Ion	Ratio	Lower	Upper
172	100		
171	35.6	28.8	43.2
170	23.5	18.8	28.2





#46
1,1'-Biphenyl
Concen: 38.693 ng
RT: 9.386 min Scan# 1223
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:154 Resp: 788125

Ion	Ratio	Lower	Upper
154	100		
153	40.6	20.6	60.6
76	12.7	0.0	33.0





#47
2-Chloronaphthalene
Concen: 39.533 ng
RT: 9.410 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 631796

Ion	Ratio	Lower	Upper
162	100		
127	41.0	31.8	47.6
164	32.2	26.4	39.6





#48
2-Nitroaniline
Concen: 41.804 ng
RT: 9.504 min Scan# 1243
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion: 65 Resp: 195526

Ion	Ratio	Lower	Upper
65	100		
92	67.1	53.8	80.6
138	105.2	82.4	123.6





#49
Acenaphthylene
Concen: 39.486 ng
RT: 9.828 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 903587

Ion	Ratio	Lower	Upper
152	100		
151	20.1	16.2	24.4
153	13.3	10.6	15.8





#50
Dimethylphthalate
Concen: 40.765 ng
RT: 9.681 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:163 Resp: 704558

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	10.2	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 41.967 ng
RT: 9.745 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 150329

Ion	Ratio	Lower	Upper
165	100		
63	56.4	45.0	67.6
89	54.5	42.5	63.7





#52
Acenaphthene
Concen: 39.200 ng
RT: 9.998 min Scan# 1327
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:154 Resp: 609043

Ion	Ratio	Lower	Upper
154	100		
153	111.6	89.5	134.3
152	52.7	42.5	63.7





#53
3-Nitroaniline
Concen: 42.370 ng
RT: 9.916 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:138 Resp: 164001

Ion	Ratio	Lower	Upper
138	100		
108	11.5	8.6	13.0
92	112.0	89.8	134.8





#54
2,4-Dinitrophenol
Concen: 32.946 ng
RT: 10.028 min Scan# 1332
Delta R.T. -0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:184 Resp: 56727

Ion	Ratio	Lower	Upper
184	100		
63	65.2	52.6	78.8
154	62.7	51.0	76.4





#55
Dibenzofuran
Concen: 39.338 ng
RT: 10.175 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:168 Resp: 871391

Ion	Ratio	Lower	Upper
168	100		
139	37.6	29.8	44.6
169	13.3	10.8	16.2





#56
4-Nitrophenol
Concen: 43.335 ng
RT: 10.081 min Scan# 1341
Delta R.T. -0.005 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:139 Resp: 99803

Ion	Ratio	Lower	Upper
139	100		
109	70.1	48.2	88.2
65	105.2	75.8	115.8





#57
2,4-Dinitrotoluene
Concen: 42.505 ng
RT: 10.151 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 203299

Ion	Ratio	Lower	Upper
165	100		
63	45.2	34.9	52.3
89	68.5	53.3	79.9
182	2.9	2.3	3.5





#58
Fluorene
Concen: 38.909 ng
RT: 10.516 min Scan# 1415
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:166 Resp: 663350

Ion	Ratio	Lower	Upper
166	100		
165	97.1	78.3	117.5
167	13.5	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 41.458 ng
RT: 10.292 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:232 Resp: 169934

Ion	Ratio	Lower	Upper
232	100		
131	40.3	32.7	49.1
130	1.9	1.6	2.4
166	27.8	22.6	34.0





#60
Diethylphthalate
Concen: 40.873 ng
RT: 10.381 min Scan# 1392
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:149 Resp: 633362

Ion	Ratio	Lower	Upper
149	100		
177	22.6	18.3	27.5
150	12.6	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 38.920 ng
RT: 10.504 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:204 Resp: 331842

Ion	Ratio	Lower	Upper
204	100		
206	33.5	27.0	40.4
141	60.0	48.7	73.1





#62
4-Nitroaniline
Concen: 43.337 ng
RT: 10.528 min Scan# 1417
Delta R.T. -0.012 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:138 Resp: 154077

Ion	Ratio	Lower	Upper
138	100		
92	50.8	29.3	69.3
108	74.4	50.7	90.7





#63
Azobenzene
Concen: 40.670 ng
RT: 10.663 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 653457

Ion	Ratio	Lower	Upper
77	100		
182	25.6	6.2	46.2
105	21.7	2.2	42.2
51	33.0	12.4	52.4





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:188 Resp: 448105

Ion	Ratio	Lower	Upper
188	100		
94	9.7	7.4	11.2
80	10.9	8.2	12.4





#65
4,6-Dinitro-2-methylphenol
Concen: 39.155 ng
RT: 10.563 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:198 Resp: 98928

Ion	Ratio	Lower	Upper
198	100		
51	50.4	29.6	69.6
105	42.4	21.5	61.5





#66
n-Nitrosodiphenylamine
Concen: 38.990 ng
RT: 10.622 min Scan# 1433
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:169 Resp: 562277

Ion	Ratio	Lower	Upper
169	100		
168	66.6	52.4	78.6
167	36.3	28.9	43.3





#67
4-Bromophenyl-phenylether
Concen: 39.734 ng
RT: 10.992 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:248 Resp: 212441

Ion	Ratio	Lower	Upper
248	100		
250	97.4	77.8	116.8
141	74.4	54.0	81.0





#68
Hexachlorobenzene
Concen: 38.425 ng
RT: 11.069 min Scan# 1509
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:284 Resp: 221451

Ion	Ratio	Lower	Upper
284	100		
142	31.8	24.4	36.6
249	31.9	25.0	37.6





#69
Atrazine
Concen: 44.605 ng
RT: 11.145 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:200 Resp: 166044

Ion	Ratio	Lower	Upper
200	100		
173	26.1	6.9	46.9
215	49.1	30.0	70.0





#70
Pentachlorophenol
Concen: 40.559 ng
RT: 11.263 min Scan# 1542
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:266 Resp: 107054

Ion	Ratio	Lower	Upper
266	100		
268	63.4	50.5	75.7
264	62.4	49.8	74.8





#71
Phenanthrene
Concen: 38.800 ng
RT: 11.480 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:178 Resp: 931062

Ion	Ratio	Lower	Upper
178	100		
176	19.3	15.5	23.3
179	15.5	12.5	18.7





#72
Anthracene
Concen: 39.041 ng
RT: 11.533 min Scan# 1588
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:178 Resp: 949077

Ion	Ratio	Lower	Upper
178	100		
176	18.9	15.0	22.4
179	15.3	12.3	18.5





#73
Carbazole
Concen: 39.926 ng
RT: 11.680 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:167 Resp: 795296

Ion	Ratio	Lower	Upper
167	100		
166	21.5	17.3	25.9
139	13.2	10.0	15.0





#74
Di-n-butylphthalate
Concen: 43.920 ng
RT: 12.010 min Scan# 1669
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:149 Resp: 816139

Ion	Ratio	Lower	Upper
149	100		
150	9.3	7.2	10.8
104	4.7	3.6	5.4





#75
Fluoranthene
Concen: 40.050 ng
RT: 12.669 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:202 Resp: 862364

Ion	Ratio	Lower	Upper
202	100		
101	11.1	0.0	31.3
203	17.7	0.0	37.9





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:240 Resp: 253253

Ion	Ratio	Lower	Upper
240	100		
120	10.4	8.6	12.8
236	25.4	20.4	30.6





#77
Benzidine
Concen: 46.044 ng
RT: 12.786 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:184 Resp: 284041

Ion	Ratio	Lower	Upper
184	100		
185	14.6	11.3	16.9
183	11.9	9.5	14.3





#78
Pyrene
Concen: 40.485 ng
RT: 12.898 min Scan# 1820
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:202 Resp: 843384

Ion	Ratio	Lower	Upper
202	100		
200	21.1	17.0	25.4
203	17.7	14.3	21.5





#79
Terphenyl-d14
Concen: 80.326 ng
RT: 13.033 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:244 Resp: 1165752

Ion	Ratio	Lower	Upper
244	100		
212	6.7	5.2	7.8
122	10.3	7.9	11.9





#80
Butylbenzylphthalate
Concen: 42.677 ng
RT: 13.504 min Scan# 1923
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:149 Resp: 242873

Ion	Ratio	Lower	Upper
149	100		
91	71.8	55.3	82.9
206	21.9	18.2	27.4





#81
Benzo(a)anthracene
Concen: 38.965 ng
RT: 14.086 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 635317

Ion	Ratio	Lower	Upper
228	100		
226	27.3	21.7	32.5
229	20.1	15.7	23.5





#82
3,3'-Dichlorobenzidine
Concen: 40.076 ng
RT: 14.045 min Scan# 2015
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:252 Resp: 187129

Ion	Ratio	Lower	Upper
252	100		
254	64.9	52.6	79.0
126	10.7	8.7	13.1





#83
Chrysene
Concen: 40.656 ng
RT: 14.121 min Scan# 2(
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 595706

Ion	Ratio	Lower	Upper
228	100		
226	29.8	23.7	35.5
229	19.7	15.7	23.5





#84
Bis(2-ethylhexyl)phthalate
Concen: 38.980 ng
RT: 14.069 min Scan# 2019
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:149 Resp: 337867

Ion	Ratio	Lower	Upper
149	100		
167	28.0	22.2	33.2
279	4.8	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 38.327 ng
RT: 14.680 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:149 Resp: 615416

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.2	1.8
43	11.0	8.5	12.7





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:264 Resp: 290056

Ion	Ratio	Lower	Upper
264	100		
260	22.9	18.7	28.1
265	21.6	17.6	26.4





#87
Indeno(1,2,3-cd)pyrene
Concen: 41.308 ng
RT: 17.127 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:276 Resp: 861001

Ion	Ratio	Lower	Upper
276	100		
138	24.0	19.2	28.8
277	25.5	20.3	30.5





#88
Benzo(b)fluoranthene
Concen: 39.847 ng
RT: 15.157 min Scan# 2204
Delta R.T. 0.000 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:252 Resp: 642454

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.5	26.3
125	8.7	7.4	11.0





#89
Benzo(k)fluoranthene
Concen: 39.415 ng
RT: 15.186 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:252 Resp: 608451

Ion	Ratio	Lower	Upper
252	100		
253	21.5	17.4	26.2
125	8.7	7.4	11.0





#90
Benzo(a)pyrene
Concen: 40.037 ng
RT: 15.533 min Scan# 2268
Delta R.T. -0.006 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:252 Resp: 599182

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.4	26.0
125	9.7	8.2	12.2





#91
Dibenzo(a,h)anthracene
Concen: 41.497 ng
RT: 17.139 min Scan# 2
Delta R.T. -0.018 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 692716

Ion	Ratio	Lower	Upper
278	100		
139	15.3	12.1	18.1
279	23.6	19.2	28.8





#92
Benzo(g,h,i)perylene
Concen: 41.185 ng
RT: 17.586 min Scan# 2617
Delta R.T. -0.018 min
Lab File: BF143498.D
Acq: 20 Aug 2025 22:05

Tgt Ion:276 Resp: 683631

Ion	Ratio	Lower	Upper
276	100		
277	24.0	18.9	28.3
138	21.3	16.3	24.5



Sample Results: **BF143498.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143498.D
Acq On : 20 Aug 2025 22:05
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 06:37:22 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	101	0.00
2		1,4-Dioxane	0.531	0.507	4.5	95	0.00
3		Pyridine	1.413	1.355	4.1	95	0.00
4		n-Nitrosodimethylamine	0.635	0.643	-1.3	101	-0.01
5	S	2-Fluorophenol	1.145	1.150	-0.4	102	0.00
6		Aniline	1.890	1.885	0.3	100	0.00
7	S	Phenol-d6	1.414	1.395	1.3	100	-0.01
8		2-Chlorophenol	1.265	1.270	-0.4	101	0.00
9		Benzaldehyde	1.145	1.081	5.6	91	0.00
10	C	Phenol	1.629	1.649	-1.2	101	0.00
11		bis(2-Chloroethyl)ether	1.217	1.211	0.5	100	0.00
12		1,3-Dichlorobenzene	1.421	1.397	1.7	99	0.00
13	C	1,4-Dichlorobenzene	1.426	1.416	0.7	101	0.00
14		1,2-Dichlorobenzene	1.350	1.328	1.6	99	0.00
15		Benzyl Alcohol	1.059	1.065	-0.6	99	0.00
16		2,2'-oxybis(1-Chloropropane	1.947	1.949	-0.1	100	0.00
17		2-Methylphenol	1.015	1.021	-0.6	102	0.00
18		Hexachloroethane	0.485	0.481	0.8	99	0.00
19	P	n-Nitroso-di-n-propylamine	0.864	0.852	1.4	102	-0.01
20		3+4-Methylphenols	1.212	1.222	-0.8	101	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	100	0.00
22		Acetophenone	0.432	0.424	1.9	102	0.00
23	S	Nitrobenzene-d5	0.343	0.349	-1.7	102	-0.01
24		Nitrobenzene	0.353	0.362	-2.5	102	0.00
25		Isophorone	0.628	0.635	-1.1	102	-0.01
26	C	2-Nitrophenol	0.173	0.181	-4.6	102	0.00
27		2,4-Dimethylphenol	0.269	0.270	-0.4	100	0.00
28		bis(2-Chloroethoxy)methane	0.386	0.385	0.3	100	0.00
29	C	2,4-Dichlorophenol	0.288	0.290	-0.7	101	0.00
30		1,2,4-Trichlorobenzene	0.296	0.288	2.7	99	0.00
31		Naphthalene	0.960	0.933	2.8	99	0.00
32		Benzoic acid	0.137	0.137	0.0	94	-0.03
33		4-Chloroaniline	0.341	0.343	-0.6	100	0.00
34	C	Hexachlorobutadiene	0.193	0.192	0.5	100	0.00
35		Caprolactam	0.069	0.078	-13.0	110	-0.02
36	C	4-Chloro-3-methylphenol	0.288	0.293	-1.7	102	0.00
37		2-Methylnaphthalene	0.641	0.630	1.7	100	0.00
38		1-Methylnaphthalene	0.613	0.605	1.3	100	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	101	0.00
40		1,2,4,5-Tetrachlorobenzene	0.572	0.553	3.3	99	0.00
41	P	Hexachlorocyclopentadiene	0.184	0.163	11.4	84	0.00
42	S	2,4,6-Tribromophenol	0.186	0.184	1.1	100	0.00
43	C	2,4,6-Trichlorophenol	0.352	0.356	-1.1	99	0.00
44		2,4,5-Trichlorophenol	0.385	0.377	2.1	100	0.00
45	S	2-Fluorobiphenyl	1.210	1.135	6.2	100	0.00
46		1,1'-Biphenyl	1.420	1.373	3.3	100	0.00
47		2-Chloronaphthalene	1.114	1.101	1.2	101	0.00

Sample Results: **BF143498.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143498.D
Acq On : 20 Aug 2025 22:05
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 06:37:22 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.326	0.341	-4.6	103	0.00
49		Acenaphthylene	1.595	1.574	1.3	101	0.00
50		Dimethylphthalate	1.205	1.228	-1.9	104	0.00
51		2,6-Dinitrotoluene	0.250	0.262	-4.8	102	0.00
52	C	Acenaphthene	1.083	1.061	2.0	100	0.00
53		3-Nitroaniline	0.270	0.286	-5.9	104	0.00
54	P	2,4-Dinitrophenol	0.115	0.099	13.9	84	0.00
55		Dibenzofuran	1.544	1.518	1.7	101	0.00
56	P	4-Nitrophenol	0.161	0.174	-8.1	103	0.00
57		2,4-Dinitrotoluene	0.333	0.354	-6.3	102	0.00
58		Fluorene	1.188	1.156	2.7	101	0.00
59		2,3,4,6-Tetrachlorophenol	0.286	0.296	-3.5	101	0.00
60		Diethylphthalate	1.080	1.104	-2.2	103	0.00
61		4-Chlorophenyl-phenylether	0.594	0.578	2.7	100	0.00
62		4-Nitroaniline	0.248	0.268	-8.1	106	-0.01
63		Azobenzene	1.120	1.139	-1.7	103	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	103	0.00
65		4,6-Dinitro-2-methylphenol	0.113	0.110	2.7	96	0.00
66	c	n-Nitrosodiphenylamine	0.644	0.627	2.6	101	0.00
67		4-Bromophenyl-phenylether	0.239	0.237	0.8	101	0.00
68		Hexachlorobenzene	0.257	0.247	3.9	99	0.00
69		Atrazine	0.166	0.185	-11.4	113	0.00
70	C	Pentachlorophenol	0.118	0.119	-0.8	99	0.00
71		Phenanthrene	1.071	1.039	3.0	103	0.00
72		Anthracene	1.085	1.059	2.4	101	0.00
73		Carbazole	0.889	0.887	0.2	103	0.00
74		Di-n-butylphthalate	0.829	0.911	-9.9	110	0.00
75	C	Fluoranthene	0.961	0.962	-0.1	105	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	101	0.00
77		Benzidine	0.487	0.561	-15.2	110	0.00
78		Pyrene	1.645	1.665	-1.2	103	0.00
79	S	Terphenyl-d14	1.146	1.151	-0.4	103	0.00
80		Butylbenzylphthalate	0.449	0.480	-6.9	104	0.00
81		Benzo(a)anthracene	1.288	1.254	2.6	96	0.00
82		3,3'-Dichlorobenzidine	0.369	0.369	0.0	100	0.00
83		Chrysene	1.157	1.176	-1.6	107	0.00
84		Bis(2-ethylhexyl)phthalate	0.685	0.667	2.6	95	0.00
85	c	Di-n-octyl phthalate	1.268	1.215	4.2	95	0.00
86	I	Perylene-d12	1.000	1.000	0.0	101	0.00
87		Indeno(1,2,3-cd)pyrene	1.437	1.484	-3.3	103	-0.01
88		Benzo(b)fluoranthene	1.112	1.107	0.4	104	0.00
89		Benzo(k)fluoranthene	1.064	1.049	1.4	98	0.00
90	C	Benzo(a)pyrene	1.032	1.033	-0.1	101	0.00
91		Dibenzo(a,h)anthracene	1.151	1.194	-3.7	103	-0.02
92		Benzo(g,h,i)perylene	1.145	1.178	-2.9	103	-0.02

Sample Results: **BF143498.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143498.D
Acq On : 20 Aug 2025 22:05
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 06:37:22 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Sample Results: **BF143498.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143498.D
Acq On : 20 Aug 2025 22:05
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 06:37:22 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	101	0.00
2		1,4-Dioxane	40.000	38.239	4.4	95	0.00
3		Pyridine	40.000	38.366	4.1	95	0.00
4		n-Nitrosodimethylamine	40.000	40.483	-1.2	101	-0.01
5	S	2-Fluorophenol	80.000	80.348	-0.4	102	0.00
6		Aniline	40.000	39.899	0.3	100	0.00
7	S	Phenol-d6	80.000	78.917	1.4	100	-0.01
8		2-Chlorophenol	40.000	40.164	-0.4	101	0.00
9		Benzaldehyde	40.000	37.769	5.6	91	0.00
10	C	Phenol	40.000	40.504	-1.3	101	0.00
11		bis(2-Chloroethyl)ether	40.000	39.795	0.5	100	0.00
12		1,3-Dichlorobenzene	40.000	39.304	1.7	99	0.00
13	C	1,4-Dichlorobenzene	40.000	39.733	0.7	101	0.00
14		1,2-Dichlorobenzene	40.000	39.364	1.6	99	0.00
15		Benzyl Alcohol	40.000	40.257	-0.6	99	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	40.025	-0.1	100	0.00
17		2-Methylphenol	40.000	40.241	-0.6	102	0.00
18		Hexachloroethane	40.000	39.700	0.7	99	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	39.455	1.4	102	-0.01
20		3+4-Methylphenols	40.000	40.322	-0.8	101	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	100	0.00
22		Acetophenone	40.000	39.285	1.8	102	0.00
23	S	Nitrobenzene-d5	80.000	81.469	-1.8	102	-0.01
24		Nitrobenzene	40.000	40.995	-2.5	102	0.00
25		Isophorone	40.000	40.435	-1.1	102	-0.01
26	C	2-Nitrophenol	40.000	41.873	-4.7	102	0.00
27		2,4-Dimethylphenol	40.000	40.152	-0.4	100	0.00
28		bis(2-Chloroethoxy)methane	40.000	39.898	0.3	100	0.00
29	C	2,4-Dichlorophenol	40.000	40.336	-0.8	101	0.00
30		1,2,4-Trichlorobenzene	40.000	38.930	2.7	99	0.00
31		Naphthalene	40.000	38.863	2.8	99	0.00
32		Benzoic acid	40.000	37.123	7.2	94	-0.03
33		4-Chloroaniline	40.000	40.252	-0.6	100	0.00
34	C	Hexachlorobutadiene	40.000	39.776	0.6	100	0.00
35		Caprolactam	40.000	44.931	-12.3	110	-0.02
36	C	4-Chloro-3-methylphenol	40.000	40.718	-1.8	102	0.00
37		2-Methylnaphthalene	40.000	39.283	1.8	100	0.00
38		1-Methylnaphthalene	40.000	39.442	1.4	100	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	101	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	38.686	3.3	99	0.00
41	P	Hexachlorocyclopentadiene	40.000	33.457	16.4	84	0.00
42	S	2,4,6-Tribromophenol	80.000	79.261	0.9	100	0.00
43	C	2,4,6-Trichlorophenol	40.000	40.426	-1.1	99	0.00
44		2,4,5-Trichlorophenol	40.000	39.194	2.0	100	0.00
45	S	2-Fluorobiphenyl	80.000	75.061	6.2	100	0.00
46		1,1'-Biphenyl	40.000	38.693	3.3	100	0.00
47		2-Chloronaphthalene	40.000	39.533	1.2	101	0.00

Sample Results: **BF143498.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143498.D
Acq On : 20 Aug 2025 22:05
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 06:37:22 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	41.804	-4.5	103	0.00
49		Acenaphthylene	40.000	39.486	1.3	101	0.00
50		Dimethylphthalate	40.000	40.765	-1.9	104	0.00
51		2,6-Dinitrotoluene	40.000	41.967	-4.9	102	0.00
52	C	Acenaphthene	40.000	39.200	2.0	100	0.00
53		3-Nitroaniline	40.000	42.370	-5.9	104	0.00
54	P	2,4-Dinitrophenol	40.000	32.946	17.6	84	0.00
55		Dibenzofuran	40.000	39.338	1.7	101	0.00
56	P	4-Nitrophenol	40.000	43.335	-8.3	103	0.00
57		2,4-Dinitrotoluene	40.000	42.505	-6.3	102	0.00
58		Fluorene	40.000	38.909	2.7	101	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	41.458	-3.6	101	0.00
60		Diethylphthalate	40.000	40.873	-2.2	103	0.00
61		4-Chlorophenyl-phenylether	40.000	38.920	2.7	100	0.00
62		4-Nitroaniline	40.000	43.337	-8.3	106	-0.01
63		Azobenzene	40.000	40.670	-1.7	103	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	103	0.00
65		4,6-Dinitro-2-methylphenol	40.000	39.155	2.1	96	0.00
66	c	n-Nitrosodiphenylamine	40.000	38.990	2.5	101	0.00
67		4-Bromophenyl-phenylether	40.000	39.734	0.7	101	0.00
68		Hexachlorobenzene	40.000	38.425	3.9	99	0.00
69		Atrazine	40.000	44.605	-11.5	113	0.00
70	C	Pentachlorophenol	40.000	40.559	-1.4	99	0.00
71		Phenanthrene	40.000	38.800	3.0	103	0.00
72		Anthracene	40.000	39.041	2.4	101	0.00
73		Carbazole	40.000	39.926	0.2	103	0.00
74		Di-n-butylphthalate	40.000	43.920	-9.8	110	0.00
75	C	Fluoranthene	40.000	40.050	-0.1	105	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	101	0.00
77		Benzidine	40.000	46.044	-15.1	110	0.00
78		Pyrene	40.000	40.485	-1.2	103	0.00
79	S	Terphenyl-d14	80.000	80.326	-0.4	103	0.00
80		Butylbenzylphthalate	40.000	42.677	-6.7	104	0.00
81		Benzo(a)anthracene	40.000	38.965	2.6	96	0.00
82		3,3'-Dichlorobenzidine	40.000	40.076	-0.2	100	0.00
83		Chrysene	40.000	40.656	-1.6	107	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	38.980	2.6	95	0.00
85	c	Di-n-octyl phthalate	40.000	38.327	4.2	95	0.00
86	I	Perylene-d12	20.000	20.000	0.0	101	0.00
87		Indeno(1,2,3-cd)pyrene	40.000	41.308	-3.3	103	-0.01
88		Benzo(b)fluoranthene	40.000	39.847	0.4	104	0.00
89		Benzo(k)fluoranthene	40.000	39.415	1.5	98	0.00
90	C	Benzo(a)pyrene	40.000	40.037	-0.1	101	0.00
91		Dibenzo(a,h)anthracene	40.000	41.497	-3.7	103	-0.02
92		Benzo(g,h,i)perylene	40.000	41.185	-3.0	103	-0.02

Sample Results: **BF143498.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143498.D
Acq On : 20 Aug 2025 22:05
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 06:37:22 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Raw Data: **BF143516.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_F Calibration Date/Time: 08/21/2025 06:44

Lab File ID: BF143516.D Init. Calib. Date(s): 08/20/2025 08/20/2025

EPA Sample No.: SSTDCCC040EC Init. Calib. Time(s): 10:55 14:20

GC Column: DB-UI ID: 0.18 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.145	1.126		-1.7	50.0
Benzaldehyde	1.145	1.296		13.2	50.0
Phenol-d6	1.414	1.374		-2.8	50.0
Phenol	1.629	1.615		-0.9	50.0
bis(2-Chloroethyl)ether	1.217	1.190		-2.2	50.0
2-Chlorophenol	1.265	1.233		-2.5	50.0
2-Methylphenol	1.015	1.006		-0.9	50.0
2,2-oxybis(1-Chloropropane)	1.947	1.881		-3.4	50.0
Acetophenone	0.432	0.422		-2.3	50.0
3+4-Methylphenols	1.212	1.199		-1.1	50.0
n-Nitroso-di-n-propylamine	0.864	0.835	0.050	-3.4	50.0
Nitrobenzene-d5	0.343	0.343		0.0	50.0
Hexachloroethane	0.485	0.476		-1.9	50.0
Nitrobenzene	0.353	0.357		1.1	50.0
Isophorone	0.628	0.628		0.0	50.0
2-Nitrophenol	0.173	0.181		4.6	50.0
2,4-Dimethylphenol	0.269	0.264		-1.9	50.0
bis(2-Chloroethoxy)methane	0.386	0.386		0.0	50.0
2,4-Dichlorophenol	0.288	0.287		-0.3	50.0
Naphthalene	0.960	0.938		-2.3	50.0
4-Chloroaniline	0.341	0.332		-2.6	50.0
Hexachlorobutadiene	0.193	0.193		0.0	50.0
Caprolactam	0.069	0.076		10.1	50.0
4-Chloro-3-methylphenol	0.288	0.291		1.0	50.0
2-Methylnaphthalene	0.641	0.622		-3.0	50.0
Hexachlorocyclopentadiene	0.184	0.166	0.050	-9.8	50.0
2,4,6-Trichlorophenol	0.352	0.350		-0.6	50.0
2-Fluorobiphenyl	1.210	1.163		-3.9	50.0
2,4,5-Trichlorophenol	0.385	0.386		0.3	50.0
1,1-Biphenyl	1.420	1.380		-2.8	50.0
2-Chloronaphthalene	1.114	1.088		-2.3	50.0
2-Nitroaniline	0.326	0.331		1.5	50.0
Dimethylphthalate	1.205	1.222		1.4	50.0
Acenaphthylene	1.595	1.557		-2.4	50.0
2,6-Dinitrotoluene	0.250	0.257		2.8	50.0
3-Nitroaniline	0.270	0.268		-0.7	50.0
Acenaphthene	1.083	1.029		-5.0	50.0
2,4-Dinitrophenol	0.115	0.082	0.050	-28.7	50.0
4-Nitrophenol	0.161	0.153	0.050	-5.0	50.0

Raw Data: **BF143516.D**

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name:	Alliance	Contract:	FIRS02
Lab Code:	ACE	SDG No.:	Q2815
Instrument ID:	BNA_F	Calibration Date/Time:	08/21/2025 06:44
Lab File ID:	BF143516.D	Init. Calib. Date(s):	08/20/2025 08/20/2025
EPA Sample No.:	SSTDCCC040EC	Init. Calib. Time(s):	10:55 14:20

GC Column: DB-UI ID: 0.18 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.544	1.502		-2.7	50.0
2,4-Dinitrotoluene	0.333	0.341		2.4	50.0
Diethylphthalate	1.080	1.117		3.4	50.0
4-Chlorophenyl-phenylether	0.594	0.579		-2.5	50.0
Fluorene	1.188	1.137		-4.3	50.0
4-Nitroaniline	0.248	0.245		-1.2	50.0
4,6-Dinitro-2-methylphenol	0.113	0.105		-7.1	50.0
n-Nitrosodiphenylamine	0.644	0.645		0.2	50.0
2,4,6-Tribromophenol	0.186	0.181		-2.7	50.0
4-Bromophenyl-phenylether	0.239	0.246		2.9	50.0
Hexachlorobenzene	0.257	0.258		0.4	50.0
Atrazine	0.166	0.189		13.9	50.0
Pentachlorophenol	0.118	0.112		-5.1	50.0
Phenanthrene	1.071	1.050		-2.0	50.0
Anthracene	1.085	1.062		-2.1	50.0
Carbazole	0.889	0.860		-3.3	50.0
Di-n-butylphthalate	0.829	0.927		11.8	50.0
Fluoranthene	0.961	0.897		-6.7	50.0
Pyrene	1.645	1.474		-10.4	50.0
Terphenyl-d14	1.146	1.057		-7.8	50.0
Butylbenzylphthalate	0.449	0.491		9.4	50.0
3,3-Dichlorobenzidine	0.369	0.392		6.2	50.0
Benzo(a)anthracene	1.288	1.249		-3.0	50.0
Chrysene	1.157	1.160		0.3	50.0
Bis(2-ethylhexyl)phthalate	0.685	0.720		5.1	50.0
Di-n-octyl phthalate	1.268	1.332		5.0	50.0
Benzo(b)fluoranthene	1.112	1.135		2.1	50.0
Benzo(k)fluoranthene	1.064	1.008		-5.3	50.0
Benzo(a)pyrene	1.032	1.036		0.4	50.0
Indeno(1,2,3-cd)pyrene	1.437	1.402		-2.4	50.0
Dibenzo(a,h)anthracene	1.151	1.134		-1.5	50.0
Benzo(g,h,i)perylene	1.145	1.086		-5.2	50.0
1,2,4,5-Tetrachlorobenzene	0.572	0.565		-1.2	50.0
1,4-Dioxane	0.531	0.534		0.6	50.0
2,3,4,6-Tetrachlorophenol	0.286	0.286		0.0	50.0

All other compounds must meet a minimum RRF of 0.010.

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143516.D
Acq On : 21 Aug 2025 06:44
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 21 07:07:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	137454	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	510568	20.000	ng	0.00
39) Acenaphthene-d10	9.963	164	274867	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	405205	20.000	ng	0.00
76) Chrysene-d12	14.098	240	245385	20.000	ng	0.00
86) Perylene-d12	15.592	264	295910	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.557	112	619031	78.639	ng	0.00
7) Phenol-d6	6.563	99	755494	77.747	ng	-0.01
23) Nitrobenzene-d5	7.487	82	701155	80.138	ng	-0.01
42) 2,4,6-Tribromophenol	10.757	330	199460	77.956	ng	0.00
45) 2-Fluorobiphenyl	9.287	172	1278754	76.887	ng	0.00
79) Terphenyl-d14	13.033	244	1037790	73.802	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.734	88	146835	40.266	ng	99
3) Pyridine	3.516	79	391326	40.291	ng	99
4) n-Nitrosodimethylamine	3.457	42	174889	40.055	ng	99
6) Aniline	6.593	93	504423	38.836	ng	99
8) 2-Chlorophenol	6.716	128	339008	38.991	ng	99
9) Benzaldehyde	6.481	77	356360	45.296	ng	99
10) Phenol	6.581	94	443936	39.657	ng	97
11) bis(2-Chloroethyl)ether	6.657	93	327175	39.111	ng	100
12) 1,3-Dichlorobenzene	6.869	146	382483	39.153	ng	99
13) 1,4-Dichlorobenzene	6.945	146	380754	38.855	ng	99
14) 1,2-Dichlorobenzene	7.098	146	361970	39.014	ng	100
15) Benzyl Alcohol	7.069	79	291861	40.117	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.198	45	517064	38.635	ng	99
17) 2-Methylphenol	7.181	107	276576	39.635	ng	96
18) Hexachloroethane	7.440	117	130737	39.240	ng	96
19) n-Nitroso-di-n-propyla...	7.340	70	229547	38.648	ng	100
20) 3+4-Methylphenols	7.334	107	329524	39.557	ng	99
22) Acetophenone	7.334	105	431226	39.094	ng	100
24) Nitrobenzene	7.510	77	364218	40.446	ng	98
25) Isophorone	7.745	82	641626	40.006	ng	99
26) 2-Nitrophenol	7.822	139	185319	42.012	ng	96
27) 2,4-Dimethylphenol	7.863	122	269222	39.152	ng	99
28) bis(2-Chloroethoxy)met...	7.951	93	393788	39.952	ng	100
29) 2,4-Dichlorophenol	8.069	162	293101	39.911	ng	98
30) 1,2,4-Trichlorobenzene	8.151	180	300378	39.782	ng	99
31) Naphthalene	8.234	128	958228	39.092	ng	100
32) Benzoic acid	7.981	122	141499	37.591	ng	98
33) 4-Chloroaniline	8.275	127	339182	38.986	ng	98
34) Hexachlorobutadiene	8.351	225	196894	39.969	ng	100
35) Caprolactam	8.651	113	77185	43.799	ng	98
36) 4-Chloro-3-methylphenol	8.763	107	297282	40.394	ng	98
37) 2-Methylnaphthalene	8.922	142	635344	38.808	ng	100
38) 1-Methylnaphthalene	9.022	142	605817	38.685	ng	99
40) 1,2,4,5-Tetrachloroben...	9.092	216	310596	39.505	ng	99
41) Hexachlorocyclopentadiene	9.081	237	91199	33.894	ng	99
43) 2,4,6-Trichlorophenol	9.204	196	192667	39.825	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143516.D
Acq On : 21 Aug 2025 06:44
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 21 07:07:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.245	196	212240	40.163	ng	98
46) 1,1'-Biphenyl	9.386	154	758507	38.879	ng	99
47) 2-Chloronaphthalene	9.410	162	597936	39.061	ng	98
48) 2-Nitroaniline	9.504	65	182065	40.640	ng	98
49) Acenaphthylene	9.828	152	856096	39.059	ng	100
50) Dimethylphthalate	9.675	163	671826	40.583	ng	100
51) 2,6-Dinitrotoluene	9.745	165	141216	41.159	ng	99
52) Acenaphthene	9.998	154	565670	38.011	ng	99
53) 3-Nitroaniline	9.916	138	147101	39.678	ng	99
54) 2,4-Dinitrophenol	10.022	184	44950	28.170	ng	89
55) Dibenzofuran	10.169	168	825740	38.919	ng	98
56) 4-Nitrophenol	10.081	139	84274	38.203	ng	94
57) 2,4-Dinitrotoluene	10.151	165	187283	40.880	ng	99
58) Fluorene	10.516	166	625227	38.288	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.292	232	157108	40.017	ng	100
60) Diethylphthalate	10.381	149	613793	41.355	ng	100
61) 4-Chlorophenyl-phenyle...	10.504	204	318396	38.987	ng	99
62) 4-Nitroaniline	10.528	138	134532	39.506	ng	97
63) Azobenzene	10.663	77	602578	39.155	ng	99
65) 4,6-Dinitro-2-methylph...	10.563	198	85050	37.226	ng	98
66) n-Nitrosodiphenylamine	10.622	169	522417	40.062	ng	98
67) 4-Bromophenyl-phenylether	10.992	248	198971	41.154	ng	97
68) Hexachlorobenzene	11.069	284	209043	40.112	ng	100
69) Atrazine	11.145	200	153390	45.568	ng	99
70) Pentachlorophenol	11.263	266	90936	38.100	ng	100
71) Phenanthrene	11.480	178	851106	39.223	ng	99
72) Anthracene	11.528	178	860520	39.146	ng	99
73) Carbazole	11.680	167	697205	38.707	ng	99
74) Di-n-butylphthalate	12.010	149	751456	44.721	ng	100
75) Fluoranthene	12.669	202	726991	37.338	ng	99
77) Benzidine	12.786	184	233194	39.014	ng	99
78) Pyrene	12.898	202	723572	35.848	ng	100
80) Butylbenzylphthalate	13.504	149	241048	43.715	ng	97
81) Benzo(a)anthracene	14.086	228	612793	38.789	ng	99
82) 3,3'-Dichlorobenzidine	14.045	252	192601	42.571	ng	99
83) Chrysene	14.121	228	569457	40.110	ng	100
84) Bis(2-ethylhexyl)phtha...	14.069	149	353573	42.100	ng	100
85) Di-n-octyl phthalate	14.680	149	653491	42.003	ng	100
87) Indeno(1,2,3-cd)pyrene	17.127	276	829688	39.018	ng	100
88) Benzo(b)fluoranthene	15.151	252	671954	40.852	ng	99
89) Benzo(k)fluoranthene	15.180	252	596771	37.893	ng	100
90) Benzo(a)pyrene	15.533	252	613387	40.175	ng	100
91) Dibenzo(a,h)anthracene	17.139	278	670989	39.400	ng	99
92) Benzo(g,h,i)perylene	17.586	276	642548	37.945	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143516.D
Acq On : 21 Aug 2025 06:44
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 21 07:07:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 137454

Ion	Ratio	Lower	Upper
152	100		
150	157.3	128.9	193.3
115	58.9	49.2	73.8





#2
1,4-Dioxane
Concen: 40.266 ng
RT: 2.734 min Scan# 92
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion: 88 Resp: 146835

Ion	Ratio	Lower	Upper
88	100		
58	84.0	66.7	100.1
43	32.9	25.8	38.8





#3
Pyridine
Concen: 40.291 ng
RT: 3.516 min Scan# 2
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 391326

Ion	Ratio	Lower	Upper
79	100		
52	82.7	65.6	98.4
51	39.7	31.2	46.8





#4
n-Nitrosodimethylamine
Concen: 40.055 ng
RT: 3.457 min Scan# 215
Delta R.T. -0.018 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion: 42 Resp: 174889

Ion	Ratio	Lower	Upper
42	100		
74	121.6	98.6	148.0
44	7.2	5.8	8.8





#5
2-Fluorophenol
Concen: 78.639 ng
RT: 5.557 min Scan# 5
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:112 Resp: 619031

Ion	Ratio	Lower	Upper
112	100		
64	64.8	50.4	75.6
63	34.0	26.4	39.6





#6
Aniline
Concen: 38.836 ng
RT: 6.593 min Scan# 748
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion: 93 Resp: 504423

Ion	Ratio	Lower	Upper
93	100		
66	48.0	38.9	58.3
65	25.2	20.6	30.8





#7
Phenol-d6
Concen: 77.747 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.012 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 99 Resp: 755494

Ion	Ratio	Lower	Upper
99	100		
42	20.5	16.3	24.5
71	35.9	28.2	42.2





#8
2-Chlorophenol
Concen: 38.991 ng
RT: 6.716 min Scan# 769
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:128 Resp: 339008

Ion	Ratio	Lower	Upper
128	100		
130	32.8	12.4	52.4
64	52.2	31.6	71.6





#9
Benzaldehyde
Concen: 45.296 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 356360

Ion	Ratio	Lower	Upper
77	100		
105	96.9	78.1	118.1
106	93.8	74.9	114.9





#10
Phenol
Concen: 39.657 ng
RT: 6.581 min Scan# 746
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion: 94 Resp: 443936

Ion	Ratio	Lower	Upper
94	100		
65	40.8	19.5	59.5
66	65.5	42.5	82.5





#11
bis(2-Chloroethyl)ether
Concen: 39.111 ng
RT: 6.657 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 93 Resp: 327175

Ion	Ratio	Lower	Upper
93	100		
63	83.5	63.6	103.6
95	32.7	12.8	52.8





#12
1,3-Dichlorobenzene
Concen: 39.153 ng
RT: 6.869 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:146 Resp: 382483

Ion	Ratio	Lower	Upper
146	100		
148	63.6	51.3	76.9
75	31.1	24.7	37.1





#13
1,4-Dichlorobenzene
Concen: 38.855 ng
RT: 6.945 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:146 Resp: 380754

Ion	Ratio	Lower	Upper
146	100		
148	63.8	51.5	77.3
111	40.9	32.6	49.0





#14
1,2-Dichlorobenzene
Concen: 39.014 ng
RT: 7.098 min Scan# 834
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:146 Resp: 361970

Ion	Ratio	Lower	Upper
146	100		
148	63.4	51.0	76.6
111	42.8	34.0	51.0





#15
Benzyl Alcohol
Concen: 40.117 ng
RT: 7.069 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 291861

Ion	Ratio	Lower	Upper
79	100		
108	75.5	59.8	89.6
77	62.0	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 38.635 ng
RT: 7.198 min Scan# 851
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion: 45 Resp: 517064

Ion	Ratio	Lower	Upper
45	100		
77	17.9	0.0	37.9
79	14.2	0.0	34.7





#17
2-Methylphenol
Concen: 39.635 ng
RT: 7.181 min Scan# 84
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:107 Resp: 276576

Ion	Ratio	Lower	Upper
107	100		
108	112.5	91.1	136.7
77	52.3	46.2	69.4
79	51.0	44.2	66.2





#18
Hexachloroethane
Concen: 39.240 ng
RT: 7.440 min Scan# 892
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:117 Resp: 130737

Ion	Ratio	Lower	Upper
117	100		
119	96.5	75.4	113.0
201	103.5	79.0	118.4





#19
n-Nitroso-di-n-propylamine
Concen: 38.648 ng
RT: 7.340 min Scan# 8
Delta R.T. -0.012 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 70 Resp: 229547

Ion	Ratio	Lower	Upper
70	100		
42	61.9	49.3	73.9
101	9.8	7.8	11.8
130	20.9	16.6	25.0





#20
3+4-Methylphenols
Concen: 39.557 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:107 Resp: 329524

Ion	Ratio	Lower	Upper
107	100		
108	88.8	68.4	108.4
77	135.3	116.1	156.1
79	31.1	9.8	49.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:136 Resp: 510568

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.0	13.4
54	9.1	7.4	11.2
68	5.9	5.0	7.4





#22
Acetophenone
Concen: 39.094 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:105 Resp: 431226

Ion	Ratio	Lower	Upper
105	100		
71	7.3	5.9	8.9
51	40.6	32.5	48.7
120	22.1	18.0	27.0





#23
Nitrobenzene-d5
Concen: 80.138 ng
RT: 7.487 min Scan# 9
Delta R.T. -0.012 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 701155

Ion	Ratio	Lower	Upper
82	100		
128	43.5	35.5	53.3
54	56.9	44.3	66.5





#24
Nitrobenzene
Concen: 40.446 ng
RT: 7.510 min Scan# 904
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion: 77 Resp: 364218

Ion	Ratio	Lower	Upper
77	100		
123	46.5	36.1	54.1
65	14.3	11.0	16.6





#25
Isophorone
Concen: 40.006 ng
RT: 7.745 min Scan# 94
Delta R.T. -0.012 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 641626

Ion	Ratio	Lower	Upper
82	100		
95	7.1	5.8	8.8
138	18.0	14.2	21.4





#26
2-Nitrophenol
Concen: 42.012 ng
RT: 7.822 min Scan# 957
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:139 Resp: 185319

Ion	Ratio	Lower	Upper
139	100		
109	29.9	23.0	34.6
65	53.6	40.3	60.5





#27
2,4-Dimethylphenol
Concen: 39.152 ng
RT: 7.863 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:122 Resp: 269222

Ion	Ratio	Lower	Upper
122	100		
107	116.2	91.5	137.3
121	59.5	47.0	70.4





#28
bis(2-Chloroethoxy)methane
Concen: 39.952 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion: 93 Resp: 393788

Ion	Ratio	Lower	Upper
93	100		
95	32.8	26.0	39.0
123	11.3	9.1	13.7





#29
2,4-Dichlorophenol
Concen: 39.911 ng
RT: 8.069 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 293101

Ion	Ratio	Lower	Upper
162	100		
164	63.9	43.5	83.5
98	37.2	15.1	55.1





#30
1,2,4-Trichlorobenzene
Concen: 39.782 ng
RT: 8.151 min Scan# 1013
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:180 Resp: 300378

Ion	Ratio	Lower	Upper
180	100		
182	94.3	76.6	114.8
145	30.3	24.3	36.5





#31
Naphthalene
Concen: 39.092 ng
RT: 8.234 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:128 Resp: 958228

Ion	Ratio	Lower	Upper
128	100		
129	11.1	8.8	13.2
127	13.5	10.6	16.0





#32
Benzoic acid
Concen: 37.591 ng
RT: 7.981 min Scan# 984
Delta R.T. -0.029 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:122 Resp: 141499

Ion	Ratio	Lower	Upper
122	100		
105	122.1	104.7	144.7
77	94.9	77.3	117.3





#33
4-Chloroaniline
Concen: 38.986 ng
RT: 8.275 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:127 Resp: 339182

Ion	Ratio	Lower	Upper
127	100		
129	32.3	26.1	39.1
65	34.5	26.2	39.2
92	21.2	16.6	25.0





#34
Hexachlorobutadiene
Concen: 39.969 ng
RT: 8.351 min Scan# 1047
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:225 Resp: 196894

Ion	Ratio	Lower	Upper
225	100		
223	62.2	49.9	74.9
227	63.8	50.9	76.3





#35
Caprolactam
Concen: 43.799 ng
RT: 8.651 min Scan# 1
Delta R.T. -0.023 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:113 Resp: 77185

Ion	Ratio	Lower	Upper
113	100		
55	186.1	162.8	202.8
56	140.4	118.1	158.1





#36
4-Chloro-3-methylphenol
Concen: 40.394 ng
RT: 8.763 min Scan# 1117
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:107 Resp: 297282

Ion	Ratio	Lower	Upper
107	100		
144	24.2	19.9	29.9
142	74.9	61.8	92.8





#37
2-Methylnaphthalene
Concen: 38.808 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:142 Resp: 635344

Ion	Ratio	Lower	Upper
142	100		
141	88.6	71.0	106.4





#38
1-Methylnaphthalene
Concen: 38.685 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:142 Resp: 605817

Ion	Ratio	Lower	Upper
142	100		
141	92.3	73.3	109.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:164 Resp: 274867

Ion	Ratio	Lower	Upper
164	100		
162	99.5	80.5	120.7
160	42.4	34.3	51.5





#40
1,2,4,5-Tetrachlorobenzene
Concen: 39.505 ng
RT: 9.092 min Scan# 1173
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:216 Resp: 310596

Ion	Ratio	Lower	Upper
216	100		
214	78.4	63.4	95.0
179	20.9	16.5	24.7
108	17.5	13.9	20.9





#41
Hexachlorocyclopentadiene
Concen: 33.894 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:237 Resp: 91199

Ion	Ratio	Lower	Upper
237	100		
235	61.3	42.6	82.6
272	13.2	0.0	33.4





#42
2,4,6-Tribromophenol
Concen: 77.956 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:330 Resp: 199460

Ion	Ratio	Lower	Upper
330	100		
332	97.7	78.0	117.0
141	29.7	23.7	35.5





#43
2,4,6-Trichlorophenol
Concen: 39.825 ng
RT: 9.204 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:196 Resp: 192667

Ion	Ratio	Lower	Upper
196	100		
198	96.7	77.0	115.4
200	31.2	24.6	37.0





#44
2,4,5-Trichlorophenol
Concen: 40.163 ng
RT: 9.245 min Scan# 1199
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:196 Resp: 212240

Ion	Ratio	Lower	Upper
196	100		
198	93.9	77.3	115.9
97	49.7	40.0	60.0
132	28.3	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 76.887 ng
RT: 9.287 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:172 Resp: 1278754

Ion	Ratio	Lower	Upper
172	100		
171	35.4	28.8	43.2
170	23.5	18.8	28.2





#46
1,1'-Biphenyl
Concen: 38.879 ng
RT: 9.386 min Scan# 1223
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:154 Resp: 758507

Ion	Ratio	Lower	Upper
154	100		
153	40.2	20.6	60.6
76	12.6	0.0	33.0





#47
2-Chloronaphthalene
Concen: 39.061 ng
RT: 9.410 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 597936

Ion	Ratio	Lower	Upper
162	100		
127	41.2	31.8	47.6
164	32.7	26.4	39.6





#48
2-Nitroaniline
Concen: 40.640 ng
RT: 9.504 min Scan# 1243
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion: 65 Resp: 182065

Ion	Ratio	Lower	Upper
65	100		
92	67.9	53.8	80.6
138	106.0	82.4	123.6





#49
Acenaphthylene
Concen: 39.059 ng
RT: 9.828 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 856096

Ion	Ratio	Lower	Upper
152	100		
151	20.5	16.2	24.4
153	13.2	10.6	15.8





#50
Dimethylphthalate
Concen: 40.583 ng
RT: 9.675 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:163 Resp: 671826

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	10.4	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 41.159 ng
RT: 9.745 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 141216

Ion	Ratio	Lower	Upper
165	100		
63	56.5	45.0	67.6
89	52.5	42.5	63.7





#52
Acenaphthene
Concen: 38.011 ng
RT: 9.998 min Scan# 1327
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:154 Resp: 565670

Ion	Ratio	Lower	Upper
154	100		
153	113.4	89.5	134.3
152	53.5	42.5	63.7





#53
3-Nitroaniline
Concen: 39.678 ng
RT: 9.916 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:138 Resp: 147101

Ion	Ratio	Lower	Upper
138	100		
108	11.6	8.6	13.0
92	112.7	89.8	134.8





#54
2,4-Dinitrophenol
Concen: 28.170 ng
RT: 10.022 min Scan# 1331
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:184 Resp: 44950

Ion	Ratio	Lower	Upper
184	100		
63	72.5	52.6	78.8
154	74.9	51.0	76.4





#55
Dibenzofuran
Concen: 38.919 ng
RT: 10.169 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:168 Resp: 825740

Ion	Ratio	Lower	Upper
168	100		
139	38.7	29.8	44.6
169	13.6	10.8	16.2





#56
4-Nitrophenol
Concen: 38.203 ng
RT: 10.081 min Scan# 1341
Delta R.T. -0.005 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:139 Resp: 84274

Ion	Ratio	Lower	Upper
139	100		
109	71.0	48.2	88.2
65	103.7	75.8	115.8





#57
2,4-Dinitrotoluene
Concen: 40.880 ng
RT: 10.151 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 187283

Ion	Ratio	Lower	Upper
165	100		
63	44.2	34.9	52.3
89	66.4	53.3	79.9
182	2.9	2.3	3.5





#58
Fluorene
Concen: 38.288 ng
RT: 10.516 min Scan# 1415
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:166 Resp: 625227

Ion	Ratio	Lower	Upper
166	100		
165	97.6	78.3	117.5
167	13.4	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 40.017 ng
RT: 10.292 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:232 Resp: 157108

Ion	Ratio	Lower	Upper
232	100		
131	41.1	32.7	49.1
130	1.9	1.6	2.4
166	28.2	22.6	34.0





#60
Diethylphthalate
Concen: 41.355 ng
RT: 10.381 min Scan# 1392
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:149 Resp: 613793

Ion	Ratio	Lower	Upper
149	100		
177	23.0	18.3	27.5
150	12.7	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 38.987 ng
RT: 10.504 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:204 Resp: 318396

Ion	Ratio	Lower	Upper
204	100		
206	33.1	27.0	40.4
141	59.6	48.7	73.1





#62
4-Nitroaniline
Concen: 39.506 ng
RT: 10.528 min Scan# 1417
Delta R.T. -0.012 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:138 Resp: 134532

Ion	Ratio	Lower	Upper
138	100		
92	50.6	29.3	69.3
108	74.4	50.7	90.7





#63
Azobenzene
Concen: 39.155 ng
RT: 10.663 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 602578

Ion	Ratio	Lower	Upper
77	100		
182	27.0	6.2	46.2
105	21.9	2.2	42.2
51	32.1	12.4	52.4





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:188 Resp: 405205

Ion	Ratio	Lower	Upper
188	100		
94	9.9	7.4	11.2
80	10.8	8.2	12.4





#65
4,6-Dinitro-2-methylphenol
Concen: 37.226 ng
RT: 10.563 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:198 Resp: 85050

Ion	Ratio	Lower	Upper
198	100		
51	47.7	29.6	69.6
105	40.2	21.5	61.5





#66
n-Nitrosodiphenylamine
Concen: 40.062 ng
RT: 10.622 min Scan# 1433
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:169 Resp: 522417

Ion	Ratio	Lower	Upper
169	100		
168	67.1	52.4	78.6
167	36.4	28.9	43.3





#67
4-Bromophenyl-phenylether
Concen: 41.154 ng
RT: 10.992 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:248 Resp: 198971

Ion	Ratio	Lower	Upper
248	100		
250	96.5	77.8	116.8
141	71.9	54.0	81.0





#68
Hexachlorobenzene
Concen: 40.112 ng
RT: 11.069 min Scan# 1509
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:284 Resp: 209043

Ion	Ratio	Lower	Upper
284	100		
142	30.2	24.4	36.6
249	31.2	25.0	37.6





#69
Atrazine
Concen: 45.568 ng
RT: 11.145 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:200 Resp: 153390

Ion	Ratio	Lower	Upper
200	100		
173	26.3	6.9	46.9
215	48.9	30.0	70.0





#70
Pentachlorophenol
Concen: 38.100 ng
RT: 11.263 min Scan# 1542
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:266 Resp: 90936

Ion	Ratio	Lower	Upper
266	100		
268	63.2	50.5	75.7
264	62.5	49.8	74.8





#71
Phenanthrene
Concen: 39.223 ng
RT: 11.480 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:178 Resp: 851106

Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.5	23.3
179	15.3	12.5	18.7





#72
Anthracene
Concen: 39.146 ng
RT: 11.528 min Scan# 1587
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:178 Resp: 860520

Ion	Ratio	Lower	Upper
178	100		
176	18.5	15.0	22.4
179	15.8	12.3	18.5





#73
Carbazole
Concen: 38.707 ng
RT: 11.680 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:167 Resp: 697205

Ion	Ratio	Lower	Upper
167	100		
166	21.7	17.3	25.9
139	13.0	10.0	15.0





#74
Di-n-butylphthalate
Concen: 44.721 ng
RT: 12.010 min Scan# 1669
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:149 Resp: 751456

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.2	10.8
104	4.5	3.6	5.4





#75
Fluoranthene
Concen: 37.338 ng
RT: 12.669 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:202 Resp: 726991

Ion	Ratio	Lower	Upper
202	100		
101	11.0	0.0	31.3
203	17.6	0.0	37.9





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:240 Resp: 245385

Ion	Ratio	Lower	Upper
240	100		
120	10.1	8.6	12.8
236	24.9	20.4	30.6





#77
Benzidine
Concen: 39.014 ng
RT: 12.786 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:184 Resp: 233194

Ion	Ratio	Lower	Upper
184	100		
185	15.0	11.3	16.9
183	11.9	9.5	14.3





#78
Pyrene
Concen: 35.848 ng
RT: 12.898 min Scan# 1820
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:202 Resp: 723572

Ion	Ratio	Lower	Upper
202	100		
200	21.2	17.0	25.4
203	17.5	14.3	21.5





#79
Terphenyl-d14
Concen: 73.802 ng
RT: 13.033 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:244 Resp: 1037790

Ion	Ratio	Lower	Upper
244	100		
212	6.9	5.2	7.8
122	10.2	7.9	11.9





#80
Butylbenzylphthalate
Concen: 43.715 ng
RT: 13.504 min Scan# 1923
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:149 Resp: 241048

Ion	Ratio	Lower	Upper
149	100		
91	71.1	55.3	82.9
206	21.5	18.2	27.4





#81
Benzo(a)anthracene
Concen: 38.789 ng
RT: 14.086 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 612793

Ion	Ratio	Lower	Upper
228	100		
226	26.7	21.7	32.5
229	19.8	15.7	23.5





#82
3,3'-Dichlorobenzidine
Concen: 42.571 ng
RT: 14.045 min Scan# 2015
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:252 Resp: 192601

Ion	Ratio	Lower	Upper
252	100		
254	65.5	52.6	79.0
126	10.3	8.7	13.1





#83
Chrysene
Concen: 40.110 ng
RT: 14.121 min Scan# 2(
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 569457

Ion	Ratio	Lower	Upper
228	100		
226	29.4	23.7	35.5
229	19.7	15.7	23.5





#84
Bis(2-ethylhexyl)phthalate
Concen: 42.100 ng
RT: 14.069 min Scan# 2019
Delta R.T. 0.000 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:149 Resp: 353573

Ion	Ratio	Lower	Upper
149	100		
167	27.7	22.2	33.2
279	4.8	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 42.003 ng
RT: 14.680 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:149 Resp: 653491

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.2	1.8
43	10.8	8.5	12.7





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:264 Resp: 295910

Ion	Ratio	Lower	Upper
264	100		
260	23.4	18.7	28.1
265	21.9	17.6	26.4





#87
Indeno(1,2,3-cd)pyrene
Concen: 39.018 ng
RT: 17.127 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:276 Resp: 829688

Ion	Ratio	Lower	Upper
276	100		
138	23.9	19.2	28.8
277	25.2	20.3	30.5





#88
Benzo(b)fluoranthene
Concen: 40.852 ng
RT: 15.151 min Scan# 2203
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:252 Resp: 671954

Ion	Ratio	Lower	Upper
252	100		
253	22.5	17.5	26.3
125	9.5	7.4	11.0





#89
Benzo(k)fluoranthene
Concen: 37.893 ng
RT: 15.180 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:252 Resp: 596771

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.4	26.2
125	9.6	7.4	11.0





#90
Benzo(a)pyrene
Concen: 40.175 ng
RT: 15.533 min Scan# 2268
Delta R.T. -0.006 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:252 Resp: 613387

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.4	26.0
125	9.9	8.2	12.2





#91
Dibenzo(a,h)anthracene
Concen: 39.400 ng
RT: 17.139 min Scan# 2
Delta R.T. -0.018 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:278 Resp: 670989

Ion	Ratio	Lower	Upper
278	100		
139	15.1	12.1	18.1
279	23.6	19.2	28.8





#92
Benzo(g,h,i)perylene
Concen: 37.945 ng
RT: 17.586 min Scan# 2617
Delta R.T. -0.018 min
Lab File: BF143516.D
Acq: 21 Aug 2025 06:44

Tgt Ion:276 Resp: 642548

Ion	Ratio	Lower	Upper
276	100		
277	23.9	18.9	28.3
138	21.2	16.3	24.5



Sample Results: **BF143516.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143516.D
Acq On : 21 Aug 2025 06:44
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 07:07:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
2		1,4-Dioxane	0.531	0.534	-0.6	99	0.00
3		Pyridine	1.413	1.423	-0.7	99	0.00
4		n-Nitrosodimethylamine	0.635	0.636	-0.2	99	-0.02
5	S	2-Fluorophenol	1.145	1.126	1.7	99	0.00
6		Aniline	1.890	1.835	2.9	97	0.00
7	S	Phenol-d6	1.414	1.374	2.8	97	-0.01
8		2-Chlorophenol	1.265	1.233	2.5	97	0.00
9		Benzaldehyde	1.145	1.296	-13.2	108	0.00
10	C	Phenol	1.629	1.615	0.9	98	0.00
11		bis(2-Chloroethyl)ether	1.217	1.190	2.2	98	0.00
12		1,3-Dichlorobenzene	1.421	1.391	2.1	98	0.00
13	C	1,4-Dichlorobenzene	1.426	1.385	2.9	98	0.00
14		1,2-Dichlorobenzene	1.350	1.317	2.4	97	0.00
15		Benzyl Alcohol	1.059	1.062	-0.3	98	0.00
16		2,2'-oxybis(1-Chloropropane	1.947	1.881	3.4	96	0.00
17		2-Methylphenol	1.015	1.006	0.9	99	0.00
18		Hexachloroethane	0.485	0.476	1.9	97	0.00
19	P	n-Nitroso-di-n-propylamine	0.864	0.835	3.4	99	-0.01
20		3+4-Methylphenols	1.212	1.199	1.1	98	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	98	0.00
22		Acetophenone	0.432	0.422	2.3	99	0.00
23	S	Nitrobenzene-d5	0.343	0.343	0.0	98	-0.01
24		Nitrobenzene	0.353	0.357	-1.1	98	0.00
25		Isophorone	0.628	0.628	0.0	99	-0.01
26	C	2-Nitrophenol	0.173	0.181	-4.6	100	0.00
27		2,4-Dimethylphenol	0.269	0.264	1.9	95	0.00
28		bis(2-Chloroethoxy)methane	0.386	0.386	0.0	98	0.00
29	C	2,4-Dichlorophenol	0.288	0.287	0.3	97	0.00
30		1,2,4-Trichlorobenzene	0.296	0.294	0.7	98	0.00
31		Naphthalene	0.960	0.938	2.3	97	0.00
32		Benzoic acid	0.137	0.139	-1.5	93	-0.03
33		4-Chloroaniline	0.341	0.332	2.6	95	0.00
34	C	Hexachlorobutadiene	0.193	0.193	0.0	98	0.00
35		Caprolactam	0.069	0.076	-10.1	104	-0.02
36	C	4-Chloro-3-methylphenol	0.288	0.291	-1.0	99	0.00
37		2-Methylnaphthalene	0.641	0.622	3.0	96	0.00
38		1-Methylnaphthalene	0.613	0.593	3.3	96	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	97	0.00
40		1,2,4,5-Tetrachlorobenzene	0.572	0.565	1.2	97	0.00
41	P	Hexachlorocyclopentadiene	0.184	0.166	9.8	81	0.00
42	S	2,4,6-Tribromophenol	0.186	0.181	2.7	94	0.00
43	C	2,4,6-Trichlorophenol	0.352	0.350	0.6	94	0.00
44		2,4,5-Trichlorophenol	0.385	0.386	-0.3	98	0.00
45	S	2-Fluorobiphenyl	1.210	1.163	3.9	98	0.00
46		1,1'-Biphenyl	1.420	1.380	2.8	96	0.00
47		2-Chloronaphthalene	1.114	1.088	2.3	96	0.00

Sample Results: **BF143516.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143516.D
Acq On : 21 Aug 2025 06:44
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 07:07:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.326	0.331	-1.5	96	0.00
49		Acenaphthylene	1.595	1.557	2.4	96	0.00
50		Dimethylphthalate	1.205	1.222	-1.4	99	0.00
51		2,6-Dinitrotoluene	0.250	0.257	-2.8	96	0.00
52	C	Acenaphthene	1.083	1.029	5.0	93	0.00
53		3-Nitroaniline	0.270	0.268	0.7	94	0.00
54	P	2,4-Dinitrophenol	0.115	0.082	28.7#	66	0.00
55		Dibenzofuran	1.544	1.502	2.7	96	0.00
56	P	4-Nitrophenol	0.161	0.153	5.0	87	0.00
57		2,4-Dinitrotoluene	0.333	0.341	-2.4	94	0.00
58		Fluorene	1.188	1.137	4.3	95	0.00
59		2,3,4,6-Tetrachlorophenol	0.286	0.286	0.0	94	0.00
60		Diethylphthalate	1.080	1.117	-3.4	100	0.00
61		4-Chlorophenyl-phenylether	0.594	0.579	2.5	96	0.00
62		4-Nitroaniline	0.248	0.245	1.2	93	-0.01
63		Azobenzene	1.120	1.096	2.1	95	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	93	0.00
65		4,6-Dinitro-2-methylphenol	0.113	0.105	7.1	82	0.00
66	c	n-Nitrosodiphenylamine	0.644	0.645	-0.2	93	0.00
67		4-Bromophenyl-phenylether	0.239	0.246	-2.9	95	0.00
68		Hexachlorobenzene	0.257	0.258	-0.4	93	0.00
69		Atrazine	0.166	0.189	-13.9	105	0.00
70	C	Pentachlorophenol	0.118	0.112	5.1	84	0.00
71		Phenanthrene	1.071	1.050	2.0	94	0.00
72		Anthracene	1.085	1.062	2.1	92	0.00
73		Carbazole	0.889	0.860	3.3	91	0.00
74		Di-n-butylphthalate	0.829	0.927	-11.8	101	0.00
75	C	Fluoranthene	0.961	0.897	6.7	88	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	98	0.00
77		Benzidine	0.487	0.475	2.5	90	0.00
78		Pyrene	1.645	1.474	10.4	89	0.00
79	S	Terphenyl-d14	1.146	1.057	7.8	92	0.00
80		Butylbenzylphthalate	0.449	0.491	-9.4	103	0.00
81		Benzo(a)anthracene	1.288	1.249	3.0	93	0.00
82		3,3'-Dichlorobenzidine	0.369	0.392	-6.2	103	0.00
83		Chrysene	1.157	1.160	-0.3	102	0.00
84		Bis(2-ethylhexyl)phthalate	0.685	0.720	-5.1	100	0.00
85	c	Di-n-octyl phthalate	1.268	1.332	-5.0	101	0.00
86	I	Perylene-d12	1.000	1.000	0.0	103	0.00
87		Indeno(1,2,3-cd)pyrene	1.437	1.402	2.4	99	-0.01
88		Benzo(b)fluoranthene	1.112	1.135	-2.1	109	0.00
89		Benzo(k)fluoranthene	1.064	1.008	5.3	96	-0.01
90	C	Benzo(a)pyrene	1.032	1.036	-0.4	103	0.00
91		Dibenzo(a,h)anthracene	1.151	1.134	1.5	100	-0.02
92		Benzo(g,h,i)perylene	1.145	1.086	5.2	96	-0.02

Sample Results: **BF143516.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143516.D
Acq On : 21 Aug 2025 06:44
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 07:07:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Sample Results: **BF143516.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143516.D
Acq On : 21 Aug 2025 06:44
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 07:07:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	100	0.00
2		1,4-Dioxane	40.000	40.266	-0.7	99	0.00
3		Pyridine	40.000	40.291	-0.7	99	0.00
4		n-Nitrosodimethylamine	40.000	40.055	-0.1	99	-0.02
5	S	2-Fluorophenol	80.000	78.639	1.7	99	0.00
6		Aniline	40.000	38.836	2.9	97	0.00
7	S	Phenol-d6	80.000	77.747	2.8	97	-0.01
8		2-Chlorophenol	40.000	38.991	2.5	97	0.00
9		Benzaldehyde	40.000	45.296	-13.2	108	0.00
10	C	Phenol	40.000	39.657	0.9	98	0.00
11		bis(2-Chloroethyl)ether	40.000	39.111	2.2	98	0.00
12		1,3-Dichlorobenzene	40.000	39.153	2.1	98	0.00
13	C	1,4-Dichlorobenzene	40.000	38.855	2.9	98	0.00
14		1,2-Dichlorobenzene	40.000	39.014	2.5	97	0.00
15		Benzyl Alcohol	40.000	40.117	-0.3	98	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	38.635	3.4	96	0.00
17		2-Methylphenol	40.000	39.635	0.9	99	0.00
18		Hexachloroethane	40.000	39.240	1.9	97	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	38.648	3.4	99	-0.01
20		3+4-Methylphenols	40.000	39.557	1.1	98	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	98	0.00
22		Acetophenone	40.000	39.094	2.3	99	0.00
23	S	Nitrobenzene-d5	80.000	80.138	-0.2	98	-0.01
24		Nitrobenzene	40.000	40.446	-1.1	98	0.00
25		Isophorone	40.000	40.006	-0.0	99	-0.01
26	C	2-Nitrophenol	40.000	42.012	-5.0	100	0.00
27		2,4-Dimethylphenol	40.000	39.152	2.1	95	0.00
28		bis(2-Chloroethoxy)methane	40.000	39.952	0.1	98	0.00
29	C	2,4-Dichlorophenol	40.000	39.911	0.2	97	0.00
30		1,2,4-Trichlorobenzene	40.000	39.782	0.5	98	0.00
31		Naphthalene	40.000	39.092	2.3	97	0.00
32		Benzoic acid	40.000	37.591	6.0	93	-0.03
33		4-Chloroaniline	40.000	38.986	2.5	95	0.00
34	C	Hexachlorobutadiene	40.000	39.969	0.1	98	0.00
35		Caprolactam	40.000	43.799	-9.5	104	-0.02
36	C	4-Chloro-3-methylphenol	40.000	40.394	-1.0	99	0.00
37		2-Methylnaphthalene	40.000	38.808	3.0	96	0.00
38		1-Methylnaphthalene	40.000	38.685	3.3	96	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	97	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	39.505	1.2	97	0.00
41	P	Hexachlorocyclopentadiene	40.000	33.894	15.3	81	0.00
42	S	2,4,6-Tribromophenol	80.000	77.956	2.6	94	0.00
43	C	2,4,6-Trichlorophenol	40.000	39.825	0.4	94	0.00
44		2,4,5-Trichlorophenol	40.000	40.163	-0.4	98	0.00
45	S	2-Fluorobiphenyl	80.000	76.887	3.9	98	0.00
46		1,1'-Biphenyl	40.000	38.879	2.8	96	0.00
47		2-Chloronaphthalene	40.000	39.061	2.3	96	0.00

Sample Results: **BF143516.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143516.D
Acq On : 21 Aug 2025 06:44
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 07:07:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	40.640	-1.6	96	0.00
49		Acenaphthylene	40.000	39.059	2.4	96	0.00
50		Dimethylphthalate	40.000	40.583	-1.5	99	0.00
51		2,6-Dinitrotoluene	40.000	41.159	-2.9	96	0.00
52	C	Acenaphthene	40.000	38.011	5.0	93	0.00
53		3-Nitroaniline	40.000	39.678	0.8	94	0.00
54	P	2,4-Dinitrophenol	40.000	28.170	29.6#	66	0.00
55		Dibenzofuran	40.000	38.919	2.7	96	0.00
56	P	4-Nitrophenol	40.000	38.203	4.5	87	0.00
57		2,4-Dinitrotoluene	40.000	40.880	-2.2	94	0.00
58		Fluorene	40.000	38.288	4.3	95	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	40.017	-0.0	94	0.00
60		Diethylphthalate	40.000	41.355	-3.4	100	0.00
61		4-Chlorophenyl-phenylether	40.000	38.987	2.5	96	0.00
62		4-Nitroaniline	40.000	39.506	1.2	93	-0.01
63		Azobenzene	40.000	39.155	2.1	95	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	93	0.00
65		4,6-Dinitro-2-methylphenol	40.000	37.226	6.9	82	0.00
66	c	n-Nitrosodiphenylamine	40.000	40.062	-0.2	93	0.00
67		4-Bromophenyl-phenylether	40.000	41.154	-2.9	95	0.00
68		Hexachlorobenzene	40.000	40.112	-0.3	93	0.00
69		Atrazine	40.000	45.568	-13.9	105	0.00
70	C	Pentachlorophenol	40.000	38.100	4.7	84	0.00
71		Phenanthrene	40.000	39.223	1.9	94	0.00
72		Anthracene	40.000	39.146	2.1	92	0.00
73		Carbazole	40.000	38.707	3.2	91	0.00
74		Di-n-butylphthalate	40.000	44.721	-11.8	101	0.00
75	C	Fluoranthene	40.000	37.338	6.7	88	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	98	0.00
77		Benzidine	40.000	39.014	2.5	90	0.00
78		Pyrene	40.000	35.848	10.4	89	0.00
79	S	Terphenyl-d14	80.000	73.802	7.7	92	0.00
80		Butylbenzylphthalate	40.000	43.715	-9.3	103	0.00
81		Benzo(a)anthracene	40.000	38.789	3.0	93	0.00
82		3,3'-Dichlorobenzidine	40.000	42.571	-6.4	103	0.00
83		Chrysene	40.000	40.110	-0.3	102	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	42.100	-5.3	100	0.00
85	c	Di-n-octyl phthalate	40.000	42.003	-5.0	101	0.00
86	I	Perylene-d12	20.000	20.000	0.0	103	0.00
87		Indeno(1,2,3-cd)pyrene	40.000	39.018	2.5	99	-0.01
88		Benzo(b)fluoranthene	40.000	40.852	-2.1	109	0.00
89		Benzo(k)fluoranthene	40.000	37.893	5.3	96	-0.01
90	C	Benzo(a)pyrene	40.000	40.175	-0.4	103	0.00
91		Dibenzo(a,h)anthracene	40.000	39.400	1.5	100	-0.02
92		Benzo(g,h,i)perylene	40.000	37.945	5.1	96	-0.02

Sample Results: **BF143516.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143516.D
Acq On : 21 Aug 2025 06:44
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 07:07:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Raw Data: **BF143518.D**

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_F Calibration Date/Time: 08/21/2025 09:21

Lab File ID: BF143518.D Init. Calib. Date(s): 08/20/2025 08/20/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 10:55 14:20

GC Column: DB-UI ID: 0.18 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.145	1.132		-1.1	
Benzaldehyde	1.145	1.256		9.7	
Phenol-d6	1.414	1.413		-0.1	
Phenol	1.629	1.644		0.9	20.0
bis(2-Chloroethyl)ether	1.217	1.227		0.8	
2-Chlorophenol	1.265	1.272		0.6	
2-Methylphenol	1.015	1.028		1.3	
2,2-oxybis(1-Chloropropane)	1.947	1.939		-0.4	
Acetophenone	0.432	0.427		-1.2	
3+4-Methylphenols	1.212	1.227		1.2	
n-Nitroso-di-n-propylamine	0.864	0.860	0.050	-0.5	
Nitrobenzene-d5	0.343	0.348		1.5	
Hexachloroethane	0.485	0.490		1.0	
Nitrobenzene	0.353	0.362		2.5	
Isophorone	0.628	0.630		0.3	
2-Nitrophenol	0.173	0.180		4.0	20.0
2,4-Dimethylphenol	0.269	0.270		0.4	
bis(2-Chloroethoxy)methane	0.386	0.384		-0.5	
2,4-Dichlorophenol	0.288	0.290		0.7	20.0
Naphthalene	0.960	0.950		-1.0	
4-Chloroaniline	0.341	0.339		-0.6	
Hexachlorobutadiene	0.193	0.194		0.5	20.0
Caprolactam	0.069	0.078		13.0	
4-Chloro-3-methylphenol	0.288	0.289		0.3	20.0
2-Methylnaphthalene	0.641	0.627		-2.2	
Hexachlorocyclopentadiene	0.184	0.169	0.050	-8.2	
2,4,6-Trichlorophenol	0.352	0.355		0.9	20.0
2-Fluorobiphenyl	1.210	1.177		-2.7	
2,4,5-Trichlorophenol	0.385	0.380		-1.3	
1,1-Biphenyl	1.420	1.391		-2.0	
2-Chloronaphthalene	1.114	1.096		-1.6	
2-Nitroaniline	0.326	0.335		2.8	
Dimethylphthalate	1.205	1.250		3.7	
Acenaphthylene	1.595	1.578		-1.1	
2,6-Dinitrotoluene	0.250	0.265		6.0	
3-Nitroaniline	0.270	0.278		3.0	
Acenaphthene	1.083	1.067		-1.5	20.0
2,4-Dinitrophenol	0.115	0.109	0.050	-5.2	
4-Nitrophenol	0.161	0.155	0.050	-3.7	

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_F Calibration Date/Time: 08/21/2025 09:21

Lab File ID: BF143518.D Init. Calib. Date(s): 08/20/2025 08/20/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 10:55 14:20

GC Column: DB-UI ID: 0.18 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.544	1.525		-1.2	
2,4-Dinitrotoluene	0.333	0.357		7.2	
Diethylphthalate	1.080	1.140		5.6	
4-Chlorophenyl-phenylether	0.594	0.589		-0.8	
Fluorene	1.188	1.164		-2.0	
4-Nitroaniline	0.248	0.258		4.0	
4,6-Dinitro-2-methylphenol	0.113	0.107		-5.3	
n-Nitrosodiphenylamine	0.644	0.645		0.2	20.0
2,4,6-Tribromophenol	0.186	0.186		0.0	
4-Bromophenyl-phenylether	0.239	0.242		1.3	
Hexachlorobenzene	0.257	0.257		0.0	
Atrazine	0.166	0.195		17.5	
Pentachlorophenol	0.118	0.106		-10.2	20.0
Phenanthrene	1.071	1.052		-1.8	
Anthracene	1.085	1.065		-1.8	
Carbazole	0.889	0.875		-1.6	
Di-n-butylphthalate	0.829	0.956		15.3	
Fluoranthene	0.961	0.922		-4.1	20.0
Pyrene	1.645	1.514		-8.0	
Terphenyl-d14	1.146	1.094		-4.5	
Butylbenzylphthalate	0.449	0.485		8.0	
3,3-Dichlorobenzidine	0.369	0.377		2.2	
Benzo(a)anthracene	1.288	1.239		-3.8	
Chrysene	1.157	1.147		-0.9	
Bis(2-ethylhexyl)phthalate	0.685	0.692		1.0	
Di-n-octyl phthalate	1.268	1.238		-2.4	20.0
Benzo(b)fluoranthene	1.112	1.175		5.7	
Benzo(k)fluoranthene	1.064	0.980		-7.9	
Benzo(a)pyrene	1.032	1.024		-0.8	20.0
Indeno(1,2,3-cd)pyrene	1.437	1.375		-4.3	
Dibenzo(a,h)anthracene	1.151	1.117		-3.0	
Benzo(g,h,i)perylene	1.145	1.055		-7.9	
1,2,4,5-Tetrachlorobenzene	0.572	0.568		-0.7	
1,4-Dioxane	0.531	0.541		1.9	20.0
2,3,4,6-Tetrachlorophenol	0.286	0.289		1.0	

All other compounds must meet a minimum RRF of 0.010.

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143518.D
Acq On : 21 Aug 2025 09:21
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Quant Time: Aug 21 11:45:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.928	152	118001	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	448774	20.000	ng	0.00
39) Acenaphthene-d10	9.963	164	244595	20.000	ng	0.00
64) Phenanthrene-d10	11.451	188	369706	20.000	ng	0.00
76) Chrysene-d12	14.098	240	222503	20.000	ng	0.00
86) Perylene-d12	15.592	264	262934	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.557	112	534460	79.089	ng	0.00
7) Phenol-d6	6.563	99	667138	79.973	ng	-0.01
23) Nitrobenzene-d5	7.487	82	624678	81.228	ng	-0.01
42) 2,4,6-Tribromophenol	10.757	330	181773	79.836	ng	0.00
45) 2-Fluorobiphenyl	9.281	172	1151723	77.819	ng	0.00
79) Terphenyl-d14	13.033	244	973817	76.374	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.734	88	127663	40.780	ng	99
3) Pyridine	3.510	79	338120	40.552	ng	99
4) n-Nitrosodimethylamine	3.457	42	150541	40.163	ng	98
6) Aniline	6.587	93	449531	40.315	ng	91
8) 2-Chlorophenol	6.716	128	300113	40.208	ng	100
9) Benzaldehyde	6.475	77	296436	43.891	ng	96
10) Phenol	6.575	94	387980	40.372	ng	92
11) bis(2-Chloroethyl)ether	6.657	93	289515	40.314	ng	99
12) 1,3-Dichlorobenzene	6.869	146	333800	39.802	ng	99
13) 1,4-Dichlorobenzene	6.945	146	336877	40.045	ng	99
14) 1,2-Dichlorobenzene	7.098	146	319564	40.122	ng	100
15) Benzyl Alcohol	7.069	79	254573	40.760	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.193	45	457661	39.834	ng	90
17) 2-Methylphenol	7.181	107	242686	40.511	ng	97
18) Hexachloroethane	7.440	117	115654	40.435	ng	97
19) n-Nitroso-di-n-propyla...	7.334	70	203044	39.822	ng	99
20) 3+4-Methylphenols	7.334	107	289653	40.503	ng	98
22) Acetophenone	7.334	105	383042	39.507	ng	99
24) Nitrobenzene	7.504	77	324679	41.020	ng	99
25) Isophorone	7.745	82	565357	40.104	ng	100
26) 2-Nitrophenol	7.822	139	161941	41.767	ng	97
27) 2,4-Dimethylphenol	7.863	122	242413	40.108	ng	99
28) bis(2-Chloroethoxy)met...	7.951	93	344305	39.742	ng	100
29) 2,4-Dichlorophenol	8.069	162	260040	40.285	ng	99
30) 1,2,4-Trichlorobenzene	8.151	180	265906	40.066	ng	98
31) Naphthalene	8.234	128	852935	39.587	ng	100
32) Benzoic acid	7.975	122	117106	35.717	ng	98
33) 4-Chloroaniline	8.275	127	304385	39.804	ng	99
34) Hexachlorobutadiene	8.351	225	174035	40.194	ng	100
35) Caprolactam	8.645	113	69912	45.135	ng	98
36) 4-Chloro-3-methylphenol	8.763	107	259690	40.144	ng	99
37) 2-Methylnaphthalene	8.922	142	562491	39.089	ng	100
38) 1-Methylnaphthalene	9.022	142	542827	39.436	ng	100
40) 1,2,4,5-Tetrachloroben...	9.086	216	277705	39.693	ng	100
41) Hexachlorocyclopentadiene	9.081	237	82522	34.356	ng	99
43) 2,4,6-Trichlorophenol	9.204	196	173645	40.335	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143518.D
Acq On : 21 Aug 2025 09:21
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Quant Time: Aug 21 11:45:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.245	196	186067	39.568	ng	99
46) 1,1'-Biphenyl	9.386	154	680592	39.203	ng	99
47) 2-Chloronaphthalene	9.410	162	536315	39.372	ng	99
48) 2-Nitroaniline	9.504	65	163759	41.078	ng	97
49) Acenaphthylene	9.828	152	771789	39.570	ng	99
50) Dimethylphthalate	9.675	163	611411	41.504	ng	100
51) 2,6-Dinitrotoluene	9.745	165	129744	42.495	ng	98
52) Acenaphthene	9.998	154	521988	39.417	ng	100
53) 3-Nitroaniline	9.916	138	135772	41.155	ng	99
54) 2,4-Dinitrophenol	10.022	184	53382	35.824	ng	93
55) Dibenzofuran	10.169	168	745949	39.509	ng	99
56) 4-Nitrophenol	10.081	139	75600	38.513	ng	95
57) 2,4-Dinitrotoluene	10.145	165	174534	42.812	ng	97
58) Fluorene	10.516	166	569387	39.184	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.292	232	141362	40.463	ng	99
60) Diethylphthalate	10.381	149	557513	42.212	ng	99
61) 4-Chlorophenyl-phenyle...	10.504	204	288368	39.680	ng	98
62) 4-Nitroaniline	10.528	138	126293	41.677	ng	99
63) Azobenzene	10.663	77	549552	40.129	ng	99
65) 4,6-Dinitro-2-methylph...	10.563	198	79062	37.928	ng	98
66) n-Nitrosodiphenylamine	10.622	169	477218	40.110	ng	99
67) 4-Bromophenyl-phenylether	10.992	248	178840	40.542	ng	97
68) Hexachlorobenzene	11.069	284	190099	39.979	ng	99
69) Atrazine	11.145	200	143876	46.846	ng	99
70) Pentachlorophenol	11.263	266	78686	36.133	ng	99
71) Phenanthrene	11.475	178	777957	39.294	ng	100
72) Anthracene	11.528	178	787324	39.255	ng	100
73) Carbazole	11.680	167	647183	39.380	ng	99
74) Di-n-butylphthalate	12.004	149	707138	46.124	ng	99
75) Fluoranthene	12.669	202	681682	38.372	ng	99
77) Benzidine	12.780	184	216953	40.029	ng	99
78) Pyrene	12.898	202	673559	36.801	ng	99
80) Butylbenzylphthalate	13.504	149	215877	43.176	ng	100
81) Benzo(a)anthracene	14.086	228	551541	38.502	ng	100
82) 3,3'-Dichlorobenzidine	14.045	252	167699	40.879	ng	98
83) Chrysene	14.121	228	510484	39.654	ng	100
84) Bis(2-ethylhexyl)phtha...	14.069	149	308015	40.447	ng	99
85) Di-n-octyl phthalate	14.680	149	551091	39.064	ng	100
87) Indeno(1,2,3-cd)pyrene	17.127	276	722883	38.259	ng	100
88) Benzo(b)fluoranthene	15.151	252	618031	42.286	ng	99
89) Benzo(k)fluoranthene	15.180	252	515140	36.812	ng	99
90) Benzo(a)pyrene	15.533	252	538725	39.710	ng	99
91) Dibenzo(a,h)anthracene	17.139	278	587454	38.822	ng	99
92) Benzo(g,h,i)perylene	17.586	276	554893	36.878	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143518.D
Acq On : 21 Aug 2025 09:21
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Quant Time: Aug 21 11:45:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 118001

Ion	Ratio	Lower	Upper
152	100		
150	161.3	128.9	193.3
115	60.3	49.2	73.8





#2
1,4-Dioxane
Concen: 40.780 ng
RT: 2.734 min Scan# 92
Delta R.T. 0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion: 88 Resp: 127663

Ion	Ratio	Lower	Upper
88	100		
58	82.7	66.7	100.1
43	31.1	25.8	38.8





#3
Pyridine
Concen: 40.552 ng
RT: 3.510 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 338120

Ion	Ratio	Lower	Upper
79	100		
52	82.2	65.6	98.4
51	40.4	31.2	46.8





#4
n-Nitrosodimethylamine
Concen: 40.163 ng
RT: 3.457 min Scan# 215
Delta R.T. -0.018 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion: 42 Resp: 150541

Ion	Ratio	Lower	Upper
42	100		
74	120.4	98.6	148.0
44	6.9	5.8	8.8





#5
2-Fluorophenol
Concen: 79.089 ng
RT: 5.557 min Scan# 5
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:112 Resp: 534460

Ion	Ratio	Lower	Upper
112	100		
64	65.2	50.4	75.6
63	33.9	26.4	39.6





#6
Aniline
Concen: 40.315 ng
RT: 6.587 min Scan# 747
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion: 93 Resp: 449531

Ion	Ratio	Lower	Upper
93	100		
66	54.5	38.9	58.3
65	30.0	20.6	30.8





#7
Phenol-d6
Concen: 79.973 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.012 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 99 Resp: 667138

Ion	Ratio	Lower	Upper
99	100		
42	20.1	16.3	24.5
71	35.3	28.2	42.2





#8
2-Chlorophenol
Concen: 40.208 ng
RT: 6.716 min Scan# 769
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:128 Resp: 300113

Ion	Ratio	Lower	Upper
128	100		
130	32.7	12.4	52.4
64	51.5	31.6	71.6





#9
Benzaldehyde
Concen: 43.891 ng
RT: 6.475 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 296436

Ion	Ratio	Lower	Upper
77	100		
105	94.6	78.1	118.1
106	91.6	74.9	114.9





#10
Phenol
Concen: 40.372 ng
RT: 6.575 min Scan# 745
Delta R.T. -0.012 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion: 94 Resp: 387980

Ion	Ratio	Lower	Upper
94	100		
65	35.5	19.5	59.5
66	55.0	42.5	82.5





#11
bis(2-Chloroethyl)ether
Concen: 40.314 ng
RT: 6.657 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 93 Resp: 289515

Ion	Ratio	Lower	Upper
93	100		
63	82.2	63.6	103.6
95	32.4	12.8	52.8





#12
1,3-Dichlorobenzene
Concen: 39.802 ng
RT: 6.869 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:146 Resp: 333800

Ion	Ratio	Lower	Upper
146	100		
148	64.3	51.3	76.9
75	31.8	24.7	37.1





#13
1,4-Dichlorobenzene
Concen: 40.045 ng
RT: 6.945 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:146 Resp: 336877

Ion	Ratio	Lower	Upper
146	100		
148	63.7	51.5	77.3
111	40.8	32.6	49.0





#14
1,2-Dichlorobenzene
Concen: 40.122 ng
RT: 7.098 min Scan# 834
Delta R.T. 0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:146 Resp: 319564

Ion	Ratio	Lower	Upper
146	100		
148	63.6	51.0	76.6
111	42.5	34.0	51.0





#15
Benzyl Alcohol
Concen: 40.760 ng
RT: 7.069 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 254573

Ion	Ratio	Lower	Upper
79	100		
108	75.5	59.8	89.6
77	61.3	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.834 ng
RT: 7.193 min Scan# 850
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion: 45 Resp: 457661

Ion	Ratio	Lower	Upper
45	100		
77	22.0	0.0	37.9
79	18.8	0.0	34.7





#17
2-Methylphenol
Concen: 40.511 ng
RT: 7.181 min Scan# 84
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:107 Resp: 242686

Ion	Ratio	Lower	Upper
107	100		
108	113.1	91.1	136.7
77	52.9	46.2	69.4
79	51.0	44.2	66.2





#18
Hexachloroethane
Concen: 40.435 ng
RT: 7.440 min Scan# 892
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:117 Resp: 115654

Ion	Ratio	Lower	Upper
117	100		
119	94.9	75.4	113.0
201	103.2	79.0	118.4





#19
n-Nitroso-di-n-propylamine
Concen: 39.822 ng
RT: 7.334 min Scan# 8
Delta R.T. -0.018 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 70 Resp: 203044

Ion	Ratio	Lower	Upper
70	100		
42	62.6	49.3	73.9
101	9.7	7.8	11.8
130	20.3	16.6	25.0





#20
3+4-Methylphenols
Concen: 40.503 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:107 Resp: 289653

Ion	Ratio	Lower	Upper
107	100		
108	90.3	68.4	108.4
77	138.5	116.1	156.1
79	31.6	9.8	49.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:136 Resp: 448774

Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.0	13.4
54	9.0	7.4	11.2
68	5.9	5.0	7.4





#22
Acetophenone
Concen: 39.507 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:105 Resp: 383042

Ion	Ratio	Lower	Upper
105	100		
71	8.5	5.9	8.9
51	39.8	32.5	48.7
120	22.3	18.0	27.0





#23
Nitrobenzene-d5
Concen: 81.228 ng
RT: 7.487 min Scan# 9
Delta R.T. -0.012 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 624678

Ion	Ratio	Lower	Upper
82	100		
128	43.3	35.5	53.3
54	56.1	44.3	66.5





#24
Nitrobenzene
Concen: 41.020 ng
RT: 7.504 min Scan# 903
Delta R.T. -0.012 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion: 77 Resp: 324679

Ion	Ratio	Lower	Upper
77	100		
123	44.1	36.1	54.1
65	14.1	11.0	16.6





#25
Isophorone
Concen: 40.104 ng
RT: 7.745 min Scan# 94
Delta R.T. -0.012 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 565357

Ion	Ratio	Lower	Upper
82	100		
95	7.2	5.8	8.8
138	17.9	14.2	21.4





#26
2-Nitrophenol
Concen: 41.767 ng
RT: 7.822 min Scan# 957
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:139 Resp: 161941

Ion	Ratio	Lower	Upper
139	100		
109	30.0	23.0	34.6
65	53.1	40.3	60.5





#27
2,4-Dimethylphenol
Concen: 40.108 ng
RT: 7.863 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:122 Resp: 242413

Ion	Ratio	Lower	Upper
122	100		
107	116.4	91.5	137.3
121	58.3	47.0	70.4





#28
bis(2-Chloroethoxy)methane
Concen: 39.742 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion: 93 Resp: 344305

Ion	Ratio	Lower	Upper
93	100		
95	32.8	26.0	39.0
123	11.6	9.1	13.7





#29
2,4-Dichlorophenol
Concen: 40.285 ng
RT: 8.069 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 260040

Ion	Ratio	Lower	Upper
162	100		
164	64.1	43.5	83.5
98	36.5	15.1	55.1





#30
1,2,4-Trichlorobenzene
Concen: 40.066 ng
RT: 8.151 min Scan# 1013
Delta R.T. 0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:180 Resp: 265906

Ion	Ratio	Lower	Upper
180	100		
182	94.0	76.6	114.8
145	29.9	24.3	36.5





#31
Naphthalene
Concen: 39.587 ng
RT: 8.234 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:128 Resp: 852935

Ion	Ratio	Lower	Upper
128	100		
129	11.0	8.8	13.2
127	13.4	10.6	16.0





#32
Benzoic acid
Concen: 35.717 ng
RT: 7.975 min Scan# 983
Delta R.T. -0.035 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:122 Resp: 117106

Ion	Ratio	Lower	Upper
122	100		
105	126.4	104.7	144.7
77	95.8	77.3	117.3





#33
4-Chloroaniline
Concen: 39.804 ng
RT: 8.275 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:127 Resp: 304385

Ion	Ratio	Lower	Upper
127	100		
129	32.6	26.1	39.1
65	33.4	26.2	39.2
92	21.0	16.6	25.0





#34
Hexachlorobutadiene
Concen: 40.194 ng
RT: 8.351 min Scan# 1047
Delta R.T. 0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:225 Resp: 174035

Ion	Ratio	Lower	Upper
225	100		
223	63.0	49.9	74.9
227	63.6	50.9	76.3





#35
Caprolactam
Concen: 45.135 ng
RT: 8.645 min Scan# 1
Delta R.T. -0.029 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:113 Resp: 69912

Ion	Ratio	Lower	Upper
113	100		
55	186.1	162.8	202.8
56	140.2	118.1	158.1





#36
4-Chloro-3-methylphenol
Concen: 40.144 ng
RT: 8.763 min Scan# 1117
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:107 Resp: 259690

Ion	Ratio	Lower	Upper
107	100		
144	25.1	19.9	29.9
142	78.3	61.8	92.8





#37
2-Methylnaphthalene
Concen: 39.089 ng
RT: 8.922 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:142 Resp: 562491

Ion	Ratio	Lower	Upper
142	100		
141	89.1	71.0	106.4





#38
1-Methylnaphthalene
Concen: 39.436 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:142 Resp: 542827

Ion	Ratio	Lower	Upper
142	100		
141	91.7	73.3	109.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:164 Resp: 244595

Ion	Ratio	Lower	Upper
164	100		
162	99.9	80.5	120.7
160	42.3	34.3	51.5





#40
1,2,4,5-Tetrachlorobenzene
Concen: 39.693 ng
RT: 9.086 min Scan# 1172
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:216 Resp: 277705

Ion	Ratio	Lower	Upper
216	100		
214	79.4	63.4	95.0
179	21.3	16.5	24.7
108	17.5	13.9	20.9





#41
Hexachlorocyclopentadiene
Concen: 34.356 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:237 Resp: 82522

Ion	Ratio	Lower	Upper
237	100		
235	61.5	42.6	82.6
272	13.6	0.0	33.4





#42
2,4,6-Tribromophenol
Concen: 79.836 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:330 Resp: 181773

Ion	Ratio	Lower	Upper
330	100		
332	96.0	78.0	117.0
141	29.0	23.7	35.5





#43
2,4,6-Trichlorophenol
Concen: 40.335 ng
RT: 9.204 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:196 Resp: 173645

Ion	Ratio	Lower	Upper
196	100		
198	96.0	77.0	115.4
200	30.9	24.6	37.0





#44
2,4,5-Trichlorophenol
Concen: 39.568 ng
RT: 9.245 min Scan# 1199
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:196 Resp: 186067

Ion	Ratio	Lower	Upper
196	100		
198	95.3	77.3	115.9
97	49.2	40.0	60.0
132	28.6	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 77.819 ng
RT: 9.281 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:172 Resp: 1151723

Ion	Ratio	Lower	Upper
172	100		
171	35.7	28.8	43.2
170	23.4	18.8	28.2





#46
1,1'-Biphenyl
Concen: 39.203 ng
RT: 9.386 min Scan# 1223
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:154 Resp: 680592

Ion	Ratio	Lower	Upper
154	100		
153	41.2	20.6	60.6
76	12.6	0.0	33.0





#47
2-Chloronaphthalene
Concen: 39.372 ng
RT: 9.410 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 536315

Ion	Ratio	Lower	Upper
162	100		
127	40.7	31.8	47.6
164	33.1	26.4	39.6





#48
2-Nitroaniline
Concen: 41.078 ng
RT: 9.504 min Scan# 1243
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion: 65 Resp: 163759

Ion	Ratio	Lower	Upper
65	100		
92	67.9	53.8	80.6
138	107.2	82.4	123.6





#49
Acenaphthylene
Concen: 39.570 ng
RT: 9.828 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 771789

Ion	Ratio	Lower	Upper
152	100		
151	19.9	16.2	24.4
153	12.8	10.6	15.8





#50
Dimethylphthalate
Concen: 41.504 ng
RT: 9.675 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:163 Resp: 611411

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.3	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 42.495 ng
RT: 9.745 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 129744

Ion	Ratio	Lower	Upper
165	100		
63	54.6	45.0	67.6
89	51.3	42.5	63.7





#52
Acenaphthene
Concen: 39.417 ng
RT: 9.998 min Scan# 1327
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:154 Resp: 521988

Ion	Ratio	Lower	Upper
154	100		
153	111.9	89.5	134.3
152	53.5	42.5	63.7





#53
3-Nitroaniline
Concen: 41.155 ng
RT: 9.916 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:138 Resp: 135772

Ion	Ratio	Lower	Upper
138	100		
108	11.3	8.6	13.0
92	113.2	89.8	134.8





#54
2,4-Dinitrophenol
Concen: 35.824 ng
RT: 10.022 min Scan# 1331
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:184 Resp: 53382

Ion	Ratio	Lower	Upper
184	100		
63	70.3	52.6	78.8
154	69.5	51.0	76.4





#55
Dibenzofuran
Concen: 39.509 ng
RT: 10.169 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:168 Resp: 745949

Ion	Ratio	Lower	Upper
168	100		
139	38.2	29.8	44.6
169	13.2	10.8	16.2





#56
4-Nitrophenol
Concen: 38.513 ng
RT: 10.081 min Scan# 1341
Delta R.T. -0.005 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:139 Resp: 75600

Ion	Ratio	Lower	Upper
139	100		
109	70.9	48.2	88.2
65	101.2	75.8	115.8





#57
2,4-Dinitrotoluene
Concen: 42.812 ng
RT: 10.145 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 174534

Ion	Ratio	Lower	Upper
165	100		
63	45.7	34.9	52.3
89	68.4	53.3	79.9
182	2.9	2.3	3.5





#58
Fluorene
Concen: 39.184 ng
RT: 10.516 min Scan# 1415
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:166 Resp: 569387

Ion	Ratio	Lower	Upper
166	100		
165	96.8	78.3	117.5
167	13.2	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 40.463 ng
RT: 10.292 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:232 Resp: 141362

Ion	Ratio	Lower	Upper
232	100		
131	40.6	32.7	49.1
130	2.0	1.6	2.4
166	28.0	22.6	34.0





#60
Diethylphthalate
Concen: 42.212 ng
RT: 10.381 min Scan# 1392
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:149 Resp: 557513

Ion	Ratio	Lower	Upper
149	100		
177	23.5	18.3	27.5
150	12.5	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 39.680 ng
RT: 10.504 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:204 Resp: 288368

Ion	Ratio	Lower	Upper
204	100		
206	33.1	27.0	40.4
141	59.3	48.7	73.1





#62
4-Nitroaniline
Concen: 41.677 ng
RT: 10.528 min Scan# 1417
Delta R.T. -0.012 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:138 Resp: 126293

Ion	Ratio	Lower	Upper
138	100		
92	49.2	29.3	69.3
108	72.1	50.7	90.7





#63
Azobenzene
Concen: 40.129 ng
RT: 10.663 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 549552

Ion	Ratio	Lower	Upper
77	100		
182	26.6	6.2	46.2
105	21.6	2.2	42.2
51	31.9	12.4	52.4





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:188 Resp: 369706

Ion	Ratio	Lower	Upper
188	100		
94	9.6	7.4	11.2
80	10.5	8.2	12.4





#65
4,6-Dinitro-2-methylphenol
Concen: 37.928 ng
RT: 10.563 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:198 Resp: 79062

Ion	Ratio	Lower	Upper
198	100		
51	47.1	29.6	69.6
105	41.0	21.5	61.5





#66
n-Nitrosodiphenylamine
Concen: 40.110 ng
RT: 10.622 min Scan# 1433
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:169 Resp: 477218

Ion	Ratio	Lower	Upper
169	100		
168	66.8	52.4	78.6
167	35.5	28.9	43.3





#67
4-Bromophenyl-phenylether
Concen: 40.542 ng
RT: 10.992 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:248 Resp: 178840

Ion	Ratio	Lower	Upper
248	100		
250	98.5	77.8	116.8
141	72.4	54.0	81.0





#68
Hexachlorobenzene
Concen: 39.979 ng
RT: 11.069 min Scan# 1509
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:284 Resp: 190099

Ion	Ratio	Lower	Upper
284	100		
142	29.0	24.4	36.6
249	31.2	25.0	37.6





#69
Atrazine
Concen: 46.846 ng
RT: 11.145 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:200 Resp: 143876

Ion	Ratio	Lower	Upper
200	100		
173	25.7	6.9	46.9
215	49.3	30.0	70.0





#70
Pentachlorophenol
Concen: 36.133 ng
RT: 11.263 min Scan# 1542
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:266 Resp: 78686

Ion	Ratio	Lower	Upper
266	100		
268	62.5	50.5	75.7
264	63.8	49.8	74.8





#71
Phenanthrene
Concen: 39.294 ng
RT: 11.475 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:178 Resp: 777957

Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.5	23.3
179	15.5	12.5	18.7





#72
Anthracene
Concen: 39.255 ng
RT: 11.528 min Scan# 1587
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:178 Resp: 787324

Ion	Ratio	Lower	Upper
178	100		
176	18.8	15.0	22.4
179	15.4	12.3	18.5





#73
Carbazole
Concen: 39.380 ng
RT: 11.680 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:167 Resp: 647183

Ion	Ratio	Lower	Upper
167	100		
166	21.2	17.3	25.9
139	13.0	10.0	15.0





#74
Di-n-butylphthalate
Concen: 46.124 ng
RT: 12.004 min Scan# 1668
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:149 Resp: 707138

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.2	10.8
104	4.7	3.6	5.4





#75
Fluoranthene
Concen: 38.372 ng
RT: 12.669 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:202 Resp: 681682

Ion	Ratio	Lower	Upper
202	100		
101	10.6	0.0	31.3
203	17.6	0.0	37.9





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:240 Resp: 222503

Ion	Ratio	Lower	Upper
240	100		
120	9.4	8.6	12.8
236	25.2	20.4	30.6





#77
Benzidine
Concen: 40.029 ng
RT: 12.780 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:184 Resp: 216953

Ion	Ratio	Lower	Upper
184	100		
185	14.6	11.3	16.9
183	11.8	9.5	14.3





#78
Pyrene
Concen: 36.801 ng
RT: 12.898 min Scan# 1820
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:202 Resp: 673559

Ion	Ratio	Lower	Upper
202	100		
200	21.0	17.0	25.4
203	17.3	14.3	21.5





#79
Terphenyl-d14
Concen: 76.374 ng
RT: 13.033 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:244 Resp: 973817

Ion	Ratio	Lower	Upper
244	100		
212	6.8	5.2	7.8
122	10.1	7.9	11.9





#80
Butylbenzylphthalate
Concen: 43.176 ng
RT: 13.504 min Scan# 1923
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:149 Resp: 215877

Ion	Ratio	Lower	Upper
149	100		
91	69.5	55.3	82.9
206	22.9	18.2	27.4





#81
Benzo(a)anthracene
Concen: 38.502 ng
RT: 14.086 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 551541

Ion	Ratio	Lower	Upper
228	100		
226	27.0	21.7	32.5
229	19.7	15.7	23.5





#82
3,3'-Dichlorobenzidine
Concen: 40.879 ng
RT: 14.045 min Scan# 2015
Delta R.T. 0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:252 Resp: 167699

Ion	Ratio	Lower	Upper
252	100		
254	64.0	52.6	79.0
126	10.2	8.7	13.1





#83
Chrysene
Concen: 39.654 ng
RT: 14.121 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 510484

Ion	Ratio	Lower	Upper
228	100		
226	29.8	23.7	35.5
229	19.9	15.7	23.5





#84
Bis(2-ethylhexyl)phthalate
Concen: 40.447 ng
RT: 14.069 min Scan# 2019
Delta R.T. 0.000 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:149 Resp: 308015

Ion	Ratio	Lower	Upper
149	100		
167	28.0	22.2	33.2
279	4.8	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 39.064 ng
RT: 14.680 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:149 Resp: 551091

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.2	1.8
43	10.5	8.5	12.7





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:264 Resp: 262934

Ion	Ratio	Lower	Upper
264	100		
260	23.5	18.7	28.1
265	21.4	17.6	26.4





#87
Indeno(1,2,3-cd)pyrene
Concen: 38.259 ng
RT: 17.127 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:276 Resp: 722883

Ion	Ratio	Lower	Upper
276	100		
138	23.8	19.2	28.8
277	25.3	20.3	30.5





#88
Benzo(b)fluoranthene
Concen: 42.286 ng
RT: 15.151 min Scan# 2203
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:252 Resp: 618031

Ion	Ratio	Lower	Upper
252	100		
253	22.4	17.5	26.3
125	9.3	7.4	11.0





#89
Benzo(k)fluoranthene
Concen: 36.812 ng
RT: 15.180 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:252 Resp: 515140

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.4	26.2
125	9.4	7.4	11.0





#90
Benzo(a)pyrene
Concen: 39.710 ng
RT: 15.533 min Scan# 2268
Delta R.T. -0.006 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:252 Resp: 538725

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.4	26.0
125	9.7	8.2	12.2





#91
Dibenzo(a,h)anthracene
Concen: 38.822 ng
RT: 17.139 min Scan# 2
Delta R.T. -0.018 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 587454

Ion	Ratio	Lower	Upper
278	100		
139	14.8	12.1	18.1
279	23.5	19.2	28.8





#92
Benzo(g,h,i)perylene
Concen: 36.878 ng
RT: 17.586 min Scan# 2617
Delta R.T. -0.018 min
Lab File: BF143518.D
Acq: 21 Aug 2025 09:21

Tgt Ion:276 Resp: 554893

Ion	Ratio	Lower	Upper
276	100		
277	23.9	18.9	28.3
138	20.1	16.3	24.5



Sample Results: **BF143518.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143518.D
Acq On : 21 Aug 2025 09:21
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 11:45:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	86	0.00
2		1,4-Dioxane	0.531	0.541	-1.9	86	0.00
3		Pyridine	1.413	1.433	-1.4	85	0.00
4		n-Nitrosodimethylamine	0.635	0.638	-0.5	85	-0.02
5	S	2-Fluorophenol	1.145	1.132	1.1	85	0.00
6		Aniline	1.890	1.905	-0.8	86	0.00
7	S	Phenol-d6	1.414	1.413	0.1	86	-0.01
8		2-Chlorophenol	1.265	1.272	-0.6	86	0.00
9		Benzaldehyde	1.145	1.256	-9.7	90	0.00
10	C	Phenol	1.629	1.644	-0.9	86	-0.01
11		bis(2-Chloroethyl)ether	1.217	1.227	-0.8	87	0.00
12		1,3-Dichlorobenzene	1.421	1.414	0.5	86	0.00
13	C	1,4-Dichlorobenzene	1.426	1.427	-0.1	87	0.00
14		1,2-Dichlorobenzene	1.350	1.354	-0.3	86	0.00
15		Benzyl Alcohol	1.059	1.079	-1.9	85	0.00
16		2,2'-oxybis(1-Chloropropane	1.947	1.939	0.4	85	0.00
17		2-Methylphenol	1.015	1.028	-1.3	87	0.00
18		Hexachloroethane	0.485	0.490	-1.0	86	0.00
19	P	n-Nitroso-di-n-propylamine	0.864	0.860	0.5	87	-0.02
20		3+4-Methylphenols	1.212	1.227	-1.2	86	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	86	0.00
22		Acetophenone	0.432	0.427	1.2	88	0.00
23	S	Nitrobenzene-d5	0.343	0.348	-1.5	87	-0.01
24		Nitrobenzene	0.353	0.362	-2.5	87	-0.01
25		Isophorone	0.628	0.630	-0.3	87	-0.01
26	C	2-Nitrophenol	0.173	0.180	-4.0	87	0.00
27		2,4-Dimethylphenol	0.269	0.270	-0.4	86	0.00
28		bis(2-Chloroethoxy)methane	0.386	0.384	0.5	85	0.00
29	C	2,4-Dichlorophenol	0.288	0.290	-0.7	86	0.00
30		1,2,4-Trichlorobenzene	0.296	0.296	0.0	87	0.00
31		Naphthalene	0.960	0.950	1.0	87	0.00
32		Benzoic acid	0.137	0.130	5.1	77	-0.04
33		4-Chloroaniline	0.341	0.339	0.6	85	0.00
34	C	Hexachlorobutadiene	0.193	0.194	-0.5	87	0.00
35		Caprolactam	0.069	0.078	-13.0	95	-0.03
36	C	4-Chloro-3-methylphenol	0.288	0.289	-0.3	87	0.00
37		2-Methylnaphthalene	0.641	0.627	2.2	85	0.00
38		1-Methylnaphthalene	0.613	0.605	1.3	86	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	86	0.00
40		1,2,4,5-Tetrachlorobenzene	0.572	0.568	0.7	87	0.00
41	P	Hexachlorocyclopentadiene	0.184	0.169	8.2	74	0.00
42	S	2,4,6-Tribromophenol	0.186	0.186	0.0	86	0.00
43	C	2,4,6-Trichlorophenol	0.352	0.355	-0.9	84	0.00
44		2,4,5-Trichlorophenol	0.385	0.380	1.3	86	0.00
45	S	2-Fluorobiphenyl	1.210	1.177	2.7	88	0.00
46		1,1'-Biphenyl	1.420	1.391	2.0	86	0.00
47		2-Chloronaphthalene	1.114	1.096	1.6	86	0.00

Sample Results: **BF143518.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143518.D
Acq On : 21 Aug 2025 09:21
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 11:45:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.326	0.335	-2.8	86	0.00
49		Acenaphthylene	1.595	1.578	1.1	86	0.00
50		Dimethylphthalate	1.205	1.250	-3.7	90	0.00
51		2,6-Dinitrotoluene	0.250	0.265	-6.0	88	0.00
52	C	Acenaphthene	1.083	1.067	1.5	86	0.00
53		3-Nitroaniline	0.270	0.278	-3.0	86	0.00
54	P	2,4-Dinitrophenol	0.115	0.109	5.2	79	0.00
55		Dibenzofuran	1.544	1.525	1.2	87	0.00
56	P	4-Nitrophenol	0.161	0.155	3.7	78	0.00
57		2,4-Dinitrotoluene	0.333	0.357	-7.2	88	-0.01
58		Fluorene	1.188	1.164	2.0	87	0.00
59		2,3,4,6-Tetrachlorophenol	0.286	0.289	-1.0	84	0.00
60		Diethylphthalate	1.080	1.140	-5.6	91	0.00
61		4-Chlorophenyl-phenylether	0.594	0.589	0.8	87	0.00
62		4-Nitroaniline	0.248	0.258	-4.0	87	-0.01
63		Azobenzene	1.120	1.123	-0.3	87	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	85	0.00
65		4,6-Dinitro-2-methylphenol	0.113	0.107	5.3	76	0.00
66	c	n-Nitrosodiphenylamine	0.644	0.645	-0.2	85	0.00
67		4-Bromophenyl-phenylether	0.239	0.242	-1.3	85	0.00
68		Hexachlorobenzene	0.257	0.257	0.0	85	0.00
69		Atrazine	0.166	0.195	-17.5	98	0.00
70	C	Pentachlorophenol	0.118	0.106	10.2	73	0.00
71		Phenanthrene	1.071	1.052	1.8	86	0.00
72		Anthracene	1.085	1.065	1.8	84	0.00
73		Carbazole	0.889	0.875	1.6	84	0.00
74		Di-n-butylphthalate	0.829	0.956	-15.3	95	0.00
75	C	Fluoranthene	0.961	0.922	4.1	83	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	89	0.00
77		Benzidine	0.487	0.488	-0.2	84	0.00
78		Pyrene	1.645	1.514	8.0	82	0.00
79	S	Terphenyl-d14	1.146	1.094	4.5	86	0.00
80		Butylbenzylphthalate	0.449	0.485	-8.0	92	0.00
81		Benzo(a)anthracene	1.288	1.239	3.8	84	0.00
82		3,3'-Dichlorobenzidine	0.369	0.377	-2.2	90	0.00
83		Chrysene	1.157	1.147	0.9	92	0.00
84		Bis(2-ethylhexyl)phthalate	0.685	0.692	-1.0	87	0.00
85	c	Di-n-octyl phthalate	1.268	1.238	2.4	85	0.00
86	I	Perylene-d12	1.000	1.000	0.0	91	0.00
87		Indeno(1,2,3-cd)pyrene	1.437	1.375	4.3	87	-0.01
88		Benzo(b)fluoranthene	1.112	1.175	-5.7	100	0.00
89		Benzo(k)fluoranthene	1.064	0.980	7.9	83	-0.01
90	C	Benzo(a)pyrene	1.032	1.024	0.8	91	0.00
91		Dibenzo(a,h)anthracene	1.151	1.117	3.0	88	-0.02
92		Benzo(g,h,i)perylene	1.145	1.055	7.9	83	-0.02

Sample Results: **BF143518.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143518.D
Acq On : 21 Aug 2025 09:21
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 11:45:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Sample Results: **BF143518.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143518.D
Acq On : 21 Aug 2025 09:21
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 11:45:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	86	0.00
2		1,4-Dioxane	40.000	40.780	-2.0	86	0.00
3		Pyridine	40.000	40.552	-1.4	85	0.00
4		n-Nitrosodimethylamine	40.000	40.163	-0.4	85	-0.02
5	S	2-Fluorophenol	80.000	79.089	1.1	85	0.00
6		Aniline	40.000	40.315	-0.8	86	0.00
7	S	Phenol-d6	80.000	79.973	0.0	86	-0.01
8		2-Chlorophenol	40.000	40.208	-0.5	86	0.00
9		Benzaldehyde	40.000	43.891	-9.7	90	0.00
10	C	Phenol	40.000	40.372	-0.9	86	-0.01
11		bis(2-Chloroethyl)ether	40.000	40.314	-0.8	87	0.00
12		1,3-Dichlorobenzene	40.000	39.802	0.5	86	0.00
13	C	1,4-Dichlorobenzene	40.000	40.045	-0.1	87	0.00
14		1,2-Dichlorobenzene	40.000	40.122	-0.3	86	0.00
15		Benzyl Alcohol	40.000	40.760	-1.9	85	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	39.834	0.4	85	0.00
17		2-Methylphenol	40.000	40.511	-1.3	87	0.00
18		Hexachloroethane	40.000	40.435	-1.1	86	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	39.822	0.4	87	-0.02
20		3+4-Methylphenols	40.000	40.503	-1.3	86	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	86	0.00
22		Acetophenone	40.000	39.507	1.2	88	0.00
23	S	Nitrobenzene-d5	80.000	81.228	-1.5	87	-0.01
24		Nitrobenzene	40.000	41.020	-2.6	87	-0.01
25		Isophorone	40.000	40.104	-0.3	87	-0.01
26	C	2-Nitrophenol	40.000	41.767	-4.4	87	0.00
27		2,4-Dimethylphenol	40.000	40.108	-0.3	86	0.00
28		bis(2-Chloroethoxy)methane	40.000	39.742	0.6	85	0.00
29	C	2,4-Dichlorophenol	40.000	40.285	-0.7	86	0.00
30		1,2,4-Trichlorobenzene	40.000	40.066	-0.2	87	0.00
31		Naphthalene	40.000	39.587	1.0	87	0.00
32		Benzoic acid	40.000	35.717	10.7	77	-0.04
33		4-Chloroaniline	40.000	39.804	0.5	85	0.00
34	C	Hexachlorobutadiene	40.000	40.194	-0.5	87	0.00
35		Caprolactam	40.000	45.135	-12.8	95	-0.03
36	C	4-Chloro-3-methylphenol	40.000	40.144	-0.4	87	0.00
37		2-Methylnaphthalene	40.000	39.089	2.3	85	0.00
38		1-Methylnaphthalene	40.000	39.436	1.4	86	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	86	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	39.693	0.8	87	0.00
41	P	Hexachlorocyclopentadiene	40.000	34.356	14.1	74	0.00
42	S	2,4,6-Tribromophenol	80.000	79.836	0.2	86	0.00
43	C	2,4,6-Trichlorophenol	40.000	40.335	-0.8	84	0.00
44		2,4,5-Trichlorophenol	40.000	39.568	1.1	86	0.00
45	S	2-Fluorobiphenyl	80.000	77.819	2.7	88	0.00
46		1,1'-Biphenyl	40.000	39.203	2.0	86	0.00
47		2-Chloronaphthalene	40.000	39.372	1.6	86	0.00

Sample Results: **BF143518.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143518.D
Acq On : 21 Aug 2025 09:21
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 11:45:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	41.078	-2.7	86	0.00
49		Acenaphthylene	40.000	39.570	1.1	86	0.00
50		Dimethylphthalate	40.000	41.504	-3.8	90	0.00
51		2,6-Dinitrotoluene	40.000	42.495	-6.2	88	0.00
52	C	Acenaphthene	40.000	39.417	1.5	86	0.00
53		3-Nitroaniline	40.000	41.155	-2.9	86	0.00
54	P	2,4-Dinitrophenol	40.000	35.824	10.4	79	0.00
55		Dibenzofuran	40.000	39.509	1.2	87	0.00
56	P	4-Nitrophenol	40.000	38.513	3.7	78	0.00
57		2,4-Dinitrotoluene	40.000	42.812	-7.0	88	-0.01
58		Fluorene	40.000	39.184	2.0	87	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	40.463	-1.2	84	0.00
60		Diethylphthalate	40.000	42.212	-5.5	91	0.00
61		4-Chlorophenyl-phenylether	40.000	39.680	0.8	87	0.00
62		4-Nitroaniline	40.000	41.677	-4.2	87	-0.01
63		Azobenzene	40.000	40.129	-0.3	87	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	85	0.00
65		4,6-Dinitro-2-methylphenol	40.000	37.928	5.2	76	0.00
66	c	n-Nitrosodiphenylamine	40.000	40.110	-0.3	85	0.00
67		4-Bromophenyl-phenylether	40.000	40.542	-1.4	85	0.00
68		Hexachlorobenzene	40.000	39.979	0.1	85	0.00
69		Atrazine	40.000	46.846	-17.1	98	0.00
70	C	Pentachlorophenol	40.000	36.133	9.7	73	0.00
71		Phenanthrene	40.000	39.294	1.8	86	0.00
72		Anthracene	40.000	39.255	1.9	84	0.00
73		Carbazole	40.000	39.380	1.5	84	0.00
74		Di-n-butylphthalate	40.000	46.124	-15.3	95	0.00
75	C	Fluoranthene	40.000	38.372	4.1	83	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	89	0.00
77		Benzidine	40.000	40.029	-0.1	84	0.00
78		Pyrene	40.000	36.801	8.0	82	0.00
79	S	Terphenyl-d14	80.000	76.374	4.5	86	0.00
80		Butylbenzylphthalate	40.000	43.176	-7.9	92	0.00
81		Benzo(a)anthracene	40.000	38.502	3.7	84	0.00
82		3,3'-Dichlorobenzidine	40.000	40.879	-2.2	90	0.00
83		Chrysene	40.000	39.654	0.9	92	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	40.447	-1.1	87	0.00
85	c	Di-n-octyl phthalate	40.000	39.064	2.3	85	0.00
86	I	Perylene-d12	20.000	20.000	0.0	91	0.00
87		Indeno(1,2,3-cd)pyrene	40.000	38.259	4.4	87	-0.01
88		Benzo(b)fluoranthene	40.000	42.286	-5.7	100	0.00
89		Benzo(k)fluoranthene	40.000	36.812	8.0	83	-0.01
90	C	Benzo(a)pyrene	40.000	39.710	0.7	91	0.00
91		Dibenzo(a,h)anthracene	40.000	38.822	2.9	88	-0.02
92		Benzo(g,h,i)perylene	40.000	36.878	7.8	83	-0.02

Sample Results: **BF143518.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143518.D
Acq On : 21 Aug 2025 09:21
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 11:45:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Raw Data: **BF143539.D**

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_F Calibration Date/Time: 08/21/2025 19:32

Lab File ID: BF143539.D Init. Calib. Date(s): 08/20/2025 08/20/2025

EPA Sample No.: SSTDCCC040EC Init. Calib. Time(s): 10:55 14:20

GC Column: DB-UI ID: 0.18 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.145	1.138		-0.6	50.0
Benzaldehyde	1.145	1.334		16.5	50.0
Phenol-d6	1.414	1.375		-2.8	50.0
Phenol	1.629	1.605		-1.5	50.0
bis(2-Chloroethyl)ether	1.217	1.180		-3.0	50.0
2-Chlorophenol	1.265	1.247		-1.4	50.0
2-Methylphenol	1.015	0.989		-2.6	50.0
2,2-oxybis(1-Chloropropane)	1.947	1.836		-5.7	50.0
Acetophenone	0.432	0.430		-0.5	50.0
3+4-Methylphenols	1.212	1.209		-0.2	50.0
n-Nitroso-di-n-propylamine	0.864	0.843	0.050	-2.4	50.0
Nitrobenzene-d5	0.343	0.348		1.5	50.0
Hexachloroethane	0.485	0.487		0.4	50.0
Nitrobenzene	0.353	0.363		2.8	50.0
Isophorone	0.628	0.636		1.3	50.0
2-Nitrophenol	0.173	0.179		3.5	50.0
2,4-Dimethylphenol	0.269	0.267		-0.7	50.0
bis(2-Chloroethoxy)methane	0.386	0.385		-0.3	50.0
2,4-Dichlorophenol	0.288	0.283		-1.7	50.0
Naphthalene	0.960	0.942		-1.9	50.0
4-Chloroaniline	0.341	0.329		-3.5	50.0
Hexachlorobutadiene	0.193	0.196		1.6	50.0
Caprolactam	0.069	0.076		10.1	50.0
4-Chloro-3-methylphenol	0.288	0.279		-3.1	50.0
2-Methylnaphthalene	0.641	0.620		-3.3	50.0
Hexachlorocyclopentadiene	0.184	0.203	0.050	10.3	50.0
2,4,6-Trichlorophenol	0.352	0.369		4.8	50.0
2-Fluorobiphenyl	1.210	1.266		4.6	50.0
2,4,5-Trichlorophenol	0.385	0.387		0.5	50.0
1,1-Biphenyl	1.420	1.484		4.5	50.0
2-Chloronaphthalene	1.114	1.142		2.5	50.0
2-Nitroaniline	0.326	0.339		4.0	50.0
Dimethylphthalate	1.205	1.333		10.6	50.0
Acenaphthylene	1.595	1.612		1.1	50.0
2,6-Dinitrotoluene	0.250	0.267		6.8	50.0
3-Nitroaniline	0.270	0.274		1.5	50.0
Acenaphthene	1.083	1.076		-0.6	50.0
2,4-Dinitrophenol	0.115	0.095	0.050	-17.4	50.0
4-Nitrophenol	0.161	0.175	0.050	8.7	50.0

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_F Calibration Date/Time: 08/21/2025 19:32

Lab File ID: BF143539.D Init. Calib. Date(s): 08/20/2025 08/20/2025

EPA Sample No.: SSTDCCC040EC Init. Calib. Time(s): 10:55 14:20

GC Column: DB-UI ID: 0.18 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.544	1.507		-2.4	50.0
2,4-Dinitrotoluene	0.333	0.340		2.1	50.0
Diethylphthalate	1.080	1.180		9.3	50.0
4-Chlorophenyl-phenylether	0.594	0.588		-1.0	50.0
Fluorene	1.188	1.140		-4.0	50.0
4-Nitroaniline	0.248	0.244		-1.6	50.0
4,6-Dinitro-2-methylphenol	0.113	0.091		-19.5	50.0
n-Nitrosodiphenylamine	0.644	0.713		10.7	50.0
2,4,6-Tribromophenol	0.186	0.167		-10.2	50.0
4-Bromophenyl-phenylether	0.239	0.259		8.4	50.0
Hexachlorobenzene	0.257	0.263		2.3	50.0
Atrazine	0.166	0.212		27.7	50.0
Pentachlorophenol	0.118	0.244		106.8	50.0
Phenanthrene	1.071	1.070		-0.1	50.0
Anthracene	1.085	1.084		-0.1	50.0
Carbazole	0.889	0.901		1.4	50.0
Di-n-butylphthalate	0.829	1.069		29.0	50.0
Fluoranthene	0.961	0.984		2.4	50.0
Pyrene	1.645	1.215		-26.1	50.0
Terphenyl-d14	1.146	0.889		-22.4	50.0
Butylbenzylphthalate	0.449	0.495		10.2	50.0
3,3-Dichlorobenzidine	0.369	0.389		5.4	50.0
Benzo(a)anthracene	1.288	1.260		-2.2	50.0
Chrysene	1.157	1.191		2.9	50.0
Bis(2-ethylhexyl)phthalate	0.685	0.737		7.6	50.0
Di-n-octyl phthalate	1.268	1.337		5.4	50.0
Benzo(b)fluoranthene	1.112	1.179		6.0	50.0
Benzo(k)fluoranthene	1.064	1.106		3.9	50.0
Benzo(a)pyrene	1.032	1.041		0.9	50.0
Indeno(1,2,3-cd)pyrene	1.437	1.011		-29.6	50.0
Dibenzo(a,h)anthracene	1.151	0.836		-27.4	50.0
Benzo(g,h,i)perylene	1.145	0.732		-36.1	50.0
1,2,4,5-Tetrachlorobenzene	0.572	0.595		4.0	50.0
1,4-Dioxane	0.531	0.518		-2.4	50.0
2,3,4,6-Tetrachlorophenol	0.286	0.270		-5.6	50.0

All other compounds must meet a minimum RRF of 0.010.

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143539.D
Acq On : 21 Aug 2025 19:32
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 22 01:02:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	6.928	152	110484	20.000	ng		0.00
21) Naphthalene-d8	8.210	136	402251	20.000	ng		0.00
39) Acenaphthene-d10	9.963	164	197751	20.000	ng		0.00
64) Phenanthrene-d10	11.451	188	266164	20.000	ng		0.00
76) Chrysene-d12	14.098	240	224613	20.000	ng		0.00
86) Perylene-d12	15.592	264	256535	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.557	112	502829	79.470	ng		0.00
7) Phenol-d6	6.563	99	607545	77.784	ng		-0.01
23) Nitrobenzene-d5	7.487	82	560673	81.337	ng		-0.01
42) 2,4,6-Tribromophenol	10.757	330	131942	71.678	ng		0.00
45) 2-Fluorobiphenyl	9.281	172	1001186	83.673	ng		0.00
79) Terphenyl-d14	13.033	244	798863	62.064	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	2.734	88	114523	39.072	ng		99
3) Pyridine	3.510	79	304538	39.009	ng		99
4) n-Nitrosodimethylamine	3.457	42	139889	39.860	ng		97
6) Aniline	6.587	93	401267	38.435	ng	#	84
8) 2-Chlorophenol	6.716	128	275473	39.418	ng		100
9) Benzaldehyde	6.481	77	294783	46.616	ng		100
10) Phenol	6.575	94	354741	39.425	ng		92
11) bis(2-Chloroethyl)ether	6.657	93	260716	38.774	ng		100
12) 1,3-Dichlorobenzene	6.869	146	305256	38.875	ng		99
13) 1,4-Dichlorobenzene	6.945	146	310463	39.416	ng		99
14) 1,2-Dichlorobenzene	7.098	146	290881	39.005	ng		100
15) Benzyl Alcohol	7.069	79	233545	39.937	ng		99
16) 2,2'-oxybis(1-Chloropr...	7.193	45	405626	37.707	ng		85
17) 2-Methylphenol	7.181	107	218625	38.978	ng		96
18) Hexachloroethane	7.440	117	107596	40.177	ng		98
19) n-Nitroso-di-n-propyla...	7.340	70	186353	39.035	ng		99
20) 3+4-Methylphenols	7.334	107	267236	39.911	ng		98
22) Acetophenone	7.334	105	346144	39.831	ng		99
24) Nitrobenzene	7.510	77	292216	41.188	ng		99
25) Isophorone	7.745	82	511518	40.481	ng		100
26) 2-Nitrophenol	7.822	139	144354	41.538	ng		96
27) 2,4-Dimethylphenol	7.863	122	214593	39.611	ng		98
28) bis(2-Chloroethoxy)met...	7.951	93	309875	39.904	ng		100
29) 2,4-Dichlorophenol	8.069	162	227965	39.400	ng		99
30) 1,2,4-Trichlorobenzene	8.151	180	235019	39.508	ng		100
31) Naphthalene	8.234	128	758151	39.258	ng		100
32) Benzoic acid	7.975	122	95321	32.943	ng		98
33) 4-Chloroaniline	8.275	127	264368	38.570	ng		99
34) Hexachlorobutadiene	8.351	225	157980	40.705	ng		100
35) Caprolactam	8.639	113	60796	43.789	ng		96
36) 4-Chloro-3-methylphenol	8.763	107	224793	38.769	ng		100
37) 2-Methylnaphthalene	8.922	142	498908	38.680	ng		98
38) 1-Methylnaphthalene	9.022	142	468992	38.013	ng		100
40) 1,2,4,5-Tetrachloroben...	9.092	216	235213	41.583	ng		99
41) Hexachlorocyclopentadiene	9.081	237	80228	40.008	ng		99
43) 2,4,6-Trichlorophenol	9.204	196	146031	41.956	ng		100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143539.D
Acq On : 21 Aug 2025 19:32
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 22 01:02:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.245	196	152926	40.224	ng	99
46) 1,1'-Biphenyl	9.386	154	586854	41.811	ng	99
47) 2-Chloronaphthalene	9.410	162	451645	41.011	ng	99
48) 2-Nitroaniline	9.504	65	134022	41.582	ng	96
49) Acenaphthylene	9.828	152	637603	40.434	ng	100
50) Dimethylphthalate	9.675	163	527145	44.261	ng	100
51) 2,6-Dinitrotoluene	9.739	165	105458	42.723	ng	96
52) Acenaphthene	9.998	154	425489	39.741	ng	99
53) 3-Nitroaniline	9.916	138	108314	40.609	ng	100
54) 2,4-Dinitrophenol	10.022	184	37584	31.881	ng	92
55) Dibenzofuran	10.169	168	596110	39.052	ng	98
56) 4-Nitrophenol	10.081	139	69103	43.542	ng	96
57) 2,4-Dinitrotoluene	10.145	165	134631	40.847	ng	97
58) Fluorene	10.516	166	450707	38.364	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.292	232	106720	37.783	ng	99
60) Diethylphthalate	10.381	149	466799	43.716	ng	99
61) 4-Chlorophenyl-phenyle...	10.504	204	232448	39.562	ng	99
62) 4-Nitroaniline	10.528	138	96697	39.469	ng	97
63) Azobenzene	10.663	77	431460	38.969	ng	99
65) 4,6-Dinitro-2-methylph...	10.557	198	48200	32.117	ng	96
66) n-Nitrosodiphenylamine	10.622	169	379520	44.307	ng	99
67) 4-Bromophenyl-phenylether	10.992	248	137974	43.446	ng	97
68) Hexachlorobenzene	11.069	284	139989	40.894	ng	98
69) Atrazine	11.145	200	112914	51.067	ng	99
70) Pentachlorophenol	11.263	266	129625	82.680	ng	99
71) Phenanthrene	11.475	178	569767	39.974	ng	100
72) Anthracene	11.528	178	576813	39.947	ng	100
73) Carbazole	11.680	167	479540	40.531	ng	100
74) Di-n-butylphthalate	12.004	149	568861	51.539	ng	99
75) Fluoranthene	12.669	202	523856	40.959	ng	99
77) Benzidine	12.786	184	195722	35.773	ng	100
78) Pyrene	12.898	202	545878	29.545	ng	99
80) Butylbenzylphthalate	13.504	149	222304	44.044	ng	97
81) Benzo(a)anthracene	14.086	228	565876	39.132	ng	99
82) 3,3'-Dichlorobenzidine	14.045	252	174738	42.194	ng	98
83) Chrysene	14.121	228	534990	41.167	ng	100
84) Bis(2-ethylhexyl)phtha...	14.069	149	330969	43.053	ng	100
85) Di-n-octyl phthalate	14.680	149	600507	42.167	ng	99
87) Indeno(1,2,3-cd)pyrene	17.121	276	518934	28.150	ng	99
88) Benzo(b)fluoranthene	15.157	252	605018	42.428	ng	100
89) Benzo(k)fluoranthene	15.186	252	567409	41.559	ng	100
90) Benzo(a)pyrene	15.533	252	534103	40.352	ng	99
91) Dibenzo(a,h)anthracene	17.133	278	429182	29.070	ng	99
92) Benzo(g,h,i)perylene	17.580	276	375504	25.578	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143539.D
Acq On : 21 Aug 2025 19:32
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 22 01:02:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 110484

Ion	Ratio	Lower	Upper
152	100		
150	159.1	128.9	193.3
115	59.8	49.2	73.8





#2
1,4-Dioxane
Concen: 39.072 ng
RT: 2.734 min Scan# 92
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion: 88 Resp: 114523

Ion	Ratio	Lower	Upper
88	100		
58	82.3	66.7	100.1
43	31.8	25.8	38.8





#3
Pyridine
Concen: 39.009 ng
RT: 3.510 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 304538

Ion	Ratio	Lower	Upper
79	100		
52	82.7	65.6	98.4
51	40.3	31.2	46.8





#4
n-Nitrosodimethylamine
Concen: 39.860 ng
RT: 3.457 min Scan# 215
Delta R.T. -0.018 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion: 42 Resp: 139889

Ion	Ratio	Lower	Upper
42	100		
74	120.0	98.6	148.0
44	6.9	5.8	8.8





#5
2-Fluorophenol
Concen: 79.470 ng
RT: 5.557 min Scan# 5
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:112 Resp: 502829

Ion	Ratio	Lower	Upper
112	100		
64	64.8	50.4	75.6
63	33.9	26.4	39.6





#6
Aniline
Concen: 38.435 ng
RT: 6.587 min Scan# 747
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion: 93 Resp: 401267

Ion	Ratio	Lower	Upper
93	100		
66	59.5	38.9	58.3#
65	33.1	20.6	30.8#





#7
Phenol-d6
Concen: 77.784 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.012 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 99 Resp: 607545

Ion	Ratio	Lower	Upper
99	100		
42	20.3	16.3	24.5
71	36.5	28.2	42.2





#8
2-Chlorophenol
Concen: 39.418 ng
RT: 6.716 min Scan# 769
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:128 Resp: 275473

Ion	Ratio	Lower	Upper
128	100		
130	32.5	12.4	52.4
64	51.9	31.6	71.6





#9
Benzaldehyde
Concen: 46.616 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 294783

Ion	Ratio	Lower	Upper
77	100		
105	98.0	78.1	118.1
106	95.3	74.9	114.9





#10
Phenol
Concen: 39.425 ng
RT: 6.575 min Scan# 745
Delta R.T. -0.012 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion: 94 Resp: 354741

Ion	Ratio	Lower	Upper
94	100		
65	35.4	19.5	59.5
66	55.3	42.5	82.5





#11
bis(2-Chloroethyl)ether
Concen: 38.774 ng
RT: 6.657 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 93 Resp: 260716

Ion	Ratio	Lower	Upper
93	100		
63	83.5	63.6	103.6
95	32.9	12.8	52.8





#12
1,3-Dichlorobenzene
Concen: 38.875 ng
RT: 6.869 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:146 Resp: 305256

Ion	Ratio	Lower	Upper
146	100		
148	64.1	51.3	76.9
75	31.9	24.7	37.1





#13
1,4-Dichlorobenzene
Concen: 39.416 ng
RT: 6.945 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:146 Resp: 310463

Ion	Ratio	Lower	Upper
146	100		
148	63.7	51.5	77.3
111	40.7	32.6	49.0





#14
1,2-Dichlorobenzene
Concen: 39.005 ng
RT: 7.098 min Scan# 834
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:146 Resp: 290881

Ion	Ratio	Lower	Upper
146	100		
148	64.2	51.0	76.6
111	42.5	34.0	51.0





#15
Benzyl Alcohol
Concen: 39.937 ng
RT: 7.069 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 233545

Ion	Ratio	Lower	Upper
79	100		
108	75.7	59.8	89.6
77	62.0	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 37.707 ng
RT: 7.193 min Scan# 850
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion: 45 Resp: 405626

Ion	Ratio	Lower	Upper
45	100		
77	24.6	0.0	37.9
79	21.0	0.0	34.7





#17
2-Methylphenol
Concen: 38.978 ng
RT: 7.181 min Scan# 84
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:107 Resp: 218625

Ion	Ratio	Lower	Upper
107	100		
108	112.5	91.1	136.7
77	52.5	46.2	69.4
79	52.0	44.2	66.2





#18
Hexachloroethane
Concen: 40.177 ng
RT: 7.440 min Scan# 892
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:117 Resp: 107596

Ion	Ratio	Lower	Upper
117	100		
119	95.4	75.4	113.0
201	101.0	79.0	118.4





#19
n-Nitroso-di-n-propylamine
Concen: 39.035 ng
RT: 7.340 min Scan# 8
Delta R.T. -0.012 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 70 Resp: 186353

Ion	Ratio	Lower	Upper
70	100		
42	60.6	49.3	73.9
101	9.5	7.8	11.8
130	20.9	16.6	25.0





#20
3+4-Methylphenols
Concen: 39.911 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:107 Resp: 267236

Ion	Ratio	Lower	Upper
107	100		
108	87.1	68.4	108.4
77	138.1	116.1	156.1
79	31.3	9.8	49.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:136 Resp: 402251

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.0	13.4
54	9.1	7.4	11.2
68	5.9	5.0	7.4





#22
Acetophenone
Concen: 39.831 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:105 Resp: 346144

Ion	Ratio	Lower	Upper
105	100		
71	8.6	5.9	8.9
51	40.1	32.5	48.7
120	21.9	18.0	27.0





#23
Nitrobenzene-d5
Concen: 81.337 ng
RT: 7.487 min Scan# 9
Delta R.T. -0.012 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 560673

Ion	Ratio	Lower	Upper
82	100		
128	42.8	35.5	53.3
54	56.3	44.3	66.5





#24
Nitrobenzene
Concen: 41.188 ng
RT: 7.510 min Scan# 904
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion: 77 Resp: 292216

Ion	Ratio	Lower	Upper
77	100		
123	45.3	36.1	54.1
65	14.2	11.0	16.6





#25
Isophorone
Concen: 40.481 ng
RT: 7.745 min Scan# 94
Delta R.T. -0.012 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 511518

Ion	Ratio	Lower	Upper
82	100		
95	7.4	5.8	8.8
138	18.0	14.2	21.4





#26
2-Nitrophenol
Concen: 41.538 ng
RT: 7.822 min Scan# 957
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:139 Resp: 144354

Ion	Ratio	Lower	Upper
139	100		
109	30.6	23.0	34.6
65	53.0	40.3	60.5





#27
2,4-Dimethylphenol
Concen: 39.611 ng
RT: 7.863 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:122 Resp: 214593

Ion	Ratio	Lower	Upper
122	100		
107	116.6	91.5	137.3
121	59.3	47.0	70.4





#28
bis(2-Chloroethoxy)methane
Concen: 39.904 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion: 93 Resp: 309875

Ion	Ratio	Lower	Upper
93	100		
95	32.6	26.0	39.0
123	11.7	9.1	13.7





#29
2,4-Dichlorophenol
Concen: 39.400 ng
RT: 8.069 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 227965

Ion	Ratio	Lower	Upper
162	100		
164	63.1	43.5	83.5
98	36.9	15.1	55.1





#30
1,2,4-Trichlorobenzene
Concen: 39.508 ng
RT: 8.151 min Scan# 1013
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:180 Resp: 235019

Ion	Ratio	Lower	Upper
180	100		
182	95.3	76.6	114.8
145	30.4	24.3	36.5





#31
Naphthalene
Concen: 39.258 ng
RT: 8.234 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:128 Resp: 758151

Ion	Ratio	Lower	Upper
128	100		
129	11.0	8.8	13.2
127	13.4	10.6	16.0





#32
Benzoic acid
Concen: 32.943 ng
RT: 7.975 min Scan# 983
Delta R.T. -0.035 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:122 Resp: 95321

Ion	Ratio	Lower	Upper
122	100		
105	127.3	104.7	144.7
77	96.2	77.3	117.3





#33
4-Chloroaniline
Concen: 38.570 ng
RT: 8.275 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:127 Resp: 264368

Ion	Ratio	Lower	Upper
127	100		
129	32.5	26.1	39.1
65	34.0	26.2	39.2
92	21.7	16.6	25.0





#34
Hexachlorobutadiene
Concen: 40.705 ng
RT: 8.351 min Scan# 1047
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:225 Resp: 157980

Ion	Ratio	Lower	Upper
225	100		
223	61.9	49.9	74.9
227	63.8	50.9	76.3





#35
Caprolactam
Concen: 43.789 ng
RT: 8.639 min Scan# 1
Delta R.T. -0.035 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:113 Resp: 60796

Ion	Ratio	Lower	Upper
113	100		
55	187.8	162.8	202.8
56	144.5	118.1	158.1





#36
4-Chloro-3-methylphenol
Concen: 38.769 ng
RT: 8.763 min Scan# 1117
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:107 Resp: 224793

Ion	Ratio	Lower	Upper
107	100		
144	24.5	19.9	29.9
142	77.4	61.8	92.8





#37
2-Methylnaphthalene
Concen: 38.680 ng
RT: 8.922 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:142 Resp: 498908

Ion	Ratio	Lower	Upper
142	100		
141	86.9	71.0	106.4





#38
1-Methylnaphthalene
Concen: 38.013 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:142 Resp: 468992

Ion	Ratio	Lower	Upper
142	100		
141	91.9	73.3	109.9





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:164 Resp: 197751

Ion	Ratio	Lower	Upper
164	100		
162	100.7	80.5	120.7
160	42.5	34.3	51.5





#40
1,2,4,5-Tetrachlorobenzene
Concen: 41.583 ng
RT: 9.092 min Scan# 1173
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:216 Resp: 235213

Ion	Ratio	Lower	Upper
216	100		
214	79.0	63.4	95.0
179	21.7	16.5	24.7
108	17.6	13.9	20.9





#41
Hexachlorocyclopentadiene
Concen: 40.008 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:237 Resp: 80228

Ion	Ratio	Lower	Upper
237	100		
235	61.6	42.6	82.6
272	13.1	0.0	33.4





#42
2,4,6-Tribromophenol
Concen: 71.678 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:330 Resp: 131942

Ion	Ratio	Lower	Upper
330	100		
332	96.8	78.0	117.0
141	29.7	23.7	35.5





#43
2,4,6-Trichlorophenol
Concen: 41.956 ng
RT: 9.204 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:196 Resp: 146031

Ion	Ratio	Lower	Upper
196	100		
198	96.3	77.0	115.4
200	31.0	24.6	37.0





#44
2,4,5-Trichlorophenol
Concen: 40.224 ng
RT: 9.245 min Scan# 1199
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:196 Resp: 152926

Ion	Ratio	Lower	Upper
196	100		
198	94.6	77.3	115.9
97	49.8	40.0	60.0
132	28.7	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 83.673 ng
RT: 9.281 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:172 Resp: 1001186

Ion	Ratio	Lower	Upper
172	100		
171	36.0	28.8	43.2
170	23.4	18.8	28.2





#46
1,1'-Biphenyl
Concen: 41.811 ng
RT: 9.386 min Scan# 1223
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:154 Resp: 586854

Ion	Ratio	Lower	Upper
154	100		
153	40.7	20.6	60.6
76	12.1	0.0	33.0





#47
2-Chloronaphthalene
Concen: 41.011 ng
RT: 9.410 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 451645

Ion	Ratio	Lower	Upper
162	100		
127	40.9	31.8	47.6
164	32.8	26.4	39.6





#48
2-Nitroaniline
Concen: 41.582 ng
RT: 9.504 min Scan# 1243
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion: 65 Resp: 134022

Ion	Ratio	Lower	Upper
65	100		
92	68.6	53.8	80.6
138	108.4	82.4	123.6





#49
Acenaphthylene
Concen: 40.434 ng
RT: 9.828 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 637603

Ion	Ratio	Lower	Upper
152	100		
151	20.3	16.2	24.4
153	13.0	10.6	15.8





#50
Dimethylphthalate
Concen: 44.261 ng
RT: 9.675 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:163 Resp: 527145

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.0	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 42.723 ng
RT: 9.739 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 105458

Ion	Ratio	Lower	Upper
165	100		
63	59.7	45.0	67.6
89	55.1	42.5	63.7





#52
Acenaphthene
Concen: 39.741 ng
RT: 9.998 min Scan# 1327
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:154 Resp: 425489

Ion	Ratio	Lower	Upper
154	100		
153	112.7	89.5	134.3
152	53.0	42.5	63.7





#53
3-Nitroaniline
Concen: 40.609 ng
RT: 9.916 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:138 Resp: 108314

Ion	Ratio	Lower	Upper
138	100		
108	11.7	8.6	13.0
92	112.5	89.8	134.8





#54
2,4-Dinitrophenol
Concen: 31.881 ng
RT: 10.022 min Scan# 1331
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:184 Resp: 37584

Ion	Ratio	Lower	Upper
184	100		
63	70.7	52.6	78.8
154	71.6	51.0	76.4





#55
Dibenzofuran
Concen: 39.052 ng
RT: 10.169 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:168 Resp: 596110

Ion	Ratio	Lower	Upper
168	100		
139	38.7	29.8	44.6
169	13.7	10.8	16.2





#56
4-Nitrophenol
Concen: 43.542 ng
RT: 10.081 min Scan# 1341
Delta R.T. -0.005 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:139 Resp: 69103

Ion	Ratio	Lower	Upper
139	100		
109	71.5	48.2	88.2
65	99.9	75.8	115.8





#57
2,4-Dinitrotoluene
Concen: 40.847 ng
RT: 10.145 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 134631

Ion	Ratio	Lower	Upper
165	100		
63	46.1	34.9	52.3
89	68.8	53.3	79.9
182	2.8	2.3	3.5





#58
Fluorene
Concen: 38.364 ng
RT: 10.516 min Scan# 1415
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:166 Resp: 450707

Ion	Ratio	Lower	Upper
166	100		
165	97.2	78.3	117.5
167	13.2	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 37.783 ng
RT: 10.292 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:232 Resp: 106720

Ion	Ratio	Lower	Upper
232	100		
131	41.0	32.7	49.1
130	1.9	1.6	2.4
166	27.7	22.6	34.0





#60
Diethylphthalate
Concen: 43.716 ng
RT: 10.381 min Scan# 1392
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:149 Resp: 466799

Ion	Ratio	Lower	Upper
149	100		
177	23.5	18.3	27.5
150	12.7	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 39.562 ng
RT: 10.504 min Scan# 14
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:204 Resp: 232448

Ion	Ratio	Lower	Upper
204	100		
206	33.6	27.0	40.4
141	60.3	48.7	73.1





#62
4-Nitroaniline
Concen: 39.469 ng
RT: 10.528 min Scan# 1417
Delta R.T. -0.012 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:138 Resp: 96697

Ion	Ratio	Lower	Upper
138	100		
92	50.2	29.3	69.3
108	73.6	50.7	90.7





#63
Azobenzene
Concen: 38.969 ng
RT: 10.663 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 431460

Ion	Ratio	Lower	Upper
77	100		
182	27.1	6.2	46.2
105	21.5	2.2	42.2
51	32.1	12.4	52.4





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:188 Resp: 266164

Ion	Ratio	Lower	Upper
188	100		
94	9.3	7.4	11.2
80	10.2	8.2	12.4





#65
4,6-Dinitro-2-methylphenol
Concen: 32.117 ng
RT: 10.557 min Scan# 14
Delta R.T. -0.012 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:198 Resp: 48200

Ion	Ratio	Lower	Upper
198	100		
51	53.2	29.6	69.6
105	43.7	21.5	61.5





#66
n-Nitrosodiphenylamine
Concen: 44.307 ng
RT: 10.622 min Scan# 1433
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:169 Resp: 379520

Ion	Ratio	Lower	Upper
169	100		
168	66.4	52.4	78.6
167	36.2	28.9	43.3





#67
4-Bromophenyl-phenylether
Concen: 43.446 ng
RT: 10.992 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:248 Resp: 137974

Ion	Ratio	Lower	Upper
248	100		
250	97.2	77.8	116.8
141	72.4	54.0	81.0





#68
Hexachlorobenzene
Concen: 40.894 ng
RT: 11.069 min Scan# 1509
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:284 Resp: 139989

Ion	Ratio	Lower	Upper
284	100		
142	28.7	24.4	36.6
249	31.1	25.0	37.6





#69
Atrazine
Concen: 51.067 ng
RT: 11.145 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:200 Resp: 112914

Ion	Ratio	Lower	Upper
200	100		
173	26.7	6.9	46.9
215	49.2	30.0	70.0





#70
Pentachlorophenol
Concen: 82.680 ng
RT: 11.263 min Scan# 1542
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:266 Resp: 129625

Ion	Ratio	Lower	Upper
266	100		
268	63.7	50.5	75.7
264	63.2	49.8	74.8





#71
Phenanthrene
Concen: 39.974 ng
RT: 11.475 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:178 Resp: 569767

Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.5	23.3
179	15.5	12.5	18.7





#72
Anthracene
Concen: 39.947 ng
RT: 11.528 min Scan# 1587
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:178 Resp: 576813

Ion	Ratio	Lower	Upper
178	100		
176	18.5	15.0	22.4
179	15.6	12.3	18.5





#73
Carbazole
Concen: 40.531 ng
RT: 11.680 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:167 Resp: 479540

Ion	Ratio	Lower	Upper
167	100		
166	21.5	17.3	25.9
139	12.7	10.0	15.0





#74
Di-n-butylphthalate
Concen: 51.539 ng
RT: 12.004 min Scan# 1668
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:149 Resp: 568861

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.2	10.8
104	4.8	3.6	5.4





#75
Fluoranthene
Concen: 40.959 ng
RT: 12.669 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:202 Resp: 523856

Ion	Ratio	Lower	Upper
202	100		
101	10.7	0.0	31.3
203	17.5	0.0	37.9





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:240 Resp: 224613

Ion	Ratio	Lower	Upper
240	100		
120	9.7	8.6	12.8
236	25.8	20.4	30.6





#77
Benzidine
Concen: 35.773 ng
RT: 12.786 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:184 Resp: 195722

Ion	Ratio	Lower	Upper
184	100		
185	14.4	11.3	16.9
183	11.8	9.5	14.3





#78
Pyrene
Concen: 29.545 ng
RT: 12.898 min Scan# 1820
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:202 Resp: 545878

Ion	Ratio	Lower	Upper
202	100		
200	20.9	17.0	25.4
203	17.4	14.3	21.5





#79
Terphenyl-d14
Concen: 62.064 ng
RT: 13.033 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:244 Resp: 798863

Ion	Ratio	Lower	Upper
244	100		
212	6.8	5.2	7.8
122	10.3	7.9	11.9





#80
Butylbenzylphthalate
Concen: 44.044 ng
RT: 13.504 min Scan# 1923
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:149 Resp: 222304

Ion	Ratio	Lower	Upper
149	100		
91	72.0	55.3	82.9
206	21.3	18.2	27.4





#81
Benzo(a)anthracene
Concen: 39.132 ng
RT: 14.086 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 565876

Ion	Ratio	Lower	Upper
228	100		
226	26.8	21.7	32.5
229	19.9	15.7	23.5





#82
3,3'-Dichlorobenzidine
Concen: 42.194 ng
RT: 14.045 min Scan# 2015
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:252 Resp: 174738

Ion	Ratio	Lower	Upper
252	100		
254	64.3	52.6	79.0
126	10.0	8.7	13.1





#83
Chrysene
Concen: 41.167 ng
RT: 14.121 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 534990

Ion	Ratio	Lower	Upper
228	100		
226	29.7	23.7	35.5
229	19.8	15.7	23.5





#84
Bis(2-ethylhexyl)phthalate
Concen: 43.053 ng
RT: 14.069 min Scan# 2019
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:149 Resp: 330969

Ion	Ratio	Lower	Upper
149	100		
167	27.8	22.2	33.2
279	5.0	3.6	5.4





#85
Di-n-octyl phthalate
Concen: 42.167 ng
RT: 14.680 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:149 Resp: 600507

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.2	1.8
43	10.3	8.5	12.7





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:264 Resp: 256535

Ion	Ratio	Lower	Upper
264	100		
260	23.1	18.7	28.1
265	20.9	17.6	26.4





#87
Indeno(1,2,3-cd)pyrene
Concen: 28.150 ng
RT: 17.121 min Scan# 2
Delta R.T. -0.018 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:276 Resp: 518934

Ion	Ratio	Lower	Upper
276	100		
138	23.6	19.2	28.8
277	25.6	20.3	30.5





#88
Benzo(b)fluoranthene
Concen: 42.428 ng
RT: 15.157 min Scan# 2204
Delta R.T. 0.000 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:252 Resp: 605018

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	8.9	7.4	11.0





#89
Benzo(k)fluoranthene
Concen: 41.559 ng
RT: 15.186 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:252 Resp: 567409

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.4	26.2
125	8.9	7.4	11.0





#90
Benzo(a)pyrene
Concen: 40.352 ng
RT: 15.533 min Scan# 2268
Delta R.T. -0.006 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:252 Resp: 534103

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.4	26.0
125	9.7	8.2	12.2





#91
Dibenzo(a,h)anthracene
Concen: 29.070 ng
RT: 17.133 min Scan# 2
Delta R.T. -0.023 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:278 Resp: 429182

Ion	Ratio	Lower	Upper
278	100		
139	15.4	12.1	18.1
279	23.8	19.2	28.8





#92
Benzo(g,h,i)perylene
Concen: 25.578 ng
RT: 17.580 min Scan# 2616
Delta R.T. -0.023 min
Lab File: BF143539.D
Acq: 21 Aug 2025 19:32

Tgt Ion:276 Resp: 375504

Ion	Ratio	Lower	Upper
276	100		
277	23.4	18.9	28.3
138	20.9	16.3	24.5



Sample Results: **BF143539.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143539.D
Acq On : 21 Aug 2025 19:32
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 22 01:02:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	80	0.00
2		1,4-Dioxane	0.531	0.518	2.4	78	0.00
3		Pyridine	1.413	1.378	2.5	77	0.00
4		n-Nitrosodimethylamine	0.635	0.633	0.3	79	-0.02
5	S	2-Fluorophenol	1.145	1.138	0.6	80	0.00
6		Aniline	1.890	1.816	3.9	77	0.00
7	S	Phenol-d6	1.414	1.375	2.8	78	-0.01
8		2-Chlorophenol	1.265	1.247	1.4	79	0.00
9		Benzaldehyde	1.145	1.334	-16.5	89	0.00
10	C	Phenol	1.629	1.605	1.5	78	-0.01
11		bis(2-Chloroethyl)ether	1.217	1.180	3.0	78	0.00
12		1,3-Dichlorobenzene	1.421	1.381	2.8	78	0.00
13	C	1,4-Dichlorobenzene	1.426	1.405	1.5	80	0.00
14		1,2-Dichlorobenzene	1.350	1.316	2.5	78	0.00
15		Benzyl Alcohol	1.059	1.057	0.2	78	0.00
16		2,2'-oxybis(1-Chloropropane	1.947	1.836	5.7	75	0.00
17		2-Methylphenol	1.015	0.989	2.6	78	0.00
18		Hexachloroethane	0.485	0.487	-0.4	80	0.00
19	P	n-Nitroso-di-n-propylamine	0.864	0.843	2.4	80	-0.01
20		3+4-Methylphenols	1.212	1.209	0.2	80	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	77	0.00
22		Acetophenone	0.432	0.430	0.5	79	0.00
23	S	Nitrobenzene-d5	0.343	0.348	-1.5	78	-0.01
24		Nitrobenzene	0.353	0.363	-2.8	79	0.00
25		Isophorone	0.628	0.636	-1.3	79	-0.01
26	C	2-Nitrophenol	0.173	0.179	-3.5	78	0.00
27		2,4-Dimethylphenol	0.269	0.267	0.7	76	0.00
28		bis(2-Chloroethoxy)methane	0.386	0.385	0.3	77	0.00
29	C	2,4-Dichlorophenol	0.288	0.283	1.7	76	0.00
30		1,2,4-Trichlorobenzene	0.296	0.292	1.4	77	0.00
31		Naphthalene	0.960	0.942	1.9	77	0.00
32		Benzoic acid	0.137	0.118	13.9	63	-0.04
33		4-Chloroaniline	0.341	0.329	3.5	74	0.00
34	C	Hexachlorobutadiene	0.193	0.196	-1.6	79	0.00
35		Caprolactam	0.069	0.076	-10.1	82	-0.04
36	C	4-Chloro-3-methylphenol	0.288	0.279	3.1	75	0.00
37		2-Methylnaphthalene	0.641	0.620	3.3	75	0.00
38		1-Methylnaphthalene	0.613	0.583	4.9	75	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	70	0.00
40		1,2,4,5-Tetrachlorobenzene	0.572	0.595	-4.0	74	0.00
41	P	Hexachlorocyclopentadiene	0.184	0.203	-10.3	72	0.00
42	S	2,4,6-Tribromophenol	0.186	0.167	10.2	62	0.00
43	C	2,4,6-Trichlorophenol	0.352	0.369	-4.8	71	0.00
44		2,4,5-Trichlorophenol	0.385	0.387	-0.5	71	0.00
45	S	2-Fluorobiphenyl	1.210	1.266	-4.6	77	0.00
46		1,1'-Biphenyl	1.420	1.484	-4.5	74	0.00
47		2-Chloronaphthalene	1.114	1.142	-2.5	72	0.00

Sample Results: **BF143539.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143539.D
Acq On : 21 Aug 2025 19:32
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 22 01:02:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.326	0.339	-4.0	70	0.00
49		Acenaphthylene	1.595	1.612	-1.1	71	0.00
50		Dimethylphthalate	1.205	1.333	-10.6	78	0.00
51		2,6-Dinitrotoluene	0.250	0.267	-6.8	72	-0.01
52	C	Acenaphthene	1.083	1.076	0.6	70	0.00
53		3-Nitroaniline	0.270	0.274	-1.5	69	0.00
54	P	2,4-Dinitrophenol	0.115	0.095	17.4	55	0.00
55		Dibenzofuran	1.544	1.507	2.4	69	0.00
56	P	4-Nitrophenol	0.161	0.175	-8.7	71	0.00
57		2,4-Dinitrotoluene	0.333	0.340	-2.1	68	-0.01
58		Fluorene	1.188	1.140	4.0	69	0.00
59		2,3,4,6-Tetrachlorophenol	0.286	0.270	5.6	64	0.00
60		Diethylphthalate	1.080	1.180	-9.3	76	0.00
61		4-Chlorophenyl-phenylether	0.594	0.588	1.0	70	0.00
62		4-Nitroaniline	0.248	0.244	1.6	67	-0.01
63		Azobenzene	1.120	1.091	2.6	68	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	61	0.00
65		4,6-Dinitro-2-methylphenol	0.113	0.091	19.5	47#	-0.01
66	c	n-Nitrosodiphenylamine	0.644	0.713	-10.7	68	0.00
67		4-Bromophenyl-phenylether	0.239	0.259	-8.4	66	0.00
68		Hexachlorobenzene	0.257	0.263	-2.3	62	0.00
69		Atrazine	0.166	0.212	-27.7#	77	0.00
70	C	Pentachlorophenol	0.118	0.244	-106.8#	120	0.00
71		Phenanthrene	1.071	1.070	0.1	63	0.00
72		Anthracene	1.085	1.084	0.1	62	0.00
73		Carbazole	0.889	0.901	-1.3	62	0.00
74		Di-n-butylphthalate	0.829	1.069	-29.0#	77	0.00
75	C	Fluoranthene	0.961	0.984	-2.4	63	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	90	0.00
77		Benzidine	0.487	0.436	10.5	76	0.00
78		Pyrene	1.645	1.215	26.1#	67	0.00
79	S	Terphenyl-d14	1.146	0.889	22.4	71	0.00
80		Butylbenzylphthalate	0.449	0.495	-10.2	95	0.00
81		Benzo(a)anthracene	1.288	1.260	2.2	86	0.00
82		3,3'-Dichlorobenzidine	0.369	0.389	-5.4	94	0.00
83		Chrysene	1.157	1.191	-2.9	96	0.00
84		Bis(2-ethylhexyl)phthalate	0.685	0.737	-7.6	93	0.00
85	c	Di-n-octyl phthalate	1.268	1.337	-5.4	93	0.00
86	I	Perylene-d12	1.000	1.000	0.0	89	0.00
87		Indeno(1,2,3-cd)pyrene	1.437	1.011	29.6#	62	-0.02
88		Benzo(b)fluoranthene	1.112	1.179	-6.0	98	0.00
89		Benzo(k)fluoranthene	1.064	1.106	-3.9	91	0.00
90	C	Benzo(a)pyrene	1.032	1.041	-0.9	90	0.00
91		Dibenzo(a,h)anthracene	1.151	0.836	27.4#	64	-0.02
92		Benzo(g,h,i)perylene	1.145	0.732	36.1#	56	-0.02

Sample Results: **BF143539.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143539.D
Acq On : 21 Aug 2025 19:32
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 22 01:02:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

Sample Results: **BF143539.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143539.D
Acq On : 21 Aug 2025 19:32
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 22 01:02:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	80	0.00
2		1,4-Dioxane	40.000	39.072	2.3	78	0.00
3		Pyridine	40.000	39.009	2.5	77	0.00
4		n-Nitrosodimethylamine	40.000	39.860	0.4	79	-0.02
5	S	2-Fluorophenol	80.000	79.470	0.7	80	0.00
6		Aniline	40.000	38.435	3.9	77	0.00
7	S	Phenol-d6	80.000	77.784	2.8	78	-0.01
8		2-Chlorophenol	40.000	39.418	1.5	79	0.00
9		Benzaldehyde	40.000	46.616	-16.5	89	0.00
10	C	Phenol	40.000	39.425	1.4	78	-0.01
11		bis(2-Chloroethyl)ether	40.000	38.774	3.1	78	0.00
12		1,3-Dichlorobenzene	40.000	38.875	2.8	78	0.00
13	C	1,4-Dichlorobenzene	40.000	39.416	1.5	80	0.00
14		1,2-Dichlorobenzene	40.000	39.005	2.5	78	0.00
15		Benzyl Alcohol	40.000	39.937	0.2	78	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	37.707	5.7	75	0.00
17		2-Methylphenol	40.000	38.978	2.6	78	0.00
18		Hexachloroethane	40.000	40.177	-0.4	80	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	39.035	2.4	80	-0.01
20		3+4-Methylphenols	40.000	39.911	0.2	80	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	77	0.00
22		Acetophenone	40.000	39.831	0.4	79	0.00
23	S	Nitrobenzene-d5	80.000	81.337	-1.7	78	-0.01
24		Nitrobenzene	40.000	41.188	-3.0	79	0.00
25		Isophorone	40.000	40.481	-1.2	79	-0.01
26	C	2-Nitrophenol	40.000	41.538	-3.8	78	0.00
27		2,4-Dimethylphenol	40.000	39.611	1.0	76	0.00
28		bis(2-Chloroethoxy)methane	40.000	39.904	0.2	77	0.00
29	C	2,4-Dichlorophenol	40.000	39.400	1.5	76	0.00
30		1,2,4-Trichlorobenzene	40.000	39.508	1.2	77	0.00
31		Naphthalene	40.000	39.258	1.9	77	0.00
32		Benzoic acid	40.000	32.943	17.6	63	-0.04
33		4-Chloroaniline	40.000	38.570	3.6	74	0.00
34	C	Hexachlorobutadiene	40.000	40.705	-1.8	79	0.00
35		Caprolactam	40.000	43.789	-9.5	82	-0.04
36	C	4-Chloro-3-methylphenol	40.000	38.769	3.1	75	0.00
37		2-Methylnaphthalene	40.000	38.680	3.3	75	0.00
38		1-Methylnaphthalene	40.000	38.013	5.0	75	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	70	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	41.583	-4.0	74	0.00
41	P	Hexachlorocyclopentadiene	40.000	40.008	-0.0	72	0.00
42	S	2,4,6-Tribromophenol	80.000	71.678	10.4	62	0.00
43	C	2,4,6-Trichlorophenol	40.000	41.956	-4.9	71	0.00
44		2,4,5-Trichlorophenol	40.000	40.224	-0.6	71	0.00
45	S	2-Fluorobiphenyl	80.000	83.673	-4.6	77	0.00
46		1,1'-Biphenyl	40.000	41.811	-4.5	74	0.00
47		2-Chloronaphthalene	40.000	41.011	-2.5	72	0.00

Sample Results: **BF143539.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143539.D
Acq On : 21 Aug 2025 19:32
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 22 01:02:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	41.582	-4.0	70	0.00
49		Acenaphthylene	40.000	40.434	-1.1	71	0.00
50		Dimethylphthalate	40.000	44.261	-10.7	78	0.00
51		2,6-Dinitrotoluene	40.000	42.723	-6.8	72	-0.01
52	C	Acenaphthene	40.000	39.741	0.6	70	0.00
53		3-Nitroaniline	40.000	40.609	-1.5	69	0.00
54	P	2,4-Dinitrophenol	40.000	31.881	20.3	55	0.00
55		Dibenzofuran	40.000	39.052	2.4	69	0.00
56	P	4-Nitrophenol	40.000	43.542	-8.9	71	0.00
57		2,4-Dinitrotoluene	40.000	40.847	-2.1	68	-0.01
58		Fluorene	40.000	38.364	4.1	69	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	37.783	5.5	64	0.00
60		Diethylphthalate	40.000	43.716	-9.3	76	0.00
61		4-Chlorophenyl-phenylether	40.000	39.562	1.1	70	0.00
62		4-Nitroaniline	40.000	39.469	1.3	67	-0.01
63		Azobenzene	40.000	38.969	2.6	68	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	61	0.00
65		4,6-Dinitro-2-methylphenol	40.000	32.117	19.7	47	-0.01
66	c	n-Nitrosodiphenylamine	40.000	44.307	-10.8	68	0.00
67		4-Bromophenyl-phenylether	40.000	43.446	-8.6	66	0.00
68		Hexachlorobenzene	40.000	40.894	-2.2	62	0.00
69		Atrazine	40.000	51.067	-27.7#	77	0.00
70	C	Pentachlorophenol	40.000	82.680	-106.7#	120	0.00
71		Phenanthrene	40.000	39.974	0.1	63	0.00
72		Anthracene	40.000	39.947	0.1	62	0.00
73		Carbazole	40.000	40.531	-1.3	62	0.00
74		Di-n-butylphthalate	40.000	51.539	-28.8#	77	0.00
75	C	Fluoranthene	40.000	40.959	-2.4	63	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	90	0.00
77		Benzidine	40.000	35.773	10.6	76	0.00
78		Pyrene	40.000	29.545	26.1#	67	0.00
79	S	Terphenyl-d14	80.000	62.064	22.4	71	0.00
80		Butylbenzylphthalate	40.000	44.044	-10.1	95	0.00
81		Benzo(a)anthracene	40.000	39.132	2.2	86	0.00
82		3,3'-Dichlorobenzidine	40.000	42.194	-5.5	94	0.00
83		Chrysene	40.000	41.167	-2.9	96	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	43.053	-7.6	93	0.00
85	c	Di-n-octyl phthalate	40.000	42.167	-5.4	93	0.00
86	I	Perylene-d12	20.000	20.000	0.0	89	0.00
87		Indeno(1,2,3-cd)pyrene	40.000	28.150	29.6#	62	-0.02
88		Benzo(b)fluoranthene	40.000	42.428	-6.1	98	0.00
89		Benzo(k)fluoranthene	40.000	41.559	-3.9	91	0.00
90	C	Benzo(a)pyrene	40.000	40.352	-0.9	90	0.00
91		Dibenzo(a,h)anthracene	40.000	29.070	27.3#	64	-0.02
92		Benzo(g,h,i)perylene	40.000	25.578	36.1#	56	-0.02

Sample Results: **BF143539.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143539.D
Acq On : 21 Aug 2025 19:32
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_F
LabSampleId :
SSTDCCC040

Quant Time: Aug 22 01:02:20 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 1

Raw Data: **BP025422.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/15/2025 10:36

Lab File ID: BP025422.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.204	1.169		-2.9	
Benzaldehyde	1.082	1.423		31.5	
Phenol-d6	1.544	1.519		-1.6	
Phenol	1.620	1.590		-1.9	20.0
bis(2-Chloroethyl)ether	1.263	1.245		-1.4	
2-Chlorophenol	1.359	1.343		-1.2	
2-Methylphenol	1.125	1.118		-0.6	
2,2-oxybis(1-Chloropropane)	1.692	1.704		0.7	
Acetophenone	0.502	0.486		-3.2	
3+4-Methylphenols	1.560	1.543		-1.1	
n-Nitroso-di-n-propylamine	1.023	1.005	0.050	-1.8	
Nitrobenzene-d5	0.395	0.392		-0.8	
Hexachloroethane	0.563	0.557		-1.1	
Nitrobenzene	0.353	0.352		-0.3	
Isophorone	0.700	0.671		-4.1	
2-Nitrophenol	0.181	0.179		-1.1	20.0
2,4-Dimethylphenol	0.312	0.304		-2.6	
bis(2-Chloroethoxy)methane	0.423	0.405		-4.3	
2,4-Dichlorophenol	0.310	0.300		-3.2	20.0
Naphthalene	1.040	0.996		-4.2	
4-Chloroaniline	0.459	0.450		-2.0	
Hexachlorobutadiene	0.211	0.204		-3.3	20.0
Caprolactam	0.114	0.108		-5.3	
4-Chloro-3-methylphenol	0.355	0.345		-2.8	20.0
2-Methylnaphthalene	0.676	0.646		-4.4	
Hexachlorocyclopentadiene	0.349	0.352	0.050	0.9	
2,4,6-Trichlorophenol	0.390	0.383		-1.8	20.0
2-Fluorobiphenyl	1.463	1.380		-5.7	
2,4,5-Trichlorophenol	0.427	0.424		-0.7	
1,1-Biphenyl	1.453	1.404		-3.4	
2-Chloronaphthalene	1.131	1.096		-3.1	
2-Nitroaniline	0.329	0.337		2.4	
Dimethylphthalate	1.465	1.393		-4.9	
Acenaphthylene	1.871	1.799		-3.8	
2,6-Dinitrotoluene	0.309	0.314		1.6	
3-Nitroaniline	0.347	0.348		0.3	
Acenaphthene	1.098	1.035		-5.7	20.0
2,4-Dinitrophenol	0.165	0.164	0.050	-0.6	
4-Nitrophenol	0.285	0.284	0.050	-0.4	

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/15/2025 10:36

Lab File ID: BP025422.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.736	1.628		-6.2	
2,4-Dinitrotoluene	0.440	0.446		1.4	
Diethylphthalate	1.488	1.416		-4.8	
4-Chlorophenyl-phenylether	0.681	0.628		-7.8	
Fluorene	1.370	1.272		-7.2	
4-Nitroaniline	0.356	0.351		-1.4	
4,6-Dinitro-2-methylphenol	0.125	0.122		-2.4	
n-Nitrosodiphenylamine	0.610	0.587		-3.8	20.0
2,4,6-Tribromophenol	0.269	0.264		-1.9	
4-Bromophenyl-phenylether	0.220	0.210		-4.5	
Hexachlorobenzene	0.255	0.242		-5.1	
Atrazine	0.228	0.216		-5.3	
Pentachlorophenol	0.161	0.164		1.9	20.0
Phenanthrene	1.099	1.040		-5.4	
Anthracene	1.122	1.069		-4.7	
Carbazole	1.057	0.992		-6.1	
Di-n-butylphthalate	1.300	1.246		-4.2	
Fluoranthene	1.311	1.236		-5.7	20.0
Pyrene	1.300	1.231		-5.3	
Terphenyl-d14	1.093	1.026		-6.1	
Butylbenzylphthalate	0.589	0.555		-5.8	
3,3-Dichlorobenzidine	0.497	0.473		-4.8	
Benzo(a)anthracene	1.319	1.247		-5.5	
Chrysene	1.235	1.170		-5.3	
Bis(2-ethylhexyl)phthalate	0.867	0.803		-7.4	
Di-n-octyl phthalate	1.492	1.381		-7.4	20.0
Benzo(b)fluoranthene	1.179	1.145		-2.9	
Benzo(k)fluoranthene	1.180	1.134		-3.9	
Benzo(a)pyrene	1.148	1.114		-3.0	20.0
Indeno(1,2,3-cd)pyrene	1.467	1.433		-2.3	
Dibenzo(a,h)anthracene	1.199	1.183		-1.3	
Benzo(g,h,i)perylene	1.178	1.156		-1.9	
1,2,4,5-Tetrachlorobenzene	0.578	0.559		-3.3	
1,4-Dioxane	0.472	0.440		-6.8	20.0
2,3,4,6-Tetrachlorophenol	0.377	0.377		0.0	

All other compounds must meet a minimum RRF of 0.010.

Quantitation Report (QT Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025422.D
Acq On : 15 Aug 2025 10:36
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 15 11:23:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	163210	20.000	ng	0.00
21) Naphthalene-d8	10.554	136	699113	20.000	ng	0.00
39) Acenaphthene-d10	14.407	164	458301	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	913689	20.000	ng	0.00
76) Chrysene-d12	21.648	240	958309	20.000	ng	0.00
86) Perylene-d12	25.012	264	1096861	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.407	112	763443	77.682	ng	0.00
7) Phenol-d6	6.966	99	991544	78.694	ng	0.00
23) Nitrobenzene-d5	8.931	82	1096890	79.367	ng	0.00
42) 2,4,6-Tribromophenol	15.913	330	483517	78.381	ng	0.00
45) 2-Fluorobiphenyl	13.013	172	2530106	75.449	ng	0.00
79) Terphenyl-d14	19.918	244	3932091	75.070	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.331	88	143562	37.293	ng	98
3) Pyridine	3.725	79	405696	38.504	ng	96
4) n-Nitrosodimethylamine	3.637	42	179582	41.341	ng	98
6) Aniline	7.119	93	677656	39.917	ng	100
8) 2-Chlorophenol	7.360	128	438538	39.543	ng	98
9) Benzaldehyde	6.937	77	464483	52.616	ng	98
10) Phenol	6.990	94	518982	39.253	ng	97
11) bis(2-Chloroethyl)ether	7.213	93	406260	39.423	ng	98
12) 1,3-Dichlorobenzene	7.678	146	482648	39.468	ng	98
13) 1,4-Dichlorobenzene	7.819	146	483294	38.666	ng	98
14) 1,2-Dichlorobenzene	8.137	146	469905	38.837	ng	97
15) Benzyl Alcohol	8.019	79	402455	40.199	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.307	45	556083	40.282	ng	99
17) 2-Methylphenol	8.219	107	365027	39.752	ng	98
18) Hexachloroethane	8.860	117	181724	39.542	ng	96
19) n-Nitroso-di-n-propyla...	8.584	70	328037	39.304	ng	98
20) 3+4-Methylphenols	8.543	107	503552	39.561	ng	97
22) Acetophenone	8.595	105	680116	38.792	ng	98
24) Nitrobenzene	8.966	77	491654	39.805	ng	99
25) Isophorone	9.495	82	938896	38.387	ng	99
26) 2-Nitrophenol	9.672	139	250121	39.458	ng	98
27) 2,4-Dimethylphenol	9.737	122	425335	39.018	ng	98
28) bis(2-Chloroethoxy)met...	9.960	93	565633	38.258	ng	98
29) 2,4-Dichlorophenol	10.207	162	419343	38.724	ng	100
30) 1,2,4-Trichlorobenzene	10.419	180	450156	37.921	ng	98
31) Naphthalene	10.607	128	1392577	38.324	ng	100
32) Benzoic acid	9.872	122	303683	37.734	ng	94
33) 4-Chloroaniline	10.707	127	628608	39.164	ng	100
34) Hexachlorobutadiene	10.895	225	285751	38.652	ng	97
35) Caprolactam	11.489	113	150695	37.951	ng	96
36) 4-Chloro-3-methylphenol	11.825	107	482622	38.840	ng	98
37) 2-Methylnaphthalene	12.213	142	903084	38.190	ng	98
38) 1-Methylnaphthalene	12.431	142	941493	37.439	ng	100
40) 1,2,4,5-Tetrachloroben...	12.584	216	512464	38.717	ng	100
41) Hexachlorocyclopentadiene	12.566	237	322360	40.319	ng	98
43) 2,4,6-Trichlorophenol	12.819	196	351101	39.291	ng	98

Quantitation Report (QT Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025422.D
Acq On : 15 Aug 2025 10:36
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025

Quant Time: Aug 15 11:23:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.889	196	388369	39.656	ng	99
46) 1,1'-Biphenyl	13.225	154	1287182	38.672	ng	99
47) 2-Chloronaphthalene	13.266	162	1004850	38.780	ng	100
48) 2-Nitroaniline	13.466	65	308875	40.910	ng	98
49) Acenaphthylene	14.125	152	1648885	38.457	ng	100
50) Dimethylphthalate	13.854	163	1276659	38.040	ng	99
51) 2,6-Dinitrotoluene	13.966	165	287385	40.628	ng	98
52) Acenaphthene	14.472	154	949003m	37.707	ng	
53) 3-Nitroaniline	14.295	138	318681	40.043	ng	95
54) 2,4-Dinitrophenol	14.507	184	150322	39.794	ng	96
55) Dibenzofuran	14.813	168	1491927	37.495	ng	100
56) 4-Nitrophenol	14.607	139	260098	39.771	ng	93
57) 2,4-Dinitrotoluene	14.766	165	408919	40.518	ng	95
58) Fluorene	15.472	166	1165482	37.121	ng	97
59) 2,3,4,6-Tetrachlorophenol	15.036	232	345273	39.927	ng	99
60) Diethylphthalate	15.236	149	1297841	38.058	ng	99
61) 4-Chlorophenyl-phenyle...	15.460	204	575339	36.845	ng	95
62) 4-Nitroaniline	15.483	138	321438	39.397	ng	96
63) Azobenzene	15.760	77	1147009	39.282	ng	98
65) 4,6-Dinitro-2-methylph...	15.542	198	223566	39.253	ng	96
66) n-Nitrosodiphenylamine	15.672	169	1073233	38.519	ng	99
67) 4-Bromophenyl-phenylether	16.372	248	383814	38.195	ng	97
68) Hexachlorobenzene	16.495	284	442250	37.966	ng	98
69) Atrazine	16.654	200	395168	37.872	ng	98
70) Pentachlorophenol	16.842	266	299142	40.681	ng	96
71) Phenanthrene	17.248	178	1900372	37.862	ng	100
72) Anthracene	17.336	178	1953735	38.117	ng	99
73) Carbazole	17.613	167	1812820	37.549	ng	98
74) Di-n-butylphthalate	18.207	149	2277638	38.345	ng	100
75) Fluoranthene	19.324	202	2258336	37.721	ng	99
77) Benzidine	19.513	184	1861268	56.911	ng	99
78) Pyrene	19.701	202	2359709	37.884	ng	99
80) Butylbenzylphthalate	20.654	149	1064206	37.699	ng	96
81) Benzo(a)anthracene	21.630	228	2390024	37.816	ng	99
82) 3,3'-Dichlorobenzidine	21.536	252	906596	38.057	ng	99
83) Chrysene	21.695	228	2241792	37.876	ng	99
84) Bis(2-ethylhexyl)phtha...	21.571	149	1539693	37.052	ng	100
85) Di-n-octyl phthalate	22.859	149	2645927	37.018	ng	99
87) Indeno(1,2,3-cd)pyrene	28.865	276	3143696	39.082	ng	98
88) Benzo(b)fluoranthene	23.942	252	2512340	38.843	ng	99
89) Benzo(k)fluoranthene	24.012	252	2488345	38.446	ng	99
90) Benzo(a)pyrene	24.853	252	2443181	38.805	ng	99
91) Dibenzo(a,h)anthracene	28.930	278	2595384	39.482	ng	98
92) Benzo(g,h,i)perylene	30.012	276	2536518	39.255	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025422.D
Acq On : 15 Aug 2025 10:36
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Quant Time: Aug 15 11:23:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:152 Resp: 16321

Ion	Ratio	Lower	Upper
152	100		
150	159.4	125.9	188.9
115	59.8	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#2
1,4-Dioxane
Concen: 37.293 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 88 Resp: 143562

Ion	Ratio	Lower	Upper
88	100		
58	75.3	59.2	88.8
43	28.6	21.7	32.5





#3
Pyridine
Concen: 38.504 ng
RT: 3.725 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 79 Resp: 40569

Ion	Ratio	Lower	Upper
79	100		
52	73.4	55.5	83.3
51	36.2	28.3	42.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#4
n-Nitrosodimethylamine
Concen: 41.341 ng
RT: 3.637 min Scan# 119
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 42 Resp: 179582

Ion	Ratio	Lower	Upper
42	100		
74	131.5	107.0	160.4
44	7.6	6.2	9.4





#5
2-Fluorophenol
Concen: 77.682 ng
RT: 5.407 min Scan# 4
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:112 Resp: 76344

Ion	Ratio	Lower	Upper
112	100		
64	54.7	43.8	65.8
63	29.5	22.7	34.1



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#6
Aniline
Concen: 39.917 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 93 Resp: 677656

Ion	Ratio	Lower	Upper
93	100		
66	37.9	30.4	45.6
65	19.4	15.3	22.9





#7
Phenol-d6
Concen: 78.694 ng
RT: 6.966 min Scan# 6
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 99 Resp: 99154

Ion	Ratio	Lower	Upper
99	100		
42	17.7	13.7	20.5
71	35.9	28.2	42.4



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#8
2-Chlorophenol
Concen: 39.543 ng
RT: 7.360 min Scan# 752
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:128 Resp: 438538

Ion	Ratio	Lower	Upper
128	100		
130	33.3	12.6	52.6
64	44.6	23.4	63.4





#9
Benzaldehyde
Concen: 52.616 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 77 Resp: 46448

Ion	Ratio	Lower	Upper
77	100		
105	102.8	84.8	124.8
106	98.0	80.5	120.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#10
Phenol
Concen: 39.253 ng
RT: 6.990 min Scan# 689
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 94 Resp: 518982

Ion	Ratio	Lower	Upper
94	100		
65	27.9	6.8	46.8
66	40.2	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 39.423 ng
RT: 7.213 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 93 Resp: 40626

Ion	Ratio	Lower	Upper
93	100		
63	74.7	52.6	92.6
95	32.9	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#12
1,3-Dichlorobenzene
Concen: 39.468 ng
RT: 7.678 min Scan# 806
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:146 Resp: 482648

Ion	Ratio	Lower	Upper
146	100		
148	63.6	51.9	77.9
75	31.6	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 38.666 ng
RT: 7.819 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:146 Resp: 48329

Ion	Ratio	Lower	Upper
146	100		
148	62.7	51.6	77.4
111	41.5	33.4	50.0

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#14
1,2-Dichlorobenzene
Concen: 38.837 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:146 Resp: 469905

Ion	Ratio	Lower	Upper
146	100		
148	65.8	50.4	75.6
111	43.8	34.5	51.7





#15
Benzyl Alcohol
Concen: 40.199 ng
RT: 8.019 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 79 Resp: 40245

Ion	Ratio	Lower	Upper
79	100		
108	78.5	63.8	95.6
77	62.8	49.0	73.4

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#16
2,2'-oxybis(1-Chloropropane)
Concen: 40.282 ng
RT: 8.307 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 45 Resp: 556083

Ion	Ratio	Lower	Upper
45	100		
77	15.1	0.0	35.3
79	11.1	0.0	31.8





#17
2-Methylphenol
Concen: 39.752 ng
RT: 8.219 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:107 Resp: 36502

Ion	Ratio	Lower	Upper
107	100		
108	113.4	89.4	134.0
77	46.5	36.3	54.5
79	46.5	36.6	54.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#18
Hexachloroethane
Concen: 39.542 ng
RT: 8.860 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:117 Resp: 181724

Ion	Ratio	Lower	Upper
117	100		
119	97.6	75.1	112.7
201	103.5	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 39.304 ng
RT: 8.584 min Scan# 9(
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 70 Resp: 32803

Ion	Ratio	Lower	Upper
70	100		
42	56.8	43.8	65.6
101	10.4	8.5	12.7
130	24.1	19.4	29.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#20
3+4-Methylphenols
Concen: 39.561 ng
RT: 8.543 min Scan# 953
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:107 Resp: 503552

Ion	Ratio	Lower	Upper
107	100		
108	89.5	66.3	106.3
77	33.4	12.3	52.3
79	28.8	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.554 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:136 Resp: 69911

Ion	Ratio	Lower	Upper
136	100		
137	11.1	9.2	13.8
54	7.6	6.0	9.0
68	5.1	4.3	6.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#22
Acetophenone
Concen: 38.792 ng
RT: 8.595 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:105 Resp: 680116

Ion	Ratio	Lower	Upper
105	100		
71	3.8	2.6	4.0
51	27.3	20.6	30.8
120	22.6	18.6	27.8





#23
Nitrobenzene-d5
Concen: 79.367 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 82 Resp: 109689

Ion	Ratio	Lower	Upper
82	100		
128	45.1	37.7	56.5
54	51.3	39.8	59.6



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#24
Nitrobenzene
Concen: 39.805 ng
RT: 8.966 min Scan# 1025
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 77 Resp: 491654

Ion	Ratio	Lower	Upper
77	100		
123	47.7	38.6	58.0
65	14.2	10.6	15.8





#25
Isophorone
Concen: 38.387 ng
RT: 9.495 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 82 Resp: 93889

Ion	Ratio	Lower	Upper
82	100		
95	8.0	6.4	9.6
138	18.8	15.4	23.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#26
2-Nitrophenol
Concen: 39.458 ng
RT: 9.672 min Scan# 1145
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:139 Resp: 250121

Ion	Ratio	Lower	Upper
139	100		
109	34.1	26.9	40.3
65	49.2	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 39.018 ng
RT: 9.737 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:122 Resp: 42533

Ion	Ratio	Lower	Upper
122	100		
107	118.5	93.7	140.5
121	59.8	46.6	69.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#28
bis(2-Chloroethoxy)methane
Concen: 38.258 ng
RT: 9.960 min Scan# 1194
Delta R.T. -0.012 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 93 Resp: 565633

Ion	Ratio	Lower	Upper
93	100		
95	33.0	25.4	38.0
123	11.7	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 38.724 ng
RT: 10.207 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:162 Resp: 41934

Ion	Ratio	Lower	Upper
162	100		
164	64.7	44.4	84.4
98	34.7	14.9	54.9

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#30
1,2,4-Trichlorobenzene
Concen: 37.921 ng
RT: 10.419 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:180 Resp: 450156

Ion	Ratio	Lower	Upper
180	100		
182	95.9	78.0	117.0
145	31.8	25.9	38.9





#31
Naphthalene
Concen: 38.324 ng
RT: 10.607 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:128 Resp: 139257

Ion	Ratio	Lower	Upper
128	100		
129	10.8	8.6	13.0
127	13.2	10.7	16.1



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#32
Benzoic acid
Concen: 37.734 ng
RT: 9.872 min Scan# 1179
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:122 Resp: 303683

Ion	Ratio	Lower	Upper
122	100		
105	129.8	100.6	140.6
77	95.1	71.5	111.5





#33
4-Chloroaniline
Concen: 39.164 ng
RT: 10.707 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:127 Resp: 62860

Ion	Ratio	Lower	Upper
127	100		
129	31.7	25.4	38.2
65	29.9	23.8	35.6
92	19.6	15.8	23.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#34
Hexachlorobutadiene
Concen: 38.652 ng
RT: 10.895 min Scan# 1353
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:225 Resp: 285751

Ion	Ratio	Lower	Upper
225	100		
223	59.6	50.0	75.0
227	63.3	49.7	74.5





#35
Caprolactam
Concen: 37.951 ng
RT: 11.489 min Scan# 14
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:113 Resp: 15069

Ion	Ratio	Lower	Upper
113	100		
55	154.8	140.0	180.0
56	124.8	100.0	140.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#36
4-Chloro-3-methylphenol
Concen: 38.840 ng
RT: 11.825 min Scan# 1511
Delta R.T. -0.012 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:107 Resp: 482622

Ion	Ratio	Lower	Upper
107	100		
144	25.3	21.0	31.4
142	79.1	64.6	97.0





#37
2-Methylnaphthalene
Concen: 38.190 ng
RT: 12.213 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:142 Resp: 90308

Ion	Ratio	Lower	Upper
142	100		
141	89.2	70.3	105.5
115	37.5	28.9	43.3



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#38
1-Methylnaphthalene
Concen: 37.439 ng
RT: 12.431 min Scan# 1614
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:142 Resp: 941493

Ion	Ratio	Lower	Upper
142	100		
141	91.7	73.1	109.7
116	4.3	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:164 Resp: 45830

Ion	Ratio	Lower	Upper
164	100		
162	102.0	81.0	121.6
160	45.5	35.4	53.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 38.717 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:216 Resp: 512464

Ion	Ratio	Lower	Upper
216	100		
214	78.9	63.0	94.4
179	21.5	17.1	25.7
108	19.3	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 40.319 ng
RT: 12.566 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:237 Resp: 32236

Ion	Ratio	Lower	Upper
237	100		
235	61.4	42.7	82.7
272	12.7	0.0	34.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#42
2,4,6-Tribromophenol
Concen: 78.381 ng
RT: 15.913 min Scan# 2206
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:330 Resp: 483517

Ion	Ratio	Lower	Upper
330	100		
332	96.9	77.3	115.9
141	34.0	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 39.291 ng
RT: 12.819 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:196 Resp: 35110

Ion	Ratio	Lower	Upper
196	100		
198	97.7	77.2	115.8
200	31.6	23.9	35.9

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#44
2,4,5-Trichlorophenol
Concen: 39.656 ng
RT: 12.889 min Scan# 1692
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:196 Resp: 388369

Ion	Ratio	Lower	Upper
196	100		
198	94.9	76.2	114.2
97	49.5	41.2	61.8
132	27.8	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 75.449 ng
RT: 13.013 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:172 Resp: 253010

Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.1	42.1
170	23.5	18.6	28.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#46
1,1'-Biphenyl
Concen: 38.672 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:154 Resp: 1287182

Ion	Ratio	Lower	Upper
154	100		
153	40.2	19.5	59.5
76	11.0	0.0	31.1





#47
2-Chloronaphthalene
Concen: 38.780 ng
RT: 13.266 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:162 Resp: 100485

Ion	Ratio	Lower	Upper
162	100		
127	41.4	33.4	50.2
164	32.6	26.2	39.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#48
2-Nitroaniline
Concen: 40.910 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 65 Resp: 308875

Ion	Ratio	Lower	Upper
65	100		
92	68.4	57.6	86.4
138	113.2	91.0	136.6





#49
Acenaphthylene
Concen: 38.457 ng
RT: 14.125 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:152 Resp: 164888

Ion	Ratio	Lower	Upper
152	100		
151	19.9	16.0	24.0
153	12.9	10.6	15.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#50
Dimethylphthalate
Concen: 38.040 ng
RT: 13.854 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:163 Resp: 1276659

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.2	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 40.628 ng
RT: 13.966 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:165 Resp: 28738

Ion	Ratio	Lower	Upper
165	100		
63	52.5	40.9	61.3
89	54.3	42.1	63.1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#52
Acenaphthene
Concen: 37.707 ng m
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:154 Resp: 949003

Ion	Ratio	Lower	Upper
154	100		
153	111.7	90.2	135.2
152	53.1	42.1	63.1





#53
3-Nitroaniline
Concen: 40.043 ng
RT: 14.295 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:138 Resp: 31868

Ion	Ratio	Lower	Upper
138	100		
108	11.9	8.3	12.5
92	112.8	86.2	129.2

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#54
2,4-Dinitrophenol
Concen: 39.794 ng
RT: 14.507 min Scan# 1967
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:184 Resp: 150322

Ion	Ratio	Lower	Upper
184	100		
63	57.7	49.4	74.2
154	70.9	54.6	82.0





#55
Dibenzofuran
Concen: 37.495 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:168 Resp: 149192

Ion	Ratio	Lower	Upper
168	100		
139	39.7	31.5	47.3
169	13.4	10.9	16.3



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#56
4-Nitrophenol
Concen: 39.771 ng
RT: 14.607 min Scan# 1984
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:139 Resp: 260098

Ion	Ratio	Lower	Upper
139	100		
109	82.0	56.6	96.6
65	95.2	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 40.518 ng
RT: 14.766 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:165 Resp: 40891

Ion	Ratio	Lower	Upper
165	100		
63	43.0	31.4	47.2
89	70.7	53.3	79.9
182	3.1	2.3	3.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#58
Fluorene
Concen: 37.121 ng
RT: 15.472 min Scan# 2131
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:166 Resp: 1165482

Ion	Ratio	Lower	Upper
166	100		
165	95.8	78.8	118.2
167	13.1	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 39.927 ng
RT: 15.036 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:232 Resp: 34527

Ion	Ratio	Lower	Upper
232	100		
131	47.6	37.0	55.6
130	2.6	1.9	2.9
166	31.9	25.4	38.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#60
Diethylphthalate
Concen: 38.058 ng
RT: 15.236 min Scan# 2091
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:149 Resp: 1297841

Ion	Ratio	Lower	Upper
149	100		
177	21.3	17.3	25.9
150	12.8	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 36.845 ng
RT: 15.460 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:204 Resp: 57533

Ion	Ratio	Lower	Upper
204	100		
206	33.3	25.8	38.8
141	66.6	49.4	74.2

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#62
4-Nitroaniline
Concen: 39.397 ng
RT: 15.483 min Scan# 2133
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:138 Resp: 321438

Ion	Ratio	Lower	Upper
138	100		
92	49.4	29.1	69.1
108	87.5	61.5	101.5





#63
Azobenzene
Concen: 39.282 ng
RT: 15.760 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 77 Resp: 114700

Ion	Ratio	Lower	Upper
77	100		
182	27.1	7.5	47.5
105	22.0	2.1	42.1
51	31.3	9.6	49.6



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 2425
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:188 Resp: 913689

Ion	Ratio	Lower	Upper
188	100		
94	8.5	6.6	10.0
80	9.1	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 39.253 ng
RT: 15.542 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:198 Resp: 22356

Ion	Ratio	Lower	Upper
198	100		
51	42.4	19.6	59.6
105	42.9	20.9	60.9

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#66
n-Nitrosodiphenylamine
Concen: 38.519 ng
RT: 15.672 min Scan# 2165
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:169 Resp: 1073233

Ion	Ratio	Lower	Upper
169	100		
168	65.7	53.2	79.8
167	35.9	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 38.195 ng
RT: 16.372 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:248 Resp: 38381

Ion	Ratio	Lower	Upper
248	100		
250	95.5	78.2	117.2
141	78.8	59.6	89.4

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#68
Hexachlorobenzene
Concen: 37.966 ng
RT: 16.495 min Scan# 2305
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:284 Resp: 442250

Ion	Ratio	Lower	Upper
284	100		
142	34.8	29.1	43.7
249	31.3	25.0	37.4





#69
Atrazine
Concen: 37.872 ng
RT: 16.654 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:200 Resp: 39516

Ion	Ratio	Lower	Upper
200	100		
173	26.3	6.7	46.7
215	47.3	29.7	69.7

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#70
Pentachlorophenol
Concen: 40.681 ng
RT: 16.842 min Scan# 2364
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:266 Resp: 299142

Ion	Ratio	Lower	Upper
266	100		
268	62.5	52.6	79.0
264	62.4	52.0	78.0





#71
Phenanthrene
Concen: 37.862 ng
RT: 17.248 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:178 Resp: 190037

Ion	Ratio	Lower	Upper
178	100		
176	19.4	15.5	23.3
179	15.2	12.2	18.4

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#72
Anthracene
Concen: 38.117 ng
RT: 17.336 min Scan# 2448
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:178 Resp: 1953735

Ion	Ratio	Lower	Upper
178	100		
176	18.7	14.7	22.1
179	15.6	12.2	18.2





#73
Carbazole
Concen: 37.549 ng
RT: 17.613 min Scan# 24
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:167 Resp: 181282

Ion	Ratio	Lower	Upper
167	100		
166	21.0	17.5	26.3
139	14.0	10.6	16.0

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#74
Di-n-butylphthalate
Concen: 38.345 ng
RT: 18.207 min Scan# 2596
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:149 Resp: 2277638

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.4	11.0
104	4.9	4.2	6.2





#75
Fluoranthene
Concen: 37.721 ng
RT: 19.324 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:202 Resp: 225833

Ion	Ratio	Lower	Upper
202	100		
101	9.9	0.0	31.1
203	17.4	0.0	37.3

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:240 Resp: 958309

Ion	Ratio	Lower	Upper
240	100		
120	10.3	8.9	13.3
236	25.4	19.8	29.8





#77
Benzidine
Concen: 56.911 ng
RT: 19.513 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:184 Resp: 186126

Ion	Ratio	Lower	Upper
184	100		
185	13.8	11.5	17.3
183	11.9	9.4	14.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#78
Pyrene
Concen: 37.884 ng
RT: 19.701 min Scan# 2850
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:202 Resp: 2359709

Ion	Ratio	Lower	Upper
202	100		
200	21.2	16.9	25.3
203	17.3	14.2	21.2





#79
Terphenyl-d14
Concen: 75.070 ng
RT: 19.918 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:244 Resp: 393209

Ion	Ratio	Lower	Upper
244	100		
212	7.4	5.8	8.6
122	8.7	7.4	11.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#80
Butylbenzylphthalate
Concen: 37.699 ng
RT: 20.654 min Scan# 3012
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:149 Resp: 1064206

Ion	Ratio	Lower	Upper
149	100		
91	64.5	54.2	81.2
206	21.7	16.6	24.8





#81
Benzo(a)anthracene
Concen: 37.816 ng
RT: 21.630 min Scan# 3
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:228 Resp: 239002

Ion	Ratio	Lower	Upper
228	100		
226	27.3	21.7	32.5
229	19.8	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#82
3,3'-Dichlorobenzidine
Concen: 38.057 ng
RT: 21.536 min Scan# 3162
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:252 Resp: 906596

Ion	Ratio	Lower	Upper
252	100		
254	64.1	51.8	77.6
126	11.1	9.1	13.7





#83
Chrysene
Concen: 37.876 ng
RT: 21.695 min Scan# 3
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:228 Resp: 224179

Ion	Ratio	Lower	Upper
228	100		
226	29.8	23.2	34.8
229	19.7	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 37.052 ng
RT: 21.571 min Scan# 3168
Delta R.T. -0.012 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:149 Resp: 1539693

Ion	Ratio	Lower	Upper
149	100		
167	27.7	22.1	33.1
279	4.7	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 37.018 ng
RT: 22.859 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:149 Resp: 264592

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.3	6.3	9.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.012 min Scan# 3753
Delta R.T. -0.018 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:264 Resp: 1096861

Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.3	28.9
265	21.4	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 39.082 ng
RT: 28.865 min Scan# 4
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:276 Resp: 314369

Ion	Ratio	Lower	Upper
276	100		
138	17.7	12.9	19.3
277	21.0	17.0	25.6



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#88
Benzo(b)fluoranthene
Concen: 38.843 ng
RT: 23.942 min Scan# 3571
Delta R.T. -0.012 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:252 Resp: 2512340

Ion	Ratio	Lower	Upper
252	100		
253	22.5	17.7	26.5
125	9.5	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 38.446 ng
RT: 24.012 min Scan# 3
Delta R.T. -0.018 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:252 Resp: 248834

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.1	25.7
125	9.3	7.8	11.6



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#90
Benzo(a)pyrene
Concen: 38.805 ng
RT: 24.853 min Scan# 3726
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:252 Resp: 2443181

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.5	26.3
125	10.5	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 39.482 ng
RT: 28.930 min Scan# 4
Delta R.T. -0.024 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:278 Resp: 259538

Ion	Ratio	Lower	Upper
278	100		
139	14.5	13.0	19.4
279	23.9	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#92
Benzo(g,h,i)perylene
Concen: 39.255 ng
RT: 30.012 min Scan# 4603
Delta R.T. -0.047 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:276 Resp: 2536518

Ion	Ratio	Lower	Upper
276	100		
277	24.1	19.4	29.0
138	20.7	16.7	25.1



Sample Results: **BP025422.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025422.D
Acq On : 15 Aug 2025 10:36
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 11:23:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	103	0.00
2		1,4-Dioxane	0.472	0.440	6.8	102	0.00
3		Pyridine	1.291	1.243	3.7	105	0.00
4		n-Nitrosodimethylamine	0.532	0.550	-3.4	111	0.00
5	S	2-Fluorophenol	1.204	1.169	2.9	104	0.00
6		Aniline	2.080	2.076	0.2	106	0.00
7	S	Phenol-d6	1.544	1.519	1.6	104	0.00
8		2-Chlorophenol	1.359	1.343	1.2	106	0.00
9		Benzaldehyde	1.082	1.423	-31.5#	108	0.00
10	C	Phenol	1.620	1.590	1.9	104	0.00
11		bis(2-Chloroethyl)ether	1.263	1.245	1.4	105	0.00
12		1,3-Dichlorobenzene	1.499	1.479	1.3	106	0.00
13	C	1,4-Dichlorobenzene	1.532	1.481	3.3	104	-0.01
14		1,2-Dichlorobenzene	1.483	1.440	2.9	104	0.00
15		Benzyl Alcohol	1.227	1.233	-0.5	107	0.00
16		2,2'-oxybis(1-Chloropropane	1.692	1.704	-0.7	109	0.00
17		2-Methylphenol	1.125	1.118	0.6	104	0.00
18		Hexachloroethane	0.563	0.557	1.1	106	0.00
19	P	n-Nitroso-di-n-propylamine	1.023	1.005	1.8	105	0.00
20		3+4-Methylphenols	1.560	1.543	1.1	105	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	105	0.00
22		Acetophenone	0.502	0.486	3.2	106	0.00
23	S	Nitrobenzene-d5	0.395	0.392	0.8	108	0.00
24		Nitrobenzene	0.353	0.352	0.3	108	0.00
25		Isophorone	0.700	0.671	4.1	105	0.00
26	C	2-Nitrophenol	0.181	0.179	1.1	104	0.00
27		2,4-Dimethylphenol	0.312	0.304	2.6	104	0.00
28		bis(2-Chloroethoxy)methane	0.423	0.405	4.3	105	-0.01
29	C	2,4-Dichlorophenol	0.310	0.300	3.2	103	0.00
30		1,2,4-Trichlorobenzene	0.340	0.322	5.3	104	0.00
31		Naphthalene	1.040	0.996	4.2	105	0.00
32		Benzoic acid	0.230	0.217	5.7	101	0.00
33		4-Chloroaniline	0.459	0.450	2.0	105	0.00
34	C	Hexachlorobutadiene	0.211	0.204	3.3	105	0.00
35		Caprolactam	0.114	0.108	5.3	104	0.00
36	C	4-Chloro-3-methylphenol	0.355	0.345	2.8	105	-0.01
37		2-Methylnaphthalene	0.676	0.646	4.4	104	0.00
38		1-Methylnaphthalene	0.719	0.673	6.4	103	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	104	0.00
40		1,2,4,5-Tetrachlorobenzene	0.578	0.559	3.3	104	0.00
41	P	Hexachlorocyclopentadiene	0.349	0.352	-0.9	105	0.00
42	S	2,4,6-Tribromophenol	0.269	0.264	1.9	104	0.00
43	C	2,4,6-Trichlorophenol	0.390	0.383	1.8	104	0.00
44		2,4,5-Trichlorophenol	0.427	0.424	0.7	104	0.00
45	S	2-Fluorobiphenyl	1.463	1.380	5.7	103	0.00
46		1,1'-Biphenyl	1.453	1.404	3.4	104	0.00
47		2-Chloronaphthalene	1.131	1.096	3.1	103	0.00

Sample Results: **BP025422.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025422.D
Acq On : 15 Aug 2025 10:36
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 11:23:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.329	0.337	-2.4	106	0.00
49		Acenaphthylene	1.871	1.799	3.8	103	0.00
50		Dimethylphthalate	1.465	1.393	4.9	103	0.00
51		2,6-Dinitrotoluene	0.309	0.314	-1.6	105	0.00
52	C	Acenaphthene	1.098	1.035	5.7	103	0.00
53		3-Nitroaniline	0.347	0.348	-0.3	106	0.00
54	P	2,4-Dinitrophenol	0.165	0.164	0.6	104	0.00
55		Dibenzofuran	1.736	1.628	6.2	101	0.00
56	P	4-Nitrophenol	0.285	0.284	0.4	105	0.00
57		2,4-Dinitrotoluene	0.440	0.446	-1.4	106	0.00
58		Fluorene	1.370	1.272	7.2	101	0.00
59		2,3,4,6-Tetrachlorophenol	0.377	0.377	0.0	106	0.00
60		Diethylphthalate	1.488	1.416	4.8	103	0.00
61		4-Chlorophenyl-phenylether	0.681	0.628	7.8	100	0.00
62		4-Nitroaniline	0.356	0.351	1.4	104	0.00
63		Azobenzene	1.274	1.251	1.8	105	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	103	0.00
65		4,6-Dinitro-2-methylphenol	0.125	0.122	2.4	103	0.00
66	c	n-Nitrosodiphenylamine	0.610	0.587	3.8	103	0.00
67		4-Bromophenyl-phenylether	0.220	0.210	4.5	102	0.00
68		Hexachlorobenzene	0.255	0.242	5.1	103	0.00
69		Atrazine	0.228	0.216	5.3	102	0.00
70	C	Pentachlorophenol	0.161	0.164	-1.9	107	0.00
71		Phenanthrene	1.099	1.040	5.4	103	0.00
72		Anthracene	1.122	1.069	4.7	102	0.00
73		Carbazole	1.057	0.992	6.1	102	0.00
74		Di-n-butylphthalate	1.300	1.246	4.2	103	0.00
75	C	Fluoranthene	1.311	1.236	5.7	104	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	107	0.00
77		Benzidine	0.683	0.971	-42.2#	107	0.00
78		Pyrene	1.300	1.231	5.3	103	0.00
79	S	Terphenyl-d14	1.093	1.026	6.1	105	0.00
80		Butylbenzylphthalate	0.589	0.555	5.8	102	0.00
81		Benzo(a)anthracene	1.319	1.247	5.5	105	0.00
82		3,3'-Dichlorobenzidine	0.497	0.473	4.8	103	0.00
83		Chrysene	1.235	1.170	5.3	105	0.00
84		Bis(2-ethylhexyl)phthalate	0.867	0.803	7.4	103	-0.01
85	c	Di-n-octyl phthalate	1.492	1.381	7.4	102	-0.01
86	I	Perylene-d12	1.000	1.000	0.0	107	-0.02
87		Indeno(1,2,3-cd)pyrene	1.467	1.433	2.3	109	0.00
88		Benzo(b)fluoranthene	1.179	1.145	2.9	108	-0.01
89		Benzo(k)fluoranthene	1.180	1.134	3.9	108	-0.02
90	C	Benzo(a)pyrene	1.148	1.114	3.0	108	0.00
91		Dibenzo(a,h)anthracene	1.199	1.183	1.3	110	-0.02
92		Benzo(g,h,i)perylene	1.178	1.156	1.9	109	-0.05

Sample Results: **BP025422.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025422.D
Acq On : 15 Aug 2025 10:36
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 11:23:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Sample Results: **BP025422.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025422.D
Acq On : 15 Aug 2025 10:36
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 11:23:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	103	0.00
2		1,4-Dioxane	40.000	37.293	6.8	102	0.00
3		Pyridine	40.000	38.504	3.7	105	0.00
4		n-Nitrosodimethylamine	40.000	41.341	-3.4	111	0.00
5	S	2-Fluorophenol	80.000	77.682	2.9	104	0.00
6		Aniline	40.000	39.917	0.2	106	0.00
7	S	Phenol-d6	80.000	78.694	1.6	104	0.00
8		2-Chlorophenol	40.000	39.543	1.1	106	0.00
9		Benzaldehyde	40.000	52.616	-31.5#	108	0.00
10	C	Phenol	40.000	39.253	1.9	104	0.00
11		bis(2-Chloroethyl)ether	40.000	39.423	1.4	105	0.00
12		1,3-Dichlorobenzene	40.000	39.468	1.3	106	0.00
13	C	1,4-Dichlorobenzene	40.000	38.666	3.3	104	-0.01
14		1,2-Dichlorobenzene	40.000	38.837	2.9	104	0.00
15		Benzyl Alcohol	40.000	40.199	-0.5	107	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	40.282	-0.7	109	0.00
17		2-Methylphenol	40.000	39.752	0.6	104	0.00
18		Hexachloroethane	40.000	39.542	1.1	106	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	39.304	1.7	105	0.00
20		3+4-Methylphenols	40.000	39.561	1.1	105	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	105	0.00
22		Acetophenone	40.000	38.792	3.0	106	0.00
23	S	Nitrobenzene-d5	80.000	79.367	0.8	108	0.00
24		Nitrobenzene	40.000	39.805	0.5	108	0.00
25		Isophorone	40.000	38.387	4.0	105	0.00
26	C	2-Nitrophenol	40.000	39.458	1.4	104	0.00
27		2,4-Dimethylphenol	40.000	39.018	2.5	104	0.00
28		bis(2-Chloroethoxy)methane	40.000	38.258	4.4	105	-0.01
29	C	2,4-Dichlorophenol	40.000	38.724	3.2	103	0.00
30		1,2,4-Trichlorobenzene	40.000	37.921	5.2	104	0.00
31		Naphthalene	40.000	38.324	4.2	105	0.00
32		Benzoic acid	40.000	37.734	5.7	101	0.00
33		4-Chloroaniline	40.000	39.164	2.1	105	0.00
34	C	Hexachlorobutadiene	40.000	38.652	3.4	105	0.00
35		Caprolactam	40.000	37.951	5.1	104	0.00
36	C	4-Chloro-3-methylphenol	40.000	38.840	2.9	105	-0.01
37		2-Methylnaphthalene	40.000	38.190	4.5	104	0.00
38		1-Methylnaphthalene	40.000	37.439	6.4	103	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	104	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	38.717	3.2	104	0.00
41	P	Hexachlorocyclopentadiene	40.000	40.319	-0.8	105	0.00
42	S	2,4,6-Tribromophenol	80.000	78.381	2.0	104	0.00
43	C	2,4,6-Trichlorophenol	40.000	39.291	1.8	104	0.00
44		2,4,5-Trichlorophenol	40.000	39.656	0.9	104	0.00
45	S	2-Fluorobiphenyl	80.000	75.449	5.7	103	0.00
46		1,1'-Biphenyl	40.000	38.672	3.3	104	0.00
47		2-Chloronaphthalene	40.000	38.780	3.0	103	0.00

Sample Results: **BP025422.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025422.D
Acq On : 15 Aug 2025 10:36
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 11:23:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	40.910	-2.3	106	0.00
49		Acenaphthylene	40.000	38.457	3.9	103	0.00
50		Dimethylphthalate	40.000	38.040	4.9	103	0.00
51		2,6-Dinitrotoluene	40.000	40.628	-1.6	105	0.00
52	C	Acenaphthene	40.000	37.707	5.7	103	0.00
53		3-Nitroaniline	40.000	40.043	-0.1	106	0.00
54	P	2,4-Dinitrophenol	40.000	39.794	0.5	104	0.00
55		Dibenzofuran	40.000	37.495	6.3	101	0.00
56	P	4-Nitrophenol	40.000	39.771	0.6	105	0.00
57		2,4-Dinitrotoluene	40.000	40.518	-1.3	106	0.00
58		Fluorene	40.000	37.121	7.2	101	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	39.927	0.2	106	0.00
60		Diethylphthalate	40.000	38.058	4.9	103	0.00
61		4-Chlorophenyl-phenylether	40.000	36.845	7.9	100	0.00
62		4-Nitroaniline	40.000	39.397	1.5	104	0.00
63		Azobenzene	40.000	39.282	1.8	105	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	103	0.00
65		4,6-Dinitro-2-methylphenol	40.000	39.253	1.9	103	0.00
66	c	n-Nitrosodiphenylamine	40.000	38.519	3.7	103	0.00
67		4-Bromophenyl-phenylether	40.000	38.195	4.5	102	0.00
68		Hexachlorobenzene	40.000	37.966	5.1	103	0.00
69		Atrazine	40.000	37.872	5.3	102	0.00
70	C	Pentachlorophenol	40.000	40.681	-1.7	107	0.00
71		Phenanthrene	40.000	37.862	5.3	103	0.00
72		Anthracene	40.000	38.117	4.7	102	0.00
73		Carbazole	40.000	37.549	6.1	102	0.00
74		Di-n-butylphthalate	40.000	38.345	4.1	103	0.00
75	C	Fluoranthene	40.000	37.721	5.7	104	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	107	0.00
77		Benzidine	40.000	56.911	-42.3#	107	0.00
78		Pyrene	40.000	37.884	5.3	103	0.00
79	S	Terphenyl-d14	80.000	75.070	6.2	105	0.00
80		Butylbenzylphthalate	40.000	37.699	5.8	102	0.00
81		Benzo(a)anthracene	40.000	37.816	5.5	105	0.00
82		3,3'-Dichlorobenzidine	40.000	38.057	4.9	103	0.00
83		Chrysene	40.000	37.876	5.3	105	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	37.052	7.4	103	-0.01
85	c	Di-n-octyl phthalate	40.000	37.018	7.5	102	-0.01
86	I	Perylene-d12	20.000	20.000	0.0	107	-0.02
87		Indeno(1,2,3-cd)pyrene	40.000	39.082	2.3	109	0.00
88		Benzo(b)fluoranthene	40.000	38.843	2.9	108	-0.01
89		Benzo(k)fluoranthene	40.000	38.446	3.9	108	-0.02
90	C	Benzo(a)pyrene	40.000	38.805	3.0	108	0.00
91		Dibenzo(a,h)anthracene	40.000	39.482	1.3	110	-0.02
92		Benzo(g,h,i)perylene	40.000	39.255	1.9	109	-0.05

Sample Results: **BP025422.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025422.D
Acq On : 15 Aug 2025 10:36
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 15 11:23:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Raw Data: **BP025436.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/15/2025 21:03

Lab File ID: BP025436.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040EC Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.204	1.297		7.7	50.0
Benzaldehyde	1.082	1.315		21.5	50.0
Phenol-d6	1.544	1.709		10.7	50.0
Phenol	1.620	1.777		9.7	50.0
bis(2-Chloroethyl)ether	1.263	1.365		8.1	50.0
2-Chlorophenol	1.359	1.491		9.7	50.0
2-Methylphenol	1.125	1.247		10.8	50.0
2,2-oxybis(1-Chloropropane)	1.692	1.910		12.9	50.0
Acetophenone	0.502	0.537		7.0	50.0
3+4-Methylphenols	1.560	1.699		8.9	50.0
n-Nitroso-di-n-propylamine	1.023	1.110	0.050	8.5	50.0
Nitrobenzene-d5	0.395	0.431		9.1	50.0
Hexachloroethane	0.563	0.621		10.3	50.0
Nitrobenzene	0.353	0.388		9.9	50.0
Isophorone	0.700	0.727		3.9	50.0
2-Nitrophenol	0.181	0.199		9.9	50.0
2,4-Dimethylphenol	0.312	0.339		8.7	50.0
bis(2-Chloroethoxy)methane	0.423	0.448		5.9	50.0
2,4-Dichlorophenol	0.310	0.343		10.6	50.0
Naphthalene	1.040	1.097		5.5	50.0
4-Chloroaniline	0.459	0.488		6.3	50.0
Hexachlorobutadiene	0.211	0.230		9.0	50.0
Caprolactam	0.114	0.118		3.5	50.0
4-Chloro-3-methylphenol	0.355	0.379		6.8	50.0
2-Methylnaphthalene	0.676	0.710		5.0	50.0
Hexachlorocyclopentadiene	0.349	0.323	0.050	-7.4	50.0
2,4,6-Trichlorophenol	0.390	0.436		11.8	50.0
2-Fluorobiphenyl	1.463	1.527		4.4	50.0
2,4,5-Trichlorophenol	0.427	0.482		12.9	50.0
1,1-Biphenyl	1.453	1.590		9.4	50.0
2-Chloronaphthalene	1.131	1.227		8.5	50.0
2-Nitroaniline	0.329	0.382		16.1	50.0
Dimethylphthalate	1.465	1.593		8.7	50.0
Acenaphthylene	1.871	2.004		7.1	50.0
2,6-Dinitrotoluene	0.309	0.349		12.9	50.0
3-Nitroaniline	0.347	0.390		12.4	50.0
Acenaphthene	1.098	1.169		6.5	50.0
2,4-Dinitrophenol	0.165	0.134	0.050	-18.8	50.0
4-Nitrophenol	0.285	0.324	0.050	13.7	50.0

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name:	Alliance	Contract:	FIRS02
Lab Code:	ACE	SDG No.:	Q2815
Instrument ID:	BNA_P	Calibration Date/Time:	08/15/2025 21:03
Lab File ID:	BP025436.D	Init. Calib. Date(s):	08/14/2025 08/14/2025
EPA Sample No.:	SSTDCCC040EC	Init. Calib. Time(s):	12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.736	1.849		6.5	50.0
2,4-Dinitrotoluene	0.440	0.498		13.2	50.0
Diethylphthalate	1.488	1.607		8.0	50.0
4-Chlorophenyl-phenylether	0.681	0.703		3.2	50.0
Fluorene	1.370	1.410		2.9	50.0
4-Nitroaniline	0.356	0.384		7.9	50.0
4,6-Dinitro-2-methylphenol	0.125	0.110		-12.0	50.0
n-Nitrosodiphenylamine	0.610	0.659		8.0	50.0
2,4,6-Tribromophenol	0.269	0.298		10.8	50.0
4-Bromophenyl-phenylether	0.220	0.242		10.0	50.0
Hexachlorobenzene	0.255	0.272		6.7	50.0
Atrazine	0.228	0.250		9.6	50.0
Pentachlorophenol	0.161	0.178		10.6	50.0
Phenanthrene	1.099	1.162		5.7	50.0
Anthracene	1.122	1.203		7.2	50.0
Carbazole	1.057	1.128		6.7	50.0
Di-n-butylphthalate	1.300	1.420		9.2	50.0
Fluoranthene	1.311	1.374		4.8	50.0
Pyrene	1.300	1.403		7.9	50.0
Terphenyl-d14	1.093	1.170		7.0	50.0
Butylbenzylphthalate	0.589	0.673		14.3	50.0
3,3-Dichlorobenzidine	0.497	0.550		10.7	50.0
Benzo(a)anthracene	1.319	1.407		6.7	50.0
Chrysene	1.235	1.321		7.0	50.0
Bis(2-ethylhexyl)phthalate	0.867	0.965		11.3	50.0
Di-n-octyl phthalate	1.492	1.681		12.7	50.0
Benzo(b)fluoranthene	1.179	1.283		8.8	50.0
Benzo(k)fluoranthene	1.180	1.265		7.2	50.0
Benzo(a)pyrene	1.148	1.241		8.1	50.0
Indeno(1,2,3-cd)pyrene	1.467	1.559		6.3	50.0
Dibenzo(a,h)anthracene	1.199	1.285		7.2	50.0
Benzo(g,h,i)perylene	1.178	1.259		6.9	50.0
1,2,4,5-Tetrachlorobenzene	0.578	0.633		9.5	50.0
1,4-Dioxane	0.472	0.484		2.5	50.0
2,3,4,6-Tetrachlorophenol	0.377	0.417		10.6	50.0

All other compounds must meet a minimum RRF of 0.010.

Quantitation Report (QT Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025436.D
Acq On : 15 Aug 2025 21:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025

Quant Time: Aug 18 01:37:05 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	166135	20.000	ng		0.00
21) Naphthalene-d8	10.560	136	710479	20.000	ng		0.00
39) Acenaphthene-d10	14.407	164	456766	20.000	ng		0.00
64) Phenanthrene-d10	17.195	188	916670	20.000	ng		0.00
76) Chrysene-d12	21.630	240	933454	20.000	ng		-0.02
86) Perylene-d12	24.989	264	1056853	20.000	ng		-0.04
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	862200	86.186	ng		0.00
7) Phenol-d6	6.967	99	1135967	88.568	ng		0.00
23) Nitrobenzene-d5	8.931	82	1224664	87.195	ng		0.00
42) 2,4,6-Tribromophenol	15.907	330	544037	88.488	ng		0.00
45) 2-Fluorobiphenyl	13.013	172	2790655	83.499	ng		0.00
79) Terphenyl-d14	19.913	244	4367516	85.603	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	160658	41.000	ng		98
3) Pyridine	3.725	79	439304	40.960	ng		94
4) n-Nitrosodimethylamine	3.637	42	200626	45.373	ng		96
6) Aniline	7.125	93	757650	43.843	ng		99
8) 2-Chlorophenol	7.367	128	495342	43.878	ng		99
9) Benzaldehyde	6.937	77	437036	48.635	ng		98
10) Phenol	6.996	94	590307	43.862	ng		98
11) bis(2-Chloroethyl)ether	7.214	93	453562	43.239	ng		99
12) 1,3-Dichlorobenzene	7.684	146	543009	43.622	ng		99
13) 1,4-Dichlorobenzene	7.825	146	546465	42.950	ng		99
14) 1,2-Dichlorobenzene	8.137	146	530443	43.069	ng		97
15) Benzyl Alcohol	8.025	79	454736	44.621	ng		98
16) 2,2'-oxybis(1-Chloropr...	8.308	45	634562	45.158	ng		99
17) 2-Methylphenol	8.219	107	414498	44.345	ng		98
18) Hexachloroethane	8.861	117	206177	44.074	ng		96
19) n-Nitroso-di-n-propyla...	8.584	70	368678	43.396	ng		98
20) 3+4-Methylphenols	8.543	107	564553	43.573	ng		97
22) Acetophenone	8.596	105	762747	42.809	ng	#	98
24) Nitrobenzene	8.972	77	551258	43.917	ng		100
25) Isophorone	9.496	82	1033357	41.573	ng		98
26) 2-Nitrophenol	9.672	139	283328	43.982	ng		100
27) 2,4-Dimethylphenol	9.737	122	481271	43.443	ng		98
28) bis(2-Chloroethoxy)met...	9.966	93	637027	42.398	ng		99
29) 2,4-Dichlorophenol	10.208	162	486914	44.245	ng		99
30) 1,2,4-Trichlorobenzene	10.425	180	515873	42.762	ng		98
31) Naphthalene	10.613	128	1558976	42.217	ng		99
32) Benzoic acid	9.878	122	346284	42.339	ng		94
33) 4-Chloroaniline	10.713	127	693770	42.532	ng		99
34) Hexachlorobutadiene	10.902	225	326490	43.456	ng		99
35) Caprolactam	11.496	113	167685	41.554	ng		98
36) 4-Chloro-3-methylphenol	11.831	107	539188	42.698	ng		96
37) 2-Methylnaphthalene	12.207	142	1008537	41.968	ng		98
38) 1-Methylnaphthalene	12.431	142	1057345	41.373	ng		100
40) 1,2,4,5-Tetrachloroben...	12.584	216	577904	43.807	ng		99
41) Hexachlorocyclopentadiene	12.566	237	295524	37.087	ng		99
43) 2,4,6-Trichlorophenol	12.825	196	398621	44.759	ng		99

Quantitation Report (QT Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025436.D
Acq On : 15 Aug 2025 21:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025

Quant Time: Aug 18 01:37:05 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.902	196	440218	45.101	ng	99
46) 1,1'-Biphenyl	13.225	154	1452635	43.790	ng	99
47) 2-Chloronaphthalene	13.272	162	1120958	43.406	ng	98
48) 2-Nitroaniline	13.466	65	348676	46.337	ng	98
49) Acenaphthylene	14.119	152	1830675	42.840	ng	100
50) Dimethylphthalate	13.849	163	1455084	43.502	ng	99
51) 2,6-Dinitrotoluene	13.972	165	318483	45.175	ng	98
52) Acenaphthene	14.460	154	1068266m	42.589	ng	
53) 3-Nitroaniline	14.296	138	356395	44.932	ng	99
54) 2,4-Dinitrophenol	14.501	184	122865	32.634	ng	96
55) Dibenzofuran	14.807	168	1689125	42.593	ng	99
56) 4-Nitrophenol	14.613	139	295639	45.358	ng	94
57) 2,4-Dinitrotoluene	14.766	165	454531	45.189	ng	99
58) Fluorene	15.466	166	1287972	41.160	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.043	232	380952	44.201	ng	97
60) Diethylphthalate	15.231	149	1468089	43.195	ng	100
61) 4-Chlorophenyl-phenyle...	15.454	204	641804	41.240	ng	96
62) 4-Nitroaniline	15.478	138	350711	43.130	ng	95
63) Azobenzene	15.760	77	1297353	44.580	ng	98
65) 4,6-Dinitro-2-methylph...	15.543	198	201944	35.341	ng	97
66) n-Nitrosodiphenylamine	15.678	169	1208784	43.243	ng	98
67) 4-Bromophenyl-phenylether	16.372	248	442865	43.928	ng	98
68) Hexachlorobenzene	16.490	284	498920	42.691	ng	99
69) Atrazine	16.648	200	458257	43.775	ng	96
70) Pentachlorophenol	16.842	266	327120	44.342	ng	98
71) Phenanthrene	17.242	178	2130157	42.302	ng	100
72) Anthracene	17.331	178	2204625	42.872	ng	99
73) Carbazole	17.613	167	2067991	42.695	ng	99
74) Di-n-butylphthalate	18.201	149	2603783	43.693	ng	100
75) Fluoranthene	19.319	202	2518758	41.933	ng	99
77) Benzidine	19.507	184	1508404	47.349	ng	100
78) Pyrene	19.689	202	2619981	43.183	ng	100
80) Butylbenzylphthalate	20.642	149	1256440	45.693	ng	99
81) Benzo(a)anthracene	21.613	228	2626516	42.665	ng	99
82) 3,3'-Dichlorobenzidine	21.530	252	1026166	44.224	ng	100
83) Chrysene	21.677	228	2465631	42.767	ng	100
84) Bis(2-ethylhexyl)phtha...	21.560	149	1800639	44.485	ng	99
85) Di-n-octyl phthalate	22.848	149	3138516	45.079	ng	99
87) Indeno(1,2,3-cd)pyrene	28.807	276	3296276	42.530	ng	99
88) Benzo(b)fluoranthene	23.930	252	2712012	43.518	ng	99
89) Benzo(k)fluoranthene	24.001	252	2673968	42.878	ng	99
90) Benzo(a)pyrene	24.830	252	2622614	43.232	ng	99
91) Dibenzo(a,h)anthracene	28.912	278	2716441	42.888	ng	98
92) Benzo(g,h,i)perylene	30.006	276	2661609	42.750	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025436.D
Acq On : 15 Aug 2025 21:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Quant Time: Aug 18 01:37:05 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:152 Resp: 16613

Ion	Ratio	Lower	Upper
152	100		
150	157.3	125.9	188.9
115	62.2	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#2
1,4-Dioxane
Concen: 41.000 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 88 Resp: 160658

Ion	Ratio	Lower	Upper
88	100		
58	75.7	59.2	88.8
43	28.9	21.7	32.5





#3
Pyridine
Concen: 40.960 ng
RT: 3.725 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 79 Resp: 43930

Ion	Ratio	Lower	Upper
79	100		
52	74.4	55.5	83.3
51	38.0	28.3	42.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#4
n-Nitrosodimethylamine
Concen: 45.373 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 42 Resp: 200626

Ion	Ratio	Lower	Upper
42	100		
74	128.9	107.0	160.4
44	6.7	6.2	9.4





#5
2-Fluorophenol
Concen: 86.186 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:112 Resp: 86220

Ion	Ratio	Lower	Upper
112	100		
64	55.8	43.8	65.8
63	29.9	22.7	34.1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#6
Aniline
Concen: 43.843 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 93 Resp: 757650

Ion	Ratio	Lower	Upper
93	100		
66	38.5	30.4	45.6
65	19.3	15.3	22.9





#7
Phenol-d6
Concen: 88.568 ng
RT: 6.967 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 99 Resp: 113596

Ion	Ratio	Lower	Upper
99	100		
42	17.9	13.7	20.5
71	34.7	28.2	42.4



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#8
2-Chlorophenol
Concen: 43.878 ng
RT: 7.367 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:128 Resp: 495342

Ion	Ratio	Lower	Upper
128	100		
130	32.5	12.6	52.6
64	42.4	23.4	63.4





#9
Benzaldehyde
Concen: 48.635 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 77 Resp: 43703

Ion	Ratio	Lower	Upper
77	100		
105	101.5	84.8	124.8
106	100.1	80.5	120.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#10
Phenol
Concen: 43.862 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 94 Resp: 590307

Ion	Ratio	Lower	Upper
94	100		
65	28.5	6.8	46.8
66	38.9	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 43.239 ng
RT: 7.214 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 93 Resp: 45356

Ion	Ratio	Lower	Upper
93	100		
63	73.8	52.6	92.6
95	32.3	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#12
1,3-Dichlorobenzene
Concen: 43.622 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:146 Resp: 543009

Ion	Ratio	Lower	Upper
146	100		
148	64.0	51.9	77.9
75	30.2	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 42.950 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:146 Resp: 54646

Ion	Ratio	Lower	Upper
146	100		
148	63.9	51.6	77.4
111	42.2	33.4	50.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#14
1,2-Dichlorobenzene
Concen: 43.069 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:146 Resp: 530443

Ion	Ratio	Lower	Upper
146	100		
148	64.8	50.4	75.6
111	45.0	34.5	51.7





#15
Benzyl Alcohol
Concen: 44.621 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 79 Resp: 45473

Ion	Ratio	Lower	Upper
79	100		
108	79.1	63.8	95.6
77	63.6	49.0	73.4

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#16
2,2'-oxybis(1-Chloropropane)
Concen: 45.158 ng
RT: 8.308 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 45 Resp: 634562

Ion	Ratio	Lower	Upper
45	100		
77	15.5	0.0	35.3
79	11.5	0.0	31.8





#17
2-Methylphenol
Concen: 44.345 ng
RT: 8.219 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:107 Resp: 41449

Ion	Ratio	Lower	Upper
107	100		
108	109.3	89.4	134.0
77	45.3	36.3	54.5
79	47.1	36.6	54.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#18
Hexachloroethane
Concen: 44.074 ng
RT: 8.861 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:117 Resp: 206177

Ion	Ratio	Lower	Upper
117	100		
119	95.4	75.1	112.7
201	107.2	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 43.396 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 70 Resp: 36867

Ion	Ratio	Lower	Upper
70	100		
42	57.2	43.8	65.6
101	10.4	8.5	12.7
130	24.3	19.4	29.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#20
3+4-Methylphenols
Concen: 43.573 ng
RT: 8.543 min Scan# 953
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:107 Resp: 564553

Ion	Ratio	Lower	Upper
107	100		
108	89.1	66.3	106.3
77	33.2	12.3	52.3
79	29.6	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:136 Resp: 71047

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.2	13.8
54	7.5	6.0	9.0
68	5.1	4.3	6.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#22
Acetophenone
Concen: 42.809 ng
RT: 8.596 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:105 Resp: 762747

Ion	Ratio	Lower	Upper
105	100		
71	4.4	2.6	4.0#
51	27.1	20.6	30.8
120	22.3	18.6	27.8





#23
Nitrobenzene-d5
Concen: 87.195 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 82 Resp: 122466

Ion	Ratio	Lower	Upper
82	100		
128	45.3	37.7	56.5
54	52.0	39.8	59.6



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#24
Nitrobenzene
Concen: 43.917 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 77 Resp: 551258

Ion	Ratio	Lower	Upper
77	100		
123	48.4	38.6	58.0
65	13.8	10.6	15.8





#25
Isophorone
Concen: 41.573 ng
RT: 9.496 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 82 Resp: 103335

Ion	Ratio	Lower	Upper
82	100		
95	7.9	6.4	9.6
138	18.1	15.4	23.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#26
2-Nitrophenol
Concen: 43.982 ng
RT: 9.672 min Scan# 1145
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:139 Resp: 283328

Ion	Ratio	Lower	Upper
139	100		
109	33.9	26.9	40.3
65	47.9	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 43.443 ng
RT: 9.737 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:122 Resp: 48127

Ion	Ratio	Lower	Upper
122	100		
107	120.6	93.7	140.5
121	58.9	46.6	69.8

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#28
bis(2-Chloroethoxy)methane
Concen: 42.398 ng
RT: 9.966 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 93 Resp: 637027

Ion	Ratio	Lower	Upper
93	100		
95	32.1	25.4	38.0
123	12.1	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 44.245 ng
RT: 10.208 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:162 Resp: 48691

Ion	Ratio	Lower	Upper
162	100		
164	64.1	44.4	84.4
98	36.2	14.9	54.9



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#30
1,2,4-Trichlorobenzene
Concen: 42.762 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:180 Resp: 515873

Ion	Ratio	Lower	Upper
180	100		
182	95.3	78.0	117.0
145	31.3	25.9	38.9





#31
Naphthalene
Concen: 42.217 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:128 Resp: 155897

Ion	Ratio	Lower	Upper
128	100		
129	11.0	8.6	13.0
127	13.0	10.7	16.1



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#32
Benzoic acid
Concen: 42.339 ng
RT: 9.878 min Scan# 1180
Delta R.T. 0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:122 Resp: 346284

Ion	Ratio	Lower	Upper
122	100		
105	130.5	100.6	140.6
77	93.0	71.5	111.5





#33
4-Chloroaniline
Concen: 42.532 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:127 Resp: 69377

Ion	Ratio	Lower	Upper
127	100		
129	32.3	25.4	38.2
65	29.1	23.8	35.6
92	20.0	15.8	23.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#34
Hexachlorobutadiene
Concen: 43.456 ng
RT: 10.902 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:225 Resp: 326490

Ion	Ratio	Lower	Upper
225	100		
223	62.3	50.0	75.0
227	63.8	49.7	74.5





#35
Caprolactam
Concen: 41.554 ng
RT: 11.496 min Scan# 14
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:113 Resp: 16768

Ion	Ratio	Lower	Upper
113	100		
55	161.7	140.0	180.0
56	123.5	100.0	140.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#36
4-Chloro-3-methylphenol
Concen: 42.698 ng
RT: 11.831 min Scan# 1512
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:107 Resp: 539188

Ion	Ratio	Lower	Upper
107	100		
144	24.8	21.0	31.4
142	76.9	64.6	97.0





#37
2-Methylnaphthalene
Concen: 41.968 ng
RT: 12.207 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:142 Resp: 100853

Ion	Ratio	Lower	Upper
142	100		
141	89.0	70.3	105.5
115	38.5	28.9	43.3

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#38
1-Methylnaphthalene
Concen: 41.373 ng
RT: 12.431 min Scan# 1614
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:142 Resp: 1057345

Ion	Ratio	Lower	Upper
142	100		
141	91.2	73.1	109.7
116	4.1	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:164 Resp: 45676

Ion	Ratio	Lower	Upper
164	100		
162	98.2	81.0	121.6
160	43.8	35.4	53.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 43.807 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:216 Resp: 577904

Ion	Ratio	Lower	Upper
216	100		
214	78.1	63.0	94.4
179	22.0	17.1	25.7
108	18.9	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 37.087 ng
RT: 12.566 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:237 Resp: 29552

Ion	Ratio	Lower	Upper
237	100		
235	63.0	42.7	82.7
272	12.7	0.0	34.0

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#42
2,4,6-Tribromophenol
Concen: 88.488 ng
RT: 15.907 min Scan# 2205
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:330 Resp: 544037

Ion	Ratio	Lower	Upper
330	100		
332	96.7	77.3	115.9
141	35.0	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 44.759 ng
RT: 12.825 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:196 Resp: 39862

Ion	Ratio	Lower	Upper
196	100		
198	95.7	77.2	115.8
200	30.5	23.9	35.9

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#44
2,4,5-Trichlorophenol
Concen: 45.101 ng
RT: 12.902 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:196 Resp: 440218

Ion	Ratio	Lower	Upper
196	100		
198	96.4	76.2	114.2
97	50.4	41.2	61.8
132	28.0	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 83.499 ng
RT: 13.013 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:172 Resp: 279065

Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.1	42.1
170	23.5	18.6	28.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#46
1,1'-Biphenyl
Concen: 43.790 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:154 Resp: 1452635

Ion	Ratio	Lower	Upper
154	100		
153	39.7	19.5	59.5
76	11.6	0.0	31.1





#47
2-Chloronaphthalene
Concen: 43.406 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:162 Resp: 112095

Ion	Ratio	Lower	Upper
162	100		
127	39.8	33.4	50.2
164	32.2	26.2	39.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#48
2-Nitroaniline
Concen: 46.337 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 65 Resp: 348676

Ion	Ratio	Lower	Upper
65	100		
92	70.5	57.6	86.4
138	116.5	91.0	136.6





#49
Acenaphthylene
Concen: 42.840 ng
RT: 14.119 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:152 Resp: 183067

Ion	Ratio	Lower	Upper
152	100		
151	19.9	16.0	24.0
153	13.3	10.6	15.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#50
Dimethylphthalate
Concen: 43.502 ng
RT: 13.849 min Scan# 1855
Delta R.T. -0.012 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:163 Resp: 1455084

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	10.4	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 45.175 ng
RT: 13.972 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:165 Resp: 31848

Ion	Ratio	Lower	Upper
165	100		
63	52.5	40.9	61.3
89	54.4	42.1	63.1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#52
Acenaphthene
Concen: 42.589 ng m
RT: 14.460 min Scan# 1959
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:154 Resp: 1068266

Ion	Ratio	Lower	Upper
154	100		
153	111.8	90.2	135.2
152	53.2	42.1	63.1





#53
3-Nitroaniline
Concen: 44.932 ng
RT: 14.296 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:138 Resp: 35639

Ion	Ratio	Lower	Upper
138	100		
108	11.7	8.3	12.5
92	108.6	86.2	129.2

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#54
2,4-Dinitrophenol
Concen: 32.634 ng
RT: 14.501 min Scan# 1966
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:184 Resp: 122865

Ion	Ratio	Lower	Upper
184	100		
63	60.0	49.4	74.2
154	72.5	54.6	82.0





#55
Dibenzofuran
Concen: 42.593 ng
RT: 14.807 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:168 Resp: 168912

Ion	Ratio	Lower	Upper
168	100		
139	39.9	31.5	47.3
169	13.2	10.9	16.3



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#56
4-Nitrophenol
Concen: 45.358 ng
RT: 14.613 min Scan# 1985
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:139 Resp: 295639

Ion	Ratio	Lower	Upper
139	100		
109	81.5	56.6	96.6
65	94.1	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 45.189 ng
RT: 14.766 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:165 Resp: 45453

Ion	Ratio	Lower	Upper
165	100		
63	40.2	31.4	47.2
89	66.7	53.3	79.9
182	2.7	2.3	3.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#58
Fluorene
Concen: 41.160 ng
RT: 15.466 min Scan# 2130
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:166 Resp: 1287972

Ion	Ratio	Lower	Upper
166	100		
165	98.2	78.8	118.2
167	13.5	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 44.201 ng
RT: 15.043 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:232 Resp: 38095

Ion	Ratio	Lower	Upper
232	100		
131	48.7	37.0	55.6
130	2.7	1.9	2.9
166	32.7	25.4	38.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#60
Diethylphthalate
Concen: 43.195 ng
RT: 15.231 min Scan# 2090
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:149 Resp: 1468089

Ion	Ratio	Lower	Upper
149	100		
177	21.5	17.3	25.9
150	12.6	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 41.240 ng
RT: 15.454 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:204 Resp: 64180

Ion	Ratio	Lower	Upper
204	100		
206	32.5	25.8	38.8
141	66.7	49.4	74.2

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#62
4-Nitroaniline
Concen: 43.130 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:138 Resp: 350711

Ion	Ratio	Lower	Upper
138	100		
92	49.3	29.1	69.1
108	88.2	61.5	101.5





#63
Azobenzene
Concen: 44.580 ng
RT: 15.760 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 77 Resp: 129735

Ion	Ratio	Lower	Upper
77	100		
182	28.3	7.5	47.5
105	22.1	2.1	42.1
51	31.2	9.6	49.6



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.195 min Scan# 2424
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:188 Resp: 916670

Ion	Ratio	Lower	Upper
188	100		
94	8.5	6.6	10.0
80	9.3	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 35.341 ng
RT: 15.543 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:198 Resp: 20194

Ion	Ratio	Lower	Upper
198	100		
51	37.8	19.6	59.6
105	38.8	20.9	60.9

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#66
n-Nitrosodiphenylamine
Concen: 43.243 ng
RT: 15.678 min Scan# 2166
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:169 Resp: 1208784

Ion	Ratio	Lower	Upper
169	100		
168	65.0	53.2	79.8
167	34.9	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 43.928 ng
RT: 16.372 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:248 Resp: 44286

Ion	Ratio	Lower	Upper
248	100		
250	96.0	78.2	117.2
141	77.0	59.6	89.4

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#68
Hexachlorobenzene
Concen: 42.691 ng
RT: 16.490 min Scan# 2304
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:284 Resp: 498920

Ion	Ratio	Lower	Upper
284	100		
142	35.8	29.1	43.7
249	31.4	25.0	37.4





#69
Atrazine
Concen: 43.775 ng
RT: 16.648 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:200 Resp: 45825

Ion	Ratio	Lower	Upper
200	100		
173	26.6	6.7	46.7
215	45.3	29.7	69.7



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#70
Pentachlorophenol
Concen: 44.342 ng
RT: 16.842 min Scan# 2364
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:266 Resp: 327120

Ion	Ratio	Lower	Upper
266	100		
268	63.7	52.6	79.0
264	63.4	52.0	78.0





#71
Phenanthrene
Concen: 42.302 ng
RT: 17.242 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:178 Resp: 213015

Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.5	23.3
179	15.5	12.2	18.4



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#72
Anthracene
Concen: 42.872 ng
RT: 17.331 min Scan# 2447
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:178 Resp: 2204625

Ion	Ratio	Lower	Upper
178	100		
176	18.6	14.7	22.1
179	15.5	12.2	18.2





#73
Carbazole
Concen: 42.695 ng
RT: 17.613 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:167 Resp: 206799

Ion	Ratio	Lower	Upper
167	100		
166	21.3	17.5	26.3
139	13.5	10.6	16.0

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#74
Di-n-butylphthalate
Concen: 43.693 ng
RT: 18.201 min Scan# 2595
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:149 Resp: 2603783

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.4	11.0
104	5.2	4.2	6.2





#75
Fluoranthene
Concen: 41.933 ng
RT: 19.319 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:202 Resp: 251875

Ion	Ratio	Lower	Upper
202	100		
101	9.7	0.0	31.1
203	17.3	0.0	37.3

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.630 min Scan# 3178
Delta R.T. -0.017 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:240 Resp: 933454

Ion	Ratio	Lower	Upper
240	100		
120	10.1	8.9	13.3
236	25.8	19.8	29.8





#77
Benzidine
Concen: 47.349 ng
RT: 19.507 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:184 Resp: 150840

Ion	Ratio	Lower	Upper
184	100		
185	14.4	11.5	17.3
183	12.0	9.4	14.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#78
Pyrene
Concen: 43.183 ng
RT: 19.689 min Scan# 2848
Delta R.T. -0.012 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:202 Resp: 2619981

Ion	Ratio	Lower	Upper
202	100		
200	21.0	16.9	25.3
203	17.3	14.2	21.2





#79
Terphenyl-d14
Concen: 85.603 ng
RT: 19.913 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:244 Resp: 436751

Ion	Ratio	Lower	Upper
244	100		
212	7.3	5.8	8.6
122	9.6	7.4	11.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#80
Butylbenzylphthalate
Concen: 45.693 ng
RT: 20.642 min Scan# 3010
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:149 Resp: 1256440

Ion	Ratio	Lower	Upper
149	100		
91	68.8	54.2	81.2
206	20.6	16.6	24.8





#81
Benzo(a)anthracene
Concen: 42.665 ng
RT: 21.613 min Scan# 3
Delta R.T. -0.017 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:228 Resp: 262651

Ion	Ratio	Lower	Upper
228	100		
226	26.6	21.7	32.5
229	19.6	15.6	23.4

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#82
3,3'-Dichlorobenzidine
Concen: 44.224 ng
RT: 21.530 min Scan# 3161
Delta R.T. -0.012 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:252 Resp: 1026166

Ion	Ratio	Lower	Upper
252	100		
254	65.1	51.8	77.6
126	11.5	9.1	13.7





#83
Chrysene
Concen: 42.767 ng
RT: 21.677 min Scan# 3
Delta R.T. -0.017 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:228 Resp: 246563

Ion	Ratio	Lower	Upper
228	100		
226	29.1	23.2	34.8
229	19.4	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 44.485 ng
RT: 21.560 min Scan# 3166
Delta R.T. -0.023 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:149 Resp: 1800639

Ion	Ratio	Lower	Upper
149	100		
167	27.4	22.1	33.1
279	4.4	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 45.079 ng
RT: 22.848 min Scan# 3
Delta R.T. -0.023 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:149 Resp: 313851

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.3	6.3	9.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.989 min Scan# 3749
Delta R.T. -0.041 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:264 Resp: 1056853

Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.3	28.9
265	22.1	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 42.530 ng
RT: 28.807 min Scan# 4
Delta R.T. -0.059 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:276 Resp: 329627

Ion	Ratio	Lower	Upper
276	100		
138	16.0	12.9	19.3
277	20.8	17.0	25.6



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#88
Benzo(b)fluoranthene
Concen: 43.518 ng
RT: 23.930 min Scan# 3569
Delta R.T. -0.023 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:252 Resp: 2712012

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.7	26.5
125	9.3	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 42.878 ng
RT: 24.001 min Scan# 3
Delta R.T. -0.029 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:252 Resp: 267396

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.1	25.7
125	8.9	7.8	11.6

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#90
Benzo(a)pyrene
Concen: 43.232 ng
RT: 24.830 min Scan# 3722
Delta R.T. -0.023 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:252 Resp: 2622614

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.5	26.3
125	10.1	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 42.888 ng
RT: 28.912 min Scan# 4
Delta R.T. -0.041 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:278 Resp: 271644

Ion	Ratio	Lower	Upper
278	100		
139	14.4	13.0	19.4
279	23.9	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#92
Benzo(g,h,i)perylene
Concen: 42.750 ng
RT: 30.006 min Scan# 4602
Delta R.T. -0.053 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:276 Resp: 2661609

Ion	Ratio	Lower	Upper
276	100		
277	24.1	19.4	29.0
138	21.2	16.7	25.1



Sample Results: **BP025436.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025436.D
Acq On : 15 Aug 2025 21:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 18 01:37:05 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	105	0.00
2		1,4-Dioxane	0.472	0.484	-2.5	114	0.00
3		Pyridine	1.291	1.322	-2.4	114	0.00
4		n-Nitrosodimethylamine	0.532	0.604	-13.5	124	0.00
5	S	2-Fluorophenol	1.204	1.297	-7.7	118	0.00
6		Aniline	2.080	2.280	-9.6	119	0.00
7	S	Phenol-d6	1.544	1.709	-10.7	119	0.00
8		2-Chlorophenol	1.359	1.491	-9.7	120	0.00
9		Benzaldehyde	1.082	1.315	-21.5	101	0.00
10	C	Phenol	1.620	1.777	-9.7	119	0.00
11		bis(2-Chloroethyl)ether	1.263	1.365	-8.1	118	0.00
12		1,3-Dichlorobenzene	1.499	1.634	-9.0	119	0.00
13	C	1,4-Dichlorobenzene	1.532	1.645	-7.4	118	0.00
14		1,2-Dichlorobenzene	1.483	1.596	-7.6	118	0.00
15		Benzyl Alcohol	1.227	1.369	-11.6	121	0.00
16		2,2'-oxybis(1-Chloropropane	1.692	1.910	-12.9	124	0.00
17		2-Methylphenol	1.125	1.247	-10.8	119	0.00
18		Hexachloroethane	0.563	0.621	-10.3	120	0.00
19	P	n-Nitroso-di-n-propylamine	1.023	1.110	-8.5	118	0.00
20		3+4-Methylphenols	1.560	1.699	-8.9	117	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	107	0.00
22		Acetophenone	0.502	0.537	-7.0	118	0.00
23	S	Nitrobenzene-d5	0.395	0.431	-9.1	121	0.00
24		Nitrobenzene	0.353	0.388	-9.9	121	0.00
25		Isophorone	0.700	0.727	-3.9	116	0.00
26	C	2-Nitrophenol	0.181	0.199	-9.9	118	0.00
27		2,4-Dimethylphenol	0.312	0.339	-8.7	118	0.00
28		bis(2-Chloroethoxy)methane	0.423	0.448	-5.9	118	0.00
29	C	2,4-Dichlorophenol	0.310	0.343	-10.6	120	0.00
30		1,2,4-Trichlorobenzene	0.340	0.363	-6.8	119	0.00
31		Naphthalene	1.040	1.097	-5.5	117	0.00
32		Benzoic acid	0.230	0.244	-6.1	115	0.00
33		4-Chloroaniline	0.459	0.488	-6.3	116	0.00
34	C	Hexachlorobutadiene	0.211	0.230	-9.0	120	0.00
35		Caprolactam	0.114	0.118	-3.5	116	0.00
36	C	4-Chloro-3-methylphenol	0.355	0.379	-6.8	117	0.00
37		2-Methylnaphthalene	0.676	0.710	-5.0	117	-0.01
38		1-Methylnaphthalene	0.719	0.744	-3.5	116	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	104	0.00
40		1,2,4,5-Tetrachlorobenzene	0.578	0.633	-9.5	117	0.00
41	P	Hexachlorocyclopentadiene	0.349	0.323	7.4	96	0.00
42	S	2,4,6-Tribromophenol	0.269	0.298	-10.8	117	0.00
43	C	2,4,6-Trichlorophenol	0.390	0.436	-11.8	118	0.00
44		2,4,5-Trichlorophenol	0.427	0.482	-12.9	118	0.00
45	S	2-Fluorobiphenyl	1.463	1.527	-4.4	114	0.00
46		1,1'-Biphenyl	1.453	1.590	-9.4	117	0.00
47		2-Chloronaphthalene	1.131	1.227	-8.5	115	0.00

Sample Results: **BP025436.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025436.D
Acq On : 15 Aug 2025 21:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 18 01:37:05 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.329	0.382	-16.1	120	0.00
49		Acenaphthylene	1.871	2.004	-7.1	115	0.00
50		Dimethylphthalate	1.465	1.593	-8.7	118	-0.01
51		2,6-Dinitrotoluene	0.309	0.349	-12.9	117	0.00
52	C	Acenaphthene	1.098	1.169	-6.5	116	0.00
53		3-Nitroaniline	0.347	0.390	-12.4	118	0.00
54	P	2,4-Dinitrophenol	0.165	0.134	18.8	85	0.00
55		Dibenzofuran	1.736	1.849	-6.5	114	0.00
56	P	4-Nitrophenol	0.285	0.324	-13.7	120	0.00
57		2,4-Dinitrotoluene	0.440	0.498	-13.2	118	0.00
58		Fluorene	1.370	1.410	-2.9	112	0.00
59		2,3,4,6-Tetrachlorophenol	0.377	0.417	-10.6	117	0.00
60		Diethylphthalate	1.488	1.607	-8.0	116	0.00
61		4-Chlorophenyl-phenylether	0.681	0.703	-3.2	112	0.00
62		4-Nitroaniline	0.356	0.384	-7.9	113	0.00
63		Azobenzene	1.274	1.420	-11.5	119	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	104	0.00
65		4,6-Dinitro-2-methylphenol	0.125	0.110	12.0	93	0.00
66	c	n-Nitrosodiphenylamine	0.610	0.659	-8.0	116	0.00
67		4-Bromophenyl-phenylether	0.220	0.242	-10.0	118	0.00
68		Hexachlorobenzene	0.255	0.272	-6.7	116	0.00
69		Atrazine	0.228	0.250	-9.6	119	0.00
70	C	Pentachlorophenol	0.161	0.178	-10.6	117	0.00
71		Phenanthrene	1.099	1.162	-5.7	116	0.00
72		Anthracene	1.122	1.203	-7.2	116	0.00
73		Carbazole	1.057	1.128	-6.7	116	0.00
74		Di-n-butylphthalate	1.300	1.420	-9.2	118	0.00
75	C	Fluoranthene	1.311	1.374	-4.8	116	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	104	-0.02
77		Benzidine	0.683	0.808	-18.3	87	0.00
78		Pyrene	1.300	1.403	-7.9	114	-0.01
79	S	Terphenyl-d14	1.093	1.170	-7.0	116	0.00
80		Butylbenzylphthalate	0.589	0.673	-14.3	121	0.00
81		Benzo(a)anthracene	1.319	1.407	-6.7	115	-0.02
82		3,3'-Dichlorobenzidine	0.497	0.550	-10.7	117	-0.01
83		Chrysene	1.235	1.321	-7.0	116	-0.02
84		Bis(2-ethylhexyl)phthalate	0.867	0.965	-11.3	121	-0.02
85	c	Di-n-octyl phthalate	1.492	1.681	-12.7	121	-0.02
86	I	Perylene-d12	1.000	1.000	0.0	103	-0.04
87		Indeno(1,2,3-cd)pyrene	1.467	1.559	-6.3	114	-0.06
88		Benzo(b)fluoranthene	1.179	1.283	-8.8	117	-0.02
89		Benzo(k)fluoranthene	1.180	1.265	-7.2	116	-0.03
90	C	Benzo(a)pyrene	1.148	1.241	-8.1	116	-0.02
91		Dibenzo(a,h)anthracene	1.199	1.285	-7.2	115	-0.04
92		Benzo(g,h,i)perylene	1.178	1.259	-6.9	114	-0.05

Sample Results: **BP025436.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025436.D
Acq On : 15 Aug 2025 21:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 18 01:37:05 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Sample Results: **BP025436.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025436.D
Acq On : 15 Aug 2025 21:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 18 01:37:05 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	105	0.00
2		1,4-Dioxane	40.000	41.000	-2.5	114	0.00
3		Pyridine	40.000	40.960	-2.4	114	0.00
4		n-Nitrosodimethylamine	40.000	45.373	-13.4	124	0.00
5	S	2-Fluorophenol	80.000	86.186	-7.7	118	0.00
6		Aniline	40.000	43.843	-9.6	119	0.00
7	S	Phenol-d6	80.000	88.568	-10.7	119	0.00
8		2-Chlorophenol	40.000	43.878	-9.7	120	0.00
9		Benzaldehyde	40.000	48.635	-21.6	101	0.00
10	C	Phenol	40.000	43.862	-9.7	119	0.00
11		bis(2-Chloroethyl)ether	40.000	43.239	-8.1	118	0.00
12		1,3-Dichlorobenzene	40.000	43.622	-9.1	119	0.00
13	C	1,4-Dichlorobenzene	40.000	42.950	-7.4	118	0.00
14		1,2-Dichlorobenzene	40.000	43.069	-7.7	118	0.00
15		Benzyl Alcohol	40.000	44.621	-11.6	121	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	45.158	-12.9	124	0.00
17		2-Methylphenol	40.000	44.345	-10.9	119	0.00
18		Hexachloroethane	40.000	44.074	-10.2	120	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	43.396	-8.5	118	0.00
20		3+4-Methylphenols	40.000	43.573	-8.9	117	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	107	0.00
22		Acetophenone	40.000	42.809	-7.0	118	0.00
23	S	Nitrobenzene-d5	80.000	87.195	-9.0	121	0.00
24		Nitrobenzene	40.000	43.917	-9.8	121	0.00
25		Isophorone	40.000	41.573	-3.9	116	0.00
26	C	2-Nitrophenol	40.000	43.982	-10.0	118	0.00
27		2,4-Dimethylphenol	40.000	43.443	-8.6	118	0.00
28		bis(2-Chloroethoxy)methane	40.000	42.398	-6.0	118	0.00
29	C	2,4-Dichlorophenol	40.000	44.245	-10.6	120	0.00
30		1,2,4-Trichlorobenzene	40.000	42.762	-6.9	119	0.00
31		Naphthalene	40.000	42.217	-5.5	117	0.00
32		Benzoic acid	40.000	42.339	-5.8	115	0.00
33		4-Chloroaniline	40.000	42.532	-6.3	116	0.00
34	C	Hexachlorobutadiene	40.000	43.456	-8.6	120	0.00
35		Caprolactam	40.000	41.554	-3.9	116	0.00
36	C	4-Chloro-3-methylphenol	40.000	42.698	-6.7	117	0.00
37		2-Methylnaphthalene	40.000	41.968	-4.9	117	-0.01
38		1-Methylnaphthalene	40.000	41.373	-3.4	116	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	104	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	43.807	-9.5	117	0.00
41	P	Hexachlorocyclopentadiene	40.000	37.087	7.3	96	0.00
42	S	2,4,6-Tribromophenol	80.000	88.488	-10.6	117	0.00
43	C	2,4,6-Trichlorophenol	40.000	44.759	-11.9	118	0.00
44		2,4,5-Trichlorophenol	40.000	45.101	-12.8	118	0.00
45	S	2-Fluorobiphenyl	80.000	83.499	-4.4	114	0.00
46		1,1'-Biphenyl	40.000	43.790	-9.5	117	0.00
47		2-Chloronaphthalene	40.000	43.406	-8.5	115	0.00

Sample Results: **BP025436.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025436.D
Acq On : 15 Aug 2025 21:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 18 01:37:05 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	46.337	-15.8	120	0.00
49		Acenaphthylene	40.000	42.840	-7.1	115	0.00
50		Dimethylphthalate	40.000	43.502	-8.8	118	-0.01
51		2,6-Dinitrotoluene	40.000	45.175	-12.9	117	0.00
52	C	Acenaphthene	40.000	42.589	-6.5	116	0.00
53		3-Nitroaniline	40.000	44.932	-12.3	118	0.00
54	P	2,4-Dinitrophenol	40.000	32.634	18.4	85	0.00
55		Dibenzofuran	40.000	42.593	-6.5	114	0.00
56	P	4-Nitrophenol	40.000	45.358	-13.4	120	0.00
57		2,4-Dinitrotoluene	40.000	45.189	-13.0	118	0.00
58		Fluorene	40.000	41.160	-2.9	112	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	44.201	-10.5	117	0.00
60		Diethylphthalate	40.000	43.195	-8.0	116	0.00
61		4-Chlorophenyl-phenylether	40.000	41.240	-3.1	112	0.00
62		4-Nitroaniline	40.000	43.130	-7.8	113	0.00
63		Azobenzene	40.000	44.580	-11.4	119	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	104	0.00
65		4,6-Dinitro-2-methylphenol	40.000	35.341	11.6	93	0.00
66	c	n-Nitrosodiphenylamine	40.000	43.243	-8.1	116	0.00
67		4-Bromophenyl-phenylether	40.000	43.928	-9.8	118	0.00
68		Hexachlorobenzene	40.000	42.691	-6.7	116	0.00
69		Atrazine	40.000	43.775	-9.4	119	0.00
70	C	Pentachlorophenol	40.000	44.342	-10.9	117	0.00
71		Phenanthrene	40.000	42.302	-5.8	116	0.00
72		Anthracene	40.000	42.872	-7.2	116	0.00
73		Carbazole	40.000	42.695	-6.7	116	0.00
74		Di-n-butylphthalate	40.000	43.693	-9.2	118	0.00
75	C	Fluoranthene	40.000	41.933	-4.8	116	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	104	-0.02
77		Benzidine	40.000	47.349	-18.4	87	0.00
78		Pyrene	40.000	43.183	-8.0	114	-0.01
79	S	Terphenyl-d14	80.000	85.603	-7.0	116	0.00
80		Butylbenzylphthalate	40.000	45.693	-14.2	121	0.00
81		Benzo(a)anthracene	40.000	42.665	-6.7	115	-0.02
82		3,3'-Dichlorobenzidine	40.000	44.224	-10.6	117	-0.01
83		Chrysene	40.000	42.767	-6.9	116	-0.02
84		Bis(2-ethylhexyl)phthalate	40.000	44.485	-11.2	121	-0.02
85	c	Di-n-octyl phthalate	40.000	45.079	-12.7	121	-0.02
86	I	Perylene-d12	20.000	20.000	0.0	103	-0.04
87		Indeno(1,2,3-cd)pyrene	40.000	42.530	-6.3	114	-0.06
88		Benzo(b)fluoranthene	40.000	43.518	-8.8	117	-0.02
89		Benzo(k)fluoranthene	40.000	42.878	-7.2	116	-0.03
90	C	Benzo(a)pyrene	40.000	43.232	-8.1	116	-0.02
91		Dibenzo(a,h)anthracene	40.000	42.888	-7.2	115	-0.04
92		Benzo(g,h,i)perylene	40.000	42.750	-6.9	114	-0.05

Sample Results: **BP025436.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025436.D
Acq On : 15 Aug 2025 21:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 18 01:37:05 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Raw Data: **BP025470.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/19/2025 10:44

Lab File ID: BP025470.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.204	1.229		2.1	
Benzaldehyde	1.082	1.245		15.1	
Phenol-d6	1.544	1.586		2.7	
Phenol	1.620	1.652		2.0	20.0
bis(2-Chloroethyl)ether	1.263	1.272		0.7	
2-Chlorophenol	1.359	1.372		1.0	
2-Methylphenol	1.125	1.138		1.2	
2,2-oxybis(1-Chloropropane)	1.692	1.725		2.0	
Acetophenone	0.502	0.503		0.2	
3+4-Methylphenols	1.560	1.563		0.2	
n-Nitroso-di-n-propylamine	1.023	1.012	0.050	-1.1	
Nitrobenzene-d5	0.395	0.403		2.0	
Hexachloroethane	0.563	0.574		2.0	
Nitrobenzene	0.353	0.357		1.1	
Isophorone	0.700	0.713		1.9	
2-Nitrophenol	0.181	0.186		2.8	20.0
2,4-Dimethylphenol	0.312	0.320		2.6	
bis(2-Chloroethoxy)methane	0.423	0.424		0.2	
2,4-Dichlorophenol	0.310	0.314		1.3	20.0
Naphthalene	1.040	1.035		-0.5	
4-Chloroaniline	0.459	0.464		1.1	
Hexachlorobutadiene	0.211	0.208		-1.4	20.0
Caprolactam	0.114	0.118		3.5	
4-Chloro-3-methylphenol	0.355	0.364		2.5	20.0
2-Methylnaphthalene	0.676	0.673		-0.4	
Hexachlorocyclopentadiene	0.349	0.454	0.050	30.1	
2,4,6-Trichlorophenol	0.390	0.400		2.6	20.0
2-Fluorobiphenyl	1.463	1.448		-1.0	
2,4,5-Trichlorophenol	0.427	0.434		1.6	
1,1-Biphenyl	1.453	1.453		0.0	
2-Chloronaphthalene	1.131	1.118		-1.1	
2-Nitroaniline	0.329	0.351		6.7	
Dimethylphthalate	1.465	1.480		1.0	
Acenaphthylene	1.871	1.886		0.8	
2,6-Dinitrotoluene	0.309	0.320		3.6	
3-Nitroaniline	0.347	0.361		4.0	
Acenaphthene	1.098	1.094		-0.4	20.0
2,4-Dinitrophenol	0.165	0.576	0.050	249.1	
4-Nitrophenol	0.285	0.292	0.050	2.5	

Raw Data: **BP025470.D**

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/19/2025 10:44

Lab File ID: BP025470.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.736	1.727		-0.5	
2,4-Dinitrotoluene	0.440	0.468		6.4	
Diethylphthalate	1.488	1.487		-0.1	
4-Chlorophenyl-phenylether	0.681	0.674		-1.0	
Fluorene	1.370	1.359		-0.8	
4-Nitroaniline	0.356	0.372		4.5	
4,6-Dinitro-2-methylphenol	0.125	0.255		104.0	
n-Nitrosodiphenylamine	0.610	0.608		-0.3	20.0
2,4,6-Tribromophenol	0.269	0.273		1.5	
4-Bromophenyl-phenylether	0.220	0.217		-1.4	
Hexachlorobenzene	0.255	0.257		0.8	
Atrazine	0.228	0.230		0.9	
Pentachlorophenol	0.161	0.159		-1.2	20.0
Phenanthrene	1.099	1.095		-0.4	
Anthracene	1.122	1.122		0.0	
Carbazole	1.057	1.050		-0.7	
Di-n-butylphthalate	1.300	1.345		3.5	
Fluoranthene	1.311	1.291		-1.5	20.0
Pyrene	1.300	1.342		3.2	
Terphenyl-d14	1.093	1.093		0.0	
Butylbenzylphthalate	0.589	0.616		4.6	
3,3-Dichlorobenzidine	0.497	0.500		0.6	
Benzo(a)anthracene	1.319	1.307		-0.9	
Chrysene	1.235	1.256		1.7	
Bis(2-ethylhexyl)phthalate	0.867	0.907		4.6	
Di-n-octyl phthalate	1.492	1.558		4.4	20.0
Benzo(b)fluoranthene	1.179	1.193		1.2	
Benzo(k)fluoranthene	1.180	1.153		-2.3	
Benzo(a)pyrene	1.148	1.136		-1.0	20.0
Indeno(1,2,3-cd)pyrene	1.467	1.450		-1.2	
Dibenzo(a,h)anthracene	1.199	1.189		-0.8	
Benzo(g,h,i)perylene	1.178	1.151		-2.3	
1,2,4,5-Tetrachlorobenzene	0.578	0.569		-1.6	
1,4-Dioxane	0.472	0.475		0.6	20.0
2,3,4,6-Tetrachlorophenol	0.377	0.376		-0.3	

All other compounds must meet a minimum RRF of 0.010.

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025470.D
Acq On : 19 Aug 2025 10:44
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Quant Time: Aug 19 12:00:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.784	152	152340	20.000	ng	-0.01
21) Naphthalene-d8	10.560	136	634765	20.000	ng	0.00
39) Acenaphthene-d10	14.395	164	424501	20.000	ng	-0.01
64) Phenanthrene-d10	17.195	188	850052	20.000	ng	# 0.00
76) Chrysene-d12	21.654	240	848020	20.000	ng	0.00
86) Perylene-d12	25.018	264	967213	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	749096	81.661	ng	0.00
7) Phenol-d6	6.966	99	966571	82.185	ng	0.00
23) Nitrobenzene-d5	8.931	82	1024289	81.627	ng	0.00
42) 2,4,6-Tribromophenol	15.913	330	464282	81.256	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	2459410	79.181	ng	0.00
79) Terphenyl-d14	19.919	244	3707367	79.985	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.331	88	144857	40.315	ng	99
3) Pyridine	3.731	79	395262	40.190	ng	99
4) n-Nitrosodimethylamine	3.631	42	173283	42.738	ng	98
6) Aniline	7.119	93	635215	40.087	ng	99
8) 2-Chlorophenol	7.360	128	418000	40.380	ng	99
9) Benzaldehyde	6.937	77	379395	46.044	ng	98
10) Phenol	6.996	94	503304	40.784	ng	99
11) bis(2-Chloroethyl)ether	7.213	93	387587	40.295	ng	100
12) 1,3-Dichlorobenzene	7.684	146	457432	40.075	ng	99
13) 1,4-Dichlorobenzene	7.819	146	470304	40.312	ng	100
14) 1,2-Dichlorobenzene	8.137	146	450046	39.850	ng	99
15) Benzyl Alcohol	8.019	79	373613	39.981	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.313	45	525543	40.786	ng	99
17) 2-Methylphenol	8.225	107	346865	40.470	ng	98
18) Hexachloroethane	8.860	117	174831	40.757	ng	97
19) n-Nitroso-di-n-propyla...	8.584	70	308279	39.573	ng	98
20) 3+4-Methylphenols	8.549	107	476179	40.080	ng	97
22) Acetophenone	8.596	105	638557	40.114	ng	99
24) Nitrobenzene	8.972	77	453746	40.460	ng	97
25) Isophorone	9.496	82	905645	40.781	ng	100
26) 2-Nitrophenol	9.672	139	236646	41.117	ng	97
27) 2,4-Dimethylphenol	9.737	122	405811	41.001	ng	99
28) bis(2-Chloroethoxy)met...	9.966	93	537984	40.077	ng	97
29) 2,4-Dichlorophenol	10.207	162	398311	40.511	ng	99
30) 1,2,4-Trichlorobenzene	10.419	180	424899	39.422	ng	97
31) Naphthalene	10.607	128	1313518	39.813	ng	99
32) Benzoic acid	9.901	122	503342	68.883	ng	98
33) 4-Chloroaniline	10.713	127	589602	40.457	ng	98
34) Hexachlorobutadiene	10.896	225	263743	39.292	ng	99
35) Caprolactam	11.495	113	149696	41.521	ng	96
36) 4-Chloro-3-methylphenol	11.837	107	462001	40.950	ng	97
37) 2-Methylnaphthalene	12.219	142	855020	39.823	ng	99
38) 1-Methylnaphthalene	12.431	142	906013	39.680	ng	100
40) 1,2,4,5-Tetrachloroben...	12.584	216	482945	39.392	ng	99
41) Hexachlorocyclopentadiene	12.572	237	385397	52.042	ng	99
43) 2,4,6-Trichlorophenol	12.825	196	339499	41.018	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025470.D
Acq On : 19 Aug 2025 10:44
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Quant Time: Aug 19 12:00:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.895	196	368261	40.597	ng	99
46) 1,1'-Biphenyl	13.225	154	1233177	40.000	ng	99
47) 2-Chloronaphthalene	13.272	162	949372	39.556	ng	98
48) 2-Nitroaniline	13.466	65	297776	42.581	ng	97
49) Acenaphthylene	14.119	152	1601364	40.322	ng	99
50) Dimethylphthalate	13.854	163	1256809	40.430	ng	99
51) 2,6-Dinitrotoluene	13.966	165	271520	41.441	ng	99
52) Acenaphthene	14.460	154	928473	39.829	ng	98
53) 3-Nitroaniline	14.295	138	306476	41.575	ng	96
54) 2,4-Dinitrophenol	14.513	184	489247	139.827	ng	99
55) Dibenzofuran	14.801	168	1466415	39.788	ng	99
56) 4-Nitrophenol	14.619	139	247845	40.915	ng	99
57) 2,4-Dinitrotoluene	14.760	165	397449	42.517	ng	99
58) Fluorene	15.460	166	1153488	39.664	ng	98
59) 2,3,4,6-Tetrachlorophenol	15.031	232	319534	39.893	ng	99
60) Diethylphthalate	15.236	149	1262633	39.974	ng	99
61) 4-Chlorophenyl-phenyle...	15.454	204	571831	39.536	ng	99
62) 4-Nitroaniline	15.472	138	315690	41.774	ng	99
63) Azobenzene	15.754	77	1133555	41.912	ng	99
65) 4,6-Dinitro-2-methylph...	15.536	198	432956	81.708	ng	97
66) n-Nitrosodiphenylamine	15.672	169	1033192	39.858	ng	99
67) 4-Bromophenyl-phenylether	16.366	248	368889	39.458	ng	97
68) Hexachlorobenzene	16.489	284	436215	40.251	ng	97
69) Atrazine	16.648	200	391199	40.298	ng	98
70) Pentachlorophenol	16.836	266	270563	39.549	ng	95
71) Phenanthrene	17.242	178	1862283	39.881	ng	99
72) Anthracene	17.336	178	1907331	39.998	ng	100
73) Carbazole	17.613	167	1784377	39.727	ng	99
74) Di-n-butylphthalate	18.213	149	2286022	41.367	ng	99
75) Fluoranthene	19.330	202	2194437	39.397	ng	99
77) Benzidine	19.519	184	1306974	45.160	ng	100
78) Pyrene	19.701	202	2276181	41.296	ng	100
80) Butylbenzylphthalate	20.660	149	1044362	41.807	ng	98
81) Benzo(a)anthracene	21.636	228	2217188	39.644	ng	99
82) 3,3'-Dichlorobenzidine	21.542	252	848549	40.253	ng	100
83) Chrysene	21.701	228	2130864	40.684	ng	99
84) Bis(2-ethylhexyl)phtha...	21.566	149	1538326	41.834	ng	99
85) Di-n-octyl phthalate	22.854	149	2642675	41.781	ng	99
87) Indeno(1,2,3-cd)pyrene	28.853	276	2804996	39.545	ng	94
88) Benzo(b)fluoranthene	23.942	252	2308389	40.474	ng	99
89) Benzo(k)fluoranthene	24.018	252	2229990	39.073	ng	99
90) Benzo(a)pyrene	24.859	252	2197471	39.581	ng	99
91) Dibenzo(a,h)anthracene	28.936	278	2299829	39.676	ng	99
92) Benzo(g,h,i)perylene	30.030	276	2226412	39.074	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025470.D
Acq On : 19 Aug 2025 10:44
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Quant Time: Aug 19 12:00:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.784 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 152340

Ion	Ratio	Lower	Upper
152	100		
150	154.6	125.9	188.9
115	63.1	48.5	72.7





#2
1,4-Dioxane
Concen: 40.315 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion: 88 Resp: 144857

Ion	Ratio	Lower	Upper
88	100		
58	73.9	59.2	88.8
43	28.6	21.7	32.5





#3
Pyridine
Concen: 40.190 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 395262

Ion	Ratio	Lower	Upper
79	100		
52	69.1	55.5	83.3
51	35.9	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 42.738 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion: 42 Resp: 173283

Ion	Ratio	Lower	Upper
42	100		
74	130.7	107.0	160.4
44	7.7	6.2	9.4





#5
2-Fluorophenol
Concen: 81.661 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:112 Resp: 749096

Ion	Ratio	Lower	Upper
112	100		
64	54.7	43.8	65.8
63	28.8	22.7	34.1





#6
Aniline
Concen: 40.087 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion: 93 Resp: 635215

Ion	Ratio	Lower	Upper
93	100		
66	38.7	30.4	45.6
65	19.4	15.3	22.9





#7
Phenol-d6
Concen: 82.185 ng
RT: 6.966 min Scan# 6
Delta R.T. -0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 99 Resp: 966571

Ion	Ratio	Lower	Upper
99	100		
42	17.7	13.7	20.5
71	35.0	28.2	42.4





#8
2-Chlorophenol
Concen: 40.380 ng
RT: 7.360 min Scan# 752
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:128 Resp: 418000

Ion	Ratio	Lower	Upper
128	100		
130	31.3	12.6	52.6
64	43.9	23.4	63.4





#9
Benzaldehyde
Concen: 46.044 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 379395

Ion	Ratio	Lower	Upper
77	100		
105	102.3	84.8	124.8
106	98.3	80.5	120.5





#10
Phenol
Concen: 40.784 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion: 94 Resp: 503304

Ion	Ratio	Lower	Upper
94	100		
65	26.9	6.8	46.8
66	37.3	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 40.295 ng
RT: 7.213 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 93 Resp: 387587

Ion	Ratio	Lower	Upper
93	100		
63	72.9	52.6	92.6
95	32.3	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 40.075 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:146 Resp: 457432

Ion	Ratio	Lower	Upper
146	100		
148	65.8	51.9	77.9
75	30.3	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 40.312 ng
RT: 7.819 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:146 Resp: 470304

Ion	Ratio	Lower	Upper
146	100		
148	64.6	51.6	77.4
111	41.8	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 39.850 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:146 Resp: 450046

Ion	Ratio	Lower	Upper
146	100		
148	64.1	50.4	75.6
111	42.2	34.5	51.7





#15
Benzyl Alcohol
Concen: 39.981 ng
RT: 8.019 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 373613

Ion	Ratio	Lower	Upper
79	100		
108	78.5	63.8	95.6
77	62.1	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 40.786 ng
RT: 8.313 min Scan# 914
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion: 45 Resp: 525543

Ion	Ratio	Lower	Upper
45	100		
77	15.1	0.0	35.3
79	11.5	0.0	31.8





#17
2-Methylphenol
Concen: 40.470 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:107 Resp: 346865

Ion	Ratio	Lower	Upper
107	100		
108	113.9	89.4	134.0
77	44.7	36.3	54.5
79	44.5	36.6	54.8





#18
Hexachloroethane
Concen: 40.757 ng
RT: 8.860 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:117 Resp: 174831

Ion	Ratio	Lower	Upper
117	100		
119	94.6	75.1	112.7
201	105.4	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 39.573 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 70 Resp: 308279

Ion	Ratio	Lower	Upper
70	100		
42	57.1	43.8	65.6
101	10.7	8.5	12.7
130	24.8	19.4	29.0





#20
3+4-Methylphenols
Concen: 40.080 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:107 Resp: 476179

Ion	Ratio	Lower	Upper
107	100		
108	90.5	66.3	106.3
77	33.0	12.3	52.3
79	29.2	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:136 Resp: 634765

Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.2	13.8
54	7.7	6.0	9.0
68	5.4	4.3	6.5





#22
Acetophenone
Concen: 40.114 ng
RT: 8.596 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:105 Resp: 638557

Ion	Ratio	Lower	Upper
105	100		
71	3.6	2.6	4.0
51	26.7	20.6	30.8
120	22.8	18.6	27.8





#23
Nitrobenzene-d5
Concen: 81.627 ng
RT: 8.931 min Scan# 1(
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 1024289

Ion	Ratio	Lower	Upper
82	100		
128	45.5	37.7	56.5
54	51.1	39.8	59.6





#24
Nitrobenzene
Concen: 40.460 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion: 77 Resp: 453746

Ion	Ratio	Lower	Upper
77	100		
123	50.8	38.6	58.0
65	13.7	10.6	15.8





#25
Isophorone
Concen: 40.781 ng
RT: 9.496 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 905645

Ion	Ratio	Lower	Upper
82	100		
95	7.8	6.4	9.6
138	19.1	15.4	23.0





#26
2-Nitrophenol
Concen: 41.117 ng
RT: 9.672 min Scan# 1145
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:139 Resp: 236646

Ion	Ratio	Lower	Upper
139	100		
109	30.9	26.9	40.3
65	48.5	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 41.001 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:122 Resp: 405811

Ion	Ratio	Lower	Upper
122	100		
107	117.9	93.7	140.5
121	59.6	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 40.077 ng
RT: 9.966 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion: 93 Resp: 537984

Ion	Ratio	Lower	Upper
93	100		
95	33.6	25.4	38.0
123	11.9	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 40.511 ng
RT: 10.207 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 398311

Ion	Ratio	Lower	Upper
162	100		
164	64.2	44.4	84.4
98	37.1	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 39.422 ng
RT: 10.419 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:180 Resp: 424899

Ion	Ratio	Lower	Upper
180	100		
182	94.9	78.0	117.0
145	31.1	25.9	38.9





#31
Naphthalene
Concen: 39.813 ng
RT: 10.607 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:128 Resp: 1313518

Ion	Ratio	Lower	Upper
128	100		
129	10.7	8.6	13.0
127	12.8	10.7	16.1





#32
Benzoic acid
Concen: 68.883 ng
RT: 9.901 min Scan# 1184
Delta R.T. 0.029 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:122 Resp: 503342

Ion	Ratio	Lower	Upper
122	100		
105	124.5	100.6	140.6
77	90.5	71.5	111.5





#33
4-Chloroaniline
Concen: 40.457 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:127 Resp: 589602

Ion	Ratio	Lower	Upper
127	100		
129	32.6	25.4	38.2
65	29.0	23.8	35.6
92	18.8	15.8	23.8





#34
Hexachlorobutadiene
Concen: 39.292 ng
RT: 10.896 min Scan# 1353
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:225 Resp: 263743

Ion	Ratio	Lower	Upper
225	100		
223	63.2	50.0	75.0
227	63.6	49.7	74.5





#35
Caprolactam
Concen: 41.521 ng
RT: 11.495 min Scan# 14
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:113 Resp: 149696

Ion	Ratio	Lower	Upper
113	100		
55	155.2	140.0	180.0
56	115.5	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 40.950 ng
RT: 11.837 min Scan# 1513
Delta R.T. -0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:107 Resp: 462001

Ion	Ratio	Lower	Upper
107	100		
144	24.9	21.0	31.4
142	78.4	64.6	97.0





#37
2-Methylnaphthalene
Concen: 39.823 ng
RT: 12.219 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:142 Resp: 855020

Ion	Ratio	Lower	Upper
142	100		
141	88.3	70.3	105.5
115	34.8	28.9	43.3





#38
1-Methylnaphthalene
Concen: 39.680 ng
RT: 12.431 min Scan# 1614
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:142 Resp: 906013

Ion	Ratio	Lower	Upper
142	100		
141	91.5	73.1	109.7
116	4.1	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.395 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:164 Resp: 424501

Ion	Ratio	Lower	Upper
164	100		
162	102.4	81.0	121.6
160	44.7	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 39.392 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:216 Resp: 482945

Ion	Ratio	Lower	Upper
216	100		
214	78.0	63.0	94.4
179	21.0	17.1	25.7
108	19.3	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 52.042 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:237 Resp: 385397

Ion	Ratio	Lower	Upper
237	100		
235	62.1	42.7	82.7
272	13.1	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 81.256 ng
RT: 15.913 min Scan# 2206
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:330 Resp: 464282

Ion	Ratio	Lower	Upper
330	100		
332	97.2	77.3	115.9
141	34.0	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 41.018 ng
RT: 12.825 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:196 Resp: 339499

Ion	Ratio	Lower	Upper
196	100		
198	95.2	77.2	115.8
200	30.1	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 40.597 ng
RT: 12.895 min Scan# 1693
Delta R.T. -0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:196 Resp: 368261

Ion	Ratio	Lower	Upper
196	100		
198	94.5	76.2	114.2
97	51.0	41.2	61.8
132	28.0	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 79.181 ng
RT: 13.019 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:172 Resp: 2459410

Ion	Ratio	Lower	Upper
172	100		
171	34.3	28.1	42.1
170	22.8	18.6	28.0





#46
1,1'-Biphenyl
Concen: 40.000 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:154 Resp: 1233177

Ion	Ratio	Lower	Upper
154	100		
153	39.7	19.5	59.5
76	12.0	0.0	31.1





#47
2-Chloronaphthalene
Concen: 39.556 ng
RT: 13.272 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 949372

Ion	Ratio	Lower	Upper
162	100		
127	40.2	33.4	50.2
164	33.3	26.2	39.2





#48
2-Nitroaniline
Concen: 42.581 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion: 65 Resp: 297776

Ion	Ratio	Lower	Upper
65	100		
92	69.9	57.6	86.4
138	110.7	91.0	136.6





#49
Acenaphthylene
Concen: 40.322 ng
RT: 14.119 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 1601364

Ion	Ratio	Lower	Upper
152	100		
151	20.4	16.0	24.0
153	13.3	10.6	15.8





#50
Dimethylphthalate
Concen: 40.430 ng
RT: 13.854 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:163 Resp: 1256809

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.4	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 41.441 ng
RT: 13.966 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 271520

Ion	Ratio	Lower	Upper
165	100		
63	50.1	40.9	61.3
89	52.1	42.1	63.1





#52
Acenaphthene
Concen: 39.829 ng
RT: 14.460 min Scan# 1959
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:154 Resp: 928473

Ion	Ratio	Lower	Upper
154	100		
153	109.5	90.2	135.2
152	52.1	42.1	63.1





#53
3-Nitroaniline
Concen: 41.575 ng
RT: 14.295 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:138 Resp: 306476

Ion	Ratio	Lower	Upper
138	100		
108	11.0	8.3	12.5
92	112.0	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 139.827 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:184 Resp: 489247

Ion	Ratio	Lower	Upper
184	100		
63	60.5	49.4	74.2
154	68.9	54.6	82.0





#55
Dibenzofuran
Concen: 39.788 ng
RT: 14.801 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:168 Resp: 1466415

Ion	Ratio	Lower	Upper
168	100		
139	38.9	31.5	47.3
169	13.6	10.9	16.3





#56
4-Nitrophenol
Concen: 40.915 ng
RT: 14.619 min Scan# 1986
Delta R.T. 0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:139 Resp: 247845

Ion	Ratio	Lower	Upper
139	100		
109	75.2	56.6	96.6
65	87.3	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 42.517 ng
RT: 14.760 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 397449

Ion	Ratio	Lower	Upper
165	100		
63	39.1	31.4	47.2
89	65.0	53.3	79.9
182	3.1	2.3	3.5





#58
Fluorene
Concen: 39.664 ng
RT: 15.460 min Scan# 2129
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:166 Resp: 1153488

Ion	Ratio	Lower	Upper
166	100		
165	96.6	78.8	118.2
167	13.5	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 39.893 ng
RT: 15.031 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:232 Resp: 319534

Ion	Ratio	Lower	Upper
232	100		
131	47.1	37.0	55.6
130	2.6	1.9	2.9
166	31.6	25.4	38.0





#60
Diethylphthalate
Concen: 39.974 ng
RT: 15.236 min Scan# 2091
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:149 Resp: 1262633

Ion	Ratio	Lower	Upper
149	100		
177	22.2	17.3	25.9
150	12.4	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 39.536 ng
RT: 15.454 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:204 Resp: 571831

Ion	Ratio	Lower	Upper
204	100		
206	32.6	25.8	38.8
141	63.2	49.4	74.2





#62
4-Nitroaniline
Concen: 41.774 ng
RT: 15.472 min Scan# 2131
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:138 Resp: 315690

Ion	Ratio	Lower	Upper
138	100		
92	49.0	29.1	69.1
108	80.2	61.5	101.5





#63
Azobenzene
Concen: 41.912 ng
RT: 15.754 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 1133555

Ion	Ratio	Lower	Upper
77	100		
182	27.6	7.5	47.5
105	22.5	2.1	42.1
51	30.1	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.195 min Scan# 2424
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:188 Resp: 850052

Ion	Ratio	Lower	Upper
188	100		
94	8.7	6.6	10.0
80	10.4	6.7	10.1#





#65
4,6-Dinitro-2-methylphenol
Concen: 81.708 ng
RT: 15.536 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:198 Resp: 432956

Ion	Ratio	Lower	Upper
198	100		
51	42.1	19.6	59.6
105	42.0	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 39.858 ng
RT: 15.672 min Scan# 2165
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:169 Resp: 1033192

Ion	Ratio	Lower	Upper
169	100		
168	65.6	53.2	79.8
167	35.5	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 39.458 ng
RT: 16.366 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:248 Resp: 368889

Ion	Ratio	Lower	Upper
248	100		
250	99.3	78.2	117.2
141	79.6	59.6	89.4





#68
Hexachlorobenzene
Concen: 40.251 ng
RT: 16.489 min Scan# 2304
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:284 Resp: 436215

Ion	Ratio	Lower	Upper
284	100		
142	33.7	29.1	43.7
249	31.0	25.0	37.4





#69
Atrazine
Concen: 40.298 ng
RT: 16.648 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:200 Resp: 391199

Ion	Ratio	Lower	Upper
200	100		
173	26.2	6.7	46.7
215	48.1	29.7	69.7





#70
Pentachlorophenol
Concen: 39.549 ng
RT: 16.836 min Scan# 2363
Delta R.T. -0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:266 Resp: 270563

Ion	Ratio	Lower	Upper
266	100		
268	62.0	52.6	79.0
264	60.8	52.0	78.0





#71
Phenanthrene
Concen: 39.881 ng
RT: 17.242 min Scan# 24
Delta R.T. -0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:178 Resp: 1862283

Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.5	23.3
179	15.7	12.2	18.4





#72
Anthracene
Concen: 39.998 ng
RT: 17.336 min Scan# 2448
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:178 Resp: 1907331

Ion	Ratio	Lower	Upper
178	100		
176	18.5	14.7	22.1
179	15.1	12.2	18.2





#73
Carbazole
Concen: 39.727 ng
RT: 17.613 min Scan# 24
Delta R.T. -0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:167 Resp: 1784377

Ion	Ratio	Lower	Upper
167	100		
166	21.3	17.5	26.3
139	12.9	10.6	16.0





#74
Di-n-butylphthalate
Concen: 41.367 ng
RT: 18.213 min Scan# 2597
Delta R.T. 0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:149 Resp: 2286022

Ion	Ratio	Lower	Upper
149	100		
150	8.9	7.4	11.0
104	4.8	4.2	6.2





#75
Fluoranthene
Concen: 39.397 ng
RT: 19.330 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:202 Resp: 2194437

Ion	Ratio	Lower	Upper
202	100		
101	10.3	0.0	31.1
203	17.5	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.654 min Scan# 3182
Delta R.T. 0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:240 Resp: 848020

Ion	Ratio	Lower	Upper
240	100		
120	10.3	8.9	13.3
236	25.1	19.8	29.8





#77
Benzidine
Concen: 45.160 ng
RT: 19.519 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:184 Resp: 1306974

Ion	Ratio	Lower	Upper
184	100		
185	14.5	11.5	17.3
183	11.9	9.4	14.2





#78
Pyrene
Concen: 41.296 ng
RT: 19.701 min Scan# 2850
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:202 Resp: 2276181

Ion	Ratio	Lower	Upper
202	100		
200	21.1	16.9	25.3
203	17.6	14.2	21.2





#79
Terphenyl-d14
Concen: 79.985 ng
RT: 19.919 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:244 Resp: 3707367

Ion	Ratio	Lower	Upper
244	100		
212	7.4	5.8	8.6
122	9.9	7.4	11.2





#80
Butylbenzylphthalate
Concen: 41.807 ng
RT: 20.660 min Scan# 3013
Delta R.T. 0.012 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:149 Resp: 1044362

Ion	Ratio	Lower	Upper
149	100		
91	65.8	54.2	81.2
206	21.8	16.6	24.8





#81
Benzo(a)anthracene
Concen: 39.644 ng
RT: 21.636 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 2217188

Ion	Ratio	Lower	Upper
228	100		
226	26.7	21.7	32.5
229	19.7	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 40.253 ng
RT: 21.542 min Scan# 3163
Delta R.T. 0.000 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:252 Resp: 848549

Ion	Ratio	Lower	Upper
252	100		
254	64.9	51.8	77.6
126	11.0	9.1	13.7





#83
Chrysene
Concen: 40.684 ng
RT: 21.701 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 2130864

Ion	Ratio	Lower	Upper
228	100		
226	29.6	23.2	34.8
229	19.6	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 41.834 ng
RT: 21.566 min Scan# 3167
Delta R.T. -0.018 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:149 Resp: 1538326

Ion	Ratio	Lower	Upper
149	100		
167	27.4	22.1	33.1
279	4.3	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 41.781 ng
RT: 22.854 min Scan# 3
Delta R.T. -0.018 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:149 Resp: 2642675

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.3	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.018 min Scan# 3754
Delta R.T. -0.012 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:264 Resp: 967213

Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.3	28.9
265	21.5	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 39.545 ng
RT: 28.853 min Scan# 44
Delta R.T. -0.012 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:276 Resp: 2804996

Ion	Ratio	Lower	Upper
276	100		
138	17.4	12.9	19.3
277	25.4	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 40.474 ng
RT: 23.942 min Scan# 3571
Delta R.T. -0.012 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:252 Resp: 2308389

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.7	26.5
125	9.7	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 39.073 ng
RT: 24.018 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:252 Resp: 2229990

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.1	25.7
125	9.4	7.8	11.6





#90
Benzo(a)pyrene
Concen: 39.581 ng
RT: 24.859 min Scan# 3727
Delta R.T. 0.006 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:252 Resp: 2197471

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	11.6	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 39.676 ng
RT: 28.936 min Scan# 44
Delta R.T. -0.018 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 2299829

Ion	Ratio	Lower	Upper
278	100		
139	15.4	13.0	19.4
279	24.1	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 39.074 ng
RT: 30.030 min Scan# 4606
Delta R.T. -0.029 min
Lab File: BP025470.D
Acq: 19 Aug 2025 10:44

Tgt Ion:276 Resp: 2226412

Ion	Ratio	Lower	Upper
276	100		
277	24.3	19.4	29.0
138	20.1	16.7	25.1



Sample Results: **BP025470.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025470.D
Acq On : 19 Aug 2025 10:44
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 19 12:00:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	-0.01
2		1,4-Dioxane	0.472	0.475	-0.6	103	0.00
3		Pyridine	1.291	1.297	-0.5	103	0.00
4		n-Nitrosodimethylamine	0.532	0.569	-7.0	107	0.00
5	S	2-Fluorophenol	1.204	1.229	-2.1	102	0.00
6		Aniline	2.080	2.085	-0.2	100	0.00
7	S	Phenol-d6	1.544	1.586	-2.7	101	0.00
8		2-Chlorophenol	1.359	1.372	-1.0	101	0.00
9		Benzaldehyde	1.082	1.245	-15.1	88	0.00
10	C	Phenol	1.620	1.652	-2.0	101	0.00
11		bis(2-Chloroethyl)ether	1.263	1.272	-0.7	101	0.00
12		1,3-Dichlorobenzene	1.499	1.501	-0.1	100	0.00
13	C	1,4-Dichlorobenzene	1.532	1.544	-0.8	102	-0.01
14		1,2-Dichlorobenzene	1.483	1.477	0.4	100	0.00
15		Benzyl Alcohol	1.227	1.226	0.1	99	0.00
16		2,2'-oxybis(1-Chloropropane	1.692	1.725	-2.0	103	0.00
17		2-Methylphenol	1.125	1.138	-1.2	99	0.00
18		Hexachloroethane	0.563	0.574	-2.0	102	0.00
19	P	n-Nitroso-di-n-propylamine	1.023	1.012	1.1	99	0.00
20		3+4-Methylphenols	1.560	1.563	-0.2	99	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	96	0.00
22		Acetophenone	0.502	0.503	-0.2	99	0.00
23	S	Nitrobenzene-d5	0.395	0.403	-2.0	101	0.00
24		Nitrobenzene	0.353	0.357	-1.1	99	0.00
25		Isophorone	0.700	0.713	-1.9	101	0.00
26	C	2-Nitrophenol	0.181	0.186	-2.8	99	0.00
27		2,4-Dimethylphenol	0.312	0.320	-2.6	99	0.00
28		bis(2-Chloroethoxy)methane	0.423	0.424	-0.2	100	0.00
29	C	2,4-Dichlorophenol	0.310	0.314	-1.3	98	0.00
30		1,2,4-Trichlorobenzene	0.340	0.335	1.5	98	0.00
31		Naphthalene	1.040	1.035	0.5	99	0.00
32		Benzoic acid	0.230	0.396	-72.2#	167#	0.03
33		4-Chloroaniline	0.459	0.464	-1.1	98	0.00
34	C	Hexachlorobutadiene	0.211	0.208	1.4	97	0.00
35		Caprolactam	0.114	0.118	-3.5	103	0.00
36	C	4-Chloro-3-methylphenol	0.355	0.364	-2.5	101	0.00
37		2-Methylnaphthalene	0.676	0.673	0.4	99	0.00
38		1-Methylnaphthalene	0.719	0.714	0.7	100	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	96	-0.01
40		1,2,4,5-Tetrachlorobenzene	0.578	0.569	1.6	98	0.00
41	P	Hexachlorocyclopentadiene	0.349	0.454	-30.1#	126	0.00
42	S	2,4,6-Tribromophenol	0.269	0.273	-1.5	100	0.00
43	C	2,4,6-Trichlorophenol	0.390	0.400	-2.6	101	0.00
44		2,4,5-Trichlorophenol	0.427	0.434	-1.6	98	0.00
45	S	2-Fluorobiphenyl	1.463	1.448	1.0	100	0.00
46		1,1'-Biphenyl	1.453	1.453	0.0	99	0.00
47		2-Chloronaphthalene	1.131	1.118	1.1	98	0.00

Sample Results: **BP025470.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025470.D
Acq On : 19 Aug 2025 10:44
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 19 12:00:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.329	0.351	-6.7	102	0.00
49		Acenaphthylene	1.871	1.886	-0.8	100	0.00
50		Dimethylphthalate	1.465	1.480	-1.0	102	0.00
51		2,6-Dinitrotoluene	0.309	0.320	-3.6	100	0.00
52	C	Acenaphthene	1.098	1.094	0.4	101	0.00
53		3-Nitroaniline	0.347	0.361	-4.0	102	0.00
54	P	2,4-Dinitrophenol	0.165	0.576	-249.1#	340#	0.00
55		Dibenzofuran	1.736	1.727	0.5	99	0.00
56	P	4-Nitrophenol	0.285	0.292	-2.5	101	0.00
57		2,4-Dinitrotoluene	0.440	0.468	-6.4	103	0.00
58		Fluorene	1.370	1.359	0.8	100	0.00
59		2,3,4,6-Tetrachlorophenol	0.377	0.376	0.3	99	0.00
60		Diethylphthalate	1.488	1.487	0.1	100	0.00
61		4-Chlorophenyl-phenylether	0.681	0.674	1.0	100	0.00
62		4-Nitroaniline	0.356	0.372	-4.5	102	0.00
63		Azobenzene	1.274	1.335	-4.8	104	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	96	0.00
65		4,6-Dinitro-2-methylphenol	0.125	0.255	-104.0#	199#	0.00
66	c	n-Nitrosodiphenylamine	0.610	0.608	0.3	99	0.00
67		4-Bromophenyl-phenylether	0.220	0.217	1.4	98	0.00
68		Hexachlorobenzene	0.255	0.257	-0.8	102	0.00
69		Atrazine	0.228	0.230	-0.9	101	0.00
70	C	Pentachlorophenol	0.161	0.159	1.2	97	0.00
71		Phenanthrene	1.099	1.095	0.4	101	0.00
72		Anthracene	1.122	1.122	0.0	100	0.00
73		Carbazole	1.057	1.050	0.7	100	0.00
74		Di-n-butylphthalate	1.300	1.345	-3.5	104	0.00
75	C	Fluoranthene	1.311	1.291	1.5	101	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	94	0.00
77		Benzidine	0.683	0.771	-12.9	75	0.00
78		Pyrene	1.300	1.342	-3.2	99	0.00
79	S	Terphenyl-d14	1.093	1.093	0.0	99	0.00
80		Butylbenzylphthalate	0.589	0.616	-4.6	100	0.01
81		Benzo(a)anthracene	1.319	1.307	0.9	97	0.00
82		3,3'-Dichlorobenzidine	0.497	0.500	-0.6	97	0.00
83		Chrysene	1.235	1.256	-1.7	100	0.00
84		Bis(2-ethylhexyl)phthalate	0.867	0.907	-4.6	103	-0.02
85	c	Di-n-octyl phthalate	1.492	1.558	-4.4	102	-0.02
86	I	Perylene-d12	1.000	1.000	0.0	95	-0.01
87		Indeno(1,2,3-cd)pyrene	1.467	1.450	1.2	97	-0.01
88		Benzo(b)fluoranthene	1.179	1.193	-1.2	100	-0.01
89		Benzo(k)fluoranthene	1.180	1.153	2.3	97	-0.01
90	C	Benzo(a)pyrene	1.148	1.136	1.0	97	0.00
91		Dibenzo(a,h)anthracene	1.199	1.189	0.8	97	-0.02
92		Benzo(g,h,i)perylene	1.178	1.151	2.3	96	-0.03

Sample Results: **BP025470.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025470.D
Acq On : 19 Aug 2025 10:44
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 19 12:00:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Sample Results: **BP025470.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025470.D
Acq On : 19 Aug 2025 10:44
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 19 12:00:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	97	-0.01
2		1,4-Dioxane	40.000	40.315	-0.8	103	0.00
3		Pyridine	40.000	40.190	-0.5	103	0.00
4		n-Nitrosodimethylamine	40.000	42.738	-6.8	107	0.00
5	S	2-Fluorophenol	80.000	81.661	-2.1	102	0.00
6		Aniline	40.000	40.087	-0.2	100	0.00
7	S	Phenol-d6	80.000	82.185	-2.7	101	0.00
8		2-Chlorophenol	40.000	40.380	-1.0	101	0.00
9		Benzaldehyde	40.000	46.044	-15.1	88	0.00
10	C	Phenol	40.000	40.784	-2.0	101	0.00
11		bis(2-Chloroethyl)ether	40.000	40.295	-0.7	101	0.00
12		1,3-Dichlorobenzene	40.000	40.075	-0.2	100	0.00
13	C	1,4-Dichlorobenzene	40.000	40.312	-0.8	102	-0.01
14		1,2-Dichlorobenzene	40.000	39.850	0.4	100	0.00
15		Benzyl Alcohol	40.000	39.981	0.0	99	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	40.786	-2.0	103	0.00
17		2-Methylphenol	40.000	40.470	-1.2	99	0.00
18		Hexachloroethane	40.000	40.757	-1.9	102	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	39.573	1.1	99	0.00
20		3+4-Methylphenols	40.000	40.080	-0.2	99	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	96	0.00
22		Acetophenone	40.000	40.114	-0.3	99	0.00
23	S	Nitrobenzene-d5	80.000	81.627	-2.0	101	0.00
24		Nitrobenzene	40.000	40.460	-1.2	99	0.00
25		Isophorone	40.000	40.781	-2.0	101	0.00
26	C	2-Nitrophenol	40.000	41.117	-2.8	99	0.00
27		2,4-Dimethylphenol	40.000	41.001	-2.5	99	0.00
28		bis(2-Chloroethoxy)methane	40.000	40.077	-0.2	100	0.00
29	C	2,4-Dichlorophenol	40.000	40.511	-1.3	98	0.00
30		1,2,4-Trichlorobenzene	40.000	39.422	1.4	98	0.00
31		Naphthalene	40.000	39.813	0.5	99	0.00
32		Benzoic acid	40.000	68.883	-72.2#	167	0.03
33		4-Chloroaniline	40.000	40.457	-1.1	98	0.00
34	C	Hexachlorobutadiene	40.000	39.292	1.8	97	0.00
35		Caprolactam	40.000	41.521	-3.8	103	0.00
36	C	4-Chloro-3-methylphenol	40.000	40.950	-2.4	101	0.00
37		2-Methylnaphthalene	40.000	39.823	0.4	99	0.00
38		1-Methylnaphthalene	40.000	39.680	0.8	100	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	96	-0.01
40		1,2,4,5-Tetrachlorobenzene	40.000	39.392	1.5	98	0.00
41	P	Hexachlorocyclopentadiene	40.000	52.042	-30.1#	126	0.00
42	S	2,4,6-Tribromophenol	80.000	81.256	-1.6	100	0.00
43	C	2,4,6-Trichlorophenol	40.000	41.018	-2.5	101	0.00
44		2,4,5-Trichlorophenol	40.000	40.597	-1.5	98	0.00
45	S	2-Fluorobiphenyl	80.000	79.181	1.0	100	0.00
46		1,1'-Biphenyl	40.000	40.000	0.0	99	0.00
47		2-Chloronaphthalene	40.000	39.556	1.1	98	0.00

Sample Results: **BP025470.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025470.D
Acq On : 19 Aug 2025 10:44
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 19 12:00:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	42.581	-6.5	102	0.00
49		Acenaphthylene	40.000	40.322	-0.8	100	0.00
50		Dimethylphthalate	40.000	40.430	-1.1	102	0.00
51		2,6-Dinitrotoluene	40.000	41.441	-3.6	100	0.00
52	C	Acenaphthene	40.000	39.829	0.4	101	0.00
53		3-Nitroaniline	40.000	41.575	-3.9	102	0.00
54	P	2,4-Dinitrophenol	40.000	139.827	-249.6#	340	0.00
55		Dibenzofuran	40.000	39.788	0.5	99	0.00
56	P	4-Nitrophenol	40.000	40.915	-2.3	101	0.00
57		2,4-Dinitrotoluene	40.000	42.517	-6.3	103	0.00
58		Fluorene	40.000	39.664	0.8	100	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	39.893	0.3	99	0.00
60		Diethylphthalate	40.000	39.974	0.1	100	0.00
61		4-Chlorophenyl-phenylether	40.000	39.536	1.2	100	0.00
62		4-Nitroaniline	40.000	41.774	-4.4	102	0.00
63		Azobenzene	40.000	41.912	-4.8	104	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	96	0.00
65		4,6-Dinitro-2-methylphenol	40.000	81.708	-104.3#	199	0.00
66	c	n-Nitrosodiphenylamine	40.000	39.858	0.4	99	0.00
67		4-Bromophenyl-phenylether	40.000	39.458	1.4	98	0.00
68		Hexachlorobenzene	40.000	40.251	-0.6	102	0.00
69		Atrazine	40.000	40.298	-0.7	101	0.00
70	C	Pentachlorophenol	40.000	39.549	1.1	97	0.00
71		Phenanthrene	40.000	39.881	0.3	101	0.00
72		Anthracene	40.000	39.998	0.0	100	0.00
73		Carbazole	40.000	39.727	0.7	100	0.00
74		Di-n-butylphthalate	40.000	41.367	-3.4	104	0.00
75	C	Fluoranthene	40.000	39.397	1.5	101	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	94	0.00
77		Benzidine	40.000	45.160	-12.9	75	0.00
78		Pyrene	40.000	41.296	-3.2	99	0.00
79	S	Terphenyl-d14	80.000	79.985	0.0	99	0.00
80		Butylbenzylphthalate	40.000	41.807	-4.5	100	0.01
81		Benzo(a)anthracene	40.000	39.644	0.9	97	0.00
82		3,3'-Dichlorobenzidine	40.000	40.253	-0.6	97	0.00
83		Chrysene	40.000	40.684	-1.7	100	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	41.834	-4.6	103	-0.02
85	c	Di-n-octyl phthalate	40.000	41.781	-4.5	102	-0.02
86	I	Perylene-d12	20.000	20.000	0.0	95	-0.01
87		Indeno(1,2,3-cd)pyrene	40.000	39.545	1.1	97	-0.01
88		Benzo(b)fluoranthene	40.000	40.474	-1.2	100	-0.01
89		Benzo(k)fluoranthene	40.000	39.073	2.3	97	-0.01
90	C	Benzo(a)pyrene	40.000	39.581	1.0	97	0.00
91		Dibenzo(a,h)anthracene	40.000	39.676	0.8	97	-0.02
92		Benzo(g,h,i)perylene	40.000	39.074	2.3	96	-0.03

Sample Results: **BP025470.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025470.D
Acq On : 19 Aug 2025 10:44
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 19 12:00:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Raw Data: **BP025485.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/19/2025 21:43

Lab File ID: BP025485.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040EC Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.204	1.218		1.2	50.0
Benzaldehyde	1.082	0.902		-16.6	50.0
Phenol-d6	1.544	1.587		2.8	50.0
Phenol	1.620	1.658		2.3	50.0
bis(2-Chloroethyl)ether	1.263	1.262		-0.1	50.0
2-Chlorophenol	1.359	1.375		1.2	50.0
2-Methylphenol	1.125	1.161		3.2	50.0
2,2-oxybis(1-Chloropropane)	1.692	1.743		3.0	50.0
Acetophenone	0.502	0.506		0.8	50.0
3+4-Methylphenols	1.560	1.605		2.9	50.0
n-Nitroso-di-n-propylamine	1.023	1.050	0.050	2.6	50.0
Nitrobenzene-d5	0.395	0.400		1.3	50.0
Hexachloroethane	0.563	0.571		1.4	50.0
Nitrobenzene	0.353	0.353		0.0	50.0
Isophorone	0.700	0.708		1.1	50.0
2-Nitrophenol	0.181	0.183		1.1	50.0
2,4-Dimethylphenol	0.312	0.319		2.2	50.0
bis(2-Chloroethoxy)methane	0.423	0.428		1.2	50.0
2,4-Dichlorophenol	0.310	0.317		2.3	50.0
Naphthalene	1.040	1.019		-2.0	50.0
4-Chloroaniline	0.459	0.465		1.3	50.0
Hexachlorobutadiene	0.211	0.209		-0.9	50.0
Caprolactam	0.114	0.113		-0.9	50.0
4-Chloro-3-methylphenol	0.355	0.365		2.8	50.0
2-Methylnaphthalene	0.676	0.669		-1.0	50.0
Hexachlorocyclopentadiene	0.349	0.410	0.050	17.5	50.0
2,4,6-Trichlorophenol	0.390	0.397		1.8	50.0
2-Fluorobiphenyl	1.463	1.455		-0.5	50.0
2,4,5-Trichlorophenol	0.427	0.434		1.6	50.0
1,1-Biphenyl	1.453	1.450		-0.2	50.0
2-Chloronaphthalene	1.131	1.129		-0.2	50.0
2-Nitroaniline	0.329	0.352		7.0	50.0
Dimethylphthalate	1.465	1.472		0.5	50.0
Acenaphthylene	1.871	1.873		0.1	50.0
2,6-Dinitrotoluene	0.309	0.325		5.2	50.0
3-Nitroaniline	0.347	0.356		2.6	50.0
Acenaphthene	1.098	1.079		-1.7	50.0
2,4-Dinitrophenol	0.165	0.325	0.050	97.0	50.0
4-Nitrophenol	0.285	0.288	0.050	1.1	50.0

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/19/2025 21:43

Lab File ID: BP025485.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040EC Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.736	1.721		-0.9	50.0
2,4-Dinitrotoluene	0.440	0.463		5.2	50.0
Diethylphthalate	1.488	1.504		1.1	50.0
4-Chlorophenyl-phenylether	0.681	0.668		-1.9	50.0
Fluorene	1.370	1.329		-3.0	50.0
4-Nitroaniline	0.356	0.355		-0.3	50.0
4,6-Dinitro-2-methylphenol	0.125	0.178		42.4	50.0
n-Nitrosodiphenylamine	0.610	0.611		0.2	50.0
2,4,6-Tribromophenol	0.269	0.275		2.2	50.0
4-Bromophenyl-phenylether	0.220	0.218		-0.9	50.0
Hexachlorobenzene	0.255	0.257		0.8	50.0
Atrazine	0.228	0.229		0.4	50.0
Pentachlorophenol	0.161	0.166		3.1	50.0
Phenanthrene	1.099	1.085		-1.3	50.0
Anthracene	1.122	1.116		-0.5	50.0
Carbazole	1.057	1.045		-1.1	50.0
Di-n-butylphthalate	1.300	1.318		1.4	50.0
Fluoranthene	1.311	1.271		-3.1	50.0
Pyrene	1.300	1.274		-2.0	50.0
Terphenyl-d14	1.093	1.085		-0.7	50.0
Butylbenzylphthalate	0.589	0.608		3.2	50.0
3,3-Dichlorobenzidine	0.497	0.479		-3.6	50.0
Benzo(a)anthracene	1.319	1.302		-1.3	50.0
Chrysene	1.235	1.232		-0.2	50.0
Bis(2-ethylhexyl)phthalate	0.867	0.887		2.3	50.0
Di-n-octyl phthalate	1.492	1.538		3.1	50.0
Benzo(b)fluoranthene	1.179	1.167		-1.0	50.0
Benzo(k)fluoranthene	1.180	1.176		-0.3	50.0
Benzo(a)pyrene	1.148	1.150		0.2	50.0
Indeno(1,2,3-cd)pyrene	1.467	1.449		-1.2	50.0
Dibenzo(a,h)anthracene	1.199	1.196		-0.3	50.0
Benzo(g,h,i)perylene	1.178	1.167		-0.9	50.0
1,2,4,5-Tetrachlorobenzene	0.578	0.582		0.7	50.0
1,4-Dioxane	0.472	0.459		-2.8	50.0
2,3,4,6-Tetrachlorophenol	0.377	0.389		3.2	50.0

All other compounds must meet a minimum RRF of 0.010.

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025485.D
Acq On : 19 Aug 2025 21:43
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 20 02:25:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	158873	20.000	ng		0.00
21) Naphthalene-d8	10.554	136	675660	20.000	ng		0.00
39) Acenaphthene-d10	14.401	164	445771	20.000	ng		0.00
64) Phenanthrene-d10	17.195	188	892187	20.000	ng		0.00
76) Chrysene-d12	21.636	240	906884	20.000	ng		-0.01
86) Perylene-d12	25.006	264	1007482	20.000	ng		-0.02
System Monitoring Compounds							
5) 2-Fluorophenol	5.407	112	773764	80.882	ng		0.00
7) Phenol-d6	6.966	99	1008256	82.204	ng		0.00
23) Nitrobenzene-d5	8.931	82	1079756	80.839	ng		0.00
42) 2,4,6-Tribromophenol	15.907	330	489565	81.593	ng		0.00
45) 2-Fluorobiphenyl	13.013	172	2594828	79.555	ng		0.00
79) Terphenyl-d14	19.913	244	3937508	79.436	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	3.337	88	145689	38.879	ng		98
3) Pyridine	3.731	79	404916	39.479	ng		95
4) n-Nitrosodimethylamine	3.637	42	179479	42.446	ng		94
6) Aniline	7.119	93	668681	40.464	ng		97
8) 2-Chlorophenol	7.360	128	437012	40.481	ng		99
9) Benzaldehyde	6.937	77	286594	33.351	ng		99
10) Phenol	6.996	94	526675	40.923	ng		98
11) bis(2-Chloroethyl)ether	7.213	93	401081	39.983	ng		99
12) 1,3-Dichlorobenzene	7.684	146	475391	39.936	ng		100
13) 1,4-Dichlorobenzene	7.825	146	484363	39.809	ng		100
14) 1,2-Dichlorobenzene	8.137	146	469356	39.851	ng		98
15) Benzyl Alcohol	8.025	79	401239	41.172	ng		98
16) 2,2'-oxybis(1-Chloropr...	8.307	45	553744	41.208	ng		98
17) 2-Methylphenol	8.225	107	368919	41.273	ng		99
18) Hexachloroethane	8.860	117	181531	40.579	ng		98
19) n-Nitroso-di-n-propyla...	8.584	70	333778	41.084	ng		97
20) 3+4-Methylphenols	8.548	107	509860	41.150	ng		97
22) Acetophenone	8.595	105	683158	40.318	ng	#	98
24) Nitrobenzene	8.972	77	477609	40.010	ng		99
25) Isophorone	9.495	82	957244	40.496	ng		100
26) 2-Nitrophenol	9.678	139	247838	40.455	ng		99
27) 2,4-Dimethylphenol	9.737	122	431106	40.920	ng		99
28) bis(2-Chloroethoxy)met...	9.966	93	577727	40.432	ng		99
29) 2,4-Dichlorophenol	10.207	162	428064	40.902	ng		99
30) 1,2,4-Trichlorobenzene	10.419	180	446960	38.959	ng		98
31) Naphthalene	10.607	128	1376450	39.195	ng		99
32) Benzoic acid	9.895	122	398565	51.243	ng		97
33) 4-Chloroaniline	10.707	127	627874	40.476	ng		99
34) Hexachlorobutadiene	10.895	225	282466	39.534	ng		99
35) Caprolactam	11.495	113	153213	39.925	ng		98
36) 4-Chloro-3-methylphenol	11.837	107	492944	41.048	ng		99
37) 2-Methylnaphthalene	12.213	142	904354	39.572	ng		98
38) 1-Methylnaphthalene	12.431	142	952498	39.191	ng		99
40) 1,2,4,5-Tetrachloroben...	12.584	216	518947	40.309	ng		99
41) Hexachlorocyclopentadiene	12.566	237	365177	46.958	ng		97
43) 2,4,6-Trichlorophenol	12.825	196	354164	40.748	ng		98

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025485.D
Acq On : 19 Aug 2025 21:43
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 20 02:25:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.895	196	387326	40.661	ng	99
46) 1,1'-Biphenyl	13.225	154	1292572	39.926	ng	99
47) 2-Chloronaphthalene	13.266	162	1006226	39.925	ng	99
48) 2-Nitroaniline	13.466	65	313692	42.716	ng	96
49) Acenaphthylene	14.125	152	1669485	40.032	ng	100
50) Dimethylphthalate	13.860	163	1312044	40.193	ng	100
51) 2,6-Dinitrotoluene	13.966	165	289803	42.121	ng	97
52) Acenaphthene	14.466	154	961749	39.288	ng	99
53) 3-Nitroaniline	14.295	138	317453	41.010	ng	96
54) 2,4-Dinitrophenol	14.513	184	289809	78.876	ng	99
55) Dibenzofuran	14.807	168	1534315	39.644	ng	99
56) 4-Nitrophenol	14.619	139	257090	40.416	ng	97
57) 2,4-Dinitrotoluene	14.766	165	412864	42.059	ng	96
58) Fluorene	15.460	166	1184590	38.790	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.030	232	346838	41.236	ng	99
60) Diethylphthalate	15.236	149	1340756	40.422	ng	99
61) 4-Chlorophenyl-phenyle...	15.454	204	595598	39.215	ng	97
62) 4-Nitroaniline	15.472	138	316634	39.899	ng	97
63) Azobenzene	15.754	77	1180195	41.554	ng	99
65) 4,6-Dinitro-2-methylph...	15.536	198	317569	57.102	ng	95
66) n-Nitrosodiphenylamine	15.677	169	1090366	40.077	ng	99
67) 4-Bromophenyl-phenylether	16.366	248	389327	39.677	ng	96
68) Hexachlorobenzene	16.483	284	458719	40.328	ng	99
69) Atrazine	16.648	200	408523	40.095	ng	100
70) Pentachlorophenol	16.836	266	295975	41.221	ng	96
71) Phenanthrene	17.242	178	1936352	39.509	ng	99
72) Anthracene	17.336	178	1990880	39.778	ng	100
73) Carbazole	17.607	167	1863783	39.535	ng	99
74) Di-n-butylphthalate	18.207	149	2351889	40.549	ng	100
75) Fluoranthene	19.324	202	2267363	38.784	ng	99
77) Benzidine	19.507	184	1145425	37.009	ng	99
78) Pyrene	19.701	202	2310305	39.194	ng	100
80) Butylbenzylphthalate	20.648	149	1102249	41.260	ng	100
81) Benzo(a)anthracene	21.618	228	2361970	39.492	ng	100
82) 3,3'-Dichlorobenzidine	21.536	252	868498	38.525	ng	99
83) Chrysene	21.689	228	2233747	39.880	ng	100
84) Bis(2-ethylhexyl)phtha...	21.560	149	1608462	40.902	ng	100
85) Di-n-octyl phthalate	22.848	149	2789645	41.242	ng	99
87) Indeno(1,2,3-cd)pyrene	28.824	276	2920576	39.529	ng	99
88) Benzo(b)fluoranthene	23.936	252	2351174	39.577	ng	99
89) Benzo(k)fluoranthene	24.001	252	2369472	39.857	ng	99
90) Benzo(a)pyrene	24.824	252	2318019	40.084	ng	99
91) Dibenzo(a,h)anthracene	28.912	278	2410467	39.922	ng	99
92) Benzo(g,h,i)perylene	30.018	276	2351576	39.621	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025485.D
Acq On : 19 Aug 2025 21:43
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 20 02:25:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 158873

Ion	Ratio	Lower	Upper
152	100		
150	155.6	125.9	188.9
115	61.2	48.5	72.7





#2
1,4-Dioxane
Concen: 38.879 ng
RT: 3.337 min Scan# 68
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion: 88 Resp: 145689

Ion	Ratio	Lower	Upper
88	100		
58	75.3	59.2	88.8
43	28.5	21.7	32.5





#3
Pyridine
Concen: 39.479 ng
RT: 3.731 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 404916

Ion	Ratio	Lower	Upper
79	100		
52	74.3	55.5	83.3
51	37.5	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 42.446 ng
RT: 3.637 min Scan# 119
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion: 42 Resp: 179479

Ion	Ratio	Lower	Upper
42	100		
74	125.9	107.0	160.4
44	7.0	6.2	9.4





#5
2-Fluorophenol
Concen: 80.882 ng
RT: 5.407 min Scan# 4
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:112 Resp: 773764

Ion	Ratio	Lower	Upper
112	100		
64	56.5	43.8	65.8
63	30.2	22.7	34.1





#6
Aniline
Concen: 40.464 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion: 93 Resp: 668681

Ion	Ratio	Lower	Upper
93	100		
66	40.1	30.4	45.6
65	19.7	15.3	22.9





#7
Phenol-d6
Concen: 82.204 ng
RT: 6.966 min Scan# 6
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 99 Resp: 1008256

Ion	Ratio	Lower	Upper
99	100		
42	18.0	13.7	20.5
71	35.1	28.2	42.4





#8
2-Chlorophenol
Concen: 40.481 ng
RT: 7.360 min Scan# 752
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:128 Resp: 437012

Ion	Ratio	Lower	Upper
128	100		
130	32.8	12.6	52.6
64	44.4	23.4	63.4





#9
Benzaldehyde
Concen: 33.351 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 286594

Ion	Ratio	Lower	Upper
77	100		
105	104.0	84.8	124.8
106	99.8	80.5	120.5





#10
Phenol
Concen: 40.923 ng
RT: 6.996 min Scan# 690
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion: 94 Resp: 526675

Ion	Ratio	Lower	Upper
94	100		
65	28.0	6.8	46.8
66	39.5	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 39.983 ng
RT: 7.213 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 93 Resp: 401081

Ion	Ratio	Lower	Upper
93	100		
63	72.2	52.6	92.6
95	32.4	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 39.936 ng
RT: 7.684 min Scan# 807
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:146 Resp: 475391

Ion	Ratio	Lower	Upper
146	100		
148	65.3	51.9	77.9
75	29.7	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 39.809 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:146 Resp: 484363

Ion	Ratio	Lower	Upper
146	100		
148	64.3	51.6	77.4
111	41.5	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 39.851 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:146 Resp: 469356

Ion	Ratio	Lower	Upper
146	100		
148	65.0	50.4	75.6
111	43.1	34.5	51.7





#15
Benzyl Alcohol
Concen: 41.172 ng
RT: 8.025 min Scan# 8
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 401239

Ion	Ratio	Lower	Upper
79	100		
108	78.3	63.8	95.6
77	62.5	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 41.208 ng
RT: 8.307 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion: 45 Resp: 553744

Ion	Ratio	Lower	Upper
45	100		
77	14.8	0.0	35.3
79	10.9	0.0	31.8





#17
2-Methylphenol
Concen: 41.273 ng
RT: 8.225 min Scan# 8
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:107 Resp: 368919

Ion	Ratio	Lower	Upper
107	100		
108	112.0	89.4	134.0
77	46.2	36.3	54.5
79	45.2	36.6	54.8





#18
Hexachloroethane
Concen: 40.579 ng
RT: 8.860 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:117 Resp: 181531

Ion	Ratio	Lower	Upper
117	100		
119	94.7	75.1	112.7
201	102.9	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 41.084 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 70 Resp: 333778

Ion	Ratio	Lower	Upper
70	100		
42	57.4	43.8	65.6
101	10.7	8.5	12.7
130	23.6	19.4	29.0





#20
3+4-Methylphenols
Concen: 41.150 ng
RT: 8.548 min Scan# 954
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:107 Resp: 509860

Ion	Ratio	Lower	Upper
107	100		
108	89.5	66.3	106.3
77	33.6	12.3	52.3
79	29.0	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.554 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:136 Resp: 675660

Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.2	13.8
54	7.6	6.0	9.0
68	5.1	4.3	6.5





#22
Acetophenone
Concen: 40.318 ng
RT: 8.595 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:105 Resp: 683158

Ion	Ratio	Lower	Upper
105	100		
71	4.2	2.6	4.0#
51	27.2	20.6	30.8
120	22.5	18.6	27.8





#23
Nitrobenzene-d5
Concen: 80.839 ng
RT: 8.931 min Scan# 1(
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 1079756

Ion	Ratio	Lower	Upper
82	100		
128	45.0	37.7	56.5
54	50.7	39.8	59.6





#24
Nitrobenzene
Concen: 40.010 ng
RT: 8.972 min Scan# 1026
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion: 77 Resp: 477609

Ion	Ratio	Lower	Upper
77	100		
123	48.1	38.6	58.0
65	14.1	10.6	15.8





#25
Isophorone
Concen: 40.496 ng
RT: 9.495 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 957244

Ion	Ratio	Lower	Upper
82	100		
95	7.8	6.4	9.6
138	19.2	15.4	23.0





#26
2-Nitrophenol
Concen: 40.455 ng
RT: 9.678 min Scan# 1146
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:139 Resp: 247838

Ion	Ratio	Lower	Upper
139	100		
109	33.5	26.9	40.3
65	46.9	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 40.920 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:122 Resp: 431106

Ion	Ratio	Lower	Upper
122	100		
107	118.6	93.7	140.5
121	58.5	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 40.432 ng
RT: 9.966 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion: 93 Resp: 577727

Ion	Ratio	Lower	Upper
93	100		
95	32.5	25.4	38.0
123	11.4	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 40.902 ng
RT: 10.207 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 428064

Ion	Ratio	Lower	Upper
162	100		
164	64.9	44.4	84.4
98	35.7	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 38.959 ng
RT: 10.419 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:180 Resp: 446960

Ion	Ratio	Lower	Upper
180	100		
182	95.9	78.0	117.0
145	31.6	25.9	38.9





#31
Naphthalene
Concen: 39.195 ng
RT: 10.607 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:128 Resp: 1376450

Ion	Ratio	Lower	Upper
128	100		
129	11.1	8.6	13.0
127	13.2	10.7	16.1





#32
Benzoic acid
Concen: 51.243 ng
RT: 9.895 min Scan# 1183
Delta R.T. 0.023 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:122 Resp: 398565

Ion	Ratio	Lower	Upper
122	100		
105	126.2	100.6	140.6
77	90.9	71.5	111.5





#33
4-Chloroaniline
Concen: 40.476 ng
RT: 10.707 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:127 Resp: 627874

Ion	Ratio	Lower	Upper
127	100		
129	31.5	25.4	38.2
65	29.3	23.8	35.6
92	19.4	15.8	23.8





#34
Hexachlorobutadiene
Concen: 39.534 ng
RT: 10.895 min Scan# 1353
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:225 Resp: 282466

Ion	Ratio	Lower	Upper
225	100		
223	62.4	50.0	75.0
227	64.0	49.7	74.5





#35
Caprolactam
Concen: 39.925 ng
RT: 11.495 min Scan# 14
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:113 Resp: 153213

Ion	Ratio	Lower	Upper
113	100		
55	157.5	140.0	180.0
56	118.6	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 41.048 ng
RT: 11.837 min Scan# 1513
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:107 Resp: 492944

Ion	Ratio	Lower	Upper
107	100		
144	25.4	21.0	31.4
142	80.2	64.6	97.0





#37
2-Methylnaphthalene
Concen: 39.572 ng
RT: 12.213 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:142 Resp: 904354

Ion	Ratio	Lower	Upper
142	100		
141	89.2	70.3	105.5
115	37.2	28.9	43.3





#38
1-Methylnaphthalene
Concen: 39.191 ng
RT: 12.431 min Scan# 1614
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:142 Resp: 952498

Ion	Ratio	Lower	Upper
142	100		
141	92.4	73.1	109.7
116	4.2	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:164 Resp: 445771

Ion	Ratio	Lower	Upper
164	100		
162	100.2	81.0	121.6
160	44.1	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 40.309 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:216 Resp: 518947

Ion	Ratio	Lower	Upper
216	100		
214	77.9	63.0	94.4
179	21.8	17.1	25.7
108	19.4	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 46.958 ng
RT: 12.566 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:237 Resp: 365177

Ion	Ratio	Lower	Upper
237	100		
235	64.6	42.7	82.7
272	12.8	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 81.593 ng
RT: 15.907 min Scan# 2205
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:330 Resp: 489565

Ion	Ratio	Lower	Upper
330	100		
332	97.4	77.3	115.9
141	34.6	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 40.748 ng
RT: 12.825 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:196 Resp: 354164

Ion	Ratio	Lower	Upper
196	100		
198	98.3	77.2	115.8
200	30.9	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 40.661 ng
RT: 12.895 min Scan# 1693
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:196 Resp: 387326

Ion	Ratio	Lower	Upper
196	100		
198	95.7	76.2	114.2
97	50.3	41.2	61.8
132	28.9	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 79.555 ng
RT: 13.013 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:172 Resp: 2594828

Ion	Ratio	Lower	Upper
172	100		
171	35.2	28.1	42.1
170	23.9	18.6	28.0





#46
1,1'-Biphenyl
Concen: 39.926 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:154 Resp: 1292572

Ion	Ratio	Lower	Upper
154	100		
153	39.9	19.5	59.5
76	11.3	0.0	31.1





#47
2-Chloronaphthalene
Concen: 39.925 ng
RT: 13.266 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 1006226

Ion	Ratio	Lower	Upper
162	100		
127	41.2	33.4	50.2
164	33.0	26.2	39.2





#48
2-Nitroaniline
Concen: 42.716 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion: 65 Resp: 313692

Ion	Ratio	Lower	Upper
65	100		
92	69.6	57.6	86.4
138	108.9	91.0	136.6





#49
Acenaphthylene
Concen: 40.032 ng
RT: 14.125 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 1669485

Ion	Ratio	Lower	Upper
152	100		
151	19.9	16.0	24.0
153	12.9	10.6	15.8





#50
Dimethylphthalate
Concen: 40.193 ng
RT: 13.860 min Scan# 1857
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:163 Resp: 1312044

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	9.8	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 42.121 ng
RT: 13.966 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 289803

Ion	Ratio	Lower	Upper
165	100		
63	53.3	40.9	61.3
89	55.0	42.1	63.1





#52
Acenaphthene
Concen: 39.288 ng
RT: 14.466 min Scan# 1960
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:154 Resp: 961749

Ion	Ratio	Lower	Upper
154	100		
153	112.0	90.2	135.2
152	53.0	42.1	63.1





#53
3-Nitroaniline
Concen: 41.010 ng
RT: 14.295 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:138 Resp: 317453

Ion	Ratio	Lower	Upper
138	100		
108	11.3	8.3	12.5
92	112.4	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 78.876 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:184 Resp: 289809

Ion	Ratio	Lower	Upper
184	100		
63	61.4	49.4	74.2
154	69.2	54.6	82.0





#55
Dibenzofuran
Concen: 39.644 ng
RT: 14.807 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:168 Resp: 1534315

Ion	Ratio	Lower	Upper
168	100		
139	39.5	31.5	47.3
169	12.9	10.9	16.3





#56
4-Nitrophenol
Concen: 40.416 ng
RT: 14.619 min Scan# 1986
Delta R.T. 0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:139 Resp: 257090

Ion	Ratio	Lower	Upper
139	100		
109	81.0	56.6	96.6
65	90.0	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 42.059 ng
RT: 14.766 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 412864

Ion	Ratio	Lower	Upper
165	100		
63	42.1	31.4	47.2
89	69.1	53.3	79.9
182	2.8	2.3	3.5





#58
Fluorene
Concen: 38.790 ng
RT: 15.460 min Scan# 2129
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:166 Resp: 1184590

Ion	Ratio	Lower	Upper
166	100		
165	97.4	78.8	118.2
167	14.2	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 41.236 ng
RT: 15.030 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:232 Resp: 346838

Ion	Ratio	Lower	Upper
232	100		
131	47.4	37.0	55.6
130	2.7	1.9	2.9
166	32.2	25.4	38.0





#60
Diethylphthalate
Concen: 40.422 ng
RT: 15.236 min Scan# 2091
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:149 Resp: 1340756

Ion	Ratio	Lower	Upper
149	100		
177	22.2	17.3	25.9
150	12.5	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 39.215 ng
RT: 15.454 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:204 Resp: 595598

Ion	Ratio	Lower	Upper
204	100		
206	33.2	25.8	38.8
141	64.4	49.4	74.2





#62
4-Nitroaniline
Concen: 39.899 ng
RT: 15.472 min Scan# 2131
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:138 Resp: 316634

Ion	Ratio	Lower	Upper
138	100		
92	49.1	29.1	69.1
108	86.3	61.5	101.5





#63
Azobenzene
Concen: 41.554 ng
RT: 15.754 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 1180195

Ion	Ratio	Lower	Upper
77	100		
182	27.3	7.5	47.5
105	22.1	2.1	42.1
51	31.1	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.195 min Scan# 2424
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:188 Resp: 892187

Ion	Ratio	Lower	Upper
188	100		
94	8.5	6.6	10.0
80	8.9	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 57.102 ng
RT: 15.536 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:198 Resp: 317569

Ion	Ratio	Lower	Upper
198	100		
51	45.0	19.6	59.6
105	41.8	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 40.077 ng
RT: 15.677 min Scan# 2166
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:169 Resp: 1090366

Ion	Ratio	Lower	Upper
169	100		
168	66.0	53.2	79.8
167	35.7	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 39.677 ng
RT: 16.366 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:248 Resp: 389327

Ion	Ratio	Lower	Upper
248	100		
250	98.0	78.2	117.2
141	82.1	59.6	89.4





#68
Hexachlorobenzene
Concen: 40.328 ng
RT: 16.483 min Scan# 2303
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:284 Resp: 458719

Ion	Ratio	Lower	Upper
284	100		
142	35.0	29.1	43.7
249	31.4	25.0	37.4





#69
Atrazine
Concen: 40.095 ng
RT: 16.648 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:200 Resp: 408523

Ion	Ratio	Lower	Upper
200	100		
173	26.5	6.7	46.7
215	49.9	29.7	69.7





#70
Pentachlorophenol
Concen: 41.221 ng
RT: 16.836 min Scan# 2363
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:266 Resp: 295975

Ion	Ratio	Lower	Upper
266	100		
268	63.7	52.6	79.0
264	61.3	52.0	78.0





#71
Phenanthrene
Concen: 39.509 ng
RT: 17.242 min Scan# 24
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:178 Resp: 1936352

Ion	Ratio	Lower	Upper
178	100		
176	18.9	15.5	23.3
179	15.3	12.2	18.4





#72
Anthracene
Concen: 39.778 ng
RT: 17.336 min Scan# 2448
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:178 Resp: 1990880

Ion	Ratio	Lower	Upper
178	100		
176	18.3	14.7	22.1
179	15.1	12.2	18.2





#73
Carbazole
Concen: 39.535 ng
RT: 17.607 min Scan# 24
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:167 Resp: 1863783

Ion	Ratio	Lower	Upper
167	100		
166	21.5	17.5	26.3
139	13.6	10.6	16.0





#74
Di-n-butylphthalate
Concen: 40.549 ng
RT: 18.207 min Scan# 2596
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:149 Resp: 2351889

Ion	Ratio	Lower	Upper
149	100		
150	8.9	7.4	11.0
104	5.2	4.2	6.2





#75
Fluoranthene
Concen: 38.784 ng
RT: 19.324 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:202 Resp: 2267363

Ion	Ratio	Lower	Upper
202	100		
101	10.1	0.0	31.1
203	17.5	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.636 min Scan# 3179
Delta R.T. -0.012 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:240 Resp: 906884

Ion	Ratio	Lower	Upper
240	100		
120	10.3	8.9	13.3
236	25.7	19.8	29.8





#77
Benzidine
Concen: 37.009 ng
RT: 19.507 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:184 Resp: 1145425

Ion	Ratio	Lower	Upper
184	100		
185	14.0	11.5	17.3
183	11.6	9.4	14.2





#78
Pyrene
Concen: 39.194 ng
RT: 19.701 min Scan# 2850
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:202 Resp: 2310305

Ion	Ratio	Lower	Upper
202	100		
200	21.2	16.9	25.3
203	17.4	14.2	21.2





#79
Terphenyl-d14
Concen: 79.436 ng
RT: 19.913 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:244 Resp: 3937508

Ion	Ratio	Lower	Upper
244	100		
212	7.6	5.8	8.6
122	9.8	7.4	11.2





#80
Butylbenzylphthalate
Concen: 41.260 ng
RT: 20.648 min Scan# 3011
Delta R.T. -0.000 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:149 Resp: 1102249

Ion	Ratio	Lower	Upper
149	100		
91	67.5	54.2	81.2
206	20.9	16.6	24.8





#81
Benzo(a)anthracene
Concen: 39.492 ng
RT: 21.618 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 2361970

Ion	Ratio	Lower	Upper
228	100		
226	26.9	21.7	32.5
229	19.4	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 38.525 ng
RT: 21.536 min Scan# 3162
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:252 Resp: 868498

Ion	Ratio	Lower	Upper
252	100		
254	64.2	51.8	77.6
126	10.9	9.1	13.7





#83
Chrysene
Concen: 39.880 ng
RT: 21.689 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 2233747

Ion	Ratio	Lower	Upper
228	100		
226	29.0	23.2	34.8
229	19.2	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 40.902 ng
RT: 21.560 min Scan# 3166
Delta R.T. -0.024 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:149 Resp: 1608462

Ion	Ratio	Lower	Upper
149	100		
167	27.4	22.1	33.1
279	4.7	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 41.242 ng
RT: 22.848 min Scan# 3
Delta R.T. -0.024 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:149 Resp: 2789645

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.3	1.9
43	8.4	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.006 min Scan# 3752
Delta R.T. -0.024 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:264 Resp: 1007482

Ion	Ratio	Lower	Upper
264	100		
260	22.8	19.3	28.9
265	22.1	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 39.529 ng
RT: 28.824 min Scan# 44
Delta R.T. -0.041 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:276 Resp: 2920576

Ion	Ratio	Lower	Upper
276	100		
138	15.8	12.9	19.3
277	20.4	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 39.577 ng
RT: 23.936 min Scan# 3570
Delta R.T. -0.018 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:252 Resp: 2351174

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.7	26.5
125	9.6	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 39.857 ng
RT: 24.001 min Scan# 3
Delta R.T. -0.030 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:252 Resp: 2369472

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.1	25.7
125	9.4	7.8	11.6





#90
Benzo(a)pyrene
Concen: 40.084 ng
RT: 24.824 min Scan# 3721
Delta R.T. -0.030 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:252 Resp: 2318019

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.5	26.3
125	10.6	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 39.922 ng
RT: 28.912 min Scan# 4
Delta R.T. -0.041 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:278 Resp: 2410467

Ion	Ratio	Lower	Upper
278	100		
139	15.1	13.0	19.4
279	24.0	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 39.621 ng
RT: 30.018 min Scan# 4604
Delta R.T. -0.041 min
Lab File: BP025485.D
Acq: 19 Aug 2025 21:43

Tgt Ion:276 Resp: 2351576

Ion	Ratio	Lower	Upper
276	100		
277	24.3	19.4	29.0
138	18.8	16.7	25.1



Sample Results: **BP025485.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025485.D
Acq On : 19 Aug 2025 21:43
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 02:25:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	101	0.00
2		1,4-Dioxane	0.472	0.459	2.8	104	0.00
3		Pyridine	1.291	1.274	1.3	105	0.00
4		n-Nitrosodimethylamine	0.532	0.565	-6.2	111	0.00
5	S	2-Fluorophenol	1.204	1.218	-1.2	106	0.00
6		Aniline	2.080	2.104	-1.2	105	0.00
7	S	Phenol-d6	1.544	1.587	-2.8	106	0.00
8		2-Chlorophenol	1.359	1.375	-1.2	105	0.00
9		Benzaldehyde	1.082	0.902	16.6	67	0.00
10	C	Phenol	1.620	1.658	-2.3	106	0.00
11		bis(2-Chloroethyl)ether	1.263	1.262	0.1	104	0.00
12		1,3-Dichlorobenzene	1.499	1.496	0.2	104	0.00
13	C	1,4-Dichlorobenzene	1.532	1.524	0.5	105	0.00
14		1,2-Dichlorobenzene	1.483	1.477	0.4	104	0.00
15		Benzyl Alcohol	1.227	1.263	-2.9	107	0.00
16		2,2'-oxybis(1-Chloropropane	1.692	1.743	-3.0	108	0.00
17		2-Methylphenol	1.125	1.161	-3.2	106	0.00
18		Hexachloroethane	0.563	0.571	-1.4	106	0.00
19	P	n-Nitroso-di-n-propylamine	1.023	1.050	-2.6	107	0.00
20		3+4-Methylphenols	1.560	1.605	-2.9	106	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	102	0.00
22		Acetophenone	0.502	0.506	-0.8	106	0.00
23	S	Nitrobenzene-d5	0.395	0.400	-1.3	106	0.00
24		Nitrobenzene	0.353	0.353	0.0	104	0.00
25		Isophorone	0.700	0.708	-1.1	107	0.00
26	C	2-Nitrophenol	0.181	0.183	-1.1	103	0.00
27		2,4-Dimethylphenol	0.312	0.319	-2.2	106	0.00
28		bis(2-Chloroethoxy)methane	0.423	0.428	-1.2	107	0.00
29	C	2,4-Dichlorophenol	0.310	0.317	-2.3	106	0.00
30		1,2,4-Trichlorobenzene	0.340	0.331	2.6	103	0.00
31		Naphthalene	1.040	1.019	2.0	104	0.00
32		Benzoic acid	0.230	0.295	-28.3#	132	0.02
33		4-Chloroaniline	0.459	0.465	-1.3	105	0.00
34	C	Hexachlorobutadiene	0.211	0.209	0.9	104	0.00
35		Caprolactam	0.114	0.113	0.9	106	0.00
36	C	4-Chloro-3-methylphenol	0.355	0.365	-2.8	107	0.00
37		2-Methylnaphthalene	0.676	0.669	1.0	104	0.00
38		1-Methylnaphthalene	0.719	0.705	1.9	105	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	101	0.00
40		1,2,4,5-Tetrachlorobenzene	0.578	0.582	-0.7	105	0.00
41	P	Hexachlorocyclopentadiene	0.349	0.410	-17.5	119	0.00
42	S	2,4,6-Tribromophenol	0.269	0.275	-2.2	106	0.00
43	C	2,4,6-Trichlorophenol	0.390	0.397	-1.8	105	0.00
44		2,4,5-Trichlorophenol	0.427	0.434	-1.6	104	0.00
45	S	2-Fluorobiphenyl	1.463	1.455	0.5	106	0.00
46		1,1'-Biphenyl	1.453	1.450	0.2	104	0.00
47		2-Chloronaphthalene	1.131	1.129	0.2	104	0.00

Sample Results: **BP025485.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025485.D
Acq On : 19 Aug 2025 21:43
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 02:25:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.329	0.352	-7.0	108	0.00
49		Acenaphthylene	1.871	1.873	-0.1	105	0.00
50		Dimethylphthalate	1.465	1.472	-0.5	106	0.00
51		2,6-Dinitrotoluene	0.309	0.325	-5.2	106	0.00
52	C	Acenaphthene	1.098	1.079	1.7	105	0.00
53		3-Nitroaniline	0.347	0.356	-2.6	105	0.00
54	P	2,4-Dinitrophenol	0.165	0.325	-97.0#	201#	0.00
55		Dibenzofuran	1.736	1.721	0.9	104	0.00
56	P	4-Nitrophenol	0.285	0.288	-1.1	104	0.00
57		2,4-Dinitrotoluene	0.440	0.463	-5.2	107	0.00
58		Fluorene	1.370	1.329	3.0	103	0.00
59		2,3,4,6-Tetrachlorophenol	0.377	0.389	-3.2	107	0.00
60		Diethylphthalate	1.488	1.504	-1.1	106	0.00
61		4-Chlorophenyl-phenylether	0.681	0.668	1.9	104	0.00
62		4-Nitroaniline	0.356	0.355	0.3	102	0.00
63		Azobenzene	1.274	1.324	-3.9	108	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	101	0.00
65		4,6-Dinitro-2-methylphenol	0.125	0.178	-42.4#	146	0.00
66	c	n-Nitrosodiphenylamine	0.610	0.611	-0.2	104	0.00
67		4-Bromophenyl-phenylether	0.220	0.218	0.9	103	0.00
68		Hexachlorobenzene	0.255	0.257	-0.8	107	0.00
69		Atrazine	0.228	0.229	-0.4	106	0.00
70	C	Pentachlorophenol	0.161	0.166	-3.1	106	0.00
71		Phenanthrene	1.099	1.085	1.3	105	0.00
72		Anthracene	1.122	1.116	0.5	104	0.00
73		Carbazole	1.057	1.045	1.1	105	0.00
74		Di-n-butylphthalate	1.300	1.318	-1.4	107	0.00
75	C	Fluoranthene	1.311	1.271	3.1	104	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	101	-0.01
77		Benzidine	0.683	0.632	7.5	66	0.00
78		Pyrene	1.300	1.274	2.0	101	0.00
79	S	Terphenyl-d14	1.093	1.085	0.7	105	0.00
80		Butylbenzylphthalate	0.589	0.608	-3.2	106	0.00
81		Benzo(a)anthracene	1.319	1.302	1.3	104	-0.01
82		3,3'-Dichlorobenzidine	0.497	0.479	3.6	99	0.00
83		Chrysene	1.235	1.232	0.2	105	0.00
84		Bis(2-ethylhexyl)phthalate	0.867	0.887	-2.3	108	-0.02
85	c	Di-n-octyl phthalate	1.492	1.538	-3.1	107	-0.02
86	I	Perylene-d12	1.000	1.000	0.0	99	-0.02
87		Indeno(1,2,3-cd)pyrene	1.467	1.449	1.2	101	-0.04
88		Benzo(b)fluoranthene	1.179	1.167	1.0	101	-0.02
89		Benzo(k)fluoranthene	1.180	1.176	0.3	103	-0.03
90	C	Benzo(a)pyrene	1.148	1.150	-0.2	102	-0.03
91		Dibenzo(a,h)anthracene	1.199	1.196	0.3	102	-0.04
92		Benzo(g,h,i)perylene	1.178	1.167	0.9	101	-0.04

Sample Results: **BP025485.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025485.D
Acq On : 19 Aug 2025 21:43
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 02:25:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Evaluate Continuing Calibration Report

Sample Results: **BP025485.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025485.D
Acq On : 19 Aug 2025 21:43
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 02:25:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	101	0.00
2		1,4-Dioxane	40.000	38.879	2.8	104	0.00
3		Pyridine	40.000	39.479	1.3	105	0.00
4		n-Nitrosodimethylamine	40.000	42.446	-6.1	111	0.00
5	S	2-Fluorophenol	80.000	80.882	-1.1	106	0.00
6		Aniline	40.000	40.464	-1.2	105	0.00
7	S	Phenol-d6	80.000	82.204	-2.8	106	0.00
8		2-Chlorophenol	40.000	40.481	-1.2	105	0.00
9		Benzaldehyde	40.000	33.351	16.6	67	0.00
10	C	Phenol	40.000	40.923	-2.3	106	0.00
11		bis(2-Chloroethyl)ether	40.000	39.983	0.0	104	0.00
12		1,3-Dichlorobenzene	40.000	39.936	0.2	104	0.00
13	C	1,4-Dichlorobenzene	40.000	39.809	0.5	105	0.00
14		1,2-Dichlorobenzene	40.000	39.851	0.4	104	0.00
15		Benzyl Alcohol	40.000	41.172	-2.9	107	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	41.208	-3.0	108	0.00
17		2-Methylphenol	40.000	41.273	-3.2	106	0.00
18		Hexachloroethane	40.000	40.579	-1.4	106	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	41.084	-2.7	107	0.00
20		3+4-Methylphenols	40.000	41.150	-2.9	106	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	102	0.00
22		Acetophenone	40.000	40.318	-0.8	106	0.00
23	S	Nitrobenzene-d5	80.000	80.839	-1.0	106	0.00
24		Nitrobenzene	40.000	40.010	-0.0	104	0.00
25		Isophorone	40.000	40.496	-1.2	107	0.00
26	C	2-Nitrophenol	40.000	40.455	-1.1	103	0.00
27		2,4-Dimethylphenol	40.000	40.920	-2.3	106	0.00
28		bis(2-Chloroethoxy)methane	40.000	40.432	-1.1	107	0.00
29	C	2,4-Dichlorophenol	40.000	40.902	-2.3	106	0.00
30		1,2,4-Trichlorobenzene	40.000	38.959	2.6	103	0.00
31		Naphthalene	40.000	39.195	2.0	104	0.00
32		Benzoic acid	40.000	51.243	-28.1#	132	0.02
33		4-Chloroaniline	40.000	40.476	-1.2	105	0.00
34	C	Hexachlorobutadiene	40.000	39.534	1.2	104	0.00
35		Caprolactam	40.000	39.925	0.2	106	0.00
36	C	4-Chloro-3-methylphenol	40.000	41.048	-2.6	107	0.00
37		2-Methylnaphthalene	40.000	39.572	1.1	104	0.00
38		1-Methylnaphthalene	40.000	39.191	2.0	105	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	101	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	40.309	-0.8	105	0.00
41	P	Hexachlorocyclopentadiene	40.000	46.958	-17.4	119	0.00
42	S	2,4,6-Tribromophenol	80.000	81.593	-2.0	106	0.00
43	C	2,4,6-Trichlorophenol	40.000	40.748	-1.9	105	0.00
44		2,4,5-Trichlorophenol	40.000	40.661	-1.7	104	0.00
45	S	2-Fluorobiphenyl	80.000	79.555	0.6	106	0.00
46		1,1'-Biphenyl	40.000	39.926	0.2	104	0.00
47		2-Chloronaphthalene	40.000	39.925	0.2	104	0.00

Sample Results: **BP025485.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025485.D
Acq On : 19 Aug 2025 21:43
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 02:25:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	42.716	-6.8	108	0.00
49		Acenaphthylene	40.000	40.032	-0.1	105	0.00
50		Dimethylphthalate	40.000	40.193	-0.5	106	0.00
51		2,6-Dinitrotoluene	40.000	42.121	-5.3	106	0.00
52	C	Acenaphthene	40.000	39.288	1.8	105	0.00
53		3-Nitroaniline	40.000	41.010	-2.5	105	0.00
54	P	2,4-Dinitrophenol	40.000	78.876	-97.2#	201	0.00
55		Dibenzofuran	40.000	39.644	0.9	104	0.00
56	P	4-Nitrophenol	40.000	40.416	-1.0	104	0.00
57		2,4-Dinitrotoluene	40.000	42.059	-5.1	107	0.00
58		Fluorene	40.000	38.790	3.0	103	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	41.236	-3.1	107	0.00
60		Diethylphthalate	40.000	40.422	-1.1	106	0.00
61		4-Chlorophenyl-phenylether	40.000	39.215	2.0	104	0.00
62		4-Nitroaniline	40.000	39.899	0.3	102	0.00
63		Azobenzene	40.000	41.554	-3.9	108	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	101	0.00
65		4,6-Dinitro-2-methylphenol	40.000	57.102	-42.8#	146	0.00
66	c	n-Nitrosodiphenylamine	40.000	40.077	-0.2	104	0.00
67		4-Bromophenyl-phenylether	40.000	39.677	0.8	103	0.00
68		Hexachlorobenzene	40.000	40.328	-0.8	107	0.00
69		Atrazine	40.000	40.095	-0.2	106	0.00
70	C	Pentachlorophenol	40.000	41.221	-3.1	106	0.00
71		Phenanthrene	40.000	39.509	1.2	105	0.00
72		Anthracene	40.000	39.778	0.6	104	0.00
73		Carbazole	40.000	39.535	1.2	105	0.00
74		Di-n-butylphthalate	40.000	40.549	-1.4	107	0.00
75	C	Fluoranthene	40.000	38.784	3.0	104	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	101	-0.01
77		Benzidine	40.000	37.009	7.5	66	0.00
78		Pyrene	40.000	39.194	2.0	101	0.00
79	S	Terphenyl-d14	80.000	79.436	0.7	105	0.00
80		Butylbenzylphthalate	40.000	41.260	-3.1	106	0.00
81		Benzo(a)anthracene	40.000	39.492	1.3	104	-0.01
82		3,3'-Dichlorobenzidine	40.000	38.525	3.7	99	0.00
83		Chrysene	40.000	39.880	0.3	105	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	40.902	-2.3	108	-0.02
85	c	Di-n-octyl phthalate	40.000	41.242	-3.1	107	-0.02
86	I	Perylene-d12	20.000	20.000	0.0	99	-0.02
87		Indeno(1,2,3-cd)pyrene	40.000	39.529	1.2	101	-0.04
88		Benzo(b)fluoranthene	40.000	39.577	1.1	101	-0.02
89		Benzo(k)fluoranthene	40.000	39.857	0.4	103	-0.03
90	C	Benzo(a)pyrene	40.000	40.084	-0.2	102	-0.03
91		Dibenzo(a,h)anthracene	40.000	39.922	0.2	102	-0.04
92		Benzo(g,h,i)perylene	40.000	39.621	0.9	101	-0.04

Sample Results: **BP025485.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025485.D
Acq On : 19 Aug 2025 21:43
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 02:25:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Raw Data: **BP025487.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/19/2025 23:46

Lab File ID: BP025487.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.204	1.204		0.0	
Benzaldehyde	1.082	0.876		-19.0	
Phenol-d6	1.544	1.570		1.7	
Phenol	1.620	1.661		2.5	20.0
bis(2-Chloroethyl)ether	1.263	1.268		0.4	
2-Chlorophenol	1.359	1.389		2.2	
2-Methylphenol	1.125	1.152		2.4	
2,2-oxybis(1-Chloropropane)	1.692	1.784		5.4	
Acetophenone	0.502	0.503		0.2	
3+4-Methylphenols	1.560	1.571		0.7	
n-Nitroso-di-n-propylamine	1.023	1.046	0.050	2.2	
Nitrobenzene-d5	0.395	0.401		1.5	
Hexachloroethane	0.563	0.566		0.5	
Nitrobenzene	0.353	0.362		2.5	
Isophorone	0.700	0.705		0.7	
2-Nitrophenol	0.181	0.185		2.2	20.0
2,4-Dimethylphenol	0.312	0.315		1.0	
bis(2-Chloroethoxy)methane	0.423	0.427		0.9	
2,4-Dichlorophenol	0.310	0.313		1.0	20.0
Naphthalene	1.040	1.035		-0.5	
4-Chloroaniline	0.459	0.467		1.7	
Hexachlorobutadiene	0.211	0.207		-1.9	20.0
Caprolactam	0.114	0.117		2.6	
4-Chloro-3-methylphenol	0.355	0.367		3.4	20.0
2-Methylnaphthalene	0.676	0.673		-0.4	
Hexachlorocyclopentadiene	0.349	0.402	0.050	15.2	
2,4,6-Trichlorophenol	0.390	0.400		2.6	20.0
2-Fluorobiphenyl	1.463	1.408		-3.8	
2,4,5-Trichlorophenol	0.427	0.443		3.7	
1,1-Biphenyl	1.453	1.462		0.6	
2-Chloronaphthalene	1.131	1.130		-0.1	
2-Nitroaniline	0.329	0.359		9.1	
Dimethylphthalate	1.465	1.503		2.6	
Acenaphthylene	1.871	1.889		1.0	
2,6-Dinitrotoluene	0.309	0.327		5.8	
3-Nitroaniline	0.347	0.367		5.8	
Acenaphthene	1.098	1.071		-2.5	20.0
2,4-Dinitrophenol	0.165	0.332	0.050	101.2	
4-Nitrophenol	0.285	0.301	0.050	5.6	

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/19/2025 23:46

Lab File ID: BP025487.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.736	1.710		-1.5	
2,4-Dinitrotoluene	0.440	0.475		8.0	
Diethylphthalate	1.488	1.537		3.3	
4-Chlorophenyl-phenylether	0.681	0.664		-2.5	
Fluorene	1.370	1.332		-2.8	
4-Nitroaniline	0.356	0.368		3.4	
4,6-Dinitro-2-methylphenol	0.125	0.178		42.4	
n-Nitrosodiphenylamine	0.610	0.625		2.5	20.0
2,4,6-Tribromophenol	0.269	0.278		3.3	
4-Bromophenyl-phenylether	0.220	0.222		0.9	
Hexachlorobenzene	0.255	0.255		0.0	
Atrazine	0.228	0.232		1.8	
Pentachlorophenol	0.161	0.170		5.6	20.0
Phenanthrene	1.099	1.084		-1.4	
Anthracene	1.122	1.144		2.0	
Carbazole	1.057	1.052		-0.5	
Di-n-butylphthalate	1.300	1.333		2.5	
Fluoranthene	1.311	1.283		-2.1	20.0
Pyrene	1.300	1.285		-1.2	
Terphenyl-d14	1.093	1.061		-2.9	
Butylbenzylphthalate	0.589	0.605		2.7	
3,3-Dichlorobenzidine	0.497	0.485		-2.4	
Benzo(a)anthracene	1.319	1.302		-1.3	
Chrysene	1.235	1.231		-0.3	
Bis(2-ethylhexyl)phthalate	0.867	0.890		2.7	
Di-n-octyl phthalate	1.492	1.526		2.2	20.0
Benzo(b)fluoranthene	1.179	1.172		-0.6	
Benzo(k)fluoranthene	1.180	1.163		-1.4	
Benzo(a)pyrene	1.148	1.141		-0.6	20.0
Indeno(1,2,3-cd)pyrene	1.467	1.434		-2.2	
Dibenzo(a,h)anthracene	1.199	1.180		-1.6	
Benzo(g,h,i)perylene	1.178	1.150		-2.4	
1,2,4,5-Tetrachlorobenzene	0.578	0.572		-1.0	
1,4-Dioxane	0.472	0.461		-2.3	20.0
2,3,4,6-Tetrachlorophenol	0.377	0.388		2.9	

All other compounds must meet a minimum RRF of 0.010.

Sample Results: **BP025487.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025487.D
Acq On : 19 Aug 2025 23:46
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Aug 20 02:26:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	159158	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	679178	20.000	ng	0.00
39) Acenaphthene-d10	14.413	164	450864	20.000	ng	0.00
64) Phenanthrene-d10	17.207	188	905283	20.000	ng	0.00
76) Chrysene-d12	21.642	240	932001	20.000	ng	0.00
86) Perylene-d12	25.012	264	1054169	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.407	112	766191	79.946	ng	0.00
7) Phenol-d6	6.966	99	999385	81.335	ng	0.00
23) Nitrobenzene-d5	8.931	82	1089412	81.140	ng	0.00
42) 2,4,6-Tribromophenol	15.919	330	501941	82.710	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	2539096	76.967	ng	0.00
79) Terphenyl-d14	19.930	244	3955073	77.640	ng	0.01
Target Compounds						Qvalue
2) 1,4-Dioxane	3.331	88	146798	39.105	ng	98
3) Pyridine	3.725	79	399648	38.896	ng	95
4) n-Nitrosodimethylamine	3.631	42	183947	43.424	ng	91
6) Aniline	7.119	93	673487	40.682	ng	98
8) 2-Chlorophenol	7.360	128	442242	40.892	ng	99
9) Benzaldehyde	6.937	77	278873	32.395	ng	97
10) Phenol	6.990	94	528660	41.003	ng	96
11) bis(2-Chloroethyl)ether	7.213	93	403740	40.176	ng	99
12) 1,3-Dichlorobenzene	7.678	146	477680	40.056	ng	99
13) 1,4-Dichlorobenzene	7.825	146	485332	39.818	ng	99
14) 1,2-Dichlorobenzene	8.137	146	470101	39.843	ng	100
15) Benzyl Alcohol	8.019	79	396938	40.657	ng	97
16) 2,2'-oxybis(1-Chloropr...	8.307	45	567987	42.192	ng	98
17) 2-Methylphenol	8.219	107	366688	40.950	ng	99
18) Hexachloroethane	8.860	117	180159	40.200	ng	97
19) n-Nitroso-di-n-propyla...	8.584	70	332906	40.903	ng	97
20) 3+4-Methylphenols	8.542	107	500121	40.292	ng	98
22) Acetophenone	8.595	105	683834	40.149	ng	98
24) Nitrobenzene	8.972	77	491390	40.951	ng	99
25) Isophorone	9.501	82	957661	40.304	ng	100
26) 2-Nitrophenol	9.678	139	251156	40.785	ng	99
27) 2,4-Dimethylphenol	9.736	122	428351	40.448	ng	98
28) bis(2-Chloroethoxy)met...	9.966	93	579381	40.338	ng	99
29) 2,4-Dichlorophenol	10.207	162	424988	40.398	ng	98
30) 1,2,4-Trichlorobenzene	10.425	180	449563	38.983	ng	100
31) Naphthalene	10.613	128	1406520	39.844	ng	99
32) Benzoic acid	9.895	122	408095	52.196	ng	97
33) 4-Chloroaniline	10.713	127	634028	40.661	ng	99
34) Hexachlorobutadiene	10.901	225	280821	39.100	ng	98
35) Caprolactam	11.501	113	158902	41.192	ng	98
36) 4-Chloro-3-methylphenol	11.836	107	498499	41.295	ng	98
37) 2-Methylnaphthalene	12.219	142	914456	39.806	ng	97
38) 1-Methylnaphthalene	12.436	142	964168	39.466	ng	100
40) 1,2,4,5-Tetrachloroben...	12.583	216	515884	39.618	ng	99
41) Hexachlorocyclopentadiene	12.566	237	362128	46.040	ng	99
43) 2,4,6-Trichlorophenol	12.825	196	360300	40.986	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025487.D
Acq On : 19 Aug 2025 23:46
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Aug 20 02:26:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	399763	41.492	ng	98
46) 1,1'-Biphenyl	13.230	154	1318412	40.264	ng	100
47) 2-Chloronaphthalene	13.272	162	1019352	39.989	ng	99
48) 2-Nitroaniline	13.466	65	324159	43.643	ng	98
49) Acenaphthylene	14.124	152	1703788	40.393	ng	100
50) Dimethylphthalate	13.854	163	1355491	41.055	ng	100
51) 2,6-Dinitrotoluene	13.972	165	294671	42.345	ng	93
52) Acenaphthene	14.472	154	965696	39.004	ng	99
53) 3-Nitroaniline	14.307	138	330858	42.258	ng	94
54) 2,4-Dinitrophenol	14.513	184	299007	80.460	ng	97
55) Dibenzofuran	14.813	168	1541513	39.380	ng	100
56) 4-Nitrophenol	14.624	139	271237	42.159	ng	97
57) 2,4-Dinitrotoluene	14.772	165	428628	43.171	ng	97
58) Fluorene	15.477	166	1201420	38.896	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.042	232	350101	41.154	ng	98
60) Diethylphthalate	15.236	149	1386072	41.316	ng	99
61) 4-Chlorophenyl-phenyle...	15.466	204	598934	38.989	ng	96
62) 4-Nitroaniline	15.489	138	331726	41.329	ng	93
63) Azobenzene	15.766	77	1240846	43.196	ng	98
65) 4,6-Dinitro-2-methylph...	15.548	198	322240	57.103	ng	94
66) n-Nitrosodiphenylamine	15.683	169	1132449	41.022	ng	99
67) 4-Bromophenyl-phenylether	16.383	248	402714	40.448	ng	98
68) Hexachlorobenzene	16.501	284	461625	39.997	ng	97
69) Atrazine	16.654	200	420453	40.669	ng	99
70) Pentachlorophenol	16.848	266	307884	42.259	ng	98
71) Phenanthrene	17.242	178	1961812	39.449	ng	99
72) Anthracene	17.342	178	2071008	40.780	ng	99
73) Carbazole	17.618	167	1903889	39.801	ng	99
74) Di-n-butylphthalate	18.212	149	2414257	41.022	ng	100
75) Fluoranthene	19.324	202	2322167	39.147	ng	98
77) Benzidine	19.518	184	1232065	38.735	ng	100
78) Pyrene	19.701	202	2394461	39.527	ng	100
80) Butylbenzylphthalate	20.654	149	1127547	41.070	ng	98
81) Benzo(a)anthracene	21.624	228	2426505	39.477	ng	100
82) 3,3'-Dichlorobenzidine	21.542	252	903654	39.005	ng	98
83) Chrysene	21.689	228	2294146	39.855	ng	99
84) Bis(2-ethylhexyl)phtha...	21.571	149	1659835	41.071	ng	99
85) Di-n-octyl phthalate	22.853	149	2843533	40.906	ng	99
87) Indeno(1,2,3-cd)pyrene	28.841	276	3022360m	39.095	ng	
88) Benzo(b)fluoranthene	23.953	252	2471608	39.761	ng	99
89) Benzo(k)fluoranthene	24.030	252	2451237	39.407	ng	99
90) Benzo(a)pyrene	24.865	252	2406620	39.773	ng	99
91) Dibenzo(a,h)anthracene	28.941	278	2487038	39.366	ng	98
92) Benzo(g,h,i)perylene	30.047	276	2423566	39.026	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025487.D
Acq On : 19 Aug 2025 23:46
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Aug 20 02:26:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:152 Resp: 15915

Ion	Ratio	Lower	Upper
152	100		
150	158.1	125.9	188.9
115	63.6	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#2
1,4-Dioxane
Concen: 39.105 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 88 Resp: 146798

Ion	Ratio	Lower	Upper
88	100		
58	75.0	59.2	88.8
43	28.8	21.7	32.5





#3
Pyridine
Concen: 38.896 ng
RT: 3.725 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 79 Resp: 39964

Ion	Ratio	Lower	Upper
79	100		
52	72.9	55.5	83.3
51	38.4	28.3	42.5

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#4
n-Nitrosodimethylamine
Concen: 43.424 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 42 Resp: 183947

Ion	Ratio	Lower	Upper
42	100		
74	122.9	107.0	160.4
44	6.5	6.2	9.4





#5
2-Fluorophenol
Concen: 79.946 ng
RT: 5.407 min Scan# 4
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:112 Resp: 76619

Ion	Ratio	Lower	Upper
112	100		
64	55.4	43.8	65.8
63	29.7	22.7	34.1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#6
Aniline
Concen: 40.682 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 93 Resp: 673487

Ion	Ratio	Lower	Upper
93	100		
66	39.1	30.4	45.6
65	20.1	15.3	22.9





#7
Phenol-d6
Concen: 81.335 ng
RT: 6.966 min Scan# 6
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 99 Resp: 99938

Ion	Ratio	Lower	Upper
99	100		
42	18.7	13.7	20.5
71	36.3	28.2	42.4



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#8
2-Chlorophenol
Concen: 40.892 ng
RT: 7.360 min Scan# 752
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:128 Resp: 442242

Ion	Ratio	Lower	Upper
128	100		
130	31.9	12.6	52.6
64	44.5	23.4	63.4





#9
Benzaldehyde
Concen: 32.395 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 77 Resp: 27887

Ion	Ratio	Lower	Upper
77	100		
105	101.2	84.8	124.8
106	97.9	80.5	120.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#10
Phenol
Concen: 41.003 ng
RT: 6.990 min Scan# 689
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 94 Resp: 528660

Ion	Ratio	Lower	Upper
94	100		
65	28.9	6.8	46.8
66	40.4	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 40.176 ng
RT: 7.213 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 93 Resp: 40374

Ion	Ratio	Lower	Upper
93	100		
63	72.7	52.6	92.6
95	31.5	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#12
1,3-Dichlorobenzene
Concen: 40.056 ng
RT: 7.678 min Scan# 806
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:146 Resp: 477680

Ion	Ratio	Lower	Upper
146	100		
148	65.0	51.9	77.9
75	30.6	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 39.818 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:146 Resp: 48533

Ion	Ratio	Lower	Upper
146	100		
148	65.6	51.6	77.4
111	41.6	33.4	50.0

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#14
1,2-Dichlorobenzene
Concen: 39.843 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:146 Resp: 470101

Ion	Ratio	Lower	Upper
146	100		
148	63.0	50.4	75.6
111	43.3	34.5	51.7





#15
Benzyl Alcohol
Concen: 40.657 ng
RT: 8.019 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 79 Resp: 39693

Ion	Ratio	Lower	Upper
79	100		
108	77.6	63.8	95.6
77	64.0	49.0	73.4



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 42.192 ng
RT: 8.307 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 45 Resp: 567987

Ion	Ratio	Lower	Upper
45	100		
77	14.6	0.0	35.3
79	10.6	0.0	31.8





#17
2-Methylphenol
Concen: 40.950 ng
RT: 8.219 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:107 Resp: 36668

Ion	Ratio	Lower	Upper
107	100		
108	112.2	89.4	134.0
77	45.1	36.3	54.5
79	46.8	36.6	54.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#18
Hexachloroethane
Concen: 40.200 ng
RT: 8.860 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:117 Resp: 180159

Ion	Ratio	Lower	Upper
117	100		
119	96.4	75.1	112.7
201	102.7	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 40.903 ng
RT: 8.584 min Scan# 9(
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 70 Resp: 33290(

Ion	Ratio	Lower	Upper
70	100		
42	57.8	43.8	65.6
101	10.7	8.5	12.7
130	23.4	19.4	29.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#20
3+4-Methylphenols
Concen: 40.292 ng
RT: 8.542 min Scan# 953
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:107 Resp: 500121

Ion	Ratio	Lower	Upper
107	100		
108	87.8	66.3	106.3
77	34.6	12.3	52.3
79	28.6	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:136 Resp: 67917

Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.2	13.8
54	8.0	6.0	9.0
68	5.3	4.3	6.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#22
Acetophenone
Concen: 40.149 ng
RT: 8.595 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:105 Resp: 683834

Ion	Ratio	Lower	Upper
105	100		
71	3.4	2.6	4.0
51	27.1	20.6	30.8
120	22.1	18.6	27.8





#23
Nitrobenzene-d5
Concen: 81.140 ng
RT: 8.931 min Scan# 1(
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 82 Resp: 108941

Ion	Ratio	Lower	Upper
82	100		
128	45.8	37.7	56.5
54	52.2	39.8	59.6



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#24
Nitrobenzene
Concen: 40.951 ng
RT: 8.972 min Scan# 1026
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 77 Resp: 491390

Ion	Ratio	Lower	Upper
77	100		
123	48.8	38.6	58.0
65	13.9	10.6	15.8





#25
Isophorone
Concen: 40.304 ng
RT: 9.501 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 82 Resp: 95766

Ion	Ratio	Lower	Upper
82	100		
95	8.0	6.4	9.6
138	19.2	15.4	23.0

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#26
2-Nitrophenol
Concen: 40.785 ng
RT: 9.678 min Scan# 1146
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:139 Resp: 251156

Ion	Ratio	Lower	Upper
139	100		
109	34.3	26.9	40.3
65	48.3	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 40.448 ng
RT: 9.736 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:122 Resp: 42835

Ion	Ratio	Lower	Upper
122	100		
107	119.7	93.7	140.5
121	58.6	46.6	69.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#28
bis(2-Chloroethoxy)methane
Concen: 40.338 ng
RT: 9.966 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 93 Resp: 579381

Ion	Ratio	Lower	Upper
93	100		
95	32.1	25.4	38.0
123	11.4	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 40.398 ng
RT: 10.207 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:162 Resp: 42498

Ion	Ratio	Lower	Upper
162	100		
164	65.0	44.4	84.4
98	36.9	14.9	54.9

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#30
1,2,4-Trichlorobenzene
Concen: 38.983 ng
RT: 10.425 min Scan# 1273
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:180 Resp: 449563

Ion	Ratio	Lower	Upper
180	100		
182	97.3	78.0	117.0
145	32.1	25.9	38.9





#31
Naphthalene
Concen: 39.844 ng
RT: 10.613 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:128 Resp: 140652

Ion	Ratio	Lower	Upper
128	100		
129	11.1	8.6	13.0
127	13.0	10.7	16.1



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#32
Benzoic acid
Concen: 52.196 ng
RT: 9.895 min Scan# 1183
Delta R.T. 0.023 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:122 Resp: 408095

Ion	Ratio	Lower	Upper
122	100		
105	125.2	100.6	140.6
77	91.0	71.5	111.5





#33
4-Chloroaniline
Concen: 40.661 ng
RT: 10.713 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:127 Resp: 63402

Ion	Ratio	Lower	Upper
127	100		
129	32.4	25.4	38.2
65	29.8	23.8	35.6
92	19.1	15.8	23.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#34
Hexachlorobutadiene
Concen: 39.100 ng
RT: 10.901 min Scan# 1354
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:225 Resp: 280821

Ion	Ratio	Lower	Upper
225	100		
223	62.1	50.0	75.0
227	65.1	49.7	74.5





#35
Caprolactam
Concen: 41.192 ng
RT: 11.501 min Scan# 14
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:113 Resp: 15890

Ion	Ratio	Lower	Upper
113	100		
55	158.4	140.0	180.0
56	122.3	100.0	140.0

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#36
4-Chloro-3-methylphenol
Concen: 41.295 ng
RT: 11.836 min Scan# 1513
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:107 Resp: 498499

Ion	Ratio	Lower	Upper
107	100		
144	26.1	21.0	31.4
142	78.3	64.6	97.0





#37
2-Methylnaphthalene
Concen: 39.806 ng
RT: 12.219 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:142 Resp: 91445

Ion	Ratio	Lower	Upper
142	100		
141	89.8	70.3	105.5
115	38.3	28.9	43.3



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#38
1-Methylnaphthalene
Concen: 39.466 ng
RT: 12.436 min Scan# 1615
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:142 Resp: 964168

Ion	Ratio	Lower	Upper
142	100		
141	91.8	73.1	109.7
116	4.0	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.413 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:164 Resp: 45086

Ion	Ratio	Lower	Upper
164	100		
162	98.7	81.0	121.6
160	44.1	35.4	53.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 39.618 ng
RT: 12.583 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:216 Resp: 515884

Ion	Ratio	Lower	Upper
216	100		
214	79.1	63.0	94.4
179	22.1	17.1	25.7
108	19.9	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 46.040 ng
RT: 12.566 min Scan# 1(
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:237 Resp: 36212

Ion	Ratio	Lower	Upper
237	100		
235	62.1	42.7	82.7
272	13.1	0.0	34.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#42
2,4,6-Tribromophenol
Concen: 82.710 ng
RT: 15.919 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:330 Resp: 501941

Ion	Ratio	Lower	Upper
330	100		
332	96.2	77.3	115.9
141	34.8	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 40.986 ng
RT: 12.825 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:196 Resp: 36030

Ion	Ratio	Lower	Upper
196	100		
198	96.1	77.2	115.8
200	31.4	23.9	35.9



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#44
2,4,5-Trichlorophenol
Concen: 41.492 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:196 Resp: 399763

Ion	Ratio	Lower	Upper
196	100		
198	96.4	76.2	114.2
97	53.0	41.2	61.8
132	29.9	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 76.967 ng
RT: 13.019 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:172 Resp: 253909

Ion	Ratio	Lower	Upper
172	100		
171	35.2	28.1	42.1
170	23.6	18.6	28.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#46
1,1'-Biphenyl
Concen: 40.264 ng
RT: 13.230 min Scan# 1750
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:154 Resp: 1318412

Ion	Ratio	Lower	Upper
154	100		
153	39.8	19.5	59.5
76	11.3	0.0	31.1





#47
2-Chloronaphthalene
Concen: 39.989 ng
RT: 13.272 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:162 Resp: 101935

Ion	Ratio	Lower	Upper
162	100		
127	41.1	33.4	50.2
164	33.0	26.2	39.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#48
2-Nitroaniline
Concen: 43.643 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 65 Resp: 324159

Ion	Ratio	Lower	Upper
65	100		
92	72.7	57.6	86.4
138	111.0	91.0	136.6





#49
Acenaphthylene
Concen: 40.393 ng
RT: 14.124 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:152 Resp: 170378

Ion	Ratio	Lower	Upper
152	100		
151	20.0	16.0	24.0
153	13.2	10.6	15.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#50
Dimethylphthalate
Concen: 41.055 ng
RT: 13.854 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:163 Resp: 1355491

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	9.9	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 42.345 ng
RT: 13.972 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:165 Resp: 29467

Ion	Ratio	Lower	Upper
165	100		
63	57.3	40.9	61.3
89	56.4	42.1	63.1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#52
Acenaphthene
Concen: 39.004 ng
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:154 Resp: 965696

Ion	Ratio	Lower	Upper
154	100		
153	112.7	90.2	135.2
152	54.1	42.1	63.1





#53
3-Nitroaniline
Concen: 42.258 ng
RT: 14.307 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:138 Resp: 33085

Ion	Ratio	Lower	Upper
138	100		
108	11.3	8.3	12.5
92	114.1	86.2	129.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#54
2,4-Dinitrophenol
Concen: 80.460 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:184 Resp: 299007

Ion	Ratio	Lower	Upper
184	100		
63	62.7	49.4	74.2
154	71.4	54.6	82.0





#55
Dibenzofuran
Concen: 39.380 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:168 Resp: 154151

Ion	Ratio	Lower	Upper
168	100		
139	39.4	31.5	47.3
169	13.2	10.9	16.3



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#56
4-Nitrophenol
Concen: 42.159 ng
RT: 14.624 min Scan# 1987
Delta R.T. 0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:139 Resp: 271237

Ion	Ratio	Lower	Upper
139	100		
109	80.3	56.6	96.6
65	90.3	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 43.171 ng
RT: 14.772 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:165 Resp: 42862

Ion	Ratio	Lower	Upper
165	100		
63	41.7	31.4	47.2
89	68.3	53.3	79.9
182	3.3	2.3	3.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#58
Fluorene
Concen: 38.896 ng
RT: 15.477 min Scan# 2132
Delta R.T. 0.011 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:166 Resp: 1201420

Ion	Ratio	Lower	Upper
166	100		
165	98.1	78.8	118.2
167	13.6	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 41.154 ng
RT: 15.042 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:232 Resp: 35010

Ion	Ratio	Lower	Upper
232	100		
131	48.6	37.0	55.6
130	2.8	1.9	2.9
166	32.1	25.4	38.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#60
Diethylphthalate
Concen: 41.316 ng
RT: 15.236 min Scan# 2091
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:149 Resp: 1386072

Ion	Ratio	Lower	Upper
149	100		
177	21.3	17.3	25.9
150	12.7	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 38.989 ng
RT: 15.466 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:204 Resp: 59893

Ion	Ratio	Lower	Upper
204	100		
206	33.0	25.8	38.8
141	65.5	49.4	74.2

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#62
4-Nitroaniline
Concen: 41.329 ng
RT: 15.489 min Scan# 2134
Delta R.T. 0.011 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:138 Resp: 331726

Ion	Ratio	Lower	Upper
138	100		
92	50.6	29.1	69.1
108	90.0	61.5	101.5





#63
Azobenzene
Concen: 43.196 ng
RT: 15.766 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 124084

Ion	Ratio	Lower	Upper
77	100		
182	26.4	7.5	47.5
105	21.6	2.1	42.1
51	31.6	9.6	49.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 2426
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:188 Resp: 905283

Ion	Ratio	Lower	Upper
188	100		
94	8.7	6.6	10.0
80	9.5	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 57.103 ng
RT: 15.548 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:198 Resp: 32224

Ion	Ratio	Lower	Upper
198	100		
51	45.1	19.6	59.6
105	42.9	20.9	60.9

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#66
n-Nitrosodiphenylamine
Concen: 41.022 ng
RT: 15.683 min Scan# 2167
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:169 Resp: 1132449

Ion	Ratio	Lower	Upper
169	100		
168	66.3	53.2	79.8
167	35.3	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 40.448 ng
RT: 16.383 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:248 Resp: 40271

Ion	Ratio	Lower	Upper
248	100		
250	99.0	78.2	117.2
141	76.6	59.6	89.4

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#68
Hexachlorobenzene
Concen: 39.997 ng
RT: 16.501 min Scan# 2306
Delta R.T. 0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:284 Resp: 461625

Ion	Ratio	Lower	Upper
284	100		
142	33.3	29.1	43.7
249	31.1	25.0	37.4





#69
Atrazine
Concen: 40.669 ng
RT: 16.654 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:200 Resp: 42045

Ion	Ratio	Lower	Upper
200	100		
173	26.7	6.7	46.7
215	48.7	29.7	69.7

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#70
Pentachlorophenol
Concen: 42.259 ng
RT: 16.848 min Scan# 2365
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:266 Resp: 307884

Ion	Ratio	Lower	Upper
266	100		
268	64.2	52.6	79.0
264	63.3	52.0	78.0





#71
Phenanthrene
Concen: 39.449 ng
RT: 17.242 min Scan# 24
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:178 Resp: 196181

Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.5	23.3
179	15.7	12.2	18.4



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#72
Anthracene
Concen: 40.780 ng
RT: 17.342 min Scan# 2449
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:178 Resp: 2071008

Ion	Ratio	Lower	Upper
178	100		
176	18.1	14.7	22.1
179	15.4	12.2	18.2





#73
Carbazole
Concen: 39.801 ng
RT: 17.618 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:167 Resp: 190388

Ion	Ratio	Lower	Upper
167	100		
166	21.4	17.5	26.3
139	13.6	10.6	16.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#74
Di-n-butylphthalate
Concen: 41.022 ng
RT: 18.212 min Scan# 2597
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:149 Resp: 2414257

Ion	Ratio	Lower	Upper
149	100		
150	9.3	7.4	11.0
104	5.0	4.2	6.2





#75
Fluoranthene
Concen: 39.147 ng
RT: 19.324 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:202 Resp: 232216

Ion	Ratio	Lower	Upper
202	100		
101	9.6	0.0	31.1
203	17.3	0.0	37.3



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:240 Resp: 932001

Ion	Ratio	Lower	Upper
240	100		
120	10.7	8.9	13.3
236	25.1	19.8	29.8





#77
Benzidine
Concen: 38.735 ng
RT: 19.518 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:184 Resp: 123206

Ion	Ratio	Lower	Upper
184	100		
185	14.1	11.5	17.3
183	11.8	9.4	14.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#78
Pyrene
Concen: 39.527 ng
RT: 19.701 min Scan# 2850
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:202 Resp: 2394461

Ion	Ratio	Lower	Upper
202	100		
200	21.0	16.9	25.3
203	17.5	14.2	21.2





#79
Terphenyl-d14
Concen: 77.640 ng
RT: 19.930 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:244 Resp: 395507

Ion	Ratio	Lower	Upper
244	100		
212	7.7	5.8	8.6
122	9.5	7.4	11.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#80
Butylbenzylphthalate
Concen: 41.070 ng
RT: 20.654 min Scan# 3012
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:149 Resp: 1127547

Ion	Ratio	Lower	Upper
149	100		
91	65.8	54.2	81.2
206	21.5	16.6	24.8





#81
Benzo(a)anthracene
Concen: 39.477 ng
RT: 21.624 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:228 Resp: 242650

Ion	Ratio	Lower	Upper
228	100		
226	27.1	21.7	32.5
229	20.0	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#82
3,3'-Dichlorobenzidine
Concen: 39.005 ng
RT: 21.542 min Scan# 3163
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:252 Resp: 903654

Ion	Ratio	Lower	Upper
252	100		
254	63.1	51.8	77.6
126	10.7	9.1	13.7





#83
Chrysene
Concen: 39.855 ng
RT: 21.689 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:228 Resp: 229414

Ion	Ratio	Lower	Upper
228	100		
226	29.9	23.2	34.8
229	19.8	15.6	23.4

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#84
Bis(2-ethylhexyl)phthalate
Concen: 41.071 ng
RT: 21.571 min Scan# 3168
Delta R.T. -0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:149 Resp: 1659835

Ion	Ratio	Lower	Upper
149	100		
167	28.0	22.1	33.1
279	4.9	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 40.906 ng
RT: 22.853 min Scan# 3
Delta R.T. -0.018 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:149 Resp: 284353

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.5	6.3	9.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.012 min Scan# 3753
Delta R.T. -0.018 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:264 Resp: 1054169

Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.3	28.9
265	22.2	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 39.095 ng m
RT: 28.841 min Scan# 4
Delta R.T. -0.024 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:276 Resp: 302236

Ion	Ratio	Lower	Upper
276	100		
138	17.1	12.9	19.3
277	10.8	17.0	25.6



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#88
Benzo(b)fluoranthene
Concen: 39.761 ng
RT: 23.953 min Scan# 3573
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:252 Resp: 2471608

Ion	Ratio	Lower	Upper
252	100		
253	22.5	17.7	26.5
125	9.7	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 39.407 ng
RT: 24.030 min Scan# 3
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:252 Resp: 245123

Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.1	25.7
125	8.9	7.8	11.6



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#90
Benzo(a)pyrene
Concen: 39.773 ng
RT: 24.865 min Scan# 3728
Delta R.T. 0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:252 Resp: 2406620

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	9.5	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 39.366 ng
RT: 28.941 min Scan# 4
Delta R.T. -0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:278 Resp: 248703

Ion	Ratio	Lower	Upper
278	100		
139	14.8	13.0	19.4
279	23.4	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#92
Benzo(g,h,i)perylene
Concen: 39.026 ng
RT: 30.047 min Scan# 4609
Delta R.T. -0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:276 Resp: 2423566

Ion	Ratio	Lower	Upper
276	100		
277	23.2	19.4	29.0
138	20.3	16.7	25.1



Sample Results: **BP025487.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025487.D
Acq On : 19 Aug 2025 23:46
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 02:26:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	101	0.00
2		1,4-Dioxane	0.472	0.461	2.3	105	0.00
3		Pyridine	1.291	1.256	2.7	104	0.00
4		n-Nitrosodimethylamine	0.532	0.578	-8.6	114	0.00
5	S	2-Fluorophenol	1.204	1.204	0.0	105	0.00
6		Aniline	2.080	2.116	-1.7	106	0.00
7	S	Phenol-d6	1.544	1.570	-1.7	105	0.00
8		2-Chlorophenol	1.359	1.389	-2.2	107	0.00
9		Benzaldehyde	1.082	0.876	19.0	65	0.00
10	C	Phenol	1.620	1.661	-2.5	106	0.00
11		bis(2-Chloroethyl)ether	1.263	1.268	-0.4	105	0.00
12		1,3-Dichlorobenzene	1.499	1.501	-0.1	105	0.00
13	C	1,4-Dichlorobenzene	1.532	1.525	0.5	105	0.00
14		1,2-Dichlorobenzene	1.483	1.477	0.4	104	0.00
15		Benzyl Alcohol	1.227	1.247	-1.6	105	0.00
16		2,2'-oxybis(1-Chloropropane	1.692	1.784	-5.4	111	0.00
17		2-Methylphenol	1.125	1.152	-2.4	105	0.00
18		Hexachloroethane	0.563	0.566	-0.5	105	0.00
19	P	n-Nitroso-di-n-propylamine	1.023	1.046	-2.2	106	0.00
20		3+4-Methylphenols	1.560	1.571	-0.7	104	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	102	0.00
22		Acetophenone	0.502	0.503	-0.2	106	0.00
23	S	Nitrobenzene-d5	0.395	0.401	-1.5	107	0.00
24		Nitrobenzene	0.353	0.362	-2.5	107	0.00
25		Isophorone	0.700	0.705	-0.7	107	0.00
26	C	2-Nitrophenol	0.181	0.185	-2.2	105	0.00
27		2,4-Dimethylphenol	0.312	0.315	-1.0	105	0.00
28		bis(2-Chloroethoxy)methane	0.423	0.427	-0.9	107	0.00
29	C	2,4-Dichlorophenol	0.310	0.313	-1.0	105	0.00
30		1,2,4-Trichlorobenzene	0.340	0.331	2.6	104	0.00
31		Naphthalene	1.040	1.035	0.5	106	0.00
32		Benzoic acid	0.230	0.300	-30.4#	135	0.02
33		4-Chloroaniline	0.459	0.467	-1.7	106	0.00
34	C	Hexachlorobutadiene	0.211	0.207	1.9	103	0.00
35		Caprolactam	0.114	0.117	-2.6	109	0.00
36	C	4-Chloro-3-methylphenol	0.355	0.367	-3.4	108	0.00
37		2-Methylnaphthalene	0.676	0.673	0.4	106	0.00
38		1-Methylnaphthalene	0.719	0.710	1.3	106	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	102	0.00
40		1,2,4,5-Tetrachlorobenzene	0.578	0.572	1.0	104	0.00
41	P	Hexachlorocyclopentadiene	0.349	0.402	-15.2	118	0.00
42	S	2,4,6-Tribromophenol	0.269	0.278	-3.3	108	0.00
43	C	2,4,6-Trichlorophenol	0.390	0.400	-2.6	107	0.00
44		2,4,5-Trichlorophenol	0.427	0.443	-3.7	107	0.00
45	S	2-Fluorobiphenyl	1.463	1.408	3.8	103	0.00
46		1,1'-Biphenyl	1.453	1.462	-0.6	106	0.00
47		2-Chloronaphthalene	1.131	1.130	0.1	105	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025487.D
Acq On : 19 Aug 2025 23:46
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 02:26:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.329	0.359	-9.1	111	0.00
49		Acenaphthylene	1.871	1.889	-1.0	107	0.00
50		Dimethylphthalate	1.465	1.503	-2.6	110	0.00
51		2,6-Dinitrotoluene	0.309	0.327	-5.8	108	0.00
52	C	Acenaphthene	1.098	1.071	2.5	105	0.00
53		3-Nitroaniline	0.347	0.367	-5.8	110	0.00
54	P	2,4-Dinitrophenol	0.165	0.332	-101.2#	207#	0.00
55		Dibenzofuran	1.736	1.710	1.5	104	0.00
56	P	4-Nitrophenol	0.285	0.301	-5.6	110	0.01
57		2,4-Dinitrotoluene	0.440	0.475	-8.0	111	0.00
58		Fluorene	1.370	1.332	2.8	104	0.01
59		2,3,4,6-Tetrachlorophenol	0.377	0.388	-2.9	108	0.00
60		Diethylphthalate	1.488	1.537	-3.3	110	0.00
61		4-Chlorophenyl-phenylether	0.681	0.664	2.5	104	0.00
62		4-Nitroaniline	0.356	0.368	-3.4	107	0.01
63		Azobenzene	1.274	1.376	-8.0	114	0.01
64	I	Phenanthrene-d10	1.000	1.000	0.0	102	0.00
65		4,6-Dinitro-2-methylphenol	0.125	0.178	-42.4#	148	0.00
66	c	n-Nitrosodiphenylamine	0.610	0.625	-2.5	108	0.00
67		4-Bromophenyl-phenylether	0.220	0.222	-0.9	107	0.01
68		Hexachlorobenzene	0.255	0.255	0.0	108	0.01
69		Atrazine	0.228	0.232	-1.8	109	0.00
70	C	Pentachlorophenol	0.161	0.170	-5.6	111	0.00
71		Phenanthrene	1.099	1.084	1.4	107	0.00
72		Anthracene	1.122	1.144	-2.0	109	0.00
73		Carbazole	1.057	1.052	0.5	107	0.00
74		Di-n-butylphthalate	1.300	1.333	-2.5	110	0.00
75	C	Fluoranthene	1.311	1.283	2.1	107	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	104	0.00
77		Benzidine	0.683	0.661	3.2	71	0.00
78		Pyrene	1.300	1.285	1.2	105	0.00
79	S	Terphenyl-d14	1.093	1.061	2.9	105	0.01
80		Butylbenzylphthalate	0.589	0.605	-2.7	108	0.00
81		Benzo(a)anthracene	1.319	1.302	1.3	106	0.00
82		3,3'-Dichlorobenzidine	0.497	0.485	2.4	103	0.00
83		Chrysene	1.235	1.231	0.3	108	0.00
84		Bis(2-ethylhexyl)phthalate	0.867	0.890	-2.7	111	-0.01
85	c	Di-n-octyl phthalate	1.492	1.525	-2.2	109	-0.02
86	I	Perylene-d12	1.000	1.000	0.0	103	-0.02
87		Indeno(1,2,3-cd)pyrene	1.467	1.434	2.2	105	-0.02
88		Benzo(b)fluoranthene	1.179	1.172	0.6	107	0.00
89		Benzo(k)fluoranthene	1.180	1.163	1.4	106	0.00
90	C	Benzo(a)pyrene	1.148	1.141	0.6	106	0.01
91		Dibenzo(a,h)anthracene	1.199	1.180	1.6	105	-0.01
92		Benzo(g,h,i)perylene	1.178	1.150	2.4	104	-0.01

Sample Results: **BP025487.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025487.D
Acq On : 19 Aug 2025 23:46
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 02:26:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Sample Results: **BP025487.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025487.D
Acq On : 19 Aug 2025 23:46
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 02:26:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	101	0.00
2		1,4-Dioxane	40.000	39.105	2.2	105	0.00
3		Pyridine	40.000	38.896	2.8	104	0.00
4		n-Nitrosodimethylamine	40.000	43.424	-8.6	114	0.00
5	S	2-Fluorophenol	80.000	79.946	0.1	105	0.00
6		Aniline	40.000	40.682	-1.7	106	0.00
7	S	Phenol-d6	80.000	81.335	-1.7	105	0.00
8		2-Chlorophenol	40.000	40.892	-2.2	107	0.00
9		Benzaldehyde	40.000	32.395	19.0	65	0.00
10	C	Phenol	40.000	41.003	-2.5	106	0.00
11		bis(2-Chloroethyl)ether	40.000	40.176	-0.4	105	0.00
12		1,3-Dichlorobenzene	40.000	40.056	-0.1	105	0.00
13	C	1,4-Dichlorobenzene	40.000	39.818	0.5	105	0.00
14		1,2-Dichlorobenzene	40.000	39.843	0.4	104	0.00
15		Benzyl Alcohol	40.000	40.657	-1.6	105	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	42.192	-5.5	111	0.00
17		2-Methylphenol	40.000	40.950	-2.4	105	0.00
18		Hexachloroethane	40.000	40.200	-0.5	105	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	40.903	-2.3	106	0.00
20		3+4-Methylphenols	40.000	40.292	-0.7	104	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	102	0.00
22		Acetophenone	40.000	40.149	-0.4	106	0.00
23	S	Nitrobenzene-d5	80.000	81.140	-1.4	107	0.00
24		Nitrobenzene	40.000	40.951	-2.4	107	0.00
25		Isophorone	40.000	40.304	-0.8	107	0.00
26	C	2-Nitrophenol	40.000	40.785	-2.0	105	0.00
27		2,4-Dimethylphenol	40.000	40.448	-1.1	105	0.00
28		bis(2-Chloroethoxy)methane	40.000	40.338	-0.8	107	0.00
29	C	2,4-Dichlorophenol	40.000	40.398	-1.0	105	0.00
30		1,2,4-Trichlorobenzene	40.000	38.983	2.5	104	0.00
31		Naphthalene	40.000	39.844	0.4	106	0.00
32		Benzoic acid	40.000	52.196	-30.5#	135	0.02
33		4-Chloroaniline	40.000	40.661	-1.7	106	0.00
34	C	Hexachlorobutadiene	40.000	39.100	2.2	103	0.00
35		Caprolactam	40.000	41.192	-3.0	109	0.00
36	C	4-Chloro-3-methylphenol	40.000	41.295	-3.2	108	0.00
37		2-Methylnaphthalene	40.000	39.806	0.5	106	0.00
38		1-Methylnaphthalene	40.000	39.466	1.3	106	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	102	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	39.618	1.0	104	0.00
41	P	Hexachlorocyclopentadiene	40.000	46.040	-15.1	118	0.00
42	S	2,4,6-Tribromophenol	80.000	82.710	-3.4	108	0.00
43	C	2,4,6-Trichlorophenol	40.000	40.986	-2.5	107	0.00
44		2,4,5-Trichlorophenol	40.000	41.492	-3.7	107	0.00
45	S	2-Fluorobiphenyl	80.000	76.967	3.8	103	0.00
46		1,1'-Biphenyl	40.000	40.264	-0.7	106	0.00
47		2-Chloronaphthalene	40.000	39.989	0.0	105	0.00

Sample Results: **BP025487.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025487.D
Acq On : 19 Aug 2025 23:46
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 02:26:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	43.643	-9.1	111	0.00
49		Acenaphthylene	40.000	40.393	-1.0	107	0.00
50		Dimethylphthalate	40.000	41.055	-2.6	110	0.00
51		2,6-Dinitrotoluene	40.000	42.345	-5.9	108	0.00
52	C	Acenaphthene	40.000	39.004	2.5	105	0.00
53		3-Nitroaniline	40.000	42.258	-5.6	110	0.00
54	P	2,4-Dinitrophenol	40.000	80.460	-101.1#	207	0.00
55		Dibenzofuran	40.000	39.380	1.5	104	0.00
56	P	4-Nitrophenol	40.000	42.159	-5.4	110	0.01
57		2,4-Dinitrotoluene	40.000	43.171	-7.9	111	0.00
58		Fluorene	40.000	38.896	2.8	104	0.01
59		2,3,4,6-Tetrachlorophenol	40.000	41.154	-2.9	108	0.00
60		Diethylphthalate	40.000	41.316	-3.3	110	0.00
61		4-Chlorophenyl-phenylether	40.000	38.989	2.5	104	0.00
62		4-Nitroaniline	40.000	41.329	-3.3	107	0.01
63		Azobenzene	40.000	43.196	-8.0	114	0.01
64	I	Phenanthrene-d10	20.000	20.000	0.0	102	0.00
65		4,6-Dinitro-2-methylphenol	40.000	57.103	-42.8#	148	0.00
66	c	n-Nitrosodiphenylamine	40.000	41.022	-2.6	108	0.00
67		4-Bromophenyl-phenylether	40.000	40.448	-1.1	107	0.01
68		Hexachlorobenzene	40.000	39.997	0.0	108	0.01
69		Atrazine	40.000	40.669	-1.7	109	0.00
70	C	Pentachlorophenol	40.000	42.259	-5.6	111	0.00
71		Phenanthrene	40.000	39.449	1.4	107	0.00
72		Anthracene	40.000	40.780	-2.0	109	0.00
73		Carbazole	40.000	39.801	0.5	107	0.00
74		Di-n-butylphthalate	40.000	41.022	-2.6	110	0.00
75	C	Fluoranthene	40.000	39.147	2.1	107	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	104	0.00
77		Benzidine	40.000	38.735	3.2	71	0.00
78		Pyrene	40.000	39.527	1.2	105	0.00
79	S	Terphenyl-d14	80.000	77.640	2.9	105	0.01
80		Butylbenzylphthalate	40.000	41.070	-2.7	108	0.00
81		Benzo(a)anthracene	40.000	39.477	1.3	106	0.00
82		3,3'-Dichlorobenzidine	40.000	39.005	2.5	103	0.00
83		Chrysene	40.000	39.855	0.4	108	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	41.071	-2.7	111	-0.01
85	c	Di-n-octyl phthalate	40.000	40.906	-2.3	109	-0.02
86	I	Perylene-d12	20.000	20.000	0.0	103	-0.02
87		Indeno(1,2,3-cd)pyrene	40.000	39.095	2.3	105	-0.02
88		Benzo(b)fluoranthene	40.000	39.761	0.6	107	0.00
89		Benzo(k)fluoranthene	40.000	39.407	1.5	106	0.00
90	C	Benzo(a)pyrene	40.000	39.773	0.6	106	0.01
91		Dibenzo(a,h)anthracene	40.000	39.366	1.6	105	-0.01
92		Benzo(g,h,i)perylene	40.000	39.026	2.4	104	-0.01

Sample Results: **BP025487.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025487.D
Acq On : 19 Aug 2025 23:46
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 02:26:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Raw Data: **BP025502.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/20/2025 10:41

Lab File ID: BP025502.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040EC Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.204	1.219		1.2	50.0
Benzaldehyde	1.082	0.644		-40.5	50.0
Phenol-d6	1.544	1.572		1.8	50.0
Phenol	1.620	1.653		2.0	50.0
bis(2-Chloroethyl)ether	1.263	1.267		0.3	50.0
2-Chlorophenol	1.359	1.359		0.0	50.0
2-Methylphenol	1.125	1.140		1.3	50.0
2,2-oxybis(1-Chloropropane)	1.692	1.764		4.3	50.0
Acetophenone	0.502	0.501		-0.2	50.0
3+4-Methylphenols	1.560	1.551		-0.6	50.0
n-Nitroso-di-n-propylamine	1.023	1.028	0.050	0.5	50.0
Nitrobenzene-d5	0.395	0.403		2.0	50.0
Hexachloroethane	0.563	0.577		2.5	50.0
Nitrobenzene	0.353	0.356		0.9	50.0
Isophorone	0.700	0.700		0.0	50.0
2-Nitrophenol	0.181	0.180		-0.6	50.0
2,4-Dimethylphenol	0.312	0.312		0.0	50.0
bis(2-Chloroethoxy)methane	0.423	0.417		-1.4	50.0
2,4-Dichlorophenol	0.310	0.314		1.3	50.0
Naphthalene	1.040	1.013		-2.6	50.0
4-Chloroaniline	0.459	0.455		-0.9	50.0
Hexachlorobutadiene	0.211	0.211		0.0	50.0
Caprolactam	0.114	0.110		-3.5	50.0
4-Chloro-3-methylphenol	0.355	0.357		0.6	50.0
2-Methylnaphthalene	0.676	0.655		-3.1	50.0
Hexachlorocyclopentadiene	0.349	0.364	0.050	4.3	50.0
2,4,6-Trichlorophenol	0.390	0.399		2.3	50.0
2-Fluorobiphenyl	1.463	1.455		-0.5	50.0
2,4,5-Trichlorophenol	0.427	0.438		2.6	50.0
1,1-Biphenyl	1.453	1.441		-0.8	50.0
2-Chloronaphthalene	1.131	1.125		-0.5	50.0
2-Nitroaniline	0.329	0.352		7.0	50.0
Dimethylphthalate	1.465	1.455		-0.7	50.0
Acenaphthylene	1.871	1.865		-0.3	50.0
2,6-Dinitrotoluene	0.309	0.317		2.6	50.0
3-Nitroaniline	0.347	0.356		2.6	50.0
Acenaphthene	1.098	1.090		-0.7	50.0
2,4-Dinitrophenol	0.165	0.178	0.050	7.9	50.0
4-Nitrophenol	0.285	0.289	0.050	1.4	50.0

Raw Data: **BP025502.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/20/2025 10:41

Lab File ID: BP025502.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040EC Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.736	1.703		-1.9	50.0
2,4-Dinitrotoluene	0.440	0.456		3.6	50.0
Diethylphthalate	1.488	1.507		1.3	50.0
4-Chlorophenyl-phenylether	0.681	0.663		-2.6	50.0
Fluorene	1.370	1.316		-3.9	50.0
4-Nitroaniline	0.356	0.361		1.4	50.0
4,6-Dinitro-2-methylphenol	0.125	0.131		4.8	50.0
n-Nitrosodiphenylamine	0.610	0.612		0.3	50.0
2,4,6-Tribromophenol	0.269	0.271		0.7	50.0
4-Bromophenyl-phenylether	0.220	0.221		0.5	50.0
Hexachlorobenzene	0.255	0.254		-0.4	50.0
Atrazine	0.228	0.229		0.4	50.0
Pentachlorophenol	0.161	0.171		6.2	50.0
Phenanthrene	1.099	1.073		-2.4	50.0
Anthracene	1.122	1.104		-1.6	50.0
Carbazole	1.057	1.038		-1.8	50.0
Di-n-butylphthalate	1.300	1.312		0.9	50.0
Fluoranthene	1.311	1.295		-1.2	50.0
Pyrene	1.300	1.234		-5.1	50.0
Terphenyl-d14	1.093	1.063		-2.7	50.0
Butylbenzylphthalate	0.589	0.598		1.5	50.0
3,3-Dichlorobenzidine	0.497	0.488		-1.8	50.0
Benzo(a)anthracene	1.319	1.290		-2.2	50.0
Chrysene	1.235	1.218		-1.4	50.0
Bis(2-ethylhexyl)phthalate	0.867	0.889		2.5	50.0
Di-n-octyl phthalate	1.492	1.539		3.2	50.0
Benzo(b)fluoranthene	1.179	1.173		-0.5	50.0
Benzo(k)fluoranthene	1.180	1.196		1.4	50.0
Benzo(a)pyrene	1.148	1.133		-1.3	50.0
Indeno(1,2,3-cd)pyrene	1.467	1.427		-2.7	50.0
Dibenzo(a,h)anthracene	1.199	1.179		-1.7	50.0
Benzo(g,h,i)perylene	1.178	1.139		-3.3	50.0
1,2,4,5-Tetrachlorobenzene	0.578	0.586		1.4	50.0
1,4-Dioxane	0.472	0.487		3.2	50.0
2,3,4,6-Tetrachlorophenol	0.377	0.383		1.6	50.0

All other compounds must meet a minimum RRF of 0.010.

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025502.D
Acq On : 20 Aug 2025 10:41
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 33 Sample Multiplier: 1

Quant Time: Aug 20 11:50:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.784	152	147637	20.000	ng	-0.01
21) Naphthalene-d8	10.554	136	617928	20.000	ng	0.00
39) Acenaphthene-d10	14.407	164	400331	20.000	ng	0.00
64) Phenanthrene-d10	17.207	188	794586	20.000	ng	0.00
76) Chrysene-d12	21.648	240	859938	20.000	ng	0.00
86) Perylene-d12	25.018	264	959319	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.402	112	719851	80.973	ng	0.00
7) Phenol-d6	6.966	99	928207	81.437	ng	0.00
23) Nitrobenzene-d5	8.931	82	996684	81.592	ng	0.00
42) 2,4,6-Tribromophenol	15.919	330	434204	80.580	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	2329621	79.531	ng	0.00
79) Terphenyl-d14	19.930	244	3655452	77.772	ng	0.01
Target Compounds						Qvalue
2) 1,4-Dioxane	3.331	88	143916	41.329	ng	98
3) Pyridine	3.731	79	384461	40.337	ng	95
4) n-Nitrosodimethylamine	3.631	42	170424	43.372	ng	94
6) Aniline	7.119	93	617192	40.190	ng	97
8) 2-Chlorophenol	7.360	128	401335	40.005	ng	98
9) Benzaldehyde	6.937	77	190261	23.826	ng	96
10) Phenol	6.990	94	487981	40.802	ng	96
11) bis(2-Chloroethyl)ether	7.219	93	374074	40.129	ng	99
12) 1,3-Dichlorobenzene	7.678	146	441153	39.880	ng	96
13) 1,4-Dichlorobenzene	7.819	146	454745	40.220	ng	99
14) 1,2-Dichlorobenzene	8.137	146	437042	39.931	ng	98
15) Benzyl Alcohol	8.019	79	368154	40.652	ng	97
16) 2,2'-oxybis(1-Chloropr...	8.313	45	520729	41.700	ng	98
17) 2-Methylphenol	8.225	107	336589	40.522	ng	100
18) Hexachloroethane	8.860	117	170458	41.003	ng	97
19) n-Nitroso-di-n-propyla...	8.584	70	303621	40.216	ng	97
20) 3+4-Methylphenols	8.549	107	458019	39.780	ng	97
22) Acetophenone	8.601	105	619709	39.991	ng	98
24) Nitrobenzene	8.972	77	440063	40.309	ng	98
25) Isophorone	9.496	82	864797	40.003	ng	100
26) 2-Nitrophenol	9.678	139	223032	39.808	ng	97
27) 2,4-Dimethylphenol	9.737	122	385100	39.968	ng	97
28) bis(2-Chloroethoxy)met...	9.966	93	515756	39.468	ng	98
29) 2,4-Dichlorophenol	10.207	162	387958	40.533	ng	99
30) 1,2,4-Trichlorobenzene	10.419	180	408012	38.887	ng	97
31) Naphthalene	10.607	128	1252509	38.998	ng	100
32) Benzoic acid	9.878	122	284166	39.948	ng	96
33) 4-Chloroaniline	10.713	127	561871	39.605	ng	99
34) Hexachlorobutadiene	10.895	225	261058	39.951	ng	96
35) Caprolactam	11.490	113	136092	38.776	ng	98
36) 4-Chloro-3-methylphenol	11.831	107	441463	40.195	ng	96
37) 2-Methylnaphthalene	12.219	142	809155	38.714	ng	99
38) 1-Methylnaphthalene	12.437	142	851212	38.296	ng	100
40) 1,2,4,5-Tetrachloroben...	12.584	216	469176	40.579	ng	99
41) Hexachlorocyclopentadiene	12.566	237	291550	41.746	ng	99
43) 2,4,6-Trichlorophenol	12.831	196	319303	40.907	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025502.D
Acq On : 20 Aug 2025 10:41
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 33 Sample Multiplier: 1

Quant Time: Aug 20 11:50:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.895	196	350964	41.026	ng	99
46) 1,1'-Biphenyl	13.225	154	1153599	39.678	ng	99
47) 2-Chloronaphthalene	13.272	162	900445	39.783	ng	98
48) 2-Nitroaniline	13.472	65	281785	42.727	ng	97
49) Acenaphthylene	14.125	152	1492877	39.860	ng	100
50) Dimethylphthalate	13.854	163	1165139	39.744	ng	99
51) 2,6-Dinitrotoluene	13.972	165	253787	41.073	ng	93
52) Acenaphthene	14.478	154	872980m	39.710	ng	
53) 3-Nitroaniline	14.301	138	285327	41.043	ng	97
54) 2,4-Dinitrophenol	14.507	184	142309	43.128	ng	97
55) Dibenzofuran	14.813	168	1363388	39.226	ng	98
56) 4-Nitrophenol	14.619	139	231578	40.538	ng	92
57) 2,4-Dinitrotoluene	14.766	165	365491	41.459	ng	96
58) Fluorene	15.466	166	1053490	38.412	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.036	232	306484	40.574	ng	98
60) Diethylphthalate	15.242	149	1206790	40.513	ng	99
61) 4-Chlorophenyl-phenyle...	15.466	204	531056	38.934	ng	97
62) 4-Nitroaniline	15.483	138	288849	40.530	ng	93
63) Azobenzene	15.766	77	1076346	42.199	ng	98
65) 4,6-Dinitro-2-methylph...	15.542	198	207617	41.917	ng	93
66) n-Nitrosodiphenylamine	15.678	169	973360	40.171	ng	99
67) 4-Bromophenyl-phenylether	16.378	248	351898	40.268	ng	97
68) Hexachlorobenzene	16.495	284	404392	39.919	ng	98
69) Atrazine	16.654	200	364653	40.186	ng	100
70) Pentachlorophenol	16.842	266	271451	42.449	ng	96
71) Phenanthrene	17.242	178	1705125	39.064	ng	99
72) Anthracene	17.336	178	1754702	39.365	ng	99
73) Carbazole	17.613	167	1650038	39.300	ng	99
74) Di-n-butylphthalate	18.213	149	2085492	40.373	ng	100
75) Fluoranthene	19.330	202	2058062	39.528	ng	99
77) Benzidine	19.519	184	965340	32.893	ng	99
78) Pyrene	19.701	202	2123016	37.983	ng	100
80) Butylbenzylphthalate	20.654	149	1028893	40.617	ng	98
81) Benzo(a)anthracene	21.630	228	2219096	39.128	ng	99
82) 3,3'-Dichlorobenzidine	21.542	252	839996	39.295	ng	99
83) Chrysene	21.695	228	2094426	39.434	ng	99
84) Bis(2-ethylhexyl)phtha...	21.571	149	1528918	41.001	ng	99
85) Di-n-octyl phthalate	22.865	149	2647644	41.280	ng	98
87) Indeno(1,2,3-cd)pyrene	28.842	276	2736984	38.904	ng	98
88) Benzo(b)fluoranthene	23.959	252	2250091	39.777	ng	99
89) Benzo(k)fluoranthene	24.036	252	2294595	40.536	ng	99
90) Benzo(a)pyrene	24.871	252	2174497	39.490	ng	100
91) Dibenzo(a,h)anthracene	28.936	278	2262080	39.346	ng	98
92) Benzo(g,h,i)perylene	30.042	276	2184778	38.659	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025502.D
Acq On : 20 Aug 2025 10:41
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 33 Sample Multiplier: 1

Quant Time: Aug 20 11:50:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.784 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:152 Resp: 14763

Ion	Ratio	Lower	Upper
152	100		
150	148.3	125.9	188.9
115	62.5	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#2
1,4-Dioxane
Concen: 41.329 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 88 Resp: 143916

Ion	Ratio	Lower	Upper
88	100		
58	75.4	59.2	88.8
43	28.9	21.7	32.5





#3
Pyridine
Concen: 40.337 ng
RT: 3.731 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 79 Resp: 38446

Ion	Ratio	Lower	Upper
79	100		
52	73.4	55.5	83.3
51	38.2	28.3	42.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#4
n-Nitrosodimethylamine
Concen: 43.372 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 42 Resp: 170424

Ion	Ratio	Lower	Upper
42	100		
74	126.8	107.0	160.4
44	7.2	6.2	9.4





#5
2-Fluorophenol
Concen: 80.973 ng
RT: 5.402 min Scan# 4
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:112 Resp: 71985

Ion	Ratio	Lower	Upper
112	100		
64	56.6	43.8	65.8
63	30.4	22.7	34.1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#6
Aniline
Concen: 40.190 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 93 Resp: 617192

Ion	Ratio	Lower	Upper
93	100		
66	39.3	30.4	45.6
65	20.5	15.3	22.9





#7
Phenol-d6
Concen: 81.437 ng
RT: 6.966 min Scan# 6
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 99 Resp: 92820

Ion	Ratio	Lower	Upper
99	100		
42	17.8	13.7	20.5
71	35.3	28.2	42.4



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#8
2-Chlorophenol
Concen: 40.005 ng
RT: 7.360 min Scan# 752
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:128 Resp: 401335

Ion	Ratio	Lower	Upper
128	100		
130	32.0	12.6	52.6
64	45.3	23.4	63.4





#9
Benzaldehyde
Concen: 23.826 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 77 Resp: 19026

Ion	Ratio	Lower	Upper
77	100		
105	100.6	84.8	124.8
106	96.4	80.5	120.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#10
Phenol
Concen: 40.802 ng
RT: 6.990 min Scan# 689
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 94 Resp: 487981

Ion	Ratio	Lower	Upper
94	100		
65	28.6	6.8	46.8
66	41.1	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 40.129 ng
RT: 7.219 min Scan# 7
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 93 Resp: 37407

Ion	Ratio	Lower	Upper
93	100		
63	73.8	52.6	92.6
95	32.3	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#12
1,3-Dichlorobenzene
Concen: 39.880 ng
RT: 7.678 min Scan# 806
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:146 Resp: 441153

Ion	Ratio	Lower	Upper
146	100		
148	62.1	51.9	77.9
75	32.3	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 40.220 ng
RT: 7.819 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:146 Resp: 45474

Ion	Ratio	Lower	Upper
146	100		
148	64.2	51.6	77.4
111	42.4	33.4	50.0

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#14
1,2-Dichlorobenzene
Concen: 39.931 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:146 Resp: 437042

Ion	Ratio	Lower	Upper
146	100		
148	64.7	50.4	75.6
111	44.3	34.5	51.7





#15
Benzyl Alcohol
Concen: 40.652 ng
RT: 8.019 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 79 Resp: 36815

Ion	Ratio	Lower	Upper
79	100		
108	75.7	63.8	95.6
77	61.9	49.0	73.4



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 41.700 ng
RT: 8.313 min Scan# 914
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 45 Resp: 520729

Ion	Ratio	Lower	Upper
45	100		
77	14.6	0.0	35.3
79	10.7	0.0	31.8





#17
2-Methylphenol
Concen: 40.522 ng
RT: 8.225 min Scan# 8
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:107 Resp: 33658

Ion	Ratio	Lower	Upper
107	100		
108	111.7	89.4	134.0
77	45.4	36.3	54.5
79	47.0	36.6	54.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#18
Hexachloroethane
Concen: 41.003 ng
RT: 8.860 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:117 Resp: 170458

Ion	Ratio	Lower	Upper
117	100		
119	97.7	75.1	112.7
201	101.9	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 40.216 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 70 Resp: 30362

Ion	Ratio	Lower	Upper
70	100		
42	57.6	43.8	65.6
101	10.7	8.5	12.7
130	23.5	19.4	29.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#20
3+4-Methylphenols
Concen: 39.780 ng
RT: 8.549 min Scan# 954
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:107 Resp: 458019

Ion	Ratio	Lower	Upper
107	100		
108	88.7	66.3	106.3
77	33.3	12.3	52.3
79	29.4	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.554 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:136 Resp: 61792

Ion	Ratio	Lower	Upper
136	100		
137	11.4	9.2	13.8
54	7.9	6.0	9.0
68	5.4	4.3	6.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#22
Acetophenone
Concen: 39.991 ng
RT: 8.601 min Scan# 963
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:105 Resp: 619709

Ion	Ratio	Lower	Upper
105	100		
71	2.7	2.6	4.0
51	27.2	20.6	30.8
120	23.3	18.6	27.8





#23
Nitrobenzene-d5
Concen: 81.592 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 99668

Ion	Ratio	Lower	Upper
82	100		
128	44.2	37.7	56.5
54	51.9	39.8	59.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#24
Nitrobenzene
Concen: 40.309 ng
RT: 8.972 min Scan# 1026
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 77 Resp: 440063

Ion	Ratio	Lower	Upper
77	100		
123	46.8	38.6	58.0
65	14.2	10.6	15.8





#25
Isophorone
Concen: 40.003 ng
RT: 9.496 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 82 Resp: 8647

Ion	Ratio	Lower	Upper
82	100		
95	8.2	6.4	9.6
138	19.2	15.4	23.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#26
2-Nitrophenol
Concen: 39.808 ng
RT: 9.678 min Scan# 1146
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:139 Resp: 223032

Ion	Ratio	Lower	Upper
139	100		
109	35.6	26.9	40.3
65	49.4	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 39.968 ng
RT: 9.737 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:122 Resp: 38510

Ion	Ratio	Lower	Upper
122	100		
107	120.5	93.7	140.5
121	59.5	46.6	69.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#28
bis(2-Chloroethoxy)methane
Concen: 39.468 ng
RT: 9.966 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 93 Resp: 515756

Ion	Ratio	Lower	Upper
93	100		
95	33.0	25.4	38.0
123	11.7	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 40.533 ng
RT: 10.207 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:162 Resp: 38795

Ion	Ratio	Lower	Upper
162	100		
164	63.9	44.4	84.4
98	36.2	14.9	54.9



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#30
1,2,4-Trichlorobenzene
Concen: 38.887 ng
RT: 10.419 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:180 Resp: 408012

Ion	Ratio	Lower	Upper
180	100		
182	93.8	78.0	117.0
145	31.8	25.9	38.9





#31
Naphthalene
Concen: 38.998 ng
RT: 10.607 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:128 Resp: 125250

Ion	Ratio	Lower	Upper
128	100		
129	11.1	8.6	13.0
127	13.4	10.7	16.1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#32
Benzoic acid
Concen: 39.948 ng
RT: 9.878 min Scan# 1180
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:122 Resp: 284166

Ion	Ratio	Lower	Upper
122	100		
105	128.1	100.6	140.6
77	92.2	71.5	111.5





#33
4-Chloroaniline
Concen: 39.605 ng
RT: 10.713 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:127 Resp: 56187

Ion	Ratio	Lower	Upper
127	100		
129	31.7	25.4	38.2
65	30.3	23.8	35.6
92	19.7	15.8	23.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#34
Hexachlorobutadiene
Concen: 39.951 ng
RT: 10.895 min Scan# 1353
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:225 Resp: 261058

Ion	Ratio	Lower	Upper
225	100		
223	64.6	50.0	75.0
227	65.7	49.7	74.5





#35
Caprolactam
Concen: 38.776 ng
RT: 11.490 min Scan# 14
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:113 Resp: 13609

Ion	Ratio	Lower	Upper
113	100		
55	156.6	140.0	180.0
56	122.4	100.0	140.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#36
4-Chloro-3-methylphenol
Concen: 40.195 ng
RT: 11.831 min Scan# 1512
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:107 Resp: 441463

Ion	Ratio	Lower	Upper
107	100		
144	26.0	21.0	31.4
142	76.7	64.6	97.0





#37
2-Methylnaphthalene
Concen: 38.714 ng
RT: 12.219 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:142 Resp: 80915

Ion	Ratio	Lower	Upper
142	100		
141	88.0	70.3	105.5
115	37.9	28.9	43.3



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#38
1-Methylnaphthalene
Concen: 38.296 ng
RT: 12.437 min Scan# 1615
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:142 Resp: 851212

Ion	Ratio	Lower	Upper
142	100		
141	91.8	73.1	109.7
116	4.1	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:164 Resp: 40033

Ion	Ratio	Lower	Upper
164	100		
162	100.4	81.0	121.6
160	43.6	35.4	53.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 40.579 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:216 Resp: 469176

Ion	Ratio	Lower	Upper
216	100		
214	78.4	63.0	94.4
179	21.7	17.1	25.7
108	19.5	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 41.746 ng
RT: 12.566 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:237 Resp: 29155

Ion	Ratio	Lower	Upper
237	100		
235	62.2	42.7	82.7
272	12.6	0.0	34.0

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#42
2,4,6-Tribromophenol
Concen: 80.580 ng
RT: 15.919 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:330 Resp: 434204

Ion	Ratio	Lower	Upper
330	100		
332	97.2	77.3	115.9
141	36.0	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 40.907 ng
RT: 12.831 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:196 Resp: 31930

Ion	Ratio	Lower	Upper
196	100		
198	94.6	77.2	115.8
200	30.6	23.9	35.9

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#44
2,4,5-Trichlorophenol
Concen: 41.026 ng
RT: 12.895 min Scan# 1693
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:196 Resp: 350964

Ion	Ratio	Lower	Upper
196	100		
198	96.4	76.2	114.2
97	51.9	41.2	61.8
132	28.0	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 79.531 ng
RT: 13.019 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:172 Resp: 232962

Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.1	42.1
170	23.5	18.6	28.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#46
1,1'-Biphenyl
Concen: 39.678 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:154 Resp: 1153599

Ion	Ratio	Lower	Upper
154	100		
153	40.3	19.5	59.5
76	11.7	0.0	31.1





#47
2-Chloronaphthalene
Concen: 39.783 ng
RT: 13.272 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:162 Resp: 90044

Ion	Ratio	Lower	Upper
162	100		
127	39.8	33.4	50.2
164	32.7	26.2	39.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#48
2-Nitroaniline
Concen: 42.727 ng
RT: 13.472 min Scan# 1791
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 65 Resp: 281785

Ion	Ratio	Lower	Upper
65	100		
92	71.4	57.6	86.4
138	109.5	91.0	136.6





#49
Acenaphthylene
Concen: 39.860 ng
RT: 14.125 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:152 Resp: 149287

Ion	Ratio	Lower	Upper
152	100		
151	19.9	16.0	24.0
153	12.8	10.6	15.8



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#50
Dimethylphthalate
Concen: 39.744 ng
RT: 13.854 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:163 Resp: 1165139

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	10.1	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 41.073 ng
RT: 13.972 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:165 Resp: 25378

Ion	Ratio	Lower	Upper
165	100		
63	56.1	40.9	61.3
89	57.3	42.1	63.1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#52
Acenaphthene
Concen: 39.710 ng m
RT: 14.478 min Scan# 1962
Delta R.T. 0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:154 Resp: 872980

Ion	Ratio	Lower	Upper
154	100		
153	112.4	90.2	135.2
152	53.8	42.1	63.1





#53
3-Nitroaniline
Concen: 41.043 ng
RT: 14.301 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:138 Resp: 28532

Ion	Ratio	Lower	Upper
138	100		
108	10.9	8.3	12.5
92	110.8	86.2	129.2

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#54
2,4-Dinitrophenol
Concen: 43.128 ng
RT: 14.507 min Scan# 1967
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:184 Resp: 142309

Ion	Ratio	Lower	Upper
184	100		
63	62.8	49.4	74.2
154	71.8	54.6	82.0





#55
Dibenzofuran
Concen: 39.226 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:168 Resp: 136338

Ion	Ratio	Lower	Upper
168	100		
139	40.6	31.5	47.3
169	13.3	10.9	16.3



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#56
4-Nitrophenol
Concen: 40.538 ng
RT: 14.619 min Scan# 1986
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:139 Resp: 231578

Ion	Ratio	Lower	Upper
139	100		
109	83.9	56.6	96.6
65	94.5	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 41.459 ng
RT: 14.766 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:165 Resp: 36549

Ion	Ratio	Lower	Upper
165	100		
63	41.4	31.4	47.2
89	70.3	53.3	79.9
182	3.1	2.3	3.5



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#58
Fluorene
Concen: 38.412 ng
RT: 15.466 min Scan# 2130
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:166 Resp: 1053490

Ion	Ratio	Lower	Upper
166	100		
165	97.4	78.8	118.2
167	13.5	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 40.574 ng
RT: 15.036 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:232 Resp: 30648

Ion	Ratio	Lower	Upper
232	100		
131	47.8	37.0	55.6
130	2.6	1.9	2.9
166	32.2	25.4	38.0



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#60
Diethylphthalate
Concen: 40.513 ng
RT: 15.242 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:149 Resp: 1206790

Ion	Ratio	Lower	Upper
149	100		
177	21.3	17.3	25.9
150	12.7	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 38.934 ng
RT: 15.466 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:204 Resp: 53105

Ion	Ratio	Lower	Upper
204	100		
206	31.9	25.8	38.8
141	64.8	49.4	74.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#62
4-Nitroaniline
Concen: 40.530 ng
RT: 15.483 min Scan# 2133
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:138 Resp: 288849

Ion	Ratio	Lower	Upper
138	100		
92	51.4	29.1	69.1
108	89.0	61.5	101.5





#63
Azobenzene
Concen: 42.199 ng
RT: 15.766 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 77 Resp: 107634

Ion	Ratio	Lower	Upper
77	100		
182	26.4	7.5	47.5
105	21.9	2.1	42.1
51	30.9	9.6	49.6



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 2426
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:188 Resp: 794586

Ion	Ratio	Lower	Upper
188	100		
94	7.8	6.6	10.0
80	8.8	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 41.917 ng
RT: 15.542 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:198 Resp: 20761

Ion	Ratio	Lower	Upper
198	100		
51	45.1	19.6	59.6
105	43.8	20.9	60.9



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#66
n-Nitrosodiphenylamine
Concen: 40.171 ng
RT: 15.678 min Scan# 2166
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:169 Resp: 973360

Ion	Ratio	Lower	Upper
169	100		
168	65.4	53.2	79.8
167	35.6	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 40.268 ng
RT: 16.378 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:248 Resp: 35189

Ion	Ratio	Lower	Upper
248	100		
250	96.8	78.2	117.2
141	80.1	59.6	89.4

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#68
Hexachlorobenzene
Concen: 39.919 ng
RT: 16.495 min Scan# 2305
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:284 Resp: 404392

Ion	Ratio	Lower	Upper
284	100		
142	37.3	29.1	43.7
249	33.2	25.0	37.4





#69
Atrazine
Concen: 40.186 ng
RT: 16.654 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:200 Resp: 36465

Ion	Ratio	Lower	Upper
200	100		
173	26.9	6.7	46.7
215	49.3	29.7	69.7

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#70
Pentachlorophenol
Concen: 42.449 ng
RT: 16.842 min Scan# 2364
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:266 Resp: 271451

Ion	Ratio	Lower	Upper
266	100		
268	64.9	52.6	79.0
264	59.7	52.0	78.0





#71
Phenanthrene
Concen: 39.064 ng
RT: 17.242 min Scan# 24
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:178 Resp: 170512

Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.5	23.3
179	15.6	12.2	18.4

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#72
Anthracene
Concen: 39.365 ng
RT: 17.336 min Scan# 2448
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:178 Resp: 1754702

Ion	Ratio	Lower	Upper
178	100		
176	18.6	14.7	22.1
179	15.5	12.2	18.2





#73
Carbazole
Concen: 39.300 ng
RT: 17.613 min Scan# 24
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:167 Resp: 165003

Ion	Ratio	Lower	Upper
167	100		
166	21.3	17.5	26.3
139	13.3	10.6	16.0

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#74
Di-n-butylphthalate
Concen: 40.373 ng
RT: 18.213 min Scan# 2597
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:149 Resp: 2085492

Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.4	11.0
104	5.2	4.2	6.2





#75
Fluoranthene
Concen: 39.528 ng
RT: 19.330 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:202 Resp: 205806

Ion	Ratio	Lower	Upper
202	100		
101	10.0	0.0	31.1
203	17.3	0.0	37.3



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:240 Resp: 859938

Ion	Ratio	Lower	Upper
240	100		
120	10.8	8.9	13.3
236	26.1	19.8	29.8





#77
Benzidine
Concen: 32.893 ng
RT: 19.519 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:184 Resp: 96534

Ion	Ratio	Lower	Upper
184	100		
185	13.8	11.5	17.3
183	11.6	9.4	14.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#78
Pyrene
Concen: 37.983 ng
RT: 19.701 min Scan# 2850
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:202 Resp: 2123016

Ion	Ratio	Lower	Upper
202	100		
200	21.0	16.9	25.3
203	17.8	14.2	21.2





#79
Terphenyl-d14
Concen: 77.772 ng
RT: 19.930 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:244 Resp: 365545

Ion	Ratio	Lower	Upper
244	100		
212	7.5	5.8	8.6
122	8.9	7.4	11.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#80
Butylbenzylphthalate
Concen: 40.617 ng
RT: 20.654 min Scan# 3012
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:149 Resp: 1028893

Ion	Ratio	Lower	Upper
149	100		
91	69.7	54.2	81.2
206	21.2	16.6	24.8





#81
Benzo(a)anthracene
Concen: 39.128 ng
RT: 21.630 min Scan# 3
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:228 Resp: 221909

Ion	Ratio	Lower	Upper
228	100		
226	26.6	21.7	32.5
229	19.5	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#82
3,3'-Dichlorobenzidine
Concen: 39.295 ng
RT: 21.542 min Scan# 3163
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:252 Resp: 839996

Ion	Ratio	Lower	Upper
252	100		
254	65.0	51.8	77.6
126	10.9	9.1	13.7





#83
Chrysene
Concen: 39.434 ng
RT: 21.695 min Scan# 3
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:228 Resp: 209442

Ion	Ratio	Lower	Upper
228	100		
226	29.5	23.2	34.8
229	19.5	15.6	23.4

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#84
Bis(2-ethylhexyl)phthalate
Concen: 41.001 ng
RT: 21.571 min Scan# 3168
Delta R.T. -0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:149 Resp: 1528918

Ion	Ratio	Lower	Upper
149	100		
167	27.9	22.1	33.1
279	4.4	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 41.280 ng
RT: 22.865 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:149 Resp: 264764

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.6	6.3	9.5

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.018 min Scan# 3754
Delta R.T. -0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:264 Resp: 959319

Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.3	28.9
265	22.3	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 38.904 ng
RT: 28.842 min Scan# 4
Delta R.T. -0.024 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:276 Resp: 273698

Ion	Ratio	Lower	Upper
276	100		
138	15.6	12.9	19.3
277	20.3	17.0	25.6



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#88
Benzo(b)fluoranthene
Concen: 39.777 ng
RT: 23.959 min Scan# 3574
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:252 Resp: 2250091

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.7	26.5
125	9.2	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 40.536 ng
RT: 24.036 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:252 Resp: 229459

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.1	25.7
125	9.5	7.8	11.6



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#90
Benzo(a)pyrene
Concen: 39.490 ng
RT: 24.871 min Scan# 3729
Delta R.T. 0.018 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:252 Resp: 2174497

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.5	26.3
125	10.6	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 39.346 ng
RT: 28.936 min Scan# 44
Delta R.T. -0.018 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:278 Resp: 226208

Ion	Ratio	Lower	Upper
278	100		
139	15.1	13.0	19.4
279	23.5	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/21/2025



#92
Benzo(g,h,i)perylene
Concen: 38.659 ng
RT: 30.042 min Scan# 4608
Delta R.T. -0.018 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:276 Resp: 2184778

Ion	Ratio	Lower	Upper
276	100		
277	23.9	19.4	29.0
138	20.9	16.7	25.1



Sample Results: **BP025502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025502.D
Acq On : 20 Aug 2025 10:41
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 11:50:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	94	-0.01
2		1,4-Dioxane	0.472	0.487	-3.2	103	0.00
3		Pyridine	1.291	1.302	-0.9	100	0.00
4		n-Nitrosodimethylamine	0.532	0.577	-8.5	106	0.00
5	S	2-Fluorophenol	1.204	1.219	-1.2	98	0.00
6		Aniline	2.080	2.090	-0.5	97	0.00
7	S	Phenol-d6	1.544	1.572	-1.8	97	0.00
8		2-Chlorophenol	1.359	1.359	0.0	97	0.00
9		Benzaldehyde	1.082	0.644	40.5#	44#	0.00
10	C	Phenol	1.620	1.653	-2.0	98	0.00
11		bis(2-Chloroethyl)ether	1.263	1.267	-0.3	97	0.00
12		1,3-Dichlorobenzene	1.499	1.494	0.3	97	0.00
13	C	1,4-Dichlorobenzene	1.532	1.540	-0.5	98	-0.01
14		1,2-Dichlorobenzene	1.483	1.480	0.2	97	0.00
15		Benzyl Alcohol	1.227	1.247	-1.6	98	0.00
16		2,2'-oxybis(1-Chloropropane	1.692	1.764	-4.3	102	0.00
17		2-Methylphenol	1.125	1.140	-1.3	96	0.00
18		Hexachloroethane	0.563	0.577	-2.5	99	0.00
19	P	n-Nitroso-di-n-propylamine	1.023	1.028	-0.5	97	0.00
20		3+4-Methylphenols	1.560	1.551	0.6	95	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	93	0.00
22		Acetophenone	0.502	0.501	0.2	96	0.00
23	S	Nitrobenzene-d5	0.395	0.403	-2.0	98	0.00
24		Nitrobenzene	0.353	0.356	-0.8	96	0.00
25		Isophorone	0.700	0.700	0.0	97	0.00
26	C	2-Nitrophenol	0.181	0.180	0.6	93	0.00
27		2,4-Dimethylphenol	0.312	0.312	0.0	94	0.00
28		bis(2-Chloroethoxy)methane	0.423	0.417	1.4	95	0.00
29	C	2,4-Dichlorophenol	0.310	0.314	-1.3	96	0.00
30		1,2,4-Trichlorobenzene	0.340	0.330	2.9	94	0.00
31		Naphthalene	1.040	1.013	2.6	94	0.00
32		Benzoic acid	0.230	0.230	0.0	94	0.00
33		4-Chloroaniline	0.459	0.455	0.9	94	0.00
34	C	Hexachlorobutadiene	0.211	0.211	0.0	96	0.00
35		Caprolactam	0.114	0.110	3.5	94	0.00
36	C	4-Chloro-3-methylphenol	0.355	0.357	-0.6	96	0.00
37		2-Methylnaphthalene	0.676	0.655	3.1	93	0.00
38		1-Methylnaphthalene	0.719	0.689	4.2	94	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	91	0.00
40		1,2,4,5-Tetrachlorobenzene	0.578	0.586	-1.4	95	0.00
41	P	Hexachlorocyclopentadiene	0.349	0.364	-4.3	95	0.00
42	S	2,4,6-Tribromophenol	0.269	0.271	-0.7	94	0.00
43	C	2,4,6-Trichlorophenol	0.390	0.399	-2.3	95	0.00
44		2,4,5-Trichlorophenol	0.427	0.438	-2.6	94	0.00
45	S	2-Fluorobiphenyl	1.463	1.455	0.5	95	0.00
46		1,1'-Biphenyl	1.453	1.441	0.8	93	0.00
47		2-Chloronaphthalene	1.131	1.125	0.5	93	0.00

Sample Results: **BP025502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025502.D
Acq On : 20 Aug 2025 10:41
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 11:50:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.329	0.352	-7.0	97	0.00
49		Acenaphthylene	1.871	1.865	0.3	94	0.00
50		Dimethylphthalate	1.465	1.455	0.7	94	0.00
51		2,6-Dinitrotoluene	0.309	0.317	-2.6	93	0.00
52	C	Acenaphthene	1.098	1.090	0.7	95	0.01
53		3-Nitroaniline	0.347	0.356	-2.6	95	0.00
54	P	2,4-Dinitrophenol	0.165	0.178	-7.9	99	0.00
55		Dibenzofuran	1.736	1.703	1.9	92	0.00
56	P	4-Nitrophenol	0.285	0.289	-1.4	94	0.00
57		2,4-Dinitrotoluene	0.440	0.456	-3.6	95	0.00
58		Fluorene	1.370	1.316	3.9	91	0.00
59		2,3,4,6-Tetrachlorophenol	0.377	0.383	-1.6	94	0.00
60		Diethylphthalate	1.488	1.507	-1.3	95	0.00
61		4-Chlorophenyl-phenylether	0.681	0.663	2.6	92	0.00
62		4-Nitroaniline	0.356	0.361	-1.4	93	0.00
63		Azobenzene	1.274	1.344	-5.5	99	0.01
64	I	Phenanthrene-d10	1.000	1.000	0.0	90	0.00
65		4,6-Dinitro-2-methylphenol	0.125	0.131	-4.8	96	0.00
66	c	n-Nitrosodiphenylamine	0.610	0.612	-0.3	93	0.00
67		4-Bromophenyl-phenylether	0.220	0.221	-0.5	93	0.00
68		Hexachlorobenzene	0.255	0.254	0.4	94	0.00
69		Atrazine	0.228	0.229	-0.4	94	0.00
70	C	Pentachlorophenol	0.161	0.171	-6.2	97	0.00
71		Phenanthrene	1.099	1.073	2.4	93	0.00
72		Anthracene	1.122	1.104	1.6	92	0.00
73		Carbazole	1.057	1.038	1.8	93	0.00
74		Di-n-butylphthalate	1.300	1.312	-0.9	95	0.00
75	C	Fluoranthene	1.311	1.295	1.2	95	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	96	0.00
77		Benzidine	0.683	0.561	17.9	56	0.00
78		Pyrene	1.300	1.234	5.1	93	0.00
79	S	Terphenyl-d14	1.093	1.063	2.7	97	0.01
80		Butylbenzylphthalate	0.589	0.598	-1.5	99	0.00
81		Benzo(a)anthracene	1.319	1.290	2.2	97	0.00
82		3,3'-Dichlorobenzidine	0.497	0.488	1.8	96	0.00
83		Chrysene	1.235	1.218	1.4	99	0.00
84		Bis(2-ethylhexyl)phthalate	0.867	0.889	-2.5	102	-0.01
85	c	Di-n-octyl phthalate	1.492	1.539	-3.2	102	0.00
86	I	Perylene-d12	1.000	1.000	0.0	94	-0.01
87		Indeno(1,2,3-cd)pyrene	1.467	1.427	2.7	95	-0.02
88		Benzo(b)fluoranthene	1.179	1.173	0.5	97	0.00
89		Benzo(k)fluoranthene	1.180	1.196	-1.4	99	0.00
90	C	Benzo(a)pyrene	1.148	1.133	1.3	96	0.02
91		Dibenzo(a,h)anthracene	1.199	1.179	1.7	96	-0.02
92		Benzo(g,h,i)perylene	1.178	1.139	3.3	94	-0.02

Sample Results: **BP025502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025502.D
Acq On : 20 Aug 2025 10:41
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 11:50:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Sample Results: **BP025502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025502.D
Acq On : 20 Aug 2025 10:41
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 11:50:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	94	-0.01
2		1,4-Dioxane	40.000	41.329	-3.3	103	0.00
3		Pyridine	40.000	40.337	-0.8	100	0.00
4		n-Nitrosodimethylamine	40.000	43.372	-8.4	106	0.00
5	S	2-Fluorophenol	80.000	80.973	-1.2	98	0.00
6		Aniline	40.000	40.190	-0.5	97	0.00
7	S	Phenol-d6	80.000	81.437	-1.8	97	0.00
8		2-Chlorophenol	40.000	40.005	-0.0	97	0.00
9		Benzaldehyde	40.000	23.826	40.4#	44	0.00
10	C	Phenol	40.000	40.802	-2.0	98	0.00
11		bis(2-Chloroethyl)ether	40.000	40.129	-0.3	97	0.00
12		1,3-Dichlorobenzene	40.000	39.880	0.3	97	0.00
13	C	1,4-Dichlorobenzene	40.000	40.220	-0.5	98	-0.01
14		1,2-Dichlorobenzene	40.000	39.931	0.2	97	0.00
15		Benzyl Alcohol	40.000	40.652	-1.6	98	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	41.700	-4.3	102	0.00
17		2-Methylphenol	40.000	40.522	-1.3	96	0.00
18		Hexachloroethane	40.000	41.003	-2.5	99	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	40.216	-0.5	97	0.00
20		3+4-Methylphenols	40.000	39.780	0.5	95	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	93	0.00
22		Acetophenone	40.000	39.991	0.0	96	0.00
23	S	Nitrobenzene-d5	80.000	81.592	-2.0	98	0.00
24		Nitrobenzene	40.000	40.309	-0.8	96	0.00
25		Isophorone	40.000	40.003	-0.0	97	0.00
26	C	2-Nitrophenol	40.000	39.808	0.5	93	0.00
27		2,4-Dimethylphenol	40.000	39.968	0.1	94	0.00
28		bis(2-Chloroethoxy)methane	40.000	39.468	1.3	95	0.00
29	C	2,4-Dichlorophenol	40.000	40.533	-1.3	96	0.00
30		1,2,4-Trichlorobenzene	40.000	38.887	2.8	94	0.00
31		Naphthalene	40.000	38.998	2.5	94	0.00
32		Benzoic acid	40.000	39.948	0.1	94	0.00
33		4-Chloroaniline	40.000	39.605	1.0	94	0.00
34	C	Hexachlorobutadiene	40.000	39.951	0.1	96	0.00
35		Caprolactam	40.000	38.776	3.1	94	0.00
36	C	4-Chloro-3-methylphenol	40.000	40.195	-0.5	96	0.00
37		2-Methylnaphthalene	40.000	38.714	3.2	93	0.00
38		1-Methylnaphthalene	40.000	38.296	4.3	94	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	91	0.00
40		1,2,4,5-Tetrachlorobenzene	40.000	40.579	-1.4	95	0.00
41	P	Hexachlorocyclopentadiene	40.000	41.746	-4.4	95	0.00
42	S	2,4,6-Tribromophenol	80.000	80.580	-0.7	94	0.00
43	C	2,4,6-Trichlorophenol	40.000	40.907	-2.3	95	0.00
44		2,4,5-Trichlorophenol	40.000	41.026	-2.6	94	0.00
45	S	2-Fluorobiphenyl	80.000	79.531	0.6	95	0.00
46		1,1'-Biphenyl	40.000	39.678	0.8	93	0.00
47		2-Chloronaphthalene	40.000	39.783	0.5	93	0.00

Sample Results: **BP025502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025502.D
Acq On : 20 Aug 2025 10:41
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 11:50:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	42.727	-6.8	97	0.00
49		Acenaphthylene	40.000	39.860	0.4	94	0.00
50		Dimethylphthalate	40.000	39.744	0.6	94	0.00
51		2,6-Dinitrotoluene	40.000	41.073	-2.7	93	0.00
52	C	Acenaphthene	40.000	39.710	0.7	95	0.01
53		3-Nitroaniline	40.000	41.043	-2.6	95	0.00
54	P	2,4-Dinitrophenol	40.000	43.128	-7.8	99	0.00
55		Dibenzofuran	40.000	39.226	1.9	92	0.00
56	P	4-Nitrophenol	40.000	40.538	-1.3	94	0.00
57		2,4-Dinitrotoluene	40.000	41.459	-3.6	95	0.00
58		Fluorene	40.000	38.412	4.0	91	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	40.574	-1.4	94	0.00
60		Diethylphthalate	40.000	40.513	-1.3	95	0.00
61		4-Chlorophenyl-phenylether	40.000	38.934	2.7	92	0.00
62		4-Nitroaniline	40.000	40.530	-1.3	93	0.00
63		Azobenzene	40.000	42.199	-5.5	99	0.01
64	I	Phenanthrene-d10	20.000	20.000	0.0	90	0.00
65		4,6-Dinitro-2-methylphenol	40.000	41.917	-4.8	96	0.00
66	c	n-Nitrosodiphenylamine	40.000	40.171	-0.4	93	0.00
67		4-Bromophenyl-phenylether	40.000	40.268	-0.7	93	0.00
68		Hexachlorobenzene	40.000	39.919	0.2	94	0.00
69		Atrazine	40.000	40.186	-0.5	94	0.00
70	C	Pentachlorophenol	40.000	42.449	-6.1	97	0.00
71		Phenanthrene	40.000	39.064	2.3	93	0.00
72		Anthracene	40.000	39.365	1.6	92	0.00
73		Carbazole	40.000	39.300	1.8	93	0.00
74		Di-n-butylphthalate	40.000	40.373	-0.9	95	0.00
75	C	Fluoranthene	40.000	39.528	1.2	95	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	96	0.00
77		Benzidine	40.000	32.893	17.8	56	0.00
78		Pyrene	40.000	37.983	5.0	93	0.00
79	S	Terphenyl-d14	80.000	77.772	2.8	97	0.01
80		Butylbenzylphthalate	40.000	40.617	-1.5	99	0.00
81		Benzo(a)anthracene	40.000	39.128	2.2	97	0.00
82		3,3'-Dichlorobenzidine	40.000	39.295	1.8	96	0.00
83		Chrysene	40.000	39.434	1.4	99	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	41.001	-2.5	102	-0.01
85	c	Di-n-octyl phthalate	40.000	41.280	-3.2	102	0.00
86	I	Perylene-d12	20.000	20.000	0.0	94	-0.01
87		Indeno(1,2,3-cd)pyrene	40.000	38.904	2.7	95	-0.02
88		Benzo(b)fluoranthene	40.000	39.777	0.6	97	0.00
89		Benzo(k)fluoranthene	40.000	40.536	-1.3	99	0.00
90	C	Benzo(a)pyrene	40.000	39.490	1.3	96	0.02
91		Dibenzo(a,h)anthracene	40.000	39.346	1.6	96	-0.02
92		Benzo(g,h,i)perylene	40.000	38.659	3.4	94	-0.02

Sample Results: **BP025502.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025502.D
Acq On : 20 Aug 2025 10:41
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 20 11:50:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Raw Data: **BP025512.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/20/2025 18:27

Lab File ID: BP025512.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.204	1.232		2.3	
Benzaldehyde	1.082	1.279		18.2	
Phenol-d6	1.544	1.491		-3.4	
Phenol	1.620	1.535		-5.2	20.0
bis(2-Chloroethyl)ether	1.263	1.201		-4.9	
2-Chlorophenol	1.359	1.324		-2.6	
2-Methylphenol	1.125	1.059		-5.9	
2,2-oxybis(1-Chloropropane)	1.692	1.647		-2.7	
Acetophenone	0.502	0.508		1.2	
3+4-Methylphenols	1.560	1.396		-10.5	
n-Nitroso-di-n-propylamine	1.023	0.895	0.050	-12.5	
Nitrobenzene-d5	0.395	0.409		3.5	
Hexachloroethane	0.563	0.578		2.7	
Nitrobenzene	0.353	0.367		4.0	
Isophorone	0.700	0.664		-5.1	
2-Nitrophenol	0.181	0.188		3.9	20.0
2,4-Dimethylphenol	0.312	0.308		-1.3	
bis(2-Chloroethoxy)methane	0.423	0.413		-2.4	
2,4-Dichlorophenol	0.310	0.310		0.0	20.0
Naphthalene	1.040	1.033		-0.7	
4-Chloroaniline	0.459	0.429		-6.5	
Hexachlorobutadiene	0.211	0.225		6.6	20.0
Caprolactam	0.114	0.092		-19.3	
4-Chloro-3-methylphenol	0.355	0.324		-8.7	20.0
2-Methylnaphthalene	0.676	0.633		-6.4	
Hexachlorocyclopentadiene	0.349	0.359	0.050	2.9	
2,4,6-Trichlorophenol	0.390	0.414		6.2	20.0
2-Fluorobiphenyl	1.463	1.526		4.3	
2,4,5-Trichlorophenol	0.427	0.446		4.4	
1,1-Biphenyl	1.453	1.507		3.7	
2-Chloronaphthalene	1.131	1.165		3.0	
2-Nitroaniline	0.329	0.343		4.3	
Dimethylphthalate	1.465	1.399		-4.5	
Acenaphthylene	1.871	1.871		0.0	
2,6-Dinitrotoluene	0.309	0.313		1.3	
3-Nitroaniline	0.347	0.329		-5.2	
Acenaphthene	1.098	1.086		-1.1	20.0
2,4-Dinitrophenol	0.165	0.172	0.050	4.2	
4-Nitrophenol	0.285	0.266	0.050	-6.7	

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/20/2025 18:27

Lab File ID: BP025512.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040 Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.736	1.703		-1.9	
2,4-Dinitrotoluene	0.440	0.429		-2.5	
Diethylphthalate	1.488	1.402		-5.8	
4-Chlorophenyl-phenylether	0.681	0.651		-4.4	
Fluorene	1.370	1.306		-4.7	
4-Nitroaniline	0.356	0.332		-6.7	
4,6-Dinitro-2-methylphenol	0.125	0.127		1.6	
n-Nitrosodiphenylamine	0.610	0.609		-0.2	20.0
2,4,6-Tribromophenol	0.269	0.257		-4.5	
4-Bromophenyl-phenylether	0.220	0.224		1.8	
Hexachlorobenzene	0.255	0.256		0.4	
Atrazine	0.228	0.221		-3.1	
Pentachlorophenol	0.161	0.167		3.7	20.0
Phenanthrene	1.099	1.085		-1.3	
Anthracene	1.122	1.084		-3.4	
Carbazole	1.057	1.022		-3.3	
Di-n-butylphthalate	1.300	1.314		1.1	
Fluoranthene	1.311	1.267		-3.4	20.0
Pyrene	1.300	1.220		-6.2	
Terphenyl-d14	1.093	1.021		-6.6	
Butylbenzylphthalate	0.589	0.600		1.9	
3,3-Dichlorobenzidine	0.497	0.503		1.2	
Benzo(a)anthracene	1.319	1.279		-3.0	
Chrysene	1.235	1.213		-1.8	
Bis(2-ethylhexyl)phthalate	0.867	0.895		3.2	
Di-n-octyl phthalate	1.492	1.648		10.5	20.0
Benzo(b)fluoranthene	1.179	1.121		-4.9	
Benzo(k)fluoranthene	1.180	1.119		-5.2	
Benzo(a)pyrene	1.148	1.115		-2.9	20.0
Indeno(1,2,3-cd)pyrene	1.467	1.484		1.2	
Dibenzo(a,h)anthracene	1.199	1.220		1.8	
Benzo(g,h,i)perylene	1.178	1.213		3.0	
1,2,4,5-Tetrachlorobenzene	0.578	0.626		8.3	
1,4-Dioxane	0.472	0.489		3.6	20.0
2,3,4,6-Tetrachlorophenol	0.377	0.372		-1.3	

All other compounds must meet a minimum RRF of 0.010.

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025512.D
Acq On : 20 Aug 2025 18:27
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Quant Time: Aug 21 01:35:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	166180	20.000	ng	0.00
21) Naphthalene-d8	10.554	136	619421	20.000	ng	0.00
39) Acenaphthene-d10	14.395	164	355189	20.000	ng	-0.01
64) Phenanthrene-d10	17.201	188	670328	20.000	ng	0.00
76) Chrysene-d12	21.648	240	721835	20.000	ng	0.00
86) Perylene-d12	25.030	264	911460	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.402	112	819056	81.851	ng	0.00
7) Phenol-d6	6.966	99	990921	77.239	ng	0.00
23) Nitrobenzene-d5	8.925	82	1014236	82.828	ng	-0.01
42) 2,4,6-Tribromophenol	15.907	330	365485	76.447	ng	0.00
45) 2-Fluorobiphenyl	13.013	172	2168370	83.434	ng	0.00
79) Terphenyl-d14	19.919	244	2948745	74.739	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.331	88	162482	41.454	ng	99
3) Pyridine	3.731	79	413008	38.497	ng	98
4) n-Nitrosodimethylamine	3.637	42	189578	42.863	ng	97
6) Aniline	7.119	93	652984	37.776	ng	98
8) 2-Chlorophenol	7.361	128	440061	38.971	ng	98
9) Benzaldehyde	6.937	77	425209	47.306	ng	95
10) Phenol	6.996	94	510256	37.903	ng	98
11) bis(2-Chloroethyl)ether	7.213	93	399309	38.056	ng	98
12) 1,3-Dichlorobenzene	7.678	146	499346	40.104	ng	98
13) 1,4-Dichlorobenzene	7.819	146	504357	39.630	ng	99
14) 1,2-Dichlorobenzene	8.137	146	478303	38.825	ng	97
15) Benzyl Alcohol	8.025	79	376366	36.921	ng	99
16) 2,2'-oxybis(1-Chloropr...	8.313	45	547414	38.945	ng	100
17) 2-Methylphenol	8.225	107	352050	37.654	ng	99
18) Hexachloroethane	8.860	117	192071	41.047	ng	93
19) n-Nitroso-di-n-propyla...	8.578	70	297628	35.024	ng	97
20) 3+4-Methylphenols	8.543	107	463927	35.797	ng	99
22) Acetophenone	8.596	105	629950	40.553	ng	99
24) Nitrobenzene	8.972	77	454821	41.561	ng	98
25) Isophorone	9.496	82	822867	37.972	ng	99
26) 2-Nitrophenol	9.672	139	233161	41.515	ng	96
27) 2,4-Dimethylphenol	9.737	122	381587	39.508	ng	95
28) bis(2-Chloroethoxy)met...	9.966	93	511989	39.085	ng	99
29) 2,4-Dichlorophenol	10.207	162	384438	40.068	ng	98
30) 1,2,4-Trichlorobenzene	10.419	180	428971	40.786	ng	99
31) Naphthalene	10.607	128	1279654	39.747	ng	99
32) Benzoic acid	9.866	122	261847	36.722	ng	97
33) 4-Chloroaniline	10.707	127	531205	37.353	ng	98
34) Hexachlorobutadiene	10.896	225	278633	42.538	ng	99
35) Caprolactam	11.490	113	114461	32.534	ng	96
36) 4-Chloro-3-methylphenol	11.837	107	401963	36.511	ng	99
37) 2-Methylnaphthalene	12.213	142	783727	37.407	ng	99
38) 1-Methylnaphthalene	12.431	142	822994	36.937	ng	99
40) 1,2,4,5-Tetrachloroben...	12.584	216	444699	43.350	ng	99
41) Hexachlorocyclopentadiene	12.566	237	255262	41.195	ng	99
43) 2,4,6-Trichlorophenol	12.825	196	293959	42.446	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025512.D
Acq On : 20 Aug 2025 18:27
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Quant Time: Aug 21 01:35:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.896	196	316844	41.744	ng	99
46) 1,1'-Biphenyl	13.225	154	1070736	41.508	ng	99
47) 2-Chloronaphthalene	13.266	162	827743	41.219	ng	100
48) 2-Nitroaniline	13.466	65	243579	41.628	ng	97
49) Acenaphthylene	14.119	152	1329242	40.001	ng	99
50) Dimethylphthalate	13.848	163	994069	38.219	ng	99
51) 2,6-Dinitrotoluene	13.966	165	222447	40.576	ng	98
52) Acenaphthene	14.460	154	771351	39.546	ng	99
53) 3-Nitroaniline	14.290	138	233840	37.912	ng	92
54) 2,4-Dinitrophenol	14.507	184	122042	41.686	ng	98
55) Dibenzofuran	14.801	168	1209507	39.221	ng	99
56) 4-Nitrophenol	14.613	139	188606	37.212	ng	94
57) 2,4-Dinitrotoluene	14.760	165	305079	39.004	ng	97
58) Fluorene	15.460	166	927874	38.132	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.031	232	264092	39.405	ng	100
60) Diethylphthalate	15.231	149	996051	37.688	ng	99
61) 4-Chlorophenyl-phenyle...	15.454	204	462336	38.204	ng	97
62) 4-Nitroaniline	15.472	138	235988	37.321	ng	97
63) Azobenzene	15.754	77	890410	39.346	ng	98
65) 4,6-Dinitro-2-methylph...	15.537	198	170735	40.860	ng	94
66) n-Nitrosodiphenylamine	15.666	169	816452	39.942	ng	99
67) 4-Bromophenyl-phenylether	16.366	248	299821	40.668	ng	96
68) Hexachlorobenzene	16.489	284	343811	40.230	ng	97
69) Atrazine	16.648	200	296023	38.670	ng	98
70) Pentachlorophenol	16.842	266	223956	41.514	ng	98
71) Phenanthrene	17.248	178	1455152	39.517	ng	99
72) Anthracene	17.336	178	1452720	38.632	ng	100
73) Carbazole	17.613	167	1370739	38.700	ng	99
74) Di-n-butylphthalate	18.213	149	1762119	40.436	ng	99
75) Fluoranthene	19.325	202	1698750	38.675	ng	99
77) Benzidine	19.519	184	784158	31.831	ng	99
78) Pyrene	19.701	202	1760829	37.531	ng	99
80) Butylbenzylphthalate	20.648	149	866705	40.760	ng	99
81) Benzo(a)anthracene	21.630	228	1846325	38.784	ng	98
82) 3,3'-Dichlorobenzidine	21.536	252	726259	40.475	ng	99
83) Chrysene	21.695	228	1751270	39.282	ng	99
84) Bis(2-ethylhexyl)phtha...	21.560	149	1292335	41.288	ng	100
85) Di-n-octyl phthalate	22.854	149	2379874	44.204	ng	98
87) Indeno(1,2,3-cd)pyrene	28.877	276	2704805	40.465	ng	98
88) Benzo(b)fluoranthene	23.948	252	2043506	38.021	ng	100
89) Benzo(k)fluoranthene	24.024	252	2039061	37.913	ng	99
90) Benzo(a)pyrene	24.865	252	2033101	38.861	ng	99
91) Dibenzo(a,h)anthracene	28.953	278	2223603	40.707	ng	99
92) Benzo(g,h,i)perylene	30.065	276	2210310	41.164	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025512.D
Acq On : 20 Aug 2025 18:27
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Quant Time: Aug 21 01:35:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 166180

Ion	Ratio	Lower	Upper
152	100		
150	154.3	125.9	188.9
115	61.4	48.5	72.7





#2
1,4-Dioxane
Concen: 41.454 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion: 88 Resp: 162482

Ion	Ratio	Lower	Upper
88	100		
58	74.5	59.2	88.8
43	28.7	21.7	32.5





#3
Pyridine
Concen: 38.497 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 413008

Ion	Ratio	Lower	Upper
79	100		
52	70.9	55.5	83.3
51	36.2	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 42.863 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion: 42 Resp: 189578

Ion	Ratio	Lower	Upper
42	100		
74	129.9	107.0	160.4
44	7.4	6.2	9.4





#5
2-Fluorophenol
Concen: 81.851 ng
RT: 5.402 min Scan# 41
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:112 Resp: 819056

Ion	Ratio	Lower	Upper
112	100		
64	57.6	43.8	65.8
63	30.9	22.7	34.1





#6
Aniline
Concen: 37.776 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion: 93 Resp: 652984

Ion	Ratio	Lower	Upper
93	100		
66	39.7	30.4	45.6
65	19.1	15.3	22.9





#7
Phenol-d6
Concen: 77.239 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 99 Resp: 990921

Ion	Ratio	Lower	Upper
99	100		
42	17.7	13.7	20.5
71	36.2	28.2	42.4





#8
2-Chlorophenol
Concen: 38.971 ng
RT: 7.361 min Scan# 752
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:128 Resp: 440061

Ion	Ratio	Lower	Upper
128	100		
130	31.4	12.6	52.6
64	44.1	23.4	63.4





#9
Benzaldehyde
Concen: 47.306 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 425209

Ion	Ratio	Lower	Upper
77	100		
105	100.5	84.8	124.8
106	94.6	80.5	120.5





#10
Phenol
Concen: 37.903 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion: 94 Resp: 510256

Ion	Ratio	Lower	Upper
94	100		
65	28.3	6.8	46.8
66	38.7	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 38.056 ng
RT: 7.213 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 93 Resp: 399309

Ion	Ratio	Lower	Upper
93	100		
63	74.1	52.6	92.6
95	32.0	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 40.104 ng
RT: 7.678 min Scan# 806
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:146 Resp: 499346

Ion	Ratio	Lower	Upper
146	100		
148	63.2	51.9	77.9
75	30.9	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 39.630 ng
RT: 7.819 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:146 Resp: 504357

Ion	Ratio	Lower	Upper
146	100		
148	63.6	51.6	77.4
111	42.6	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 38.825 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:146 Resp: 478303

Ion	Ratio	Lower	Upper
146	100		
148	65.8	50.4	75.6
111	45.0	34.5	51.7





#15
Benzyl Alcohol
Concen: 36.921 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 376366

Ion	Ratio	Lower	Upper
79	100		
108	77.7	63.8	95.6
77	61.4	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 38.945 ng
RT: 8.313 min Scan# 914
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion: 45 Resp: 547414

Ion	Ratio	Lower	Upper
45	100		
77	15.4	0.0	35.3
79	11.5	0.0	31.8





#17
2-Methylphenol
Concen: 37.654 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:107 Resp: 352050

Ion	Ratio	Lower	Upper
107	100		
108	111.0	89.4	134.0
77	45.2	36.3	54.5
79	46.4	36.6	54.8





#18
Hexachloroethane
Concen: 41.047 ng
RT: 8.860 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:117 Resp: 192071

Ion	Ratio	Lower	Upper
117	100		
119	98.3	75.1	112.7
201	109.2	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 35.024 ng
RT: 8.578 min Scan# 9
Delta R.T. -0.012 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 70 Resp: 297628

Ion	Ratio	Lower	Upper
70	100		
42	57.4	43.8	65.6
101	10.6	8.5	12.7
130	23.3	19.4	29.0





#20
3+4-Methylphenols
Concen: 35.797 ng
RT: 8.543 min Scan# 953
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:107 Resp: 463927

Ion	Ratio	Lower	Upper
107	100		
108	86.9	66.3	106.3
77	33.5	12.3	52.3
79	29.4	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.554 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:136 Resp: 619421

Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.2	13.8
54	8.3	6.0	9.0
68	5.5	4.3	6.5





#22
Acetophenone
Concen: 40.553 ng
RT: 8.596 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:105 Resp: 629950

Ion	Ratio	Lower	Upper
105	100		
71	2.7	2.6	4.0
51	26.3	20.6	30.8
120	23.4	18.6	27.8





#23
Nitrobenzene-d5
Concen: 82.828 ng
RT: 8.925 min Scan# 1(
Delta R.T. -0.012 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 1014236

Ion	Ratio	Lower	Upper
82	100		
128	44.8	37.7	56.5
54	52.9	39.8	59.6





#24
Nitrobenzene
Concen: 41.561 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion: 77 Resp: 454821

Ion	Ratio	Lower	Upper
77	100		
123	49.4	38.6	58.0
65	13.8	10.6	15.8





#25
Isophorone
Concen: 37.972 ng
RT: 9.496 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 822867

Ion	Ratio	Lower	Upper
82	100		
95	8.1	6.4	9.6
138	18.6	15.4	23.0





#26
2-Nitrophenol
Concen: 41.515 ng
RT: 9.672 min Scan# 1145
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:139 Resp: 233161

Ion	Ratio	Lower	Upper
139	100		
109	33.8	26.9	40.3
65	52.2	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 39.508 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:122 Resp: 381587

Ion	Ratio	Lower	Upper
122	100		
107	123.1	93.7	140.5
121	61.1	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 39.085 ng
RT: 9.966 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion: 93 Resp: 511989

Ion	Ratio	Lower	Upper
93	100		
95	32.5	25.4	38.0
123	11.5	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 40.068 ng
RT: 10.207 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 384438

Ion	Ratio	Lower	Upper
162	100		
164	64.8	44.4	84.4
98	37.6	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 40.786 ng
RT: 10.419 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:180 Resp: 428971

Ion	Ratio	Lower	Upper
180	100		
182	97.0	78.0	117.0
145	31.5	25.9	38.9





#31
Naphthalene
Concen: 39.747 ng
RT: 10.607 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:128 Resp: 1279654

Ion	Ratio	Lower	Upper
128	100		
129	10.8	8.6	13.0
127	13.0	10.7	16.1





#32
Benzoic acid
Concen: 36.722 ng
RT: 9.866 min Scan# 1178
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:122 Resp: 261847

Ion	Ratio	Lower	Upper
122	100		
105	124.3	100.6	140.6
77	89.7	71.5	111.5





#33
4-Chloroaniline
Concen: 37.353 ng
RT: 10.707 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:127 Resp: 531205

Ion	Ratio	Lower	Upper
127	100		
129	31.4	25.4	38.2
65	28.5	23.8	35.6
92	18.5	15.8	23.8





#34
Hexachlorobutadiene
Concen: 42.538 ng
RT: 10.896 min Scan# 1353
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:225 Resp: 278633

Ion	Ratio	Lower	Upper
225	100		
223	62.0	50.0	75.0
227	61.7	49.7	74.5





#35
Caprolactam
Concen: 32.534 ng
RT: 11.490 min Scan# 14
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:113 Resp: 114461

Ion	Ratio	Lower	Upper
113	100		
55	149.9	140.0	180.0
56	119.7	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 36.511 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:107 Resp: 401963

Ion	Ratio	Lower	Upper
107	100		
144	25.3	21.0	31.4
142	80.2	64.6	97.0





#37
2-Methylnaphthalene
Concen: 37.407 ng
RT: 12.213 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:142 Resp: 783727

Ion	Ratio	Lower	Upper
142	100		
141	87.0	70.3	105.5
115	36.8	28.9	43.3





#38
1-Methylnaphthalene
Concen: 36.937 ng
RT: 12.431 min Scan# 1614
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:142 Resp: 822994

Ion	Ratio	Lower	Upper
142	100		
141	90.6	73.1	109.7
116	4.2	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.395 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:164 Resp: 355189

Ion	Ratio	Lower	Upper
164	100		
162	100.1	81.0	121.6
160	44.6	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 43.350 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:216 Resp: 444699

Ion	Ratio	Lower	Upper
216	100		
214	78.3	63.0	94.4
179	22.0	17.1	25.7
108	19.3	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 41.195 ng
RT: 12.566 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:237 Resp: 255262

Ion	Ratio	Lower	Upper
237	100		
235	63.5	42.7	82.7
272	13.1	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 76.447 ng
RT: 15.907 min Scan# 2205
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:330 Resp: 365485

Ion	Ratio	Lower	Upper
330	100		
332	98.1	77.3	115.9
141	35.5	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 42.446 ng
RT: 12.825 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:196 Resp: 293959

Ion	Ratio	Lower	Upper
196	100		
198	97.8	77.2	115.8
200	30.7	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 41.744 ng
RT: 12.896 min Scan# 1693
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:196 Resp: 316844

Ion	Ratio	Lower	Upper
196	100		
198	95.6	76.2	114.2
97	51.0	41.2	61.8
132	29.2	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 83.434 ng
RT: 13.013 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:172 Resp: 2168370

Ion	Ratio	Lower	Upper
172	100		
171	35.7	28.1	42.1
170	23.3	18.6	28.0





#46
1,1'-Biphenyl
Concen: 41.508 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:154 Resp: 1070736

Ion	Ratio	Lower	Upper
154	100		
153	39.9	19.5	59.5
76	11.9	0.0	31.1





#47
2-Chloronaphthalene
Concen: 41.219 ng
RT: 13.266 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 827743

Ion	Ratio	Lower	Upper
162	100		
127	42.3	33.4	50.2
164	32.7	26.2	39.2





#48
2-Nitroaniline
Concen: 41.628 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion: 65 Resp: 243579

Ion	Ratio	Lower	Upper
65	100		
92	70.1	57.6	86.4
138	110.9	91.0	136.6





#49
Acenaphthylene
Concen: 40.001 ng
RT: 14.119 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 1329242

Ion	Ratio	Lower	Upper
152	100		
151	19.5	16.0	24.0
153	13.1	10.6	15.8





#50
Dimethylphthalate
Concen: 38.219 ng
RT: 13.848 min Scan# 1855
Delta R.T. -0.012 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:163 Resp: 994069

Ion	Ratio	Lower	Upper
163	100		
194	4.0	3.4	5.0
164	10.4	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 40.576 ng
RT: 13.966 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 222447

Ion	Ratio	Lower	Upper
165	100		
63	49.4	40.9	61.3
89	53.1	42.1	63.1





#52
Acenaphthene
Concen: 39.546 ng
RT: 14.460 min Scan# 1959
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:154 Resp: 771351

Ion	Ratio	Lower	Upper
154	100		
153	111.7	90.2	135.2
152	52.5	42.1	63.1





#53
3-Nitroaniline
Concen: 37.912 ng
RT: 14.290 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:138 Resp: 233840

Ion	Ratio	Lower	Upper
138	100		
108	11.8	8.3	12.5
92	116.3	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 41.686 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:184 Resp: 122042

Ion	Ratio	Lower	Upper
184	100		
63	60.0	49.4	74.2
154	67.5	54.6	82.0





#55
Dibenzofuran
Concen: 39.221 ng
RT: 14.801 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:168 Resp: 1209507

Ion	Ratio	Lower	Upper
168	100		
139	40.2	31.5	47.3
169	13.3	10.9	16.3





#56
4-Nitrophenol
Concen: 37.212 ng
RT: 14.613 min Scan# 1985
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:139 Resp: 188606

Ion	Ratio	Lower	Upper
139	100		
109	79.8	56.6	96.6
65	95.8	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 39.004 ng
RT: 14.760 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 305079

Ion	Ratio	Lower	Upper
165	100		
63	41.5	31.4	47.2
89	69.1	53.3	79.9
182	2.9	2.3	3.5





#58
Fluorene
Concen: 38.132 ng
RT: 15.460 min Scan# 2129
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:166 Resp: 927874

Ion	Ratio	Lower	Upper
166	100		
165	98.0	78.8	118.2
167	13.6	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 39.405 ng
RT: 15.031 min Scan# 2(
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:232 Resp: 264092

Ion	Ratio	Lower	Upper
232	100		
131	46.7	37.0	55.6
130	2.6	1.9	2.9
166	31.6	25.4	38.0





#60
Diethylphthalate
Concen: 37.688 ng
RT: 15.231 min Scan# 2090
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:149 Resp: 996051

Ion	Ratio	Lower	Upper
149	100		
177	21.9	17.3	25.9
150	12.8	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 38.204 ng
RT: 15.454 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:204 Resp: 462336

Ion	Ratio	Lower	Upper
204	100		
206	32.8	25.8	38.8
141	65.4	49.4	74.2





#62
4-Nitroaniline
Concen: 37.321 ng
RT: 15.472 min Scan# 2131
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:138 Resp: 235988

Ion	Ratio	Lower	Upper
138	100		
92	49.7	29.1	69.1
108	85.2	61.5	101.5





#63
Azobenzene
Concen: 39.346 ng
RT: 15.754 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 890410

Ion	Ratio	Lower	Upper
77	100		
182	28.4	7.5	47.5
105	22.1	2.1	42.1
51	31.2	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 2425
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:188 Resp: 670328

Ion	Ratio	Lower	Upper
188	100		
94	8.1	6.6	10.0
80	8.9	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 40.860 ng
RT: 15.537 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:198 Resp: 170735

Ion	Ratio	Lower	Upper
198	100		
51	45.3	19.6	59.6
105	42.5	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 39.942 ng
RT: 15.666 min Scan# 2164
Delta R.T. -0.012 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:169 Resp: 816452

Ion	Ratio	Lower	Upper
169	100		
168	65.0	53.2	79.8
167	35.5	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 40.668 ng
RT: 16.366 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:248 Resp: 299821

Ion	Ratio	Lower	Upper
248	100		
250	95.4	78.2	117.2
141	79.4	59.6	89.4





#68
Hexachlorobenzene
Concen: 40.230 ng
RT: 16.489 min Scan# 2304
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:284 Resp: 343811

Ion	Ratio	Lower	Upper
284	100		
142	33.9	29.1	43.7
249	32.3	25.0	37.4





#69
Atrazine
Concen: 38.670 ng
RT: 16.648 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:200 Resp: 296023

Ion	Ratio	Lower	Upper
200	100		
173	26.2	6.7	46.7
215	48.3	29.7	69.7





#70
Pentachlorophenol
Concen: 41.514 ng
RT: 16.842 min Scan# 2364
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:266 Resp: 223956

Ion	Ratio	Lower	Upper
266	100		
268	65.2	52.6	79.0
264	61.8	52.0	78.0





#71
Phenanthrene
Concen: 39.517 ng
RT: 17.248 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:178 Resp: 1455152

Ion	Ratio	Lower	Upper
178	100		
176	18.7	15.5	23.3
179	15.0	12.2	18.4





#72
Anthracene
Concen: 38.632 ng
RT: 17.336 min Scan# 2448
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:178 Resp: 1452720

Ion	Ratio	Lower	Upper
178	100		
176	18.4	14.7	22.1
179	15.2	12.2	18.2





#73
Carbazole
Concen: 38.700 ng
RT: 17.613 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:167 Resp: 1370739

Ion	Ratio	Lower	Upper
167	100		
166	21.2	17.5	26.3
139	13.8	10.6	16.0





#74
Di-n-butylphthalate
Concen: 40.436 ng
RT: 18.213 min Scan# 2597
Delta R.T. 0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:149 Resp: 1762119

Ion	Ratio	Lower	Upper
149	100		
150	9.0	7.4	11.0
104	5.0	4.2	6.2





#75
Fluoranthene
Concen: 38.675 ng
RT: 19.325 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:202 Resp: 1698750

Ion	Ratio	Lower	Upper
202	100		
101	10.4	0.0	31.1
203	17.4	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:240 Resp: 721835

Ion	Ratio	Lower	Upper
240	100		
120	10.5	8.9	13.3
236	24.8	19.8	29.8





#77
Benzidine
Concen: 31.831 ng
RT: 19.519 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:184 Resp: 784158

Ion	Ratio	Lower	Upper
184	100		
185	13.8	11.5	17.3
183	12.0	9.4	14.2





#78
Pyrene
Concen: 37.531 ng
RT: 19.701 min Scan# 2850
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:202 Resp: 1760829

Ion	Ratio	Lower	Upper
202	100		
200	20.6	16.9	25.3
203	17.2	14.2	21.2





#79
Terphenyl-d14
Concen: 74.739 ng
RT: 19.919 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:244 Resp: 2948745

Ion	Ratio	Lower	Upper
244	100		
212	7.4	5.8	8.6
122	10.0	7.4	11.2





#80
Butylbenzylphthalate
Concen: 40.760 ng
RT: 20.648 min Scan# 3011
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:149 Resp: 866705

Ion	Ratio	Lower	Upper
149	100		
91	68.3	54.2	81.2
206	20.2	16.6	24.8





#81
Benzo(a)anthracene
Concen: 38.784 ng
RT: 21.630 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 1846325

Ion	Ratio	Lower	Upper
228	100		
226	26.1	21.7	32.5
229	20.1	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 40.475 ng
RT: 21.536 min Scan# 3162
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:252 Resp: 726259

Ion	Ratio	Lower	Upper
252	100		
254	65.2	51.8	77.6
126	11.9	9.1	13.7





#83
Chrysene
Concen: 39.282 ng
RT: 21.695 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 1751270

Ion	Ratio	Lower	Upper
228	100		
226	29.6	23.2	34.8
229	19.8	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 41.288 ng
RT: 21.560 min Scan# 3166
Delta R.T. -0.023 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:149 Resp: 1292335

Ion	Ratio	Lower	Upper
149	100		
167	27.4	22.1	33.1
279	4.6	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 44.204 ng
RT: 22.854 min Scan# 3
Delta R.T. -0.018 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:149 Resp: 2379874

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.6	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.030 min Scan# 3756
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:264 Resp: 911460

Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.3	28.9
265	21.9	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 40.465 ng
RT: 28.877 min Scan# 44
Delta R.T. 0.012 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:276 Resp: 2704805

Ion	Ratio	Lower	Upper
276	100		
138	16.7	12.9	19.3
277	20.2	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 38.021 ng
RT: 23.948 min Scan# 3572
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:252 Resp: 2043506

Ion	Ratio	Lower	Upper
252	100		
253	22.3	17.7	26.5
125	9.8	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 37.913 ng
RT: 24.024 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:252 Resp: 2039061

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.1	25.7
125	9.7	7.8	11.6





#90
Benzo(a)pyrene
Concen: 38.861 ng
RT: 24.865 min Scan# 3728
Delta R.T. 0.012 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:252 Resp: 2033101

Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.5	26.3
125	10.3	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 40.707 ng
RT: 28.953 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 2223603

Ion	Ratio	Lower	Upper
278	100		
139	15.7	13.0	19.4
279	23.7	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 41.164 ng
RT: 30.065 min Scan# 4612
Delta R.T. 0.006 min
Lab File: BP025512.D
Acq: 20 Aug 2025 18:27

Tgt Ion:276 Resp: 2210310

Ion	Ratio	Lower	Upper
276	100		
277	24.2	19.4	29.0
138	19.1	16.7	25.1



Sample Results: **BP025512.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025512.D
Acq On : 20 Aug 2025 18:27
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 01:35:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	105	0.00
2		1,4-Dioxane	0.472	0.489	-3.6	116	0.00
3		Pyridine	1.291	1.243	3.7	107	0.00
4		n-Nitrosodimethylamine	0.532	0.570	-7.1	118	0.00
5	S	2-Fluorophenol	1.204	1.232	-2.3	112	0.00
6		Aniline	2.080	1.965	5.5	102	0.00
7	S	Phenol-d6	1.544	1.491	3.4	104	0.00
8		2-Chlorophenol	1.359	1.324	2.6	106	0.00
9		Benzaldehyde	1.082	1.279	-18.2	99	0.00
10	C	Phenol	1.620	1.535	5.2	103	0.00
11		bis(2-Chloroethyl)ether	1.263	1.201	4.9	104	0.00
12		1,3-Dichlorobenzene	1.499	1.502	-0.2	110	0.00
13	C	1,4-Dichlorobenzene	1.532	1.518	0.9	109	-0.01
14		1,2-Dichlorobenzene	1.483	1.439	3.0	106	0.00
15		Benzyl Alcohol	1.227	1.132	7.7	100	0.00
16		2,2'-oxybis(1-Chloropropane	1.692	1.647	2.7	107	0.00
17		2-Methylphenol	1.125	1.059	5.9	101	0.00
18		Hexachloroethane	0.563	0.578	-2.7	112	0.00
19	P	n-Nitroso-di-n-propylamine	1.023	0.895	12.5	95	-0.01
20		3+4-Methylphenols	1.560	1.396	10.5	96	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	93	0.00
22		Acetophenone	0.502	0.508	-1.2	98	0.00
23	S	Nitrobenzene-d5	0.395	0.409	-3.5	100	-0.01
24		Nitrobenzene	0.353	0.367	-4.0	99	0.00
25		Isophorone	0.700	0.664	5.1	92	0.00
26	C	2-Nitrophenol	0.181	0.188	-3.9	97	0.00
27		2,4-Dimethylphenol	0.312	0.308	1.3	93	0.00
28		bis(2-Chloroethoxy)methane	0.423	0.413	2.4	95	0.00
29	C	2,4-Dichlorophenol	0.310	0.310	0.0	95	0.00
30		1,2,4-Trichlorobenzene	0.340	0.346	-1.8	99	0.00
31		Naphthalene	1.040	1.033	0.7	96	0.00
32		Benzoic acid	0.230	0.211	8.3	87	0.00
33		4-Chloroaniline	0.459	0.429	6.5	89	0.00
34	C	Hexachlorobutadiene	0.211	0.225	-6.6	103	0.00
35		Caprolactam	0.114	0.092	19.3	79	0.00
36	C	4-Chloro-3-methylphenol	0.355	0.324	8.7	87	0.00
37		2-Methylnaphthalene	0.676	0.633	6.4	91	0.00
38		1-Methylnaphthalene	0.719	0.664	7.6	90	0.00
39	I	Acenaphthene-d10	1.000	1.000	0.0	81	-0.01
40		1,2,4,5-Tetrachlorobenzene	0.578	0.626	-8.3	90	0.00
41	P	Hexachlorocyclopentadiene	0.349	0.359	-2.9	83	0.00
42	S	2,4,6-Tribromophenol	0.269	0.257	4.5	79	0.00
43	C	2,4,6-Trichlorophenol	0.390	0.414	-6.2	87	0.00
44		2,4,5-Trichlorophenol	0.427	0.446	-4.4	85	0.00
45	S	2-Fluorobiphenyl	1.463	1.526	-4.3	88	0.00
46		1,1'-Biphenyl	1.453	1.507	-3.7	86	0.00
47		2-Chloronaphthalene	1.131	1.165	-3.0	85	0.00

Sample Results: **BP025512.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025512.D
Acq On : 20 Aug 2025 18:27
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 01:35:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.329	0.343	-4.3	84	0.00
49		Acenaphthylene	1.871	1.871	0.0	83	0.00
50		Dimethylphthalate	1.465	1.399	4.5	80	-0.01
51		2,6-Dinitrotoluene	0.309	0.313	-1.3	82	0.00
52	C	Acenaphthene	1.098	1.086	1.1	84	0.00
53		3-Nitroaniline	0.347	0.329	5.2	78	-0.01
54	P	2,4-Dinitrophenol	0.165	0.172	-4.2	85	0.00
55		Dibenzofuran	1.736	1.703	1.9	82	0.00
56	P	4-Nitrophenol	0.285	0.266	6.7	77	0.00
57		2,4-Dinitrotoluene	0.440	0.429	2.5	79	0.00
58		Fluorene	1.370	1.306	4.7	81	0.00
59		2,3,4,6-Tetrachlorophenol	0.377	0.372	1.3	81	0.00
60		Diethylphthalate	1.488	1.402	5.8	79	0.00
61		4-Chlorophenyl-phenylether	0.681	0.651	4.4	80	0.00
62		4-Nitroaniline	0.356	0.332	6.7	76	0.00
63		Azobenzene	1.274	1.253	1.6	82	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	76	0.00
65		4,6-Dinitro-2-methylphenol	0.125	0.127	-1.6	79	0.00
66	c	n-Nitrosodiphenylamine	0.610	0.609	0.2	78	-0.01
67		4-Bromophenyl-phenylether	0.220	0.224	-1.8	80	0.00
68		Hexachlorobenzene	0.255	0.256	-0.4	80	0.00
69		Atrazine	0.228	0.221	3.1	77	0.00
70	C	Pentachlorophenol	0.161	0.167	-3.7	80	0.00
71		Phenanthrene	1.099	1.085	1.3	79	0.00
72		Anthracene	1.122	1.084	3.4	76	0.00
73		Carbazole	1.057	1.022	3.3	77	0.00
74		Di-n-butylphthalate	1.300	1.314	-1.1	80	0.00
75	C	Fluoranthene	1.311	1.267	3.4	78	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	80	0.00
77		Benzidine	0.683	0.543	20.5	45#	0.00
78		Pyrene	1.300	1.220	6.2	77	0.00
79	S	Terphenyl-d14	1.093	1.021	6.6	78	0.00
80		Butylbenzylphthalate	0.589	0.600	-1.9	83	0.00
81		Benzo(a)anthracene	1.319	1.279	3.0	81	0.00
82		3,3'-Dichlorobenzidine	0.497	0.503	-1.2	83	0.00
83		Chrysene	1.235	1.213	1.8	82	0.00
84		Bis(2-ethylhexyl)phthalate	0.867	0.895	-3.2	87	-0.02
85	c	Di-n-octyl phthalate	1.492	1.648	-10.5	92	-0.02
86	I	Perylene-d12	1.000	1.000	0.0	89	0.00
87		Indeno(1,2,3-cd)pyrene	1.467	1.484	-1.2	94	0.01
88		Benzo(b)fluoranthene	1.179	1.121	4.9	88	0.00
89		Benzo(k)fluoranthene	1.180	1.119	5.2	88	0.00
90	C	Benzo(a)pyrene	1.148	1.115	2.9	90	0.01
91		Dibenzo(a,h)anthracene	1.199	1.220	-1.8	94	0.00
92		Benzo(g,h,i)perylene	1.178	1.213	-3.0	95	0.00

Sample Results: **BP025512.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025512.D
Acq On : 20 Aug 2025 18:27
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 01:35:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Sample Results: **BP025512.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025512.D
Acq On : 20 Aug 2025 18:27
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 01:35:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	105	0.00
2		1,4-Dioxane	40.000	41.454	-3.6	116	0.00
3		Pyridine	40.000	38.497	3.8	107	0.00
4		n-Nitrosodimethylamine	40.000	42.863	-7.2	118	0.00
5	S	2-Fluorophenol	80.000	81.851	-2.3	112	0.00
6		Aniline	40.000	37.776	5.6	102	0.00
7	S	Phenol-d6	80.000	77.239	3.5	104	0.00
8		2-Chlorophenol	40.000	38.971	2.6	106	0.00
9		Benzaldehyde	40.000	47.306	-18.3	99	0.00
10	C	Phenol	40.000	37.903	5.2	103	0.00
11		bis(2-Chloroethyl)ether	40.000	38.056	4.9	104	0.00
12		1,3-Dichlorobenzene	40.000	40.104	-0.3	110	0.00
13	C	1,4-Dichlorobenzene	40.000	39.630	0.9	109	-0.01
14		1,2-Dichlorobenzene	40.000	38.825	2.9	106	0.00
15		Benzyl Alcohol	40.000	36.921	7.7	100	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	38.945	2.6	107	0.00
17		2-Methylphenol	40.000	37.654	5.9	101	0.00
18		Hexachloroethane	40.000	41.047	-2.6	112	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	35.024	12.4	95	-0.01
20		3+4-Methylphenols	40.000	35.797	10.5	96	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	93	0.00
22		Acetophenone	40.000	40.553	-1.4	98	0.00
23	S	Nitrobenzene-d5	80.000	82.828	-3.5	100	-0.01
24		Nitrobenzene	40.000	41.561	-3.9	99	0.00
25		Isophorone	40.000	37.972	5.1	92	0.00
26	C	2-Nitrophenol	40.000	41.515	-3.8	97	0.00
27		2,4-Dimethylphenol	40.000	39.508	1.2	93	0.00
28		bis(2-Chloroethoxy)methane	40.000	39.085	2.3	95	0.00
29	C	2,4-Dichlorophenol	40.000	40.068	-0.2	95	0.00
30		1,2,4-Trichlorobenzene	40.000	40.786	-2.0	99	0.00
31		Naphthalene	40.000	39.747	0.6	96	0.00
32		Benzoic acid	40.000	36.722	8.2	87	0.00
33		4-Chloroaniline	40.000	37.353	6.6	89	0.00
34	C	Hexachlorobutadiene	40.000	42.538	-6.3	103	0.00
35		Caprolactam	40.000	32.534	18.7	79	0.00
36	C	4-Chloro-3-methylphenol	40.000	36.511	8.7	87	0.00
37		2-Methylnaphthalene	40.000	37.407	6.5	91	0.00
38		1-Methylnaphthalene	40.000	36.937	7.7	90	0.00
39	I	Acenaphthene-d10	20.000	20.000	0.0	81	-0.01
40		1,2,4,5-Tetrachlorobenzene	40.000	43.350	-8.4	90	0.00
41	P	Hexachlorocyclopentadiene	40.000	41.195	-3.0	83	0.00
42	S	2,4,6-Tribromophenol	80.000	76.447	4.4	79	0.00
43	C	2,4,6-Trichlorophenol	40.000	42.446	-6.1	87	0.00
44		2,4,5-Trichlorophenol	40.000	41.744	-4.4	85	0.00
45	S	2-Fluorobiphenyl	80.000	83.434	-4.3	88	0.00
46		1,1'-Biphenyl	40.000	41.508	-3.8	86	0.00
47		2-Chloronaphthalene	40.000	41.219	-3.0	85	0.00

Sample Results: **BP025512.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025512.D
Acq On : 20 Aug 2025 18:27
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 01:35:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	41.628	-4.1	84	0.00
49		Acenaphthylene	40.000	40.001	-0.0	83	0.00
50		Dimethylphthalate	40.000	38.219	4.5	80	-0.01
51		2,6-Dinitrotoluene	40.000	40.576	-1.4	82	0.00
52	C	Acenaphthene	40.000	39.546	1.1	84	0.00
53		3-Nitroaniline	40.000	37.912	5.2	78	-0.01
54	P	2,4-Dinitrophenol	40.000	41.686	-4.2	85	0.00
55		Dibenzofuran	40.000	39.221	1.9	82	0.00
56	P	4-Nitrophenol	40.000	37.212	7.0	77	0.00
57		2,4-Dinitrotoluene	40.000	39.004	2.5	79	0.00
58		Fluorene	40.000	38.132	4.7	81	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	39.405	1.5	81	0.00
60		Diethylphthalate	40.000	37.688	5.8	79	0.00
61		4-Chlorophenyl-phenylether	40.000	38.204	4.5	80	0.00
62		4-Nitroaniline	40.000	37.321	6.7	76	0.00
63		Azobenzene	40.000	39.346	1.6	82	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	76	0.00
65		4,6-Dinitro-2-methylphenol	40.000	40.860	-2.1	79	0.00
66	c	n-Nitrosodiphenylamine	40.000	39.942	0.1	78	-0.01
67		4-Bromophenyl-phenylether	40.000	40.668	-1.7	80	0.00
68		Hexachlorobenzene	40.000	40.230	-0.6	80	0.00
69		Atrazine	40.000	38.670	3.3	77	0.00
70	C	Pentachlorophenol	40.000	41.514	-3.8	80	0.00
71		Phenanthrene	40.000	39.517	1.2	79	0.00
72		Anthracene	40.000	38.632	3.4	76	0.00
73		Carbazole	40.000	38.700	3.2	77	0.00
74		Di-n-butylphthalate	40.000	40.436	-1.1	80	0.00
75	C	Fluoranthene	40.000	38.675	3.3	78	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	80	0.00
77		Benzidine	40.000	31.831	20.4	45	0.00
78		Pyrene	40.000	37.531	6.2	77	0.00
79	S	Terphenyl-d14	80.000	74.739	6.6	78	0.00
80		Butylbenzylphthalate	40.000	40.760	-1.9	83	0.00
81		Benzo(a)anthracene	40.000	38.784	3.0	81	0.00
82		3,3'-Dichlorobenzidine	40.000	40.475	-1.2	83	0.00
83		Chrysene	40.000	39.282	1.8	82	0.00
84		Bis(2-ethylhexyl)phthalate	40.000	41.288	-3.2	87	-0.02
85	c	Di-n-octyl phthalate	40.000	44.204	-10.5	92	-0.02
86	I	Perylene-d12	20.000	20.000	0.0	89	0.00
87		Indeno(1,2,3-cd)pyrene	40.000	40.465	-1.2	94	0.01
88		Benzo(b)fluoranthene	40.000	38.021	4.9	88	0.00
89		Benzo(k)fluoranthene	40.000	37.913	5.2	88	0.00
90	C	Benzo(a)pyrene	40.000	38.861	2.8	90	0.01
91		Dibenzo(a,h)anthracene	40.000	40.707	-1.8	94	0.00
92		Benzo(g,h,i)perylene	40.000	41.164	-2.9	95	0.00

Sample Results: **BP025512.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025512.D
Acq On : 20 Aug 2025 18:27
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 01:35:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Raw Data: **BP025526.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/21/2025 03:59

Lab File ID: BP025526.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040EC Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
2-Fluorophenol	1.204	1.216		1.0	50.0
Benzaldehyde	1.082	1.290		19.2	50.0
Phenol-d6	1.544	1.547		0.2	50.0
Phenol	1.620	1.613		-0.4	50.0
bis(2-Chloroethyl)ether	1.263	1.261		-0.2	50.0
2-Chlorophenol	1.359	1.350		-0.7	50.0
2-Methylphenol	1.125	1.122		-0.3	50.0
2,2-oxybis(1-Chloropropane)	1.692	1.733		2.4	50.0
Acetophenone	0.502	0.499		-0.6	50.0
3+4-Methylphenols	1.560	1.505		-3.5	50.0
n-Nitroso-di-n-propylamine	1.023	0.976	0.050	-4.6	50.0
Nitrobenzene-d5	0.395	0.409		3.5	50.0
Hexachloroethane	0.563	0.559		-0.7	50.0
Nitrobenzene	0.353	0.366		3.7	50.0
Isophorone	0.700	0.680		-2.9	50.0
2-Nitrophenol	0.181	0.186		2.8	50.0
2,4-Dimethylphenol	0.312	0.314		0.6	50.0
bis(2-Chloroethoxy)methane	0.423	0.410		-3.1	50.0
2,4-Dichlorophenol	0.310	0.310		0.0	50.0
Naphthalene	1.040	1.009		-3.0	50.0
4-Chloroaniline	0.459	0.448		-2.4	50.0
Hexachlorobutadiene	0.211	0.207		-1.9	50.0
Caprolactam	0.114	0.101		-11.4	50.0
4-Chloro-3-methylphenol	0.355	0.344		-3.1	50.0
2-Methylnaphthalene	0.676	0.643		-4.9	50.0
Hexachlorocyclopentadiene	0.349	0.363	0.050	4.0	50.0
2,4,6-Trichlorophenol	0.390	0.402		3.1	50.0
2-Fluorobiphenyl	1.463	1.441		-1.5	50.0
2,4,5-Trichlorophenol	0.427	0.434		1.6	50.0
1,1-Biphenyl	1.453	1.452		-0.1	50.0
2-Chloronaphthalene	1.131	1.136		0.4	50.0
2-Nitroaniline	0.329	0.351		6.7	50.0
Dimethylphthalate	1.465	1.392		-5.0	50.0
Acenaphthylene	1.871	1.854		-0.9	50.0
2,6-Dinitrotoluene	0.309	0.311		0.6	50.0
3-Nitroaniline	0.347	0.338		-2.6	50.0
Acenaphthene	1.098	1.059		-3.6	50.0
2,4-Dinitrophenol	0.165	0.168	0.050	1.8	50.0
4-Nitrophenol	0.285	0.269	0.050	-5.6	50.0

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

7C

SEMIVOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alliance Contract: FIRS02

Lab Code: ACE SDG No.: Q2815

Instrument ID: BNA_P Calibration Date/Time: 08/21/2025 03:59

Lab File ID: BP025526.D Init. Calib. Date(s): 08/14/2025 08/14/2025

EPA Sample No.: SSTDCCC040EC Init. Calib. Time(s): 12:33 17:24

GC Column: ZB-GR ID: 0.25 (mm)

COMPOUND	RRF	RRF040	MIN RRF	%D	MAX%D
Dibenzofuran	1.736	1.660		-4.4	50.0
2,4-Dinitrotoluene	0.440	0.426		-3.2	50.0
Diethylphthalate	1.488	1.379		-7.3	50.0
4-Chlorophenyl-phenylether	0.681	0.626		-8.1	50.0
Fluorene	1.370	1.266		-7.6	50.0
4-Nitroaniline	0.356	0.320		-10.1	50.0
4,6-Dinitro-2-methylphenol	0.125	0.131		4.8	50.0
n-Nitrosodiphenylamine	0.610	0.638		4.6	50.0
2,4,6-Tribromophenol	0.269	0.252		-6.3	50.0
4-Bromophenyl-phenylether	0.220	0.224		1.8	50.0
Hexachlorobenzene	0.255	0.254		-0.4	50.0
Atrazine	0.228	0.224		-1.8	50.0
Pentachlorophenol	0.161	0.166		3.1	50.0
Phenanthrene	1.099	1.065		-3.1	50.0
Anthracene	1.122	1.109		-1.2	50.0
Carbazole	1.057	1.017		-3.8	50.0
Di-n-butylphthalate	1.300	1.219		-6.2	50.0
Fluoranthene	1.311	1.183		-9.8	50.0
Pyrene	1.300	1.284		-1.2	50.0
Terphenyl-d14	1.093	1.064		-2.7	50.0
Butylbenzylphthalate	0.589	0.569		-3.4	50.0
3,3-Dichlorobenzidine	0.497	0.479		-3.6	50.0
Benzo(a)anthracene	1.319	1.296		-1.7	50.0
Chrysene	1.235	1.210		-2.0	50.0
Bis(2-ethylhexyl)phthalate	0.867	0.831		-4.2	50.0
Di-n-octyl phthalate	1.492	1.498		0.4	50.0
Benzo(b)fluoranthene	1.179	1.117		-5.3	50.0
Benzo(k)fluoranthene	1.180	1.109		-6.0	50.0
Benzo(a)pyrene	1.148	1.115		-2.9	50.0
Indeno(1,2,3-cd)pyrene	1.467	1.483		1.1	50.0
Dibenzo(a,h)anthracene	1.199	1.211		1.0	50.0
Benzo(g,h,i)perylene	1.178	1.200		1.9	50.0
1,2,4,5-Tetrachlorobenzene	0.578	0.581		0.5	50.0
1,4-Dioxane	0.472	0.469		-0.6	50.0
2,3,4,6-Tetrachlorophenol	0.377	0.370		-1.9	50.0

All other compounds must meet a minimum RRF of 0.010.

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025526.D
Acq On : 21 Aug 2025 03:59
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 21 05:11:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.784	152	191900	20.000	ng		-0.01
21) Naphthalene-d8	10.554	136	778080	20.000	ng		0.00
39) Acenaphthene-d10	14.395	164	480142	20.000	ng		-0.01
64) Phenanthrene-d10	17.189	188	869173	20.000	ng		-0.01
76) Chrysene-d12	21.636	240	823541	20.000	ng		-0.01
86) Perylene-d12	25.001	264	1048104	20.000	ng		-0.03
System Monitoring Compounds							
5) 2-Fluorophenol	5.402	112	933086	80.749	ng		0.00
7) Phenol-d6	6.966	99	1187456	80.152	ng		0.00
23) Nitrobenzene-d5	8.931	82	1273041	82.765	ng		0.00
42) 2,4,6-Tribromophenol	15.895	330	484295	74.936	ng		-0.02
45) 2-Fluorobiphenyl	13.007	172	2768196	78.794	ng		-0.01
79) Terphenyl-d14	19.913	244	3505178	77.871	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	179822	39.729	ng		97
3) Pyridine	3.725	79	482600	38.955	ng		93
4) n-Nitrosodimethylamine	3.631	42	224519	43.959	ng		91
6) Aniline	7.119	93	791031	39.629	ng		99
8) 2-Chlorophenol	7.360	128	518280	39.746	ng		98
9) Benzaldehyde	6.937	77	495216	47.711	ng		98
10) Phenol	6.996	94	619143	39.828	ng		96
11) bis(2-Chloroethyl)ether	7.213	93	483955	39.942	ng		97
12) 1,3-Dichlorobenzene	7.678	146	570118	39.651	ng		97
13) 1,4-Dichlorobenzene	7.819	146	575622	39.168	ng		99
14) 1,2-Dichlorobenzene	8.137	146	549967	38.659	ng		98
15) Benzyl Alcohol	8.019	79	470863	40.000	ng		97
16) 2,2'-oxybis(1-Chloropr...	8.307	45	665088	40.975	ng		99
17) 2-Methylphenol	8.225	107	430585	39.881	ng		98
18) Hexachloroethane	8.860	117	214677	39.729	ng		95
19) n-Nitroso-di-n-propyla...	8.584	70	374725	38.186	ng		97
20) 3+4-Methylphenols	8.548	107	577590	38.594	ng		96
22) Acetophenone	8.596	105	777206	39.831	ng	#	96
24) Nitrobenzene	8.972	77	569192	41.406	ng		99
25) Isophorone	9.495	82	1057559	38.851	ng		100
26) 2-Nitrophenol	9.672	139	289854	41.086	ng		98
27) 2,4-Dimethylphenol	9.737	122	488029	40.225	ng		98
28) bis(2-Chloroethoxy)met...	9.960	93	638647	38.812	ng		99
29) 2,4-Dichlorophenol	10.207	162	482743	40.055	ng		98
30) 1,2,4-Trichlorobenzene	10.419	180	516908	39.125	ng		97
31) Naphthalene	10.601	128	1570246	38.828	ng		99
32) Benzoic acid	9.884	122	358720	40.049	ng		97
33) 4-Chloroaniline	10.707	127	696525	38.991	ng		98
34) Hexachlorobutadiene	10.890	225	321424	39.065	ng		98
35) Caprolactam	11.495	113	156812	35.484	ng		99
36) 4-Chloro-3-methylphenol	11.831	107	534863	38.676	ng		97
37) 2-Methylnaphthalene	12.207	142	999947	37.995	ng		99
38) 1-Methylnaphthalene	12.425	142	1043941	37.300	ng		99
40) 1,2,4,5-Tetrachloroben...	12.578	216	558004	40.240	ng		99
41) Hexachlorocyclopentadiene	12.560	237	349022	41.668	ng		98
43) 2,4,6-Trichlorophenol	12.819	196	385756	41.205	ng		97

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025526.D
Acq On : 21 Aug 2025 03:59
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 21 05:11:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.889	196	416547	40.598	ng	99
46) 1,1'-Biphenyl	13.219	154	1394649	39.995	ng	98
47) 2-Chloronaphthalene	13.260	162	1090908	40.186	ng	99
48) 2-Nitroaniline	13.466	65	337247	42.636	ng	96
49) Acenaphthylene	14.113	152	1780779	39.644	ng	100
50) Dimethylphthalate	13.848	163	1336804	38.020	ng	99
51) 2,6-Dinitrotoluene	13.960	165	298291	40.251	ng	98
52) Acenaphthene	14.460	154	1016517	38.553	ng	98
53) 3-Nitroaniline	14.289	138	324980	38.977	ng	95
54) 2,4-Dinitrophenol	14.507	184	160853	40.644	ng	97
55) Dibenzofuran	14.801	168	1593872	38.235	ng	98
56) 4-Nitrophenol	14.613	139	257855	37.635	ng	95
57) 2,4-Dinitrotoluene	14.760	165	409171	38.698	ng	97
58) Fluorene	15.460	166	1216177	36.973	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.030	232	355491	39.239	ng	99
60) Diethylphthalate	15.225	149	1323887	37.056	ng	99
61) 4-Chlorophenyl-phenyle...	15.454	204	600871	36.730	ng	97
62) 4-Nitroaniline	15.472	138	307105	35.928	ng	95
63) Azobenzene	15.748	77	1216437	39.764	ng	98
65) 4,6-Dinitro-2-methylph...	15.530	198	227645	42.016	ng	92
66) n-Nitrosodiphenylamine	15.666	169	1109160	41.848	ng	100
67) 4-Bromophenyl-phenylether	16.366	248	388602	40.652	ng	99
68) Hexachlorobenzene	16.483	284	442271	39.912	ng	97
69) Atrazine	16.642	200	388998	39.190	ng	98
70) Pentachlorophenol	16.836	266	288486	41.242	ng	96
71) Phenanthrene	17.230	178	1852149	38.791	ng	100
72) Anthracene	17.324	178	1927125	39.524	ng	99
73) Carbazole	17.601	167	1767299	38.481	ng	100
74) Di-n-butylphthalate	18.201	149	2118222	37.487	ng	100
75) Fluoranthene	19.319	202	2056945	36.116	ng	98
77) Benzidine	19.507	184	955775	34.006	ng	99
78) Pyrene	19.695	202	2114083	39.495	ng	100
80) Butylbenzylphthalate	20.648	149	936663	38.610	ng	100
81) Benzo(a)anthracene	21.612	228	2134261	39.296	ng	99
82) 3,3'-Dichlorobenzidine	21.536	252	789715	38.576	ng	100
83) Chrysene	21.677	228	1992794	39.179	ng	100
84) Bis(2-ethylhexyl)phtha...	21.560	149	1368948	38.334	ng	100
85) Di-n-octyl phthalate	22.842	149	2466831	40.160	ng	98
87) Indeno(1,2,3-cd)pyrene	28.847	276	3108816	40.446	ng	98
88) Benzo(b)fluoranthene	23.948	252	2342446	37.901	ng	100
89) Benzo(k)fluoranthene	24.024	252	2325553	37.602	ng	99
90) Benzo(a)pyrene	24.854	252	2336844	38.843	ng	98
91) Dibenzo(a,h)anthracene	28.936	278	2537691	40.400	ng	100
92) Benzo(g,h,i)perylene	30.012	276	2515443	40.739	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025526.D
Acq On : 21 Aug 2025 03:59
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 21 05:11:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.784 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 191900

Ion	Ratio	Lower	Upper
152	100		
150	153.4	125.9	188.9
115	60.2	48.5	72.7





#2
1,4-Dioxane
Concen: 39.729 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion: 88 Resp: 179822

Ion	Ratio	Lower	Upper
88	100		
58	75.5	59.2	88.8
43	29.8	21.7	32.5





#3
Pyridine
Concen: 38.955 ng
RT: 3.725 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 482600

Ion	Ratio	Lower	Upper
79	100		
52	75.3	55.5	83.3
51	38.8	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 43.959 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion: 42 Resp: 224519

Ion	Ratio	Lower	Upper
42	100		
74	123.2	107.0	160.4
44	7.0	6.2	9.4





#5
2-Fluorophenol
Concen: 80.749 ng
RT: 5.402 min Scan# 41
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:112 Resp: 933086

Ion	Ratio	Lower	Upper
112	100		
64	58.3	43.8	65.8
63	31.7	22.7	34.1





#6
Aniline
Concen: 39.629 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion: 93 Resp: 791031

Ion	Ratio	Lower	Upper
93	100		
66	39.0	30.4	45.6
65	19.6	15.3	22.9





#7
Phenol-d6
Concen: 80.152 ng
RT: 6.966 min Scan# 6
Delta R.T. -0.000 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 99 Resp: 1187456

Ion	Ratio	Lower	Upper
99	100		
42	18.3	13.7	20.5
71	36.6	28.2	42.4





#8
2-Chlorophenol
Concen: 39.746 ng
RT: 7.360 min Scan# 752
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:128 Resp: 518280

Ion	Ratio	Lower	Upper
128	100		
130	33.1	12.6	52.6
64	45.4	23.4	63.4





#9
Benzaldehyde
Concen: 47.711 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 495216

Ion	Ratio	Lower	Upper
77	100		
105	101.8	84.8	124.8
106	98.9	80.5	120.5





#10
Phenol
Concen: 39.828 ng
RT: 6.996 min Scan# 690
Delta R.T. -0.000 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion: 94 Resp: 619143

Ion	Ratio	Lower	Upper
94	100		
65	28.5	6.8	46.8
66	40.9	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 39.942 ng
RT: 7.213 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 93 Resp: 483955

Ion	Ratio	Lower	Upper
93	100		
63	75.4	52.6	92.6
95	32.0	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 39.651 ng
RT: 7.678 min Scan# 806
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:146 Resp: 570118

Ion	Ratio	Lower	Upper
146	100		
148	62.0	51.9	77.9
75	30.9	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 39.168 ng
RT: 7.819 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:146 Resp: 575622

Ion	Ratio	Lower	Upper
146	100		
148	63.8	51.6	77.4
111	42.5	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 38.659 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:146 Resp: 549967

Ion	Ratio	Lower	Upper
146	100		
148	64.4	50.4	75.6
111	43.9	34.5	51.7





#15
Benzyl Alcohol
Concen: 40.000 ng
RT: 8.019 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 470863

Ion	Ratio	Lower	Upper
79	100		
108	76.2	63.8	95.6
77	63.2	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 40.975 ng
RT: 8.307 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion: 45 Resp: 665088

Ion	Ratio	Lower	Upper
45	100		
77	15.1	0.0	35.3
79	10.9	0.0	31.8





#17
2-Methylphenol
Concen: 39.881 ng
RT: 8.225 min Scan# 8
Delta R.T. -0.000 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:107 Resp: 430585

Ion	Ratio	Lower	Upper
107	100		
108	109.2	89.4	134.0
77	47.0	36.3	54.5
79	46.5	36.6	54.8





#18
Hexachloroethane
Concen: 39.729 ng
RT: 8.860 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:117 Resp: 214677

Ion	Ratio	Lower	Upper
117	100		
119	99.3	75.1	112.7
201	104.3	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 38.186 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 70 Resp: 374725

Ion	Ratio	Lower	Upper
70	100		
42	57.8	43.8	65.6
101	10.3	8.5	12.7
130	22.9	19.4	29.0





#20
3+4-Methylphenols
Concen: 38.594 ng
RT: 8.548 min Scan# 954
Delta R.T. -0.000 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:107 Resp: 577590

Ion	Ratio	Lower	Upper
107	100		
108	90.4	66.3	106.3
77	33.3	12.3	52.3
79	30.0	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.554 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:136 Resp: 778080

Ion	Ratio	Lower	Upper
136	100		
137	10.6	9.2	13.8
54	8.2	6.0	9.0
68	5.5	4.3	6.5





#22
Acetophenone
Concen: 39.831 ng
RT: 8.596 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:105 Resp: 777206

Ion	Ratio	Lower	Upper
105	100		
71	4.1	2.6	4.0#
51	28.5	20.6	30.8
120	22.3	18.6	27.8





#23
Nitrobenzene-d5
Concen: 82.765 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 1273041

Ion	Ratio	Lower	Upper
82	100		
128	45.7	37.7	56.5
54	51.4	39.8	59.6





#24
Nitrobenzene
Concen: 41.406 ng
RT: 8.972 min Scan# 1026
Delta R.T. -0.000 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion: 77 Resp: 569192

Ion	Ratio	Lower	Upper
77	100		
123	48.9	38.6	58.0
65	13.8	10.6	15.8





#25
Isophorone
Concen: 38.851 ng
RT: 9.495 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 1057559

Ion	Ratio	Lower	Upper
82	100		
95	7.6	6.4	9.6
138	19.2	15.4	23.0





#26
2-Nitrophenol
Concen: 41.086 ng
RT: 9.672 min Scan# 1145
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:139 Resp: 289854

Ion	Ratio	Lower	Upper
139	100		
109	35.5	26.9	40.3
65	48.3	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 40.225 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:122 Resp: 488029

Ion	Ratio	Lower	Upper
122	100		
107	118.7	93.7	140.5
121	59.5	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 38.812 ng
RT: 9.960 min Scan# 1194
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion: 93 Resp: 638647

Ion	Ratio	Lower	Upper
93	100		
95	32.7	25.4	38.0
123	11.7	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 40.055 ng
RT: 10.207 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 482743

Ion	Ratio	Lower	Upper
162	100		
164	63.6	44.4	84.4
98	36.3	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 39.125 ng
RT: 10.419 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:180 Resp: 516908

Ion	Ratio	Lower	Upper
180	100		
182	93.8	78.0	117.0
145	31.5	25.9	38.9





#31
Naphthalene
Concen: 38.828 ng
RT: 10.601 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:128 Resp: 1570246

Ion	Ratio	Lower	Upper
128	100		
129	11.1	8.6	13.0
127	12.9	10.7	16.1





#32
Benzoic acid
Concen: 40.049 ng
RT: 9.884 min Scan# 1181
Delta R.T. 0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:122 Resp: 358720

Ion	Ratio	Lower	Upper
122	100		
105	124.5	100.6	140.6
77	93.3	71.5	111.5





#33
4-Chloroaniline
Concen: 38.991 ng
RT: 10.707 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:127 Resp: 696525

Ion	Ratio	Lower	Upper
127	100		
129	32.7	25.4	38.2
65	31.0	23.8	35.6
92	20.1	15.8	23.8





#34
Hexachlorobutadiene
Concen: 39.065 ng
RT: 10.890 min Scan# 1352
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:225 Resp: 321424

Ion	Ratio	Lower	Upper
225	100		
223	63.3	50.0	75.0
227	64.0	49.7	74.5





#35
Caprolactam
Concen: 35.484 ng
RT: 11.495 min Scan# 14
Delta R.T. -0.000 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:113 Resp: 156812

Ion	Ratio	Lower	Upper
113	100		
55	159.0	140.0	180.0
56	122.6	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 38.676 ng
RT: 11.831 min Scan# 1512
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:107 Resp: 534863

Ion	Ratio	Lower	Upper
107	100		
144	25.5	21.0	31.4
142	78.1	64.6	97.0





#37
2-Methylnaphthalene
Concen: 37.995 ng
RT: 12.207 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:142 Resp: 999947

Ion	Ratio	Lower	Upper
142	100		
141	88.5	70.3	105.5
115	37.6	28.9	43.3





#38
1-Methylnaphthalene
Concen: 37.300 ng
RT: 12.425 min Scan# 1613
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:142 Resp: 1043941

Ion	Ratio	Lower	Upper
142	100		
141	92.1	73.1	109.7
116	4.2	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.395 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:164 Resp: 480142

Ion	Ratio	Lower	Upper
164	100		
162	100.1	81.0	121.6
160	45.9	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 40.240 ng
RT: 12.578 min Scan# 1639
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:216 Resp: 558004

Ion	Ratio	Lower	Upper
216	100		
214	78.2	63.0	94.4
179	22.3	17.1	25.7
108	20.0	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 41.668 ng
RT: 12.560 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:237 Resp: 349022

Ion	Ratio	Lower	Upper
237	100		
235	61.4	42.7	82.7
272	12.0	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 74.936 ng
RT: 15.895 min Scan# 2203
Delta R.T. -0.018 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:330 Resp: 484295

Ion	Ratio	Lower	Upper
330	100		
332	97.6	77.3	115.9
141	36.4	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 41.205 ng
RT: 12.819 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:196 Resp: 385756

Ion	Ratio	Lower	Upper
196	100		
198	92.9	77.2	115.8
200	31.3	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 40.598 ng
RT: 12.889 min Scan# 1692
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:196 Resp: 416547

Ion	Ratio	Lower	Upper
196	100		
198	97.0	76.2	114.2
97	52.1	41.2	61.8
132	28.8	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 78.794 ng
RT: 13.007 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:172 Resp: 2768196

Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.1	42.1
170	22.9	18.6	28.0





#46
1,1'-Biphenyl
Concen: 39.995 ng
RT: 13.219 min Scan# 1748
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:154 Resp: 1394649

Ion	Ratio	Lower	Upper
154	100		
153	40.6	19.5	59.5
76	11.7	0.0	31.1





#47
2-Chloronaphthalene
Concen: 40.186 ng
RT: 13.260 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 1090908

Ion	Ratio	Lower	Upper
162	100		
127	41.3	33.4	50.2
164	32.3	26.2	39.2





#48
2-Nitroaniline
Concen: 42.636 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion: 65 Resp: 337247

Ion	Ratio	Lower	Upper
65	100		
92	69.9	57.6	86.4
138	109.3	91.0	136.6





#49
Acenaphthylene
Concen: 39.644 ng
RT: 14.113 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 1780779

Ion	Ratio	Lower	Upper
152	100		
151	19.8	16.0	24.0
153	13.1	10.6	15.8





#50
Dimethylphthalate
Concen: 38.020 ng
RT: 13.848 min Scan# 1855
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:163 Resp: 1336804

Ion	Ratio	Lower	Upper
163	100		
194	4.0	3.4	5.0
164	10.1	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 40.251 ng
RT: 13.960 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 298291

Ion	Ratio	Lower	Upper
165	100		
63	53.2	40.9	61.3
89	52.7	42.1	63.1





#52
Acenaphthene
Concen: 38.553 ng
RT: 14.460 min Scan# 1959
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:154 Resp: 1016517

Ion	Ratio	Lower	Upper
154	100		
153	111.0	90.2	135.2
152	54.0	42.1	63.1





#53
3-Nitroaniline
Concen: 38.977 ng
RT: 14.289 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:138 Resp: 324980

Ion	Ratio	Lower	Upper
138	100		
108	11.1	8.3	12.5
92	112.9	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 40.644 ng
RT: 14.507 min Scan# 1967
Delta R.T. -0.000 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:184 Resp: 160853

Ion	Ratio	Lower	Upper
184	100		
63	58.4	49.4	74.2
154	69.5	54.6	82.0





#55
Dibenzofuran
Concen: 38.235 ng
RT: 14.801 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:168 Resp: 1593872

Ion	Ratio	Lower	Upper
168	100		
139	40.7	31.5	47.3
169	13.4	10.9	16.3





#56
4-Nitrophenol
Concen: 37.635 ng
RT: 14.613 min Scan# 1985
Delta R.T. -0.000 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:139 Resp: 257855

Ion	Ratio	Lower	Upper
139	100		
109	81.2	56.6	96.6
65	92.3	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 38.698 ng
RT: 14.760 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 409171

Ion	Ratio	Lower	Upper
165	100		
63	41.1	31.4	47.2
89	69.3	53.3	79.9
182	2.9	2.3	3.5





#58
Fluorene
Concen: 36.973 ng
RT: 15.460 min Scan# 2129
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:166 Resp: 1216177

Ion	Ratio	Lower	Upper
166	100		
165	97.7	78.8	118.2
167	13.1	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 39.239 ng
RT: 15.030 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:232 Resp: 355491

Ion	Ratio	Lower	Upper
232	100		
131	47.5	37.0	55.6
130	2.4	1.9	2.9
166	31.8	25.4	38.0





#60
Diethylphthalate
Concen: 37.056 ng
RT: 15.225 min Scan# 2089
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:149 Resp: 1323887

Ion	Ratio	Lower	Upper
149	100		
177	21.5	17.3	25.9
150	12.5	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 36.730 ng
RT: 15.454 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:204 Resp: 600871

Ion	Ratio	Lower	Upper
204	100		
206	33.2	25.8	38.8
141	65.2	49.4	74.2





#62
4-Nitroaniline
Concen: 35.928 ng
RT: 15.472 min Scan# 2131
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:138 Resp: 307105

Ion	Ratio	Lower	Upper
138	100		
92	48.7	29.1	69.1
108	87.7	61.5	101.5





#63
Azobenzene
Concen: 39.764 ng
RT: 15.748 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 1216437

Ion	Ratio	Lower	Upper
77	100		
182	26.2	7.5	47.5
105	21.6	2.1	42.1
51	31.3	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.189 min Scan# 2423
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:188 Resp: 869173

Ion	Ratio	Lower	Upper
188	100		
94	9.0	6.6	10.0
80	9.4	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 42.016 ng
RT: 15.530 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:198 Resp: 227645

Ion	Ratio	Lower	Upper
198	100		
51	46.8	19.6	59.6
105	43.4	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 41.848 ng
RT: 15.666 min Scan# 2164
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:169 Resp: 1109160

Ion	Ratio	Lower	Upper
169	100		
168	66.3	53.2	79.8
167	35.6	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 40.652 ng
RT: 16.366 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:248 Resp: 388602

Ion	Ratio	Lower	Upper
248	100		
250	97.6	78.2	117.2
141	76.8	59.6	89.4





#68
Hexachlorobenzene
Concen: 39.912 ng
RT: 16.483 min Scan# 2303
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:284 Resp: 442271

Ion	Ratio	Lower	Upper
284	100		
142	33.8	29.1	43.7
249	32.4	25.0	37.4





#69
Atrazine
Concen: 39.190 ng
RT: 16.642 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:200 Resp: 388998

Ion	Ratio	Lower	Upper
200	100		
173	25.9	6.7	46.7
215	48.0	29.7	69.7





#70
Pentachlorophenol
Concen: 41.242 ng
RT: 16.836 min Scan# 2363
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:266 Resp: 288486

Ion	Ratio	Lower	Upper
266	100		
268	62.2	52.6	79.0
264	62.3	52.0	78.0





#71
Phenanthrene
Concen: 38.791 ng
RT: 17.230 min Scan# 24
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:178 Resp: 1852149

Ion	Ratio	Lower	Upper
178	100		
176	19.3	15.5	23.3
179	15.6	12.2	18.4





#72
Anthracene
Concen: 39.524 ng
RT: 17.324 min Scan# 2446
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:178 Resp: 1927125

Ion	Ratio	Lower	Upper
178	100		
176	18.1	14.7	22.1
179	15.4	12.2	18.2





#73
Carbazole
Concen: 38.481 ng
RT: 17.601 min Scan# 24
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:167 Resp: 1767299

Ion	Ratio	Lower	Upper
167	100		
166	21.8	17.5	26.3
139	13.5	10.6	16.0





#74
Di-n-butylphthalate
Concen: 37.487 ng
RT: 18.201 min Scan# 2595
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:149 Resp: 2118222

Ion	Ratio	Lower	Upper
149	100		
150	9.3	7.4	11.0
104	5.4	4.2	6.2





#75
Fluoranthene
Concen: 36.116 ng
RT: 19.319 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:202 Resp: 2056945

Ion	Ratio	Lower	Upper
202	100		
101	9.9	0.0	31.1
203	17.5	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.636 min Scan# 3179
Delta R.T. -0.012 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:240 Resp: 823541

Ion	Ratio	Lower	Upper
240	100		
120	10.4	8.9	13.3
236	24.9	19.8	29.8





#77
Benzidine
Concen: 34.006 ng
RT: 19.507 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:184 Resp: 955775

Ion	Ratio	Lower	Upper
184	100		
185	14.1	11.5	17.3
183	12.2	9.4	14.2





#78
Pyrene
Concen: 39.495 ng
RT: 19.695 min Scan# 2849
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:202 Resp: 2114083

Ion	Ratio	Lower	Upper
202	100		
200	20.8	16.9	25.3
203	17.5	14.2	21.2





#79
Terphenyl-d14
Concen: 77.871 ng
RT: 19.913 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:244 Resp: 3505178

Ion	Ratio	Lower	Upper
244	100		
212	7.5	5.8	8.6
122	9.9	7.4	11.2





#80
Butylbenzylphthalate
Concen: 38.610 ng
RT: 20.648 min Scan# 3011
Delta R.T. -0.000 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:149 Resp: 936663

Ion	Ratio	Lower	Upper
149	100		
91	67.3	54.2	81.2
206	20.7	16.6	24.8





#81
Benzo(a)anthracene
Concen: 39.296 ng
RT: 21.612 min Scan# 31
Delta R.T. -0.018 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 2134261

Ion	Ratio	Lower	Upper
228	100		
226	26.3	21.7	32.5
229	19.3	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 38.576 ng
RT: 21.536 min Scan# 3162
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:252 Resp: 789715

Ion	Ratio	Lower	Upper
252	100		
254	65.0	51.8	77.6
126	11.1	9.1	13.7





#83
Chrysene
Concen: 39.179 ng
RT: 21.677 min Scan# 3
Delta R.T. -0.018 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 1992794

Ion	Ratio	Lower	Upper
228	100		
226	29.0	23.2	34.8
229	19.7	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 38.334 ng
RT: 21.560 min Scan# 3166
Delta R.T. -0.024 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:149 Resp: 1368948

Ion	Ratio	Lower	Upper
149	100		
167	27.4	22.1	33.1
279	4.5	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 40.160 ng
RT: 22.842 min Scan# 3
Delta R.T. -0.029 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:149 Resp: 2466831

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.7	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.001 min Scan# 3751
Delta R.T. -0.029 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:264 Resp: 1048104

Ion	Ratio	Lower	Upper
264	100		
260	23.0	19.3	28.9
265	21.9	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 40.446 ng
RT: 28.847 min Scan# 4
Delta R.T. -0.018 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:276 Resp: 3108816

Ion	Ratio	Lower	Upper
276	100		
138	17.4	12.9	19.3
277	21.5	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 37.901 ng
RT: 23.948 min Scan# 3572
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:252 Resp: 2342446

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.7	26.5
125	9.9	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 37.602 ng
RT: 24.024 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:252 Resp: 2325553

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.1	25.7
125	9.2	7.8	11.6





#90
Benzo(a)pyrene
Concen: 38.843 ng
RT: 24.854 min Scan# 3726
Delta R.T. -0.000 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:252 Resp: 2336844

Ion	Ratio	Lower	Upper
252	100		
253	22.4	17.5	26.3
125	9.8	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 40.400 ng
RT: 28.936 min Scan# 44
Delta R.T. -0.018 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:278 Resp: 2537691

Ion	Ratio	Lower	Upper
278	100		
139	16.3	13.0	19.4
279	24.1	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 40.739 ng
RT: 30.012 min Scan# 4603
Delta R.T. -0.047 min
Lab File: BP025526.D
Acq: 21 Aug 2025 03:59

Tgt Ion:276 Resp: 2515443

Ion	Ratio	Lower	Upper
276	100		
277	24.1	19.4	29.0
138	21.0	16.7	25.1



Sample Results: **BP025526.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025526.D
Acq On : 21 Aug 2025 03:59
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 05:11:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	122	-0.01
2		1,4-Dioxane	0.472	0.469	0.6	128	0.00
3		Pyridine	1.291	1.257	2.6	125	0.00
4		n-Nitrosodimethylamine	0.532	0.585	-10.0	139	0.00
5	S	2-Fluorophenol	1.204	1.216	-1.0	127	0.00
6		Aniline	2.080	2.061	0.9	124	0.00
7	S	Phenol-d6	1.544	1.547	-0.2	124	0.00
8		2-Chlorophenol	1.359	1.350	0.7	125	0.00
9		Benzaldehyde	1.082	1.290	-19.2	115	0.00
10	C	Phenol	1.620	1.613	0.4	125	0.00
11		bis(2-Chloroethyl)ether	1.263	1.261	0.2	126	0.00
12		1,3-Dichlorobenzene	1.499	1.485	0.9	125	0.00
13	C	1,4-Dichlorobenzene	1.532	1.500	2.1	124	-0.01
14		1,2-Dichlorobenzene	1.483	1.433	3.4	122	0.00
15		Benzyl Alcohol	1.227	1.227	0.0	125	0.00
16		2,2'-oxybis(1-Chloropropane	1.692	1.733	-2.4	130	0.00
17		2-Methylphenol	1.125	1.122	0.3	123	0.00
18		Hexachloroethane	0.563	0.559	0.7	125	0.00
19	P	n-Nitroso-di-n-propylamine	1.023	0.976	4.6	120	0.00
20		3+4-Methylphenols	1.560	1.505	3.5	120	0.00
21	I	Naphthalene-d8	1.000	1.000	0.0	117	0.00
22		Acetophenone	0.502	0.499	0.6	121	0.00
23	S	Nitrobenzene-d5	0.395	0.409	-3.5	125	0.00
24		Nitrobenzene	0.353	0.366	-3.7	125	0.00
25		Isophorone	0.700	0.680	2.9	118	0.00
26	C	2-Nitrophenol	0.181	0.186	-2.8	121	0.00
27		2,4-Dimethylphenol	0.312	0.314	-0.6	119	0.00
28		bis(2-Chloroethoxy)methane	0.423	0.410	3.1	118	-0.01
29	C	2,4-Dichlorophenol	0.310	0.310	0.0	119	0.00
30		1,2,4-Trichlorobenzene	0.340	0.332	2.4	119	0.00
31		Naphthalene	1.040	1.009	3.0	118	-0.01
32		Benzoic acid	0.230	0.231	-0.4	119	0.01
33		4-Chloroaniline	0.459	0.448	2.4	116	0.00
34	C	Hexachlorobutadiene	0.211	0.207	1.9	118	-0.01
35		Caprolactam	0.114	0.101	11.4	108	0.00
36	C	4-Chloro-3-methylphenol	0.355	0.344	3.1	116	0.00
37		2-Methylnaphthalene	0.676	0.643	4.9	116	-0.01
38		1-Methylnaphthalene	0.719	0.671	6.7	115	-0.01
39	I	Acenaphthene-d10	1.000	1.000	0.0	109	-0.01
40		1,2,4,5-Tetrachlorobenzene	0.578	0.581	-0.5	113	-0.01
41	P	Hexachlorocyclopentadiene	0.349	0.363	-4.0	114	-0.01
42	S	2,4,6-Tribromophenol	0.269	0.252	6.3	104	-0.02
43	C	2,4,6-Trichlorophenol	0.390	0.402	-3.1	114	0.00
44		2,4,5-Trichlorophenol	0.427	0.434	-1.6	111	0.00
45	S	2-Fluorobiphenyl	1.463	1.441	1.5	113	-0.01
46		1,1'-Biphenyl	1.453	1.452	0.1	112	-0.01
47		2-Chloronaphthalene	1.131	1.136	-0.4	112	-0.01

Sample Results: **BP025526.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025526.D
Acq On : 21 Aug 2025 03:59
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 05:11:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
48		2-Nitroaniline	0.329	0.351	-6.7	116	0.00
49		Acenaphthylene	1.871	1.854	0.9	112	-0.01
50		Dimethylphthalate	1.465	1.392	5.0	108	-0.01
51		2,6-Dinitrotoluene	0.309	0.311	-0.6	109	0.00
52	C	Acenaphthene	1.098	1.059	3.6	111	0.00
53		3-Nitroaniline	0.347	0.338	2.6	108	-0.01
54	P	2,4-Dinitrophenol	0.165	0.168	-1.8	112	0.00
55		Dibenzofuran	1.736	1.660	4.4	108	0.00
56	P	4-Nitrophenol	0.285	0.269	5.6	105	0.00
57		2,4-Dinitrotoluene	0.440	0.426	3.2	106	0.00
58		Fluorene	1.370	1.266	7.6	106	0.00
59		2,3,4,6-Tetrachlorophenol	0.377	0.370	1.9	110	0.00
60		Diethylphthalate	1.488	1.379	7.3	105	-0.01
61		4-Chlorophenyl-phenylether	0.681	0.626	8.1	105	0.00
62		4-Nitroaniline	0.356	0.320	10.1	99	0.00
63		Azobenzene	1.274	1.267	0.5	111	0.00
64	I	Phenanthrene-d10	1.000	1.000	0.0	98	-0.01
65		4,6-Dinitro-2-methylphenol	0.125	0.131	-4.8	105	-0.01
66	c	n-Nitrosodiphenylamine	0.610	0.638	-4.6	106	-0.01
67		4-Bromophenyl-phenylether	0.220	0.224	-1.8	103	0.00
68		Hexachlorobenzene	0.255	0.254	0.4	103	0.00
69		Atrazine	0.228	0.224	1.8	101	-0.01
70	C	Pentachlorophenol	0.161	0.166	-3.1	104	0.00
71		Phenanthrene	1.099	1.065	3.1	101	-0.01
72		Anthracene	1.122	1.109	1.2	101	-0.01
73		Carbazole	1.057	1.017	3.8	99	-0.01
74		Di-n-butylphthalate	1.300	1.219	6.2	96	0.00
75	C	Fluoranthene	1.311	1.183	9.8	95	0.00
76	I	Chrysene-d12	1.000	1.000	0.0	92	-0.01
77		Benzidine	0.683	0.580	15.1	55	0.00
78		Pyrene	1.300	1.284	1.2	92	0.00
79	S	Terphenyl-d14	1.093	1.064	2.7	93	0.00
80		Butylbenzylphthalate	0.589	0.569	3.4	90	0.00
81		Benzo(a)anthracene	1.319	1.296	1.7	94	-0.02
82		3,3'-Dichlorobenzidine	0.497	0.479	3.6	90	0.00
83		Chrysene	1.235	1.210	2.0	94	-0.02
84		Bis(2-ethylhexyl)phthalate	0.867	0.831	4.2	92	-0.02
85	c	Di-n-octyl phthalate	1.492	1.498	-0.4	95	-0.03
86	I	Perylene-d12	1.000	1.000	0.0	103	-0.03
87		Indeno(1,2,3-cd)pyrene	1.467	1.483	-1.1	108	-0.02
88		Benzo(b)fluoranthene	1.179	1.117	5.3	101	0.00
89		Benzo(k)fluoranthene	1.180	1.109	6.0	101	0.00
90	C	Benzo(a)pyrene	1.148	1.115	2.9	103	0.00
91		Dibenzo(a,h)anthracene	1.199	1.211	-1.0	107	-0.02
92		Benzo(g,h,i)perylene	1.178	1.200	-1.9	108	-0.05

Sample Results: **BP025526.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025526.D
Acq On : 21 Aug 2025 03:59
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 05:11:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

Sample Results: **BP025526.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025526.D
Acq On : 21 Aug 2025 03:59
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 05:11:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1	I	1,4-Dichlorobenzene-d4	20.000	20.000	0.0	122	-0.01
2		1,4-Dioxane	40.000	39.729	0.7	128	0.00
3		Pyridine	40.000	38.955	2.6	125	0.00
4		n-Nitrosodimethylamine	40.000	43.959	-9.9	139	0.00
5	S	2-Fluorophenol	80.000	80.749	-0.9	127	0.00
6		Aniline	40.000	39.629	0.9	124	0.00
7	S	Phenol-d6	80.000	80.152	-0.2	124	0.00
8		2-Chlorophenol	40.000	39.746	0.6	125	0.00
9		Benzaldehyde	40.000	47.711	-19.3	115	0.00
10	C	Phenol	40.000	39.828	0.4	125	0.00
11		bis(2-Chloroethyl)ether	40.000	39.942	0.1	126	0.00
12		1,3-Dichlorobenzene	40.000	39.651	0.9	125	0.00
13	C	1,4-Dichlorobenzene	40.000	39.168	2.1	124	-0.01
14		1,2-Dichlorobenzene	40.000	38.659	3.4	122	0.00
15		Benzyl Alcohol	40.000	40.000	0.0	125	0.00
16		2,2'-oxybis(1-Chloropropane	40.000	40.975	-2.4	130	0.00
17		2-Methylphenol	40.000	39.881	0.3	123	0.00
18		Hexachloroethane	40.000	39.729	0.7	125	0.00
19	P	n-Nitroso-di-n-propylamine	40.000	38.186	4.5	120	0.00
20		3+4-Methylphenols	40.000	38.594	3.5	120	0.00
21	I	Naphthalene-d8	20.000	20.000	0.0	117	0.00
22		Acetophenone	40.000	39.831	0.4	121	0.00
23	S	Nitrobenzene-d5	80.000	82.765	-3.5	125	0.00
24		Nitrobenzene	40.000	41.406	-3.5	125	0.00
25		Isophorone	40.000	38.851	2.9	118	0.00
26	C	2-Nitrophenol	40.000	41.086	-2.7	121	0.00
27		2,4-Dimethylphenol	40.000	40.225	-0.6	119	0.00
28		bis(2-Chloroethoxy)methane	40.000	38.812	3.0	118	-0.01
29	C	2,4-Dichlorophenol	40.000	40.055	-0.1	119	0.00
30		1,2,4-Trichlorobenzene	40.000	39.125	2.2	119	0.00
31		Naphthalene	40.000	38.828	2.9	118	-0.01
32		Benzoic acid	40.000	40.049	-0.1	119	0.01
33		4-Chloroaniline	40.000	38.991	2.5	116	0.00
34	C	Hexachlorobutadiene	40.000	39.065	2.3	118	-0.01
35		Caprolactam	40.000	35.484	11.3	108	0.00
36	C	4-Chloro-3-methylphenol	40.000	38.676	3.3	116	0.00
37		2-Methylnaphthalene	40.000	37.995	5.0	116	-0.01
38		1-Methylnaphthalene	40.000	37.300	6.8	115	-0.01
39	I	Acenaphthene-d10	20.000	20.000	0.0	109	-0.01
40		1,2,4,5-Tetrachlorobenzene	40.000	40.240	-0.6	113	-0.01
41	P	Hexachlorocyclopentadiene	40.000	41.668	-4.2	114	-0.01
42	S	2,4,6-Tribromophenol	80.000	74.936	6.3	104	-0.02
43	C	2,4,6-Trichlorophenol	40.000	41.205	-3.0	114	0.00
44		2,4,5-Trichlorophenol	40.000	40.598	-1.5	111	0.00
45	S	2-Fluorobiphenyl	80.000	78.794	1.5	113	-0.01
46		1,1'-Biphenyl	40.000	39.995	0.0	112	-0.01
47		2-Chloronaphthalene	40.000	40.186	-0.5	112	-0.01

Sample Results: **BP025526.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025526.D
Acq On : 21 Aug 2025 03:59
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 05:11:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

		Compound	Amount	Calc.	%Dev	Area%	Dev(min)
48		2-Nitroaniline	40.000	42.636	-6.6	116	0.00
49		Acenaphthylene	40.000	39.644	0.9	112	-0.01
50		Dimethylphthalate	40.000	38.020	4.9	108	-0.01
51		2,6-Dinitrotoluene	40.000	40.251	-0.6	109	0.00
52	C	Acenaphthene	40.000	38.553	3.6	111	0.00
53		3-Nitroaniline	40.000	38.977	2.6	108	-0.01
54	P	2,4-Dinitrophenol	40.000	40.644	-1.6	112	0.00
55		Dibenzofuran	40.000	38.235	4.4	108	0.00
56	P	4-Nitrophenol	40.000	37.635	5.9	105	0.00
57		2,4-Dinitrotoluene	40.000	38.698	3.3	106	0.00
58		Fluorene	40.000	36.973	7.6	106	0.00
59		2,3,4,6-Tetrachlorophenol	40.000	39.239	1.9	110	0.00
60		Diethylphthalate	40.000	37.056	7.4	105	-0.01
61		4-Chlorophenyl-phenylether	40.000	36.730	8.2	105	0.00
62		4-Nitroaniline	40.000	35.928	10.2	99	0.00
63		Azobenzene	40.000	39.764	0.6	111	0.00
64	I	Phenanthrene-d10	20.000	20.000	0.0	98	-0.01
65		4,6-Dinitro-2-methylphenol	40.000	42.016	-5.0	105	-0.01
66	c	n-Nitrosodiphenylamine	40.000	41.848	-4.6	106	-0.01
67		4-Bromophenyl-phenylether	40.000	40.652	-1.6	103	0.00
68		Hexachlorobenzene	40.000	39.912	0.2	103	0.00
69		Atrazine	40.000	39.190	2.0	101	-0.01
70	C	Pentachlorophenol	40.000	41.242	-3.1	104	0.00
71		Phenanthrene	40.000	38.791	3.0	101	-0.01
72		Anthracene	40.000	39.524	1.2	101	-0.01
73		Carbazole	40.000	38.481	3.8	99	-0.01
74		Di-n-butylphthalate	40.000	37.487	6.3	96	0.00
75	C	Fluoranthene	40.000	36.116	9.7	95	0.00
76	I	Chrysene-d12	20.000	20.000	0.0	92	-0.01
77		Benzidine	40.000	34.006	15.0	55	0.00
78		Pyrene	40.000	39.495	1.3	92	0.00
79	S	Terphenyl-d14	80.000	77.871	2.7	93	0.00
80		Butylbenzylphthalate	40.000	38.610	3.5	90	0.00
81		Benzo(a)anthracene	40.000	39.296	1.8	94	-0.02
82		3,3'-Dichlorobenzidine	40.000	38.576	3.6	90	0.00
83		Chrysene	40.000	39.179	2.1	94	-0.02
84		Bis(2-ethylhexyl)phthalate	40.000	38.334	4.2	92	-0.02
85	c	Di-n-octyl phthalate	40.000	40.160	-0.4	95	-0.03
86	I	Perylene-d12	20.000	20.000	0.0	103	-0.03
87		Indeno(1,2,3-cd)pyrene	40.000	40.446	-1.1	108	-0.02
88		Benzo(b)fluoranthene	40.000	37.901	5.2	101	0.00
89		Benzo(k)fluoranthene	40.000	37.602	6.0	101	0.00
90	C	Benzo(a)pyrene	40.000	38.843	2.9	103	0.00
91		Dibenzo(a,h)anthracene	40.000	40.400	-1.0	107	-0.02
92		Benzo(g,h,i)perylene	40.000	40.739	-1.8	108	-0.05

Sample Results: **BP025526.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025526.D
Acq On : 21 Aug 2025 03:59
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
LabSampleId :
SSTDCCC040

Quant Time: Aug 21 05:11:42 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)

(#) = Out of Range SPCC's out = 0 CCC's out = 0

QC SAMPLE DATA

Sample Results: **BF143342.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143342.D
Acq On : 12 Aug 2025 08:34
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Tue Aug 12 13:25:39 2025



AutoFind: Scans 1617, 1618, 1619; Background Corrected with Scan 1610

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
68	69	0.00	2	1.8	1075	PASS
69	69	100	100	100.0	61205	PASS
70	69	0.00	2	0.5	326	PASS
197	198	0.00	2	0.6	1092	PASS
198	198	100	100	100.0	176469	PASS
199	198	5	9	6.5	11438	PASS
365	198	1	100	3.4	5927	PASS
441	443	0.01	150	77.9	31269	PASS
442	442	100	100	100.0	206464	PASS
443	442	15	24	19.4	40120	PASS

Sample Results: **BF143342.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143342.D
Acq On : 12 Aug 2025 08:34
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Aug 12 13:28:53 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration







TIC: BF143342.D\data.ms

(70) Pentachlorophenol (C)

11.263min (-0.000) 127995.01 ng

response 106759

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	61.00	63.14
264.00	61.00	60.85
0.00	0.00	0.00

Sample Results: **BF143342.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143342.D
Acq On : 12 Aug 2025 08:34
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Aug 12 13:28:53 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration







TIC: BF143342.D\data.ms

(77) Benzidine

12.786min (+ 0.006) 0.00 ng

response 1006924

Ion	Exp%	Act%
184.00	100.00	100.00
185.00	16.00	14.63
183.00	11.60	11.87
0.00	0.00	0.00

Instrument :
BNA_F
ClientSampleId :
DFTPP

DDT Breakdown

Date	Instrument Name	DFTPP Data File
8/12/2025	BNA_F	BF143342.D
Compound Name	**Response**	**Retention Time**
DDT	266385	13.61
DDD	3780	13.345
DDE	3356	12.98
SUM(DDD+DDE)	**SUM(DDT+DDD+DDE)**	**% Breakdown Of DDT**
7136	273521	2.61

Sample Results: **BF143398.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143398.D
Acq On : 15 Aug 2025 01:26
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Tue Aug 12 13:25:39 2025



AutoFind: Scans 1617, 1618, 1619; Background Corrected with Scan 1611

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
68	69	0.00	2	1.7	886	PASS
69	69	100	100	100.0	51568	PASS
70	69	0.00	2	0.6	319	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	150741	PASS
199	198	5	9	6.8	10206	PASS
365	198	1	100	3.6	5358	PASS
441	443	0.01	150	81.5	27955	PASS
442	442	100	100	100.0	181899	PASS
443	442	15	24	18.8	34285	PASS

Sample Results: **BF143398.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143398.D
Acq On : 15 Aug 2025 01:26
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Aug 15 03:37:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration







TIC: BF143398.D\data.ms

(70) Pentachlorophenol (C)

11.263min (-0.000) 83327.89 ng

response 139002

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	61.00	64.61
264.00	61.00	64.47
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143398.D
Acq On : 15 Aug 2025 01:26
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Aug 15 03:37:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration







TIC: BF143398.D\data.ms

(77) Benzidine

12.786min (+ 0.006) 0.00 ng

response 830815

Ion	Exp%	Act%
184.00	100.00	100.00
185.00	16.00	14.46
183.00	11.60	11.48
0.00	0.00	0.00

Instrument :
BNA_F
ClientSampleId :
DFTPP

DDT Breakdown

Date	Instrument Name	DFTPP Data File
8/14/2025	BNA_F	BF143398.D
Compound Name	**Response**	**Retention Time**
DDT	317573	13.619
DDD	15212	13.316
DDE	914	12.98
SUM(DDD+DDE)	**SUM(DDT+DDD+DDE)**	**% Breakdown Of DDT**
16126	333699	4.83

Sample Results: **BF143476.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143476.D
Acq On : 20 Aug 2025 10:26
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Aug 21 06:12:21 2025



AutoFind: Scans 1617, 1618, 1619; Background Corrected with Scan 1610

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
68	69	0.00	2	1.9	985	PASS
69	69	100	100	100.0	52563	PASS
70	69	0.00	2	0.5	276	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	155509	PASS
199	198	5	9	6.8	10536	PASS
365	198	1	100	3.8	5904	PASS
441	443	0.01	150	79.6	29523	PASS
442	442	100	100	100.0	191893	PASS
443	442	15	24	19.3	37093	PASS

Sample Results: **BF143476.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143476.D
Acq On : 20 Aug 2025 10:26
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Aug 20 16:18:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration







TIC: BF143476.D\data.ms

(70) Pentachlorophenol (C)

11.263min (-0.006) 46358.19 ng

response 211078

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	63.10	64.07
264.00	62.30	62.45
0.00	0.00	0.00

Sample Results: **BF143476.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143476.D
Acq On : 20 Aug 2025 10:26
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Aug 20 16:18:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration







TIC: BF143476.D\data.ms

(77) Benzidine

12.786min (+ 0.000) 0.00 ng

response 857686

Ion	Exp%	Act%
184.00	100.00	100.00
185.00	14.10	14.00
183.00	11.90	11.84
0.00	0.00	0.00

Instrument :
BNA_F
ClientSampleId :
DFTPP

DDT Breakdown

Date	Instrument Name	DFTPP Data File
8/20/2025	BNA_F	BF143476.D
Compound Name	**Response**	**Retention Time**
DDT	414933	13.616
DDD	4692	13.345
DDE	1143	12.98
SUM(DDD+DDE)	**SUM(DDT+DDD+DDE)**	**% Breakdown Of DDT**
5835	420768	1.39

Sample Results: **BF143497.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143497.D
Acq On : 20 Aug 2025 21:36
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Aug 21 06:12:21 2025



AutoFind: Scans 1616, 1617, 1618; Background Corrected with Scan 1610

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
68	69	0.00	2	2.0	984	PASS
69	69	100	100	100.0	49792	PASS
70	69	0.00	2	0.6	289	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	139989	PASS
199	198	5	9	6.7	9329	PASS
365	198	1	100	3.6	5107	PASS
441	443	0.01	150	83.2	24347	PASS
442	442	100	100	100.0	153672	PASS
443	442	15	24	19.0	29261	PASS

Sample Results: **BF143497.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143497.D
Acq On : 20 Aug 2025 21:36
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Aug 21 02:56:15 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration







TIC: BF143497.D\data.ms

(70) Pentachlorophenol (C)

11.263min (-0.006) 130789.27 ng

response 157159

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	63.10	62.88
264.00	62.30	62.11
0.00	0.00	0.00

Sample Results: **BF143497.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082025\
Data File : BF143497.D
Acq On : 20 Aug 2025 21:36
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Aug 21 02:56:15 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 20 15:07:46 2025
Response via : Initial Calibration







TIC: BF143497.D\data.ms

(77) Benzidine

12.786min (+ 0.000) 0.00 ng

response 737567

Ion	Exp%	Act%
184.00	100.00	100.00
185.00	14.10	14.26
183.00	11.90	12.02
0.00	0.00	0.00

Instrument :
BNA_F
ClientSampleId :
DFTPP

DDT Breakdown

Date	Instrument Name	DFTPP Data File
8/20/2025	BNA_F	BF143497.D
Compound Name	**Response**	**Retention Time**
DDT	312124	13.61
DDD	5317	13.31
DDE	1164	12.98
SUM(DDD+DDE)	**SUM(DDT+DDD+DDE)**	**% Breakdown Of DDT**
6481	318605	2.03

Sample Results: **BF143517.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143517.D
Acq On : 21 Aug 2025 08:20
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Aug 21 06:12:21 2025



AutoFind: Scans 1616, 1617, 1618; Background Corrected with Scan 1610

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
68	69	0.00	2	1.9	984	PASS
69	69	100	100	100.0	52787	PASS
70	69	0.00	2	0.6	326	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	151288	PASS
199	198	5	9	6.9	10453	PASS
365	198	1	100	3.8	5742	PASS
441	443	0.01	150	77.6	28243	PASS
442	442	100	100	100.0	185035	PASS
443	442	15	24	19.7	36395	PASS

Sample Results: **BF143517.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143517.D
Acq On : 21 Aug 2025 08:20
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Aug 21 08:42:13 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration







TIC: BF143517.D\data.ms

(70) Pentachlorophenol (C)

11.263min (-0.006) 27043.48 ng

response 160887

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	63.10	63.52
264.00	62.30	62.15
0.00	0.00	0.00

Sample Results: **BF143517.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF082125\
Data File : BF143517.D
Acq On : 21 Aug 2025 08:20
Operator : RC/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DFTPP

Quant Time: Aug 21 08:42:13 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF082025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 21 06:12:21 2025
Response via : Initial Calibration







TIC: BF143517.D\data.ms

(77) Benzidine

12.786min (+ 0.000) 116738.94 ng

response 796205

Ion	Exp%	Act%
184.00	100.00	100.00
185.00	14.10	14.54
183.00	11.90	12.13
0.00	0.00	0.00

Instrument :
BNA_F
ClientSampleId :
DFTPP

DDT Breakdown

Date	Instrument Name	DFTPP Data File
8/21/2025	BNA_F	BF143517.D
Compound Name	**Response**	**Retention Time**
DDT	346568	13.61
DDD	14042	13.31
DDE	896	12.974
SUM(DDD+DDE)	**SUM(DDT+DDD+DDE)**	**% Breakdown Of DDT**
14938	361506	4.13

Sample Results: **BP025390.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025390.D
Acq On : 14 Aug 2025 10:30
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Aug 14 18:14:31 2025



AutoFind: Scans 2503, 2504, 2505; Background Corrected with Scan 2494

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
68	69	0.00	2	1.6	3290	PASS
69	69	100	100	100.0	199967	PASS
70	69	0.00	2	0.4	716	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	680138	PASS
199	198	5	9	6.7	45247	PASS
365	198	1	100	4.4	29981	PASS
441	443	0.01	150	81.3	135091	PASS
442	442	100	100	100.0	866023	PASS
443	442	15	24	19.2	166133	PASS

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025390.D
Acq On : 14 Aug 2025 10:30
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Aug 14 18:17:37 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration







TIC: BP025390.D\data.ms

(70) Pentachlorophenol (C)

16.830min (-0.012) 61985.64 ng

response 1096483

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	65.80	64.04
264.00	65.00	63.79
0.00	0.00	0.00

Sample Results: **BP025390.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025390.D
Acq On : 14 Aug 2025 10:30
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Aug 14 18:17:37 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration







TIC: BP025390.D\data.ms

(77) Benzidine

19.519min (+ 0.006) 64482.34 ng

response 5499416

Ion	Exp%	Act%
184.00	100.00	100.00
185.00	14.40	14.03
183.00	11.80	12.10
0.00	0.00	0.00

Instrument :
BNA_P
ClientSampleId :
DFTPP

DDT Breakdown

Date	Instrument Name	DFTPP Data File
8/14/2025	BNA_P	BP025390.D
Compound Name	**Response**	**Retention Time**
DDT	2976098	20.818
DDD	52170	20.407
DDE	9165	19.824
SUM(DDD+DDE)	**SUM(DDT+DDD+DDE)**	**% Breakdown Of DDT**
61335	3037433	2.02

Sample Results: **BP025421.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025421.D
Acq On : 15 Aug 2025 09:55
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Aug 14 18:14:31 2025



AutoFind: Scans 2503, 2504, 2505; Background Corrected with Scan 2494

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
68	69	0.00	2	1.8	2159	PASS
69	69	100	100	100.0	120418	PASS
70	69	0.00	2	0.5	621	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	379747	PASS
199	198	5	9	6.6	25040	PASS
365	198	1	100	4.3	16274	PASS
441	443	0.01	150	78.6	65352	PASS
442	442	100	100	100.0	427047	PASS
443	442	15	24	19.5	83115	PASS

Sample Results: **BP025421.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025421.D
Acq On : 15 Aug 2025 09:55
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Aug 15 11:28:21 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration







TIC: BP025421.D\data.ms

(70) Pentachlorophenol (C)

16.836min (-0.006) 99008.85 ng

response 510758

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	65.80	64.63
264.00	65.00	62.91
0.00	0.00	0.00

Sample Results: **BP025421.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025421.D
Acq On : 15 Aug 2025 09:55
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Aug 15 11:28:21 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration







TIC: BP025421.D\data.ms

(77) Benzidine

19.512min (-0.000) 55650.72 ng

response 3124253

Ion	Exp%	Act%
184.00	100.00	100.00
185.00	14.40	14.04
183.00	11.80	11.97
0.00	0.00	0.00

Instrument :
BNA_P
ClientSampleId :
DFTPP

DDT Breakdown

Date	Instrument Name	DFTPP Data File
8/15/2025	BNA_P	BP025421.D
Compound Name	**Response**	**Retention Time**
DDT	1519310	20.812
DDD	29585	20.348
DDE	4915	19.818
SUM(DDD+DDE)	**SUM(DDT+DDD+DDE)**	**% Breakdown Of DDT**
34500	1553810	2.22

Sample Results: **BP025469.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025469.D
Acq On : 19 Aug 2025 10:03
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Aug 14 18:14:31 2025



AutoFind: Scans 2503, 2504, 2505; Background Corrected with Scan 2495

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
68	69	0.00	2	1.5	1264	PASS
69	69	100	100	100.0	85071	PASS
70	69	0.00	2	0.4	346	PASS
197	198	0.00	2	0.3	784	PASS
198	198	100	100	100.0	269485	PASS
199	198	5	9	7.0	18925	PASS
365	198	1	100	4.0	10734	PASS
441	443	0.01	150	80.2	46560	PASS
442	442	100	100	100.0	303675	PASS
443	442	15	24	19.1	58026	PASS

Sample Results: **BP025469.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025469.D
Acq On : 19 Aug 2025 10:03
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Aug 19 12:14:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration







TIC: BP025469.D\data.ms

(70) Pentachlorophenol (C)

16.836min (-0.006) 311283.12 ng

response 350725

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	65.80	64.27
264.00	65.00	64.07
0.00	0.00	0.00

Sample Results: **BP025469.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025469.D
Acq On : 19 Aug 2025 10:03
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Aug 19 12:14:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration







TIC: BP025469.D\data.ms

(77) Benzidine

19.507min (-0.006) 183825.79 ng

response 2158114

Ion	Exp%	Act%
184.00	100.00	100.00
185.00	14.40	13.98
183.00	11.80	11.82
0.00	0.00	0.00

Instrument :
BNA_P
ClientSampleId :
DFTPP

DDT Breakdown

Date	Instrument Name	DFTPP Data File
8/19/2025	BNA_P	BP025469.D
Compound Name	**Response**	**Retention Time**
DDT	1098473	20.807
DDD	16608	20.348
DDE	3876	19.819
SUM(DDD+DDE)	**SUM(DDT+DDD+DDE)**	**% Breakdown Of DDT**
20484	1118957	1.83

Sample Results: **BP025486.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025486.D
Acq On : 19 Aug 2025 23:05
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Aug 14 18:14:31 2025



AutoFind: Scans 2504, 2505, 2506; Background Corrected with Scan 2490

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
68	69	0.00	2	1.8	1538	PASS
69	69	100	100	100.0	83998	PASS
70	69	0.00	2	0.5	443	PASS
197	198	0.00	2	0.0	0	PASS
198	198	100	100	100.0	247117	PASS
199	198	5	9	6.9	17035	PASS
365	198	1	100	4.1	10085	PASS
441	443	0.01	150	78.2	37107	PASS
442	442	100	100	100.0	244224	PASS
443	442	15	24	19.4	47432	PASS

Sample Results: **BP025486.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025486.D
Acq On : 19 Aug 2025 23:05
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Aug 20 02:50:06 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration







TIC: BP025486.D\data.ms

(70) Pentachlorophenol (C)

16.842min (+ 0.000) 158046.45 ng

response 338337

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	65.80	64.68
264.00	65.00	63.19
0.00	0.00	0.00

Sample Results: **BP025486.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025486.D
Acq On : 19 Aug 2025 23:05
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Aug 20 02:50:06 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration







TIC: BP025486.D\data.ms

(77) Benzidine

19.513min (+ 0.000) 55037.12 ng

response 2058618

Ion	Exp%	Act%
184.00	100.00	100.00
185.00	14.40	14.07
183.00	11.80	11.73
0.00	0.00	0.00

Instrument :
BNA_P
ClientSampleId :
DFTPP

DDT Breakdown

Date	Instrument Name	DFTPP Data File
8/19/2025	BNA_P	BP025486.D
Compound Name	**Response**	**Retention Time**
DDT	1027414	20.807
DDD	15935	20.342
DDE	3495	19.83
SUM(DDD+DDE)	**SUM(DDT+DDD+DDE)**	**% Breakdown Of DDT**
19430	1046844	1.86

Sample Results: **BP025511.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025511.D
Acq On : 20 Aug 2025 17:04
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Integration File: rteint.p

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
Last Update : Thu Aug 14 18:14:31 2025



AutoFind: Scans 2505, 2506, 2507; Background Corrected with Scan 2494

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
68	69	0.00	2	1.1	967	PASS
69	69	100	100	100.0	85970	PASS
70	69	0.00	2	0.7	593	PASS
197	198	0.00	2	0.2	540	PASS
198	198	100	100	100.0	265973	PASS
199	198	5	9	6.9	18267	PASS
365	198	1	100	4.4	11643	PASS
441	443	0.01	150	80.9	45462	PASS
442	442	100	100	100.0	295314	PASS
443	442	15	24	19.0	56176	PASS

Sample Results: **BP025511.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025511.D
Acq On : 20 Aug 2025 17:04
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Aug 21 01:41:40 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration







TIC: BP025511.D\data.ms

(70) Pentachlorophenol (C)

16.848min (+ 0.006) 19981.54 ng

response 390285

Ion	Exp%	Act%
265.70	100.00	100.00
268.00	65.80	63.60
264.00	65.00	62.36
0.00	0.00	0.00

Sample Results: **BP025511.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025511.D
Acq On : 20 Aug 2025 17:04
Operator : CG/JU
Sample : DFTPP
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
DFTPP

Quant Time: Aug 21 01:41:40 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration







TIC: BP025511.D\data.ms

(77) Benzidine

19.530min (+ 0.018) 12499.23 ng

response 1286969

Ion	Exp%	Act%
184.00	100.00	100.00
185.00	14.40	13.98
183.00	11.80	11.89
0.00	0.00	0.00

Instrument :
BNA_P
ClientSampleId :
DFTPP

DDT Breakdown

Date	Instrument Name	DFTPP Data File
8/20/2025	BNA_P	BP025511.D
Compound Name	**Response**	**Retention Time**
DDT	1084945	20.825
DDD	23682	20.366
DDE	2473	19.836
SUM(DDD+DDE)	**SUM(DDT+DDD+DDE)**	**% Breakdown Of DDT**
26155	1111100	2.35

Raw Data: **BP025423.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169230BL	SDG No.:	Q2815
Lab Sample ID:	PB169230BL	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025423.D	1	08/12/25 11:39	08/15/25 11:17	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BP025423.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169230BL	SDG No.:	Q2815
Lab Sample ID:	PB169230BL	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025423.D	1	08/12/25 11:39	08/15/25 11:17	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BP025423.D**

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169230BL	SDG No.:	Q2815
Lab Sample ID:	PB169230BL	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025423.D	1	08/12/25 11:39	08/15/25 11:17	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	124		19 - 119		83%	SPK: 150
13127-88-3	Phenol-d6	118		10 - 130		79%	SPK: 150
4165-60-0	Nitrobenzene-d5	77.2		44 - 120		77%	SPK: 100
321-60-8	2-Fluorobiphenyl	77.3		44 - 119		77%	SPK: 100
118-79-6	2,4,6-Tribromophenol	128		43 - 140		85%	SPK: 150
1718-51-0	Terphenyl-d14	74.2		50 - 134		74%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	154000	7.79				
1146-65-2	Naphthalene-d8	595000	10.56				
15067-26-2	Acenaphthene-d10	376000	14.401				
1517-22-2	Phenanthrene-d10	774000	17.201				
1719-03-5	Chrysene-d12	885000	21.648				
1520-96-3	Perylene-d12	1010000	25.018				
TENTATIVE IDENTIFIED COMPOUNDS							
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.50	A			4.94	ug/L

Raw Data: **BP025423.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.			Date Collected:	
Project:	USACE018-44 DOD			Date Received:	
Client Sample ID:	PB169230BL			SDG No.:	Q2815
Lab Sample ID:	PB169230BL			Matrix:	Water
Analytical Method:	8270E			% Solid:	0
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000 uL
Soil Aliquot Vol:			uL	Test:	SVOC-TCL BNA -20
Extraction Type :			Decanted : N	Level :	LOW
Injection Volume :			GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025423.D	1	08/12/25 11:39	08/15/25 11:17	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Sample Results: **BP025423.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025423.D
Acq On : 15 Aug 2025 11:17
Operator : CG/JU
Sample : PB169230BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169230BL

Quant Time: Aug 15 12:23:33 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	154254	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	595195	20.000	ng	0.00
39) Acenaphthene-d10	14.401	164	376083	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	774408	20.000	ng	0.00
76) Chrysene-d12	21.648	240	884552	20.000	ng	0.00
86) Perylene-d12	25.018	264	1011782	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	1149849	123.793	ng	0.00
7) Phenol-d6	6.966	99	1408266	118.256	ng	0.00
23) Nitrobenzene-d5	8.931	82	907799	77.154	ng	0.00
42) 2,4,6-Tribromophenol	15.907	330	647097	127.831	ng	0.00
45) 2-Fluorobiphenyl	13.013	172	2127638	77.318	ng	0.00
79) Terphenyl-d14	19.919	244	3588103	74.215	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025423.D
Acq On : 15 Aug 2025 11:17
Operator : CG/JU
Sample : PB169230BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169230BL

Quant Time: Aug 15 12:23:33 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025423.D
Acq: 15 Aug 2025 11:17

Instrument :
BNA_P
ClientSampleId :
PB169230BL

Tgt Ion:152 Resp: 154254

Ion	Ratio	Lower	Upper
152	100		
150	155.9	125.9	188.9
115	63.3	48.5	72.7





#5
2-Fluorophenol
Concen: 123.793 ng
RT: 5.408 min Scan# 420
Delta R.T. 0.000 min
Lab File: BP025423.D
Acq: 15 Aug 2025 11:17

Tgt Ion:112 Resp: 1149849

Ion	Ratio	Lower	Upper
112	100		
64	56.2	43.8	65.8
63	30.6	22.7	34.1





#7
Phenol-d6
Concen: 118.256 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025423.D
Acq: 15 Aug 2025 11:17

Instrument :
BNA_P
ClientSampleId :
PB169230BL

Tgt Ion: 99 Resp: 1408266

Ion	Ratio	Lower	Upper
99	100		
42	17.5	13.7	20.5
71	36.5	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1296
Delta R.T. 0.000 min
Lab File: BP025423.D
Acq: 15 Aug 2025 11:17

Tgt Ion:136 Resp: 595195

Ion	Ratio	Lower	Upper
136	100		
137	10.4	9.2	13.8
54	7.2	6.0	9.0
68	5.1	4.3	6.5





#23
Nitrobenzene-d5
Concen: 77.154 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025423.D
Acq: 15 Aug 2025 11:17

Instrument :
BNA_P
ClientSampleId :
PB169230BL

Tgt Ion: 82 Resp: 907799

Ion	Ratio	Lower	Upper
82	100		
128	46.4	37.7	56.5
54	50.1	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1949
Delta R.T. -0.006 min
Lab File: BP025423.D
Acq: 15 Aug 2025 11:17

Tgt Ion:164 Resp: 376083

Ion	Ratio	Lower	Upper
164	100		
162	100.3	81.0	121.6
160	45.3	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 127.831 ng
RT: 15.907 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025423.D
Acq: 15 Aug 2025 11:17

Instrument :
BNA_P
ClientSampleId :
PB169230BL

Tgt Ion:330 Resp: 647097

Ion	Ratio	Lower	Upper
330	100		
332	96.0	77.3	115.9
141	33.5	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 77.318 ng
RT: 13.013 min Scan# 1713
Delta R.T. -0.006 min
Lab File: BP025423.D
Acq: 15 Aug 2025 11:17

Tgt Ion:172 Resp: 2127638

Ion	Ratio	Lower	Upper
172	100		
171	35.3	28.1	42.1
170	23.5	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025423.D
Acq: 15 Aug 2025 11:17

Instrument :
BNA_P
ClientSampleId :
PB169230BL

Tgt Ion:188 Resp: 774408

Ion	Ratio	Lower	Upper
188	100		
94	8.6	6.6	10.0
80	9.6	6.7	10.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. 0.000 min
Lab File: BP025423.D
Acq: 15 Aug 2025 11:17

Tgt Ion:240 Resp: 884552

Ion	Ratio	Lower	Upper
240	100		
120	11.4	8.9	13.3
236	26.3	19.8	29.8





#79
Terphenyl-d14
Concen: 74.215 ng
RT: 19.919 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025423.D
Acq: 15 Aug 2025 11:17

Instrument :
BNA_P
ClientSampleId :
PB169230BL

Tgt Ion:244 Resp: 3588103

Ion	Ratio	Lower	Upper
244	100		
212	7.5	5.8	8.6
122	9.6	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.018 min Scan# 3754
Delta R.T. -0.012 min
Lab File: BP025423.D
Acq: 15 Aug 2025 11:17

Tgt Ion:264 Resp: 1011782

Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.3	28.9
265	22.1	17.4	26.0



Sample Results: **BP025423.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025423.D
Acq On : 15 Aug 2025 11:17
Operator : CG/JU
Sample : PB169230BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169230BL

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025423.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	4.943	336	341	351	rBV	234755	340105	3.46%	0.799%
2	5.408	413	420	434	rBV	2765084	3963727	40.34%	9.310%
3	6.966	677	685	699	rBV	2609535	4005481	40.77%	9.408%
4	7.790	817	825	833	rBV	556695	904269	9.20%	2.124%
5	8.931	1010	1019	1034	rBV	1639182	2706962	27.55%	6.358%
6	10.554	1286	1295	1313	rBV	688306	1217880	12.40%	2.861%
7	13.013	1705	1713	1727	rBV	3910025	6201379	63.12%	14.566%
8	14.401	1942	1949	1957	rBV	1026124	1585682	16.14%	3.724%
9	15.907	2198	2205	2225	rBV	3181301	4861789	49.48%	11.419%
10	17.201	2417	2425	2437	rBV2	1290040	1936346	19.71%	4.548%
11	19.919	2881	2887	2900	rBV	6513441	9824804	100.00%	23.076%
12	21.648	3175	3181	3190	rBV	1616267	2391757	24.34%	5.618%
13	25.018	3745	3754	3770	rVB	969697	2635541	26.83%	6.190%

Sum of corrected areas: 42575722

Sample Results: **BP025423.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025423.D
Acq On : 15 Aug 2025 11:17
Operator : CG/JU
Sample : PB169230BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169230BL

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025423.D
Acq On : 15 Aug 2025 11:17
Operator : CG/JU
Sample : PB169230BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169230BL

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****
Peak Number 1 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.943	7.52 ng	340105	1,4-Dichlorobenzene-d4	7.790

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	56
2	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	23
3	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	17
4	1-Propen-2-ol, acetate	100	C5H8O2	000108-22-5	10
5	Morpholine, 4-methyl-	101	C5H11NO	000109-02-4	9





Sample Results: **BP025423.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025423.D
Acq On : 15 Aug 2025 11:17
Operator : CG/JU
Sample : PB169230BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169230BL

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					Internal Standard			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
2-Pentanone, 4-...	4.943	7.5	ng	340105	1	7.790	904269	20.0

Raw Data: **BP025471.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169244BL	SDG No.:	Q2815
Lab Sample ID:	PB169244BL	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025471.D	1	08/14/25 09:15	08/19/25 11:25	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	8.00	U	3.90	8.00	10.0	ug/L
108-95-2	Phenol	4.00	U	0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	4.00	U	0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	4.00	U	0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	4.00	U	1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	4.00	U	1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	4.00	U	0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	8.00	U	1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	2.50	U	1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	4.00	U	0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	4.00	U	0.76	4.00	5.00	ug/L
78-59-1	Isophorone	4.00	U	0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	4.00	U	1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	4.00	U	1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	4.00	U	0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	4.00	U	0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	4.00	U	0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	4.00	U	0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	4.00	U	0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	8.00	U	1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	4.00	U	0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	4.00	U	0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	8.00	U	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	4.00	U	0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	4.00	U	0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	4.00	U	0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	4.00	U	0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	4.00	U	1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	4.00	U	0.61	4.00	5.00	ug/L

Raw Data: **BP025471.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169244BL	SDG No.:	Q2815
Lab Sample ID:	PB169244BL	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025471.D	1	08/14/25 09:15	08/19/25 11:25	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	4.00	U	0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	4.00	U	0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	4.00	U	1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	4.00	U	0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	8.00	U	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	8.00	U	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	4.00	U	0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	4.00	U	1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	4.00	U	0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	4.00	U	0.68	4.00	5.00	ug/L
86-73-7	Fluorene	4.00	U	0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	4.00	U	1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	8.00	U	2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	4.00	U	0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	4.00	U	0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	4.00	U	1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	8.00	U	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	4.00	U	0.50	4.00	5.00	ug/L
120-12-7	Anthracene	4.00	U	0.61	4.00	5.00	ug/L
86-74-8	Carbazole	4.00	U	0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	4.00	U	1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	4.00	U	0.82	4.00	5.00	ug/L
129-00-0	Pyrene	4.00	U	0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	4.00	U	1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	8.00	U	0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	4.00	U	0.45	4.00	5.00	ug/L
218-01-9	Chrysene	4.00	U	0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	4.00	U	1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	8.00	U	2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	4.00	U	0.49	4.00	5.00	ug/L

Raw Data: **BP025471.D**

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169244BL	SDG No.:	Q2815
Lab Sample ID:	PB169244BL	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025471.D	1	08/14/25 09:15	08/19/25 11:25	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	4.00	U	0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	4.00	U	0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	4.00	U	0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	4.00	U	0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	4.00	U	0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	4.00	U	0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	4.00	U	1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	4.00	U	0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	129		19 - 119		86%	SPK: 150
13127-88-3	Phenol-d6	124		10 - 130		83%	SPK: 150
4165-60-0	Nitrobenzene-d5	77.8		44 - 120		78%	SPK: 100
321-60-8	2-Fluorobiphenyl	75.3		44 - 119		75%	SPK: 100
118-79-6	2,4,6-Tribromophenol	131		43 - 140		88%	SPK: 150
1718-51-0	Terphenyl-d14	76.5		50 - 134		76%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	171000	7.784				
1146-65-2	Naphthalene-d8	669000	10.56				
15067-26-2	Acenaphthene-d10	432000	14.407				
1517-22-2	Phenanthrene-d10	955000	17.195				
1719-03-5	Chrysene-d12	1100000	21.642				
1520-96-3	Perylene-d12	1220000	25.018				
TENTATIVE IDENTIFIED COMPOUNDS							
000123-42-2	2-Pentanone, 4-hydroxy-4-methyl-	7.70	A			4.94	ug/L

Raw Data: **BP025471.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169244BL	SDG No.:	Q2815
Lab Sample ID:	PB169244BL	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025471.D	1	08/14/25 09:15	08/19/25 11:25	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025471.D
Acq On : 19 Aug 2025 11:25
Operator : CG/JU
Sample : PB169244BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169244BL

Quant Time: Aug 19 12:00:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.784	152	171241	20.000	ng	-0.01
21) Naphthalene-d8	10.560	136	669280	20.000	ng	0.00
39) Acenaphthene-d10	14.407	164	431883	20.000	ng	0.00
64) Phenanthrene-d10	17.195	188	954940	20.000	ng	0.00
76) Chrysene-d12	21.642	240	1095777	20.000	ng	0.00
86) Perylene-d12	25.018	264	1221508	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	1326005	128.596	ng	0.00
7) Phenol-d6	6.966	99	1636252	123.770	ng	0.00
23) Nitrobenzene-d5	8.925	82	1029425	77.806	ng	-0.01
42) 2,4,6-Tribromophenol	15.913	330	763937	131.415	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	2379524	75.300	ng	0.00
79) Terphenyl-d14	19.919	244	4581344	76.493	ng	0.00
Target Compounds						Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025471.D
Acq On : 19 Aug 2025 11:25
Operator : CG/JU
Sample : PB169244BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169244BL

Quant Time: Aug 19 12:00:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.784 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025471.D
Acq: 19 Aug 2025 11:25

Instrument :
BNA_P
ClientSampleId :
PB169244BL

Tgt Ion:152 Resp: 171241

Ion	Ratio	Lower	Upper
152	100		
150	156.7	125.9	188.9
115	60.9	48.5	72.7





#5
2-Fluorophenol
Concen: 128.596 ng
RT: 5.408 min Scan# 420
Delta R.T. 0.000 min
Lab File: BP025471.D
Acq: 19 Aug 2025 11:25

Tgt Ion:112 Resp: 1326005

Ion	Ratio	Lower	Upper
112	100		
64	55.8	43.8	65.8
63	28.8	22.7	34.1





#7
Phenol-d6
Concen: 123.770 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025471.D
Acq: 19 Aug 2025 11:25

Instrument :
BNA_P
ClientSampleId :
PB169244BL

Tgt Ion: 99 Resp: 1636252

Ion	Ratio	Lower	Upper
99	100		
42	17.4	13.7	20.5
71	34.6	28.2	42.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1296
Delta R.T. 0.000 min
Lab File: BP025471.D
Acq: 19 Aug 2025 11:25

Tgt Ion:136 Resp: 669280

Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.2	13.8
54	7.6	6.0	9.0
68	5.4	4.3	6.5





#23
Nitrobenzene-d5
Concen: 77.806 ng
RT: 8.925 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025471.D
Acq: 19 Aug 2025 11:25

Instrument :
BNA_P
ClientSampleId :
PB169244BL

Tgt Ion: 82 Resp: 1029425

Ion	Ratio	Lower	Upper
82	100		
128	45.6	37.7	56.5
54	50.0	39.8	59.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1950
Delta R.T. 0.000 min
Lab File: BP025471.D
Acq: 19 Aug 2025 11:25

Tgt Ion:164 Resp: 431883

Ion	Ratio	Lower	Upper
164	100		
162	101.5	81.0	121.6
160	44.6	35.4	53.2





#42
2,4,6-Tribromophenol
Concen: 131.415 ng
RT: 15.913 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025471.D
Acq: 19 Aug 2025 11:25

Instrument :
BNA_P
ClientSampleId :
PB169244BL

Tgt Ion:330 Resp: 763937

Ion	Ratio	Lower	Upper
330	100		
332	96.3	77.3	115.9
141	32.8	26.6	39.8





#45
2-Fluorobiphenyl
Concen: 75.300 ng
RT: 13.019 min Scan# 1714
Delta R.T. 0.000 min
Lab File: BP025471.D
Acq: 19 Aug 2025 11:25

Tgt Ion:172 Resp: 2379524

Ion	Ratio	Lower	Upper
172	100		
171	35.2	28.1	42.1
170	23.2	18.6	28.0





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.195 min Scan# 24
Delta R.T. -0.006 min
Lab File: BP025471.D
Acq: 19 Aug 2025 11:25

Instrument :
BNA_P
ClientSampleId :
PB169244BL

Tgt Ion:188 Resp: 954940

Ion	Ratio	Lower	Upper
188	100		
94	8.8	6.6	10.0
80	9.2	6.7	10.1





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. -0.006 min
Lab File: BP025471.D
Acq: 19 Aug 2025 11:25

Tgt Ion:240 Resp: 1095777

Ion	Ratio	Lower	Upper
240	100		
120	10.4	8.9	13.3
236	25.6	19.8	29.8





#79
Terphenyl-d14
Concen: 76.493 ng
RT: 19.919 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025471.D
Acq: 19 Aug 2025 11:25

Instrument :
BNA_P
ClientSampleId :
PB169244BL

Tgt Ion:244 Resp: 4581344

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	9.6	7.4	11.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.018 min Scan# 3754
Delta R.T. -0.012 min
Lab File: BP025471.D
Acq: 19 Aug 2025 11:25

Tgt Ion:264 Resp: 1221508

Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.3	28.9
265	22.1	17.4	26.0



Sample Results: **BP025471.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025471.D
Acq On : 19 Aug 2025 11:25
Operator : CG/JU
Sample : PB169244BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169244BL

Integration Parameters: rteint.p
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

Signal : TIC: BP025471.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	4.943	336	341	349	rVB	266727	382196	3.11%	0.766%
2	5.408	413	420	435	rBV	3090937	4486129	36.45%	8.994%
3	6.966	677	685	701	rBV	2716361	4547318	36.95%	9.117%
4	7.784	818	824	833	rVB	622470	988724	8.03%	1.982%
5	8.925	1009	1018	1037	rBV	1759364	3043304	24.73%	6.101%
6	10.560	1288	1296	1308	rBV	739974	1352016	10.98%	2.711%
7	13.019	1706	1714	1736	rBV	4938855	6847448	55.63%	13.728%
8	14.407	1943	1950	1961	rBV	1203749	1823817	14.82%	3.657%
9	15.913	2200	2206	2222	rBV	3914348	5646298	45.88%	11.320%
10	17.195	2417	2424	2436	rBV	1635679	2379742	19.33%	4.771%
11	19.919	2881	2887	2897	rBV	9241705	12308000	100.00%	24.676%
12	21.642	3174	3180	3190	rBV	1800931	2936848	23.86%	5.888%
13	25.018	3744	3754	3765	rVB	1171858	3136619	25.48%	6.289%

Sum of corrected areas: 49878459

Sample Results: **BP025471.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025471.D
Acq On : 19 Aug 2025 11:25
Operator : CG/JU
Sample : PB169244BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169244BL

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P







Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025471.D
Acq On : 19 Aug 2025 11:25
Operator : CG/JU
Sample : PB169244BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169244BL

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

****

Peak Number 1 2-Pentanone, 4-hydroxy-4-me... Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.943	7.73 ng	382196	1,4-Dichlorobenzene-d4	7.784

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	2-Pentanone, 4-hydroxy-4-methyl-	116	C6H12O2	000123-42-2	56
2	Acetic acid, 1,1-dimethylethyl e...	116	C6H12O2	000540-88-5	39
3	Acetic acid, cyano-, 1,1-dimethy...	141	C7H11NO2	001116-98-9	25
4	2,3-Butanedione, monooxime	101	C4H7NO2	000057-71-6	17
5	1-Propen-2-ol, acetate	100	C5H8O2	000108-22-5	10



















Sample Results: **BP025471.D**

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025471.D
Acq On : 19 Aug 2025 11:25
Operator : CG/JU
Sample : PB169244BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169244BL

Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

					--Internal Standard---			
TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
2-Pentanone, 4-...	4.943	7.7	ng	382196	1	7.784	988724	20.0

Raw Data: **BP025424.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169230BS	SDG No.:	Q2815
Lab Sample ID:	PB169230BS	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025424.D	1	08/12/25 11:39	08/15/25 11:59	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	23.9		3.90	8.00	10.0	ug/L
108-95-2	Phenol	40.4		0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	37.1		0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	39.9		0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	39.7		1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	37.4		1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	38.4		0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	38.8		1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	35.3		1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	38.7		0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	39.7		0.76	4.00	5.00	ug/L
78-59-1	Isophorone	37.0		0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	39.2		1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	40.8		1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	37.6		0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	41.5		0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	38.6		0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	25.0		0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	38.4		0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	38.5		1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	40.8		0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	38.1		0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	86.0	E	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	41.6		0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	42.1		0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	40.1		0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	39.6		0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	42.4		1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	39.4		0.61	4.00	5.00	ug/L

Raw Data: **BP025424.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169230BS	SDG No.:	Q2815
Lab Sample ID:	PB169230BS	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025424.D	1	08/12/25 11:39	08/15/25 11:59	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	39.5		0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	41.3		0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	30.4		1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	39.1		0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	91.4	E	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	84.2	E	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	39.0		0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	41.7		1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	39.2		0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	38.0		0.68	4.00	5.00	ug/L
86-73-7	Fluorene	38.7		0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	38.9		1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	42.5		2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	41.1		0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	40.0		0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	40.6		0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	40.0		1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	87.0	E	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	41.1		0.50	4.00	5.00	ug/L
120-12-7	Anthracene	41.0		0.61	4.00	5.00	ug/L
86-74-8	Carbazole	40.6		0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	40.7		1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	40.6		0.82	4.00	5.00	ug/L
129-00-0	Pyrene	38.2		0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	39.3		1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	30.3		0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	41.0		0.45	4.00	5.00	ug/L
218-01-9	Chrysene	41.0		0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	40.4		1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	41.6		2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	41.4		0.49	4.00	5.00	ug/L

Raw Data: **BP025424.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.			Date Collected:	
Project:	USACE018-44 DOD			Date Received:	
Client Sample ID:	PB169230BS			SDG No.:	Q2815
Lab Sample ID:	PB169230BS			Matrix:	Water
Analytical Method:	8270E			% Solid:	0
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000 uL
Soil Aliquot Vol:			uL	Test:	SVOC-TCL BNA -20
Extraction Type :			Decanted : N	Level :	LOW
Injection Volume :			GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025424.D	1	08/12/25 11:39	08/15/25 11:59	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	40.4		0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	41.2		0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	42.2		0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	41.9		0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	41.8		0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	39.5		0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	44.4		1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	40.9		0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	113		19 - 119		75%	SPK: 150
13127-88-3	Phenol-d6	110		10 - 130		74%	SPK: 150
4165-60-0	Nitrobenzene-d5	69.6		44 - 120		70%	SPK: 100
321-60-8	2-Fluorobiphenyl	68.6		44 - 119		69%	SPK: 100
118-79-6	2,4,6-Tribromophenol	111		43 - 140		74%	SPK: 150
1718-51-0	Terphenyl-d14	65.8		50 - 134		66%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	170000	7.79				
1146-65-2	Naphthalene-d8	670000	10.555				
15067-26-2	Acenaphthene-d10	424000	14.396				
1517-22-2	Phenanthrene-d10	813000	17.19				
1719-03-5	Chrysene-d12	911000	21.642				
1520-96-3	Perylene-d12	1090000	25.019				

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025424.D
Acq On : 15 Aug 2025 11:59
Operator : CG/JU
Sample : PB169230BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 15 12:24:12 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	169971	20.000	ng		0.00
21) Naphthalene-d8	10.555	136	670319	20.000	ng		0.00
39) Acenaphthene-d10	14.396	164	424018	20.000	ng		-0.01
64) Phenanthrene-d10	17.190	188	812951	20.000	ng		-0.01
76) Chrysene-d12	21.642	240	911094	20.000	ng		0.00
86) Perylene-d12	25.019	264	1094193	20.000	ng		-0.01
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	1156544	113.000	ng		0.00
7) Phenol-d6	6.972	99	1449790	110.485	ng		0.00
23) Nitrobenzene-d5	8.931	82	922542	69.619	ng		0.00
42) 2,4,6-Tribromophenol	15.907	330	632733	110.863	ng		0.00
45) 2-Fluorobiphenyl	13.013	172	2128772	68.614	ng		0.00
79) Terphenyl-d14	19.919	244	3276717	65.800	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	178151	44.438	ng		99
3) Pyridine	3.726	79	351940	32.073	ng		97
4) n-Nitrosodimethylamine	3.631	42	183440	40.550	ng		97
6) Aniline	7.125	93	575167	32.532	ng		98
8) 2-Chlorophenol	7.361	128	461335	39.944	ng		99
9) Benzaldehyde	6.937	77	219291	23.853	ng		95
10) Phenol	6.996	94	556276	40.400	ng		98
11) bis(2-Chloroethyl)ether	7.219	93	398485	37.131	ng		98
12) 1,3-Dichlorobenzene	7.684	146	486604	38.209	ng		99
13) 1,4-Dichlorobenzene	7.825	146	493901	37.943	ng		99
14) 1,2-Dichlorobenzene	8.137	146	473554	37.582	ng		98
15) Benzyl Alcohol	8.019	79	400986	38.459	ng		97
16) 2,2'-oxybis(1-Chloropr...	8.308	45	537421	37.382	ng		98
17) 2-Methylphenol	8.225	107	379222	39.655	ng		99
18) Hexachloroethane	8.861	117	185309	38.719	ng		96
19) n-Nitroso-di-n-propyla...	8.584	70	306664	35.282	ng		96
20) 3+4-Methylphenols	8.543	107	514736	38.831	ng		97
22) Acetophenone	8.596	105	645991	38.428	ng	#	98
24) Nitrobenzene	8.972	77	470422	39.722	ng		98
25) Isophorone	9.496	82	867444	36.989	ng		99
26) 2-Nitrophenol	9.672	139	238004	39.160	ng		99
27) 2,4-Dimethylphenol	9.737	122	426335	40.790	ng		98
28) bis(2-Chloroethoxy)met...	9.966	93	533145	37.610	ng		98
29) 2,4-Dichlorophenol	10.208	162	430899	41.501	ng		100
30) 1,2,4-Trichlorobenzene	10.419	180	439417	38.606	ng		99
31) Naphthalene	10.608	128	1343452	38.560	ng		99
32) Benzoic acid	9.878	122	306370	39.703	ng		98
33) 4-Chloroaniline	10.702	127	385406	25.043	ng		99
34) Hexachlorobutadiene	10.896	225	272129	38.391	ng		98
35) Caprolactam	11.490	113	146622	38.511	ng		95
36) 4-Chloro-3-methylphenol	11.831	107	486472	40.832	ng		97
37) 2-Methylnaphthalene	12.213	142	864478	38.128	ng		99
38) 1-Methylnaphthalene	12.431	142	898180	37.251	ng		100
40) 1,2,4,5-Tetrachloroben...	12.578	216	483197	39.457	ng		99
41) Hexachlorocyclopentadiene	12.566	237	636193	86.005	ng		99
43) 2,4,6-Trichlorophenol	12.819	196	343891	41.596	ng		99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025424.D
Acq On : 15 Aug 2025 11:59
Operator : CG/JU
Sample : PB169230BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 15 12:24:12 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.890	196	381721	42.128	ng	98
46) 1,1'-Biphenyl	13.225	154	1235911	40.134	ng	99
47) 2-Chloronaphthalene	13.266	162	949832	39.620	ng	99
48) 2-Nitroaniline	13.460	65	296397	42.432	ng	99
49) Acenaphthylene	14.119	152	1568169	39.531	ng	100
50) Dimethylphthalate	13.849	163	1223759	39.412	ng	100
51) 2,6-Dinitrotoluene	13.960	165	270344	41.309	ng	93
52) Acenaphthene	14.460	154	911236	39.134	ng	99
53) 3-Nitroaniline	14.290	138	223962	30.416	ng	95
54) 2,4-Dinitrophenol	14.501	184	319395	91.387	ng	97
55) Dibenzofuran	14.796	168	1435621	38.997	ng	98
56) 4-Nitrophenol	14.607	139	509537	84.213	ng	94
57) 2,4-Dinitrotoluene	14.754	165	389153	41.677	ng	97
58) Fluorene	15.460	166	1123848	38.689	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.025	232	327248	40.903	ng	99
60) Diethylphthalate	15.231	149	1237967	39.238	ng	99
61) 4-Chlorophenyl-phenyle...	15.454	204	548873	37.992	ng	98
62) 4-Nitroaniline	15.466	138	293368	38.864	ng	95
63) Azobenzene	15.748	77	1081923	40.048	ng	98
65) 4,6-Dinitro-2-methylph...	15.531	198	215285	42.483	ng	94
66) n-Nitrosodiphenylamine	15.666	169	1020090	41.149	ng	100
67) 4-Bromophenyl-phenylether	16.366	248	357730	40.010	ng	98
68) Hexachlorobenzene	16.484	284	421113	40.631	ng	97
69) Atrazine	16.648	200	371199	39.983	ng	99
70) Pentachlorophenol	16.831	266	569065	86.979	ng	99
71) Phenanthrene	17.237	178	1834594	41.081	ng	99
72) Anthracene	17.325	178	1867641	40.953	ng	99
73) Carbazole	17.601	167	1745068	40.625	ng	99
74) Di-n-butylphthalate	18.207	149	2153331	40.744	ng	100
75) Fluoranthene	19.319	202	2161988	40.586	ng	99
77) Benzidine	19.513	184	1323440	42.563	ng	99
78) Pyrene	19.695	202	2262750	38.210	ng	100
80) Butylbenzylphthalate	20.654	149	1053807	39.265	ng	99
81) Benzo(a)anthracene	21.625	228	2464717	41.019	ng	99
82) 3,3'-Dichlorobenzidine	21.536	252	686690	30.320	ng	99
83) Chrysene	21.695	228	2304341	40.951	ng	99
84) Bis(2-ethylhexyl)phtha...	21.578	149	1594510	40.360	ng	100
85) Di-n-octyl phthalate	22.860	149	2830250	41.649	ng	99
87) Indeno(1,2,3-cd)pyrene	28.848	276	3386531	42.203	ng	99
88) Benzo(b)fluoranthene	23.936	252	2671223	41.401	ng	99
89) Benzo(k)fluoranthene	24.024	252	2607648	40.388	ng	100
90) Benzo(a)pyrene	24.866	252	2585640	41.168	ng	99
91) Dibenzo(a,h)anthracene	28.936	278	2746421	41.882	ng	98
92) Benzo(g,h,i)perylene	30.036	276	2695674m	41.819	ng	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025424.D
Acq On : 15 Aug 2025 11:59
Operator : CG/JU
Sample : PB169230BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 15 12:24:12 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:152 Resp: 16997

Ion	Ratio	Lower	Upper
152	100		
150	160.6	125.9	188.9
115	62.7	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#2
1,4-Dioxane
Concen: 44.438 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 88 Resp: 178151

Ion	Ratio	Lower	Upper
88	100		
58	73.9	59.2	88.8
43	28.8	21.7	32.5





#3
Pyridine
Concen: 32.073 ng
RT: 3.726 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 79 Resp: 351940

Ion	Ratio	Lower	Upper
79	100		
52	71.8	55.5	83.3
51	37.5	28.3	42.5



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#4
n-Nitrosodimethylamine
Concen: 40.550 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 42 Resp: 183440

Ion	Ratio	Lower	Upper
42	100		
74	130.5	107.0	160.4
44	7.9	6.2	9.4





#5
2-Fluorophenol
Concen: 113.000 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:112 Resp: 115654

Ion	Ratio	Lower	Upper
112	100		
64	55.5	43.8	65.8
63	29.8	22.7	34.1

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#6
Aniline
Concen: 32.532 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 93 Resp: 575167

Ion	Ratio	Lower	Upper
93	100		
66	39.3	30.4	45.6
65	19.5	15.3	22.9





#7
Phenol-d6
Concen: 110.485 ng
RT: 6.972 min Scan# 6
Delta R.T. 0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 99 Resp: 144979

Ion	Ratio	Lower	Upper
99	100		
42	17.4	13.7	20.5
71	36.2	28.2	42.4



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#8
2-Chlorophenol
Concen: 39.944 ng
RT: 7.361 min Scan# 752
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:128 Resp: 461335

Ion	Ratio	Lower	Upper
128	100		
130	32.2	12.6	52.6
64	44.2	23.4	63.4





#9
Benzaldehyde
Concen: 23.853 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 77 Resp: 21929

Ion	Ratio	Lower	Upper
77	100		
105	99.6	84.8	124.8
106	95.6	80.5	120.5



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#10
Phenol
Concen: 40.400 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 94 Resp: 556276

Ion	Ratio	Lower	Upper
94	100		
65	27.3	6.8	46.8
66	39.7	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 37.131 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 93 Resp: 39848

Ion	Ratio	Lower	Upper
93	100		
63	74.6	52.6	92.6
95	32.1	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#12
1,3-Dichlorobenzene
Concen: 38.209 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:146 Resp: 486604

Ion	Ratio	Lower	Upper
146	100		
148	64.1	51.9	77.9
75	30.3	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 37.943 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:146 Resp: 49390

Ion	Ratio	Lower	Upper
146	100		
148	63.9	51.6	77.4
111	41.4	33.4	50.0



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#14
1,2-Dichlorobenzene
Concen: 37.582 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:146 Resp: 473554

Ion	Ratio	Lower	Upper
146	100		
148	64.3	50.4	75.6
111	44.5	34.5	51.7





#15
Benzyl Alcohol
Concen: 38.459 ng
RT: 8.019 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 79 Resp: 40098

Ion	Ratio	Lower	Upper
79	100		
108	77.0	63.8	95.6
77	63.7	49.0	73.4



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 37.382 ng
RT: 8.308 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 45 Resp: 537421

Ion	Ratio	Lower	Upper
45	100		
77	15.3	0.0	35.3
79	10.4	0.0	31.8





#17
2-Methylphenol
Concen: 39.655 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:107 Resp: 37922

Ion	Ratio	Lower	Upper
107	100		
108	110.2	89.4	134.0
77	46.5	36.3	54.5
79	45.2	36.6	54.8



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#18
Hexachloroethane
Concen: 38.719 ng
RT: 8.861 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:117 Resp: 185309

Ion	Ratio	Lower	Upper
117	100		
119	97.6	75.1	112.7
201	104.7	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 35.282 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 70 Resp: 30666

Ion	Ratio	Lower	Upper
70	100		
42	58.8	43.8	65.6
101	11.2	8.5	12.7
130	24.6	19.4	29.0



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#20
3+4-Methylphenols
Concen: 38.831 ng
RT: 8.543 min Scan# 953
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:107 Resp: 514736

Ion	Ratio	Lower	Upper
107	100		
108	89.3	66.3	106.3
77	32.5	12.3	52.3
79	30.2	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.555 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:136 Resp: 67031

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.2	13.8
54	8.0	6.0	9.0
68	5.3	4.3	6.5



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#22
Acetophenone
Concen: 38.428 ng
RT: 8.596 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:105 Resp: 645991

Ion	Ratio	Lower	Upper
105	100		
71	4.0	2.6	4.0#
51	27.8	20.6	30.8
120	23.1	18.6	27.8





#23
Nitrobenzene-d5
Concen: 69.619 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 82 Resp: 92254

Ion	Ratio	Lower	Upper
82	100		
128	45.7	37.7	56.5
54	50.9	39.8	59.6

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#24
Nitrobenzene
Concen: 39.722 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 77 Resp: 470422

Ion	Ratio	Lower	Upper
77	100		
123	47.3	38.6	58.0
65	14.0	10.6	15.8





#25
Isophorone
Concen: 36.989 ng
RT: 9.496 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 82 Resp: 86744

Ion	Ratio	Lower	Upper
82	100		
95	8.1	6.4	9.6
138	18.7	15.4	23.0



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#26
2-Nitrophenol
Concen: 39.160 ng
RT: 9.672 min Scan# 1145
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:139 Resp: 238004

Ion	Ratio	Lower	Upper
139	100		
109	33.2	26.9	40.3
65	48.8	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 40.790 ng
RT: 9.737 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:122 Resp: 42633

Ion	Ratio	Lower	Upper
122	100		
107	119.6	93.7	140.5
121	59.0	46.6	69.8



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#28
bis(2-Chloroethoxy)methane
Concen: 37.610 ng
RT: 9.966 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 93 Resp: 533145

Ion	Ratio	Lower	Upper
93	100		
95	33.4	25.4	38.0
123	12.0	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 41.501 ng
RT: 10.208 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:162 Resp: 43089

Ion	Ratio	Lower	Upper
162	100		
164	64.4	44.4	84.4
98	35.7	14.9	54.9

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#30
1,2,4-Trichlorobenzene
Concen: 38.606 ng
RT: 10.419 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:180 Resp: 439417

Ion	Ratio	Lower	Upper
180	100		
182	96.7	78.0	117.0
145	31.5	25.9	38.9





#31
Naphthalene
Concen: 38.560 ng
RT: 10.608 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:128 Resp: 134345

Ion	Ratio	Lower	Upper
128	100		
129	10.6	8.6	13.0
127	12.9	10.7	16.1

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#32
Benzoic acid
Concen: 39.703 ng
RT: 9.878 min Scan# 1180
Delta R.T. 0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:122 Resp: 306370

Ion	Ratio	Lower	Upper
122	100		
105	123.6	100.6	140.6
77	91.9	71.5	111.5





#33
4-Chloroaniline
Concen: 25.043 ng
RT: 10.702 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:127 Resp: 38540

Ion	Ratio	Lower	Upper
127	100		
129	31.6	25.4	38.2
65	28.8	23.8	35.6
92	19.5	15.8	23.8



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#34
Hexachlorobutadiene
Concen: 38.391 ng
RT: 10.896 min Scan# 1353
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:225 Resp: 272129

Ion	Ratio	Lower	Upper
225	100		
223	63.5	50.0	75.0
227	64.9	49.7	74.5





#35
Caprolactam
Concen: 38.511 ng
RT: 11.490 min Scan# 14
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:113 Resp: 14662

Ion	Ratio	Lower	Upper
113	100		
55	151.2	140.0	180.0
56	122.9	100.0	140.0



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#36
4-Chloro-3-methylphenol
Concen: 40.832 ng
RT: 11.831 min Scan# 1512
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:107 Resp: 486472

Ion	Ratio	Lower	Upper
107	100		
144	25.7	21.0	31.4
142	77.6	64.6	97.0





#37
2-Methylnaphthalene
Concen: 38.128 ng
RT: 12.213 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:142 Resp: 86447

Ion	Ratio	Lower	Upper
142	100		
141	88.4	70.3	105.5
115	37.5	28.9	43.3

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#38
1-Methylnaphthalene
Concen: 37.251 ng
RT: 12.431 min Scan# 1614
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:142 Resp: 898180

Ion	Ratio	Lower	Upper
142	100		
141	91.3	73.1	109.7
116	4.3	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.396 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:164 Resp: 42401

Ion	Ratio	Lower	Upper
164	100		
162	101.5	81.0	121.6
160	45.2	35.4	53.2



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 39.457 ng
RT: 12.578 min Scan# 1639
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:216 Resp: 483197

Ion	Ratio	Lower	Upper
216	100		
214	79.0	63.0	94.4
179	21.9	17.1	25.7
108	21.4	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 86.005 ng
RT: 12.566 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:237 Resp: 63619

Ion	Ratio	Lower	Upper
237	100		
235	62.2	42.7	82.7
272	12.7	0.0	34.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#42
2,4,6-Tribromophenol
Concen: 110.863 ng
RT: 15.907 min Scan# 2205
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:330 Resp: 632733

Ion	Ratio	Lower	Upper
330	100		
332	97.2	77.3	115.9
141	35.4	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 41.596 ng
RT: 12.819 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:196 Resp: 34389

Ion	Ratio	Lower	Upper
196	100		
198	97.1	77.2	115.8
200	31.3	23.9	35.9



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#44
2,4,5-Trichlorophenol
Concen: 42.128 ng
RT: 12.890 min Scan# 1692
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:196 Resp: 381721

Ion	Ratio	Lower	Upper
196	100		
198	97.4	76.2	114.2
97	48.8	41.2	61.8
132	27.8	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 68.614 ng
RT: 13.013 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:172 Resp: 212877

Ion	Ratio	Lower	Upper
172	100		
171	34.5	28.1	42.1
170	23.0	18.6	28.0



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#46
1,1'-Biphenyl
Concen: 40.134 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:154 Resp: 1235911

Ion	Ratio	Lower	Upper
154	100		
153	39.0	19.5	59.5
76	11.5	0.0	31.1





#47
2-Chloronaphthalene
Concen: 39.620 ng
RT: 13.266 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:162 Resp: 94983

Ion	Ratio	Lower	Upper
162	100		
127	42.2	33.4	50.2
164	33.2	26.2	39.2

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#48
2-Nitroaniline
Concen: 42.432 ng
RT: 13.460 min Scan# 1789
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 65 Resp: 296397

Ion	Ratio	Lower	Upper
65	100		
92	72.8	57.6	86.4
138	115.4	91.0	136.6





#49
Acenaphthylene
Concen: 39.531 ng
RT: 14.119 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:152 Resp: 156816

Ion	Ratio	Lower	Upper
152	100		
151	20.1	16.0	24.0
153	12.9	10.6	15.8

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#50
Dimethylphthalate
Concen: 39.412 ng
RT: 13.849 min Scan# 1855
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:163 Resp: 1223759

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.0	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 41.309 ng
RT: 13.960 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:165 Resp: 27034

Ion	Ratio	Lower	Upper
165	100		
63	55.9	40.9	61.3
89	57.4	42.1	63.1

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#52
Acenaphthene
Concen: 39.134 ng
RT: 14.460 min Scan# 1959
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:154 Resp: 911236

Ion	Ratio	Lower	Upper
154	100		
153	113.4	90.2	135.2
152	53.7	42.1	63.1





#53
3-Nitroaniline
Concen: 30.416 ng
RT: 14.290 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:138 Resp: 22396

Ion	Ratio	Lower	Upper
138	100		
108	11.1	8.3	12.5
92	113.4	86.2	129.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#54
2,4-Dinitrophenol
Concen: 91.387 ng
RT: 14.501 min Scan# 1966
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:184 Resp: 319395

Ion	Ratio	Lower	Upper
184	100		
63	58.2	49.4	74.2
154	69.6	54.6	82.0





#55
Dibenzofuran
Concen: 38.997 ng
RT: 14.796 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:168 Resp: 143562

Ion	Ratio	Lower	Upper
168	100		
139	40.6	31.5	47.3
169	13.6	10.9	16.3

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#56
4-Nitrophenol
Concen: 84.213 ng
RT: 14.607 min Scan# 1984
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:139 Resp: 509537

Ion	Ratio	Lower	Upper
139	100		
109	82.5	56.6	96.6
65	92.6	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 41.677 ng
RT: 14.754 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:165 Resp: 38915

Ion	Ratio	Lower	Upper
165	100		
63	41.3	31.4	47.2
89	68.9	53.3	79.9
182	2.8	2.3	3.5



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#58
Fluorene
Concen: 38.689 ng
RT: 15.460 min Scan# 2129
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:166 Resp: 1123848

Ion	Ratio	Lower	Upper
166	100		
165	97.5	78.8	118.2
167	13.3	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 40.903 ng
RT: 15.025 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:232 Resp: 32724

Ion	Ratio	Lower	Upper
232	100		
131	47.3	37.0	55.6
130	2.6	1.9	2.9
166	31.8	25.4	38.0



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#60
Diethylphthalate
Concen: 39.238 ng
RT: 15.231 min Scan# 2090
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:149 Resp: 1237967

Ion	Ratio	Lower	Upper
149	100		
177	22.1	17.3	25.9
150	12.6	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 37.992 ng
RT: 15.454 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:204 Resp: 54887

Ion	Ratio	Lower	Upper
204	100		
206	33.1	25.8	38.8
141	63.5	49.4	74.2



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#62
4-Nitroaniline
Concen: 38.864 ng
RT: 15.466 min Scan# 2130
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:138 Resp: 293368

Ion	Ratio	Lower	Upper
138	100		
92	48.6	29.1	69.1
108	88.6	61.5	101.5





#63
Azobenzene
Concen: 40.048 ng
RT: 15.748 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 77 Resp: 108192

Ion	Ratio	Lower	Upper
77	100		
182	28.4	7.5	47.5
105	21.6	2.1	42.1
51	30.8	9.6	49.6



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.190 min Scan# 2423
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:188 Resp: 812951

Ion	Ratio	Lower	Upper
188	100		
94	9.0	6.6	10.0
80	9.7	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 42.483 ng
RT: 15.531 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:198 Resp: 21528

Ion	Ratio	Lower	Upper
198	100		
51	44.5	19.6	59.6
105	43.1	20.9	60.9

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#66
n-Nitrosodiphenylamine
Concen: 41.149 ng
RT: 15.666 min Scan# 2164
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:169 Resp: 1020090

Ion	Ratio	Lower	Upper
169	100		
168	66.5	53.2	79.8
167	35.1	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 40.010 ng
RT: 16.366 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:248 Resp: 35773

Ion	Ratio	Lower	Upper
248	100		
250	99.6	78.2	117.2
141	77.1	59.6	89.4



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#68
Hexachlorobenzene
Concen: 40.631 ng
RT: 16.484 min Scan# 2303
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:284 Resp: 421113

Ion	Ratio	Lower	Upper
284	100		
142	33.5	29.1	43.7
249	32.0	25.0	37.4





#69
Atrazine
Concen: 39.983 ng
RT: 16.648 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:200 Resp: 371199

Ion	Ratio	Lower	Upper
200	100		
173	26.4	6.7	46.7
215	49.2	29.7	69.7



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#70
Pentachlorophenol
Concen: 86.979 ng
RT: 16.831 min Scan# 2362
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:266 Resp: 569065

Ion	Ratio	Lower	Upper
266	100		
268	65.1	52.6	79.0
264	64.7	52.0	78.0





#71
Phenanthrene
Concen: 41.081 ng
RT: 17.237 min Scan# 24
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:178 Resp: 183459

Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.5	23.3
179	15.2	12.2	18.4



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#72
Anthracene
Concen: 40.953 ng
RT: 17.325 min Scan# 2446
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:178 Resp: 1867641

Ion	Ratio	Lower	Upper
178	100		
176	18.5	14.7	22.1
179	15.7	12.2	18.2





#73
Carbazole
Concen: 40.625 ng
RT: 17.601 min Scan# 24
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:167 Resp: 174506

Ion	Ratio	Lower	Upper
167	100		
166	21.4	17.5	26.3
139	13.9	10.6	16.0



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#74
Di-n-butylphthalate
Concen: 40.744 ng
RT: 18.207 min Scan# 2596
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:149 Resp: 2153331

Ion	Ratio	Lower	Upper
149	100		
150	9.0	7.4	11.0
104	5.1	4.2	6.2





#75
Fluoranthene
Concen: 40.586 ng
RT: 19.319 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:202 Resp: 216198

Ion	Ratio	Lower	Upper
202	100		
101	10.4	0.0	31.1
203	17.4	0.0	37.3



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:240 Resp: 911094

Ion	Ratio	Lower	Upper
240	100		
120	10.7	8.9	13.3
236	26.4	19.8	29.8





#77
Benzidine
Concen: 42.563 ng
RT: 19.513 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:184 Resp: 132344

Ion	Ratio	Lower	Upper
184	100		
185	14.2	11.5	17.3
183	12.1	9.4	14.2

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#78
Pyrene
Concen: 38.210 ng
RT: 19.695 min Scan# 2849
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:202 Resp: 2262750

Ion	Ratio	Lower	Upper
202	100		
200	20.8	16.9	25.3
203	17.6	14.2	21.2





#79
Terphenyl-d14
Concen: 65.800 ng
RT: 19.919 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:244 Resp: 327671

Ion	Ratio	Lower	Upper
244	100		
212	7.6	5.8	8.6
122	8.9	7.4	11.2



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#80
Butylbenzylphthalate
Concen: 39.265 ng
RT: 20.654 min Scan# 3012
Delta R.T. 0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:149 Resp: 1053807

Ion	Ratio	Lower	Upper
149	100		
91	66.9	54.2	81.2
206	21.2	16.6	24.8





#81
Benzo(a)anthracene
Concen: 41.019 ng
RT: 21.625 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:228 Resp: 246471

Ion	Ratio	Lower	Upper
228	100		
226	26.6	21.7	32.5
229	19.3	15.6	23.4

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025





#82
3,3'-Dichlorobenzidine
Concen: 30.320 ng
RT: 21.536 min Scan# 3162
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:252 Resp: 686690

Ion	Ratio	Lower	Upper
252	100		
254	64.3	51.8	77.6
126	11.1	9.1	13.7





#83
Chrysene
Concen: 40.951 ng
RT: 21.695 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:228 Resp: 230434

Ion	Ratio	Lower	Upper
228	100		
226	29.7	23.2	34.8
229	19.7	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 40.360 ng
RT: 21.578 min Scan# 3169
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:149 Resp: 1594510

Ion	Ratio	Lower	Upper
149	100		
167	27.5	22.1	33.1
279	5.0	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 41.649 ng
RT: 22.860 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:149 Resp: 283025

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.3	1.9
43	8.2	6.3	9.5



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.019 min Scan# 3754
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:264 Resp: 1094193

Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.3	28.9
265	22.4	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 42.203 ng
RT: 28.848 min Scan# 44
Delta R.T. -0.017 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:276 Resp: 338653

Ion	Ratio	Lower	Upper
276	100		
138	16.6	12.9	19.3
277	20.7	17.0	25.6



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#88
Benzo(b)fluoranthene
Concen: 41.401 ng
RT: 23.936 min Scan# 3570
Delta R.T. -0.017 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:252 Resp: 2671223

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.7	26.5
125	9.1	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 40.388 ng
RT: 24.024 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:252 Resp: 260764

Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.1	25.7
125	9.7	7.8	11.6



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#90
Benzo(a)pyrene
Concen: 41.168 ng
RT: 24.866 min Scan# 3728
Delta R.T. 0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:252 Resp: 2585640

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.5	26.3
125	9.9	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 41.882 ng
RT: 28.936 min Scan# 4
Delta R.T. -0.017 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:278 Resp: 274642

Ion	Ratio	Lower	Upper
278	100		
139	15.4	13.0	19.4
279	23.5	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
PB169230BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/18/2025
Supervised By :Jagrut Upadhyay 08/18/2025



#92
Benzo(g,h,i)perylene
Concen: 41.819 ng m
RT: 30.036 min Scan# 4607
Delta R.T. -0.023 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:276 Resp: 2695674

Ion	Ratio	Lower	Upper
276	100		
277	23.8	19.4	29.0
138	19.9	16.7	25.1



Raw Data: **BP025472.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169244BS	SDG No.:	Q2815
Lab Sample ID:	PB169244BS	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025472.D	1	08/14/25 09:15	08/19/25 12:06	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	27.4		3.90	8.00	10.0	ug/L
108-95-2	Phenol	48.2		0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	44.7		0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	47.9		0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	46.9		1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	45.2		1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	45.4		0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	46.6		1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	42.1		1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	45.2		0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	46.6		0.76	4.00	5.00	ug/L
78-59-1	Isophorone	44.0		0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	46.8		1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	47.7		1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	45.0		0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	49.2		0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	45.8		0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	26.3		0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	44.9		0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	47.5		1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	48.5		0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	45.5		0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	92.4	E	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	50.4		0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	50.9		0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	46.7		0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	46.6		0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	51.6		1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	48.5		0.61	4.00	5.00	ug/L

Raw Data: **BP025472.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169244BS	SDG No.:	Q2815
Lab Sample ID:	PB169244BS	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025472.D	1	08/14/25 09:15	08/19/25 12:06	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	48.2		0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	49.9		0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	35.3		1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	47.1		0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	120	E	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	100	E	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	47.2		0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	51.7		1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	49.0		0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	46.7		0.68	4.00	5.00	ug/L
86-73-7	Fluorene	46.4		0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	47.8		1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	50.8		2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	47.4		0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	47.6		0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	46.6		0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	47.8		1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	99.0	E	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	47.6		0.50	4.00	5.00	ug/L
120-12-7	Anthracene	47.2		0.61	4.00	5.00	ug/L
86-74-8	Carbazole	47.3		0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	48.4		1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	47.4		0.82	4.00	5.00	ug/L
129-00-0	Pyrene	46.7		0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	48.4		1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	32.2		0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	47.2		0.45	4.00	5.00	ug/L
218-01-9	Chrysene	47.0		0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	49.0		1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	50.6		2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	48.4		0.49	4.00	5.00	ug/L

Raw Data: **BP025472.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.			Date Collected:	
Project:	USACE018-44 DOD			Date Received:	
Client Sample ID:	PB169244BS			SDG No.:	Q2815
Lab Sample ID:	PB169244BS			Matrix:	Water
Analytical Method:	8270E			% Solid:	0
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000 uL
Soil Aliquot Vol:			uL	Test:	SVOC-TCL BNA -20
Extraction Type :			Decanted : N	Level :	LOW
Injection Volume :			GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025472.D	1	08/14/25 09:15	08/19/25 12:06	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	47.7		0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	47.3		0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	45.7		0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	46.0		0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	45.6		0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	46.1		0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	37.4		1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	50.6		0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	138		19 - 119		92%	SPK: 150
13127-88-3	Phenol-d6	136		10 - 130		90%	SPK: 150
4165-60-0	Nitrobenzene-d5	82.4		44 - 120		82%	SPK: 100
321-60-8	2-Fluorobiphenyl	81.1		44 - 119		81%	SPK: 100
118-79-6	2,4,6-Tribromophenol	138		43 - 140		92%	SPK: 150
1718-51-0	Terphenyl-d14	81.9		50 - 134		82%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	161000	7.79				
1146-65-2	Naphthalene-d8	645000	10.56				
15067-26-2	Acenaphthene-d10	416000	14.401				
1517-22-2	Phenanthrene-d10	862000	17.189				
1719-03-5	Chrysene-d12	911000	21.642				
1520-96-3	Perylene-d12	1050000	25.001				

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025472.D
Acq On : 19 Aug 2025 12:06
Operator : CG/JU
Sample : PB169244BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 19 12:52:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	161110	20.000	ng		0.00
21) Naphthalene-d8	10.560	136	644957	20.000	ng		0.00
39) Acenaphthene-d10	14.401	164	415960	20.000	ng		0.00
64) Phenanthrene-d10	17.189	188	862003	20.000	ng		#-0.01
76) Chrysene-d12	21.642	240	910554	20.000	ng		0.00
86) Perylene-d12	25.001	264	1045081	20.000	ng		-0.03
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	1337580	137.876	ng		0.00
7) Phenol-d6	6.972	99	1688269	135.735	ng		0.00
23) Nitrobenzene-d5	8.931	82	1050881	82.423	ng		0.00
42) 2,4,6-Tribromophenol	15.901	330	775299	138.474	ng		-0.01
45) 2-Fluorobiphenyl	13.013	172	2467804	81.083	ng		0.00
79) Terphenyl-d14	19.907	244	4077204	81.923	ng		-0.01
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	142275	37.441	ng		99
3) Pyridine	3.725	79	398620	38.325	ng		95
4) n-Nitrosodimethylamine	3.631	42	201784	47.058	ng		96
6) Aniline	7.119	93	625971	37.353	ng		99
8) 2-Chlorophenol	7.366	128	524831	47.941	ng		99
9) Benzaldehyde	6.937	77	239040	27.431	ng		98
10) Phenol	6.996	94	628743	48.175	ng		99
11) bis(2-Chloroethyl)ether	7.213	93	455153	44.744	ng		99
12) 1,3-Dichlorobenzene	7.684	146	543382	45.014	ng		99
13) 1,4-Dichlorobenzene	7.825	146	553701	44.876	ng		100
14) 1,2-Dichlorobenzene	8.137	146	534380	44.742	ng		97
15) Benzyl Alcohol	8.025	79	444471	44.974	ng		99
16) 2,2'-oxybis(1-Chloropr...	8.307	45	615310	45.153	ng		98
17) 2-Methylphenol	8.225	107	424929	46.879	ng		98
18) Hexachloroethane	8.860	117	205091	45.209	ng		97
19) n-Nitroso-di-n-propyla...	8.584	70	347018	42.121	ng		97
20) 3+4-Methylphenols	8.549	107	585226	46.577	ng		98
22) Acetophenone	8.601	105	735041	45.445	ng	#	99
24) Nitrobenzene	8.972	77	531108	46.610	ng		100
25) Isophorone	9.496	82	993893	44.048	ng		99
26) 2-Nitrophenol	9.672	139	273836	46.827	ng		96
27) 2,4-Dimethylphenol	9.737	122	479387	47.669	ng		98
28) bis(2-Chloroethoxy)met...	9.972	93	613611	44.988	ng		99
29) 2,4-Dichlorophenol	10.213	162	491610	49.210	ng		99
30) 1,2,4-Trichlorobenzene	10.425	180	495197	45.218	ng		99
31) Naphthalene	10.607	128	1534568	45.778	ng		99
32) Benzoic acid	9.890	122	382681m	51.543	ng		
33) 4-Chloroaniline	10.707	127	389745	26.321	ng		99
34) Hexachlorobutadiene	10.896	225	306039	44.872	ng		99
35) Caprolactam	11.495	113	173914	47.476	ng		98
36) 4-Chloro-3-methylphenol	11.837	107	555661	48.473	ng		99
37) 2-Methylnaphthalene	12.213	142	992936	45.516	ng		100
38) 1-Methylnaphthalene	12.437	142	1029457	44.374	ng		98
40) 1,2,4,5-Tetrachloroben...	12.584	216	553975	46.113	ng		99
41) Hexachlorocyclopentadiene	12.566	237	670283	92.369	ng		98
43) 2,4,6-Trichlorophenol	12.825	196	408898	50.417	ng		99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025472.D
Acq On : 19 Aug 2025 12:06
Operator : CG/JU
Sample : PB169244BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 19 12:52:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	452804	50.941	ng	98
46) 1,1'-Biphenyl	13.231	154	1412174	46.746	ng	99
47) 2-Chloronaphthalene	13.272	162	1094908	46.557	ng	100
48) 2-Nitroaniline	13.466	65	353391	51.571	ng	98
49) Acenaphthylene	14.119	152	1874575	48.171	ng	99
50) Dimethylphthalate	13.860	163	1476660	48.478	ng	100
51) 2,6-Dinitrotoluene	13.966	165	320426	49.910	ng	97
52) Acenaphthene	14.466	154	1076858	47.143	ng	99
53) 3-Nitroaniline	14.295	138	254955	35.296	ng	96
54) 2,4-Dinitrophenol	14.513	184	397607	115.970	ng	98
55) Dibenzofuran	14.801	168	1703170	47.161	ng	100
56) 4-Nitrophenol	14.625	139	605113	101.946	ng	99
57) 2,4-Dinitrotoluene	14.760	165	473816	51.727	ng	97
58) Fluorene	15.460	166	1322243	46.400	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.031	232	396757	50.551	ng	99
60) Diethylphthalate	15.236	149	1517718	49.036	ng	99
61) 4-Chlorophenyl-phenyle...	15.454	204	661344	46.664	ng	97
62) 4-Nitroaniline	15.478	138	353899	47.791	ng	99
63) Azobenzene	15.754	77	1322217	49.891	ng	99
65) 4,6-Dinitro-2-methylph...	15.536	198	272964	50.800	ng	99
66) n-Nitrosodiphenylamine	15.672	169	1246458	47.419	ng	99
67) 4-Bromophenyl-phenylether	16.360	248	451437	47.618	ng	95
68) Hexachlorobenzene	16.489	284	512163	46.604	ng	97
69) Atrazine	16.642	200	470922	47.838	ng	98
70) Pentachlorophenol	16.842	266	687032	99.034	ng	97
71) Phenanthrene	17.236	178	2253291	47.585	ng	99
72) Anthracene	17.330	178	2284335	47.239	ng	99
73) Carbazole	17.601	167	2155496	47.324	ng	99
74) Di-n-butylphthalate	18.201	149	2713180	48.416	ng	100
75) Fluoranthene	19.319	202	2675123	47.361	ng	99
77) Benzidine	19.507	184	1413258	45.479	ng	100
78) Pyrene	19.695	202	2762164	46.671	ng	99
80) Butylbenzylphthalate	20.642	149	1298221	48.400	ng	99
81) Benzo(a)anthracene	21.624	228	2834413	47.200	ng	99
82) 3,3'-Dichlorobenzidine	21.536	252	727758	32.152	ng	99
83) Chrysene	21.689	228	2644963	47.032	ng	99
84) Bis(2-ethylhexyl)phtha...	21.566	149	1936416	49.043	ng	99
85) Di-n-octyl phthalate	22.854	149	3437312	50.612	ng	99
87) Indeno(1,2,3-cd)pyrene	28.842	276	3500214	45.670	ng	98
88) Benzo(b)fluoranthene	23.954	252	2979641	48.351	ng	99
89) Benzo(k)fluoranthene	24.024	252	2940688	47.686	ng	99
90) Benzo(a)pyrene	24.865	252	2836165	47.279	ng	100
91) Dibenzo(a,h)anthracene	28.924	278	2878994	45.967	ng	99
92) Benzo(g,h,i)perylene	30.030	276	2809647	45.636	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025472.D
Acq On : 19 Aug 2025 12:06
Operator : CG/JU
Sample : PB169244BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Quant Time: Aug 19 12:52:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:152 Resp: 16111

Ion	Ratio	Lower	Upper
152	100		
150	157.9	125.9	188.9
115	62.9	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#2
1,4-Dioxane
Concen: 37.441 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 88 Resp: 142275

Ion	Ratio	Lower	Upper
88	100		
58	74.1	59.2	88.8
43	28.2	21.7	32.5





#3
Pyridine
Concen: 38.325 ng
RT: 3.725 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 79 Resp: 39862

Ion	Ratio	Lower	Upper
79	100		
52	73.4	55.5	83.3
51	37.9	28.3	42.5



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#4
n-Nitrosodimethylamine
Concen: 47.058 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 42 Resp: 201784

Ion	Ratio	Lower	Upper
42	100		
74	129.0	107.0	160.4
44	8.2	6.2	9.4





#5
2-Fluorophenol
Concen: 137.876 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:112 Resp: 133758

Ion	Ratio	Lower	Upper
112	100		
64	56.5	43.8	65.8
63	30.4	22.7	34.1



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#6
Aniline
Concen: 37.353 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 93 Resp: 625971

Ion	Ratio	Lower	Upper
93	100		
66	38.9	30.4	45.6
65	19.4	15.3	22.9





#7
Phenol-d6
Concen: 135.735 ng
RT: 6.972 min Scan# 6
Delta R.T. 0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 99 Resp: 168826

Ion	Ratio	Lower	Upper
99	100		
42	17.0	13.7	20.5
71	34.4	28.2	42.4



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#8
2-Chlorophenol
Concen: 47.941 ng
RT: 7.366 min Scan# 753
Delta R.T. -0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:128 Resp: 524831

Ion	Ratio	Lower	Upper
128	100		
130	33.3	12.6	52.6
64	42.9	23.4	63.4





#9
Benzaldehyde
Concen: 27.431 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 77 Resp: 23904

Ion	Ratio	Lower	Upper
77	100		
105	103.8	84.8	124.8
106	98.4	80.5	120.5



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#10
Phenol
Concen: 48.175 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 94 Resp: 628743

Ion	Ratio	Lower	Upper
94	100		
65	27.7	6.8	46.8
66	38.6	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 44.744 ng
RT: 7.213 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 93 Resp: 45515

Ion	Ratio	Lower	Upper
93	100		
63	72.2	52.6	92.6
95	31.9	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#12
1,3-Dichlorobenzene
Concen: 45.014 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:146 Resp: 543382

Ion	Ratio	Lower	Upper
146	100		
148	65.2	51.9	77.9
75	30.8	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 44.876 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:146 Resp: 55370

Ion	Ratio	Lower	Upper
146	100		
148	64.6	51.6	77.4
111	41.6	33.4	50.0

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#14
1,2-Dichlorobenzene
Concen: 44.742 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:146 Resp: 534380

Ion	Ratio	Lower	Upper
146	100		
148	66.0	50.4	75.6
111	44.3	34.5	51.7





#15
Benzyl Alcohol
Concen: 44.974 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 79 Resp: 44447

Ion	Ratio	Lower	Upper
79	100		
108	78.8	63.8	95.6
77	61.1	49.0	73.4

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#16
2,2'-oxybis(1-Chloropropane)
Concen: 45.153 ng
RT: 8.307 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 45 Resp: 615310

Ion	Ratio	Lower	Upper
45	100		
77	14.7	0.0	35.3
79	11.1	0.0	31.8





#17
2-Methylphenol
Concen: 46.879 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:107 Resp: 42492

Ion	Ratio	Lower	Upper
107	100		
108	114.5	89.4	134.0
77	44.9	36.3	54.5
79	46.0	36.6	54.8



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#18
Hexachloroethane
Concen: 45.209 ng
RT: 8.860 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:117 Resp: 205091

Ion	Ratio	Lower	Upper
117	100		
119	97.0	75.1	112.7
201	102.5	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 42.121 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 70 Resp: 34701

Ion	Ratio	Lower	Upper
70	100		
42	58.0	43.8	65.6
101	11.4	8.5	12.7
130	24.8	19.4	29.0



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#20
3+4-Methylphenols
Concen: 46.577 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:107 Resp: 585226

Ion	Ratio	Lower	Upper
107	100		
108	87.9	66.3	106.3
77	32.9	12.3	52.3
79	28.7	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:136 Resp: 64495

Ion	Ratio	Lower	Upper
136	100		
137	10.6	9.2	13.8
54	8.1	6.0	9.0
68	5.6	4.3	6.5

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#22
Acetophenone
Concen: 45.445 ng
RT: 8.601 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:105 Resp: 735041

Ion	Ratio	Lower	Upper
105	100		
71	2.4	2.6	4.0#
51	26.0	20.6	30.8
120	23.3	18.6	27.8





#23
Nitrobenzene-d5
Concen: 82.423 ng
RT: 8.931 min Scan# 1(
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 82 Resp: 105088

Ion	Ratio	Lower	Upper
82	100		
128	45.6	37.7	56.5
54	50.4	39.8	59.6

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#24
Nitrobenzene
Concen: 46.610 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 77 Resp: 531108

Ion	Ratio	Lower	Upper
77	100		
123	48.2	38.6	58.0
65	13.2	10.6	15.8





#25
Isophorone
Concen: 44.048 ng
RT: 9.496 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 82 Resp: 99389

Ion	Ratio	Lower	Upper
82	100		
95	7.5	6.4	9.6
138	18.8	15.4	23.0

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#26
2-Nitrophenol
Concen: 46.827 ng
RT: 9.672 min Scan# 1145
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:139 Resp: 273836

Ion	Ratio	Lower	Upper
139	100		
109	32.9	26.9	40.3
65	51.5	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 47.669 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:122 Resp: 47938

Ion	Ratio	Lower	Upper
122	100		
107	119.5	93.7	140.5
121	60.1	46.6	69.8



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#28
bis(2-Chloroethoxy)methane
Concen: 44.988 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 93 Resp: 613611

Ion	Ratio	Lower	Upper
93	100		
95	32.4	25.4	38.0
123	11.5	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 49.210 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:162 Resp: 49161

Ion	Ratio	Lower	Upper
162	100		
164	63.1	44.4	84.4
98	34.9	14.9	54.9



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#30
1,2,4-Trichlorobenzene
Concen: 45.218 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:180 Resp: 495197

Ion	Ratio	Lower	Upper
180	100		
182	96.4	78.0	117.0
145	31.0	25.9	38.9





#31
Naphthalene
Concen: 45.778 ng
RT: 10.607 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:128 Resp: 153456

Ion	Ratio	Lower	Upper
128	100		
129	10.9	8.6	13.0
127	12.7	10.7	16.1



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#32
Benzoic acid
Concen: 51.543 ng m
RT: 9.890 min Scan# 1182
Delta R.T. 0.018 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:122 Resp: 382681

Ion	Ratio	Lower	Upper
122	100		
105	123.0	100.6	140.6
77	93.3	71.5	111.5





#33
4-Chloroaniline
Concen: 26.321 ng
RT: 10.707 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:127 Resp: 38974

Ion	Ratio	Lower	Upper
127	100		
129	32.4	25.4	38.2
65	30.3	23.8	35.6
92	20.0	15.8	23.8



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#34
Hexachlorobutadiene
Concen: 44.872 ng
RT: 10.896 min Scan# 1353
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:225 Resp: 306039

Ion	Ratio	Lower	Upper
225	100		
223	61.5	50.0	75.0
227	62.9	49.7	74.5





#35
Caprolactam
Concen: 47.476 ng
RT: 11.495 min Scan# 14
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:113 Resp: 173914

Ion	Ratio	Lower	Upper
113	100		
55	162.3	140.0	180.0
56	122.1	100.0	140.0



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#36
4-Chloro-3-methylphenol
Concen: 48.473 ng
RT: 11.837 min Scan# 1513
Delta R.T. -0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:107 Resp: 555661

Ion	Ratio	Lower	Upper
107	100		
144	25.9	21.0	31.4
142	80.1	64.6	97.0





#37
2-Methylnaphthalene
Concen: 45.516 ng
RT: 12.213 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:142 Resp: 99293

Ion	Ratio	Lower	Upper
142	100		
141	88.0	70.3	105.5
115	35.4	28.9	43.3



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#38
1-Methylnaphthalene
Concen: 44.374 ng
RT: 12.437 min Scan# 1615
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:142 Resp: 1029457

Ion	Ratio	Lower	Upper
142	100		
141	92.9	73.1	109.7
116	4.1	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:164 Resp: 41596

Ion	Ratio	Lower	Upper
164	100		
162	100.5	81.0	121.6
160	42.7	35.4	53.2



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 46.113 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:216 Resp: 553975

Ion	Ratio	Lower	Upper
216	100		
214	78.5	63.0	94.4
179	21.6	17.1	25.7
108	20.9	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 92.369 ng
RT: 12.566 min Scan# 1(
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:237 Resp: 67028

Ion	Ratio	Lower	Upper
237	100		
235	61.7	42.7	82.7
272	12.8	0.0	34.0



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#42
2,4,6-Tribromophenol
Concen: 138.474 ng
RT: 15.901 min Scan# 2204
Delta R.T. -0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:330 Resp: 775299

Ion	Ratio	Lower	Upper
330	100		
332	97.0	77.3	115.9
141	33.1	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 50.417 ng
RT: 12.825 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:196 Resp: 40889

Ion	Ratio	Lower	Upper
196	100		
198	95.3	77.2	115.8
200	30.7	23.9	35.9

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#44
2,4,5-Trichlorophenol
Concen: 50.941 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:196 Resp: 452804

Ion	Ratio	Lower	Upper
196	100		
198	94.9	76.2	114.2
97	48.4	41.2	61.8
132	28.8	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 81.083 ng
RT: 13.013 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:172 Resp: 246780

Ion	Ratio	Lower	Upper
172	100		
171	35.2	28.1	42.1
170	23.3	18.6	28.0



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#46
1,1'-Biphenyl
Concen: 46.746 ng
RT: 13.231 min Scan# 1750
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:154 Resp: 1412174

Ion	Ratio	Lower	Upper
154	100		
153	40.4	19.5	59.5
76	11.3	0.0	31.1





#47
2-Chloronaphthalene
Concen: 46.557 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:162 Resp: 109490

Ion	Ratio	Lower	Upper
162	100		
127	41.7	33.4	50.2
164	32.4	26.2	39.2



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#48
2-Nitroaniline
Concen: 51.571 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 65 Resp: 353391

Ion	Ratio	Lower	Upper
65	100		
92	71.0	57.6	86.4
138	111.2	91.0	136.6





#49
Acenaphthylene
Concen: 48.171 ng
RT: 14.119 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:152 Resp: 187457

Ion	Ratio	Lower	Upper
152	100		
151	19.7	16.0	24.0
153	13.0	10.6	15.8



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#50
Dimethylphthalate
Concen: 48.478 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:163 Resp: 1476660

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	9.9	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 49.910 ng
RT: 13.966 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:165 Resp: 32042

Ion	Ratio	Lower	Upper
165	100		
63	53.6	40.9	61.3
89	54.9	42.1	63.1

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#52
Acenaphthene
Concen: 47.143 ng
RT: 14.466 min Scan# 1960
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:154 Resp: 1076858

Ion	Ratio	Lower	Upper
154	100		
153	111.7	90.2	135.2
152	52.7	42.1	63.1





#53
3-Nitroaniline
Concen: 35.296 ng
RT: 14.295 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:138 Resp: 25495

Ion	Ratio	Lower	Upper
138	100		
108	11.0	8.3	12.5
92	112.5	86.2	129.2



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#54
2,4-Dinitrophenol
Concen: 115.970 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:184 Resp: 397607

Ion	Ratio	Lower	Upper
184	100		
63	59.0	49.4	74.2
154	68.5	54.6	82.0





#55
Dibenzofuran
Concen: 47.161 ng
RT: 14.801 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:168 Resp: 170317

Ion	Ratio	Lower	Upper
168	100		
139	39.7	31.5	47.3
169	13.6	10.9	16.3



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#56
4-Nitrophenol
Concen: 101.946 ng
RT: 14.625 min Scan# 1987
Delta R.T. 0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:139 Resp: 605113

Ion	Ratio	Lower	Upper
139	100		
109	77.8	56.6	96.6
65	89.0	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 51.727 ng
RT: 14.760 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:165 Resp: 47381

Ion	Ratio	Lower	Upper
165	100		
63	42.7	31.4	47.2
89	68.2	53.3	79.9
182	2.9	2.3	3.5



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#58
Fluorene
Concen: 46.400 ng
RT: 15.460 min Scan# 2129
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:166 Resp: 1322243

Ion	Ratio	Lower	Upper
166	100		
165	97.5	78.8	118.2
167	14.1	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 50.551 ng
RT: 15.031 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:232 Resp: 39675

Ion	Ratio	Lower	Upper
232	100		
131	46.9	37.0	55.6
130	2.5	1.9	2.9
166	31.6	25.4	38.0



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#60
Diethylphthalate
Concen: 49.036 ng
RT: 15.236 min Scan# 2091
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:149 Resp: 1517718

Ion	Ratio	Lower	Upper
149	100		
177	22.2	17.3	25.9
150	12.3	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 46.664 ng
RT: 15.454 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:204 Resp: 66134

Ion	Ratio	Lower	Upper
204	100		
206	32.6	25.8	38.8
141	65.0	49.4	74.2

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#62
4-Nitroaniline
Concen: 47.791 ng
RT: 15.478 min Scan# 2132
Delta R.T. -0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:138 Resp: 353899

Ion	Ratio	Lower	Upper
138	100		
92	50.5	29.1	69.1
108	82.2	61.5	101.5





#63
Azobenzene
Concen: 49.891 ng
RT: 15.754 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion: 77 Resp: 132221

Ion	Ratio	Lower	Upper
77	100		
182	28.1	7.5	47.5
105	22.3	2.1	42.1
51	30.6	9.6	49.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.189 min Scan# 2423
Delta R.T. -0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:188 Resp: 862003

Ion	Ratio	Lower	Upper
188	100		
94	9.6	6.6	10.0
80	10.5	6.7	10.1#





#65
4,6-Dinitro-2-methylphenol
Concen: 50.800 ng
RT: 15.536 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:198 Resp: 27296

Ion	Ratio	Lower	Upper
198	100		
51	41.2	19.6	59.6
105	40.6	20.9	60.9

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#66
n-Nitrosodiphenylamine
Concen: 47.419 ng
RT: 15.672 min Scan# 2165
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:169 Resp: 1246458

Ion	Ratio	Lower	Upper
169	100		
168	66.0	53.2	79.8
167	35.7	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 47.618 ng
RT: 16.360 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:248 Resp: 45143

Ion	Ratio	Lower	Upper
248	100		
250	98.8	78.2	117.2
141	83.4	59.6	89.4

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#68
Hexachlorobenzene
Concen: 46.604 ng
RT: 16.489 min Scan# 2304
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:284 Resp: 512163

Ion	Ratio	Lower	Upper
284	100		
142	33.7	29.1	43.7
249	31.3	25.0	37.4





#69
Atrazine
Concen: 47.838 ng
RT: 16.642 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:200 Resp: 47092

Ion	Ratio	Lower	Upper
200	100		
173	25.6	6.7	46.7
215	48.4	29.7	69.7

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#70
Pentachlorophenol
Concen: 99.034 ng
RT: 16.842 min Scan# 2364
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:266 Resp: 687032

Ion	Ratio	Lower	Upper
266	100		
268	63.2	52.6	79.0
264	62.2	52.0	78.0





#71
Phenanthrene
Concen: 47.585 ng
RT: 17.236 min Scan# 24
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:178 Resp: 225329

Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.5	23.3
179	15.2	12.2	18.4



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#72
Anthracene
Concen: 47.239 ng
RT: 17.330 min Scan# 2447
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:178 Resp: 2284335

Ion	Ratio	Lower	Upper
178	100		
176	18.3	14.7	22.1
179	15.7	12.2	18.2





#73
Carbazole
Concen: 47.324 ng
RT: 17.601 min Scan# 24
Delta R.T. -0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:167 Resp: 215549

Ion	Ratio	Lower	Upper
167	100		
166	21.2	17.5	26.3
139	13.2	10.6	16.0



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#74
Di-n-butylphthalate
Concen: 48.416 ng
RT: 18.201 min Scan# 2595
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:149 Resp: 2713180

Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.4	11.0
104	5.1	4.2	6.2





#75
Fluoranthene
Concen: 47.361 ng
RT: 19.319 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:202 Resp: 267512

Ion	Ratio	Lower	Upper
202	100		
101	10.5	0.0	31.1
203	17.4	0.0	37.3



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:240 Resp: 910554

Ion	Ratio	Lower	Upper
240	100		
120	10.7	8.9	13.3
236	25.6	19.8	29.8





#77
Benzidine
Concen: 45.479 ng
RT: 19.507 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:184 Resp: 141325

Ion	Ratio	Lower	Upper
184	100		
185	14.2	11.5	17.3
183	11.7	9.4	14.2



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#78
Pyrene
Concen: 46.671 ng
RT: 19.695 min Scan# 2849
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:202 Resp: 2762164

Ion	Ratio	Lower	Upper
202	100		
200	20.6	16.9	25.3
203	17.4	14.2	21.2





#79
Terphenyl-d14
Concen: 81.923 ng
RT: 19.907 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:244 Resp: 407720

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	10.1	7.4	11.2



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#80
Butylbenzylphthalate
Concen: 48.400 ng
RT: 20.642 min Scan# 3010
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:149 Resp: 1298221

Ion	Ratio	Lower	Upper
149	100		
91	67.1	54.2	81.2
206	20.7	16.6	24.8





#81
Benzo(a)anthracene
Concen: 47.200 ng
RT: 21.624 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:228 Resp: 283441

Ion	Ratio	Lower	Upper
228	100		
226	26.8	21.7	32.5
229	19.8	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#82
3,3'-Dichlorobenzidine
Concen: 32.152 ng
RT: 21.536 min Scan# 3162
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:252 Resp: 727758

Ion	Ratio	Lower	Upper
252	100		
254	65.3	51.8	77.6
126	11.8	9.1	13.7





#83
Chrysene
Concen: 47.032 ng
RT: 21.689 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:228 Resp: 264496

Ion	Ratio	Lower	Upper
228	100		
226	29.9	23.2	34.8
229	19.6	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 49.043 ng
RT: 21.566 min Scan# 3167
Delta R.T. -0.018 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:149 Resp: 1936416

Ion	Ratio	Lower	Upper
149	100		
167	28.2	22.1	33.1
279	4.5	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 50.612 ng
RT: 22.854 min Scan# 3
Delta R.T. -0.018 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:149 Resp: 343731

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.3	1.9
43	8.3	6.3	9.5



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.001 min Scan# 3751
Delta R.T. -0.029 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:264 Resp: 1045081

Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.3	28.9
265	22.8	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 45.670 ng
RT: 28.842 min Scan# 4
Delta R.T. -0.024 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:276 Resp: 350021

Ion	Ratio	Lower	Upper
276	100		
138	16.9	12.9	19.3
277	20.2	17.0	25.6



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#88
Benzo(b)fluoranthene
Concen: 48.351 ng
RT: 23.954 min Scan# 3573
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:252 Resp: 2979641

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.7	26.5
125	9.3	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 47.686 ng
RT: 24.024 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:252 Resp: 294068

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.1	25.7
125	9.4	7.8	11.6

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#90
Benzo(a)pyrene
Concen: 47.279 ng
RT: 24.865 min Scan# 3728
Delta R.T. 0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:252 Resp: 2836165

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	10.8	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 45.967 ng
RT: 28.924 min Scan# 4
Delta R.T. -0.029 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:278 Resp: 287899

Ion	Ratio	Lower	Upper
278	100		
139	15.5	13.0	19.4
279	24.5	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
PB169244BS

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#92
Benzo(g,h,i)perylene
Concen: 45.636 ng
RT: 30.030 min Scan# 4606
Delta R.T. -0.029 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:276 Resp: 2809647

Ion	Ratio	Lower	Upper
276	100		
277	23.3	19.4	29.0
138	20.4	16.7	25.1



Raw Data: **BP025425.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169230BSD	SDG No.:	Q2815
Lab Sample ID:	PB169230BSD	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025425.D	1	08/12/25 11:39	08/15/25 13:26	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	26.6		3.90	8.00	10.0	ug/L
108-95-2	Phenol	44.9		0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	42.2		0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	44.7		0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	44.2		1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	42.6		1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	42.9		0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	43.5		1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	39.9		1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	42.8		0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	45.0		0.76	4.00	5.00	ug/L
78-59-1	Isophorone	41.7		0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	44.5		1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	45.3		1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	42.8		0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	45.8		0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	43.1		0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	27.2		0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	42.6		0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	43.9		1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	44.6		0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	42.8		0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	96.4	E	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	45.9		0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	47.0		0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	43.5		0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	43.5		0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	47.5		1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	43.9		0.61	4.00	5.00	ug/L

Raw Data: **BP025425.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169230BSD	SDG No.:	Q2815
Lab Sample ID:	PB169230BSD	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025425.D	1	08/12/25 11:39	08/15/25 13:26	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	43.7		0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	46.5		0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	33.4		1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	44.3		0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	110	E	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	95.3	E	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	42.9		0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	47.7		1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	44.2		0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	42.7		0.68	4.00	5.00	ug/L
86-73-7	Fluorene	43.0		0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	43.3		1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	49.6		2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	44.8		0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	44.7		0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	44.5		0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	46.2		1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	98.0	E	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	44.8		0.50	4.00	5.00	ug/L
120-12-7	Anthracene	45.2		0.61	4.00	5.00	ug/L
86-74-8	Carbazole	45.9		0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	45.9		1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	44.5		0.82	4.00	5.00	ug/L
129-00-0	Pyrene	44.7		0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	46.5		1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	34.1		0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	46.3		0.45	4.00	5.00	ug/L
218-01-9	Chrysene	46.0		0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	46.2		1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	48.8		2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	47.6		0.49	4.00	5.00	ug/L

Raw Data: **BP025425.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169230BSD	SDG No.:	Q2815
Lab Sample ID:	PB169230BSD	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025425.D	1	08/12/25 11:39	08/15/25 13:26	PB169230

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	46.9		0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	47.1		0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	46.9		0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	47.0		0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	46.7		0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	43.3		0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	37.1		1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	46.0		0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	124		19 - 119		83%	SPK: 150
13127-88-3	Phenol-d6	123		10 - 130		82%	SPK: 150
4165-60-0	Nitrobenzene-d5	77.4		44 - 120		77%	SPK: 100
321-60-8	2-Fluorobiphenyl	76.8		44 - 119		77%	SPK: 100
118-79-6	2,4,6-Tribromophenol	125		43 - 140		83%	SPK: 150
1718-51-0	Terphenyl-d14	77.3		50 - 134		77%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	168000	7.778				
1146-65-2	Naphthalene-d8	667000	10.548				
15067-26-2	Acenaphthene-d10	425000	14.401				
1517-22-2	Phenanthrene-d10	837000	17.207				
1719-03-5	Chrysene-d12	883000	21.654				
1520-96-3	Perylene-d12	1040000	25.012				

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025425.D
Acq On : 15 Aug 2025 13:26
Operator : CG/JU
Sample : PB169230BSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Quant Time: Aug 15 13:57:27 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.778	152	168072	20.000	ng	-0.02
21) Naphthalene-d8	10.548	136	666741	20.000	ng	-0.01
39) Acenaphthene-d10	14.401	164	424927	20.000	ng	0.00
64) Phenanthrene-d10	17.207	188	837407	20.000	ng	0.00
76) Chrysene-d12	21.654	240	883409	20.000	ng	0.00
86) Perylene-d12	25.012	264	1035260	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.396	112	1259438	124.443	ng	-0.01
7) Phenol-d6	6.960	99	1600680	123.363	ng	0.00
23) Nitrobenzene-d5	8.919	82	1020486	77.424	ng	-0.02
42) 2,4,6-Tribromophenol	15.919	330	712661	124.601	ng	0.00
45) 2-Fluorobiphenyl	13.013	172	2387172	76.778	ng	0.00
79) Terphenyl-d14	19.924	244	3734835	77.350	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.325	88	147246	37.144	ng	98
3) Pyridine	3.719	79	373939	34.463	ng	97
4) n-Nitrosodimethylamine	3.625	42	197894	44.239	ng	94
6) Aniline	7.113	93	636255	36.394	ng	99
8) 2-Chlorophenol	7.354	128	510013	44.657	ng	99
9) Benzaldehyde	6.925	77	241816	26.600	ng	98
10) Phenol	6.984	94	611448	44.909	ng	96
11) bis(2-Chloroethyl)ether	7.207	93	447428	42.162	ng	98
12) 1,3-Dichlorobenzene	7.672	146	524682	41.664	ng	99
13) 1,4-Dichlorobenzene	7.813	146	536677	41.695	ng	99
14) 1,2-Dichlorobenzene	8.131	146	518242	41.593	ng	97
15) Benzyl Alcohol	8.013	79	443998	43.066	ng	97
16) 2,2'-oxybis(1-Chloropr...	8.295	45	605807	42.615	ng	98
17) 2-Methylphenol	8.213	107	418119	44.217	ng	99
18) Hexachloroethane	8.854	117	202516	42.792	ng	98
19) n-Nitroso-di-n-propyla...	8.578	70	342802	39.885	ng	97
20) 3+4-Methylphenols	8.537	107	570482	43.523	ng	98
22) Acetophenone	8.590	105	717162	42.891	ng	98
24) Nitrobenzene	8.960	77	529804	44.976	ng	98
25) Isophorone	9.489	82	973615	41.739	ng	99
26) 2-Nitrophenol	9.666	139	269071	44.509	ng	95
27) 2,4-Dimethylphenol	9.731	122	470718	45.278	ng	97
28) bis(2-Chloroethoxy)met...	9.960	93	602831	42.754	ng	97
29) 2,4-Dichlorophenol	10.201	162	473045	45.804	ng	99
30) 1,2,4-Trichlorobenzene	10.419	180	483350	42.694	ng	100
31) Naphthalene	10.601	128	1494676	43.131	ng	99
32) Benzoic acid	9.872	122	362237	47.195	ng	96
33) 4-Chloroaniline	10.701	127	415649	27.153	ng	99
34) Hexachlorobutadiene	10.889	225	300315	42.594	ng	99
35) Caprolactam	11.483	113	166236	43.898	ng	96
36) 4-Chloro-3-methylphenol	11.831	107	528039	44.558	ng	99
37) 2-Methylnaphthalene	12.207	142	965857	42.828	ng	100
38) 1-Methylnaphthalene	12.431	142	991029	41.322	ng	100
40) 1,2,4,5-Tetrachloroben...	12.578	216	530873	43.258	ng	99
41) Hexachlorocyclopentadiene	12.560	237	714288	96.356	ng	99
43) 2,4,6-Trichlorophenol	12.819	196	380238	45.894	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025425.D
Acq On : 15 Aug 2025 13:26
Operator : CG/JU
Sample : PB169230BSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Quant Time: Aug 15 13:57:27 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.889	196	426971	47.021	ng	99
46) 1,1'-Biphenyl	13.225	154	1341958	43.484	ng	98
47) 2-Chloronaphthalene	13.260	162	1045208	43.506	ng	99
48) 2-Nitroaniline	13.466	65	332445	47.491	ng	97
49) Acenaphthylene	14.119	152	1736412	43.679	ng	100
50) Dimethylphthalate	13.854	163	1364594	43.854	ng	99
51) 2,6-Dinitrotoluene	13.960	165	305278	46.547	ng	95
52) Acenaphthene	14.472	154	1034163	44.318	ng	99
53) 3-Nitroaniline	14.295	138	246772	33.442	ng	99
54) 2,4-Dinitrophenol	14.507	184	378502	108.068	ng	95
55) Dibenzofuran	14.807	168	1583459	42.921	ng	98
56) 4-Nitrophenol	14.613	139	578099	95.340	ng	91
57) 2,4-Dinitrotoluene	14.766	165	446631	47.730	ng	97
58) Fluorene	15.466	166	1251709	42.998	ng	97
59) 2,3,4,6-Tetrachlorophenol	15.030	232	368890	46.009	ng	99
60) Diethylphthalate	15.242	149	1397834	44.210	ng	99
61) 4-Chlorophenyl-phenyle...	15.460	204	617566	42.656	ng	96
62) 4-Nitroaniline	15.477	138	327789	43.331	ng	96
63) Azobenzene	15.754	77	1250604	46.193	ng	97
65) 4,6-Dinitro-2-methylph...	15.542	198	258648	49.550	ng	90
66) n-Nitrosodiphenylamine	15.672	169	1144220	44.808	ng	99
67) 4-Bromophenyl-phenylether	16.371	248	411920	44.726	ng	96
68) Hexachlorobenzene	16.489	284	475535	44.542	ng	100
69) Atrazine	16.660	200	441483	46.165	ng	97
70) Pentachlorophenol	16.848	266	660333	97.981	ng	97
71) Phenanthrene	17.248	178	2060065	44.783	ng	99
72) Anthracene	17.336	178	2122885	45.190	ng	100
73) Carbazole	17.618	167	2031552	45.913	ng	99
74) Di-n-butylphthalate	18.213	149	2497806	45.882	ng	100
75) Fluoranthene	19.336	202	2442709	44.517	ng	99
77) Benzidine	19.518	184	1450901	48.125	ng	100
78) Pyrene	19.712	202	2568011	44.724	ng	100
80) Butylbenzylphthalate	20.654	149	1210580	46.520	ng	97
81) Benzo(a)anthracene	21.630	228	2695916	46.273	ng	99
82) 3,3'-Dichlorobenzidine	21.548	252	748927	34.104	ng	99
83) Chrysene	21.695	228	2507192	45.952	ng	98
84) Bis(2-ethylhexyl)phtha...	21.571	149	1768457	46.165	ng	100
85) Di-n-octyl phthalate	22.859	149	3215556	48.802	ng	99
87) Indeno(1,2,3-cd)pyrene	28.841	276	3557513	46.858	ng	98
88) Benzo(b)fluoranthene	23.936	252	2906105	47.605	ng	100
89) Benzo(k)fluoranthene	24.018	252	2863889	46.881	ng	99
90) Benzo(a)pyrene	24.859	252	2797186	47.072	ng	100
91) Dibenzo(a,h)anthracene	28.912	278	2913978	46.967	ng	98
92) Benzo(g,h,i)perylene	30.018	276	2846019	46.665	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025425.D
Acq On : 15 Aug 2025 13:26
Operator : CG/JU
Sample : PB169230BSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Quant Time: Aug 15 13:57:27 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.778 min Scan# 8
Delta R.T. -0.018 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:152 Resp: 168072

Ion	Ratio	Lower	Upper
152	100		
150	154.0	125.9	188.9
115	62.1	48.5	72.7





#2
1,4-Dioxane
Concen: 37.144 ng
RT: 3.325 min Scan# 66
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion: 88 Resp: 147246

Ion	Ratio	Lower	Upper
88	100		
58	75.5	59.2	88.8
43	28.1	21.7	32.5





#3
Pyridine
Concen: 34.463 ng
RT: 3.719 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion: 79 Resp: 373939

Ion	Ratio	Lower	Upper
79	100		
52	72.8	55.5	83.3
51	36.6	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 44.239 ng
RT: 3.625 min Scan# 117
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion: 42 Resp: 197894

Ion	Ratio	Lower	Upper
42	100		
74	126.8	107.0	160.4
44	7.9	6.2	9.4





#5
2-Fluorophenol
Concen: 124.443 ng
RT: 5.396 min Scan# 41
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:112 Resp: 1259438

Ion	Ratio	Lower	Upper
112	100		
64	57.0	43.8	65.8
63	30.7	22.7	34.1





#6
Aniline
Concen: 36.394 ng
RT: 7.113 min Scan# 710
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion: 93 Resp: 636255

Ion	Ratio	Lower	Upper
93	100		
66	39.1	30.4	45.6
65	19.3	15.3	22.9





#7
Phenol-d6
Concen: 123.363 ng
RT: 6.960 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion: 99 Resp: 1600680

Ion	Ratio	Lower	Upper
99	100		
42	17.8	13.7	20.5
71	35.6	28.2	42.4





#8
2-Chlorophenol
Concen: 44.657 ng
RT: 7.354 min Scan# 751
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:128 Resp: 510013

Ion	Ratio	Lower	Upper
128	100		
130	31.7	12.6	52.6
64	43.3	23.4	63.4





#9
Benzaldehyde
Concen: 26.600 ng
RT: 6.925 min Scan# 6
Delta R.T. -0.018 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion: 77 Resp: 241816

Ion	Ratio	Lower	Upper
77	100		
105	103.0	84.8	124.8
106	97.7	80.5	120.5





#10
Phenol
Concen: 44.909 ng
RT: 6.984 min Scan# 688
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion: 94 Resp: 611448

Ion	Ratio	Lower	Upper
94	100		
65	29.5	6.8	46.8
66	40.4	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 42.162 ng
RT: 7.207 min Scan# 7
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion: 93 Resp: 447428

Ion	Ratio	Lower	Upper
93	100		
63	74.5	52.6	92.6
95	33.4	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 41.664 ng
RT: 7.672 min Scan# 805
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:146 Resp: 524682

Ion	Ratio	Lower	Upper
146	100		
148	64.6	51.9	77.9
75	28.9	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 41.695 ng
RT: 7.813 min Scan# 8
Delta R.T. -0.018 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:146 Resp: 536677

Ion	Ratio	Lower	Upper
146	100		
148	64.0	51.6	77.4
111	43.0	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 41.593 ng
RT: 8.131 min Scan# 883
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:146 Resp: 518242

Ion	Ratio	Lower	Upper
146	100		
148	65.4	50.4	75.6
111	44.4	34.5	51.7





#15
Benzyl Alcohol
Concen: 43.066 ng
RT: 8.013 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion: 79 Resp: 443998

Ion	Ratio	Lower	Upper
79	100		
108	77.5	63.8	95.6
77	63.3	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 42.615 ng
RT: 8.295 min Scan# 911
Delta R.T. -0.018 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion: 45 Resp: 605807

Ion	Ratio	Lower	Upper
45	100		
77	14.4	0.0	35.3
79	10.8	0.0	31.8





#17
2-Methylphenol
Concen: 44.217 ng
RT: 8.213 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:107 Resp: 418119

Ion	Ratio	Lower	Upper
107	100		
108	113.0	89.4	134.0
77	45.5	36.3	54.5
79	46.1	36.6	54.8





#18
Hexachloroethane
Concen: 42.792 ng
RT: 8.854 min Scan# 1006
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:117 Resp: 202516

Ion	Ratio	Lower	Upper
117	100		
119	93.8	75.1	112.7
201	104.6	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 39.885 ng
RT: 8.578 min Scan# 9
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion: 70 Resp: 342802

Ion	Ratio	Lower	Upper
70	100		
42	58.4	43.8	65.6
101	10.4	8.5	12.7
130	23.6	19.4	29.0





#20
3+4-Methylphenols
Concen: 43.523 ng
RT: 8.537 min Scan# 952
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:107 Resp: 570482

Ion	Ratio	Lower	Upper
107	100		
108	88.2	66.3	106.3
77	33.4	12.3	52.3
79	29.7	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.548 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:136 Resp: 666741

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.2	13.8
54	8.0	6.0	9.0
68	5.2	4.3	6.5





#22
Acetophenone
Concen: 42.891 ng
RT: 8.590 min Scan# 961
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:105 Resp: 717162

Ion	Ratio	Lower	Upper
105	100		
71	3.9	2.6	4.0
51	26.7	20.6	30.8
120	22.5	18.6	27.8





#23
Nitrobenzene-d5
Concen: 77.424 ng
RT: 8.919 min Scan# 1
Delta R.T. -0.018 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion: 82 Resp: 1020486

Ion	Ratio	Lower	Upper
82	100		
128	45.0	37.7	56.5
54	51.8	39.8	59.6





#24
Nitrobenzene
Concen: 44.976 ng
RT: 8.960 min Scan# 1024
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion: 77 Resp: 529804

Ion	Ratio	Lower	Upper
77	100		
123	47.1	38.6	58.0
65	14.2	10.6	15.8





#25
Isophorone
Concen: 41.739 ng
RT: 9.489 min Scan# 11
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion: 82 Resp: 973615

Ion	Ratio	Lower	Upper
82	100		
95	8.0	6.4	9.6
138	18.8	15.4	23.0





#26
2-Nitrophenol
Concen: 44.509 ng
RT: 9.666 min Scan# 1144
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:139 Resp: 269071

Ion	Ratio	Lower	Upper
139	100		
109	35.0	26.9	40.3
65	52.0	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 45.278 ng
RT: 9.731 min Scan# 11
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:122 Resp: 470718

Ion	Ratio	Lower	Upper
122	100		
107	120.6	93.7	140.5
121	60.5	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 42.754 ng
RT: 9.960 min Scan# 1194
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion: 93 Resp: 602831

Ion	Ratio	Lower	Upper
93	100		
95	33.6	25.4	38.0
123	12.1	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 45.804 ng
RT: 10.201 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:162 Resp: 473045

Ion	Ratio	Lower	Upper
162	100		
164	63.1	44.4	84.4
98	35.6	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 42.694 ng
RT: 10.419 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:180 Resp: 483350

Ion	Ratio	Lower	Upper
180	100		
182	97.6	78.0	117.0
145	31.9	25.9	38.9





#31
Naphthalene
Concen: 43.131 ng
RT: 10.601 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:128 Resp: 1494676

Ion	Ratio	Lower	Upper
128	100		
129	10.7	8.6	13.0
127	13.0	10.7	16.1





#32
Benzoic acid
Concen: 47.195 ng
RT: 9.872 min Scan# 1179
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:122 Resp: 362237

Ion	Ratio	Lower	Upper
122	100		
105	125.6	100.6	140.6
77	95.2	71.5	111.5





#33
4-Chloroaniline
Concen: 27.153 ng
RT: 10.701 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:127 Resp: 415649

Ion	Ratio	Lower	Upper
127	100		
129	32.4	25.4	38.2
65	29.1	23.8	35.6
92	19.4	15.8	23.8





#34
Hexachlorobutadiene
Concen: 42.594 ng
RT: 10.889 min Scan# 1352
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:225 Resp: 300315

Ion	Ratio	Lower	Upper
225	100		
223	62.0	50.0	75.0
227	62.7	49.7	74.5





#35
Caprolactam
Concen: 43.898 ng
RT: 11.483 min Scan# 14
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:113 Resp: 166236

Ion	Ratio	Lower	Upper
113	100		
55	153.8	140.0	180.0
56	117.1	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 44.558 ng
RT: 11.831 min Scan# 1512
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:107 Resp: 528039

Ion	Ratio	Lower	Upper
107	100		
144	26.2	21.0	31.4
142	81.6	64.6	97.0





#37
2-Methylnaphthalene
Concen: 42.828 ng
RT: 12.207 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:142 Resp: 965857

Ion	Ratio	Lower	Upper
142	100		
141	88.3	70.3	105.5
115	36.2	28.9	43.3





#38
1-Methylnaphthalene
Concen: 41.322 ng
RT: 12.431 min Scan# 1614
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:142 Resp: 991029

Ion	Ratio	Lower	Upper
142	100		
141	91.7	73.1	109.7
116	4.4	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:164 Resp: 424927

Ion	Ratio	Lower	Upper
164	100		
162	102.0	81.0	121.6
160	44.4	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 43.258 ng
RT: 12.578 min Scan# 1639
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:216 Resp: 530873

Ion	Ratio	Lower	Upper
216	100		
214	78.9	63.0	94.4
179	21.8	17.1	25.7
108	21.8	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 96.356 ng
RT: 12.560 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:237 Resp: 714288

Ion	Ratio	Lower	Upper
237	100		
235	62.0	42.7	82.7
272	12.8	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 124.601 ng
RT: 15.919 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:330 Resp: 712661

Ion	Ratio	Lower	Upper
330	100		
332	96.9	77.3	115.9
141	34.9	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 45.894 ng
RT: 12.819 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:196 Resp: 380238

Ion	Ratio	Lower	Upper
196	100		
198	94.0	77.2	115.8
200	31.1	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 47.021 ng
RT: 12.889 min Scan# 1692
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:196 Resp: 426971

Ion	Ratio	Lower	Upper
196	100		
198	94.9	76.2	114.2
97	51.2	41.2	61.8
132	29.1	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 76.778 ng
RT: 13.013 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:172 Resp: 2387172

Ion	Ratio	Lower	Upper
172	100		
171	35.4	28.1	42.1
170	23.4	18.6	28.0





#46
1,1'-Biphenyl
Concen: 43.484 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:154 Resp: 1341958

Ion	Ratio	Lower	Upper
154	100		
153	40.4	19.5	59.5
76	11.9	0.0	31.1





#47
2-Chloronaphthalene
Concen: 43.506 ng
RT: 13.260 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:162 Resp: 1045208

Ion	Ratio	Lower	Upper
162	100		
127	41.0	33.4	50.2
164	32.8	26.2	39.2





#48
2-Nitroaniline
Concen: 47.491 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion: 65 Resp: 332445

Ion	Ratio	Lower	Upper
65	100		
92	69.9	57.6	86.4
138	110.8	91.0	136.6





#49
Acenaphthylene
Concen: 43.679 ng
RT: 14.119 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:152 Resp: 1736412

Ion	Ratio	Lower	Upper
152	100		
151	20.0	16.0	24.0
153	13.2	10.6	15.8





#50
Dimethylphthalate
Concen: 43.854 ng
RT: 13.854 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:163 Resp: 1364594

Ion	Ratio	Lower	Upper
163	100		
194	4.3	3.4	5.0
164	10.6	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 46.547 ng
RT: 13.960 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:165 Resp: 305278

Ion	Ratio	Lower	Upper
165	100		
63	54.9	40.9	61.3
89	56.1	42.1	63.1





#52
Acenaphthene
Concen: 44.318 ng
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:154 Resp: 1034163

Ion	Ratio	Lower	Upper
154	100		
153	113.0	90.2	135.2
152	53.7	42.1	63.1





#53
3-Nitroaniline
Concen: 33.442 ng
RT: 14.295 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:138 Resp: 246772

Ion	Ratio	Lower	Upper
138	100		
108	10.6	8.3	12.5
92	109.3	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 108.068 ng
RT: 14.507 min Scan# 1967
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:184 Resp: 378502

Ion	Ratio	Lower	Upper
184	100		
63	66.4	49.4	74.2
154	71.6	54.6	82.0





#55
Dibenzofuran
Concen: 42.921 ng
RT: 14.807 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:168 Resp: 1583459

Ion	Ratio	Lower	Upper
168	100		
139	41.0	31.5	47.3
169	13.3	10.9	16.3





#56
4-Nitrophenol
Concen: 95.340 ng
RT: 14.613 min Scan# 1985
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:139 Resp: 578099

Ion	Ratio	Lower	Upper
139	100		
109	84.3	56.6	96.6
65	96.7	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 47.730 ng
RT: 14.766 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:165 Resp: 446631

Ion	Ratio	Lower	Upper
165	100		
63	41.9	31.4	47.2
89	68.9	53.3	79.9
182	2.7	2.3	3.5





#58
Fluorene
Concen: 42.998 ng
RT: 15.466 min Scan# 2130
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:166 Resp: 1251709

Ion	Ratio	Lower	Upper
166	100		
165	95.4	78.8	118.2
167	13.2	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 46.009 ng
RT: 15.030 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:232 Resp: 368890

Ion	Ratio	Lower	Upper
232	100		
131	47.3	37.0	55.6
130	2.7	1.9	2.9
166	32.5	25.4	38.0





#60
Diethylphthalate
Concen: 44.210 ng
RT: 15.242 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:149 Resp: 1397834

Ion	Ratio	Lower	Upper
149	100		
177	22.2	17.3	25.9
150	12.7	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 42.656 ng
RT: 15.460 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:204 Resp: 617566

Ion	Ratio	Lower	Upper
204	100		
206	33.4	25.8	38.8
141	65.5	49.4	74.2





#62
4-Nitroaniline
Concen: 43.331 ng
RT: 15.477 min Scan# 2132
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:138 Resp: 327789

Ion	Ratio	Lower	Upper
138	100		
92	49.2	29.1	69.1
108	87.4	61.5	101.5





#63
Azobenzene
Concen: 46.193 ng
RT: 15.754 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion: 77 Resp: 1250604

Ion	Ratio	Lower	Upper
77	100		
182	25.3	7.5	47.5
105	21.3	2.1	42.1
51	31.0	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 2426
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:188 Resp: 837407

Ion	Ratio	Lower	Upper
188	100		
94	8.9	6.6	10.0
80	9.8	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 49.550 ng
RT: 15.542 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:198 Resp: 258648

Ion	Ratio	Lower	Upper
198	100		
51	47.5	19.6	59.6
105	45.0	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 44.808 ng
RT: 15.672 min Scan# 2165
Delta R.T. -0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:169 Resp: 1144220

Ion	Ratio	Lower	Upper
169	100		
168	65.6	53.2	79.8
167	35.3	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 44.726 ng
RT: 16.371 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:248 Resp: 411920

Ion	Ratio	Lower	Upper
248	100		
250	96.7	78.2	117.2
141	82.2	59.6	89.4





#68
Hexachlorobenzene
Concen: 44.542 ng
RT: 16.489 min Scan# 2304
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:284 Resp: 475535

Ion	Ratio	Lower	Upper
284	100		
142	36.5	29.1	43.7
249	30.9	25.0	37.4





#69
Atrazine
Concen: 46.165 ng
RT: 16.660 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:200 Resp: 441483

Ion	Ratio	Lower	Upper
200	100		
173	26.0	6.7	46.7
215	47.5	29.7	69.7





#70
Pentachlorophenol
Concen: 97.981 ng
RT: 16.848 min Scan# 2365
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:266 Resp: 660333

Ion	Ratio	Lower	Upper
266	100		
268	63.3	52.6	79.0
264	63.0	52.0	78.0





#71
Phenanthrene
Concen: 44.783 ng
RT: 17.248 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:178 Resp: 2060065

Ion	Ratio	Lower	Upper
178	100		
176	19.7	15.5	23.3
179	15.6	12.2	18.4





#72
Anthracene
Concen: 45.190 ng
RT: 17.336 min Scan# 2448
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:178 Resp: 2122885

Ion	Ratio	Lower	Upper
178	100		
176	18.3	14.7	22.1
179	15.2	12.2	18.2





#73
Carbazole
Concen: 45.913 ng
RT: 17.618 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:167 Resp: 2031552

Ion	Ratio	Lower	Upper
167	100		
166	21.9	17.5	26.3
139	14.0	10.6	16.0





#74
Di-n-butylphthalate
Concen: 45.882 ng
RT: 18.213 min Scan# 2597
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:149 Resp: 2497806

Ion	Ratio	Lower	Upper
149	100		
150	9.3	7.4	11.0
104	5.2	4.2	6.2





#75
Fluoranthene
Concen: 44.517 ng
RT: 19.336 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:202 Resp: 2442709

Ion	Ratio	Lower	Upper
202	100		
101	10.3	0.0	31.1
203	17.5	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.654 min Scan# 3182
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:240 Resp: 883409

Ion	Ratio	Lower	Upper
240	100		
120	9.4	8.9	13.3
236	26.1	19.8	29.8





#77
Benzidine
Concen: 48.125 ng
RT: 19.518 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:184 Resp: 1450901

Ion	Ratio	Lower	Upper
184	100		
185	14.2	11.5	17.3
183	11.8	9.4	14.2





#78
Pyrene
Concen: 44.724 ng
RT: 19.712 min Scan# 2852
Delta R.T. 0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:202 Resp: 2568011

Ion	Ratio	Lower	Upper
202	100		
200	21.0	16.9	25.3
203	17.6	14.2	21.2





#79
Terphenyl-d14
Concen: 77.350 ng
RT: 19.924 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:244 Resp: 3734835

Ion	Ratio	Lower	Upper
244	100		
212	7.3	5.8	8.6
122	9.3	7.4	11.2





#80
Butylbenzylphthalate
Concen: 46.520 ng
RT: 20.654 min Scan# 3012
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:149 Resp: 1210580

Ion	Ratio	Lower	Upper
149	100		
91	71.1	54.2	81.2
206	20.8	16.6	24.8





#81
Benzo(a)anthracene
Concen: 46.273 ng
RT: 21.630 min Scan# 3
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:228 Resp: 2695916

Ion	Ratio	Lower	Upper
228	100		
226	27.0	21.7	32.5
229	20.1	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 34.104 ng
RT: 21.548 min Scan# 3164
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:252 Resp: 748927

Ion	Ratio	Lower	Upper
252	100		
254	63.5	51.8	77.6
126	11.0	9.1	13.7





#83
Chrysene
Concen: 45.952 ng
RT: 21.695 min Scan# 3
Delta R.T. -0.000 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:228 Resp: 2507192

Ion	Ratio	Lower	Upper
228	100		
226	30.3	23.2	34.8
229	20.0	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 46.165 ng
RT: 21.571 min Scan# 3168
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:149 Resp: 1768457

Ion	Ratio	Lower	Upper
149	100		
167	27.7	22.1	33.1
279	4.6	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 48.802 ng
RT: 22.859 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:149 Resp: 3215556

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.4	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.012 min Scan# 3753
Delta R.T. -0.018 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:264 Resp: 1035260

Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.3	28.9
265	21.0	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 46.858 ng
RT: 28.841 min Scan# 4
Delta R.T. -0.024 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:276 Resp: 3557513

Ion	Ratio	Lower	Upper
276	100		
138	16.5	12.9	19.3
277	20.4	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 47.605 ng
RT: 23.936 min Scan# 3570
Delta R.T. -0.018 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:252 Resp: 2906105

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.7	26.5
125	9.8	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 46.881 ng
RT: 24.018 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:252 Resp: 2863889

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.1	25.7
125	9.1	7.8	11.6





#90
Benzo(a)pyrene
Concen: 47.072 ng
RT: 24.859 min Scan# 3727
Delta R.T. 0.006 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:252 Resp: 2797186

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	10.5	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 46.967 ng
RT: 28.912 min Scan# 4
Delta R.T. -0.041 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Instrument :
BNA_P
ClientSampleId :
PB169230BSD

Tgt Ion:278 Resp: 2913978

Ion	Ratio	Lower	Upper
278	100		
139	15.1	13.0	19.4
279	23.8	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 46.665 ng
RT: 30.018 min Scan# 4604
Delta R.T. -0.041 min
Lab File: BP025425.D
Acq: 15 Aug 2025 13:26

Tgt Ion:276 Resp: 2846019

Ion	Ratio	Lower	Upper
276	100		
277	23.2	19.4	29.0
138	20.1	16.7	25.1



Raw Data: **BP025473.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169244BSD	SDG No.:	Q2815
Lab Sample ID:	PB169244BSD	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025473.D	1	08/14/25 09:15	08/19/25 12:47	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
100-52-7	Benzaldehyde	28.3		3.90	8.00	10.0	ug/L
108-95-2	Phenol	50.3		0.91	4.00	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	46.9		0.81	4.00	5.00	ug/L
95-57-8	2-Chlorophenol	49.9		0.58	4.00	5.00	ug/L
95-48-7	2-Methylphenol	49.7		1.10	4.00	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	47.3		1.30	4.00	5.00	ug/L
98-86-2	Acetophenone	46.4		0.74	4.00	5.00	ug/L
65794-96-9	3+4-Methylphenols	49.1		1.10	8.00	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	44.7		1.40	2.50	2.50	ug/L
67-72-1	Hexachloroethane	46.8		0.65	4.00	5.00	ug/L
98-95-3	Nitrobenzene	47.5		0.76	4.00	5.00	ug/L
78-59-1	Isophorone	46.0		0.75	4.00	5.00	ug/L
88-75-5	2-Nitrophenol	49.3		1.80	4.00	5.00	ug/L
105-67-9	2,4-Dimethylphenol	50.8		1.90	4.00	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	46.9		0.68	4.00	5.00	ug/L
120-83-2	2,4-Dichlorophenol	51.8		0.52	4.00	5.00	ug/L
91-20-3	Naphthalene	46.7		0.50	4.00	5.00	ug/L
106-47-8	4-Chloroaniline	27.2		0.84	4.00	5.00	ug/L
87-68-3	Hexachlorobutadiene	46.0		0.54	4.00	5.00	ug/L
105-60-2	Caprolactam	52.5		1.10	8.00	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	51.6		0.59	4.00	5.00	ug/L
91-57-6	2-Methylnaphthalene	46.5		0.56	4.00	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	90.5	E	3.60	8.00	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	50.3		0.51	4.00	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	51.4		0.62	4.00	5.00	ug/L
92-52-4	1,1-Biphenyl	46.2		0.53	4.00	5.00	ug/L
91-58-7	2-Chloronaphthalene	45.6		0.61	4.00	5.00	ug/L
88-74-4	2-Nitroaniline	51.5		1.30	4.00	5.00	ug/L
131-11-3	Dimethylphthalate	48.6		0.61	4.00	5.00	ug/L

Raw Data: **BP025473.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.	Date Collected:	
Project:	USACE018-44 DOD	Date Received:	
Client Sample ID:	PB169244BSD	SDG No.:	Q2815
Lab Sample ID:	PB169244BSD	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025473.D	1	08/14/25 09:15	08/19/25 12:47	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
208-96-8	Acenaphthylene	47.6		0.75	4.00	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	52.4		0.92	4.00	5.00	ug/L
99-09-2	3-Nitroaniline	35.4		1.10	4.00	5.00	ug/L
83-32-9	Acenaphthene	45.5		0.55	4.00	5.00	ug/L
51-28-5	2,4-Dinitrophenol	120	E	6.00	8.00	10.0	ug/L
100-02-7	4-Nitrophenol	110	E	2.40	8.00	10.0	ug/L
132-64-9	Dibenzofuran	47.3		0.61	4.00	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	54.2		1.20	4.00	5.00	ug/L
84-66-2	Diethylphthalate	50.7		0.69	4.00	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	47.4		0.68	4.00	5.00	ug/L
86-73-7	Fluorene	47.5		0.63	4.00	5.00	ug/L
100-01-6	4-Nitroaniline	50.8		1.50	4.00	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	52.3		2.90	8.00	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	46.6		0.58	4.00	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	46.3		0.40	4.00	5.00	ug/L
118-74-1	Hexachlorobenzene	46.3		0.52	4.00	5.00	ug/L
1912-24-9	Atrazine	49.5		1.00	4.00	5.00	ug/L
87-86-5	Pentachlorophenol	100	E	1.60	8.00	10.0	ug/L
85-01-8	Phenanthrene	46.9		0.50	4.00	5.00	ug/L
120-12-7	Anthracene	47.5		0.61	4.00	5.00	ug/L
86-74-8	Carbazole	48.0		0.72	4.00	5.00	ug/L
84-74-2	Di-n-butylphthalate	49.8		1.20	4.00	5.00	ug/L
206-44-0	Fluoranthene	48.0		0.82	4.00	5.00	ug/L
129-00-0	Pyrene	47.7		0.50	4.00	5.00	ug/L
85-68-7	Butylbenzylphthalate	51.3		1.90	4.00	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	30.7		0.93	8.00	10.0	ug/L
56-55-3	Benzo(a)anthracene	48.7		0.45	4.00	5.00	ug/L
218-01-9	Chrysene	47.3		0.44	4.00	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	50.1		1.60	4.00	5.00	ug/L
117-84-0	Di-n-octyl phthalate	51.1		2.30	8.00	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	48.3		0.49	4.00	5.00	ug/L

Raw Data: **BP025473.D**

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Report of Analysis

Client:	First Environment, Inc.			Date Collected:	
Project:	USACE018-44 DOD			Date Received:	
Client Sample ID:	PB169244BSD			SDG No.:	Q2815
Lab Sample ID:	PB169244BSD			Matrix:	Water
Analytical Method:	8270E			% Solid:	0
Sample Wt/Vol:	1000	Units:	mL	Final Vol:	1000 uL
Soil Aliquot Vol:			uL	Test:	SVOC-TCL BNA -20
Extraction Type :			Decanted : N	Level :	LOW
Injection Volume :			GPC Factor : 1.0	GPC Cleanup : N	PH :
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP025473.D	1	08/14/25 09:15	08/19/25 12:47	PB169244

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	48.8		0.48	4.00	5.00	ug/L
50-32-8	Benzo(a)pyrene	48.1		0.55	4.00	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	46.3		0.59	4.00	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	46.8		0.67	4.00	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	46.6		0.69	4.00	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	44.4		0.52	4.00	5.00	ug/L
123-91-1	1,4-Dioxane	38.9		1.00	4.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	51.2		0.72	4.00	5.00	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	141		19 - 119		94%	SPK: 150
13127-88-3	Phenol-d6	141		10 - 130		94%	SPK: 150
4165-60-0	Nitrobenzene-d5	84.6		44 - 120		85%	SPK: 100
321-60-8	2-Fluorobiphenyl	79.2		44 - 119		79%	SPK: 100
118-79-6	2,4,6-Tribromophenol	144		43 - 140		96%	SPK: 150
1718-51-0	Terphenyl-d14	84.2		50 - 134		84%	SPK: 100
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	172000	7.79				
1146-65-2	Naphthalene-d8	704000	10.555				
15067-26-2	Acenaphthene-d10	489000	14.401				
1517-22-2	Phenanthrene-d10	1040000	17.207				
1719-03-5	Chrysene-d12	1070000	21.654				
1520-96-3	Perylene-d12	1180000	25.03				

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
E = Value Exceeds Calibration Range
Q = indicates LCS control criteria did not meet requirements
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
N = Presumptive Evidence of a Compound
* = Values outside of QC limits
D = Dilution
() = Laboratory InHouse Limit
A = Aldol-Condensation Reaction Products

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025473.D
Acq On : 19 Aug 2025 12:47
Operator : CG/JU
Sample : PB169244BSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 19 13:10:51 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	172374	20.000	ng		0.00
21) Naphthalene-d8	10.555	136	704478	20.000	ng		0.00
39) Acenaphthene-d10	14.401	164	488785	20.000	ng		0.00
64) Phenanthrene-d10	17.207	188	1043571	20.000	ng		0.00
76) Chrysene-d12	21.654	240	1070063	20.000	ng		0.00
86) Perylene-d12	25.030	264	1176738	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	1466573	141.294	ng		0.00
7) Phenol-d6	6.972	99	1870146	140.533	ng		0.00
23) Nitrobenzene-d5	8.931	82	1177998	84.587	ng		0.00
42) 2,4,6-Tribromophenol	15.919	330	948405	144.154	ng		0.00
45) 2-Fluorobiphenyl	13.013	172	2831786	79.179	ng		0.00
79) Terphenyl-d14	19.925	244	4922368	84.162	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	158108	38.889	ng		99
3) Pyridine	3.726	79	436550	39.230	ng		97
4) n-Nitrosodimethylamine	3.631	42	221517	48.284	ng		97
6) Aniline	7.119	93	672688	37.518	ng		99
8) 2-Chlorophenol	7.367	128	584248	49.881	ng		100
9) Benzaldehyde	6.937	77	263740	28.288	ng		98
10) Phenol	6.996	94	701844	50.262	ng		99
11) bis(2-Chloroethyl)ether	7.214	93	510577	46.912	ng		99
12) 1,3-Dichlorobenzene	7.684	146	601240	46.552	ng		99
13) 1,4-Dichlorobenzene	7.825	146	610323	46.233	ng		100
14) 1,2-Dichlorobenzene	8.137	146	589005	46.093	ng		99
15) Benzyl Alcohol	8.025	79	504404	47.704	ng		99
16) 2,2'-oxybis(1-Chloropr...	8.308	45	689083	47.263	ng		98
17) 2-Methylphenol	8.225	107	482348	49.736	ng		99
18) Hexachloroethane	8.861	117	227208	46.811	ng		97
19) n-Nitroso-di-n-propyla...	8.584	70	393822	44.678	ng		98
20) 3+4-Methylphenols	8.549	107	660509	49.134	ng		97
22) Acetophenone	8.596	105	819556	46.389	ng	#	99
24) Nitrobenzene	8.972	77	591064	47.489	ng		99
25) Isophorone	9.496	82	1134513	46.032	ng		98
26) 2-Nitrophenol	9.678	139	314959	49.309	ng		97
27) 2,4-Dimethylphenol	9.737	122	558293	50.825	ng		100
28) bis(2-Chloroethoxy)met...	9.966	93	698931	46.914	ng		98
29) 2,4-Dichlorophenol	10.208	162	564908	51.769	ng		99
30) 1,2,4-Trichlorobenzene	10.419	180	553924	46.307	ng		99
31) Naphthalene	10.608	128	1710559	46.717	ng		99
32) Benzoic acid	9.896	122	439462	54.190	ng		98
33) 4-Chloroaniline	10.708	127	440457	27.233	ng		99
34) Hexachlorobutadiene	10.896	225	342743	46.008	ng		98
35) Caprolactam	11.502	113	210088m	52.506	ng		
36) 4-Chloro-3-methylphenol	11.837	107	646361	51.621	ng		99
37) 2-Methylnaphthalene	12.213	142	1107270	46.469	ng		100
38) 1-Methylnaphthalene	12.431	142	1168249	46.102	ng		100
40) 1,2,4,5-Tetrachloroben...	12.584	216	626241	44.362	ng		99
41) Hexachlorocyclopentadiene	12.566	237	771660	90.496	ng		98
43) 2,4,6-Trichlorophenol	12.825	196	479514	50.315	ng		99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025473.D
Acq On : 19 Aug 2025 12:47
Operator : CG/JU
Sample : PB169244BSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 19 13:10:51 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.896	196	536382	51.353	ng	99
46) 1,1'-Biphenyl	13.225	154	1638603	46.160	ng	99
47) 2-Chloronaphthalene	13.266	162	1259783	45.586	ng	98
48) 2-Nitroaniline	13.466	65	415059	51.546	ng	98
49) Acenaphthylene	14.125	152	2177367	47.615	ng	100
50) Dimethylphthalate	13.854	163	1738994	48.585	ng	99
51) 2,6-Dinitrotoluene	13.966	165	395341	52.404	ng	98
52) Acenaphthene	14.472	154	1220137	45.457	ng	99
53) 3-Nitroaniline	14.296	138	300405	35.392	ng	97
54) 2,4-Dinitrophenol	14.513	184	495694	123.038	ng	99
55) Dibenzofuran	14.813	168	2007042	47.295	ng	100
56) 4-Nitrophenol	14.625	139	746663	107.051	ng	98
57) 2,4-Dinitrotoluene	14.766	165	583246	54.187	ng	99
58) Fluorene	15.466	166	1589403	47.465	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.037	232	472386	51.220	ng	100
60) Diethylphthalate	15.243	149	1844493	50.715	ng	99
61) 4-Chlorophenyl-phenyle...	15.460	204	789982	47.436	ng	98
62) 4-Nitroaniline	15.484	138	442261	50.825	ng	99
63) Azobenzene	15.754	77	1593888	51.181	ng	99
65) 4,6-Dinitro-2-methylph...	15.548	198	340236	52.303	ng	96
66) n-Nitrosodiphenylamine	15.678	169	1483025	46.603	ng	100
67) 4-Bromophenyl-phenylether	16.372	248	531300	46.291	ng	96
68) Hexachlorobenzene	16.495	284	616466	46.335	ng	98
69) Atrazine	16.660	200	590070	49.512	ng	97
70) Pentachlorophenol	16.848	266	843937	100.486	ng	97
71) Phenanthrene	17.254	178	2687053	46.873	ng	99
72) Anthracene	17.348	178	2780840	47.501	ng	100
73) Carbazole	17.619	167	2645585	47.978	ng	99
74) Di-n-butylphthalate	18.213	149	3375219	49.751	ng	100
75) Fluoranthene	19.336	202	3282061	47.997	ng	99
77) Benzidine	19.519	184	1590772	43.560	ng	100
78) Pyrene	19.713	202	3315062	47.664	ng	100
80) Butylbenzylphthalate	20.654	149	1618023	51.331	ng	98
81) Benzo(a)anthracene	21.630	228	3439380	48.736	ng	99
82) 3,3'-Dichlorobenzidine	21.548	252	816647	30.701	ng	99
83) Chrysene	21.701	228	3127598	47.324	ng	99
84) Bis(2-ethylhexyl)phtha...	21.566	149	2323944	50.084	ng	98
85) Di-n-octyl phthalate	22.860	149	4076449	51.076	ng	99
87) Indeno(1,2,3-cd)pyrene	28.859	276	3998661m	46.336	ng	
88) Benzo(b)fluoranthene	23.954	252	3354449	48.343	ng	100
89) Benzo(k)fluoranthene	24.019	252	3390357	48.827	ng	99
90) Benzo(a)pyrene	24.854	252	3251341	48.136	ng	100
91) Dibenzo(a,h)anthracene	28.971	278	3297613	46.760	ng	97
92) Benzo(g,h,i)perylene	30.054	276	3230088	46.595	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025473.D
Acq On : 19 Aug 2025 12:47
Operator : CG/JU
Sample : PB169244BSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Aug 19 13:10:51 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:152 Resp: 17237

Ion	Ratio	Lower	Upper
152	100		
150	153.4	125.9	188.9
115	60.2	48.5	72.7



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#2
1,4-Dioxane
Concen: 38.889 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 88 Resp: 158108

Ion	Ratio	Lower	Upper
88	100		
58	73.4	59.2	88.8
43	28.3	21.7	32.5





#3
Pyridine
Concen: 39.230 ng
RT: 3.726 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 79 Resp: 43655

Ion	Ratio	Lower	Upper
79	100		
52	72.5	55.5	83.3
51	36.8	28.3	42.5



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#4
n-Nitrosodimethylamine
Concen: 48.284 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 42 Resp: 221517

Ion	Ratio	Lower	Upper
42	100		
74	130.0	107.0	160.4
44	8.4	6.2	9.4





#5
2-Fluorophenol
Concen: 141.294 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:112 Resp: 146657

Ion	Ratio	Lower	Upper
112	100		
64	56.2	43.8	65.8
63	30.0	22.7	34.1



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#6
Aniline
Concen: 37.518 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 93 Resp: 672688

Ion	Ratio	Lower	Upper
93	100		
66	38.8	30.4	45.6
65	19.5	15.3	22.9





#7
Phenol-d6
Concen: 140.533 ng
RT: 6.972 min Scan# 6
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 99 Resp: 187014

Ion	Ratio	Lower	Upper
99	100		
42	17.1	13.7	20.5
71	34.4	28.2	42.4



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#8
2-Chlorophenol
Concen: 49.881 ng
RT: 7.367 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:128 Resp: 584248

Ion	Ratio	Lower	Upper
128	100		
130	32.6	12.6	52.6
64	43.8	23.4	63.4





#9
Benzaldehyde
Concen: 28.288 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 77 Resp: 26374

Ion	Ratio	Lower	Upper
77	100		
105	102.9	84.8	124.8
106	99.2	80.5	120.5



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#10
Phenol
Concen: 50.262 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 94 Resp: 701844

Ion	Ratio	Lower	Upper
94	100		
65	27.5	6.8	46.8
66	38.9	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 46.912 ng
RT: 7.214 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 93 Resp: 51057

Ion	Ratio	Lower	Upper
93	100		
63	73.6	52.6	92.6
95	31.5	12.7	52.7



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#12
1,3-Dichlorobenzene
Concen: 46.552 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:146 Resp: 601240

Ion	Ratio	Lower	Upper
146	100		
148	64.8	51.9	77.9
75	27.9	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 46.233 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:146 Resp: 61032

Ion	Ratio	Lower	Upper
146	100		
148	64.3	51.6	77.4
111	41.4	33.4	50.0

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#14
1,2-Dichlorobenzene
Concen: 46.093 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:146 Resp: 589005

Ion	Ratio	Lower	Upper
146	100		
148	64.2	50.4	75.6
111	42.3	34.5	51.7





#15
Benzyl Alcohol
Concen: 47.704 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 79 Resp: 50440

Ion	Ratio	Lower	Upper
79	100		
108	79.2	63.8	95.6
77	62.4	49.0	73.4

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#16
2,2'-oxybis(1-Chloropropane)
Concen: 47.263 ng
RT: 8.308 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 45 Resp: 689083

Ion	Ratio	Lower	Upper
45	100		
77	14.6	0.0	35.3
79	11.1	0.0	31.8





#17
2-Methylphenol
Concen: 49.736 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:107 Resp: 48234

Ion	Ratio	Lower	Upper
107	100		
108	112.9	89.4	134.0
77	45.2	36.3	54.5
79	46.5	36.6	54.8



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#18
Hexachloroethane
Concen: 46.811 ng
RT: 8.861 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:117 Resp: 227208

Ion	Ratio	Lower	Upper
117	100		
119	96.8	75.1	112.7
201	102.3	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 44.678 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 70 Resp: 39382

Ion	Ratio	Lower	Upper
70	100		
42	56.2	43.8	65.6
101	11.1	8.5	12.7
130	22.9	19.4	29.0



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#20
3+4-Methylphenols
Concen: 49.134 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:107 Resp: 660509

Ion	Ratio	Lower	Upper
107	100		
108	89.5	66.3	106.3
77	33.4	12.3	52.3
79	29.0	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.555 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:136 Resp: 70447

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.2	13.8
54	8.4	6.0	9.0
68	5.9	4.3	6.5



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#22
Acetophenone
Concen: 46.389 ng
RT: 8.596 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:105 Resp: 819556

Ion	Ratio	Lower	Upper
105	100		
71	4.5	2.6	4.0#
51	26.4	20.6	30.8
120	23.1	18.6	27.8





#23
Nitrobenzene-d5
Concen: 84.587 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 82 Resp: 117799

Ion	Ratio	Lower	Upper
82	100		
128	47.3	37.7	56.5
54	50.9	39.8	59.6

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#24
Nitrobenzene
Concen: 47.489 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 77 Resp: 591064

Ion	Ratio	Lower	Upper
77	100		
123	48.7	38.6	58.0
65	14.1	10.6	15.8





#25
Isophorone
Concen: 46.032 ng
RT: 9.496 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion: 82 Resp: 113451

Ion	Ratio	Lower	Upper
82	100		
95	7.8	6.4	9.6
138	18.0	15.4	23.0

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#26
2-Nitrophenol
Concen: 49.309 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:139 Resp: 314959

Ion	Ratio	Lower	Upper
139	100		
109	31.5	26.9	40.3
65	46.5	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 50.825 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:122 Resp: 55829

Ion	Ratio	Lower	Upper
122	100		
107	117.0	93.7	140.5
121	57.3	46.6	69.8



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#28
bis(2-Chloroethoxy)methane
Concen: 46.914 ng
RT: 9.966 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 93 Resp: 698931

Ion	Ratio	Lower	Upper
93	100		
95	32.7	25.4	38.0
123	12.1	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 51.769 ng
RT: 10.208 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:162 Resp: 56490

Ion	Ratio	Lower	Upper
162	100		
164	64.2	44.4	84.4
98	35.7	14.9	54.9

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#30
1,2,4-Trichlorobenzene
Concen: 46.307 ng
RT: 10.419 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:180 Resp: 553924

Ion	Ratio	Lower	Upper
180	100		
182	97.2	78.0	117.0
145	31.7	25.9	38.9





#31
Naphthalene
Concen: 46.717 ng
RT: 10.608 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:128 Resp: 171055

Ion	Ratio	Lower	Upper
128	100		
129	10.7	8.6	13.0
127	13.0	10.7	16.1



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#32
Benzoic acid
Concen: 54.190 ng
RT: 9.896 min Scan# 1183
Delta R.T. 0.024 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:122 Resp: 439462

Ion	Ratio	Lower	Upper
122	100		
105	123.3	100.6	140.6
77	90.8	71.5	111.5





#33
4-Chloroaniline
Concen: 27.233 ng
RT: 10.708 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:127 Resp: 44045

Ion	Ratio	Lower	Upper
127	100		
129	32.2	25.4	38.2
65	30.3	23.8	35.6
92	19.9	15.8	23.8



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#34
Hexachlorobutadiene
Concen: 46.008 ng
RT: 10.896 min Scan# 1353
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:225 Resp: 342743

Ion	Ratio	Lower	Upper
225	100		
223	61.1	50.0	75.0
227	63.7	49.7	74.5





#35
Caprolactam
Concen: 52.506 ng m
RT: 11.502 min Scan# 14
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:113 Resp: 21008

Ion	Ratio	Lower	Upper
113	100		
55	148.5	140.0	180.0
56	115.7	100.0	140.0



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#36
4-Chloro-3-methylphenol
Concen: 51.621 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:107 Resp: 646361

Ion	Ratio	Lower	Upper
107	100		
144	25.3	21.0	31.4
142	79.5	64.6	97.0





#37
2-Methylnaphthalene
Concen: 46.469 ng
RT: 12.213 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:142 Resp: 110727

Ion	Ratio	Lower	Upper
142	100		
141	88.1	70.3	105.5
115	36.1	28.9	43.3



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#38
1-Methylnaphthalene
Concen: 46.102 ng
RT: 12.431 min Scan# 1614
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:142 Resp: 1168249

Ion	Ratio	Lower	Upper
142	100		
141	91.4	73.1	109.7
116	4.0	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:164 Resp: 48878

Ion	Ratio	Lower	Upper
164	100		
162	98.6	81.0	121.6
160	44.6	35.4	53.2



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#40
1,2,4,5-Tetrachlorobenzene
Concen: 44.362 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:216 Resp: 626241

Ion	Ratio	Lower	Upper
216	100		
214	78.6	63.0	94.4
179	21.7	17.1	25.7
108	20.7	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 90.496 ng
RT: 12.566 min Scan# 1(
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:237 Resp: 77166(

Ion	Ratio	Lower	Upper
237	100		
235	61.0	42.7	82.7
272	12.7	0.0	34.0



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#42
2,4,6-Tribromophenol
Concen: 144.154 ng
RT: 15.919 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:330 Resp: 948405

Ion	Ratio	Lower	Upper
330	100		
332	96.8	77.3	115.9
141	32.9	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 50.315 ng
RT: 12.825 min Scan# 1(
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:196 Resp: 47951

Ion	Ratio	Lower	Upper
196	100		
198	95.5	77.2	115.8
200	30.4	23.9	35.9



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#44
2,4,5-Trichlorophenol
Concen: 51.353 ng
RT: 12.896 min Scan# 1693
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:196 Resp: 536382

Ion	Ratio	Lower	Upper
196	100		
198	95.2	76.2	114.2
97	48.1	41.2	61.8
132	28.2	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 79.179 ng
RT: 13.013 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:172 Resp: 283178

Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.1	42.1
170	23.5	18.6	28.0



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#46
1,1'-Biphenyl
Concen: 46.160 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:154 Resp: 1638603

Ion	Ratio	Lower	Upper
154	100		
153	40.1	19.5	59.5
76	11.4	0.0	31.1





#47
2-Chloronaphthalene
Concen: 45.586 ng
RT: 13.266 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:162 Resp: 125978

Ion	Ratio	Lower	Upper
162	100		
127	39.6	33.4	50.2
164	32.2	26.2	39.2



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#48
2-Nitroaniline
Concen: 51.546 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 65 Resp: 415059

Ion	Ratio	Lower	Upper
65	100		
92	71.9	57.6	86.4
138	117.3	91.0	136.6





#49
Acenaphthylene
Concen: 47.615 ng
RT: 14.125 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:152 Resp: 217736

Ion	Ratio	Lower	Upper
152	100		
151	19.8	16.0	24.0
153	13.0	10.6	15.8



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#50
Dimethylphthalate
Concen: 48.585 ng
RT: 13.854 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:163 Resp: 1738994

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.2	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 52.404 ng
RT: 13.966 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:165 Resp: 39534

Ion	Ratio	Lower	Upper
165	100		
63	49.4	40.9	61.3
89	51.6	42.1	63.1

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#52
Acenaphthene
Concen: 45.457 ng
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:154 Resp: 1220137

Ion	Ratio	Lower	Upper
154	100		
153	114.1	90.2	135.2
152	53.3	42.1	63.1





#53
3-Nitroaniline
Concen: 35.392 ng
RT: 14.296 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:138 Resp: 30040

Ion	Ratio	Lower	Upper
138	100		
108	10.9	8.3	12.5
92	111.4	86.2	129.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#54
2,4-Dinitrophenol
Concen: 123.038 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:184 Resp: 495694

Ion	Ratio	Lower	Upper
184	100		
63	59.7	49.4	74.2
154	68.5	54.6	82.0





#55
Dibenzofuran
Concen: 47.295 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:168 Resp: 200704

Ion	Ratio	Lower	Upper
168	100		
139	39.3	31.5	47.3
169	13.2	10.9	16.3



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#56
4-Nitrophenol
Concen: 107.051 ng
RT: 14.625 min Scan# 1987
Delta R.T. 0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:139 Resp: 746663

Ion	Ratio	Lower	Upper
139	100		
109	78.0	56.6	96.6
65	89.5	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 54.187 ng
RT: 14.766 min Scan# 2(
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:165 Resp: 58324(

Ion	Ratio	Lower	Upper
165	100		
63	41.1	31.4	47.2
89	67.0	53.3	79.9
182	3.0	2.3	3.5



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#58
Fluorene
Concen: 47.465 ng
RT: 15.466 min Scan# 2130
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:166 Resp: 1589403

Ion	Ratio	Lower	Upper
166	100		
165	97.7	78.8	118.2
167	13.5	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 51.220 ng
RT: 15.037 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:232 Resp: 47238

Ion	Ratio	Lower	Upper
232	100		
131	46.3	37.0	55.6
130	2.4	1.9	2.9
166	31.6	25.4	38.0



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#60
Diethylphthalate
Concen: 50.715 ng
RT: 15.243 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:149 Resp: 1844493

Ion	Ratio	Lower	Upper
149	100		
177	21.8	17.3	25.9
150	12.3	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 47.436 ng
RT: 15.460 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:204 Resp: 78998

Ion	Ratio	Lower	Upper
204	100		
206	33.3	25.8	38.8
141	63.2	49.4	74.2

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#62
4-Nitroaniline
Concen: 50.825 ng
RT: 15.484 min Scan# 2133
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:138 Resp: 442261

Ion	Ratio	Lower	Upper
138	100		
92	48.4	29.1	69.1
108	81.9	61.5	101.5





#63
Azobenzene
Concen: 51.181 ng
RT: 15.754 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion: 77 Resp: 159388

Ion	Ratio	Lower	Upper
77	100		
182	27.2	7.5	47.5
105	22.2	2.1	42.1
51	30.7	9.6	49.6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 2426
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:188 Resp: 1043571

Ion	Ratio	Lower	Upper
188	100		
94	9.4	6.6	10.0
80	9.6	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 52.303 ng
RT: 15.548 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:198 Resp: 34023

Ion	Ratio	Lower	Upper
198	100		
51	42.9	19.6	59.6
105	43.1	20.9	60.9

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#66
n-Nitrosodiphenylamine
Concen: 46.603 ng
RT: 15.678 min Scan# 2166
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:169 Resp: 1483025

Ion	Ratio	Lower	Upper
169	100		
168	66.3	53.2	79.8
167	36.0	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 46.291 ng
RT: 16.372 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:248 Resp: 53130

Ion	Ratio	Lower	Upper
248	100		
250	98.3	78.2	117.2
141	82.4	59.6	89.4

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#68
Hexachlorobenzene
Concen: 46.335 ng
RT: 16.495 min Scan# 2305
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:284 Resp: 616466

Ion	Ratio	Lower	Upper
284	100		
142	34.6	29.1	43.7
249	30.9	25.0	37.4





#69
Atrazine
Concen: 49.512 ng
RT: 16.660 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:200 Resp: 59007

Ion	Ratio	Lower	Upper
200	100		
173	26.1	6.7	46.7
215	46.9	29.7	69.7



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#70
Pentachlorophenol
Concen: 100.486 ng
RT: 16.848 min Scan# 2365
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:266 Resp: 843937

Ion	Ratio	Lower	Upper
266	100		
268	64.3	52.6	79.0
264	62.4	52.0	78.0





#71
Phenanthrene
Concen: 46.873 ng
RT: 17.254 min Scan# 24
Delta R.T. 0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:178 Resp: 268705

Ion	Ratio	Lower	Upper
178	100		
176	18.9	15.5	23.3
179	15.0	12.2	18.4



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#72
Anthracene
Concen: 47.501 ng
RT: 17.348 min Scan# 2450
Delta R.T. 0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:178 Resp: 2780840

Ion	Ratio	Lower	Upper
178	100		
176	18.6	14.7	22.1
179	15.3	12.2	18.2





#73
Carbazole
Concen: 47.978 ng
RT: 17.619 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:167 Resp: 264558

Ion	Ratio	Lower	Upper
167	100		
166	21.5	17.5	26.3
139	13.2	10.6	16.0



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#74
Di-n-butylphthalate
Concen: 49.751 ng
RT: 18.213 min Scan# 2597
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:149 Resp: 3375219

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.4	11.0
104	5.1	4.2	6.2





#75
Fluoranthene
Concen: 47.997 ng
RT: 19.336 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:202 Resp: 328206

Ion	Ratio	Lower	Upper
202	100		
101	10.8	0.0	31.1
203	17.5	0.0	37.3



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.654 min Scan# 3182
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:240 Resp: 1070063

Ion	Ratio	Lower	Upper
240	100		
120	9.9	8.9	13.3
236	26.0	19.8	29.8





#77
Benzidine
Concen: 43.560 ng
RT: 19.519 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:184 Resp: 159077

Ion	Ratio	Lower	Upper
184	100		
185	14.3	11.5	17.3
183	11.8	9.4	14.2



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#78
Pyrene
Concen: 47.664 ng
RT: 19.713 min Scan# 2852
Delta R.T. 0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:202 Resp: 3315062

Ion	Ratio	Lower	Upper
202	100		
200	21.1	16.9	25.3
203	17.6	14.2	21.2





#79
Terphenyl-d14
Concen: 84.162 ng
RT: 19.925 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:244 Resp: 492236

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	9.1	7.4	11.2



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#80
Butylbenzylphthalate
Concen: 51.331 ng
RT: 20.654 min Scan# 3012
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:149 Resp: 1618023

Ion	Ratio	Lower	Upper
149	100		
91	69.5	54.2	81.2
206	19.9	16.6	24.8





#81
Benzo(a)anthracene
Concen: 48.736 ng
RT: 21.630 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:228 Resp: 343938

Ion	Ratio	Lower	Upper
228	100		
226	26.7	21.7	32.5
229	19.7	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#82
3,3'-Dichlorobenzidine
Concen: 30.701 ng
RT: 21.548 min Scan# 3164
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:252 Resp: 816647

Ion	Ratio	Lower	Upper
252	100		
254	64.3	51.8	77.6
126	10.7	9.1	13.7





#83
Chrysene
Concen: 47.324 ng
RT: 21.701 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:228 Resp: 312759

Ion	Ratio	Lower	Upper
228	100		
226	29.8	23.2	34.8
229	19.8	15.6	23.4



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#84
Bis(2-ethylhexyl)phthalate
Concen: 50.084 ng
RT: 21.566 min Scan# 3167
Delta R.T. -0.017 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:149 Resp: 2323944

Ion	Ratio	Lower	Upper
149	100		
167	28.5	22.1	33.1
279	5.0	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 51.076 ng
RT: 22.860 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:149 Resp: 407644

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.3	1.9
43	8.2	6.3	9.5



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.030 min Scan# 3756
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:264 Resp: 1176738

Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.3	28.9
265	21.9	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 46.336 ng m
RT: 28.859 min Scan# 44
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:276 Resp: 399866

Ion	Ratio	Lower	Upper
276	100		
138	16.1	12.9	19.3
277	20.1	17.0	25.6



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#88
Benzo(b)fluoranthene
Concen: 48.343 ng
RT: 23.954 min Scan# 3573
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:252 Resp: 3354449

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.7	26.5
125	9.8	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 48.827 ng
RT: 24.019 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:252 Resp: 339035

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.1	25.7
125	9.5	7.8	11.6

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025





#90
Benzo(a)pyrene
Concen: 48.136 ng
RT: 24.854 min Scan# 3726
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:252 Resp: 3251341

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.5	26.3
125	10.5	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 46.760 ng
RT: 28.971 min Scan# 44
Delta R.T. 0.018 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:278 Resp: 329761

Ion	Ratio	Lower	Upper
278	100		
139	14.3	13.0	19.4
279	23.6	19.4	29.2



Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/20/2025
Supervised By :Jagrut Upadhyay 08/20/2025



#92
Benzo(g,h,i)perylene
Concen: 46.595 ng
RT: 30.054 min Scan# 4610
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:276 Resp: 3230088

Ion	Ratio	Lower	Upper
276	100		
277	23.0	19.4	29.0
138	22.0	16.7	25.1



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:	BF081225	Instrument	BNA_f

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
SSTDICC010	BF143345.D	Benzoic acid	Rahul	8/13/2025 8:58:28 AM	Jagrut	8/13/2025 11:10:31 AM	Peak Integrated by Software

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:	bf081425	Instrument	BNA_f

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
SSTDCCC040	BF143377.D	2,4-Dimethylphenol	Rahul	8/15/2025 9:32:33 AM	Jagrut	8/15/2025 2:48:38 PM	Peak Integrated by Software
SSTDCCC040	BF143397.D	2,4-Dimethylphenol	Rahul	8/15/2025 9:32:42 AM	Jagrut	8/15/2025 2:48:42 PM	Peak Integrated by Software
SSTDCCC040	BF143399.D	2,4-Dimethylphenol	Rahul	8/15/2025 1:27:37 PM	Jagrut	8/15/2025 2:48:43 PM	Peak Integrated by Software
SSTDCCC040	BF143414.D	2,4-Dimethylphenol	Rahul	8/15/2025 1:27:26 PM	Jagrut	8/15/2025 2:48:56 PM	Peak Integrated by Software

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:	BF082025	Instrument	BNA_f

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:	BF082125	Instrument	BNA_f

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:	BP081425	Instrument	BNA_p

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
SSTDICC005	BP025393.D	Acenaphthene	Rahul	8/15/2025 9:34:57 AM	Jagrut	8/15/2025 12:49:22 PM	Peak Integrated by Software
SSTDICC010	BP025394.D	Acenaphthene	Rahul	8/15/2025 9:34:54 AM	Jagrut	8/15/2025 12:49:24 PM	Peak Integrated by Software
SSTDICC010	BP025394.D	Benzaldehyde	Rahul	8/15/2025 9:34:54 AM	Jagrut	8/15/2025 12:49:24 PM	Peak Integrated by Software
SSTDICC010	BP025394.D	Benzoic acid	Rahul	8/15/2025 9:34:54 AM	Jagrut	8/15/2025 12:49:24 PM	Peak Integrated by Software
SSTDICC010	BP025394.D	Indeno(1,2,3-cd)pyrene	Rahul	8/15/2025 9:34:54 AM	Jagrut	8/15/2025 12:49:24 PM	Peak Integrated by Software
SSTDICC020	BP025395.D	Acenaphthene	Rahul	8/15/2025 9:34:49 AM	Jagrut	8/15/2025 12:49:27 PM	Peak Integrated by Software
SSTDICC020	BP025395.D	Benzoic acid	Rahul	8/15/2025 9:34:49 AM	Jagrut	8/15/2025 12:49:27 PM	Peak Integrated by Software
SSTDICC020	BP025395.D	Indeno(1,2,3-cd)pyrene	Rahul	8/15/2025 9:34:49 AM	Jagrut	8/15/2025 12:49:27 PM	Peak Integrated by Software
SSTDICCC040	BP025396.D	Indeno(1,2,3-cd)pyrene	Rahul	8/15/2025 9:34:47 AM	Jagrut	8/15/2025 12:49:30 PM	Peak Integrated by Software
SSTDICC050	BP025397.D	Benzo(g,h,i)perylene	Rahul	8/15/2025 9:34:43 AM	Jagrut	8/15/2025 12:49:33 PM	Peak Integrated by Software
SSTDICC050	BP025397.D	Indeno(1,2,3-cd)pyrene	Rahul	8/15/2025 9:34:43 AM	Jagrut	8/15/2025 12:49:33 PM	Peak Integrated by Software
SSTDICC080	BP025399.D	Indeno(1,2,3-cd)pyrene	Rahul	8/15/2025 9:34:40 AM	Jagrut	8/15/2025 12:49:36 PM	Peak Integrated by Software
SSTDICV040	BP025400.D	Acenaphthene	Rahul	8/15/2025 9:34:38 AM	Jagrut	8/15/2025 12:49:39 PM	Peak Integrated by Software

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:	BP081425	Instrument	BNA_p

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
SSTDCCC040	BP025403.D	Indeno(1,2,3-cd)pyrene	Rahul	8/15/2025 9:34:33 AM	Jagrut	8/15/2025 12:49:44 PM	Peak Integrated by Software
SSTDCCC040	BP025405.D	Indeno(1,2,3-cd)pyrene	Rahul	8/15/2025 9:34:31 AM	Jagrut	8/15/2025 12:49:46 PM	Peak Integrated by Software
SSTDCCC040	BP025420.D	Acenaphthene	Rahul	8/15/2025 12:47:42 PM	Jagrut	8/15/2025 12:48:50 PM	Peak Integrated by Software
SSTDCCC040	BP025420.D	Indeno(1,2,3-cd)pyrene	Rahul	8/15/2025 12:47:42 PM	Jagrut	8/15/2025 12:48:50 PM	Peak Integrated by Software

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:	BP081525	Instrument	BNA_p

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
SSTDCCC040	BP025422.D	Acenaphthene	Rahul	8/18/2025 8:33:34 AM	Jagrut	8/18/2025 8:42:26 AM	Peak Integrated by Software
PB169230BS	BP025424.D	Benzo(g,h,i)perylene	Rahul	8/18/2025 8:33:37 AM	Jagrut	8/18/2025 8:42:28 AM	Peak Integrated by Software
SSTDCCC040	BP025436.D	Acenaphthene	Rahul	8/18/2025 8:33:44 AM	Jagrut	8/18/2025 8:42:33 AM	Peak Integrated by Software
SSTDCCC040	BP025438.D	Acenaphthene	Rahul	8/18/2025 8:33:47 AM	Jagrut	8/18/2025 8:42:35 AM	Peak Integrated by Software
SSTDCCC040	BP025438.D	Benzo(g,h,i)perylene	Rahul	8/18/2025 8:33:47 AM	Jagrut	8/18/2025 8:42:35 AM	Peak Integrated by Software

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:	BP081925	Instrument	BNA_p

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
PB169244BS	BP025472.D	Benzoic acid	Rahul	8/20/2025 8:38:22 AM	Jagrut	8/20/2025 12:06:48 PM	Peak Integrated by Software
PB169244BSD	BP025473.D	Caprolactam	Rahul	8/20/2025 8:38:24 AM	Jagrut	8/20/2025 12:06:50 PM	Peak Integrated by Software
PB169244BSD	BP025473.D	Indeno(1,2,3-cd)pyrene	Rahul	8/20/2025 8:38:24 AM	Jagrut	8/20/2025 12:06:50 PM	Peak Integrated by Software
SSTDCCC040	BP025487.D	Indeno(1,2,3-cd)pyrene	Rahul	8/20/2025 8:38:27 AM	Jagrut	8/20/2025 12:06:52 PM	Peak Integrated by Software
SSTDCCC040	BP025502.D	Acenaphthene	Rahul	8/20/2025 1:15:14 PM	Jagrut	8/21/2025 2:16:52 PM	Peak Integrated by Software

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Manual Integration Report

Sequence:	bp082025	Instrument	BNA_p

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
SSTDCCC040	BP025504.D	Benzoic acid	Rahul	8/21/2025 2:05:22 PM	Jagrut	8/21/2025 2:06:44 PM	Peak Integrated by Software

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF081225

Review By	Jagrut	Review On	8/13/2025 11:12:27 AM				
Supervise By	Rahul	Supervise On	8/13/2025 3:44:43 PM				
SubDirectory	BF081225	HP Acquire Method	BNA_F		HP Processing Method	bf081225	

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	DFTPP	BF143342.D	12 Aug 2025 08:34	RC/JU	Ok
2	SSTDICC2.5	BF143343.D	12 Aug 2025 09:03	RC/JU	Ok
3	SSTDICC005	BF143344.D	12 Aug 2025 09:34	RC/JU	Ok
4	SSTDICC010	BF143345.D	12 Aug 2025 10:04	RC/JU	Ok,M
5	SSTDICC020	BF143346.D	12 Aug 2025 10:35	RC/JU	Ok
6	SSTDICCC040	BF143347.D	12 Aug 2025 11:06	RC/JU	Ok
7	SSTDICC050	BF143348.D	12 Aug 2025 11:37	RC/JU	Ok
8	SSTDICC060	BF143349.D	12 Aug 2025 12:07	RC/JU	Ok
9	SSTDICC080	BF143350.D	12 Aug 2025 12:38	RC/JU	Ok
10	SSTDICV040	BF143351.D	12 Aug 2025 13:52	RC/JU	Ok
11	PB169189BL	BF143352.D	12 Aug 2025 14:22	RC/JU	Ok
12	PB169189BS	BF143353.D	12 Aug 2025 14:53	RC/JU	Ok,M
13	Q2807-02	BF143354.D	12 Aug 2025 15:33	RC/JU	Ok,M
14	Q2807-01	BF143355.D	12 Aug 2025 16:02	RC/JU	Ok
15	Q2807-03	BF143356.D	12 Aug 2025 16:32	RC/JU	Ok,M
16	Q2807-03MS	BF143357.D	12 Aug 2025 17:02	RC/JU	Ok
17	Q2807-03MSD	BF143358.D	12 Aug 2025 17:32	RC/JU	Ok,M
18	Q2830-07	BF143359.D	12 Aug 2025 18:02	RC/JU	Ok
19	Q2830-01	BF143360.D	12 Aug 2025 18:32	RC/JU	Ok
20	Q2830-03	BF143361.D	12 Aug 2025 19:02	RC/JU	Ok
21	Q2830-05	BF143362.D	12 Aug 2025 19:32	RC/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF081225

Review By	Jagrut	Review On	8/13/2025 11:12:27 AM				
Supervise By	Rahul	Supervise On	8/13/2025 3:44:43 PM				
SubDirectory	BF081225	HP Acquire Method	BNA_F		HP Processing Method	bf081225	

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

22	Q2831-01	BF143363.D	12 Aug 2025 20:02	RC/JU	Ok,M

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF081425

Review By	Rahul	Review On	8/15/2025 9:33:03 AM				
Supervise By	Jagrut	Supervise On	8/15/2025 2:49:47 PM				
SubDirectory	BF081425	HP Acquire Method	BNA_F		HP Processing Method	bf081225	

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	DFTPP	BF143376.D	14 Aug 2025 11:55	RC/JU	Ok
2	SSTDCCC040	BF143377.D	14 Aug 2025 12:55	RC/JU	Ok,M
3	PB169223BL	BF143378.D	14 Aug 2025 13:25	RC/JU	Ok
4	Q2814-01	BF143379.D	14 Aug 2025 13:55	RC/JU	Ok
5	Q2814-02	BF143380.D	14 Aug 2025 14:25	RC/JU	Ok
6	Q2814-03	BF143381.D	14 Aug 2025 14:55	RC/JU	Ok
7	Q2814-04	BF143382.D	14 Aug 2025 15:26	RC/JU	Ok
8	Q2814-05	BF143383.D	14 Aug 2025 15:56	RC/JU	ReRun
9	Q2814-06	BF143384.D	14 Aug 2025 16:26	RC/JU	Ok
10	Q2814-20	BF143385.D	14 Aug 2025 16:55	RC/JU	ReRun
11	Q2814-08	BF143386.D	14 Aug 2025 17:26	RC/JU	Ok
12	Q2814-09	BF143387.D	14 Aug 2025 17:56	RC/JU	Ok
13	Q2814-10	BF143388.D	14 Aug 2025 18:26	RC/JU	Ok
14	Q2814-11	BF143389.D	14 Aug 2025 18:56	RC/JU	Ok
15	Q2814-12	BF143390.D	14 Aug 2025 19:26	RC/JU	Ok
16	Q2814-13	BF143391.D	14 Aug 2025 19:56	RC/JU	Ok
17	Q2814-14	BF143392.D	14 Aug 2025 20:26	RC/JU	Ok
18	Q2814-15	BF143393.D	14 Aug 2025 20:56	RC/JU	Ok
19	Q2814-17	BF143394.D	14 Aug 2025 21:26	RC/JU	ReRun
20	Q2814-18	BF143395.D	14 Aug 2025 21:56	RC/JU	Not Ok
21	Q2814-16	BF143396.D	14 Aug 2025 22:26	RC/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF081425

Review By	Rahul	Review On	8/15/2025 9:33:03 AM				
Supervise By	Jagrut	Supervise On	8/15/2025 2:49:47 PM				
SubDirectory	BF081425	HP Acquire Method	BNA_F		HP Processing Method	bf081225	

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

22	SSTDCCC040	BF143397.D	14 Aug 2025 22:56	RC/JU	Ok,M
23	DFTPP	BF143398.D	15 Aug 2025 01:26	RC/JU	Ok
24	SSTDCCC040	BF143399.D	15 Aug 2025 03:54	RC/JU	Ok,M
25	PB169230BL	BF143400.D	15 Aug 2025 04:24	RC/JU	Ok
26	PB169230BS	BF143401.D	15 Aug 2025 04:53	RC/JU	Not Ok
27	PB169230BSD	BF143402.D	15 Aug 2025 05:23	RC/JU	Not Ok
28	Q2815-01	BF143403.D	15 Aug 2025 05:52	RC/JU	Ok
29	Q2815-02	BF143404.D	15 Aug 2025 06:22	RC/JU	Ok
30	Q2815-03	BF143405.D	15 Aug 2025 06:51	RC/JU	Ok
31	Q2815-04	BF143406.D	15 Aug 2025 07:20	RC/JU	Ok
32	Q2815-05	BF143407.D	15 Aug 2025 07:49	RC/JU	Ok
33	Q2815-06	BF143408.D	15 Aug 2025 08:18	RC/JU	Ok
34	Q2815-07	BF143409.D	15 Aug 2025 08:48	RC/JU	Ok
35	Q2815-08	BF143410.D	15 Aug 2025 09:17	RC/JU	ReRun
36	Q2815-09	BF143411.D	15 Aug 2025 09:46	RC/JU	Ok
37	Q2858-01	BF143412.D	15 Aug 2025 10:16	RC/JU	Dilution
38	Q2858-01DL	BF143413.D	15 Aug 2025 10:48	RC/JU	Ok,M
39	SSTDCCC040	BF143414.D	15 Aug 2025 12:45	RC/JU	Ok,M

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF082025

Review By	Rahul	Review On	8/21/2025 8:38:24 AM				
Supervise By	Jagrut	Supervise On	8/21/2025 11:02:57 AM				
SubDirectory	BF082025	HP Acquire Method	BNA_F		HP Processing Method	bf082025	

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	DFTPP	BF143476.D	20 Aug 2025 10:26	RC/JU	Ok
2	SSTDICC2.5	BF143477.D	20 Aug 2025 10:55	RC/JU	Ok
3	SSTDICC005	BF143478.D	20 Aug 2025 11:25	RC/JU	Ok
4	SSTDICC010	BF143479.D	20 Aug 2025 11:54	RC/JU	Ok
5	SSTDICC020	BF143480.D	20 Aug 2025 12:23	RC/JU	Ok
6	SSTDICCC040	BF143481.D	20 Aug 2025 12:53	RC/JU	Ok
7	SSTDICC050	BF143482.D	20 Aug 2025 13:22	RC/JU	Ok
8	SSTDICC060	BF143483.D	20 Aug 2025 13:51	RC/JU	Ok
9	SSTDICC080	BF143484.D	20 Aug 2025 14:20	RC/JU	Ok
10	SSTDICV040	BF143485.D	20 Aug 2025 15:16	RC/JU	Ok
11	PB169299BL	BF143486.D	20 Aug 2025 15:46	RC/JU	Ok
12	PB169299BS	BF143487.D	20 Aug 2025 16:15	RC/JU	Not Ok
13	PB169313BS	BF143488.D	20 Aug 2025 16:44	RC/JU	Not Ok
14	PB169313BSD	BF143489.D	20 Aug 2025 17:13	RC/JU	Not Ok
15	Q2892-12	BF143490.D	20 Aug 2025 17:43	RC/JU	Ok
16	Q2892-10	BF143491.D	20 Aug 2025 18:12	RC/JU	Ok
17	Q2892-10MS	BF143492.D	20 Aug 2025 18:41	RC/JU	Ok,M
18	Q2892-10MSD	BF143493.D	20 Aug 2025 19:10	RC/JU	Ok,M
19	Q2900-06	BF143494.D	20 Aug 2025 19:39	RC/JU	Ok
20	Q2900-07	BF143495.D	20 Aug 2025 20:08	RC/JU	Ok
21	Q2900-04	BF143496.D	20 Aug 2025 20:37	RC/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF082025

Review By	Rahul	Review On	8/21/2025 8:38:24 AM		
Supervise By	Jagrut	Supervise On	8/21/2025 11:02:57 AM		
SubDirectory	BF082025	HP Acquire Method	BNA_F	HP Processing Method	bf082025

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

22	DFTPP	BF143497.D	20 Aug 2025 21:36	RC/JU	Ok
23	SSTDCCC040	BF143498.D	20 Aug 2025 22:05	RC/JU	Ok
24	PB169313BL	BF143499.D	20 Aug 2025 22:34	RC/JU	Not Ok
25	PB169223BS	BF143500.D	20 Aug 2025 23:03	RC/JU	Ok,M
26	PB169223BSD	BF143501.D	20 Aug 2025 23:32	RC/JU	Ok,M
27	Q2815-12	BF143502.D	21 Aug 2025 00:00	RC/JU	Ok
28	Q2900-01	BF143503.D	21 Aug 2025 00:29	RC/JU	Ok
29	Q2819-20	BF143504.D	21 Aug 2025 00:58	RC/JU	Ok
30	Q2819-14	BF143505.D	21 Aug 2025 01:27	RC/JU	Ok
31	Q2819-15	BF143506.D	21 Aug 2025 01:56	RC/JU	Ok
32	Q2819-18	BF143507.D	21 Aug 2025 02:25	RC/JU	Ok
33	Q2819-19	BF143508.D	21 Aug 2025 02:54	RC/JU	Ok
34	Q2892-06	BF143509.D	21 Aug 2025 03:23	RC/JU	Ok
35	Q2892-08	BF143510.D	21 Aug 2025 03:52	RC/JU	Ok
36	Q2900-02	BF143511.D	21 Aug 2025 04:21	RC/JU	Dilution
37	Q2900-03	BF143512.D	21 Aug 2025 04:49	RC/JU	Dilution
38	Q2900-05	BF143513.D	21 Aug 2025 05:18	RC/JU	Dilution
39	Q2815-11	BF143514.D	21 Aug 2025 05:47	RC/JU	Ok
40	Q2815-08	BF143515.D	21 Aug 2025 06:15	RC/JU	Ok
41	SSTDCCC040	BF143516.D	21 Aug 2025 06:44	RC/JU	Ok

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF082125

Review By	Rahul	Review On	8/22/2025 8:18:48 AM				
Supervise By	mohammad	Supervise On	8/22/2025 8:27:40 AM				
SubDirectory	BF082125	HP Acquire Method	BNA_F		HP Processing Method	bf082025	

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	DFTPP	BF143517.D	21 Aug 2025 08:20	RC/JU	Ok
2	SSTDCCC040	BF143518.D	21 Aug 2025 09:21	RC/JU	Ok
3	PB169299BL	BF143519.D	21 Aug 2025 09:50	RC/JU	Ok
4	Q2820-24	BF143520.D	21 Aug 2025 10:20	RC/JU	Ok
5	Q2820-12	BF143521.D	21 Aug 2025 10:49	RC/JU	Ok
6	Q2900-02DL	BF143522.D	21 Aug 2025 11:18	RC/JU	Dilution
7	Q2900-03DL	BF143523.D	21 Aug 2025 11:47	RC/JU	Dilution
8	Q2900-05DL	BF143524.D	21 Aug 2025 12:17	RC/JU	Dilution
9	Q2819-07	BF143525.D	21 Aug 2025 12:46	RC/JU	Ok,M
10	Q2819-08	BF143526.D	21 Aug 2025 13:15	RC/JU	Ok,M
11	Q2900-02DL2	BF143527.D	21 Aug 2025 13:44	RC/JU	Ok
12	Q2900-03DL2	BF143528.D	21 Aug 2025 14:13	RC/JU	Ok
13	Q2900-05DL2	BF143529.D	21 Aug 2025 14:42	RC/JU	Ok
14	Q2819-10RE	BF143530.D	21 Aug 2025 15:11	RC/JU	Confirms
15	Q2819-11	BF143531.D	21 Aug 2025 15:40	RC/JU	Ok,M
16	Q2819-06	BF143532.D	21 Aug 2025 16:09	RC/JU	Ok
17	Q2819-01	BF143533.D	21 Aug 2025 16:38	RC/JU	Ok,M
18	Q2814-07	BF143534.D	21 Aug 2025 17:07	RC/JU	Ok
19	Q2815-15	BF143535.D	21 Aug 2025 17:36	RC/JU	Ok
20	Q2814-19	BF143536.D	21 Aug 2025 18:05	RC/JU	Ok
21	Q2819-13	BF143537.D	21 Aug 2025 18:34	RC/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF082125

Review By	Rahul	Review On	8/22/2025 8:18:48 AM		
Supervise By	mohammad	Supervise On	8/22/2025 8:27:40 AM		
SubDirectory	BF082125	HP Acquire Method	BNA_F	HP Processing Method	bf082025

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

22	Q2819-04RE	BF143538.D	21 Aug 2025 19:03	RC/JU	Confirms
23	SSTDCCC040	BF143539.D	21 Aug 2025 19:32	RC/JU	Ok
24	DFTPP	BF143540.D	21 Aug 2025 20:02	RC/JU	Ok
25	SSTDCCC040	BF143541.D	21 Aug 2025 21:00	RC/JU	Ok
26	PB169330BL	BF143542.D	21 Aug 2025 21:58	RC/JU	Not Ok
27	PB169330BS	BF143543.D	21 Aug 2025 22:27	RC/JU	Not Ok
28	Q2903-01	BF143544.D	21 Aug 2025 22:56	RC/JU	ReRun
29	Q2903-02	BF143545.D	21 Aug 2025 23:25	RC/JU	ReRun
30	Q2903-03	BF143546.D	21 Aug 2025 23:54	RC/JU	ReRun
31	Q2903-04	BF143547.D	22 Aug 2025 00:23	RC/JU	ReRun
32	Q2903-05MS	BF143548.D	22 Aug 2025 00:52	RC/JU	Not Ok
33	Q2903-06MSD	BF143549.D	22 Aug 2025 01:21	RC/JU	Not Ok
34	Q2903-07	BF143550.D	22 Aug 2025 01:51	RC/JU	ReRun
35	Q2903-08	BF143551.D	22 Aug 2025 02:19	RC/JU	ReRun
36	Q2903-09	BF143552.D	22 Aug 2025 02:49	RC/JU	ReRun
37	Q2903-10	BF143553.D	22 Aug 2025 03:18	RC/JU	ReRun
38	Q2903-11	BF143554.D	22 Aug 2025 03:46	RC/JU	Dilution
39	Q2903-12	BF143555.D	22 Aug 2025 04:16	RC/JU	ReRun
40	Q2915-01	BF143556.D	22 Aug 2025 04:45	RC/JU	ReRun
41	Q2915-01MS	BF143557.D	22 Aug 2025 05:14	RC/JU	Not Ok
42	Q2915-01MSD	BF143558.D	22 Aug 2025 05:43	RC/JU	Not Ok
43	Q2915-03	BF143559.D	22 Aug 2025 06:11	RC/JU	ReRun
44	Q2892-04	BF143560.D	22 Aug 2025 06:40	RC/JU	ReRun

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF082125

Review By	Rahul	Review On	8/22/2025 8:18:48 AM				
Supervise By	mohammad	Supervise On	8/22/2025 8:27:40 AM				
SubDirectory	BF082125	HP Acquire Method	BNA_F		HP Processing Method	bf082025	

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

45	Q2892-02	BF143561.D	22 Aug 2025 07:09	RC/JU	ReRun

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP081425

Review By	Rahul	Review On	8/15/2025 9:35:16 AM		
Supervise By	Jagrut	Supervise On	8/15/2025 3:48:12 PM		
SubDirectory	BP081425	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	DFTPP	BP025390.D	14 Aug 2025 10:30	CG/JU	Ok
2	SSTDCCC040	BP025391.D	14 Aug 2025 11:52	CG/JU	Not Ok
3	SSTDICC2.5	BP025392.D	14 Aug 2025 12:33	CG/JU	Ok
4	SSTDICC005	BP025393.D	14 Aug 2025 13:15	CG/JU	Ok,M
5	SSTDICC010	BP025394.D	14 Aug 2025 13:56	CG/JU	Ok,M
6	SSTDICC020	BP025395.D	14 Aug 2025 14:38	CG/JU	Ok,M
7	SSTDICCC040	BP025396.D	14 Aug 2025 15:19	CG/JU	Ok,M
8	SSTDICC050	BP025397.D	14 Aug 2025 16:01	CG/JU	Ok,M
9	SSTDICC060	BP025398.D	14 Aug 2025 16:42	CG/JU	Ok
10	SSTDICC080	BP025399.D	14 Aug 2025 17:24	CG/JU	Ok,M
11	SSTDICV040	BP025400.D	14 Aug 2025 18:05	CG/JU	Ok,M
12	PB169200TB	BP025401.D	14 Aug 2025 19:28	CG/JU	Ok
13	PB169210BS	BP025402.D	14 Aug 2025 20:10	CG/JU	Ok,M
14	SSTDCCC040	BP025403.D	14 Aug 2025 20:51	CG/JU	Ok,M
15	DFTPP	BP025404.D	14 Aug 2025 22:14	CG/JU	Ok
16	SSTDCCC040	BP025405.D	14 Aug 2025 22:56	CG/JU	Ok,M
17	PB169228BL	BP025406.D	14 Aug 2025 23:37	CG/JU	Ok
18	PB169228BS	BP025407.D	15 Aug 2025 00:18	CG/JU	Ok,M
19	Q2820-10	BP025408.D	15 Aug 2025 01:00	CG/JU	Ok
20	Q2820-11	BP025409.D	15 Aug 2025 01:41	CG/JU	Ok
21	Q2820-21	BP025410.D	15 Aug 2025 02:22	CG/JU	ReRun

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP081425

Review By	Rahul	Review On	8/15/2025 9:35:16 AM		
Supervise By	Jagrut	Supervise On	8/15/2025 3:48:12 PM		
SubDirectory	BP081425	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

22	Q2820-22	BP025411.D	15 Aug 2025 03:03	CG/JU	ReRun
23	Q2820-14	BP025412.D	15 Aug 2025 03:45	CG/JU	Ok
24	Q2820-16	BP025413.D	15 Aug 2025 04:26	CG/JU	Ok
25	Q2820-17	BP025414.D	15 Aug 2025 05:07	CG/JU	Ok
26	Q2820-17MS	BP025415.D	15 Aug 2025 05:48	CG/JU	Ok,M
27	Q2820-17MSD	BP025416.D	15 Aug 2025 06:29	CG/JU	Ok,M
28	Q2820-18	BP025417.D	15 Aug 2025 07:10	CG/JU	Ok
29	Q2820-19	BP025418.D	15 Aug 2025 07:51	CG/JU	ReRun
30	Q2820-20	BP025419.D	15 Aug 2025 08:32	CG/JU	ReRun
31	SSTDCCC040	BP025420.D	15 Aug 2025 09:13	CG/JU	Ok,M

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP081525

Review By	Rahul	Review On	8/18/2025 8:39:39 AM				
Supervise By	Jagrut	Supervise On	8/18/2025 8:42:55 AM				
SubDirectory	BP081525	HP Acquire Method	BNA_P		HP Processing Method	bp081425	

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	DFTPP	BP025421.D	15 Aug 2025 09:55	CG/JU	Ok
2	SSTDCCC040	BP025422.D	15 Aug 2025 10:36	CG/JU	Ok,M
3	PB169230BL	BP025423.D	15 Aug 2025 11:17	CG/JU	Ok
4	PB169230BS	BP025424.D	15 Aug 2025 11:59	CG/JU	Ok,M
5	PB169230BSD	BP025425.D	15 Aug 2025 13:26	CG/JU	Ok
6	Q2814-05RE	BP025426.D	15 Aug 2025 14:08	CG/JU	Confirms
7	Q2814-20	BP025427.D	15 Aug 2025 14:49	CG/JU	Ok
8	Q2814-11	BP025428.D	15 Aug 2025 15:31	CG/JU	Not Ok
9	Q2814-17	BP025429.D	15 Aug 2025 16:12	CG/JU	Ok
10	Q2814-18	BP025430.D	15 Aug 2025 16:54	CG/JU	ReRun
11	Q2827-05DL	BP025431.D	15 Aug 2025 17:35	CG/JU	Ok,M
12	Q2820-07RE	BP025432.D	15 Aug 2025 18:17	CG/JU	Confirms
13	Q2820-01RE	BP025433.D	15 Aug 2025 18:58	CG/JU	Confirms
14	Q2820-21RE	BP025434.D	15 Aug 2025 19:40	CG/JU	Confirms
15	Q2820-22RE	BP025435.D	15 Aug 2025 20:21	CG/JU	Confirms
16	SSTDCCC040	BP025436.D	15 Aug 2025 21:03	CG/JU	Ok,M
17	DFTPP	BP025437.D	15 Aug 2025 23:08	CG/JU	Ok
18	SSTDCCC040	BP025438.D	15 Aug 2025 23:49	CG/JU	Ok,M
19	PB169275BL	BP025439.D	16 Aug 2025 00:31	CG/JU	Ok
20	PB169275BS	BP025440.D	16 Aug 2025 01:13	CG/JU	Ok,M
21	Q2732-03	BP025441.D	16 Aug 2025 01:55	CG/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP081525

Review By	Rahul	Review On	8/18/2025 8:39:39 AM		
Supervise By	Jagrut	Supervise On	8/18/2025 8:42:55 AM		
SubDirectory	BP081525	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

22	Q2836-03	BP025442.D	16 Aug 2025 02:37	CG/JU	Ok
23	Q2836-07	BP025443.D	16 Aug 2025 03:19	CG/JU	Ok
24	Q2836-11	BP025444.D	16 Aug 2025 04:00	CG/JU	Ok
25	Q2836-15	BP025445.D	16 Aug 2025 04:41	CG/JU	Ok
26	Q2838-04	BP025446.D	16 Aug 2025 05:22	CG/JU	Ok
27	Q2838-08	BP025447.D	16 Aug 2025 06:04	CG/JU	Ok
28	Q2832-02	BP025448.D	16 Aug 2025 06:45	CG/JU	Ok
29	Q2832-02MS	BP025449.D	16 Aug 2025 07:26	CG/JU	Ok,M
30	Q2832-02MSD	BP025450.D	16 Aug 2025 08:07	CG/JU	Ok,M
31	Q2832-04	BP025451.D	16 Aug 2025 08:48	CG/JU	Ok
32	Q2832-06	BP025452.D	16 Aug 2025 09:29	CG/JU	Ok
33	Q2832-08	BP025453.D	16 Aug 2025 10:11	CG/JU	Ok

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP081925

Review By	Rahul	Review On	8/20/2025 11:11:45 AM				
Supervise By	Jagrut	Supervise On	8/20/2025 12:07:50 PM				
SubDirectory	BP081925	HP Acquire Method	BNA_P		HP Processing Method	bp081425	

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	DFTPP	BP025469.D	19 Aug 2025 10:03	CG/JU	Ok
2	SSTDCCC040	BP025470.D	19 Aug 2025 10:44	CG/JU	Ok
3	PB169244BL	BP025471.D	19 Aug 2025 11:25	CG/JU	Ok
4	PB169244BS	BP025472.D	19 Aug 2025 12:06	CG/JU	Ok,M
5	PB169244BSD	BP025473.D	19 Aug 2025 12:47	CG/JU	Ok,M
6	Q2815-18	BP025474.D	19 Aug 2025 13:29	CG/JU	Ok
7	Q2815-19	BP025475.D	19 Aug 2025 14:10	CG/JU	Ok
8	Q2815-20	BP025476.D	19 Aug 2025 14:51	CG/JU	Ok
9	Q2815-21	BP025477.D	19 Aug 2025 15:32	CG/JU	Ok
10	Q2815-22	BP025478.D	19 Aug 2025 16:13	CG/JU	Ok
11	Q2815-23	BP025479.D	19 Aug 2025 16:55	CG/JU	Ok
12	Q2815-26	BP025480.D	19 Aug 2025 17:36	CG/JU	Ok
13	Q2820-19RE	BP025481.D	19 Aug 2025 18:17	CG/JU	Confirms
14	Q2820-20RE	BP025482.D	19 Aug 2025 18:58	CG/JU	Confirms
15	Q2815-13	BP025483.D	19 Aug 2025 19:39	CG/JU	Ok
16	Q2815-14	BP025484.D	19 Aug 2025 20:21	CG/JU	Ok
17	SSTDCCC040	BP025485.D	19 Aug 2025 21:43	CG/JU	Ok
18	DFTPP	BP025486.D	19 Aug 2025 23:05	CG/JU	Ok
19	SSTDCCC040	BP025487.D	19 Aug 2025 23:46	CG/JU	Ok,M
20	PB169242BL	BP025488.D	20 Aug 2025 00:27	CG/JU	Ok
21	PB169242BS	BP025489.D	20 Aug 2025 01:07	CG/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP081925

Review By	Rahul	Review On	8/20/2025 11:11:45 AM		
Supervise By	Jagrut	Supervise On	8/20/2025 12:07:50 PM		
SubDirectory	BP081925	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

22	Q2870-04	BP025490.D	20 Aug 2025 01:48	CG/JU	Ok
23	Q2871-01	BP025491.D	20 Aug 2025 02:29	CG/JU	Ok
24	Q2870-01	BP025492.D	20 Aug 2025 03:10	CG/JU	Ok
25	Q2871-04	BP025493.D	20 Aug 2025 03:51	CG/JU	Ok
26	Q2871-07	BP025494.D	20 Aug 2025 04:32	CG/JU	Ok
27	Q2873-04	BP025495.D	20 Aug 2025 05:13	CG/JU	Ok
28	Q2825-01	BP025496.D	20 Aug 2025 05:54	CG/JU	Ok
29	Q2872-01	BP025497.D	20 Aug 2025 06:35	CG/JU	Ok
30	Q2815-17	BP025498.D	20 Aug 2025 07:16	CG/JU	Ok
31	Q2815-16	BP025499.D	20 Aug 2025 07:57	CG/JU	Ok
32	Q2819-05	BP025500.D	20 Aug 2025 08:38	CG/JU	Ok
33	Q2820-13	BP025501.D	20 Aug 2025 09:19	CG/JU	Ok
34	SSTDCCC040	BP025502.D	20 Aug 2025 10:41	CG/JU	Ok,M

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP082025

Review By	Rahul	Review On	8/21/2025 3:04:18 PM				
Supervise By	Jagrut	Supervise On	8/21/2025 5:57:41 PM				
SubDirectory	BP082025	HP Acquire Method	BNA_P		HP Processing Method	bp081425	

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	DFTPP	BP025503.D	20 Aug 2025 11:24	CG/JU	Ok
2	SSTDCCC040	BP025504.D	20 Aug 2025 12:05	CG/JU	Ok,M
3	PB169259BL	BP025505.D	20 Aug 2025 12:46	CG/JU	Not Ok
4	Q2888-01	BP025506.D	20 Aug 2025 13:30	CG/JU	Ok,M
5	Q2884-03	BP025507.D	20 Aug 2025 14:12	CG/JU	Ok
6	Q2884-01	BP025508.D	20 Aug 2025 14:53	CG/JU	Ok
7	Q2865-02	BP025509.D	20 Aug 2025 15:34	CG/JU	Ok,M
8	Q2889-01	BP025510.D	20 Aug 2025 16:15	CG/JU	Ok,M
9	DFTPP	BP025511.D	20 Aug 2025 17:04	CG/JU	Ok
10	SSTDCCC040	BP025512.D	20 Aug 2025 18:27	CG/JU	Ok
11	PB169259BL	BP025513.D	20 Aug 2025 19:08	CG/JU	Ok
12	PB169259BS	BP025514.D	20 Aug 2025 19:49	CG/JU	Ok
13	Q2819-03	BP025515.D	20 Aug 2025 20:30	CG/JU	Ok
14	Q2819-03MS	BP025516.D	20 Aug 2025 21:11	CG/JU	Ok,M
15	Q2819-03MSD	BP025517.D	20 Aug 2025 21:52	CG/JU	Ok,M
16	Q2819-09	BP025518.D	20 Aug 2025 22:32	CG/JU	Ok
17	Q2819-17	BP025519.D	20 Aug 2025 23:13	CG/JU	Ok
18	Q2819-17MS	BP025520.D	20 Aug 2025 23:54	CG/JU	Ok,M
19	Q2819-17MSD	BP025521.D	21 Aug 2025 00:35	CG/JU	Ok,M
20	Q2814-18RE	BP025522.D	21 Aug 2025 01:15	CG/JU	Confirms
21	Q2820-23	BP025523.D	21 Aug 2025 01:56	CG/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP082025

Review By	Rahul	Review On	8/21/2025 3:04:18 PM		
Supervise By	Jagrut	Supervise On	8/21/2025 5:57:41 PM		
SubDirectory	BP082025	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

22	Q2819-02	BP025524.D	21 Aug 2025 02:37	CG/JU	Ok
23	Q2815-10	BP025525.D	21 Aug 2025 03:18	CG/JU	Ok
24	SSTDCCC040	BP025526.D	21 Aug 2025 03:59	CG/JU	Ok
25	DFTPP	BP025527.D	21 Aug 2025 06:01	CG/JU	Ok
26	SSTDCCC040	BP025528.D	21 Aug 2025 06:42	CG/JU	Ok
27	PB169285BL	BP025529.D	21 Aug 2025 07:23	CG/JU	Ok
28	PB169285BS	BP025530.D	21 Aug 2025 08:03	CG/JU	Ok,M
29	Q2873-01	BP025531.D	21 Aug 2025 08:44	CG/JU	Ok
30	Q2873-01MS	BP025532.D	21 Aug 2025 09:25	CG/JU	Ok,M
31	Q2873-01MSD	BP025533.D	21 Aug 2025 10:06	CG/JU	Ok,M
32	Q2819-10	BP025534.D	21 Aug 2025 10:50	CG/JU	ReRun
33	Q2819-11	BP025535.D	21 Aug 2025 11:31	CG/JU	ReRun
34	Q2819-12	BP025536.D	21 Aug 2025 12:12	CG/JU	Ok
35	Q2832-09	BP025537.D	21 Aug 2025 12:53	CG/JU	Ok
36	Q2897-01	BP025538.D	21 Aug 2025 13:34	CG/JU	Ok,NR
37	Q2819-04	BP025539.D	21 Aug 2025 14:15	CG/JU	ReRun
38	Q2819-16	BP025540.D	21 Aug 2025 14:56	CG/JU	Ok
39	Q2820-15	BP025541.D	21 Aug 2025 15:37	CG/JU	Ok
40	SSTDCCC040	BP025542.D	21 Aug 2025 17:11	CG/JU	Ok

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF081225

Review By	Jagrut	Review On	8/13/2025 11:12:27 AM		
Supervise By	Rahul	Supervise On	8/13/2025 3:44:43 PM		
SubDirectory	BF081225	HP Acquire Method	BNA_F	HP Processing Method	bf081225

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	DFTPP	DFTPP	BF143342.D	12 Aug 2025 08:34		RC/JU	Ok
2	SSTDICC2.5	SSTDICC2.5	BF143343.D	12 Aug 2025 09:03		RC/JU	Ok
3	SSTDICC005	SSTDICC005	BF143344.D	12 Aug 2025 09:34		RC/JU	Ok
4	SSTDICC010	SSTDICC010	BF143345.D	12 Aug 2025 10:04		RC/JU	Ok,M
5	SSTDICC020	SSTDICC020	BF143346.D	12 Aug 2025 10:35		RC/JU	Ok
6	SSTDICCC040	SSTDICCC040	BF143347.D	12 Aug 2025 11:06	Compound #26,41,48,51,56,57,65,70,80,84, 85 Kept on LR	RC/JU	Ok
7	SSTDICC050	SSTDICC050	BF143348.D	12 Aug 2025 11:37	Compound #32,54 kept on QR	RC/JU	Ok
8	SSTDICC060	SSTDICC060	BF143349.D	12 Aug 2025 12:07		RC/JU	Ok
9	SSTDICC080	SSTDICC080	BF143350.D	12 Aug 2025 12:38	Compound#09 removed from 80 ppm	RC/JU	Ok
10	SSTDICV040	ICVBF081225	BF143351.D	12 Aug 2025 13:52		RC/JU	Ok
11	PB169189BL	PB169189BL	BF143352.D	12 Aug 2025 14:22		RC/JU	Ok
12	PB169189BS	PB169189BS	BF143353.D	12 Aug 2025 14:53	Compound#44,51,59,62,74 failing high	RC/JU	Ok,M
13	Q2807-02	COMP-5	BF143354.D	12 Aug 2025 15:33		RC/JU	Ok,M
14	Q2807-01	COMP-4	BF143355.D	12 Aug 2025 16:02		RC/JU	Ok
15	Q2807-03	COMP-6	BF143356.D	12 Aug 2025 16:32		RC/JU	Ok,M
16	Q2807-03MS	COMP-6MS	BF143357.D	12 Aug 2025 17:02		RC/JU	Ok
17	Q2807-03MSD	COMP-6MSD	BF143358.D	12 Aug 2025 17:32		RC/JU	Ok,M

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF081225

Review By	Jagrut	Review On	8/13/2025 11:12:27 AM		
Supervise By	Rahul	Supervise On	8/13/2025 3:44:43 PM		
SubDirectory	BF081225	HP Acquire Method	BNA_F	HP Processing Method	bf081225

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

18	Q2830-07	BIN0009-DRIVEWAY-T	BF143359.D	12 Aug 2025 18:02		RC/JU	Ok
19	Q2830-01	BIN0009-DRIVEWAY-T	BF143360.D	12 Aug 2025 18:32		RC/JU	Ok
20	Q2830-03	BIN0009-DRIVEWAY-T	BF143361.D	12 Aug 2025 19:02		RC/JU	Ok
21	Q2830-05	BIN0009-DRIVEWAY-T	BF143362.D	12 Aug 2025 19:32		RC/JU	Ok
22	Q2831-01	VNJ-238	BF143363.D	12 Aug 2025 20:02		RC/JU	Ok,M

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF081425

Review By	Rahul	Review On	8/15/2025 9:33:03 AM		
Supervise By	Jagrut	Supervise On	8/15/2025 2:49:47 PM		
SubDirectory	BF081425	HP Acquire Method	BNA_F	HP Processing Method	bf081225

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	DFTPP	DFTPP	BF143376.D	14 Aug 2025 11:55		RC/JU	Ok
2	SSTDCCC040	SSTDCCC040	BF143377.D	14 Aug 2025 12:55		RC/JU	Ok,M
3	PB169223BL	PB169223BL	BF143378.D	14 Aug 2025 13:25		RC/JU	Ok
4	Q2814-01	TW-84SB-E	BF143379.D	14 Aug 2025 13:55		RC/JU	Ok
5	Q2814-02	TW-17M-N	BF143380.D	14 Aug 2025 14:25		RC/JU	Ok
6	Q2814-03	TW-17M-W	BF143381.D	14 Aug 2025 14:55		RC/JU	Ok
7	Q2814-04	TW-82H-N	BF143382.D	14 Aug 2025 15:26		RC/JU	Ok
8	Q2814-05	TW-82H-E	BF143383.D	14 Aug 2025 15:56	Surrogate Fail	RC/JU	ReRun
9	Q2814-06	TW-82H-S	BF143384.D	14 Aug 2025 16:26		RC/JU	Ok
10	Q2814-20	TW-518R-W	BF143385.D	14 Aug 2025 16:55	Positive Hit for compound#84	RC/JU	ReRun
11	Q2814-08	TW-38M-E	BF143386.D	14 Aug 2025 17:26		RC/JU	Ok
12	Q2814-09	TW-38M-W	BF143387.D	14 Aug 2025 17:56		RC/JU	Ok
13	Q2814-10	TW-38M-N	BF143388.D	14 Aug 2025 18:26		RC/JU	Ok
14	Q2814-11	TW-38M-S	BF143389.D	14 Aug 2025 18:56		RC/JU	Ok
15	Q2814-12	TW-BP-S	BF143390.D	14 Aug 2025 19:26		RC/JU	Ok
16	Q2814-13	TW-BP-N	BF143391.D	14 Aug 2025 19:56		RC/JU	Ok
17	Q2814-14	TW-BP-E	BF143392.D	14 Aug 2025 20:26		RC/JU	Ok
18	Q2814-15	TW-BP-W	BF143393.D	14 Aug 2025 20:56		RC/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF081425

Review By	Rahul	Review On	8/15/2025 9:33:03 AM		
Supervise By	Jagrut	Supervise On	8/15/2025 2:49:47 PM		
SubDirectory	BF081425	HP Acquire Method	BNA_F	HP Processing Method	bf081225

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

19	Q2814-17	TW-518R-S	BF143394.D	14 Aug 2025 21:26	Positive Hit for compound#84	RC/JU	ReRun
20	Q2814-18	TW-518R-N	BF143395.D	14 Aug 2025 21:56	Positive Hit for compound#84	RC/JU	Not Ok
21	Q2814-16	FB	BF143396.D	14 Aug 2025 22:26		RC/JU	Ok
22	SSTDCCC040	SSTDCCC040EC	BF143397.D	14 Aug 2025 22:56		RC/JU	Ok,M
23	DFTPP	DFTPP	BF143398.D	15 Aug 2025 01:26		RC/JU	Ok
24	SSTDCCC040	SSTDCCC040	BF143399.D	15 Aug 2025 03:54		RC/JU	Ok,M
25	PB169230BL	PB169230BL	BF143400.D	15 Aug 2025 04:24		RC/JU	Ok
26	PB169230BS	PB169230BS	BF143401.D	15 Aug 2025 04:53	Bis(2-ethylhexyl)phthalate & Butylbenzylphthalate biased High in CCC.	RC/JU	Not Ok
27	PB169230BSD	PB169230BSD	BF143402.D	15 Aug 2025 05:23	Bis(2-ethylhexyl)phthalate & Butylbenzylphthalate biased High in CCC.	RC/JU	Not Ok
28	Q2815-01	TW-705R-S	BF143403.D	15 Aug 2025 05:52	Surrogates Failed.	RC/JU	Ok
29	Q2815-02	TW-10PC-W	BF143404.D	15 Aug 2025 06:22		RC/JU	Ok
30	Q2815-03	TW-10P-E	BF143405.D	15 Aug 2025 06:51		RC/JU	Ok
31	Q2815-04	TW-10P-S	BF143406.D	15 Aug 2025 07:20		RC/JU	Ok
32	Q2815-05	TW-10P-W	BF143407.D	15 Aug 2025 07:49		RC/JU	Ok
33	Q2815-06	TW-10P-N	BF143408.D	15 Aug 2025 08:18		RC/JU	Ok
34	Q2815-07	TW-88H-E	BF143409.D	15 Aug 2025 08:48		RC/JU	Ok
35	Q2815-08	TW-88H-N	BF143410.D	15 Aug 2025 09:17	Positive Hit for compound#84	RC/JU	ReRun
36	Q2815-09	TW-88H-W	BF143411.D	15 Aug 2025 09:46		RC/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF081425

Review By	Rahul	Review On	8/15/2025 9:33:03 AM		
Supervise By	Jagrut	Supervise On	8/15/2025 2:49:47 PM		
SubDirectory	BF081425	HP Acquire Method	BNA_F	HP Processing Method	bf081225

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

37	Q2858-01	VNJ 216	BF143412.D	15 Aug 2025 10:16	Need 10X Dilution	RC/JU	Dilution
38	Q2858-01DL	VNJ 216DL	BF143413.D	15 Aug 2025 10:48		RC/JU	Ok,M
39	SSTDCCC040	SSTDCCC040EC	BF143414.D	15 Aug 2025 12:45		RC/JU	Ok,M

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF082025

Review By	Rahul	Review On	8/21/2025 8:38:24 AM		
Supervise By	Jagrut	Supervise On	8/21/2025 11:02:57 AM		
SubDirectory	BF082025	HP Acquire Method	BNA_F	HP Processing Method	bf082025

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	DFTPP	DFTPP	BF143476.D	20 Aug 2025 10:26		RC/JU	Ok
2	SSTDICC2.5	SSTDICC2.5	BF143477.D	20 Aug 2025 10:55		RC/JU	Ok
3	SSTDICC005	SSTDICC005	BF143478.D	20 Aug 2025 11:25		RC/JU	Ok
4	SSTDICC010	SSTDICC010	BF143479.D	20 Aug 2025 11:54		RC/JU	Ok
5	SSTDICC020	SSTDICC020	BF143480.D	20 Aug 2025 12:23	compounds #32,41,54 kept on LR	RC/JU	Ok
6	SSTDICCC040	SSTDICCC040	BF143481.D	20 Aug 2025 12:53	Benzidine failed in the Calibration Method.	RC/JU	Ok
7	SSTDICC050	SSTDICC050	BF143482.D	20 Aug 2025 13:22		RC/JU	Ok
8	SSTDICC060	SSTDICC060	BF143483.D	20 Aug 2025 13:51		RC/JU	Ok
9	SSTDICC080	SSTDICC080	BF143484.D	20 Aug 2025 14:20	Compound #9 revoved from 80PPM	RC/JU	Ok
10	SSTDICV040	ICVBF082025	BF143485.D	20 Aug 2025 15:16		RC/JU	Ok
11	PB169299BL	PB169299BL	BF143486.D	20 Aug 2025 15:46		RC/JU	Ok
12	PB169299BS	PB169299BS	BF143487.D	20 Aug 2025 16:15	Recovery is low for compound #3,3-Dichlorobenzidine	RC/JU	Not Ok
13	PB169313BS	PB169313BS	BF143488.D	20 Aug 2025 16:44	Benzidine failed in the Calibration Method.	RC/JU	Not Ok
14	PB169313BSD	PB169313BSD	BF143489.D	20 Aug 2025 17:13	Benzidine failed in the Calibration Method. ,Recovery is low for compound #3,3-Dichlorobenzidine	RC/JU	Not Ok
15	Q2892-12	FRONT-1-FLOOR-F	BF143490.D	20 Aug 2025 17:43		RC/JU	Ok
16	Q2892-10	3-FLOOR-SOUTH-E	BF143491.D	20 Aug 2025 18:12		RC/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF082025

Review By	Rahul	Review On	8/21/2025 8:38:24 AM		
Supervise By	Jagrut	Supervise On	8/21/2025 11:02:57 AM		
SubDirectory	BF082025	HP Acquire Method	BNA_F	HP Processing Method	bf082025

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

17	Q2892-10MS	3-FLOOR-SOUTH-EMS	BF143492.D	20 Aug 2025 18:41		RC/JU	Ok,M
18	Q2892-10MSD	3-FLOOR-SOUTH-EMS	BF143493.D	20 Aug 2025 19:10		RC/JU	Ok,M
19	Q2900-06	MW-17C-081825	BF143494.D	20 Aug 2025 19:39		RC/JU	Ok
20	Q2900-07	MW-11B-081825	BF143495.D	20 Aug 2025 20:08		RC/JU	Ok
21	Q2900-04	MW-17B-081825	BF143496.D	20 Aug 2025 20:37		RC/JU	Ok
22	DFTPP	DFTPP	BF143497.D	20 Aug 2025 21:36		RC/JU	Ok
23	SSTDCCC040	SSTDCCC040	BF143498.D	20 Aug 2025 22:05		RC/JU	Ok
24	PB169313BL	PB169313BL	BF143499.D	20 Aug 2025 22:34	Benzidine failed in the Calibration Method.	RC/JU	Not Ok
25	PB169223BS	PB169223BS	BF143500.D	20 Aug 2025 23:03		RC/JU	Ok,M
26	PB169223BSD	PB169223BSD	BF143501.D	20 Aug 2025 23:32		RC/JU	Ok,M
27	Q2815-12	TW-22M-S	BF143502.D	21 Aug 2025 00:00		RC/JU	Ok
28	Q2900-01	MN-9C-081825	BF143503.D	21 Aug 2025 00:29		RC/JU	Ok
29	Q2819-20	82H-E	BF143504.D	21 Aug 2025 00:58		RC/JU	Ok
30	Q2819-14	17M-W	BF143505.D	21 Aug 2025 01:27		RC/JU	Ok
31	Q2819-15	17M-N	BF143506.D	21 Aug 2025 01:56		RC/JU	Ok
32	Q2819-18	38M-W	BF143507.D	21 Aug 2025 02:25		RC/JU	Ok
33	Q2819-19	38M-E	BF143508.D	21 Aug 2025 02:54		RC/JU	Ok
34	Q2892-06	BACK-1-FLOOR-CENT	BF143509.D	21 Aug 2025 03:23		RC/JU	Ok
35	Q2892-08	3-FLOOR-NORTH-D	BF143510.D	21 Aug 2025 03:52		RC/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF082025

Review By	Rahul	Review On	8/21/2025 8:38:24 AM		
Supervise By	Jagrut	Supervise On	8/21/2025 11:02:57 AM		
SubDirectory	BF082025	HP Acquire Method	BNA_F	HP Processing Method	bf082025

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

36	Q2900-02	MN-12C-081825	BF143511.D	21 Aug 2025 04:21	Internal standard fail and need 20X then decide further dilution.	RC/JU	Dilution
37	Q2900-03	DUP-01-081825	BF143512.D	21 Aug 2025 04:49	Internal standard fail and need 20X then decide further dilution.	RC/JU	Dilution
38	Q2900-05	MW-11C-081825	BF143513.D	21 Aug 2025 05:18	Internal standard fail and need 20X then decide further dilution.	RC/JU	Dilution
39	Q2815-11	TW-22M-W	BF143514.D	21 Aug 2025 05:47		RC/JU	Ok
40	Q2815-08	TW-88H-N	BF143515.D	21 Aug 2025 06:15		RC/JU	Ok
41	SSTDCCC040	SSTDCCC040EC	BF143516.D	21 Aug 2025 06:44		RC/JU	Ok

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF082125

Review By	Rahul	Review On	8/22/2025 8:18:48 AM		
Supervise By	mohammad	Supervise On	8/22/2025 8:27:40 AM		
SubDirectory	BF082125	HP Acquire Method	BNA_F	HP Processing Method	bf082025

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	DFTPP	DFTPP	BF143517.D	21 Aug 2025 08:20		RC/JU	Ok
2	SSTDCCC040	SSTDCCC040	BF143518.D	21 Aug 2025 09:21		RC/JU	Ok
3	PB169299BL	PB169299BL	BF143519.D	21 Aug 2025 09:50		RC/JU	Ok
4	Q2820-24	22M-S	BF143520.D	21 Aug 2025 10:20		RC/JU	Ok
5	Q2820-12	10PC-S	BF143521.D	21 Aug 2025 10:49		RC/JU	Ok
6	Q2900-02DL	MN-12C-081825DL	BF143522.D	21 Aug 2025 11:18	Need 5X further Dilution	RC/JU	Dilution
7	Q2900-03DL	DUP-01-081825DL	BF143523.D	21 Aug 2025 11:47	Need 5X further Dilution	RC/JU	Dilution
8	Q2900-05DL	MW-11C-081825DL	BF143524.D	21 Aug 2025 12:17	Need 2X further Dilution	RC/JU	Dilution
9	Q2819-07	11M-N	BF143525.D	21 Aug 2025 12:46		RC/JU	Ok,M
10	Q2819-08	11M-E	BF143526.D	21 Aug 2025 13:15		RC/JU	Ok,M
11	Q2900-02DL2	MN-12C-081825DL2	BF143527.D	21 Aug 2025 13:44		RC/JU	Ok
12	Q2900-03DL2	DUP-01-081825DL2	BF143528.D	21 Aug 2025 14:13		RC/JU	Ok
13	Q2900-05DL2	MW-11C-081825DL2	BF143529.D	21 Aug 2025 14:42		RC/JU	Ok
14	Q2819-10RE	84SB-SRE	BF143530.D	21 Aug 2025 15:11	Surrogate Fail	RC/JU	Confirms
15	Q2819-11	84SB-W	BF143531.D	21 Aug 2025 15:40		RC/JU	Ok,M
16	Q2819-06	11M-S	BF143532.D	21 Aug 2025 16:09		RC/JU	Ok
17	Q2819-01	22BP-N	BF143533.D	21 Aug 2025 16:38		RC/JU	Ok,M
18	Q2814-07	TW-82H-W	BF143534.D	21 Aug 2025 17:07		RC/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF082125

Review By	Rahul	Review On	8/22/2025 8:18:48 AM		
Supervise By	mohammad	Supervise On	8/22/2025 8:27:40 AM		
SubDirectory	BF082125	HP Acquire Method	BNA_F	HP Processing Method	bf082025

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

19	Q2815-15	TW-17M-E	BF143535.D	21 Aug 2025 17:36		RC/JU	Ok
20	Q2814-19	TW-518R-E	BF143536.D	21 Aug 2025 18:05		RC/JU	Ok
21	Q2819-13	17M-E	BF143537.D	21 Aug 2025 18:34		RC/JU	Ok
22	Q2819-04RE	22BP-SRE	BF143538.D	21 Aug 2025 19:03	Surrogate fail.	RC/JU	Confirms
23	SSTDCCC040	SSTDCCC040EC	BF143539.D	21 Aug 2025 19:32	CCC fail for comp#70 from high side	RC/JU	Ok
24	DFTPP	DFTPP	BF143540.D	21 Aug 2025 20:02		RC/JU	Ok
25	SSTDCCC040	SSTDCCC040	BF143541.D	21 Aug 2025 21:00	CCC fail high for compound#9,69,70,74 & CCC fail low for compound # 78,79,87,91,92.	RC/JU	Ok
26	PB169330BL	PB169330BL	BF143542.D	21 Aug 2025 21:58	CCC fail low for compound # 78,79,87,91,92.	RC/JU	Not Ok
27	PB169330BS	PB169330BS	BF143543.D	21 Aug 2025 22:27	CCC fail low for compound # 78,79,87,91,92.	RC/JU	Not Ok
28	Q2903-01	MW-6A-081925	BF143544.D	21 Aug 2025 22:56	CCC fail low for compound # 78,79,87,91,92.	RC/JU	ReRun
29	Q2903-02	MW-1C-081925	BF143545.D	21 Aug 2025 23:25	CCC fail low for compound # 78,79,87,91,92.	RC/JU	ReRun
30	Q2903-03	MW-6B-081925	BF143546.D	21 Aug 2025 23:54	CCC fail low for compound # 78,79,87,91,92.	RC/JU	ReRun
31	Q2903-04	MW-1B-081925	BF143547.D	22 Aug 2025 00:23	CCC fail low for compound # 78,79,87,91,92.	RC/JU	ReRun
32	Q2903-05MS	MW-6B-081925MS	BF143548.D	22 Aug 2025 00:52	CCC fail low for compound # 78,79,87,91,92.	RC/JU	Not Ok
33	Q2903-06MSD	MW-6B-081925MSD	BF143549.D	22 Aug 2025 01:21	CCC fail low for compound # 78,79,87,91,92.	RC/JU	Not Ok
34	Q2903-07	MW-12B-081925	BF143550.D	22 Aug 2025 01:51	CCC fail low for compound # 78,79,87,91,92.	RC/JU	ReRun

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_F

Daily Analysis Runlog For Sequence/QCBatch ID # BF082125

Review By	Rahul	Review On	8/22/2025 8:18:48 AM		
Supervise By	mohammad	Supervise On	8/22/2025 8:27:40 AM		
SubDirectory	BF082125	HP Acquire Method	BNA_F	HP Processing Method	bf082025

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864
CCC	SP6860
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

35	Q2903-08	MW-18B-081925	BF143551.D	22 Aug 2025 02:19	CCC fail low for compound # 78,79,87,91,92.	RC/JU	ReRun
36	Q2903-09	DUP-02-081925	BF143552.D	22 Aug 2025 02:49	CCC fail low for compound # 78,79,87,91,92.	RC/JU	ReRun
37	Q2903-10	MW-17A-081925	BF143553.D	22 Aug 2025 03:18	CCC fail low for compound # 78,79,87,91,92.	RC/JU	ReRun
38	Q2903-11	MW-18A-081925	BF143554.D	22 Aug 2025 03:46	CCC fail low for compound # 78,87,91,92.Need 2X Dilution	RC/JU	Dilution
39	Q2903-12	MW-16B-081925	BF143555.D	22 Aug 2025 04:16	CCC fail low for compound # 78,79,87,91,92.	RC/JU	ReRun
40	Q2915-01	BRIDGE-WEST	BF143556.D	22 Aug 2025 04:45	CCC fail low for compound # 78,79,87,91,92.	RC/JU	ReRun
41	Q2915-01MS	BRIDGE-WESTMS	BF143557.D	22 Aug 2025 05:14	CCC fail low for compound # 78,79,87,91,92.	RC/JU	Not Ok
42	Q2915-01MSD	BRIDGE-WESTMSD	BF143558.D	22 Aug 2025 05:43	CCC fail low for compound # 78,79,87,91,92.	RC/JU	Not Ok
43	Q2915-03	BRIDGE-EAST	BF143559.D	22 Aug 2025 06:11	CCC fail low for compound # 78,79,87,91,92.	RC/JU	ReRun
44	Q2892-04	1-FLOOR-DRILL-B-BA(	BF143560.D	22 Aug 2025 06:40	CCC fail low for compound # 78,79,87,91,92.	RC/JU	ReRun
45	Q2892-02	1-FLOOR-NORTH-EAS	BF143561.D	22 Aug 2025 07:09	CCC fail low for compound # 78,79,87,91,92.	RC/JU	ReRun

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP081425

Review By	Rahul	Review On	8/15/2025 9:35:16 AM		
Supervise By	Jagrut	Supervise On	8/15/2025 3:48:12 PM		
SubDirectory	BP081425	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	DFTPP	DFTPP	BP025390.D	14 Aug 2025 10:30		CG/JU	Ok
2	SSTDCCC040	SSTDCCC040	BP025391.D	14 Aug 2025 11:52	A Fresh Calibration is required.	CG/JU	Not Ok
3	SSTDICC2.5	SSTDICC2.5	BP025392.D	14 Aug 2025 12:33		CG/JU	Ok
4	SSTDICC005	SSTDICC005	BP025393.D	14 Aug 2025 13:15		CG/JU	Ok,M
5	SSTDICC010	SSTDICC010	BP025394.D	14 Aug 2025 13:56		CG/JU	Ok,M
6	SSTDICC020	SSTDICC020	BP025395.D	14 Aug 2025 14:38		CG/JU	Ok,M
7	SSTDICCC040	SSTDICCC040	BP025396.D	14 Aug 2025 15:19	Benzidine failed in the Calibration Method.	CG/JU	Ok,M
8	SSTDICC050	SSTDICC050	BP025397.D	14 Aug 2025 16:01		CG/JU	Ok,M
9	SSTDICC060	SSTDICC060	BP025398.D	14 Aug 2025 16:42		CG/JU	Ok
10	SSTDICC080	SSTDICC080	BP025399.D	14 Aug 2025 17:24		CG/JU	Ok,M
11	SSTDICV040	ICVBP081425	BP025400.D	14 Aug 2025 18:05		CG/JU	Ok,M
12	PB169200TB	PB169200TB	BP025401.D	14 Aug 2025 19:28		CG/JU	Ok
13	PB169210BS	PB169210BS	BP025402.D	14 Aug 2025 20:10		CG/JU	Ok,M
14	SSTDCCC040	SSTDCCC040EC	BP025403.D	14 Aug 2025 20:51		CG/JU	Ok,M
15	DFTPP	DFTPP	BP025404.D	14 Aug 2025 22:14		CG/JU	Ok
16	SSTDCCC040	SSTDCCC040	BP025405.D	14 Aug 2025 22:56		CG/JU	Ok,M
17	PB169228BL	PB169228BL	BP025406.D	14 Aug 2025 23:37		CG/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP081425

Review By	Rahul	Review On	8/15/2025 9:35:16 AM		
Supervise By	Jagrut	Supervise On	8/15/2025 3:48:12 PM		
SubDirectory	BP081425	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

18	PB169228BS	PB169228BS	BP025407.D	15 Aug 2025 00:18		CG/JU	Ok,M
19	Q2820-10	SOIL-DUP-2	BP025408.D	15 Aug 2025 01:00		CG/JU	Ok
20	Q2820-11	10PC-W	BP025409.D	15 Aug 2025 01:41		CG/JU	Ok
21	Q2820-21	22M-N	BP025410.D	15 Aug 2025 02:22	Surrogate Fail	CG/JU	ReRun
22	Q2820-22	22M-W	BP025411.D	15 Aug 2025 03:03	Surrogate Fail	CG/JU	ReRun
23	Q2820-14	10P-E	BP025412.D	15 Aug 2025 03:45		CG/JU	Ok
24	Q2820-16	10P-N	BP025413.D	15 Aug 2025 04:26		CG/JU	Ok
25	Q2820-17	88H-E	BP025414.D	15 Aug 2025 05:07		CG/JU	Ok
26	Q2820-17MS	88H-EMS	BP025415.D	15 Aug 2025 05:48		CG/JU	Ok,M
27	Q2820-17MSD	88H-EMSD	BP025416.D	15 Aug 2025 06:29		CG/JU	Ok,M
28	Q2820-18	88H-N	BP025417.D	15 Aug 2025 07:10		CG/JU	Ok
29	Q2820-19	88H-W	BP025418.D	15 Aug 2025 07:51	Surrogate fail	CG/JU	ReRun
30	Q2820-20	88H-S	BP025419.D	15 Aug 2025 08:32	Surrogate Fail	CG/JU	ReRun
31	SSTDCCC040	SSTDCCC040EC	BP025420.D	15 Aug 2025 09:13		CG/JU	Ok,M

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP081525

Review By	Rahul	Review On	8/18/2025 8:39:39 AM		
Supervise By	Jagrut	Supervise On	8/18/2025 8:42:55 AM		
SubDirectory	BP081525	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	DFTPP	DFTPP	BP025421.D	15 Aug 2025 09:55		CG/JU	Ok
2	SSTDCCC040	SSTDCCC040	BP025422.D	15 Aug 2025 10:36		CG/JU	Ok,M
3	PB169230BL	PB169230BL	BP025423.D	15 Aug 2025 11:17		CG/JU	Ok
4	PB169230BS	PB169230BS	BP025424.D	15 Aug 2025 11:59		CG/JU	Ok,M
5	PB169230BSD	PB169230BSD	BP025425.D	15 Aug 2025 13:26		CG/JU	Ok
6	Q2814-05RE	TW-82H-ERE	BP025426.D	15 Aug 2025 14:08	Surrogate Fail	CG/JU	Confirms
7	Q2814-20	TW-518R-W	BP025427.D	15 Aug 2025 14:49		CG/JU	Ok
8	Q2814-11	TW-38M-S	BP025428.D	15 Aug 2025 15:31	Already analyzed with ok status	CG/JU	Not Ok
9	Q2814-17	TW-518R-S	BP025429.D	15 Aug 2025 16:12		CG/JU	Ok
10	Q2814-18	TW-518R-N	BP025430.D	15 Aug 2025 16:54	Surrogate Fail	CG/JU	ReRun
11	Q2827-05DL	TP-9DL	BP025431.D	15 Aug 2025 17:35		CG/JU	Ok,M
12	Q2820-07RE	518R-SRE	BP025432.D	15 Aug 2025 18:17	Surrogate Fail	CG/JU	Confirms
13	Q2820-01RE	82H-SRE	BP025433.D	15 Aug 2025 18:58	Surrogate Fail	CG/JU	Confirms
14	Q2820-21RE	22M-NRE	BP025434.D	15 Aug 2025 19:40	Surrogate Fail	CG/JU	Confirms
15	Q2820-22RE	22M-WRE	BP025435.D	15 Aug 2025 20:21	Surrogate Fail	CG/JU	Confirms
16	SSTDCCC040	SSTDCCC040EC	BP025436.D	15 Aug 2025 21:03		CG/JU	Ok,M
17	DFTPP	DFTPP	BP025437.D	15 Aug 2025 23:08		CG/JU	Ok
18	SSTDCCC040	SSTDCCC040	BP025438.D	15 Aug 2025 23:49		CG/JU	Ok,M

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP081525

Review By	Rahul	Review On	8/18/2025 8:39:39 AM		
Supervise By	Jagrut	Supervise On	8/18/2025 8:42:55 AM		
SubDirectory	BP081525	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13170,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

19	PB169275BL	PB169275BL	BP025439.D	16 Aug 2025 00:31		CG/JU	Ok
20	PB169275BS	PB169275BS	BP025440.D	16 Aug 2025 01:13		CG/JU	Ok,M
21	Q2732-03	WC-A7-01-C	BP025441.D	16 Aug 2025 01:55		CG/JU	Ok
22	Q2836-03	WC-A2-15-C	BP025442.D	16 Aug 2025 02:37		CG/JU	Ok
23	Q2836-07	WC-A2-16-C	BP025443.D	16 Aug 2025 03:19		CG/JU	Ok
24	Q2836-11	WC-A2-17-C	BP025444.D	16 Aug 2025 04:00		CG/JU	Ok
25	Q2836-15	WC-A5-02-C	BP025445.D	16 Aug 2025 04:41		CG/JU	Ok
26	Q2838-04	TP-11	BP025446.D	16 Aug 2025 05:22		CG/JU	Ok
27	Q2838-08	TP-10	BP025447.D	16 Aug 2025 06:04		CG/JU	Ok
28	Q2832-02	TG-S01	BP025448.D	16 Aug 2025 06:45		CG/JU	Ok
29	Q2832-02MS	TG-S01MS	BP025449.D	16 Aug 2025 07:26		CG/JU	Ok,M
30	Q2832-02MSD	TG-S01MSD	BP025450.D	16 Aug 2025 08:07		CG/JU	Ok,M
31	Q2832-04	TG-S02	BP025451.D	16 Aug 2025 08:48		CG/JU	Ok
32	Q2832-06	TG-S03	BP025452.D	16 Aug 2025 09:29		CG/JU	Ok
33	Q2832-08	TG-S04	BP025453.D	16 Aug 2025 10:11		CG/JU	Ok

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP081925

Review By	Rahul	Review On	8/20/2025 11:11:45 AM		
Supervise By	Jagrut	Supervise On	8/20/2025 12:07:50 PM		
SubDirectory	BP081925	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	DFTPP	DFTPP	BP025469.D	19 Aug 2025 10:03		CG/JU	Ok
2	SSTDCCC040	SSTDCCC040	BP025470.D	19 Aug 2025 10:44		CG/JU	Ok
3	PB169244BL	PB169244BL	BP025471.D	19 Aug 2025 11:25		CG/JU	Ok
4	PB169244BS	PB169244BS	BP025472.D	19 Aug 2025 12:06		CG/JU	Ok,M
5	PB169244BSD	PB169244BSD	BP025473.D	19 Aug 2025 12:47		CG/JU	Ok,M
6	Q2815-18	TW-84SB-W	BP025474.D	19 Aug 2025 13:29		CG/JU	Ok
7	Q2815-19	DUP	BP025475.D	19 Aug 2025 14:10		CG/JU	Ok
8	Q2815-20	TW-11M-W	BP025476.D	19 Aug 2025 14:51		CG/JU	Ok
9	Q2815-21	TW-11M-E	BP025477.D	19 Aug 2025 15:32		CG/JU	Ok
10	Q2815-22	TW-11M-S	BP025478.D	19 Aug 2025 16:13		CG/JU	Ok
11	Q2815-23	TW-11M-N	BP025479.D	19 Aug 2025 16:55		CG/JU	Ok
12	Q2815-26	FB	BP025480.D	19 Aug 2025 17:36		CG/JU	Ok
13	Q2820-19RE	88H-WRE	BP025481.D	19 Aug 2025 18:17	Surrogate fail,	CG/JU	Confirms
14	Q2820-20RE	88H-SRE	BP025482.D	19 Aug 2025 18:58	Surrogate fail.	CG/JU	Confirms
15	Q2815-13	TW-22M-E	BP025483.D	19 Aug 2025 19:39	Surrogates failed.	CG/JU	Ok
16	Q2815-14	TW-22M-N	BP025484.D	19 Aug 2025 20:21		CG/JU	Ok
17	SSTDCCC040	SSTDCCC040EC	BP025485.D	19 Aug 2025 21:43		CG/JU	Ok
18	DFTPP	DFTPP	BP025486.D	19 Aug 2025 23:05		CG/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP081925

Review By	Rahul	Review On	8/20/2025 11:11:45 AM		
Supervise By	Jagrut	Supervise On	8/20/2025 12:07:50 PM		
SubDirectory	BP081925	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

19	SSTDCCC040	SSTDCCC040	BP025487.D	19 Aug 2025 23:46		CG/JU	Ok,M
20	PB169242BL	PB169242BL	BP025488.D	20 Aug 2025 00:27		CG/JU	Ok
21	PB169242BS	PB169242BS	BP025489.D	20 Aug 2025 01:07		CG/JU	Ok
22	Q2870-04	DRILL CUTTING 6-9 C	BP025490.D	20 Aug 2025 01:48		CG/JU	Ok
23	Q2871-01	DRILL CUTTING 1-3 C	BP025491.D	20 Aug 2025 02:29		CG/JU	Ok
24	Q2870-01	DRILL CUTTING 1-5 C	BP025492.D	20 Aug 2025 03:10		CG/JU	Ok
25	Q2871-04	DRILL CUTTING 4-6 C	BP025493.D	20 Aug 2025 03:51		CG/JU	Ok
26	Q2871-07	DRILL CUTTING 1-5 C	BP025494.D	20 Aug 2025 04:32		CG/JU	Ok
27	Q2873-04	DRILL CUTTING 4-6 C	BP025495.D	20 Aug 2025 05:13		CG/JU	Ok
28	Q2825-01	TW1	BP025496.D	20 Aug 2025 05:54		CG/JU	Ok
29	Q2872-01	DRILL CUTTING 1-2 C	BP025497.D	20 Aug 2025 06:35		CG/JU	Ok
30	Q2815-17	TW-84SB-S	BP025498.D	20 Aug 2025 07:16		CG/JU	Ok
31	Q2815-16	TW-17M-S	BP025499.D	20 Aug 2025 07:57		CG/JU	Ok
32	Q2819-05	11M-W	BP025500.D	20 Aug 2025 08:38		CG/JU	Ok
33	Q2820-13	10P-W	BP025501.D	20 Aug 2025 09:19		CG/JU	Ok
34	SSTDCCC040	SSTDCCC040EC	BP025502.D	20 Aug 2025 10:41		CG/JU	Ok,M

M : Manual Integration

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP082025

Review By	Rahul	Review On	8/21/2025 3:04:18 PM		
Supervise By	Jagrut	Supervise On	8/21/2025 5:57:41 PM		
SubDirectory	BP082025	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	DFTPP	DFTPP	BP025503.D	20 Aug 2025 11:24		CG/JU	Ok
2	SSTDCCC040	SSTDCCC040	BP025504.D	20 Aug 2025 12:05		CG/JU	Ok,M
3	PB169259BL	PB169259BL	BP025505.D	20 Aug 2025 12:46	Analyzed for contamination check	CG/JU	Not Ok
4	Q2888-01	VNJ-210	BP025506.D	20 Aug 2025 13:30		CG/JU	Ok,M
5	Q2884-03	302	BP025507.D	20 Aug 2025 14:12		CG/JU	Ok
6	Q2884-01	VNJ-232	BP025508.D	20 Aug 2025 14:53		CG/JU	Ok
7	Q2865-02	ARS10-0047	BP025509.D	20 Aug 2025 15:34		CG/JU	Ok,M
8	Q2889-01	PL-02-081525	BP025510.D	20 Aug 2025 16:15		CG/JU	Ok,M
9	DFTPP	DFTPP	BP025511.D	20 Aug 2025 17:04		CG/JU	Ok
10	SSTDCCC040	SSTDCCC040	BP025512.D	20 Aug 2025 18:27		CG/JU	Ok
11	PB169259BL	PB169259BL	BP025513.D	20 Aug 2025 19:08		CG/JU	Ok
12	PB169259BS	PB169259BS	BP025514.D	20 Aug 2025 19:49		CG/JU	Ok
13	Q2819-03	22BP-W	BP025515.D	20 Aug 2025 20:30		CG/JU	Ok
14	Q2819-03MS	22BP-WMS	BP025516.D	20 Aug 2025 21:11		CG/JU	Ok,M
15	Q2819-03MSD	22BP-WMSD	BP025517.D	20 Aug 2025 21:52		CG/JU	Ok,M
16	Q2819-09	84SB-E	BP025518.D	20 Aug 2025 22:32		CG/JU	Ok
17	Q2819-17	38M-N	BP025519.D	20 Aug 2025 23:13		CG/JU	Ok

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP082025

Review By	Rahul	Review On	8/21/2025 3:04:18 PM		
Supervise By	Jagrut	Supervise On	8/21/2025 5:57:41 PM		
SubDirectory	BP082025	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

18	Q2819-17MS	38M-NMS	BP025520.D	20 Aug 2025 23:54		CG/JU	Ok,M
19	Q2819-17MSD	38M-NMSD	BP025521.D	21 Aug 2025 00:35		CG/JU	Ok,M
20	Q2814-18RE	TW-518R-NRE	BP025522.D	21 Aug 2025 01:15	Surrogate Fail	CG/JU	Confirms
21	Q2820-23	22M-E	BP025523.D	21 Aug 2025 01:56		CG/JU	Ok
22	Q2819-02	22BP-E	BP025524.D	21 Aug 2025 02:37		CG/JU	Ok
23	Q2815-10	TW-88H-S	BP025525.D	21 Aug 2025 03:18		CG/JU	Ok
24	SSTDCCC040	SSTDCCC040EC	BP025526.D	21 Aug 2025 03:59		CG/JU	Ok
25	DFTPP	DFTPP	BP025527.D	21 Aug 2025 06:01		CG/JU	Ok
26	SSTDCCC040	SSTDCCC040	BP025528.D	21 Aug 2025 06:42		CG/JU	Ok
27	PB169285BL	PB169285BL	BP025529.D	21 Aug 2025 07:23		CG/JU	Ok
28	PB169285BS	PB169285BS	BP025530.D	21 Aug 2025 08:03		CG/JU	Ok,M
29	Q2873-01	DRILL CUTTING 1-3 C	BP025531.D	21 Aug 2025 08:44		CG/JU	Ok
30	Q2873-01MS	DRILL CUTTING 1-3 C	BP025532.D	21 Aug 2025 09:25		CG/JU	Ok,M
31	Q2873-01MSD	DRILL CUTTING 1-3 C	BP025533.D	21 Aug 2025 10:06		CG/JU	Ok,M
32	Q2819-10	84SB-S	BP025534.D	21 Aug 2025 10:50	Surrogate Fail	CG/JU	ReRun
33	Q2819-11	84SB-W	BP025535.D	21 Aug 2025 11:31	Surrogate Fail	CG/JU	ReRun
34	Q2819-12	17M-S	BP025536.D	21 Aug 2025 12:12		CG/JU	Ok
35	Q2832-09	TG-S05	BP025537.D	21 Aug 2025 12:53		CG/JU	Ok
36	Q2897-01	HD-02-08182025	BP025538.D	21 Aug 2025 13:34		CG/JU	Ok,NR

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Instrument ID: BNA_P

Daily Analysis Runlog For Sequence/QCBatch ID # BP082025

Review By	Rahul	Review On	8/21/2025 3:04:18 PM		
Supervise By	Jagrut	Supervise On	8/21/2025 5:57:41 PM		
SubDirectory	BP082025	HP Acquire Method	BNA_P	HP Processing Method	bp081425

STD. NAME	STD REF.#
Tune/Reschk	SP6757
Initial Calibration Stds	SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840
CCC	SP6836
Internal Standard/PEM	S13171,10ul/1000ul sample
ICV/I.BLK	SP6770
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

37	Q2819-04	22BP-S	BP025539.D	21 Aug 2025 14:15	Surrogate Fail	CG/JU	ReRun
38	Q2819-16	38M-S	BP025540.D	21 Aug 2025 14:56		CG/JU	Ok
39	Q2820-15	10P-S	BP025541.D	21 Aug 2025 15:37		CG/JU	Ok
40	SSTDCCC040	SSTDCCC040EC	BP025542.D	21 Aug 2025 17:11		CG/JU	Ok

M : Manual Integration

Alliance TECHNICAL GROUP

EXTRACTION LOGPAGE

PB169230

SOP ID: M3510C,3580A-Extraction SVOC-21

Clean Up SOP #: N/A

Matrix : Water

Weigh By: N/A

Balance check: N/A

Balance ID: N/A

pH Strip Lot#: E3880

Extraction By: RS

Filter By: RJ

pH Meter ID: N/A

Hood ID: 4,5,6,7

Extraction Start Date : 08/12/2025

Extraction Start Time : 11:39

Extraction End Date : 08/12/2025

Extraction End Time : 16:45

Concentration By: RS

Supervisor By : RUPESH

Extraction Method: [√] Seperatory Funnel [ ] Continious Liquid/Liquid [ ] Sonication [ ] Waste Dilution [ ] Soxhlet

Standared Name	MLS USED	Concentration ug/mL	STD REF. # FROM LOG
Spike Sol 1	1.0ML	50/100 PPM	SP6849
Surrogate	1.0ML	100/150 PPM	SP6852
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
Methylene Chloride	N/A	E3954
Baked Na2SO4	N/A	EP2632
H2SO4 1:1	N/A	EP2610
10N NaoH	N/A	EP2609
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

pH Adjusted to < 2 with 1:1 H2SO4 & >12 with 10N NaOH , 1.5ML Vial Lot # 2210443.

KD Bath ID: WATER BATH-1,2

KD Bath Temperature: 60 °C

Envap ID: NE VAP-02

Envap Temperature: 40 °C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
8/12/25	RS (EXT-06)	RC/SVOC
16:50	**Preparation Group**	**Analysis Group**

Alliance TECHNICAL GROUP

EXTRACTION LOGPAGE

PrepBatch ID : PB169230

Analytical Method: M3510C,3580A-Extraction SVOC-21

Concentration Date: 08/12/2025

Sample ID	Client Sample ID	Test	g / mL	PH	Surr/Spike By:		Final Vol. (mL)	JarID	Comments	Prep Pos
					AddedBy	VerifiedBy				
PB169230BL	SBLK230	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1			SEP-1
PB169230BS	SLCS230	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1			2
PB169230BSD	SLCSD230	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1			3
Q2815-01	TW-705R-S	SVOC-TCL BNA -20	990	6	RUPESH	ritesh	1	C	Muddy	4
Q2815-02	TW-10PC-W	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	C		5
Q2815-03	TW-10P-E	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	C		6
Q2815-04	TW-10P-S	SVOC-TCL BNA -20	980	6	RUPESH	ritesh	1	C		7
Q2815-05	TW-10P-W	SVOC-TCL BNA -20	990	6	RUPESH	ritesh	1	C		8
Q2815-06	TW-10P-N	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	C		9
Q2815-07	TW-88H-E	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	C	Muddy	10
Q2815-08	TW-88H-N	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	C	Muddy	11
Q2815-09	TW-88H-W	SVOC-TCL BNA -20	990	6	RUPESH	ritesh	1	C		12
Q2815-10	TW-88H-S	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	C		13
Q2815-11	TW-22M-W	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	C	Muddy	14
Q2815-12	TW-22M-S	SVOC-TCL BNA -20	980	6	RUPESH	ritesh	1	C	Muddy	15
Q2815-13	TW-22M-E	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	C	Muddy	16
Q2815-14	TW-22M-N	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	C	Muddy	SEP-1
Q2815-15	TW-17M-E	SVOC-TCL BNA -20	990	6	RUPESH	ritesh	1	C	Muddy	2
Q2825-01	TW1	SVOCMS Group2	940	6	RUPESH	ritesh	1	C		3
Q2837-01	TW-WTS-13	SVOCMS Group4	980	12	RUPESH	ritesh	1	F		4

RS 8/12

* **Extracts relinguished on the same date as received.**

169230
19:39

WORKLIST(Hardcopy Internal Chain)

WorkList Name : Q2825 **WorkList ID :** 191245 **Department :** Extraction **Date :** 08-12-2025 10:33:34

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2815-01	TW-705R-S	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/06/2025	8270E
Q2815-02	TW-10PC-W	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/06/2025	8270E
Q2815-03	TW-10P-E	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/06/2025	8270E
Q2815-04	TW-10P-S	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/06/2025	8270E
Q2815-05	TW-10P-W	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/06/2025	8270E
Q2815-06	TW-10P-N	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/06/2025	8270E
Q2815-07	TW-88H-E	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/07/2025	8270E
Q2815-08	TW-88H-N	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/07/2025	8270E
Q2815-09	TW-88H-W	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/07/2025	8270E
Q2815-10	TW-88H-S	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/07/2025	8270E
Q2815-11	TW-22M-W	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2815-12	TW-22M-S	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2815-13	TW-22M-E	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2815-14	TW-22M-N	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2815-15	TW-17M-E	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2825-01	TW1	Water	SVOCMS Group2	Cool 4 deg C	GENV01	D31	08/10/2025	8270E
Q2837-01	TW-WTS-13	Water	SVOCMS Group4	Cool 4 deg C	ENTA05	J23	08/12/2025	8270E

Date/Time 8/12/25 11:35
Raw Sample Received by: RS (Ext Lab)
Raw Sample Relinquished by:

Date/Time 8/12/25 12:15
Raw Sample Received by:
Raw Sample Relinquished by: RS (Ext Lab)

Alliance TECHNICAL GROUP

EXTRACTION LOGPAGE

PB169244

SOP ID:	M3510C,3580A-Extraction SVOC-21				
Clean Up SOP #:	N/A			**Extraction Start Date :**	08/14/2025
Matrix :	Water			**Extraction Start Time :**	09:15
Weigh By:	N/A	**Extraction By:**	RS	**Extraction End Date :**	08/14/2025
Balance check:	N/A	**Filter By:**	RJ	**Extraction End Time :**	14:15
Balance ID:	N/A	**pH Meter ID:**	N/A	**Concentration By:**	RS
pH Strip Lot#:	E3880	**Hood ID:**	4,5,6,7	**Supervisor By :**	RUPESH

Extraction Method: [√] Seperatory Funnel [ ] Continious Liquid/Liquid [ ] Sonication [ ] Waste Dilution [ ] Soxhlet

Standared Name	MLS USED	Concentration ug/mL	STD REF. # FROM LOG
Spike Sol 1	1.0ML	50/100 PPM	SP6849
Surrogate	1.0ML	100/150 PPM	SP6852
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
Methylene Chloride	N/A	E3954
Baked Na2SO4	N/A	EP2632
H2SO4 1:1	N/A	EP2610
10N NaoH	N/A	EP2609
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

pH Adjusted to < 2 with 1:1 H2SO4 & >12 with 10N NaOH , 1.5ML Vial Lot # 2210443.

KD Bath ID:	WATER BATH-1,2	**Envap ID:**	NE VAP-02
KD Bath Temperature:	60 °C	**Envap Temperature:**	40 °C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
8/14/25 -	RS(Ext lab)	RC/SVOC
14:20	**Preparation Group**	**Analysis Group**

Alliance TECHNICAL GROUP

EXTRACTION LOGPAGE

PrepBatch ID : PB169244

Analytical Method: M3510C,3580A-Extraction SVOC-21 **Concentration Date:** 08/14/2025

Sample ID	Client Sample ID	Test	g / mL	PH	Surr/Spike By:		Final Vol. (mL)	JarID	Comments	Prep Pos
					AddedBy	VerifiedBy				
PB169244BL	SBLK244	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1			SEP-1
PB169244BS	SLCS244	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1			2
PB169244BSD	SLCSD244	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1			3
Q2815-16	TW-17M-S	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	C	Muddy	4
Q2815-17	TW-84SB-S	SVOC-TCL BNA -20	990	6	RUPESH	ritesh	1	C		5
Q2815-18	TW-84SB-W	SVOC-TCL BNA -20	940	6	RUPESH	ritesh	1	C		6
Q2815-19	DUP	SVOC-TCL BNA -20	980	6	RUPESH	ritesh	1	C		7
Q2815-20	TW-11M-W	SVOC-TCL BNA -20	990	6	RUPESH	ritesh	1	E		8
Q2815-21	TW-11M-E	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	C		9
Q2815-22	TW-11M-S	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	C		10
Q2815-23	TW-11M-N	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	C		11
Q2815-26	FB	SVOC-TCL BNA -20	980	6	RUPESH	ritesh	1	F		12
Q2864-01	LAW-25-122-126	SVOC-TCL BNA -20	1000	6	RUPESH	ritesh	1	D		13
Q2864-03	LAW-25-113-121	SVOC-TCL BNA -20	990	6	RUPESH	ritesh	1	D		14

RS
8/14

* **Extracts relinquished on the same date as received.**

169244
9-15

WORKLIST(Hardcopy Internal Chain)

WorkList Name : Q2815 **WorkList ID :** 191268 **Department :** Extraction **Date :** 08-14-2025 08:47:11

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q2815-16	TW-17M-S	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2815-17	TW-84SB-S	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2815-18	TW-84SB-W	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2815-19	DUP	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2815-20	TW-11M-W	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2815-21	TW-11M-E	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2815-22	TW-11M-S	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2815-23	TW-11M-N	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2815-26	FB	Water	SVOC-TCL BNA -20	Cool 4 deg C	FIRS02	D41	08/08/2025	8270E
Q2864-01	LAW-25-122-126	Water	SVOC-TCL BNA -20	Cool 4 deg C	PSEG03	J21	08/13/2025	8270E
Q2864-03	LAW-25-113-121	Water	SVOC-TCL BNA -20	Cool 4 deg C	PSEG03	J21	08/13/2025	8270E

Date/Time 8/14/25 9:10
Raw Sample Received by: RS (Ext-lab)
Raw Sample Relinquished by: [signature]

Date/Time 8/14/25 10:00
Raw Sample Received by: [signature]
Raw Sample Relinquished by: RS (Ext-lab)

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Prep Standard - Chemical Standard Summary

Order ID : Q2815

Test : SVOC-TCL BNA -20

Prepbatch ID : PB169230,PB169244,

Sequence ID/Qc Batch ID: bf081425,BF081825,BF082025,BF082125,BP081525,bp081825,BP081925,BP081925,BP082025,

Standard ID :
EP2609,EP2610,EP2632,SP6757,SP6769,SP6770,SP6832,SP6833,SP6834,SP6835,SP6836,SP6837,SP6838,SP6839,SP6840,SP6849,SP6852,SP6856,SP6857,SP6858,SP6859,SP6860,SP6861,SP6862,SP6863,SP6864,

Chemical ID :
10ul/1000ul sample,E3657,E3875,E3904,E3926,E3932,E3942,E3946,E3954,M6157,S10105,S11484,S11496,S11651,S11788,S11801,S11802,S11805,S11806,S11807,S12115,S12195,S12196,S12197,S12198,S12216,S12217,S12218,S12219,S12220,S12245,S12272,S12277,S12278,S12306,S12307,S12486,S12499,S12500,S12501,S12502,S12503,S12504,S12505,S12506,S12507,S12534,S12545,S12546,S12547,S12548,S12549,S12550,S12551,S12552,S12577,S12658,S12670,S12739,S12776,S12974,S12987,S12988,S12989,S12990,S12991,S12992,S13057,S13078,S13088,S13089,S13148,S13158,S13159,S13170,S13171,S13206,S13207,S13208,S13209,S13210,S13211,S13214,S13233,W3112,

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Extractions STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
1874	10 N SODIUM HYDROXIDE SOLN	EP2609	05/07/2025	11/07/2025	RUPESHKUMAR SHAH	Extraction_SCALE_2 (EX-SC-2)	None	Riteshkumar Patel 05/07/2025

FROM 1000.00000ml of W3112 + 400.00000gram of E3657 = Final Quantity: 1000.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
314	1.1 H2SO4 SOLN	EP2610	05/07/2025	11/07/2025	RUPESHKUMAR SHAH	Extraction_SCALE_2 (EX-SC-2)	None	Riteshkumar Patel 05/07/2025

FROM 1000.00000ml of M6157 + 1000.00000ml of W3112 = Final Quantity: 2000.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Extractions STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3923	Baked Sodium Sulfate	EP2632	08/11/2025	01/28/2026	RUPESHKUMAR SHAH	Extraction_SCALE_2 (EX-SC-2)	None	Riteshkumar Patel 08/11/2025

FROM 4000.00000gram of E3875 = Final Quantity: 4000.000 gram

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
3895	50 ug/ml DFTPP 8270E	SP6757	03/31/2025	09/30/2025	Rahul Chavli	None	None	Jagrut Upadhyay 04/01/2025

FROM 1.00000ml of S12577 + 19.00000ml of E3904 = Final Quantity: 20.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

SVOC STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
18	Second Source Calibration Stock Standard, 100 PPM, (8270/625/CLP)	SP6769	04/10/2025	09/10/2025	Jagrut Upadhyay	None	None	Sohil Jodhani 04/16/2025

FROM 0.04000ml of S12195 + 0.08000ml of S12216 + 0.10000ml of S11788 + 0.20000ml of S12486 + 0.20000ml of S12534 + 0.20000ml of S12974 + 1.18000ml of E3926 = Final Quantity: 2.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
416	40 ng BNA ICV, 40 PPM	SP6770	04/10/2025	09/10/2025	Jagrut Upadhyay	None	None	Sohil Jodhani 04/16/2025

FROM 0.01000ml of S12658 + 0.60000ml of E3926 + 0.40000ml of SP6769 = Final Quantity: 1.010 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

SVOC STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4178	8270/625.1 Stock Solution-2 100 ng	SP6832	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli 07/21/2025

FROM 0.20000ml of S13211 + 0.26700ml of S10105 + 0.40000ml of S11496 + 0.40000ml of S12278 + 0.50000ml of S12115 + 0.50000ml of S13209 + 0.50000ml of S13210 + 0.60000ml of S12277 + 1.00000ml of S12272 + 1.00000ml of S13057 + 1.00000ml of S13078 + 1.00000ml of S13208 + 2.63300ml of E3942 = Final Quantity: 10.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4179	80 ng BNA ICC	SP6833	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli 07/21/2025

FROM 0.01000ml of S12670 + 0.20000ml of E3942 + 0.80000ml of SP6832 = Final Quantity: 1.010 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

SVOC STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4180	60 ng BNA ICC	SP6834	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli 07/21/2025

FROM 0.01000ml of S12670 + 0.40000ml of E3942 + 0.60000ml of SP6832 = Final Quantity: 1.010 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4181	50 ng BNA ICC	SP6835	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli 07/21/2025

FROM 0.01000ml of S12670 + 0.50000ml of E3942 + 0.50000ml of SP6832 = Final Quantity: 1.010 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

SVOC STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4182	40 ng BNA ICC	SP6836	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli 07/21/2025

FROM 0.01000ml of S12670 + 0.60000ml of E3942 + 0.40000ml of SP6832 = Final Quantity: 1.010 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4183	20 ng BNA ICC	SP6837	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli 07/21/2025

FROM 0.01000ml of S12670 + 0.80000ml of E3942 + 0.20000ml of SP6832 = Final Quantity: 1.010 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

SVOC STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4184	10 ng BNA ICC	SP6838	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli 07/21/2025

FROM 0.01000ml of S12670 + 0.90000ml of E3942 + 0.10000ml of SP6832 = Final Quantity: 1.010 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4185	5 ng BNA ICC	SP6839	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli 07/21/2025

FROM 0.01000ml of S12670 + 0.95000ml of E3942 + 0.05000ml of SP6832 = Final Quantity: 1.010 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

SVOC STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4186	2.5 ng BNA ICC	SP6840	06/19/2025	10/28/2025	Jagrut Upadhyay	None	None	Rahul Chavli 07/21/2025

FROM 0.01000ml of S12670 + 0.50000ml of E3942 + 0.50000ml of SP6839 = Final Quantity: 1.010 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
171	8270/625 Spike Solution, 50/100 PPM	SP6849	07/01/2025	09/30/2025	Rahul Chavli	None	None	Jagrut Upadhyay 07/01/2025

FROM 0.10000ml of S12507 + 0.10000ml of S13159 + 0.30000ml of S13158 + 0.40000ml of S11484 + 0.40000ml of S11651 + 0.40000ml of S11806 + 0.40000ml of S11807 + 0.40000ml of S13148 + 0.40000ml of S13206 + 0.60000ml of S13089 + 0.80000ml of S12499 + 0.90000ml of S12552 + 1.20000ml of S12504 + 1.20000ml of S12506 + 1.20000ml of S12546 + 1.30000ml of S11802 + 1.30000ml of S12501 + 1.30000ml of S12503 + 1.30000ml of S12505 + 1.30000ml of S12545 + 1.30000ml of S12547 + 1.30000ml of S12549 + 1.30000ml of S12550 + 1.30000ml of S12551 + 1.30000ml of S12988 + 1.30000ml of S12989 + 1.30000ml of S12990 + 1.30000ml of S12992 + 1.40000ml of S11805 + 1.40000ml of S12500 + 1.40000ml of S12502 + 1.40000ml of S12548 + 1.40000ml of S12987 + 1.40000ml of S12991 + 1.40000ml of S13088 + 1.50000ml of S11801 + 163.00000ml of E3932 = Final Quantity: 200.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

SVOC STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
19	8270/CLP Surrogate Solution, 100 PPM BN/150 PPM ACID	SP6852	07/02/2025	09/18/2025	Jagrut Upadhyay	None	None	Rahul Chavli 07/02/2025

FROM 1.50000ml of S12220 + 2.00000ml of S12195 + 2.00000ml of S12197 + 2.00000ml of S12216 + 5.50000ml of S12196 + 5.50000ml of S12198 + 5.50000ml of S12217 + 5.50000ml of S12218 + 5.50000ml of S12219 + 965.00000ml of E3946 = Final Quantity: 1000.000 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4215	New 8270E/625.1 ICAL Stock Solution 100 ng	SP6856	08/12/2025	12/16/2025	Jagrut Upadhyay	None	None	mohammad ahmed 08/22/2025

FROM 0.04000ml of S13207 + 0.20000ml of S12197 + 0.30000ml of S12306 + 0.40000ml of S12220 + 0.50000ml of S11807 + 0.50000ml of S12245 + 0.50000ml of S12776 + 0.50000ml of S13214 + 0.50000ml of S13233 + 0.70000ml of S12307 + 1.00000ml of S12739 + 4.86000ml of E3954 = Final Quantity: 10.000 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

SVOC STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4216	80ng ICC	SP6857	08/12/2025	12/16/2025	Jagrut Upadhyay	None	None	mohammad ahmed 08/22/2025

FROM 0.01000ml of S13170 + 0.20000ml of E3954 + 0.80000ml of SP6856 = Final Quantity: 1.010 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4217	60ng ICC	SP6858	08/12/2025	12/16/2025	Jagrut Upadhyay	None	None	mohammad ahmed 08/22/2025

FROM 0.01000ml of S13170 + 0.40000ml of E3954 + 0.60000ml of SP6856 = Final Quantity: 1.010 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

SVOC STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4218	50ng ICC	SP6859	08/12/2025	12/16/2025	Jagrut Upadhyay	None	None	mohammad ahmed 08/22/2025

FROM 0.01000ml of S13170 + 0.50000ml of E3954 + 0.50000ml of SP6856 = Final Quantity: 1.010 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4219	40ng ICC	SP6860	08/12/2025	12/16/2025	Jagrut Upadhyay	None	None	mohammad ahmed 08/22/2025

FROM 0.01000ml of S13170 + 0.60000ml of E3954 + 0.40000ml of SP6856 = Final Quantity: 1.010 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

SVOC STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4220	20ng ICC	SP6861	08/12/2025	12/16/2025	Jagrut Upadhyay	None	None	mohammad ahmed 08/22/2025

FROM 0.01000ml of S13170 + 0.80000ml of E3954 + 0.20000ml of SP6856 = Final Quantity: 1.010 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4221	10ng ICC	SP6862	08/12/2025	12/16/2025	Jagrut Upadhyay	None	None	mohammad ahmed 08/22/2025

FROM 0.01000ml of S13170 + 0.75000ml of E3954 + 0.25000ml of SP6860 = Final Quantity: 1.010 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

SVOC STANDARD PREPARATION LOG

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4222	5ng ICC	SP6863	08/12/2025	12/16/2025	Jagrut Upadhyay	None	None	mohammad ahmed 08/22/2025

FROM 0.01000ml of S13170 + 0.87500ml of E3954 + 0.12500ml of SP6860 = Final Quantity: 1.010 ml

Recipe ID	NAME	NO.	Prep Date	Expiration Date	Prepared By	ScaleID	PipetteID	Supervised By
4223	2.5ng ICC	SP6864	08/12/2025	12/16/2025	Jagrut Upadhyay	None	None	mohammad ahmed 08/22/2025

FROM 0.01000ml of S13170 + 0.50000ml of E3954 + 0.50000ml of SP6863 = Final Quantity: 1.010 ml

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19510-5 / Sodium Hydroxide Pellets 2.5 Kg, Pk of 4	23B1556310	12/31/2025	12/04/2023 / Rajesh	12/01/2023 / Rajesh	E3657

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19631-100 / SODIUM SULFATE, ANHYDROUS, PEST GRADE, 1	417203	01/28/2026	07/28/2025 / RUPESH	01/29/2025 / Rajesh	E3875

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L)	24K1762005	01/07/2026	03/13/2025 /	12/27/2024 / RUPESH	E3904

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L)	25A0262002	10/08/2025	04/08/2025 / Rajesh	02/07/2025 / Rajesh	E3926

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	24H1462005	11/05/2025	05/05/2025 / RUPESH	04/23/2025 / RUPESH	E3932

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L)	25A2862010	12/13/2025	06/13/2025 / Rajesh	02/28/2025 / Rajesh	E3942

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	24H1462005	05/24/2027	07/01/2025 / RUPESH	06/19/2025 / RUPESH	E3946

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9644-A4 / Methylene Chloride,U-Resi, Cycle-Tainer (215L)	25B1862001	03/19/2026	07/14/2025 / RUPESH	06/11/2025 / RUPESH	E3954

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L)	24i1262013	11/07/2025	05/07/2025 / RUPESH	02/18/2025 / Mohan	M6157

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-112090-04 / CLP Acid Surrogate Solution, 7500 mg/L, 1ml	440246	12/19/2025	06/19/2025 / Jagrut	12/09/2021 / Christian	S10105

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555870 / Custom Standard, 2,4-dinitrophenol Std [CS 5328-3]	A0200549	10/30/2025	04/30/2025 / Rahul	08/10/2023 / yogesh	S11484

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-110094-02 / CLP Base/Neutral Surrogate Solution, 5000 mg/L, 1ml	506889	10/28/2025	04/28/2025 / Jagrut	08/11/2023 / Yogesh	S11496

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555872 / Custom Standard, pentachlorophenol Std [CS 5328-5]	A0201728	01/01/2026	07/01/2025 / Rahul	11/09/2023 / Yogesh	S11651

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride	A0196453	09/10/2025	03/10/2025 / anahy	11/21/2023 / Rahul	S11788

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride	A0200655	01/01/2026	07/01/2025 / Rahul	11/21/2023 / rahul	S11801

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride	A0200655	01/01/2026	07/01/2025 / Rahul	11/21/2023 / rahul	S11802

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride	A0200655	01/01/2026	07/01/2025 / Rahul	11/21/2023 / rahul	S11805

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride	A0200655	12/04/2025	06/04/2025 / Jagrut	11/21/2023 / rahul	S11806

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31853 / 1,4-Dioxane, 2000 ug/ml , Solvent: Methylene Chloride	A0200655	01/01/2026	07/01/2025 / Rahul	11/21/2023 / rahul	S11807

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	z-010223-01 / 1,4-Dioxane Solution, 2,000mg/L, 1ml	454157	10/28/2025	04/28/2025 / Jagrut	03/08/2024 / Rahul	S12115

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul	A0206206	09/18/2025	03/18/2025 / anahy	03/15/2024 / Rahul	S12195

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul	A0206206	01/02/2026	07/02/2025 / Jagrut	03/15/2024 / Rahul	S12196

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul	A0206206	01/02/2026	07/02/2025 / Jagrut	03/15/2024 / Rahul	S12197

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31087 / Acid Surrogate 10,000ug/ml,methanol,5ml/ ampul	A0206206	01/02/2026	07/02/2025 / Jagrut	03/15/2024 / Rahul	S12198

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31086 / Base Neutral Surrogate 5000ug/ml,CH2Cl2,5ml	A0206381	09/18/2025	03/18/2025 / anahy	03/15/2024 / Rahul	S12216

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31086 / Base Neutral Surrogate 5000ug/ml,CH2Cl2,5ml	A0206381	01/02/2026	07/02/2025 / Jagrut	03/15/2024 / Rahul	S12217

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31086 / Base Neutral Surrogate 5000ug/ml,CH2Cl2,5ml	A0206381	01/02/2026	07/02/2025 / Jagrut	03/15/2024 / Rahul	S12218

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31086 / Base Neutral Surrogate 5000ug/ml,CH2Cl2,5ml	A0206381	01/02/2026	07/02/2025 / Jagrut	03/15/2024 / Rahul	S12219

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31086 / Base Neutral Surrogate 5000ug/ml,CH2Cl2,5ml	A0206381	01/02/2026	07/02/2025 / Jagrut	03/15/2024 / Rahul	S12220

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	30409 / Pyridine, 2000 PPM in P & T Methanol	A0206650	12/16/2025	06/16/2025 / Jagrut	05/14/2024 / Rahul	S12245

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	z-110381-01 / 8270 Calibration Solution, 76-1, 500 & 1,000 mg/L, 1ml	520963	12/03/2025	06/03/2025 / Jagrut	05/24/2024 / Rahul	S12272

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-010442-07 / Benzaldehyde Solution, 1000 mg/L, 1.3 ml, (Maximum Expiration: 90 Days)	495833	11/05/2025	05/05/2025 / Jagrut	05/24/2024 / Rahul	S12277

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-010442-07 / Benzaldehyde Solution, 1000 mg/L, 1.3 ml, (Maximum Expiration: 90 Days)	495833	12/19/2025	06/19/2025 / Jagrut	05/24/2024 / Rahul	S12278

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31902 / CLP/SVOA Additions Mix (Atrazine, Benzaldehyde, Caprolactam) 1000ug/mL	A0206859	01/31/2026	08/12/2025 / Jagrut	05/30/2024 / Rahul	S12306

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31902 / CLP/SVOA Additions Mix (Atrazine, Benzaldehyde, Caprolactam) 1000ug/mL	A0206859	01/31/2026	08/12/2025 / Jagrut	05/30/2024 / Rahul	S12307

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at $100 per ampul if requested - contact ARM with Request] [CS 4978-1]	A0214021	09/10/2025	03/10/2025 / anahy	07/23/2024 / RAHUL	S12486

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at $100 per ampul if requested - contact ARM with Request] [CS 4978-1]	A0214021	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12499

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at $100 per ampul if requested - contact ARM with Request] [CS 4978-1]	A0214021	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12500

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at $100 per ampul if requested - contact ARM with Request] [CS 4978-1]	A0214021	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12501

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at $100 per ampul if requested - contact ARM with Request] [CS 4978-1]	A0214021	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12502

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at $100 per ampul if requested - contact ARM with Request] [CS 4978-1]	A0214021	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12503

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at $100 per ampul if requested - contact ARM with Request] [CS 4978-1]	A0214021	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12504

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at $100 per ampul if requested - contact ARM with Request] [CS 4978-1]	A0214021	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12505

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at $100 per ampul if requested - contact ARM with Request] [CS 4978-1]	A0214021	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12506

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555223 / Custom 8270 Plus Std #1 [2nd lot at $100 per ampul if requested - contact ARM with Request] [CS 4978-1]	A0214021	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12507

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at $85 per ampul if requested - contact ARM with Request] [CS 4978-2]	A0214017	10/10/2025	04/10/2025 / Jagrut	07/23/2024 / RAHUL	S12534

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at $85 per ampul if requested - contact ARM with Request] [CS 4978-2]	A0214017	12/04/2025	06/04/2025 / Jagrut	07/23/2024 / RAHUL	S12545

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at $85 per ampul if requested - contact ARM with Request] [CS 4978-2]	A0214017	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12546

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at $85 per ampul if requested - contact ARM with Request] [CS 4978-2]	A0214017	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12547

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at $85 per ampul if requested - contact ARM with Request] [CS 4978-2]	A0214017	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12548

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at $85 per ampul if requested - contact ARM with Request] [CS 4978-2]	A0214017	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12549

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at $85 per ampul if requested - contact ARM with Request] [CS 4978-2]	A0214017	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12550

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at $85 per ampul if requested - contact ARM with Request] [CS 4978-2]	A0214017	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12551

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555224 / Custom 8270 Plus Std #2 [2nd lot at $85 per ampul if requested - contact ARM with Request] [CS 4978-2]	A0214017	01/01/2026	07/01/2025 / Rahul	07/23/2024 / RAHUL	S12552

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31615 / SV Mixture, GC/MS Tuning Mixture, CH2Cl2, 1mL,	A0212955	06/30/2027	03/31/2025 / Rahul	08/01/2024 / Rahul	S12577

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31206 / SV Mix, CLP method, Internal Std, 2000ug/mL, CH2Cl2, 1mL	A0212266	04/30/2030	04/07/2025 / anahy	09/20/2024 / anahy	S12658

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31206 / SV Mix, CLP method, Internal Std, 2000ug/mL, CH2Cl2, 1mL	A0212266	12/16/2025	06/16/2025 / anahy	09/20/2024 / anahy	S12670

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31900 / SOM01.1 Mega Mix, 500-1000 ug/ml	A0215529	02/12/2026	08/12/2025 / Jagrut	10/08/2024 / anahy	S12739

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	90494 / 1-Methylnaphthalene, 2000 ug/mL, in methylene chloride	061323	02/12/2026	08/12/2025 / Jagrut	11/08/2024 / anahy	S12776

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH2Cl2 [New Solvent 100% CH2Cl2]	A0219438	09/10/2025	03/10/2025 / anahy	12/11/2024 / anahy	S12974

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH2Cl2 [New Solvent 100% CH2Cl2]	A0219438	09/30/2025	07/01/2025 / Rahul	12/11/2024 / anahy	S12987

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH2Cl2 [New Solvent 100% CH2Cl2]	A0219438	09/30/2025	07/01/2025 / Rahul	12/11/2024 / anahy	S12988

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH2Cl2 [New Solvent 100% CH2Cl2]	A0219438	09/30/2025	07/01/2025 / Rahul	12/11/2024 / anahy	S12989

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH2Cl2 [New Solvent 100% CH2Cl2]	A0219438	09/30/2025	07/01/2025 / Rahul	12/11/2024 / anahy	S12990

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH2Cl2 [New Solvent 100% CH2Cl2]	A0219438	09/30/2025	07/01/2025 / Rahul	12/11/2024 / anahy	S12991

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH2Cl2 [New Solvent 100% CH2Cl2]	A0219438	09/30/2025	07/01/2025 / Rahul	12/11/2024 / anahy	S12992

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-110816-01 / Custom 8270 Mix, 4-79, 1000 mg/L, 1 mL, (Maximum Expiration: 180 Days)	531243	12/19/2025	06/19/2025 / Jagrut	01/16/2025 / anahy	S13057

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
CPI International	Z-010074-07 / 3,3'-Dichlorobenzidine Solution, 1,000 mg/L, 1 ml, (Maximum Expiration: 180 days)	525551	11/05/2025	05/05/2025 / Jagrut	03/10/2025 / anahy	S13078

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH2Cl2 [New Solvent 100% CH2Cl2]	A0221014	11/30/2025	07/01/2025 / Rahul	05/20/2025 / Rahul	S13088

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31850 / 8270 SV Mix, 8270 Mega Mix 1mL, 1000ug/mL, CH2Cl2 [New Solvent 100% CH2Cl2]	A0221014	11/30/2025	07/01/2025 / Rahul	05/20/2025 / Rahul	S13089

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555869 / Custom Standard, hexachlorocyclopentadiene Std [CS 5328-2]	A0201702	12/03/2025	06/03/2025 / Jagrut	11/13/2023 / Rahul	S13148

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555871 / Custom Standard, 4-nitrophenol Std [CS 5238-4]	A0226283	12/04/2025	06/04/2025 / Jagrut	06/04/2025 / Rahul	S13158

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555871 / Custom Standard, 4-nitrophenol Std [CS 5238-4]	A0226283	01/01/2026	07/01/2025 / Rahul	06/04/2025 / Rahul	S13159

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31206 / SV Mix, CLP method, Internal Std, 2000ug/mL, CH2Cl2, 1mL	A0224359	02/11/2026	08/11/2025 / Rahul	06/02/2025 / anahy	S13170

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31206 / SV Mix, CLP method, Internal Std, 2000ug/mL, CH2Cl2, 1mL	A0224359	03/31/2031	/	06/02/2025 / anahy	S13171

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555868 / Custom Standard, Benzidine Std [CS 5328-1]	A0226493	01/01/2026	07/01/2025 / Rahul	06/11/2025 / anahy	S13206

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555868 / Custom Standard, Benzidine Std [CS 5328-1]	A0226493	02/12/2026	08/12/2025 / Jagrut	06/11/2025 / anahy	S13207

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	70434 / Acetophenone, Single compound solution, 1000 PPM	121622	12/19/2025	06/19/2025 / Rahul	06/19/2025 / Rahul	S13208

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	91126 / Benzoic acid 2000 ug/mL	060625	12/19/2025	06/19/2025 / Rahul	06/19/2025 / Rahul	S13209

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	90495 / 1,1-Biphenyl 2000 ug/mL	042325	12/19/2025	06/19/2025 / Rahul	06/19/2025 / Rahul	S13210

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	34571 / 1,2,4,5-Tetrachlorobenzene 5000 ug/mL	092324	12/19/2025	06/19/2025 / Rahul	06/19/2025 / Rahul	S13211

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	31879 / Benzoic Acid, 2000 µg/mL, Methylene Chloride, 1 mL/ampul	A0221395	02/12/2026	08/12/2025 / Jagrut	07/10/2025 / anahy	S13214

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	582978 / Custom Calibration Standard - C8 2,000µg/mL, Methylene chloride, 1mL/ampul, Chromatographic, CS-347186	A0228192	02/12/2026	08/12/2025 / Jagrut	08/01/2025 / Rahul	S13233

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / Iwona	07/03/2024 / Iwona	W3112

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-112090-04	440246	≤ -10 °C	Methylene Chloride	2/16/2026	CLP Acid Surrogate Solution, 7,500 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
2-chlorophenol-d_4	93951-73-6	99.3	248.12.7P	7487 ± 17.2
2-fluorophenol	367-12-4	99.8	10.7.3.3P	7513 ± 17.26
phenol-d6	13127-88-3	99.9	949.120.8P	7481 ± 17.19
2,4,6-tribromophenol	118-79-6	99.8	12.1.6P	7469 ± 17.17

Received on
02/25/21
by
CG

S9236
to
S9240

*Not a certified value

Manufactured by o2si smart solutions, Accredited to ISO 9001:2008 by NSF and ISO/IEC 17025:2005 (Certification No. 3031.01) and ISO Guide 34:2009 (Certification No. 3031.02) by A2LA

Certified By: Erica Castiglione

Erica Castiglione
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

VWR®

Certificate of Analysis

Sodium Hydroxide (Pellets)

Material: 0583
Grade: ACS GRADE
Batch Number: 23B1556310

Chemical Formula: NaOH
Molecular Weight: 40
CAS #: 1310-73-2
Appearance:

Pellets

Manufacture Date: 12/14/2022
Expiration Date: 12/31/2025

Storage: Room Temperature

TEST	SPECIFICATION	ANALYSIS	DISPOSITION
Calcium	<= 0.005 %	<0.005 %	PASS
Chloride	<= 0.005 %	0.002 %	PASS
Heavy Metals	<= 0.002 %	<0.002 %	PASS
Iron	<= 0.001 %	<0.001 %	PASS
Magnesium	<= 0.002 %	<0.002 %	PASS
Mercury	<= 0.1 ppm	<0.1 ppm	PASS
Nickel	<= 0.001 %	<0.001 %	PASS
Nitrogen Compounds	<= 0.001 %	<0.001 %	PASS
Phosphate	<= 0.001 %	<0.001 %	PASS
Potassium	<= 0.02 %	<0.02 %	PASS
Purity	>= 97.0 %	99.2 %	PASS
Sodium Carbonate	<= 1.0 %	0.5 %	PASS
Sulfate	<= 0.003 %	<0.003 %	PASS

Internal ID #: 710

Signature

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon
VWR Chemicals, LLC.
28600 Fountain Parkway, Solon OH 44139 USA

Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.

E 3657	E 3659
E 3654	E 3660

PRODUCTOS QUIMICOS MONTERREY, S.A. DE C.V.

MIRADOR 201, COL. MIRADOR
MONTERREY, N.L. MÉXICO
CP 64070
TEL +52 81 13 52 57 57
www.pqm.com.mx

CERTIFICATE OF ANALYSIS

PRODUCT :	SODIUM SULFATE CRYSTALS ANHYDROUS		
QUALITY :	ACS (CODE **RMB3375)**	FORMULA :	Na_2SO_4
SPECIFICATION NUMBER:	6399	RELEASE DATE:	MAY/23/2024
LOT NUMBER :	417203		

TEST	SPECIFICATIONS	LOT VALUES
Assay (Na_2SO_4)	Min. 99.0%	99.8 %
pH of a 5% solution at 25°C	5.2 - 9.2	6.2
Insoluble matter	Max. 0.01%	0.001 %
Loss on ignition	Max. 0.5%	0.1 %
Chloride (Cl)	Max. 0.001%	<0.001 %
Nitrogen compounds (as N)	Max. 5 ppm	<5 ppm
Phosphate (PO_4)	Max. 0.001%	<0.001 %
Heavy metals (as Pb)	Max. 5 ppm	<5 ppm
Iron (Fe)	Max. 0.001%	<0.001 %
Calcium (Ca)	Max. 0.01%	0.001 %
Magnesium (Mg)	Max. 0.005%	0.001 %
Potassium (K)	Max. 0.008%	0.001 %
Extraction-concentration suitability	Passes test	Passes test
Appearance	Passes test	Passes test
Identification	Passes test	Passes test
Solubility and foreing matter	Passes test	Passes test
Retained on US Standard No. 10 sieve	Max. 1%	0.2 %
Retained on US Standard No. 60 sieve	Min. 94%	96.2 %
Through US Standard No. 60 sieve	Max. 5%	3.5 %
Through US Standard No. 100 sieve	Max. 10%	0.1 %

COMMENTS

QC: PhC Irma Belmares

If you need further details, please call our factory or contact our local distributor.

E 3875

PO: PO2-1308 PRODUCT CODE: SHIP DATE: 2/7/25

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)

avantor | J.T.Baker

Material No.: 9266-A4
Batch No.: 25A0262002
Manufactured Date: 2024-11-21
Expiration Date:2026-02-20
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak (ng/mL)	<= 5	1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	<= 10	4
Assay (CH_2Cl_2) (by GC, exclusive of preservative, corrected for water)	>= 99.8 %	99.9 %
Color (APHA)	<= 10	10
Residue after Evaporation	<= 1.0 ppm	0.8 ppm
Titrable Acid (µeq/g)	<= 0.3	<0.1
Chloride (Cl)	<= 10 ppm	<5 ppm
Water (by KF, coulometric)	<= 0.02 %	<0.01 %

For Laboratory,Research,or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

E 3926

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700
Avantor Performance Materials,LLC
100 Matsonford Rd, Suite 200,Radnor,PA,19087.U.S.A.Phone 610.386.1700

Acetone
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis

avantor™ | J.T.Baker

Material No.: 9254-03
Batch No.: 24H1462005
Manufactured Date: 2024-05-24
Expiration Date:2027-05-24
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay ($(CH_3)_2CO$) (by GC, corrected forwater)	>= 99.4 %	99.8 %
Color (APHA)	<= 10	5
Residue after Evaporation	<= 1.0 ppm	0.2 ppm
Substances Reducing Permanganate	Passes Test	Passes Test
Titrable Acid (µeq/g)	<= 0.3	0.2
Titrable Base (µeq/g)	<= 0.6	<0.1
Water (H_2O)	<= 0.5 %	0.2 %
FID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak (ng/mL)	<= 5	<1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	<= 10	1

For Laboratory,Research,or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD RS

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

E 3932

JCroak
Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)

avantor™ | J.T.Baker

Material No.: 9266-A4
Batch No.: 25A2862010
Manufactured Date: 2024-12-18
Expiration Date:2026-03-19
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak (ng/mL)	<= 5	<1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	<= 10	2
Assay (CH_2Cl_2) (by GC, exclusive of preservative, corrected for water)	>= 99.8 %	99.9 %
Color (APHA)	<= 10	5
Residue after Evaporation	<= 1.0 ppm	0.3 ppm
Titrable Acid (µeq/g)	<= 0.3	<0.1
Chloride (Cl)	<= 10 ppm	<5 ppm
Water (by KF, coulometric)	<= 0.02 %	<0.01 %

For Laboratory,Research,or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

E3942

JCroak
Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Acetone
BAKER RESI-ANALYZED® Reagent
For Organic Residue Analysis

avantor™ | J.T.Baker

Material No.: 9254-03
Batch No.: 24H1462005
Manufactured Date: 2024-05-24
Expiration Date:2027-05-24
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
Assay ($(CH_3)_2CO$) (by GC, corrected forwater)	>= 99.4 %	99.8 %
Color (APHA)	<= 10	5
Residue after Evaporation	<= 1.0 ppm	0.2 ppm
Substances Reducing Permanganate	Passes Test	Passes Test
Titrable Acid (µeq/g)	<= 0.3	0.2
Titrable Base (µeq/g)	<= 0.6	<0.1
Water (H_2O)	<= 0.5 %	0.2 %
FID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak (ng/mL)	<= 5	<1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	<= 10	1

For Laboratory,Research,or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

Recd by RS 6/19/25

E3946

JCroak
Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Avantor Performance Materials, LLC

Methylene Chloride
ULTRA RESI-ANALYZED
For Organic Residue Analysis
(dichloromethane)

avantor™ | J.T.Baker

Material No.: 9266-A4
Batch No.: 25B1862001
Manufactured Date: 2024-12-18
Expiration Date:2026-03-19
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
FID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak (ng/mL)	<= 5	<1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	<= 10	2
Assay (CH_2Cl_2) (by GC, exclusive of preservative, corrected for water)	>= 99.8 %	99.9 %
Color (APHA)	<= 10	5
Residue after Evaporation	<= 1.0 ppm	0.3 ppm
Titrable Acid (µeq/g)	<= 0.3	<0.1
Chloride (Cl)	<= 10 ppm	<5 ppm
Water (by KF, coulometric)	<= 0.02 %	<0.01 %

For Laboratory,Research,or Manufacturing Use
MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

RS 7/14/25

E3954

JCroak

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium

avantor | J.T.Baker

M615 MB

Material No.: 9673-33
Batch No.: 24I1262013
Manufactured Date: 2024-08-07
Retest Date:2029-08-06
Revision No.: 0

Certificate of Analysis

Test	Specification	Result
ACS - Assay (H_2SO_4)	95.0 - 98.0 %	96.2 %
Appearance	Passes Test	Passes Test
ACS - Color (APHA)	<= 10	5
ACS - Residue after Ignition	<= 3 ppm	<1 ppm
ACS - Substances Reducing Permanganate(as SO2)	<= 2 ppm	<2 ppm
Ammonium (NH_4)	<= 1 ppm	<1 ppm
Chloride (Cl)	<= 0.1 ppm	<0.1 ppm
Nitrate (NO_3)	<= 0.2 ppm	0.1 ppm
Phosphate (PO_4)	<= 0.5 ppm	<0.1 ppm
Trace Impurities - Aluminum (Al)	<= 30.0 ppb	<5.0 ppb
Arsenic & Antimony (as As)	<= 4.0 ppb	<2.0 ppb
Trace Impurities - Boron (B)	<= 10.0 ppb	<5.0 ppb
Trace Impurities - Cadmium (Cd)	<= 2.0 ppb	<1.0 ppb
Trace Impurities - Chromium (Cr)	<= 6.0 ppb	<1.0 ppb
Trace Impurities - Cobalt (Co)	<= 0.5 ppb	<0.3 ppb
Trace Impurities - Copper (Cu)	<= 1.0 ppb	<1.0 ppb
Trace Impurities - Gold (Au)	<= 10.0 ppb	<5.0 ppb
Heavy Metals (as Pb)	<= 500.0 ppb	<100.0 ppb
Trace Impurities - Iron (Fe)	<= 50.0 ppb	<1.0 ppb
Trace Impurities - Lead (Pb)	<= 0.5 ppb	<0.5 ppb
Trace Impurities - Magnesium (Mg)	<= 7.0 ppb	<1.0 ppb
Trace Impurities - Manganese (Mn)	<= 1.0 ppb	<1.0 ppb
Trace Impurities - Mercury (Hg)	<= 0.5 ppb	<0.1 ppb
Trace Impurities - Nickel (Ni)	<= 2.0 ppb	<0.3 ppb
Trace Impurities - Potassium (K)	<= 500.0 ppb	<10.0 ppb
Trace Impurities - Selenium (Se)	<= 50.0 ppb	7.2 ppb
Trace Impurities - Silicon (Si)	<= 100.0 ppb	12.8 ppb
Trace Impurities - Silver (Ag)	<= 1.0 ppb	<1.0 ppb

Sulfuric Acid
BAKER INSTRA-ANALYZED® Reagent
For Trace Metal Analysis
Low Selenium

avantor™ | J.T.Baker

Material No.: 9673-33
Batch No.: 24I1262013

Test	Specification	Result
Trace Impurities - Sodium (Na)	<= 500.0 ppb	<5.0 ppb
Trace Impurities - Strontium (Sr)	<= 5.0 ppb	<1.0 ppb
Trace Impurities - Tin (Sn)	<= 5.0 ppb	1.1 ppb
Trace Impurities - Zinc (Zn)	<= 5.0 ppb	<1.0 ppb

For Laboratory,Research,or Manufacturing Use

Country of Origin: United States
Packaging Site: Phillipsburg Mfg Ctr & DC

J Croak

Jamie Croak
Director Quality Operations, Bioscience Production

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700

RESTEK

110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

S11484 ↓ S11493 Y.P. 08/10/23

Catalog No. : 555870 **Lot No.:** A0200549

Description : Custom 2,4-Dinitrophenol Standard

Custom 2,4-Dinitrophenol Standard 25,000µg/mL, Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : August 31, 2026 **Storage:** 10°C or colder

Ship: Ambient

CERTIFIED VALUES

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	2,4-Dinitrophenol	51-28-5	DR230417RSR	99%	25,008.0 µg/mL	+/- 777.3323

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Tom Suckar - Mix Technician

Date Mixed: 02-Aug-2023 **Balance:** 1128342314

Manufactured under Restek's ISO 9001:2015
Registered Quality System
Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k\sqrt{u^2_{gravimetric} + u^2_{homogeneity} + u^2_{storage\ stability} + u^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received:_____

Certificate of Analysis

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-110094-02	506889	≤ -10 °C	Methylene Chloride	7/25/2028	CLP Base/Neutral Surrogate Solution, 5,000 mg/L, 1 ml

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
1,2-dichlorobenzene-d_4	2199-69-1	99.7	247.29.3P	5035 ± 28.02
2-fluorobiphenyl	321-60-8	99.69	8.286.1.1P	4999 ± 103.66
nitrobenzene-d5	4165-60-0	99.67	7.9.3P	4988 ± 27.32
p-terphenyl-d14	1718-51-0	99.3	9.120.8P	5005 ± 27.85

511494 to 511498 } Y.P. 08/11/2023

*Not a certified value

Certified By: _____

Clint Tipton
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric

ACCREDITED ISO 17034 Accredited Reference Material Producer Certificate #3222.01

ACCREDITED ISO/IEC 17025 Accredited Testing Laboratory Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555872 **Lot No.:** A0201728

Description : Custom Pentachlorophenol Standard

Custom Pentachlorophenol Standard 25,000µg/mL, Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2026 **Storage:** 10°C or colder

Ship: Ambient

511649 ↓ 511658 Y.P. 11/13/23

CERTIFIED VALUES

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Pentachlorophenol	87-86-5	RP230530RSR	99%	25,000.0 µg/mL	+/- 777.0837

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Josh McCloskey - Operations Technician I

Date Mixed: 05-Sep-2023 **Balance:** B251644995

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k\sqrt{u^2_{gravimetric} + u^2_{homogeneity} + u^2_{storage\ stability} + u^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ACCREDITED ISO 17034 Accredited Reference Material Producer Certificate #3222.01

ACCREDITED ISO/IEC 17025 Accredited Testing Laboratory Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31853 **Lot No.:** A0196453

Description : 1,4-dioxane

1,4-Dioxane 2,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : March 31, 2028 **Storage:** 0°C or colder

Ship: Ambient

S11749 ↓ S11794 RC 11/30/23

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,4-Dioxane	123-91-1	SHBN3770	99%	2,013.0 µg/mL	+/- 25.0521

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:
30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:
hydrogen-constant flow 1.8 mL/min.

Temp. Program:
80°C (hold 0.1 min.) to 330°C
@ 9.6°C/min. (hold 2.86 min.)

Inj. Temp:
250°C

Det. Temp:
340°C

Det. Type:
FID

Split Vent:
100 ml/min.

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler - Operations Tech I

Date Mixed: 30-Mar-2023 **Balance Serial #** B707717271

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 31-Mar-2023

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k\sqrt{u^2_{gravimetric} + u^2_{homogeneity} + u^2_{storage\ stability} + u^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31853 **Lot No.:** A0200655

Description : 1,4-dioxane

1,4-Dioxane 2,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : August 31, 2028 **Storage:** 0°C or colder

Ship: Ambient

S11795 ↓ S11808 RC 11/30/23

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,4-Dioxane	123-91-1	SHBQ1693	99%	2,007.0 µg/mL	+/- 24.9775

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:
30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:
hydrogen-constant flow 1.8 mL/min.

Temp. Program:
80°C (hold 0.1 min.) to 330°C
@ 9.6°C/min. (hold 2.86 min.)

Inj. Temp:
250°C

Det. Temp:
340°C

Det. Type:
FID

Split Vent:
100 ml/min.

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Penelope Riglin - Operations Tech I

Date Mixed: 06-Aug-2023 **Balance Serial #** 1128360905

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 08-Aug-2023

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k\sqrt{u^2_{gravimetric} + u^2_{homogeneity} + u^2_{storage\ stability} + u^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.
- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received:_____

Certificate of Analysis

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-020223-01	454157	≤ -10 °C	P/T Methanol	6/10/2026	1,4-Dioxane Solution, 2000 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
1,4-dioxane	123-91-1	100	223.1.3P	1997 ± 57.08

S12112 ↓ S12116 } RC/ 03/08/24

*Not a certified value

Certified By: Melissa Workoff

Melissa Workoff
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31087 **Lot No.:** A0206206

Description : Acid Surrogate Mix (4/89 SOW)

Acid Surrogate 10, 000µg/mL, Methanol, 5mL/ampul

Container Size : 5 mL **Pkg Amt:** > 5 mL

Expiration Date : January 31, 2032 **Storage:** 10°C or colder

Ship: Ambient

S12187 ↓ S12206 } RC/ 03/18/24

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	2-Fluorophenol	367-12-4	STBK1705	99%	10,005.3 µg/mL	+/- 302.5390
2	Phenol-d6	13127-88-3	PR-33287A	99%	10,005.5 µg/mL	+/- 302.5475
3	2,4,6-Tribromophenol	118-79-6	RP230831RSR	99%	10,006.6 µg/mL	+/- 302.5783

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:
hydrogen-constant pressure 10 psi.

Temp. Program:
40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:
250°C

Det. Temp:
330°C

Det. Type:
FID

Split Vent:
2 ml/min.

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Penelope Riglin - Operations Tech I

Date Mixed: 04-Jan-2024 **Balance Serial #** 1128360905

Christie Mills - Operations Lead Tech - ARM QC

Date Passed: 08-Jan-2024

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ilac-MRA A2LA ACCREDITED ISO 17034 Accredited Reference Material Producer Certificate #3222.01

ilac-MRA A2LA ACCREDITED ISO/IEC 17025 Accredited Testing Laboratory Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31086 **Lot No.:** A0206381

Description : B/N Surrogate Mix (4/89 SOW)

Base Neutral Surrogate 5000µg/mL, Methylene Chloride, 5mL/ampul

Container Size : 5 mL **Pkg Amt:** > 5 mL

Expiration Date : December 31, 2029 **Storage:** 10°C or colder

Handling: Sonicate prior to use. **Ship:** Ambient

S12207 ↓ S12221 RC/ 03/18/24

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Nitrobenzene-d5	4165-60-0	I-25158	99%	5,029.3 µg/mL	+/- 226.5204
2	2-Fluorobiphenyl	321-60-8	00021384	99%	5,030.9 µg/mL	+/- 226.5936
3	p-Terphenyl-d14	1718-51-0	PR-32599	99%	5,026.4 µg/mL	+/- 226.3909

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:
Due to the limited solubility of p-terphenyl-d14 in methanol, we do not recommend that this mixture be diluted in methanol.

Quality Confirmation Test

Column:
30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:
hydrogen-constant pressure 10 psi.

Temp. Program:
40°C (hold 2 min.) to 330°C
@ 10°C/min. (hold 10 min.)

Inj. Temp:
250°C

Det. Temp:
330°C

Det. Type:
FID

Split Vent:
2 ml/min.

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Jess Hoy - Operations Tech I

Date Mixed: 09-Jan-2024 **Balance Serial #** 1128360905

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 11-Jan-2024

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ilac-MRA A2LA ACCREDITED ISO 17034 Accredited Reference Material Producer Certificate #3222.01

ilac-MRA A2LA ACCREDITED ISO/IEC 17025 Accredited Testing Laboratory Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30409 **Lot No.:** A0206650

Description : Pyridine Standard

Pyridine 2000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : October 31, 2027 **Storage:** 0°C or colder

Ship: Ambient

S12242 ↓ S12254 RC/ 5/15/24

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Pyridine	110-86-1	SHBP6240	99%	2,020.0 µg/mL	+/- 33.0924

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol
CAS # 67-56-1
Purity 99%

Quality Confirmation Test

Column:
105m x 0.53mm x 3.0µm
Rtx-502.2 (cat.#10910)

Carrier Gas:
hydrogen-constant pressure 11.0 psi.

Temp. Program:
40°C (hold 2 min.) to 240°C
@ 8°C/min. (hold 5 min.)

Inj. Temp:
200°C

Det. Temp:
250°C

Det. Type:
FID

Split Vent:
40 ml/min

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Sam Moodler - Operations Tech I

Date Mixed: 16-Jan-2024 **Balance Serial #** B707717271

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 18-Jan-2024

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-110381-01	520963	≤ -10 °C	Methylene Chloride	10/10/2028	Method 8270 Calibration Solution, 76-1, 500 & 1,000 mg/L, 1 mL

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
acenaphthene	83-32-9	99.9	13.1.5P	1010 ± 9.89
acenaphthylene	208-96-8	97.6	14.290.1P	1014 ± 9.93
aniline	62-53-3	99.97	64.1.4P	1001 ± 9.8
anthracene	120-12-7	99.5	15.7.1P	999.6 ± 9.79
azobenzene	103-33-3	98.1	252.7.2P	999.1 ± 9.8
benzo[a]anthracene	56-55-3	100	16.7.3P	1007 ± 9.86
benzo[b]fluoranthene	205-99-2	99.8	17.421.3P	1011 ± 14.11
benzo[k]fluoranthene	207-08-9	98.9	18.421.4P	1001 ± 10.96
benzo[ghi]perylene	191-24-2	93	19.286.4P	999.6 ± 13.95
benzo[a]pyrene	50-32-8	97	20.286.2P	999.9 ± 22.24
benzyl alcohol	100-51-6	99.9	65.18.1P	1001 ± 9.82
bis(2-chloroethoxy)methane	111-91-1	99.1	31.3.15P	1000 ± 14.69
bis(2-chloroethyl)ether	111-44-4	99.8	32.7.1P	1003 ± 13.89
bis(2-chloro-1-methylethyl) ether	108-60-1	99.5	34.3.15P	999.4 ± 14.68
bis(2-ethylhexyl)adipate	103-23-1	99.5	874.7.1P	999.5 ± 9.8
bis(2-ethylhexyl)phthalate	117-81-7	99.4	33.29.1P	998.8 ± 17.03
4-bromophenyl phenyl ether	101-55-3	99.4	35.7.1.1P	1000 ± 13.85
butyl benzyl phthalate	85-68-7	98.4	36.1.6P	984.7 ± 16.79
carbazole	86-74-8	99.4	239.7.2P	1000 ± 9.8

S12270 ↓ S12274 } RC 05/24/24

*Not a certified value

Kerry E Kane

Certified By: _____

Kerry Kane
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Certificate of Analysis

Catalog No.: Z-110381-01 **Lot No.:** 520963 **Expiration Date:** 10/10/2028

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
4-chloroaniline	106-47-8	100	66.7.1P	1000 ± 9.79
4-chlorophenylphenyl ether	7005-72-3	98	37.158.2P	1001 ± 17.07
4-chloro-3-methylphenol	59-50-7	99	102.1.2P	1006 ± 17.16
2-chloronaphthalene	91-58-7	99.9	42.7.6P	1000 ± 9.79
2-chlorophenol	95-57-8	99.8	103.7.1P	1007 ± 13.96
chrysene	218-01-9	96	21.286.2P	998.4 ± 12.85
dibenz[a,h]anthracene	53-70-3	99.44	22.286.3P	1000 ± 9.74
dibenzofuran	132-64-9	100	67.7.2.1P	1002 ± 9.77
di-n-butyl phthalate	84-74-2	99.84	40.286.1P	1007 ± 24.48
1,2-dichlorobenzene	95-50-1	99.8	43.7.1P	1000 ± 9.79
1,3-dichlorobenzene	541-73-1	99.5	44.1.3P	999.4 ± 9.79
1,4-dichlorobenzene	106-46-7	99.9	45.29.2P	1000 ± 9.79
2,4-dichlorophenol	120-83-2	99.6	104.7.1.1P	1005 ± 13.93
diethyl phthalate	84-66-2	99.8	38.7.1P	1011 ± 14
2,4-dimethylphenol	105-67-9	99.6	105.7.1.1P	1009 ± 13.98
dimethyl phthalate	131-11-3	99.9	39.9.2P	996.5 ± 13.8
1,2-dinitrobenzene	528-29-0	99.86	86.7.3.1P	999.5 ± 9.75
1,3-dinitrobenzene	99-65-0	100	313.7.2P	998 ± 9.79
1,4-dinitrobenzene	100-25-4	100	907.7.1P	999.5 ± 9.8
2,4-dinitrophenol	51-28-5	99.9	106.1.6DP	1002 ± 13.89
2,4-dinitrotoluene	121-14-2	100	87.7.3P	999.8 ± 13.85
2,6-dinitrotoluene	606-20-2	99.4	88.7.2.1P	999.6 ± 13.85
di-n-octyl phthalate	117-84-0	99.1	41.7.5P	991.6 ± 13.74
diphenylamine	122-39-4	100	78.1.6P	998 ± 13.79
2,3,5,6-tetrachlorophenol	935-95-5	97	1112.286.1P	1004 ± 14.02
fluoranthene	206-44-0	98.6	23.7.4P	999.6 ± 9.79
fluorene	86-73-7	98.4	24.7.1P	999.7 ± 9.79

*Not a certified value

Certified By: Kerry E Kane

Kerry Kane
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Certificate of Analysis

Catalog No.: Z-110381-01 **Lot No.:** 520963 **Expiration Date:** 10/10/2028

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
hexachlorobenzene	118-74-1	99	46.158.4P	999.9 ± 13.96
hexachlorobutadiene	87-68-3	97.4	47.1.4P	1000 ± 9.79
hexachlorocyclopentadiene	77-47-4	99.2	48.2.2P	1001 ± 9.8
hexachloroethane	67-72-1	99.9	49.1.4P	1003 ± 9.82
indeno[1,2,3-cd]pyrene	193-39-5	98	25.286.4P	999.4 ± 22.23
isophorone	78-59-1	98.9	90.1.4P	999.9 ± 13.85
2-methyl-4,6-dinitrophenol	534-52-1	99.6	107.421.2DP	991 ± 24.09
1-methylnaphthalene	90-12-0	97.1	249.7.5P	999.2 ± 13.95
2-methylnaphthalene	91-57-6	97.4	68.7.2P	1006 ± 22.38
2-methylphenol	95-48-7	99.6	114.7.3P	1001 ± 13.87
3-methylphenol	108-39-4	99.1	115.7.4P	499.7 ± 6.92
4-methylphenol	106-44-5	99.5	116.7.1P	501.2 ± 6.94
naphthalene	91-20-3	99.8	26.9.1P	1018 ± 9.97
2-nitroaniline	88-74-4	99.7	69.29.1P	999.6 ± 9.79
3-nitroaniline	99-09-2	100	70.7.3P	1000 ± 9.74
4-nitroaniline	100-01-6	99.7	71.29.1P	1001 ± 9.8
nitrobenzene	98-95-3	100	94.7.1P	1000 ± 13.85
2-nitrophenol	88-75-5	99.1	108.29.1P	996.5 ± 13.81
4-nitrophenol	100-02-7	100	109.7.1P	1000 ± 13.82
N-nitrosodimethylamine	62-75-9	99.5	57.3.19P	998.5 ± 14.67
N-nitrosodi-n-propylamine	621-64-7	99.8	59.286.1P	996.8 ± 17
pentachlorophenol	87-86-5	99	110.1.7P	1004 ± 13.92
phenanthrene	85-01-8	99.7	27.1.5P	999 ± 12.87
phenol	108-95-2	100	112.7.1P	998.5 ± 13.8
pyrene	129-00-0	99.2	28.9.2P	998.9 ± 9.78
pyridine	110-86-1	100	101.24.1P	999 ± 9.73
2,3,4,6-Tetrachlorophenol	58-90-2	91.8	120.421.1P	996.5 ± 13.92

*Not a certified value

Certified By: Kerry E Kane

Kerry Kane
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

Certificate of Analysis

Catalog No.: Z-110381-01 **Lot No.:** 520963 **Expiration Date:** 10/10/2028

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
1,2,4-trichlorobenzene	120-82-1	99.6	54.29.1P	999.6 ± 9.79
2,4,5-trichlorophenol	95-95-4	96.5	121.7.1.1P	999.5 ± 13.85
2,4,6-trichlorophenol	88-06-2	99.6	113.7.1P	996 ± 13.8

*Not a certified value

Certified By: Kerry E Kane

Kerry Kane
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-010442-07	495833	≤ -10 °C	Methylene Chloride	1/16/2028	Benzaldehyde Solution, 1000 mg/L, 1.3 mL

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
benzaldehyde	100-52-7	98.3	442.421.1P	996.8 ± 11.49

S12275 ↓ S12279 } RC/ 05/24/24

*Not a certified value

Certified By: S. Hunter

Scott Hunter
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

CPI INTERNATIONAL

5580 Skylane Blvd
Santa Rosa, CA 95403

(707)525-5788
(800)878-7654 Toll Free
(707)545-7901 Fax

Manufacturer's Quality System
Audited & Registered
by TUV USA to ISO 9001:2015

Date Received: _____

Certificate of Analysis

Rev 0

Catalog No.:	Lot No.:	Storage:	Solvent:	Exp. Date:	Description:
Z-010442-07	495833	≤ -10 °C	Methylene Chloride	1/16/2028	Benzaldehyde Solution, 1000 mg/L, 1.3 mL

Compound	CAS No.	Purity (%)	Compound Lot No.	Concentration, mg/L
benzaldehyde	100-52-7	98.3	442.421.1P	996.8 ± 11.49

S12275 ↓ S12279 } RC/ 05/24/24

*Not a certified value

Certified By: S. Hunter

Scott Hunter
Chemist

All weights are traceable through N. I. S. T. Test No. 822/264157-00. Concentration (correct for purity) and uncertainty (95% confidence) values listed are determined gravimetricly.

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ACCREDITED ISO 17034 Accredited Reference Material Producer Certificate #3222.01

ACCREDITED ISO/IEC 17025 Accredited Testing Laboratory Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

S12302 ↓ S12311 } RC/ 5/30/24

Catalog No. : 31902 **Lot No.:** A0206859

Description : Additions Standard

Additions Standard 1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : January 31, 2026 **Storage:** 10°C or colder

Handling: This product is photosensitive. **Ship:** Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Benzaldehyde	100-52-7	RD231129RSRA	99%	1,005.0 µg/mL	+/- 29.5419
2	epsilon-Caprolactam	105-60-2	I16X016	99%	1,008.8 µg/mL	+/- 29.6521
3	Atrazine	1912-24-9	5FYWL	99%	1,008.8 µg/mL	+/- 29.6521

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:
30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:
hydrogen-constant flow 1.8 mL/min.

Temp. Program:
80°C (hold 0.1 min.) to 330°C
@ 9.6°C/min. (hold 2.86 min.)

Inj. Temp:
250°C

Det. Temp:
340°C

Det. Type:
FID

Split Vent:
100 ml/min.

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Stacey Wanner - Operations Technician I

Date Mixed: 23-Jan-2024 **Balance Serial #** B442140311

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 24-Jan-2024

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric

ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555224 **Lot No.:** A0214017

Description : Custom 8270 Plus Standard #2

Custom 8270 Plus Standard #2 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2026 **Storage:** 10°C or colder

Ship: Ambient

CERTIFIED VALUES

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,2,4,5-Tetrachlorobenzene	95-94-3	MKCT9480	99%	1,005.0 µg/mL	+/- 29.541899
2	Acetophenone	98-86-2	STBH8205	99%	1,005.0 µg/mL	+/- 29.541899
3	Benzaldehyde	100-52-7	RD231129RSRA	99%	1,008.0 µg/mL	+/- 29.630084
4	Benzoic acid	65-85-0	MKCR2694	99%	1,010.0 µg/mL	+/- 29.688874
5	Biphenyl	92-52-4	MKCS5928	99%	1,008.0 µg/mL	+/- 29.630084

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

S12509 ↓ S12568 } RC/ 7/24/24

Jess Hoy - Operations Tech I

Date Mixed: 18-Jul-2024 **Balance:** 1128360905

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

General Certified Reference Material Notes

Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k\sqrt{u^2_{gravimetric} + u^2_{homogeneity} + u^2_{storage\ stability} + u^2_{shipping\ stability}}$$

  k is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ilac-MRA A2LA ACCREDITED ISO 17034 Accredited Reference Material Producer Certificate #3222.01

ilac-MRA A2LA ACCREDITED ISO/IEC 17025 Accredited Testing Laboratory Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31615 **Lot No.:** A0212955

Description : GC/MS Tuning Mixture

GC/MS Tuning Mixture 1,000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : June 30, 2027 **Storage:** 10°C or colder

Handling: Contains carcinogen/reproductive toxin. **Ship:** Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Pentachlorophenol	87-86-5	RP240517RSR	99%	1,004.5 µg/mL	+/- 44.8902
2	DFTPP (Decafluorotriphenylphosphine)	5074-71-5	Q117-147	99%	1,004.5 µg/mL	+/- 44.8902
3	Benzidine	92-87-5	S240430RSR	99%	1,006.0 µg/mL	+/- 44.9572
4	4,4'-DDT	50-29-3	S240530RSR	97%	1,000.1 µg/mL	+/- 44.6922

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

S12577 ↓ S12579 RC 8/2/24

Quality Confirmation Test

Column:
30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:
hydrogen-constant pressure 10 psi.

Temp. Program:
75°C (hold 1 min.) to 330°C
@ 20°C/min. (hold 10 min.)

Inj. Temp:
250°C

Det. Temp:
330°C

Det. Type:
FID

Split Vent:
10 ml/min.

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Ethan Winiarski - Operations Tech I

Date Mixed: 19-Jun-2024 **Balance Serial #** 1128353505

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 26-Jun-2024

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ilac-MRA A2LA ACCREDITED ISO 17034 Accredited Reference Material Producer Certificate #3222.01

ilac-MRA A2LA ACCREDITED ISO/IEC 17025 Accredited Testing Laboratory Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31206 **Lot No.:** A0212266

Description : SV Internal Standard Mix 2mg/ml

SV Internal Standard Mix 2mg/ml 2000 µg/ml, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : April 30, 2030 **Storage:** 10°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,4-Dichlorobenzene-d4	3855-82-1	PR-30447	99%	2,000.6 µg/mL	+/- 90.1075
2	Naphthalene-d8	1146-65-2	M-2180	99%	2,000.3 µg/mL	+/- 90.0925
3	Acenaphthene-d10	15067-26-2	PR-33507	99%	2,000.4 µg/mL	+/- 90.1000
4	Phenanthrene-d10	1517-22-2	PR-34099	99%	2,000.5 µg/mL	+/- 90.1037
5	Chrysene-d12	1719-03-5	PR-33506	99%	2,000.7 µg/mL	+/- 90.1112
6	Perylene-d12	1520-96-3	PR-33205	99%	2,000.6 µg/mL	+/- 90.1075

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

S12645 ↓ S12674 AC 10/1/24

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ISO 17034 Accredited Reference Material Producer Certificate #3222.01

ISO/IEC 17025 Accredited Testing Laboratory Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31900 **Lot No.:** A0215529

Description : OLM 01.1 Revised SV MegaMix

OLM 01.1 Revised SV MegaMix 500-1000 µg/mL, Methylene chloride, 1mL/ampul

S12736 ↓ S12754 AC 10/9/24

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : February 28, 2026 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Phenol	108-95-2	MKCK1120	99%	1,008.6 µg/mL	+/- 19.3211
2	Bis(2-chloroethyl)ether	111-44-4	SHBL6942	99%	1,002.3 µg/mL	+/- 19.2013
3	2-Chlorophenol	95-57-8	STBJ3909	99%	1,005.2 µg/mL	+/- 19.2564
4	2,2'-oxybis(1-chloropropane)	108-60-1	29-MAR-45-5	99%	1,006.3 µg/mL	+/- 19.2768
5	2-Methylphenol (o-cresol)	95-48-7	SHBN7598	99%	1,009.3 µg/mL	+/- 19.3354
6	Acetophenone	98-86-2	STBH8205	99%	1,003.8 µg/mL	+/- 18.5851
7	Hexachloroethane	67-72-1	QTORH	99%	1,000.6 µg/mL	+/- 19.1690
8	N-Nitroso-di-n-propylamine	621-64-7	N63MG	99%	1,004.5 µg/mL	+/- 19.2599
9	4-Methylphenol (p-cresol)	106-44-5	SHBN3411	99%	500.3 µg/mL	+/- 9.5854
10	3-Methylphenol (m-cresol)	108-39-4	STBJ0710	99%	502.1 µg/mL	+/- 9.6213
11	Nitrobenzene	98-95-3	10224044	99%	1,003.2 µg/mL	+/- 19.2181
12	Isophorone	78-59-1	MKCC9506	99%	1,007.0 µg/mL	+/- 19.2911
13	2-Nitrophenol	88-75-5	RP230509C	99%	1,003.4 µg/mL	+/- 19.2217
14	2,4-Dimethylphenol	105-67-9	XW5GK	99%	1,008.1 µg/mL	+/- 19.3115
15	Bis(2-chloroethoxy)methane	111-91-1	15174900	99%	1,002.3 µg/mL	+/- 19.2001
16	2,4-Dichlorophenol	120-83-2	BCBZ6787	99%	1,002.3 µg/mL	+/- 19.2001

17	Naphthalene	91-20-3	STBL1057	99%	1,003.6	µg/mL	+/- 19.2253
18	4-Chloroaniline	106-47-8	BCCJ3217	99%	1,005.5	µg/mL	+/- 19.2791
19	Hexachlorobutadiene	87-68-3	RP240110CTH	97%	1,003.9	µg/mL	+/- 19.2316
20	2-Methylnaphthalene	91-57-6	STBK0259	96%	1,005.1	µg/mL	+/- 19.2718
21	4-Chloro-3-methylphenol	59-50-7	BCCD4461	99%	1,003.8	µg/mL	+/- 19.2301
22	1,2,4,5-Tetrachlorobenzene	95-94-3	MKCT9480	99%	1,000.5	µg/mL	+/- 19.1832
23	Hexachlorocyclopentadiene	77-47-4	099063I14L	98%	1,001.3	µg/mL	+/- 19.1811
24	2,4,6-Trichlorophenol	88-06-2	STBK8870	99%	1,004.1	µg/mL	+/- 19.2349
25	2,4,5-Trichlorophenol	95-95-4	3YFRE	97%	1,008.6	µg/mL	+/- 19.3221
26	2-Chloronaphthalene	91-58-7	RPN7O	99%	1,002.3	µg/mL	+/- 19.2001
27	Biphenyl	92-52-4	MKCS5928	99%	1,001.3	µg/mL	+/- 18.5388
28	2-Nitroaniline	88-74-4	RP240715RSR	99%	1,000.5	µg/mL	+/- 19.1832
29	Acenaphthylene	208-96-8	214935V16F	97%	999.9	µg/mL	+/- 19.1561
30	Dimethylphthalate	131-11-3	358221L17K	99%	1,005.8	µg/mL	+/- 19.2672
31	2,6-Dinitrotoluene	606-20-2	BCCG1833	99%	1,001.2	µg/mL	+/- 19.1798
32	Acenaphthene	83-32-9	MKCR7169	99%	1,000.0	µg/mL	+/- 19.1570
33	3-Nitroaniline	99-09-2	RP240708RSR	99%	1,005.5	µg/mL	+/- 19.2791
34	2,4-Dinitrophenol	51-28-5	DR230417RSR	99%	1,008.8	µg/mL	+/- 19.3259
35	Dibenzofuran	132-64-9	MKCD9952	99%	1,002.5	µg/mL	+/- 18.5619
36	2,4-Dinitrotoluene	121-14-2	102869V26E	99%	1,002.5	µg/mL	+/- 19.2049
37	4-Nitrophenol	100-02-7	RP230627	99%	1,004.4	µg/mL	+/- 19.2421
38	2,3,4,6-Tetrachlorophenol	58-90-2	PR-34476	99%	1,001.5	µg/mL	+/- 19.2024
39	Fluorene	86-73-7	10241100	99%	1,004.2	µg/mL	+/- 19.2373
40	4-Chlorophenyl phenyl ether	7005-72-3	MKCT7248	99%	1,003.0	µg/mL	+/- 19.2145
41	Diethylphthalate	84-66-2	BCCJ6241	99%	1,002.1	µg/mL	+/- 19.1978
42	4-Nitroaniline	100-01-6	RP240510RSR	99%	1,005.0	µg/mL	+/- 19.2695
43	4,6-Dinitro-2-methylphenol (Dinitro-o-cresol)	534-52-1	S240410RSR	99%	1,001.1	µg/mL	+/- 19.1786
44	Diphenylamine	122-39-4	MKCT1512	99%	1,004.5	µg/mL	+/- 19.2599
45	4-Bromophenyl phenyl ether	101-55-3	STBH6361	99%	1,005.9	µg/mL	+/- 19.2708
46	Hexachlorobenzene	118-74-1	15458400	99%	1,009.2	µg/mL	+/- 19.3331
47	Pentachlorophenol	87-86-5	RP240411RSR	99%	1,008.9	µg/mL	+/- 19.3283
48	Phenanthrene	85-01-8	MKCS5188	99%	1,006.2	µg/mL	+/- 19.2756
49	Anthracene	120-12-7	101492T18R	99%	1,001.6	µg/mL	+/- 19.1882
50	Carbazole	86-74-8	15276700	99%	1,004.0	µg/mL	+/- 19.2503
51	Di-n-butylphthalate	84-74-2	MKCN4337	99%	1,002.5	µg/mL	+/- 19.2049
52	Fluoranthene	206-44-0	MKCQ4728	99%	1,008.7	µg/mL	+/- 19.3235

53	Pyrene	129-00-0	BCCK2592	99%	1,002.9	µg/mL	+/- 19.2121
54	Benzyl butyl phthalate	85-68-7	X12I018	99%	1,004.6	µg/mL	+/- 19.2444
55	Benz(a)anthracene	56-55-3	I50012022BAA	99%	1,009.1	µg/mL	+/- 19.3307
56	Chrysene	218-01-9	RP240719RSR	99%	1,005.9	µg/mL	+/- 19.2708
57	3,3'-Dichlorobenzidine	91-94-1	S231019RSR	99%	1,001.5	µg/mL	+/- 19.2024
58	Bis(2-ethylhexyl)phthalate	117-81-7	MKCS8065	99%	1,006.3	µg/mL	+/- 19.2768
59	Di-n-octyl phthalate	117-84-0	15276800	99%	1,008.9	µg/mL	+/- 19.3283
60	Benzo(b)fluoranthene	205-99-2	022013B	99%	1,006.4	µg/mL	+/- 19.2792
61	Benzo(k)fluoranthene	207-08-9	012022K	99%	1,001.9	µg/mL	+/- 19.1942
62	Benzo(a)pyrene	50-32-8	O45GL	98%	1,003.9	µg/mL	+/- 19.2327
63	Indeno(1,2,3-cd)pyrene	193-39-5	12-JKL-118-9	97%	1,003.7	µg/mL	+/- 19.2281
64	Dibenz(a,h)anthracene	53-70-3	2-ASA-59-1	99%	1,004.2	µg/mL	+/- 19.2373
65	Benzo(g,h,i)perylene	191-24-2	RP240625RSR	97%	1,001.5	µg/mL	+/- 19.1863

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:

N-Nitrosodiphenylamine (86-30-6) is prone to breakdown in the injection port and will be converted to Diphenylamine (122-39-4). When comparing the response of Diphenylamine to mixtures manufactured using N-Nitrosodiphenylamine, a difference in response will be observed. The ratio of the MW can be used to calculate the theoretical concentration of the N-Nitrosodiphenylamine.

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT

Part Number: 90494
Lot Number: 061323
Description: 1-Methylnaphthalene

Expiration Date: 061328
Recommended Storage: Refrigerate (4 °C)
Nominal Concentration (µg/mL): 2000
NIST Test ID#: 6UTB

Solvent(s): **Lot#**
Methylene chloride C21F09CAS0000DCM

5E-05 Balance Uncertainty
Weight(s) shown below were combined and diluted to (mL): 100.0 0.031 Flask Uncertainty

Formulated By: Prashant Chauhan	061323 DATE
Reviewed By: Pedro L. Rentas	061323 DATE

Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity	Target Weight(g)	Actual Weight(g)	Actual Conc (µg/mL)	Expanded Uncertainty (+/-) (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50
1. 1-Methylnaphthalene	313	04413BX	2000	98	0.2	0.20417	0.20430	2001.2	8.3	90-12-0	N/A	orl-rat 1840mg/kg

Method GC8MSD-3.M: Column:SPB-5 (30m X 0.25mm ID X 0.25µm film thickness) Temp 1 = 50°C (1min.), Temp 2 = 300°C (9min.), Rate = 10°C/min., Injector B= 200°C, Detector B = 275°C, Split Ratio = 100:1, Scan Rate = 2. Analysis performed by: Gina McLane.





S12771 ↓ S12780 } AC 11/8/24

- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31850 **Lot No.:** A0219438

Description : 8270 MegaMix®

8270 MegaMix® 500-1000 µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2025 **Storage:** 0°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

S12963 ↓ S12992 AC 12/17/24

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Pyridine	110-86-1	SHBP6240	99%	1,008.3 µg/mL	+/- 36.6849
2	N-Nitrosodimethylamine	62-75-9	S240313RSR	99%	1,008.6 µg/mL	+/- 36.6985
3	Phenol	108-95-2	MKCK1120	99%	1,003.5 µg/mL	+/- 36.5120
4	Aniline	62-53-3	X22F726	99%	1,002.9 µg/mL	+/- 36.4893
5	Bis(2-chloroethyl)ether	111-44-4	002891T24M	99%	1,003.0 µg/mL	+/- 36.4938
6	2-Chlorophenol	95-57-8	STBJ3909	99%	1,005.6 µg/mL	+/- 36.5894
7	1,3-Dichlorobenzene	541-73-1	BCCD5315	99%	1,004.1 µg/mL	+/- 36.5348
8	1,4-Dichlorobenzene	106-46-7	MKBS7929V	99%	1,002.1 µg/mL	+/- 36.4620
9	Benzyl alcohol	100-51-6	SHBK5469	99%	1,003.5 µg/mL	+/- 36.5120
10	1,2-Dichlorobenzene	95-50-1	SHBL6287	99%	1,005.3 µg/mL	+/- 36.5757
11	2-Methylphenol (o-cresol)	95-48-7	SHBN7598	99%	1,008.4 µg/mL	+/- 36.6894
12	2,2'-oxybis(1-chloropropane)	108-60-1	29-MAR-45-5	99%	1,004.6 µg/mL	+/- 36.5530
13	3-Methylphenol (m-cresol)	108-39-4	STBJ0710	99%	502.1 µg/mL	+/- 18.2697
14	4-Methylphenol (p-cresol)	106-44-5	SHBN3411	99%	503.8 µg/mL	+/- 18.3288
15	N-Nitroso-di-n-propylamine	621-64-7	N63MG	99%	1,006.5 µg/mL	+/- 36.6212
16	Hexachloroethane	67-72-1	DAXRI	99%	1,004.5 µg/mL	+/- 36.5484
17	Nitrobenzene	98-95-3	10224044	99%	1,002.5 µg/mL	+/- 36.4757

18	Isophorone	78-59-1	MKCR3249	99%	1,003.4	µg/mL	+/- 36.5075
19	2-Nitrophenol	88-75-5	RP230710	99%	1,002.5	µg/mL	+/- 36.4757
20	2,4-Dimethylphenol	105-67-9	XW5GK	99%	1,006.5	µg/mL	+/- 36.6212
21	Bis(2-chloroethoxy)methane	111-91-1	15705100	99%	1,006.6	µg/mL	+/- 36.6257
22	2,4-Dichlorophenol	120-83-2	BCCK6969	99%	1,001.5	µg/mL	+/- 36.4393
23	1,2,4-Trichlorobenzene	120-82-1	SHBP5900	99%	1,006.4	µg/mL	+/- 36.6166
24	Naphthalene	91-20-3	STBL1057	99%	1,002.1	µg/mL	+/- 36.4620
25	4-Chloroaniline	106-47-8	BCCJ3217	99%	1,004.4	µg/mL	+/- 36.5439
26	Hexachlorobutadiene	87-68-3	X05J	98%	1,002.5	µg/mL	+/- 36.4771
27	4-Chloro-3-methylphenol	59-50-7	BCCD4461	99%	1,004.5	µg/mL	+/- 36.5484
28	2-Methylnaphthalene	91-57-6	STBL3028	99%	1,000.0	µg/mL	+/- 36.3847
29	1-Methylnaphthalene	90-12-0	5234.00-8	98%	990.2	µg/mL	+/- 36.0269
30	Hexachlorocyclopentadiene	77-47-4	099063I14L	98%	1,001.3	µg/mL	+/- 36.4325
31	2,4,6-Trichlorophenol	88-06-2	STBK8870	99%	1,006.4	µg/mL	+/- 36.6166
32	2,4,5-Trichlorophenol	95-95-4	3YFRE	97%	1,004.6	µg/mL	+/- 36.5505
33	2-Chloronaphthalene	91-58-7	RPN7O	99%	1,004.3	µg/mL	+/- 36.5393
34	2-Nitroaniline	88-74-4	RP240715RSR	99%	1,004.4	µg/mL	+/- 36.5439
35	1,4-Dinitrobenzene	100-25-4	RP240703RSR	99%	1,002.8	µg/mL	+/- 36.4847
36	Acenaphthylene	208-96-8	RP241029RSR	98%	1,000.0	µg/mL	+/- 36.3835
37	1,3-Dinitrobenzene	99-65-0	TRC3-1075941-2-1	99%	1,006.3	µg/mL	+/- 36.6121
38	Dimethylphthalate	131-11-3	358221L17K	99%	1,008.9	µg/mL	+/- 36.7076
39	2,6-Dinitrotoluene	606-20-2	BCCG1833	99%	1,006.6	µg/mL	+/- 36.6257
40	1,2-Dinitrobenzene	528-29-0	RP240701RSR	99%	1,002.5	µg/mL	+/- 36.4757
41	Acenaphthene	83-32-9	MKCR7169	99%	1,000.0	µg/mL	+/- 36.3847
42	3-Nitroaniline	99-09-2	RP240708RSR	99%	1,004.6	µg/mL	+/- 36.5530
43	2,4-Dinitrophenol	51-28-5	D240927RSR	----%	1,005.6	µg/mL	+/- 36.5894
44	Dibenzofuran	132-64-9	MKCN1772	99%	1,003.5	µg/mL	+/- 36.5120
45	2,4-Dinitrotoluene	121-14-2	102869V26E	99%	1,008.3	µg/mL	+/- 36.6849
46	4-Nitrophenol	100-02-7	20241029-2-AN	99%	1,004.8	µg/mL	+/- 36.5575
47	2,3,4,6-Tetrachlorophenol	58-90-2	PR-34476	99%	1,005.8	µg/mL	+/- 36.5939
48	2,3,5,6-Tetrachlorophenol	935-95-5	RP231219RSR	99%	1,006.4	µg/mL	+/- 36.6166
49	Fluorene	86-73-7	10246250	98%	1,000.7	µg/mL	+/- 36.4102
50	4-Chlorophenyl phenyl ether	7005-72-3	MKCT7248	99%	1,004.9	µg/mL	+/- 36.5621
51	Diethylphthalate	84-66-2	BCCJ6241	99%	1,003.9	µg/mL	+/- 36.5257
52	4-Nitroaniline	100-01-6	RP230111	99%	1,006.6	µg/mL	+/- 36.6257
53	4,6-Dinitro-2-methylphenol (Dinitro-o-cresol)	534-52-1	S241008RSR	99%	1,001.3	µg/mL	+/- 36.4302

54	Diphenylamine	122-39-4	MKCT1512	99%	1,003.0	µg/mL	+/- 36.4938
55	Azobenzene	103-33-3	BCCK0887	99%	1,002.4	µg/mL	+/- 36.4711
56	4-Bromophenyl phenyl ether	101-55-3	STBH6361	99%	1,008.8	µg/mL	+/- 36.7031
57	Hexachlorobenzene	118-74-1	15458400	99%	1,005.1	µg/mL	+/- 36.5712
58	Pentachlorophenol	87-86-5	RP240517RSR	99%	1,005.9	µg/mL	+/- 36.5984
59	Phenanthrene	85-01-8	MKCT3391	99%	1,004.9	µg/mL	+/- 36.5621
60	Anthracene	120-12-7	101492T18R	99%	1,005.1	µg/mL	+/- 36.5712
61	Carbazole	86-74-8	15276700	99%	1,005.4	µg/mL	+/- 36.5803
62	Di-n-butylphthalate	84-74-2	MKCN4337	99%	1,006.3	µg/mL	+/- 36.6121
63	Fluoranthene	206-44-0	MKCQ4728	99%	1,003.5	µg/mL	+/- 36.5120
64	Pyrene	129-00-0	BCCK2592	99%	1,002.0	µg/mL	+/- 36.4575
65	Benzyl butyl phthalate	85-68-7	X12I018	99%	1,007.5	µg/mL	+/- 36.6576
66	Bis(2-ethylhexyl)adipate	103-23-1	MKCM1988	99%	1,005.9	µg/mL	+/- 36.5984
67	Benz(a)anthracene	56-55-3	I70012022BAA	99%	1,005.5	µg/mL	+/- 36.5848
68	Chrysene	218-01-9	RP241007RSR	99%	1,005.3	µg/mL	+/- 36.5757
69	Bis(2-ethylhexyl)phthalate	117-81-7	MKCS8065	99%	1,007.5	µg/mL	+/- 36.6576
70	Di-n-octyl phthalate	117-84-0	15566400	99%	1,002.3	µg/mL	+/- 36.4666
71	Benzo(b)fluoranthene	205-99-2	052013B	99%	1,004.1	µg/mL	+/- 36.5348
72	Benzo(k)fluoranthene	207-08-9	012022K	99%	1,002.8	µg/mL	+/- 36.4847
73	Benzo(a)pyrene	50-32-8	NQLXA	98%	1,006.2	µg/mL	+/- 36.6108
74	Indeno(1,2,3-cd)pyrene	193-39-5	12-JKL-118-9	97%	1,001.8	µg/mL	+/- 36.4490
75	Dibenz(a,h)anthracene	53-70-3	2-ASA-59-1	99%	1,003.3	µg/mL	+/- 36.5029
76	Benzo(g,h,i)perylene	191-24-2	RP241014RSR	98%	1,003.8	µg/mL	+/- 36.5217

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Tech Tips:
N-Nitrosodiphenylamine (86-30-6) is prone to breakdown in the injection port and will be converted to Diphenylamine (122-39-4). When comparing the response of Diphenylamine to mixtures manufactured using N-Nitrosodiphenylamine, a difference in response will be observed. The ratio of the MW can be used to calculate the theoretical concentration of the N-Nitrosodiphenylamine.

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric

ACCREDITED
ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ACCREDITED
ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555871 **Lot No.:** A0226283

Description : Custom 4-Nitrophenol Standard

Custom 4-Nitrophenol Standard 25,000µg/mL, Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : June 30, 2028 **Storage:** 10°C or colder

Ship: Ambient

S13158 ↓ S13167 } RC/ 6/4/25

CERTIFIED VALUES

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	4-Nitrophenol	100-02-7	20241120-1-AN	99%	25,192.0 µg/mL	+/- 783.0517

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Morgan Craighead - Mix Technician

Date Mixed: 02-Jun-2025 **Balance:** C322230531

REVIEWED

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ilac-MRA A2LA ACCREDITED ISO 17034 Accredited Reference Material Producer Certificate #3222.01

ilac-MRA A2LA ACCREDITED ISO/IEC 17025 Accredited Testing Laboratory Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31206 **Lot No.:** A0224359

Description : SV Internal Standard Mix 2mg/ml

SV Internal Standard Mix 2mg/ml 2000 µg/ml, Methylene Chloride, 1mL/ampul

S13168 ↓ S13197 } AC 6/9/25

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : March 31, 2031 **Storage:** 10°C or colder

Handling: Sonication required. Mix is photosensitive. **Ship:** Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,4-Dichlorobenzene-d4	3855-82-1	PR-30447	99%	2,000.0 µg/mL	+/- 90.0812
2	Naphthalene-d8	1146-65-2	M-2180	99%	2,000.8 µg/mL	+/- 90.1187
3	Acenaphthene-d10	15067-26-2	PR-33507	99%	2,000.8 µg/mL	+/- 90.1187
4	Phenanthrene-d10	1517-22-2	PR-34099	99%	2,000.0 µg/mL	+/- 90.0812
5	Chrysene-d12	1719-03-5	PR-33506	99%	2,000.8 µg/mL	+/- 90.1187
6	Perylene-d12	1520-96-3	PR-33205	99%	2,000.0 µg/mL	+/- 90.0812

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric

ACCREDITED ISO 17034 Accredited Reference Material Producer Certificate #3222.01

ACCREDITED ISO/IEC 17025 Accredited Testing Laboratory Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

S13198 → S13207 } AC 6/11/25

Catalog No. : 555868 **Lot No.:** A0226493

Description : Custom Benzidine Standard

Custom Benzidine Standard 25,000µg/mL, Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : June 30, 2028 **Storage:** 10°C or colder

Handling: Contains carcinogen/reproductive toxin. **Ship:** Ambient

CERTIFIED VALUES

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Benzidine	92-87-5	S250227ECS	99%	25,004.0 µg/mL	+/- 495.8040

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Laith Clemente - Operations Technician I **Date Mixed:** 09-Jun-2025 **Balance:** 1122030677

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT

Part Number: 70434
Lot Number: 121622
Description: Acetophenone

Expiration Date: 121627
Recommended Storage: Refrigerate (4 °C)
Nominal Concentration (µg/mL): 1000
NIST Test ID#: 6UTB

Solvent(s): **Lot#**
Methylene chloride C21F09CAS0000DCM

		121622
Formulated By:	Benson Chan	DATE
		121622
Reviewed By:	Pedro L. Rentas	DATE

Weight(s) shown below were combined and diluted to (mL): 50.0 5E-05 Balance Uncertainty 0.001 Flask Uncertainty

Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity	Target Weight(g)	Actual Weight(g)	Actual Conc (µg/mL)	Expanded Uncertainty (+/-) (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50
1. Acetophenone	434	04511JX	1000	99	0.2	0.05055	0.05075	1004.0	4.5	98-86-2	N/A	orl-rat 815mg/kg

Method: GC6MSD-1. **Detector:** MSD. **Column:** Vocol (60m X 0.25mm ID X 1.5µm film thickness). **Oven Profile:** Temp. 1 = 35°C (10min.), Temp. 2 = 200°C (8.75 min.), Rate = 4°C/min., Injector Temp.= 200°C, Detector Temp. = 220°C. **Analyst:** Candice Warren. Solvent delay = 25 minutes.





S13208 Y RC/ 6/19/25

- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

Comments
GC13-M1 Analysis by Melissa Stonier
Column ID SPB-Vocol 105 meter X 0.53mm X 3.0µm film thickness
Flow rates: Total flow=290mL/min., Helium (carrier)=10mL/min.,
Helium(make-up)=10mL/min., Hydogen(make-up)=40mL/min., Air(make-up)=230mL/min.
Oven Profile: Temp. 1=35°C (Time 1=10 min.), Temp 2=200°C (Time 2=8.75 min.),
Rate = 4°C/min., Total run time=60 min. Injector temp.=200°C, FID Temp.=200°C.
FID Signal = Edaq Channel 1
Standard injection = 0.5µL, Range=3



Peak No.	Name	FID RT (min.)
1	Acetophenone	43.05

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT

Part Number: 91126
Lot Number: 060625
Description: Benzoic acid

Expiration Date: 060630
Recommended Storage: Refrigerate (4 °C)
Nominal Concentration (µg/mL): 2000
NIST Test ID#: 6UTB

Solvent(s): Methylene chloride **Lot#** 23343

Formulated By:	Anthony Mahoney	060625 DATE
Reviewed By:	Pedro L. Rentas	060625 DATE

5E-05 Balance Uncertainty
Weight(s) shown below were combined and diluted to (mL): 100.0 0.031 Flask Uncertainty

Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity	Target Weight(g)	Actual Weight(g)	Actual Conc (µg/mL)	Expanded Uncertainty (+/-) (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50
1. Benzoic acid	34	11930AW	2000.0	99	0.2	0.20211	0.20227	2001.6	8.2	65-85-0	N/A	orl-rat 1700mg/kg

Method GC8MSD-3.M: Column:SPB-5 (30m X 0.25mm ID X 0.25µm film thickness) Temp 1 = 50°C (1min.), Temp 2 = 300°C (9min.), Rate = 10°C/min., Injector B= 200°C. Detector B = 275°C, Split Ratio = 100:1, Scan Rate = 2. Analysis performed by: Melissa Stonier.





S132097 RC 6/19/25

- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated by an ISO 17025 certified organization with weights traceable through NIST to the SI kilogram (see above).
- Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

Rev 1.0, 2/25/2025

Absolute Standards, Inc.
800-368-1131
www.absolutestandards.com

Certified Reference Material CRM

ANAB ISO 17034 Accredited
AR-1539 Certificate Number
https://Absolutestandards.com

CERTIFIED WEIGHT REPORT

Part Number: 34571
Lot Number: 092324
Description: 1,2,4,5-Tetrachlorobenzene

Solvent(s): Methanol **Lot#** EI863-US

Expiration Date: 092334
Recommended Storage: Refrigerate (4 °C)
Nominal Concentration (µg/mL): 5000
NIST Test ID#: 6UTB

Weight(s) shown below were combined and diluted to (mL): 25.0 5E-05 Balance Uncertainty 0.004 Flask Uncertainty

CAUTION: Sonicate Before Use

Formulated By: Lawrence Barry	092324 DATE
Reviewed By: Pedro L. Rentas	092324 DATE

Compound	RM#	Lot Number	Nominal Conc (µg/mL)	Purity (%)	Uncertainty Purity	Target Weight (g)	Actual Weight (g)	Actual Conc(µg/mL)	Expanded Uncertainty (+/-) (µg/mL)	SDS Information (Solvent Safety Info. On Attached pg.) CAS#	OSHA PEL (TWA)	LD50
1. 1,2,4,5-Tetrachlorobenzene	274	10408AS	5000	98	0.20	0.12761	0.12765	5001.4	20.8	95-94-3	N/A	orl-rat 1500mg/kg

Method GC8MSD-3.M: Column:SPB-5 (30m X 0.25mm ID X 0.25µm film thickness) Temp 1 = 50°C (1min.), Temp 2 = 300°C (9min.), Rate = 10°C/min., Injector B= 200°C, Detector B = 275°C, Split Ratio = 100:1, Scan Rate = 2. Analysis performed by: Gina McLane.





S132113 RC 6/19/25.

- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certifed (+/-) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

Run 31, "P34571 L092324 [5000µg/mL in MeOH]"

Run Length: 35.00 min, 20999 points at 10 points/second.
Created: Fri, Jan 3, 2025 at 11:24:40 AM.
Sampled: Sequence "010225-GC4M1", Method "GC4-M1".
Analyzed using Method "GC4-M1".

Comments

GC4-M1 Analysis by Melissa Stonier
Column ID SPB5 L#60062-01A : 30 meter x 0.53mm x 1.5um Film Thickness
Flow rates; Total Flow = 300 ml/min, Helium (carrier) = 6.5 mL, Helium (make-up) = 25 mL, Hydrogen (detector) = 30 mL, Air (detector) =360 mL
Oven Temp 1 = 50°C (1 min), Rate = 10°C/min, Oven Temp 2 = 300°C (9 min), Total Run Time = 35 Minutes.
Injector Temp = 200°C, FID Temp = 300°C, FID Signal = eDaq Channel 1.
Gas Chromatograph = HP 5890, Auto Sampler = HP 7673, Standard Injection = 0.5 uL, Range = 7



Peak No.	Name	FID RT (min.)
1	1,2,4,5-Tetrachlorobenzene	13.24

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic plus

ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 31879 **Lot No.:** A0221395

Description : Benzoic Acid Mix

Benzoic Acid 2000µg/mL, Methylene Chloride, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : January 31, 2029 **Storage:** 10°C or colder

Ship: Ambient

S13214 ↓ S13218 AC 7/10/25

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Benzoic acid	65-85-0	MKCR2694	99%	2,002.2 µg/mL	+/- 60.5426

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

chromatographic

ilac-MRA A2LA ACCREDITED ISO 17034 Accredited Reference Material Producer Certificate #3222.01

ilac-MRA A2LA ACCREDITED ISO/IEC 17025 Accredited Testing Laboratory Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 582978 **Lot No.:** A0228192

Description : Custom Calibration Standard - C8

Custom Calibration Standard - C8 2,000µg/mL, Methylene chloride, 1mL/ampul

513229 ↓ 513238 } RC/ 8/1/25

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : July 31, 2028 **Storage:** 0°C or colder

Ship: Ambient

CERTIFIED VALUES

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	N-Nitrosodimethylamine	62-75-9	S241226RSR	99%	2,000.0 µg/mL	+/- 35.7537
2	Aniline	62-53-3	X22F726	99%	2,002.5 µg/mL	+/- 35.7984
3	1,3-Dichlorobenzene	541-73-1	BCCD5315	99%	2,005.0 µg/mL	+/- 35.8431
4	1,4-Dichlorobenzene	106-46-7	MKBS7929V	99%	2,005.0 µg/mL	+/- 35.8431
5	Benzyl alcohol	100-51-6	094986W07G	99%	2,015.0 µg/mL	+/- 36.0218
6	1,2-Dichlorobenzene	95-50-1	SHBR4446	99%	2,015.0 µg/mL	+/- 36.0218
7	1,2,4-Trichlorobenzene	120-82-1	SHBR1701	99%	2,020.0 µg/mL	+/- 36.1112
8	Azobenzene	103-33-3	BCCL3292	99%	2,005.0 µg/mL	+/- 35.8431

* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: Methylene chloride
CAS # 75-09-2
Purity 99%

Quality Confirmation Test

Column:
30m x 0.25mm x 0.25µm
Rtx-5 (cat.#10223)

Carrier Gas:
hydrogen-constant flow 1.8 mL/min.

Temp. Program:
80°C (hold 0.1 min.) to 330°C
@ 9.6°C/min. (hold 2.86 min.)

Inj. Temp:
250°C

Det. Temp:
340°C

Det. Type:
FID

Split Vent:
100 ml/min.

Inj. Vol
1µl



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Wilner Torres - Operation Tech I **Date Mixed:** 27-Jul-2025 **Balance Serial #** B345965662

Jennifer Pollino - Operations Tech III - ARM QC **Date Passed:** 30-Jul-2025 REVIEWED

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

RESTEK
110 Benner Circle
Bellefonte, PA 16823-8812
Tel: 1-814-353-1300
Fax: 1-814-353-1309

www.restek.com

CERTIFIED REFERENCE MATERIAL

Certificate of Analysis

gravimetric

ISO 17034 Accredited
Reference Material Producer
Certificate #3222.01

ISO/IEC 17025 Accredited
Testing Laboratory
Certificate #3222.02

FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 555869 **Lot No.:** A0201702

Description : Custom Hexachlorocyclopentadiene Standard

Custom Hexachlorocyclopentadiene Standard 25,000µg/mL, Methanol, 1mL/ampul

Container Size : 2 mL **Pkg Amt:** > 1 mL

Expiration Date : September 30, 2026 **Storage:** 10°C or colder

Ship: Ambient

513148 ↓ 513157 RC 11/13/23

CERTIFIED VALUES

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Hexachlorocyclopentadiene	77-47-4	099063P13G	99%	25,244.0 µg/mL	+/- 450.6896

Solvent: Methanol
CAS # 67-56-1
Purity 99%

Brittany Federinko - Operations Tech I

Date Mixed: 05-Sep-2023 **Balance:** B707717271

Manufactured under Restek's ISO 9001:2015 Registered Quality System Certificate #FM 80397

SHIPPING DOCUMENTS

Alliance TECHNICAL GROUP

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

ALLIANCE PROJECT NO.
QUOTE NO. Q2815
COC Number 2045327

CLIENT INFORMATION (REPORT TO BE SENT TO:)

COMPANY:
ADDRESS:
CITY: STATE: ZIP:
ATTENTION:
PHONE: FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME:
PROJECT NO.: LOCATION:
PROJECT MANAGER:
e-mail:
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: PO#:
ADDRESS:
CITY STATE: ZIP:
ATTENTION: PHONE:

DATA TURNAROUND INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): _____ DAYS*
EDD: _____ DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

- ☐ Level 1 (Results Only)
- ☐ Level 2 (Results + QC)
- ☐ Level 3 (Results + QC + Raw Data)
- ☐ EDD FORMAT _____
- ☐ Level 4 (QC + Full Raw Data)
- ☐ NJ Reduced ☐ US EPA CLP
- ☐ NYS ASP A ☐ NYS ASP B
- ☐ Other _____

ANALYSIS

VOC, SVOC, Metals

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE COMP	SAMPLE TYPE GRAB	SAMPLE COLLECTION DATE	SAMPLE COLLECTION TIME	# OF BOTTLES	PRESERVATIVES 1	2	3	4	5	6	7	8	9	COMMENTS
1.	TW-705R-S	GW		4	8/6/25	11:21	3	2	1								
2.	[illegible]																
3.	TW-10PC-W	GW		4	8/6/25	01:30	3	2	1								
4.	TW-10P-E	GW		4	8/6/25	01:40	3	2	1								
5.	TW-10P-S	GW		4	8/6/25	01:50	3	2	1								
6.	TW 10P-W	GW		4	8/6/25	2:00	3	2	1								
7.	TW-10P-N	GW		4	8/6/25	2:10	3	2	1								
8.	TW-88H-E	GW		4	8/7/25	8:35	3	2	1								
9.	TW-88H-N	GW		4	8/7/25	8:45	3	2	1								
10.	TW-88H-W	GW		4	8/7/25	11:10	3	2	1								

COMMENTS ← Specify Preservatives
A-HCl D-NaOH
B-HN03 E-ICE
C-H2SO4 F-OTHER

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:
1 GMS	6:01	1. 8.8.25
RELINQUISHED BY SAMPLER: 2.	DATE/TIME:	RECEIVED BY: 2.
RELINQUISHED BY SAMPLER: 3.	DATE/TIME:	RECEIVED BY: 3.

Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☒ COOLER TEMP 3.5 °C
Comments:

Page _____ of

CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete ☐ YES ☐ NO

Copyright © 2024

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT YELLOW - ALLIANCE COPY PINK - SAMPLER COPY

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 · Fax (908) 789-8922
www.chemtech.net

ALLIANCE PROJECT NO.
QUOTE NO. Q2815
COC Number 2045328

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY:
ADDRESS:
CITY STATE: ZIP:
ATTENTION:
PHONE: FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME:
PROJECT NO.: LOCATION:
PROJECT MANAGER:
e-mail:
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: PO#:
ADDRESS:
CITY STATE: ZIP:
ATTENTION: PHONE:

DATA TURNAROUND INFORMATION

FAX (RUSH) _____ DAYS*
HARDCOPY (DATA PACKAGE): _____ DAYS*
EDD: _____ DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

- ☐ Level 1 (Results Only)
- ☐ Level 2 (Results + QC)
- ☐ Level 3 (Results + QC + Raw Data)
- ☐ Level 4 (QC + Full Raw Data)
- ☐ NJ Reduced ☐ US EPA CLP
- ☐ NYS ASP A ☐ NYS ASP B
- ☐ Other _____
- ☐ EDD FORMAT _____

ANALYSIS

1: Tot 2: EDD 3. 4: Methods 5: 6: 7: 8: 9:

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE COMP	SAMPLE TYPE GRAB	SAMPLE COLLECTION DATE	SAMPLE COLLECTION TIME	# OF BOTTLES	PRESERVATIVES 1	2	3	4	5	6	7	8	9	COMMENTS
1.	TW-88H-S	GW		4	8/7/25	11:10	3	2	1								
2.	TW-22M-W	GW		4	8/8/25	1110	3	2	1	3							
3.	TW-22M-S	GW		4	8/8/25	1123	3	2	1								
4.	TW-22M-E	GW		4	8/8/25	1133	3	2	1								
5.	TW-22M-N	GW		4	8/8/25	1143	3	2	1								
6.																	
7.																	
8.																	
9.																	
10.																	

← Specify Preservatives
A-HCl D-NaOH
B-HN03 E-ICE
C-H2SO4 F-OTHER

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:
1. GMC	6:01	1. 8.8.25
2.		2.
3.		3.

Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☒ COOLER TEMP 3.5 °C
Comments:

Page _____ of

CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete
☐ YES ☐ NO

Copyright © 2024

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT YELLOW - ALLIANCE COPY PINK - SAMPLER COPY

From: Yazmeen Gomez
Sent: Monday, August 11, 2025 2:55 PM
To: 'Daniel Ligon'
Cc: 'Alfred Smith'; Jordan Hedvat
Subject: RE: Bottleware Order - USACE018-44
Attachments: q2815.pdf; q2814.pdf

Good afternoon,

A few things -

- Below mentions Filtered and Unfiltered for 8 GW samples, however, we only received three unpreserved metals bottles - TW-84SB-E, TW-17M-W, and TW-11M-W.
- 8 samples not listed on the COC were received – TW-17M-E, TW-17M-S, TW-84SB-S, TW-84SB-W, TW-11M-W, TW-11M-E, TW-11M-S, TW-11M-N.
- PCB and PESTICIDE are not mentioned the GW COC's however, I went off the below request and do have PEST and PCB logged for some of the samples.
- Once I sign off the login summaries will be sent to you – please confirm everything looks good, or if anything needs to be updated.

Best Regards,

Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com

From: Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Sent: Friday, August 1, 2025 11:03 AM
To: Jordan Hedvat <Jordan.Hedvat@AllianceTG.com>; Daniel Ligon <DLigon@firstenvironment.com>
Cc: Alfred Smith <asmith@firstenvironment.com>
Subject: RE: Bottleware Order - USACE018-44

Hi Daniel,

Bottle order delivery for today confirmed.

Best Regards,

Yazmeen Gomez
Sr. Project Manager
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3147
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com

From: Jordan Hedvat <Jordan.Hedvat@alliancetg.com>
Sent: Friday, August 1, 2025 8:14 AM
To: Daniel Ligon <DLigon@firstenvironment.com>
Cc: Alfred Smith <asmith@firstenvironment.com>; Yazmeen Gomez <Yazmeen.Gomez@alliancetg.com>
Subject: Re: Bottleware Order - USACE018-44

Hi Daniel,

We will process the bottle order for delivery. Do you need TeraCore or Encores for VOC soil? If not we will provide jars for those tests as well. Please reach out if we can help with anything else.

Regards,

Jordan

Jordan Hedvat
Account Executive, Environmental Laboratories
An Alliance Technical Group Company
Main: 908-789-8900
Direct: 908-728-3144
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com

From: Daniel Ligon <DLigon@firstenvironment.com>
Sent: Thursday, July 31, 2025 4:53 PM
To: Jordan Hedvat <Jordan.Hedvat@alliancetg.com>
Cc: Alfred Smith <asmith@firstenvironment.com>
Subject: Bottleware Order - USACE018-44

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Hi Jordan – I have a bottleware order for some sampling we have next week in Long Island, NY. We'd like to have this delivered tomorrow if possible – sorry for the late email. First thing Monday morning would work as well for delivery to our office in Butler. See the following for # of samples we need with the parameters:

- 48x soil VOCs via EPA Method 8260
- 48x soil SVOCs via EPA Method 8270

- 8x soil Pesticides/PCBs via EPA Methods 8081/8082
- 8x soil TAL Metals (filtered and unfiltered)
- 48x groundwater VOCs via EPA Method 8260
- 48x groundwater SVOCs via EPA Method 8270
- 8x groundwater Pesticides/PCBs via EPA Methods 8081/8082
- 8x groundwater TAL Metals (filtered and unfiltered)
- 3 soil, 3 groundwater field duplicates
- 6 field blanks
- Trip blanks in every cooler

Let me know if this can be accommodated. Thanks!

Daniel Ligon
Environmental Specialist

First Environment, Inc.
10 Park Place, Bldg 1A, Suite 504
Butler, NJ 07405
Ph: 973-334-0003 ext. 224
Cell: 973-873-8515
DLigon@firstenvironment.com
www.firstenvironment.com

284 Sheffield Street, Mountainside NJ 07092 (908)-789-8900 Fax : 908 789 8922

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

QA Control Code: A2070148

Alliance TECHNICAL GROUP
284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q2815 FIRS02
Client Name : First Environment, Inc.
Client Contact : Al Smith
Invoice Name : First Environment, Inc.
Invoice Contact : Al Smith

Order Date : 8/11/2025 10:33:09 AM
Project Name : USACE018-44 DOD
Receive DateTime : 8/8/2025 6:01:00 PM
Purchase Order :

Project Mgr :
Report Type : Level 4
EDD Type : EQUIS
Hard Copy Date :
Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q2815-01	TW-705R-S	Water	08/06/2025	11:21					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-02	TW-10PC-W	Water	08/06/2025	01:30					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-03	TW-10P-E	Water	08/06/2025	01:40					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-04	TW-10P-S	Water	08/06/2025	01:50					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-05	TW-10P-W	Water	08/06/2025	02:00					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-06	TW-10P-N	Water	08/06/2025	02:10					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-07	TW-88H-E	Water	08/07/2025	08:35					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-08	TW-88H-N	Water	08/07/2025	08:45					

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q2815 FIRS02
Client Name : First Environment, Inc.
Client Contact : Al Smith
Invoice Name : First Environment, Inc.
Invoice Contact : Al Smith

Order Date : 8/11/2025 10:33:09 AM
Project Name : USACE018-44 DOD
Receive DateTime : 8/8/2025 6:01:00 PM
Purchase Order :

Project Mgr :
Report Type : Level 4
EDD Type : EQUIS
Hard Copy Date :
Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD		FAX DATE	DUE DATES
					VOC-TCLVOA-10		8260-Low	10 Bus. Days		
Q2815-09	TW-88H-W	Water	08/07/2025	11:10						
					VOC-TCLVOA-10		8260-Low	10 Bus. Days		
Q2815-10	TW-88H-S	Water	08/07/2025	11:10						
					VOC-TCLVOA-10		8260-Low	10 Bus. Days		
Q2815-11	TW-22M-W	Water	08/08/2025	11:10						
					VOC-TCLVOA-10		8260-Low	10 Bus. Days		
Q2815-12	TW-22M-S	Water	08/08/2025	11:23						
					VOC-TCLVOA-10		8260-Low	10 Bus. Days		
Q2815-13	TW-22M-E	Water	08/08/2025	11:33						
					VOC-TCLVOA-10		8260-Low	10 Bus. Days		
Q2815-14	TW-22M-N	Water	08/08/2025	11:43						
					VOC-TCLVOA-10		8260-Low	10 Bus. Days		
Q2815-15	TW-17M-E	Water	08/08/2025	00:00						
					VOC-TCLVOA-10		8260-Low	10 Bus. Days		

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q2815 FIRS02
Client Name : First Environment, Inc.
Client Contact : Al Smith
Invoice Name : First Environment, Inc.
Invoice Contact : Al Smith

Order Date : 8/11/2025 10:33:09 AM
Project Name : USACE018-44 DOD
Receive DateTime : 8/8/2025 6:01:00 PM
Purchase Order :

Project Mgr :
Report Type : Level 4
EDD Type : EQUIS
Hard Copy Date :
Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q2815-16	TW-17M-S	Water	08/08/2025	00:00					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-17	TW-84SB-S	Water	08/08/2025	00:00					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-18	TW-84SB-W	Water	08/08/2025	00:00					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-19	DUP	Water	08/08/2025	00:00					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-20	TW-11M-W	Water	08/08/2025	00:00					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-21	TW-11M-E	Water	08/08/2025	00:00					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-22	TW-11M-S	Water	08/08/2025	00:00					
					VOC-TCLVOA-10		8260-Low		10 Bus. Days
Q2815-23	TW-11M-N	Water	08/08/2025	00:00					

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q2815 FIRS02
Client Name : First Environment, Inc.
Client Contact : Al Smith
Invoice Name : First Environment, Inc.
Invoice Contact : Al Smith

Order Date : 8/11/2025 10:33:09 AM
Project Name : USACE018-44 DOD
Receive DateTime : 8/8/2025 6:01:00 PM
Purchase Order :

Project Mgr :
Report Type : Level 4
EDD Type : EQUIS
Hard Copy Date :
Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
					VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q2815-24	TB	Water	08/08/2025	00:00					
					VOC-TCLVOA-10		8260-Low	10 Bus. Days	
Q2815-26	FB	Water	08/08/2025	00:00					
					VOC-TCLVOA-10		8260-Low	10 Bus. Days	

Relinguished By : AJ
Date / Time : 8/11/25 1305

Received By : Sam
Date / Time : 08/11/25 13:05 Rgh 4

Storage Area : VOA Refridgerator Room

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143345.D
Acq On : 12 Aug 2025 10:04
Operator : RC/JU
Sample : SSTDICC010
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Quant Time: Aug 12 13:17:37 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	6.928	152	154882	20.000	ng		0.00
21) Naphthalene-d8	8.210	136	603685	20.000	ng		0.00
39) Acenaphthene-d10	9.963	164	326305	20.000	ng		0.00
64) Phenanthrene-d10	11.451	188	511556	20.000	ng		0.00
76) Chrysene-d12	14.086	240	288804	20.000	ng		0.00
86) Perylene-d12	15.580	264	252284	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.557	112	181196	20.231	ng		0.00
7) Phenol-d6	6.551	99	233168	20.301	ng		-0.01
23) Nitrobenzene-d5	7.481	82	183453	18.924	ng		-0.01
42) 2,4,6-Tribromophenol	10.751	330	41296	17.317	ng		0.00
45) 2-Fluorobiphenyl	9.280	172	434554	22.583	ng		0.00
79) Terphenyl-d14	13.027	244	388588	24.022	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	2.769	88	45069	9.724	ng		99
3) Pyridine	3.546	79	121796	9.862	ng		98
4) n-Nitrosodimethylamine	3.463	42	53152	9.239	ng		95
6) Aniline	6.587	93	165629	10.229	ng		98
8) 2-Chlorophenol	6.716	128	94079	9.830	ng		97
9) Benzaldehyde	6.481	77	85899	11.315	ng		99
10) Phenol	6.569	94	138719	10.195	ng		94
11) bis(2-Chloroethyl)ether	6.657	93	100958	10.068	ng		99
12) 1,3-Dichlorobenzene	6.869	146	114502	10.373	ng		99
13) 1,4-Dichlorobenzene	6.945	146	116940	10.555	ng		97
14) 1,2-Dichlorobenzene	7.098	146	109638	10.425	ng		99
15) Benzyl Alcohol	7.063	79	75894	9.218	ng		99
16) 2,2'-oxybis(1-Chloropr...	7.198	45	186451	10.414	ng		96
17) 2-Methylphenol	7.175	107	80378	9.950	ng		99
18) Hexachloroethane	7.445	117	33555	9.660	ng		98
19) n-Nitroso-di-n-propyla...	7.328	70	72922	10.275	ng		95
20) 3+4-Methylphenols	7.328	107	103058	10.548	ng	#	85
22) Acetophenone	7.328	105	144189	10.840	ng		98
24) Nitrobenzene	7.504	77	99226	9.425	ng		98
25) Isophorone	7.739	82	199699	10.091	ng		98
26) 2-Nitrophenol	7.822	139	25672	9.265	ng		98
27) 2,4-Dimethylphenol	7.857	122	78873	9.553	ng		98
28) bis(2-Chloroethoxy)met...	7.951	93	123627	10.232	ng		99
29) 2,4-Dichlorophenol	8.069	162	77156	9.568	ng		98
30) 1,2,4-Trichlorobenzene	8.151	180	87392	10.274	ng		98
31) Naphthalene	8.233	128	308901	10.634	ng		98
32) Benzoic acid	7.939	122	17211	9.156	ng		93
33) 4-Chloroaniline	8.275	127	105601	10.079	ng		99
34) Hexachlorobutadiene	8.351	225	54615	10.321	ng		99
35) Caprolactam	8.610	113	18357	8.098	ng		93
36) 4-Chloro-3-methylphenol	8.757	107	82681	9.780	ng		96
37) 2-Methylnaphthalene	8.922	142	203203	10.641	ng		100
38) 1-Methylnaphthalene	9.022	142	197497	10.738	ng		100
40) 1,2,4,5-Tetrachloroben...	9.086	216	92307	10.338	ng		99
41) Hexachlorocyclopentadiene	9.081	237	14343	10.801	ng		100
43) 2,4,6-Trichlorophenol	9.198	196	44424	8.769	ng		99

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143345.D
Acq On : 12 Aug 2025 10:04
Operator : RC/JU
Sample : SSTDICC010
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Quant Time: Aug 12 13:17:37 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.239	196	50263	8.786	ng	98
46) 1,1'-Biphenyl	9.380	154	245641	10.647	ng	99
47) 2-Chloronaphthalene	9.410	162	191809	10.556	ng	98
48) 2-Nitroaniline	9.498	65	36444	9.319	ng	93
49) Acenaphthylene	9.822	152	274441	10.459	ng	99
50) Dimethylphthalate	9.675	163	192210	10.081	ng	100
51) 2,6-Dinitrotoluene	9.733	165	24005	9.205	ng	88
52) Acenaphthene	9.998	154	183915	10.543	ng	100
53) 3-Nitroaniline	9.904	138	31507	8.069	ng	92
54) 2,4-Dinitrophenol	10.022	184	4834	10.356	ng	92
55) Dibenzofuran	10.169	168	267653	10.660	ng	99
56) 4-Nitrophenol	10.075	139	15708	10.166	ng	92
57) 2,4-Dinitrotoluene	10.139	165	31226	9.126	ng	91
58) Fluorene	10.510	166	210161	10.959	ng	98
59) 2,3,4,6-Tetrachlorophenol	10.286	232	30681	7.955	ng	98
60) Diethylphthalate	10.375	149	173119	10.137	ng	99
61) 4-Chlorophenyl-phenyle...	10.504	204	97989	10.575	ng	99
62) 4-Nitroaniline	10.516	138	32919	8.714	ng	97
63) Azobenzene	10.657	77	200367	10.272	ng	99
65) 4,6-Dinitro-2-methylph...	10.551	198	9325	11.085	ng	92
66) n-Nitrosodiphenylamine	10.616	169	171289	10.169	ng	99
67) 4-Bromophenyl-phenylether	10.992	248	56818	9.712	ng	97
68) Hexachlorobenzene	11.063	284	63639	10.091	ng	99
69) Atrazine	11.139	200	40124	9.133	ng	100
70) Pentachlorophenol	11.257	266	14951	10.407	ng	94
71) Phenanthrene	11.474	178	296410	10.620	ng	98
72) Anthracene	11.527	178	298872	10.559	ng	99
73) Carbazole	11.674	167	255831	10.613	ng	100
74) Di-n-butylphthalate	12.004	149	189069	9.269	ng	99
75) Fluoranthene	12.663	202	269569	11.026	ng	99
77) Benzidine	12.780	184	78152	9.898	ng	100
78) Pyrene	12.892	202	283403	11.697	ng	98
80) Butylbenzylphthalate	13.504	149	30088	9.196	ng	99
81) Benzo(a)anthracene	14.074	228	176759	9.629	ng	99
82) 3,3'-Dichlorobenzidine	14.039	252	36804	7.425	ng	98
83) Chrysene	14.110	228	180427	10.541	ng	98
84) Bis(2-ethylhexyl)phtha...	14.063	149	39945	9.191	ng	100
85) Di-n-octyl phthalate	14.674	149	78702	10.933	ng	97
87) Indeno(1,2,3-cd)pyrene	17.092	276	183505	10.153	ng	99
88) Benzo(b)fluoranthene	15.139	252	129605	9.392	ng	99
89) Benzo(k)fluoranthene	15.168	252	136296	10.165	ng	98
90) Benzo(a)pyrene	15.515	252	127540	9.814	ng	99
91) Dibenzo(a,h)anthracene	17.109	278	146537	10.148	ng	98
92) Benzo(g,h,i)perylene	17.551	276	150383	10.338	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081225\
Data File : BF143345.D
Acq On : 12 Aug 2025 10:04
Operator : RC/JU
Sample : SSTDICC010
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Quant Time: Aug 12 13:17:37 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:02:27 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.928 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:152 Resp: 154882

Ion	Ratio	Lower	Upper
152	100		
150	160.6	129.8	194.8
115	60.6	47.8	71.8





#2
1,4-Dioxane
Concen: 9.724 ng
RT: 2.769 min Scan# 98
Delta R.T. 0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 88 Resp: 45069

Ion	Ratio	Lower	Upper
88	100		
58	89.2	71.0	106.6
43	34.2	27.0	40.6





#3
Pyridine
Concen: 9.862 ng
RT: 3.546 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 79 Resp: 121796

Ion	Ratio	Lower	Upper
79	100		
52	88.0	68.7	103.1
51	42.2	33.4	50.0





#4
n-Nitrosodimethylamine
Concen: 9.239 ng
RT: 3.463 min Scan# 216
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 42 Resp: 53152

Ion	Ratio	Lower	Upper
42	100		
74	112.1	94.1	141.1
44	9.5	6.5	9.7





#5
2-Fluorophenol
Concen: 20.231 ng
RT: 5.557 min Scan# 5
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:112 Resp: 181196

Ion	Ratio	Lower	Upper
112	100		
64	65.8	52.1	78.1
63	33.9	26.6	39.8





#6
Aniline
Concen: 10.229 ng
RT: 6.587 min Scan# 747
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 93 Resp: 165629

Ion	Ratio	Lower	Upper
93	100		
66	43.0	35.3	52.9
65	22.2	18.2	27.4





#7
Phenol-d6
Concen: 20.301 ng
RT: 6.551 min Scan# 7
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 99 Resp: 233168

Ion	Ratio	Lower	Upper
99	100		
42	21.7	16.6	25.0
71	32.8	26.2	39.2





#8
2-Chlorophenol
Concen: 9.830 ng
RT: 6.716 min Scan# 769
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:128 Resp: 94079

Ion	Ratio	Lower	Upper
128	100		
130	33.4	12.6	52.6
64	53.4	36.7	76.7





#9
Benzaldehyde
Concen: 11.315 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 77 Resp: 85899

Ion	Ratio	Lower	Upper
77	100		
105	95.4	74.2	114.2
106	92.0	72.2	112.2





#10
Phenol
Concen: 10.195 ng
RT: 6.569 min Scan# 744
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 94 Resp: 138719

Ion	Ratio	Lower	Upper
94	100		
65	29.9	12.0	52.0
66	41.0	25.6	65.6





#11
bis(2-Chloroethyl)ether
Concen: 10.068 ng
RT: 6.657 min Scan# 7
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 93 Resp: 100958

Ion	Ratio	Lower	Upper
93	100		
63	85.8	65.7	105.7
95	31.8	13.0	53.0





#12
1,3-Dichlorobenzene
Concen: 10.373 ng
RT: 6.869 min Scan# 795
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:146 Resp: 114502

Ion	Ratio	Lower	Upper
146	100		
148	63.0	50.5	75.7
75	32.1	24.9	37.3





#13
1,4-Dichlorobenzene
Concen: 10.555 ng
RT: 6.945 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:146 Resp: 116940

Ion	Ratio	Lower	Upper
146	100		
148	61.8	51.4	77.0
111	39.4	32.6	48.8





#14
1,2-Dichlorobenzene
Concen: 10.425 ng
RT: 7.098 min Scan# 834
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:146 Resp: 109638

Ion	Ratio	Lower	Upper
146	100		
148	65.0	51.4	77.2
111	42.2	34.1	51.1





#15
Benzyl Alcohol
Concen: 9.218 ng
RT: 7.063 min Scan# 8
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 79 Resp: 75894

Ion	Ratio	Lower	Upper
79	100		
108	76.8	61.5	92.3
77	61.2	49.8	74.8





#16
2,2'-oxybis(1-Chloropropane)
Concen: 10.414 ng
RT: 7.198 min Scan# 851
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 45 Resp: 186451

Ion	Ratio	Lower	Upper
45	100		
77	12.0	0.0	34.0
79	9.6	0.0	31.1





#17
2-Methylphenol
Concen: 9.950 ng
RT: 7.175 min Scan# 84
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:107 Resp: 80378

Ion	Ratio	Lower	Upper
107	100		
108	116.0	92.0	138.0
77	46.5	38.2	57.2
79	47.2	37.9	56.9





#18
Hexachloroethane
Concen: 9.660 ng
RT: 7.445 min Scan# 893
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:117 Resp: 33555

Ion	Ratio	Lower	Upper
117	100		
119	96.7	75.8	113.8
201	98.6	77.2	115.8





#19
n-Nitroso-di-n-propylamine
Concen: 10.275 ng
RT: 7.328 min Scan# 8
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 70 Resp: 72922

Ion	Ratio	Lower	Upper
70	100		
42	69.0	51.6	77.4
101	9.1	7.5	11.3
130	18.1	15.8	23.6





#20
3+4-Methylphenols
Concen: 10.548 ng
RT: 7.328 min Scan# 873
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:107 Resp: 103058

Ion	Ratio	Lower	Upper
107	100		
108	90.4	70.6	110.6
77	164.6	112.0	152.0#
79	28.5	9.9	49.9





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:136 Resp: 603685

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	10.2	8.4	12.6
68	7.0	5.9	8.9





#22
Acetophenone
Concen: 10.840 ng
RT: 7.328 min Scan# 873
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:105 Resp: 144189

Ion	Ratio	Lower	Upper
105	100		
71	8.8	6.2	9.4
51	41.6	34.8	52.2
120	21.9	17.9	26.9





#23
Nitrobenzene-d5
Concen: 18.924 ng
RT: 7.481 min Scan# 8
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 82 Resp: 183453

Ion	Ratio	Lower	Upper
82	100		
128	38.3	33.5	50.3
54	60.0	46.7	70.1





#24
Nitrobenzene
Concen: 9.425 ng
RT: 7.504 min Scan# 903
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 77 Resp: 99226

Ion	Ratio	Lower	Upper
77	100		
123	42.3	34.8	52.2
65	13.2	11.0	16.6





#25
Isophorone
Concen: 10.091 ng
RT: 7.739 min Scan# 94
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 82 Resp: 199699

Ion	Ratio	Lower	Upper
82	100		
95	6.7	5.5	8.3
138	17.1	14.6	21.8





#26
2-Nitrophenol
Concen: 9.265 ng
RT: 7.822 min Scan# 957
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:139 Resp: 25672

Ion	Ratio	Lower	Upper
139	100		
109	30.7	22.4	33.6
65	54.1	42.9	64.3





#27
2,4-Dimethylphenol
Concen: 9.553 ng
RT: 7.857 min Scan# 9
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:122 Resp: 78873

Ion	Ratio	Lower	Upper
122	100		
107	114.2	89.9	134.9
121	56.7	46.2	69.4





#28
bis(2-Chloroethoxy)methane
Concen: 10.232 ng
RT: 7.951 min Scan# 979
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 93 Resp: 123627

Ion	Ratio	Lower	Upper
93	100		
95	32.4	26.2	39.4
123	11.3	9.4	14.2





#29
2,4-Dichlorophenol
Concen: 9.568 ng
RT: 8.069 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:162 Resp: 77156

Ion	Ratio	Lower	Upper
162	100		
164	63.3	44.5	84.5
98	36.7	17.7	57.7





#30
1,2,4-Trichlorobenzene
Concen: 10.274 ng
RT: 8.151 min Scan# 1013
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:180 Resp: 87392

Ion	Ratio	Lower	Upper
180	100		
182	96.1	76.1	114.1
145	29.4	24.9	37.3





#31
Naphthalene
Concen: 10.634 ng
RT: 8.233 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:128 Resp: 308901

Ion	Ratio	Lower	Upper
128	100		
129	10.8	9.0	13.6
127	12.6	10.7	16.1





#32
Benzoic acid
Concen: 9.156 ng
RT: 7.939 min Scan# 977
Delta R.T. -0.030 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:122 Resp: 17211

Ion	Ratio	Lower	Upper
122	100		
105	113.7	106.4	146.4
77	101.1	79.2	119.2





#33
4-Chloroaniline
Concen: 10.079 ng
RT: 8.275 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:127 Resp: 105601

Ion	Ratio	Lower	Upper
127	100		
129	32.0	26.0	39.0
65	34.8	27.0	40.4
92	19.8	16.2	24.2





#34
Hexachlorobutadiene
Concen: 10.321 ng
RT: 8.351 min Scan# 1047
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:225 Resp: 54615

Ion	Ratio	Lower	Upper
225	100		
223	63.5	50.1	75.1
227	62.1	50.6	75.8





#35
Caprolactam
Concen: 8.098 ng
RT: 8.610 min Scan# 1
Delta R.T. -0.035 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:113 Resp: 18357

Ion	Ratio	Lower	Upper
113	100		
55	218.1	181.4	221.4
56	150.5	127.3	167.3





#36
4-Chloro-3-methylphenol
Concen: 9.780 ng
RT: 8.757 min Scan# 1116
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:107 Resp: 82681

Ion	Ratio	Lower	Upper
107	100		
144	25.4	20.0	30.0
142	80.4	61.3	91.9





#37
2-Methylnaphthalene
Concen: 10.641 ng
RT: 8.922 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:142 Resp: 203203

Ion	Ratio	Lower	Upper
142	100		
141	86.9	69.8	104.8





#38
1-Methylnaphthalene
Concen: 10.738 ng
RT: 9.022 min Scan# 1161
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:142 Resp: 197497

Ion	Ratio	Lower	Upper
142	100		
141	91.0	73.0	109.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.963 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:164 Resp: 326305

Ion	Ratio	Lower	Upper
164	100		
162	99.3	78.6	118.0
160	42.9	34.4	51.6





#40
1,2,4,5-Tetrachlorobenzene
Concen: 10.338 ng
RT: 9.086 min Scan# 1172
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:216 Resp: 92307

Ion	Ratio	Lower	Upper
216	100		
214	79.7	63.0	94.4
179	21.3	17.0	25.4
108	17.5	14.6	22.0





#41
Hexachlorocyclopentadiene
Concen: 10.801 ng
RT: 9.081 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:237 Resp: 14343

Ion	Ratio	Lower	Upper
237	100		
235	61.7	42.0	82.0
272	12.9	0.0	32.6





#42
2,4,6-Tribromophenol
Concen: 17.317 ng
RT: 10.751 min Scan# 1455
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:330 Resp: 41296

Ion	Ratio	Lower	Upper
330	100		
332	94.7	78.1	117.1
141	33.4	25.4	38.0





#43
2,4,6-Trichlorophenol
Concen: 8.769 ng
RT: 9.198 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:196 Resp: 44424

Ion	Ratio	Lower	Upper
196	100		
198	96.0	75.4	113.0
200	30.5	24.3	36.5





#44
2,4,5-Trichlorophenol
Concen: 8.786 ng
RT: 9.239 min Scan# 1198
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:196 Resp: 50263

Ion	Ratio	Lower	Upper
196	100		
198	93.0	75.4	113.2
97	51.8	39.9	59.9
132	30.2	22.6	33.8





#45
2-Fluorobiphenyl
Concen: 22.583 ng
RT: 9.280 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:172 Resp: 434554

Ion	Ratio	Lower	Upper
172	100		
171	34.1	28.4	42.6
170	23.1	19.1	28.7





#46
1,1'-Biphenyl
Concen: 10.647 ng
RT: 9.380 min Scan# 1222
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:154 Resp: 245641

Ion	Ratio	Lower	Upper
154	100		
153	39.3	20.2	60.2
76	14.4	0.0	34.4





#47
2-Chloronaphthalene
Concen: 10.556 ng
RT: 9.410 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:162 Resp: 191809

Ion	Ratio	Lower	Upper
162	100		
127	39.0	32.1	48.1
164	32.5	27.0	40.4





#48
2-Nitroaniline
Concen: 9.319 ng
RT: 9.498 min Scan# 1242
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion: 65 Resp: 36444

Ion	Ratio	Lower	Upper
65	100		
92	63.6	53.1	79.7
138	92.7	81.4	122.0





#49
Acenaphthylene
Concen: 10.459 ng
RT: 9.822 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:152 Resp: 274441

Ion	Ratio	Lower	Upper
152	100		
151	20.0	16.2	24.2
153	13.0	10.6	16.0





#50
Dimethylphthalate
Concen: 10.081 ng
RT: 9.675 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:163 Resp: 192210

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.3	4.9
164	10.0	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 9.205 ng
RT: 9.733 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:165 Resp: 24005

Ion	Ratio	Lower	Upper
165	100		
63	74.8	51.6	77.4
89	67.3	47.7	71.5





#52
Acenaphthene
Concen: 10.543 ng
RT: 9.998 min Scan# 1327
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:154 Resp: 183915

Ion	Ratio	Lower	Upper
154	100		
153	110.3	88.5	132.7
152	53.3	42.4	63.6





#53
3-Nitroaniline
Concen: 8.069 ng
RT: 9.904 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:138 Resp: 31507

Ion	Ratio	Lower	Upper
138	100		
108	14.1	9.6	14.4
92	126.2	93.4	140.2





#54
2,4-Dinitrophenol
Concen: 10.356 ng
RT: 10.022 min Scan# 1331
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:184 Resp: 4834

Ion	Ratio	Lower	Upper
184	100		
63	88.5	62.5	93.7
154	87.3	73.0	109.4





#55
Dibenzofuran
Concen: 10.660 ng
RT: 10.169 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:168 Resp: 267653

Ion	Ratio	Lower	Upper
168	100		
139	36.0	29.4	44.0
169	13.2	11.0	16.6





#56
4-Nitrophenol
Concen: 10.166 ng
RT: 10.075 min Scan# 1340
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:139 Resp: 15708

Ion	Ratio	Lower	Upper
139	100		
109	76.4	49.4	89.4
65	111.1	83.7	123.7





#57
2,4-Dinitrotoluene
Concen: 9.126 ng
RT: 10.139 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:165 Resp: 31226

Ion	Ratio	Lower	Upper
165	100		
63	58.6	41.8	62.8
89	86.7	62.4	93.6
182	2.6	2.2	3.2





#58
Fluorene
Concen: 10.959 ng
RT: 10.510 min Scan# 1414
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:166 Resp: 210161

Ion	Ratio	Lower	Upper
166	100		
165	96.1	78.2	117.4
167	13.3	10.9	16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 7.955 ng
RT: 10.286 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:232 Resp: 30681

Ion	Ratio	Lower	Upper
232	100		
131	45.6	34.6	51.8
130	2.1	1.7	2.5
166	29.1	23.4	35.0





#60
Diethylphthalate
Concen: 10.137 ng
RT: 10.375 min Scan# 1391
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:149 Resp: 173119

Ion	Ratio	Lower	Upper
149	100		
177	22.0	18.2	27.2
150	12.0	9.9	14.9





#61
4-Chlorophenyl-phenylether
Concen: 10.575 ng
RT: 10.504 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:204 Resp: 97989

Ion	Ratio	Lower	Upper
204	100		
206	32.7	27.4	41.2
141	58.0	46.9	70.3





#62
4-Nitroaniline
Concen: 8.714 ng
RT: 10.516 min Scan# 1415
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:138 Resp: 32919

Ion	Ratio	Lower	Upper
138	100		
92	53.0	31.2	71.2
108	71.4	48.1	88.1





#63
Azobenzene
Concen: 10.272 ng
RT: 10.657 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion: 77 Resp: 200367

Ion	Ratio	Lower	Upper
77	100		
182	23.8	4.4	44.4
105	21.3	1.8	41.8
51	34.3	13.7	53.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.451 min Scan# 1574
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:188 Resp: 511556

Ion	Ratio	Lower	Upper
188	100		
94	10.8	8.8	13.2
80	11.7	9.7	14.5





#65
4,6-Dinitro-2-methylphenol
Concen: 11.085 ng
RT: 10.551 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:198 Resp: 9325

Ion	Ratio	Lower	Upper
198	100		
51	68.6	41.7	81.7
105	50.8	26.8	66.8





#66
n-Nitrosodiphenylamine
Concen: 10.169 ng
RT: 10.616 min Scan# 1432
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:169 Resp: 171289

Ion	Ratio	Lower	Upper
169	100		
168	65.4	52.7	79.1
167	36.1	28.6	42.8





#67
4-Bromophenyl-phenylether
Concen: 9.712 ng
RT: 10.992 min Scan# 14
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:248 Resp: 56818

Ion	Ratio	Lower	Upper
248	100		
250	99.7	77.1	115.7
141	72.6	59.1	88.7





#68
Hexachlorobenzene
Concen: 10.091 ng
RT: 11.063 min Scan# 1508
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:284 Resp: 63639

Ion	Ratio	Lower	Upper
284	100		
142	33.6	25.7	38.5
249	30.9	24.6	37.0





#69
Atrazine
Concen: 9.133 ng
RT: 11.139 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:200 Resp: 40124

Ion	Ratio	Lower	Upper
200	100		
173	26.8	6.6	46.6
215	50.5	30.6	70.6





#70
Pentachlorophenol
Concen: 10.407 ng
RT: 11.257 min Scan# 1541
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:266 Resp: 14951

Ion	Ratio	Lower	Upper
266	100		
268	65.0	48.8	73.2
264	65.4	48.8	73.2





#71
Phenanthrene
Concen: 10.620 ng
RT: 11.474 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:178 Resp: 296410

Ion	Ratio	Lower	Upper
178	100		
176	18.5	15.5	23.3
179	15.1	12.5	18.7





#72
Anthracene
Concen: 10.559 ng
RT: 11.527 min Scan# 1587
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:178 Resp: 298872

Ion	Ratio	Lower	Upper
178	100		
176	18.7	15.1	22.7
179	15.4	12.7	19.1





#73
Carbazole
Concen: 10.613 ng
RT: 11.674 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:167 Resp: 255831

Ion	Ratio	Lower	Upper
167	100		
166	21.2	16.8	25.2
139	12.7	10.2	15.2





#74
Di-n-butylphthalate
Concen: 9.269 ng
RT: 12.004 min Scan# 1668
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:149 Resp: 189069

Ion	Ratio	Lower	Upper
149	100		
150	9.3	7.4	11.0
104	5.2	3.8	5.8





#75
Fluoranthene
Concen: 11.026 ng
RT: 12.663 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:202 Resp: 269569

Ion	Ratio	Lower	Upper
202	100		
101	12.5	0.0	33.2
203	17.2	0.0	37.6





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.086 min Scan# 2022
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:240 Resp: 288804

Ion	Ratio	Lower	Upper
240	100		
120	11.8	9.0	13.6
236	25.5	19.9	29.9





#77
Benzidine
Concen: 9.898 ng
RT: 12.780 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:184 Resp: 78152

Ion	Ratio	Lower	Upper
184	100		
185	15.8	12.8	19.2
183	11.8	9.3	13.9





#78
Pyrene
Concen: 11.697 ng
RT: 12.892 min Scan# 1819
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:202 Resp: 283403

Ion	Ratio	Lower	Upper
202	100		
200	20.3	16.8	25.2
203	17.0	14.2	21.4





#79
Terphenyl-d14
Concen: 24.022 ng
RT: 13.027 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:244 Resp: 388588

Ion	Ratio	Lower	Upper
244	100		
212	6.3	5.1	7.7
122	11.5	8.9	13.3





#80
Butylbenzylphthalate
Concen: 9.196 ng
RT: 13.504 min Scan# 1923
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:149 Resp: 30088

Ion	Ratio	Lower	Upper
149	100		
91	74.1	58.8	88.2
206	20.7	16.4	24.6





#81
Benzo(a)anthracene
Concen: 9.629 ng
RT: 14.074 min Scan# 2(
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:228 Resp: 176759

Ion	Ratio	Lower	Upper
228	100		
226	26.8	22.0	33.0
229	20.2	15.8	23.8





#82
3,3'-Dichlorobenzidine
Concen: 7.425 ng
RT: 14.039 min Scan# 2014
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:252 Resp: 36804

Ion	Ratio	Lower	Upper
252	100		
254	65.6	51.7	77.5
126	12.6	9.2	13.8





#83
Chrysene
Concen: 10.541 ng
RT: 14.110 min Scan# 2(
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:228 Resp: 180427

Ion	Ratio	Lower	Upper
228	100		
226	28.6	24.2	36.2
229	18.9	15.8	23.6





#84
Bis(2-ethylhexyl)phthalate
Concen: 9.191 ng
RT: 14.063 min Scan# 2018
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:149 Resp: 39945

Ion	Ratio	Lower	Upper
149	100		
167	26.7	21.4	32.0
279	4.3	3.2	4.8





#85
Di-n-octyl phthalate
Concen: 10.933 ng
RT: 14.674 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:149 Resp: 78702

Ion	Ratio	Lower	Upper
149	100		
167	1.4	1.3	1.9
43	14.9	10.8	16.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.580 min Scan# 2276
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:264 Resp: 252284

Ion	Ratio	Lower	Upper
264	100		
260	22.8	18.7	28.1
265	21.2	17.2	25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 10.153 ng
RT: 17.092 min Scan# 2
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:276 Resp: 183505

Ion	Ratio	Lower	Upper
276	100		
138	26.3	21.1	31.7
277	24.8	20.2	30.2





#88
Benzo(b)fluoranthene
Concen: 9.392 ng
RT: 15.139 min Scan# 2201
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:252 Resp: 129605

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.8	26.8
125	10.2	7.8	11.6





#89
Benzo(k)fluoranthene
Concen: 10.165 ng
RT: 15.168 min Scan# 2
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:252 Resp: 136296

Ion	Ratio	Lower	Upper
252	100		
253	21.1	17.6	26.4
125	9.8	8.4	12.6





#90
Benzo(a)pyrene
Concen: 9.814 ng
RT: 15.515 min Scan# 2265
Delta R.T. -0.000 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:252 Resp: 127540

Ion	Ratio	Lower	Upper
252	100		
253	22.3	17.6	26.4
125	11.3	9.1	13.7





#91
Dibenzo(a,h)anthracene
Concen: 10.148 ng
RT: 17.109 min Scan# 2
Delta R.T. -0.006 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Instrument :
BNA_F
ClientSampleId :
SSTDICC010

Tgt Ion:278 Resp: 146537

Ion	Ratio	Lower	Upper
278	100		
139	17.9	14.0	21.0
279	23.0	19.4	29.0





#92
Benzo(g,h,i)perylene
Concen: 10.338 ng
RT: 17.551 min Scan# 2611
Delta R.T. -0.012 min
Lab File: BF143345.D
Acq: 12 Aug 2025 10:04

Tgt Ion:276 Resp: 150383

Ion	Ratio	Lower	Upper
276	100		
277	23.2	18.7	28.1
138	22.4	17.8	26.8



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143399.D
Acq On : 15 Aug 2025 03:54
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Quant Time: Aug 15 05:14:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	154119	20.000	ng	0.00
21) Naphthalene-d8	8.216	136	585558	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	307669	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	448323	20.000	ng	0.00
76) Chrysene-d12	14.098	240	298922	20.000	ng	0.00
86) Perylene-d12	15.592	264	377299	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	666444	74.777	ng	0.00
7) Phenol-d6	6.563	99	816901	71.476	ng	0.00
23) Nitrobenzene-d5	7.493	82	737761	78.460	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	193949	86.257	ng	0.00
45) 2-Fluorobiphenyl	9.287	172	1308576	72.124	ng	0.00
79) Terphenyl-d14	13.039	244	1104297	65.955	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.740	88	178884	38.788	ng	97
3) Pyridine	3.516	79	440108	35.812	ng	98
4) n-Nitrosodimethylamine	3.458	42	199433	34.837	ng	98
6) Aniline	6.598	93	562376	34.903	ng	98
8) 2-Chlorophenol	6.722	128	368039	38.646	ng	96
9) Benzaldehyde	6.487	77	247585	32.775	ng	97
10) Phenol	6.581	94	481619	35.572	ng	96
11) bis(2-Chloroethyl)ether	6.663	93	359103	35.987	ng	99
12) 1,3-Dichlorobenzene	6.875	146	399589	36.378	ng	99
13) 1,4-Dichlorobenzene	6.951	146	401173	36.389	ng	100
14) 1,2-Dichlorobenzene	7.104	146	380149	36.325	ng	100
15) Benzyl Alcohol	7.075	79	303375	37.031	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.204	45	604495	33.932	ng	100
17) 2-Methylphenol	7.187	107	298798	37.170	ng	99
18) Hexachloroethane	7.451	117	137360	39.741	ng	94
19) n-Nitroso-di-n-propyla...	7.345	70	240660	34.078	ng	99
20) 3+4-Methylphenols	7.340	107	350891	36.093	ng	98
22) Acetophenone	7.340	105	450772	34.939	ng	97
24) Nitrobenzene	7.510	77	391763	38.363	ng	99
25) Isophorone	7.751	82	679055	35.375	ng	100
26) 2-Nitrophenol	7.828	139	189734	46.487	ng	99
27) 2,4-Dimethylphenol	7.863	122	291354	36.381	ng	98
28) bis(2-Chloroethoxy)met...	7.957	93	426215	36.367	ng	99
29) 2,4-Dichlorophenol	8.075	162	308637	39.458	ng	98
30) 1,2,4-Trichlorobenzene	8.157	180	309994	37.571	ng	100
31) Naphthalene	8.240	128	1015616	36.045	ng	99
32) Benzoic acid	7.981	122	148637	44.034	ng	97
33) 4-Chloroaniline	8.281	127	369334	36.342	ng	100
34) Hexachlorobutadiene	8.357	225	197920	38.562	ng	99
35) Caprolactam	8.645	113	86672	39.416	ng	99
36) 4-Chloro-3-methylphenol	8.763	107	303083	36.961	ng	98
37) 2-Methylnaphthalene	8.928	142	668140	36.070	ng	99
38) 1-Methylnaphthalene	9.028	142	640396	35.896	ng	100
40) 1,2,4,5-Tetrachloroben...	9.098	216	313835	37.276	ng	99
41) Hexachlorocyclopentadiene	9.087	237	149463	52.784	ng	100
43) 2,4,6-Trichlorophenol	9.204	196	197297	41.302	ng	100

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143399.D
Acq On : 15 Aug 2025 03:54
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Quant Time: Aug 15 05:14:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) 2,4,5-Trichlorophenol	9.251	196	214438	39.752	ng		97
46) 1,1'-Biphenyl	9.392	154	786326	36.146	ng		99
47) 2-Chloronaphthalene	9.416	162	628536	36.686	ng		99
48) 2-Nitroaniline	9.510	65	190071	39.015	ng		94
49) Acenaphthylene	9.828	152	898622	36.320	ng		99
50) Dimethylphthalate	9.681	163	682495	37.964	ng		100
51) 2,6-Dinitrotoluene	9.745	165	145324	43.044	ng		95
52) Acenaphthene	10.004	154	598801	36.404	ng		99
53) 3-Nitroaniline	9.916	138	157424	42.759	ng		97
54) 2,4-Dinitrophenol	10.028	184	59555	51.347	ng	#	82
55) Dibenzofuran	10.175	168	846919	35.775	ng		99
56) 4-Nitrophenol	10.081	139	114908	41.856	ng		96
57) 2,4-Dinitrotoluene	10.151	165	189688	42.395	ng		89
58) Fluorene	10.516	166	630662	34.878	ng		100
59) 2,3,4,6-Tetrachlorophenol	10.298	232	158397	43.560	ng		97
60) Diethylphthalate	10.386	149	622164	38.637	ng		99
61) 4-Chlorophenyl-phenyle...	10.510	204	320765	36.713	ng		98
62) 4-Nitroaniline	10.528	138	142815	40.094	ng		98
63) Azobenzene	10.669	77	633989	34.469	ng		97
65) 4,6-Dinitro-2-methylph...	10.563	198	88176	48.521	ng		91
66) n-Nitrosodiphenylamine	10.628	169	544301	36.871	ng		99
67) 4-Bromophenyl-phenylether	10.998	248	197816	38.580	ng		98
68) Hexachlorobenzene	11.069	284	206818	37.421	ng		98
69) Atrazine	11.151	200	163775	42.535	ng		99
70) Pentachlorophenol	11.269	266	258266	94.322	ng		96
71) Phenanthrene	11.480	178	874214	35.740	ng		100
72) Anthracene	11.533	178	876126	35.318	ng		100
73) Carbazole	11.686	167	740341	35.043	ng		99
74) Di-n-butylphthalate	12.010	149	810616	45.343	ng		100
75) Fluoranthene	12.669	202	775610	36.199	ng		99
77) Benzidine	12.786	184	322181	39.424	ng		98
78) Pyrene	12.898	202	798173	31.829	ng		99
80) Butylbenzylphthalate	13.510	149	267587	53.579	ng		97
81) Benzo(a)anthracene	14.086	228	672240	35.382	ng		100
82) 3,3'-Dichlorobenzidine	14.045	252	226457	44.142	ng		99
83) Chrysene	14.127	228	662658	37.405	ng		99
84) Bis(2-ethylhexyl)phtha...	14.069	149	376483	51.348	ng		98
85) Di-n-octyl phthalate	14.686	149	690916	47.658	ng		95
87) Indeno(1,2,3-cd)pyrene	17.121	276	977103	36.148	ng		99
88) Benzo(b)fluoranthene	15.151	252	799255	38.730	ng		99
89) Benzo(k)fluoranthene	15.180	252	687057	34.263	ng		99
90) Benzo(a)pyrene	15.527	252	716381	36.858	ng		99
91) Dibenzo(a,h)anthracene	17.133	278	769353	35.627	ng		99
92) Benzo(g,h,i)perylene	17.580	276	765398	35.184	ng		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143399.D
Acq On : 15 Aug 2025 03:54
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Quant Time: Aug 15 05:14:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 154119

Ion	Ratio	Lower	Upper
152	100		
150	160.8	129.8	194.8
115	60.9	47.8	71.8





#2
1,4-Dioxane
Concen: 38.788 ng
RT: 2.740 min Scan# 93
Delta R.T. -0.023 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 88 Resp: 178884

Ion	Ratio	Lower	Upper
88	100		
58	86.5	71.0	106.6
43	32.2	27.0	40.6





#3
Pyridine
Concen: 35.812 ng
RT: 3.516 min Scan# 2
Delta R.T. -0.018 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 440108

Ion	Ratio	Lower	Upper
79	100		
52	83.8	68.7	103.1
51	41.0	33.4	50.0





#4
n-Nitrosodimethylamine
Concen: 34.837 ng
RT: 3.458 min Scan# 215
Delta R.T. -0.018 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 42 Resp: 199433

Ion	Ratio	Lower	Upper
42	100		
74	119.4	94.1	141.1
44	7.4	6.5	9.7





#5
2-Fluorophenol
Concen: 74.777 ng
RT: 5.563 min Scan# 5
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:112 Resp: 666444

Ion	Ratio	Lower	Upper
112	100		
64	64.8	52.1	78.1
63	33.3	26.6	39.8





#6
Aniline
Concen: 34.903 ng
RT: 6.598 min Scan# 749
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 93 Resp: 562376

Ion	Ratio	Lower	Upper
93	100		
66	42.8	35.3	52.9
65	21.6	18.2	27.4





#7
Phenol-d6
Concen: 71.476 ng
RT: 6.563 min Scan# 7
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 99 Resp: 816901

Ion	Ratio	Lower	Upper
99	100		
42	20.7	16.6	25.0
71	34.0	26.2	39.2





#8
2-Chlorophenol
Concen: 38.646 ng
RT: 6.722 min Scan# 770
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:128 Resp: 368039

Ion	Ratio	Lower	Upper
128	100		
130	32.1	12.6	52.6
64	52.9	36.7	76.7





#9
Benzaldehyde
Concen: 32.775 ng
RT: 6.487 min Scan# 7
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 247585

Ion	Ratio	Lower	Upper
77	100		
105	97.8	74.2	114.2
106	94.2	72.2	112.2





#10
Phenol
Concen: 35.572 ng
RT: 6.581 min Scan# 746
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 94 Resp: 481619

Ion	Ratio	Lower	Upper
94	100		
65	33.5	12.0	52.0
66	49.0	25.6	65.6





#11
bis(2-Chloroethyl)ether
Concen: 35.987 ng
RT: 6.663 min Scan# 7
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 93 Resp: 359103

Ion	Ratio	Lower	Upper
93	100		
63	85.2	65.7	105.7
95	32.4	13.0	53.0





#12
1,3-Dichlorobenzene
Concen: 36.378 ng
RT: 6.875 min Scan# 796
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:146 Resp: 399589

Ion	Ratio	Lower	Upper
146	100		
148	64.0	50.5	75.7
75	31.6	24.9	37.3





#13
1,4-Dichlorobenzene
Concen: 36.389 ng
RT: 6.951 min Scan# 8
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:146 Resp: 401173

Ion	Ratio	Lower	Upper
146	100		
148	64.3	51.4	77.0
111	40.7	32.6	48.8





#14
1,2-Dichlorobenzene
Concen: 36.325 ng
RT: 7.104 min Scan# 835
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:146 Resp: 380149

Ion	Ratio	Lower	Upper
146	100		
148	64.1	51.4	77.2
111	42.4	34.1	51.1





#15
Benzyl Alcohol
Concen: 37.031 ng
RT: 7.075 min Scan# 8
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 303375

Ion	Ratio	Lower	Upper
79	100		
108	77.2	61.5	92.3
77	60.5	49.8	74.8





#16
2,2'-oxybis(1-Chloropropane)
Concen: 33.932 ng
RT: 7.204 min Scan# 852
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 45 Resp: 604495

Ion	Ratio	Lower	Upper
45	100		
77	14.1	0.0	34.0
79	10.9	0.0	31.1





#17
2-Methylphenol
Concen: 37.170 ng
RT: 7.187 min Scan# 84
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:107 Resp: 298798

Ion	Ratio	Lower	Upper
107	100		
108	114.7	92.0	138.0
77	48.9	38.2	57.2
79	48.5	37.9	56.9





#18
Hexachloroethane
Concen: 39.741 ng
RT: 7.451 min Scan# 894
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:117 Resp: 137360

Ion	Ratio	Lower	Upper
117	100		
119	96.6	75.8	113.8
201	107.1	77.2	115.8





#19
n-Nitroso-di-n-propylamine
Concen: 34.078 ng
RT: 7.345 min Scan# 8
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 70 Resp: 240660

Ion	Ratio	Lower	Upper
70	100		
42	63.6	51.6	77.4
101	9.9	7.5	11.3
130	20.8	15.8	23.6





#20
3+4-Methylphenols
Concen: 36.093 ng
RT: 7.340 min Scan# 875
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:107 Resp: 350891

Ion	Ratio	Lower	Upper
107	100		
108	91.9	70.6	110.6
77	134.6	112.0	152.0
79	30.3	9.9	49.9





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.216 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:136 Resp: 585558

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.6	13.0
54	9.6	8.4	12.6
68	6.6	5.9	8.9





#22
Acetophenone
Concen: 34.939 ng
RT: 7.340 min Scan# 875
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:105 Resp: 450772

Ion	Ratio	Lower	Upper
105	100		
71	8.3	6.2	9.4
51	41.0	34.8	52.2
120	22.8	17.9	26.9





#23
Nitrobenzene-d5
Concen: 78.460 ng
RT: 7.493 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 737761

Ion	Ratio	Lower	Upper
82	100		
128	43.8	33.5	50.3
54	57.7	46.7	70.1





#24
Nitrobenzene
Concen: 38.363 ng
RT: 7.510 min Scan# 904
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 77 Resp: 391763

Ion	Ratio	Lower	Upper
77	100		
123	44.1	34.8	52.2
65	14.5	11.0	16.6





#25
Isophorone
Concen: 35.375 ng
RT: 7.751 min Scan# 94
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 679055

Ion	Ratio	Lower	Upper
82	100		
95	6.8	5.5	8.3
138	18.3	14.6	21.8





#26
2-Nitrophenol
Concen: 46.487 ng
RT: 7.828 min Scan# 958
Delta R.T. -0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:139 Resp: 189734

Ion	Ratio	Lower	Upper
139	100		
109	28.7	22.4	33.6
65	52.6	42.9	64.3





#27
2,4-Dimethylphenol
Concen: 36.381 ng
RT: 7.863 min Scan# 9
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:122 Resp: 291354

Ion	Ratio	Lower	Upper
122	100		
107	114.2	89.9	134.9
121	58.9	46.2	69.4





#28
bis(2-Chloroethoxy)methane
Concen: 36.367 ng
RT: 7.957 min Scan# 980
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 93 Resp: 426215

Ion	Ratio	Lower	Upper
93	100		
95	32.4	26.2	39.4
123	11.6	9.4	14.2





#29
2,4-Dichlorophenol
Concen: 39.458 ng
RT: 8.075 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 308637

Ion	Ratio	Lower	Upper
162	100		
164	63.8	44.5	84.5
98	35.8	17.7	57.7





#30
1,2,4-Trichlorobenzene
Concen: 37.571 ng
RT: 8.157 min Scan# 1014
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:180 Resp: 309994

Ion	Ratio	Lower	Upper
180	100		
182	94.8	76.1	114.1
145	30.7	24.9	37.3





#31
Naphthalene
Concen: 36.045 ng
RT: 8.240 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:128 Resp: 1015616

Ion	Ratio	Lower	Upper
128	100		
129	11.0	9.0	13.6
127	13.2	10.7	16.1





#32
Benzoic acid
Concen: 44.034 ng
RT: 7.981 min Scan# 984
Delta R.T. 0.012 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:122 Resp: 148637

Ion	Ratio	Lower	Upper
122	100		
105	122.3	106.4	146.4
77	96.1	79.2	119.2





#33
4-Chloroaniline
Concen: 36.342 ng
RT: 8.281 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:127 Resp: 369334

Ion	Ratio	Lower	Upper
127	100		
129	32.7	26.0	39.0
65	33.9	27.0	40.4
92	20.1	16.2	24.2





#34
Hexachlorobutadiene
Concen: 38.562 ng
RT: 8.357 min Scan# 1048
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:225 Resp: 197920

Ion	Ratio	Lower	Upper
225	100		
223	62.5	50.1	75.1
227	63.9	50.6	75.8





#35
Caprolactam
Concen: 39.416 ng
RT: 8.645 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:113 Resp: 86672

Ion	Ratio	Lower	Upper
113	100		
55	198.1	181.4	221.4
56	147.0	127.3	167.3





#36
4-Chloro-3-methylphenol
Concen: 36.961 ng
RT: 8.763 min Scan# 1117
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:107 Resp: 303083

Ion	Ratio	Lower	Upper
107	100		
144	24.8	20.0	30.0
142	78.5	61.3	91.9





#37
2-Methylnaphthalene
Concen: 36.070 ng
RT: 8.928 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:142 Resp: 668140

Ion	Ratio	Lower	Upper
142	100		
141	87.8	69.8	104.8





#38
1-Methylnaphthalene
Concen: 35.896 ng
RT: 9.028 min Scan# 1162
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:142 Resp: 640396

Ion	Ratio	Lower	Upper
142	100		
141	91.5	73.0	109.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:164 Resp: 307669

Ion	Ratio	Lower	Upper
164	100		
162	98.3	78.6	118.0
160	43.3	34.4	51.6





#40
1,2,4,5-Tetrachlorobenzene
Concen: 37.276 ng
RT: 9.098 min Scan# 1174
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:216 Resp: 313835

Ion	Ratio	Lower	Upper
216	100		
214	79.8	63.0	94.4
179	21.1	17.0	25.4
108	18.3	14.6	22.0





#41
Hexachlorocyclopentadiene
Concen: 52.784 ng
RT: 9.087 min Scan# 11
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:237 Resp: 149463

Ion	Ratio	Lower	Upper
237	100		
235	61.8	42.0	82.0
272	12.6	0.0	32.6





#42
2,4,6-Tribromophenol
Concen: 86.257 ng
RT: 10.757 min Scan# 1456
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:330 Resp: 193949

Ion	Ratio	Lower	Upper
330	100		
332	95.5	78.1	117.1
141	29.8	25.4	38.0





#43
2,4,6-Trichlorophenol
Concen: 41.302 ng
RT: 9.204 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:196 Resp: 197297

Ion	Ratio	Lower	Upper
196	100		
198	94.3	75.4	113.0
200	30.4	24.3	36.5





#44
2,4,5-Trichlorophenol
Concen: 39.752 ng
RT: 9.251 min Scan# 1200
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:196 Resp: 214438

Ion	Ratio	Lower	Upper
196	100		
198	96.1	75.4	113.2
97	46.4	39.9	59.9
132	27.2	22.6	33.8





#45
2-Fluorobiphenyl
Concen: 72.124 ng
RT: 9.287 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:172 Resp: 1308576

Ion	Ratio	Lower	Upper
172	100		
171	35.4	28.4	42.6
170	23.4	19.1	28.7





#46
1,1'-Biphenyl
Concen: 36.146 ng
RT: 9.392 min Scan# 1224
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:154 Resp: 786326

Ion	Ratio	Lower	Upper
154	100		
153	40.7	20.2	60.2
76	13.1	0.0	34.4





#47
2-Chloronaphthalene
Concen: 36.686 ng
RT: 9.416 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 628536

Ion	Ratio	Lower	Upper
162	100		
127	39.6	32.1	48.1
164	32.7	27.0	40.4





#48
2-Nitroaniline
Concen: 39.015 ng
RT: 9.510 min Scan# 1244
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion: 65 Resp: 190071

Ion	Ratio	Lower	Upper
65	100		
92	67.1	53.1	79.7
138	110.3	81.4	122.0





#49
Acenaphthylene
Concen: 36.320 ng
RT: 9.828 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 898622

Ion	Ratio	Lower	Upper
152	100		
151	19.7	16.2	24.2
153	13.2	10.6	16.0





#50
Dimethylphthalate
Concen: 37.964 ng
RT: 9.681 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:163 Resp: 682495

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.3	4.9
164	10.2	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 43.044 ng
RT: 9.745 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 145324

Ion	Ratio	Lower	Upper
165	100		
63	61.1	51.6	77.4
89	54.6	47.7	71.5





#52
Acenaphthene
Concen: 36.404 ng
RT: 10.004 min Scan# 1328
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:154 Resp: 598801

Ion	Ratio	Lower	Upper
154	100		
153	111.7	88.5	132.7
152	52.7	42.4	63.6





#53
3-Nitroaniline
Concen: 42.759 ng
RT: 9.916 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:138 Resp: 157424

Ion	Ratio	Lower	Upper
138	100		
108	10.8	9.6	14.4
92	113.6	93.4	140.2





#54
2,4-Dinitrophenol
Concen: 51.347 ng
RT: 10.028 min Scan# 1332
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:184 Resp: 59555

Ion	Ratio	Lower	Upper
184	100		
63	69.0	62.5	93.7
154	67.5	73.0	109.4#





#55
Dibenzofuran
Concen: 35.775 ng
RT: 10.175 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:168 Resp: 846919

Ion	Ratio	Lower	Upper
168	100		
139	37.0	29.4	44.0
169	13.7	11.0	16.6





#56
4-Nitrophenol
Concen: 41.856 ng
RT: 10.081 min Scan# 1341
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:139 Resp: 114908

Ion	Ratio	Lower	Upper
139	100		
109	65.8	49.4	89.4
65	99.1	83.7	123.7





#57
2,4-Dinitrotoluene
Concen: 42.395 ng
RT: 10.151 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 189688

Ion	Ratio	Lower	Upper
165	100		
63	45.4	41.8	62.8
89	67.2	62.4	93.6
182	2.7	2.2	3.2





#58
Fluorene
Concen: 34.878 ng
RT: 10.516 min Scan# 1415
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:166 Resp: 630662

Ion	Ratio	Lower	Upper
166	100		
165	98.2	78.2	117.4
167	13.9	10.9	16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 43.560 ng
RT: 10.298 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:232 Resp: 158397

Ion	Ratio	Lower	Upper
232	100		
131	40.9	34.6	51.8
130	1.9	1.7	2.5
166	27.5	23.4	35.0





#60
Diethylphthalate
Concen: 38.637 ng
RT: 10.386 min Scan# 1393
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:149 Resp: 622164

Ion	Ratio	Lower	Upper
149	100		
177	23.6	18.2	27.2
150	12.7	9.9	14.9





#61
4-Chlorophenyl-phenylether
Concen: 36.713 ng
RT: 10.510 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:204 Resp: 320765

Ion	Ratio	Lower	Upper
204	100		
206	33.4	27.4	41.2
141	57.3	46.9	70.3





#62
4-Nitroaniline
Concen: 40.094 ng
RT: 10.528 min Scan# 1417
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:138 Resp: 142815

Ion	Ratio	Lower	Upper
138	100		
92	49.2	31.2	71.2
108	69.2	48.1	88.1





#63
Azobenzene
Concen: 34.469 ng
RT: 10.669 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 633989

Ion	Ratio	Lower	Upper
77	100		
182	26.7	4.4	44.4
105	22.3	1.8	41.8
51	32.6	13.7	53.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1575
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:188 Resp: 448323

Ion	Ratio	Lower	Upper
188	100		
94	10.7	8.8	13.2
80	11.4	9.7	14.5





#65
4,6-Dinitro-2-methylphenol
Concen: 48.521 ng
RT: 10.563 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:198 Resp: 88176

Ion	Ratio	Lower	Upper
198	100		
51	53.3	41.7	81.7
105	42.4	26.8	66.8





#66
n-Nitrosodiphenylamine
Concen: 36.871 ng
RT: 10.628 min Scan# 1434
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:169 Resp: 544301

Ion	Ratio	Lower	Upper
169	100		
168	66.6	52.7	79.1
167	35.8	28.6	42.8





#67
4-Bromophenyl-phenylether
Concen: 38.580 ng
RT: 10.998 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:248 Resp: 197816

Ion	Ratio	Lower	Upper
248	100		
250	96.2	77.1	115.7
141	69.6	59.1	88.7





#68
Hexachlorobenzene
Concen: 37.421 ng
RT: 11.069 min Scan# 1509
Delta R.T. 0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:284 Resp: 206818

Ion	Ratio	Lower	Upper
284	100		
142	33.5	25.7	38.5
249	31.4	24.6	37.0





#69
Atrazine
Concen: 42.535 ng
RT: 11.151 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:200 Resp: 163775

Ion	Ratio	Lower	Upper
200	100		
173	26.3	6.6	46.6
215	49.9	30.6	70.6





#70
Pentachlorophenol
Concen: 94.322 ng
RT: 11.269 min Scan# 1543
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:266 Resp: 258266

Ion	Ratio	Lower	Upper
266	100		
268	64.1	48.8	73.2
264	63.6	48.8	73.2





#71
Phenanthrene
Concen: 35.740 ng
RT: 11.480 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:178 Resp: 874214

Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.5	23.3
179	15.5	12.5	18.7





#72
Anthracene
Concen: 35.318 ng
RT: 11.533 min Scan# 1588
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:178 Resp: 876126

Ion	Ratio	Lower	Upper
178	100		
176	18.9	15.1	22.7
179	15.7	12.7	19.1





#73
Carbazole
Concen: 35.043 ng
RT: 11.686 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:167 Resp: 740341

Ion	Ratio	Lower	Upper
167	100		
166	21.5	16.8	25.2
139	12.8	10.2	15.2





#74
Di-n-butylphthalate
Concen: 45.343 ng
RT: 12.010 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:149 Resp: 810616

Ion	Ratio	Lower	Upper
149	100		
150	9.4	7.4	11.0
104	4.8	3.8	5.8





#75
Fluoranthene
Concen: 36.199 ng
RT: 12.669 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:202 Resp: 775610

Ion	Ratio	Lower	Upper
202	100		
101	12.5	0.0	33.2
203	17.4	0.0	37.6





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:240 Resp: 298922

Ion	Ratio	Lower	Upper
240	100		
120	11.3	9.0	13.6
236	25.4	19.9	29.9





#77
Benzidine
Concen: 39.424 ng
RT: 12.786 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:184 Resp: 322181

Ion	Ratio	Lower	Upper
184	100		
185	15.0	12.8	19.2
183	11.4	9.3	13.9





#78
Pyrene
Concen: 31.829 ng
RT: 12.898 min Scan# 1820
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:202 Resp: 798173

Ion	Ratio	Lower	Upper
202	100		
200	20.8	16.8	25.2
203	17.3	14.2	21.4





#79
Terphenyl-d14
Concen: 65.955 ng
RT: 13.039 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:244 Resp: 1104297

Ion	Ratio	Lower	Upper
244	100		
212	6.5	5.1	7.7
122	10.1	8.9	13.3





#80
Butylbenzylphthalate
Concen: 53.579 ng
RT: 13.510 min Scan# 1924
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:149 Resp: 267587

Ion	Ratio	Lower	Upper
149	100		
91	70.7	58.8	88.2
206	22.1	16.4	24.6





#81
Benzo(a)anthracene
Concen: 35.382 ng
RT: 14.086 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 672240

Ion	Ratio	Lower	Upper
228	100		
226	27.5	22.0	33.0
229	20.2	15.8	23.8





#82
3,3'-Dichlorobenzidine
Concen: 44.142 ng
RT: 14.045 min Scan# 2015
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:252 Resp: 226457

Ion	Ratio	Lower	Upper
252	100		
254	65.2	51.7	77.5
126	11.0	9.2	13.8





#83
Chrysene
Concen: 37.405 ng
RT: 14.127 min Scan# 2(
Delta R.T. 0.012 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 662658

Ion	Ratio	Lower	Upper
228	100		
226	29.5	24.2	36.2
229	19.4	15.8	23.6





#84
Bis(2-ethylhexyl)phthalate
Concen: 51.348 ng
RT: 14.069 min Scan# 2019
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:149 Resp: 376483

Ion	Ratio	Lower	Upper
149	100		
167	27.7	21.4	32.0
279	4.4	3.2	4.8





#85
Di-n-octyl phthalate
Concen: 47.658 ng
RT: 14.686 min Scan# 21
Delta R.T. 0.012 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:149 Resp: 690916

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	11.4	10.8	16.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. 0.012 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:264 Resp: 377299

Ion	Ratio	Lower	Upper
264	100		
260	23.6	18.7	28.1
265	21.9	17.2	25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 36.148 ng
RT: 17.121 min Scan# 2
Delta R.T. 0.018 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:276 Resp: 977103

Ion	Ratio	Lower	Upper
276	100		
138	25.4	21.1	31.7
277	25.0	20.2	30.2





#88
Benzo(b)fluoranthene
Concen: 38.730 ng
RT: 15.151 min Scan# 2203
Delta R.T. 0.006 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:252 Resp: 799255

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.8	26.8
125	9.9	7.8	11.6





#89
Benzo(k)fluoranthene
Concen: 34.263 ng
RT: 15.180 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:252 Resp: 687057

Ion	Ratio	Lower	Upper
252	100		
253	22.7	17.6	26.4
125	10.1	8.4	12.6





#90
Benzo(a)pyrene
Concen: 36.858 ng
RT: 15.527 min Scan# 2267
Delta R.T. 0.012 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:252 Resp: 716381

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.6	26.4
125	11.0	9.1	13.7





#91
Dibenzo(a,h)anthracene
Concen: 35.627 ng
RT: 17.133 min Scan# 2
Delta R.T. 0.018 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 769353

Ion	Ratio	Lower	Upper
278	100		
139	16.9	14.0	21.0
279	24.3	19.4	29.0





#92
Benzo(g,h,i)perylene
Concen: 35.184 ng
RT: 17.580 min Scan# 2616
Delta R.T. 0.018 min
Lab File: BF143399.D
Acq: 15 Aug 2025 03:54

Tgt Ion:276 Resp: 765398

Ion	Ratio	Lower	Upper
276	100		
277	23.8	18.7	28.1
138	22.5	17.8	26.8



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143414.D
Acq On : 15 Aug 2025 12:45
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 15 13:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.934	152	132531	20.000	ng	0.00
21) Naphthalene-d8	8.216	136	517048	20.000	ng	0.00
39) Acenaphthene-d10	9.969	164	290133	20.000	ng	0.00
64) Phenanthrene-d10	11.457	188	440724	20.000	ng	0.00
76) Chrysene-d12	14.098	240	263251	20.000	ng	0.00
86) Perylene-d12	15.592	264	287708	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.563	112	501865	65.483	ng	0.00
7) Phenol-d6	6.563	99	632566	64.363	ng	0.00
23) Nitrobenzene-d5	7.492	82	586323	70.617	ng	0.00
42) 2,4,6-Tribromophenol	10.757	330	171695	80.975	ng	0.00
45) 2-Fluorobiphenyl	9.286	172	1116757	65.272	ng	0.00
79) Terphenyl-d14	13.039	244	970470	65.816	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	2.722	88	116348	29.338	ng	97
3) Pyridine	3.504	79	314400	29.750	ng	98
4) n-Nitrosodimethylamine	3.440	42	143636	29.178	ng	95
6) Aniline	6.592	93	435030	31.397	ng	96
8) 2-Chlorophenol	6.722	128	279422	34.120	ng	97
9) Benzaldehyde	6.481	77	188756	29.058	ng	97
10) Phenol	6.581	94	377915	32.459	ng	92
11) bis(2-Chloroethyl)ether	6.663	93	276577	32.232	ng	99
12) 1,3-Dichlorobenzene	6.875	146	310626	32.885	ng	99
13) 1,4-Dichlorobenzene	6.951	146	313512	33.070	ng	99
14) 1,2-Dichlorobenzene	7.104	146	297152	33.020	ng	99
15) Benzyl Alcohol	7.069	79	242210	34.380	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.204	45	475921	31.066	ng	99
17) 2-Methylphenol	7.187	107	229936	33.263	ng	98
18) Hexachloroethane	7.445	117	107231	36.078	ng	99
19) n-Nitroso-di-n-propyla...	7.339	70	198094	32.620	ng	99
20) 3+4-Methylphenols	7.334	107	283796	33.947	ng	99
22) Acetophenone	7.339	105	365619	32.094	ng	97
24) Nitrobenzene	7.510	77	306868	34.031	ng	99
25) Isophorone	7.751	82	558781	32.967	ng	99
26) 2-Nitrophenol	7.828	139	150133	42.036	ng	99
27) 2,4-Dimethylphenol	7.863	122	236206	33.403	ng	99
28) bis(2-Chloroethoxy)met...	7.957	93	342133	33.061	ng	99
29) 2,4-Dichlorophenol	8.075	162	243882	35.311	ng	99
30) 1,2,4-Trichlorobenzene	8.157	180	246099	33.779	ng	100
31) Naphthalene	8.239	128	810500	32.577	ng	100
32) Benzoic acid	7.969	122	107890	38.012	ng	99
33) 4-Chloroaniline	8.281	127	299367	33.361	ng	100
34) Hexachlorobutadiene	8.357	225	157186	34.683	ng	99
35) Caprolactam	8.639	113	74885	38.568	ng	99
36) 4-Chloro-3-methylphenol	8.763	107	251420	34.724	ng	100
37) 2-Methylnaphthalene	8.928	142	554956	33.929	ng	100
38) 1-Methylnaphthalene	9.028	142	529993	33.644	ng	99
40) 1,2,4,5-Tetrachloroben...	9.098	216	264167	33.273	ng	100
41) Hexachlorocyclopentadiene	9.086	237	82626	33.685	ng	100
43) 2,4,6-Trichlorophenol	9.204	196	166424	36.945	ng	100

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143414.D
Acq On : 15 Aug 2025 12:45
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 15 13:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.251	196	180539	35.491	ng	98
46) 1,1'-Biphenyl	9.392	154	668180	32.572	ng	99
47) 2-Chloronaphthalene	9.416	162	525241	32.510	ng	99
48) 2-Nitroaniline	9.510	65	164879	36.111	ng	97
49) Acenaphthylene	9.833	152	760268	32.585	ng	99
50) Dimethylphthalate	9.680	163	614540	36.250	ng	100
51) 2,6-Dinitrotoluene	9.745	165	128875	40.656	ng	92
52) Acenaphthene	10.004	154	493236	31.799	ng	99
53) 3-Nitroaniline	9.916	138	139833	40.277	ng	97
54) 2,4-Dinitrophenol	10.028	184	24625	29.103	ng	90
55) Dibenzofuran	10.175	168	737792	33.049	ng	100
56) 4-Nitrophenol	10.080	139	75898	30.958	ng	98
57) 2,4-Dinitrotoluene	10.151	165	171422	40.754	ng	89
58) Fluorene	10.522	166	551057	32.317	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.298	232	132484	38.636	ng	97
60) Diethylphthalate	10.386	149	586261	38.608	ng	99
61) 4-Chlorophenyl-phenyle...	10.510	204	284659	34.550	ng	100
62) 4-Nitroaniline	10.527	138	127282	37.893	ng	99
63) Azobenzene	10.669	77	563404	32.483	ng	98
65) 4,6-Dinitro-2-methylph...	10.563	198	56010	33.921	ng	90
66) n-Nitrosodiphenylamine	10.622	169	483005	33.283	ng	99
67) 4-Bromophenyl-phenylether	10.998	248	177054	35.127	ng	97
68) Hexachlorobenzene	11.075	284	182234	33.541	ng	97
69) Atrazine	11.151	200	162627	42.966	ng	98
70) Pentachlorophenol	11.269	266	73538	31.527	ng	97
71) Phenanthrene	11.480	178	770997	32.064	ng	100
72) Anthracene	11.533	178	784923	32.187	ng	98
73) Carbazole	11.686	167	654998	31.538	ng	99
74) Di-n-butylphthalate	12.010	149	837836	47.674	ng	100
75) Fluoranthene	12.669	202	663149	31.484	ng	99
77) Benzidine	12.786	184	254862	35.412	ng	98
78) Pyrene	12.898	202	659217	29.850	ng	99
80) Butylbenzylphthalate	13.510	149	238799	54.249	ng	97
81) Benzo(a)anthracene	14.086	228	536603	32.070	ng	99
82) 3,3'-Dichlorobenzidine	14.045	252	174378	38.596	ng	99
83) Chrysene	14.121	228	518068	33.206	ng	100
84) Bis(2-ethylhexyl)phtha...	14.068	149	311459	48.477	ng	97
85) Di-n-octyl phthalate	14.686	149	543645	43.223	ng	94
87) Indeno(1,2,3-cd)pyrene	17.121	276	516402	25.053	ng	99
88) Benzo(b)fluoranthene	15.151	252	568955	36.155	ng	99
89) Benzo(k)fluoranthene	15.180	252	506257	33.108	ng	99
90) Benzo(a)pyrene	15.527	252	494384	33.357	ng	99
91) Dibenzo(a,h)anthracene	17.133	278	424135	25.756	ng	98
92) Benzo(g,h,i)perylene	17.574	276	380387	22.931	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF081425\
Data File : BF143414.D
Acq On : 15 Aug 2025 12:45
Operator : RC/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 15 13:01:57 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF081225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Aug 12 13:25:39 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.934 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 132531

Ion	Ratio	Lower	Upper
152	100		
150	159.9	129.8	194.8
115	58.8	47.8	71.8





#2
1,4-Dioxane
Concen: 29.338 ng
RT: 2.722 min Scan# 90
Delta R.T. -0.041 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 88 Resp: 116348

Ion	Ratio	Lower	Upper
88	100		
58	85.9	71.0	106.6
43	32.6	27.0	40.6





#3
Pyridine
Concen: 29.750 ng
RT: 3.504 min Scan# 21
Delta R.T. -0.029 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 314400

Ion	Ratio	Lower	Upper
79	100		
52	84.3	68.7	103.1
51	40.5	33.4	50.0





#4
n-Nitrosodimethylamine
Concen: 29.178 ng
RT: 3.440 min Scan# 212
Delta R.T. -0.035 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 42 Resp: 143636

Ion	Ratio	Lower	Upper
42	100		
74	123.3	94.1	141.1
44	7.5	6.5	9.7





#5
2-Fluorophenol
Concen: 65.483 ng
RT: 5.563 min Scan# 5
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:112 Resp: 501865

Ion	Ratio	Lower	Upper
112	100		
64	63.1	52.1	78.1
63	32.3	26.6	39.8





#6
Aniline
Concen: 31.397 ng
RT: 6.592 min Scan# 748
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 93 Resp: 435030

Ion	Ratio	Lower	Upper
93	100		
66	47.0	35.3	52.9
65	24.5	18.2	27.4





#7
Phenol-d6
Concen: 64.363 ng
RT: 6.563 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 99 Resp: 632566

Ion	Ratio	Lower	Upper
99	100		
42	20.5	16.6	25.0
71	34.5	26.2	39.2





#8
2-Chlorophenol
Concen: 34.120 ng
RT: 6.722 min Scan# 770
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:128 Resp: 279422

Ion	Ratio	Lower	Upper
128	100		
130	32.6	12.6	52.6
64	52.8	36.7	76.7





#9
Benzaldehyde
Concen: 29.058 ng
RT: 6.481 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 188756

Ion	Ratio	Lower	Upper
77	100		
105	97.6	74.2	114.2
106	93.6	72.2	112.2





#10
Phenol
Concen: 32.459 ng
RT: 6.581 min Scan# 746
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 94 Resp: 377915

Ion	Ratio	Lower	Upper
94	100		
65	34.8	12.0	52.0
66	52.5	25.6	65.6





#11
bis(2-Chloroethyl)ether
Concen: 32.232 ng
RT: 6.663 min Scan# 7
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 93 Resp: 276577

Ion	Ratio	Lower	Upper
93	100		
63	84.4	65.7	105.7
95	32.3	13.0	53.0





#12
1,3-Dichlorobenzene
Concen: 32.885 ng
RT: 6.875 min Scan# 796
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:146 Resp: 310626

Ion	Ratio	Lower	Upper
146	100		
148	63.9	50.5	75.7
75	31.1	24.9	37.3





#13
1,4-Dichlorobenzene
Concen: 33.070 ng
RT: 6.951 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:146 Resp: 313512

Ion	Ratio	Lower	Upper
146	100		
148	63.4	51.4	77.0
111	40.8	32.6	48.8





#14
1,2-Dichlorobenzene
Concen: 33.020 ng
RT: 7.104 min Scan# 835
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:146 Resp: 297152

Ion	Ratio	Lower	Upper
146	100		
148	64.2	51.4	77.2
111	41.9	34.1	51.1





#15
Benzyl Alcohol
Concen: 34.380 ng
RT: 7.069 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 242210

Ion	Ratio	Lower	Upper
79	100		
108	75.5	61.5	92.3
77	61.0	49.8	74.8





#16
2,2'-oxybis(1-Chloropropane)
Concen: 31.066 ng
RT: 7.204 min Scan# 852
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 45 Resp: 475921

Ion	Ratio	Lower	Upper
45	100		
77	13.8	0.0	34.0
79	10.5	0.0	31.1





#17
2-Methylphenol
Concen: 33.263 ng
RT: 7.187 min Scan# 84
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:107 Resp: 229936

Ion	Ratio	Lower	Upper
107	100		
108	113.5	92.0	138.0
77	49.5	38.2	57.2
79	48.6	37.9	56.9





#18
Hexachloroethane
Concen: 36.078 ng
RT: 7.445 min Scan# 893
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:117 Resp: 107231

Ion	Ratio	Lower	Upper
117	100		
119	94.5	75.8	113.8
201	98.9	77.2	115.8





#19
n-Nitroso-di-n-propylamine
Concen: 32.620 ng
RT: 7.339 min Scan# 8
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 70 Resp: 198094

Ion	Ratio	Lower	Upper
70	100		
42	64.6	51.6	77.4
101	9.7	7.5	11.3
130	20.6	15.8	23.6





#20
3+4-Methylphenols
Concen: 33.947 ng
RT: 7.334 min Scan# 874
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:107 Resp: 283796

Ion	Ratio	Lower	Upper
107	100		
108	88.4	70.6	110.6
77	131.8	112.0	152.0
79	29.1	9.9	49.9





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.216 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:136 Resp: 517048

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.6	13.0
54	9.5	8.4	12.6
68	6.4	5.9	8.9





#22
Acetophenone
Concen: 32.094 ng
RT: 7.339 min Scan# 875
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:105 Resp: 365619

Ion	Ratio	Lower	Upper
105	100		
71	9.3	6.2	9.4
51	40.5	34.8	52.2
120	22.8	17.9	26.9





#23
Nitrobenzene-d5
Concen: 70.617 ng
RT: 7.492 min Scan# 9(
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 586323

Ion	Ratio	Lower	Upper
82	100		
128	44.1	33.5	50.3
54	57.0	46.7	70.1





#24
Nitrobenzene
Concen: 34.031 ng
RT: 7.510 min Scan# 904
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 77 Resp: 306868

Ion	Ratio	Lower	Upper
77	100		
123	44.5	34.8	52.2
65	14.3	11.0	16.6





#25
Isophorone
Concen: 32.967 ng
RT: 7.751 min Scan# 94
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 558781

Ion	Ratio	Lower	Upper
82	100		
95	6.9	5.5	8.3
138	17.9	14.6	21.8





#26
2-Nitrophenol
Concen: 42.036 ng
RT: 7.828 min Scan# 958
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:139 Resp: 150133

Ion	Ratio	Lower	Upper
139	100		
109	28.3	22.4	33.6
65	52.6	42.9	64.3





#27
2,4-Dimethylphenol
Concen: 33.403 ng
RT: 7.863 min Scan# 9
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:122 Resp: 236206

Ion	Ratio	Lower	Upper
122	100		
107	113.6	89.9	134.9
121	58.0	46.2	69.4





#28
bis(2-Chloroethoxy)methane
Concen: 33.061 ng
RT: 7.957 min Scan# 980
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 93 Resp: 342133

Ion	Ratio	Lower	Upper
93	100		
95	32.3	26.2	39.4
123	12.0	9.4	14.2





#29
2,4-Dichlorophenol
Concen: 35.311 ng
RT: 8.075 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 243882

Ion	Ratio	Lower	Upper
162	100		
164	64.2	44.5	84.5
98	36.4	17.7	57.7





#30
1,2,4-Trichlorobenzene
Concen: 33.779 ng
RT: 8.157 min Scan# 1014
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:180 Resp: 246099

Ion	Ratio	Lower	Upper
180	100		
182	95.1	76.1	114.1
145	30.6	24.9	37.3





#31
Naphthalene
Concen: 32.577 ng
RT: 8.239 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:128 Resp: 810500

Ion	Ratio	Lower	Upper
128	100		
129	11.1	9.0	13.6
127	13.3	10.7	16.1





#32
Benzoic acid
Concen: 38.012 ng
RT: 7.969 min Scan# 982
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:122 Resp: 107890

Ion	Ratio	Lower	Upper
122	100		
105	125.9	106.4	146.4
77	99.8	79.2	119.2





#33
4-Chloroaniline
Concen: 33.361 ng
RT: 8.281 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:127 Resp: 299367

Ion	Ratio	Lower	Upper
127	100		
129	32.2	26.0	39.0
65	33.3	27.0	40.4
92	20.2	16.2	24.2





#34
Hexachlorobutadiene
Concen: 34.683 ng
RT: 8.357 min Scan# 1048
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:225 Resp: 157186

Ion	Ratio	Lower	Upper
225	100		
223	63.7	50.1	75.1
227	64.0	50.6	75.8





#35
Caprolactam
Concen: 38.568 ng
RT: 8.639 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:113 Resp: 74885

Ion	Ratio	Lower	Upper
113	100		
55	198.9	181.4	221.4
56	147.7	127.3	167.3





#36
4-Chloro-3-methylphenol
Concen: 34.724 ng
RT: 8.763 min Scan# 1117
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:107 Resp: 251420

Ion	Ratio	Lower	Upper
107	100		
144	25.3	20.0	30.0
142	76.9	61.3	91.9





#37
2-Methylnaphthalene
Concen: 33.929 ng
RT: 8.928 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:142 Resp: 554956

Ion	Ratio	Lower	Upper
142	100		
141	87.0	69.8	104.8





#38
1-Methylnaphthalene
Concen: 33.644 ng
RT: 9.028 min Scan# 1162
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:142 Resp: 529993

Ion	Ratio	Lower	Upper
142	100		
141	91.8	73.0	109.4





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.969 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:164 Resp: 290133

Ion	Ratio	Lower	Upper
164	100		
162	98.2	78.6	118.0
160	42.8	34.4	51.6





#40
1,2,4,5-Tetrachlorobenzene
Concen: 33.273 ng
RT: 9.098 min Scan# 1174
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:216 Resp: 264167

Ion	Ratio	Lower	Upper
216	100		
214	79.0	63.0	94.4
179	21.2	17.0	25.4
108	18.0	14.6	22.0





#41
Hexachlorocyclopentadiene
Concen: 33.685 ng
RT: 9.086 min Scan# 11
Delta R.T. 0.005 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:237 Resp: 82626

Ion	Ratio	Lower	Upper
237	100		
235	62.2	42.0	82.0
272	12.4	0.0	32.6





#42
2,4,6-Tribromophenol
Concen: 80.975 ng
RT: 10.757 min Scan# 1456
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:330 Resp: 171695

Ion	Ratio	Lower	Upper
330	100		
332	94.3	78.1	117.1
141	30.0	25.4	38.0





#43
2,4,6-Trichlorophenol
Concen: 36.945 ng
RT: 9.204 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:196 Resp: 166424

Ion	Ratio	Lower	Upper
196	100		
198	94.3	75.4	113.0
200	31.0	24.3	36.5





#44
2,4,5-Trichlorophenol
Concen: 35.491 ng
RT: 9.251 min Scan# 1200
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:196 Resp: 180539

Ion	Ratio	Lower	Upper
196	100		
198	95.0	75.4	113.2
97	46.3	39.9	59.9
132	27.5	22.6	33.8





#45
2-Fluorobiphenyl
Concen: 65.272 ng
RT: 9.286 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:172 Resp: 1116757

Ion	Ratio	Lower	Upper
172	100		
171	35.7	28.4	42.6
170	23.3	19.1	28.7





#46
1,1'-Biphenyl
Concen: 32.572 ng
RT: 9.392 min Scan# 1224
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:154 Resp: 668180

Ion	Ratio	Lower	Upper
154	100		
153	39.9	20.2	60.2
76	13.1	0.0	34.4





#47
2-Chloronaphthalene
Concen: 32.510 ng
RT: 9.416 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 525241

Ion	Ratio	Lower	Upper
162	100		
127	39.6	32.1	48.1
164	32.6	27.0	40.4





#48
2-Nitroaniline
Concen: 36.111 ng
RT: 9.510 min Scan# 1244
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion: 65 Resp: 164879

Ion	Ratio	Lower	Upper
65	100		
92	67.1	53.1	79.7
138	106.9	81.4	122.0





#49
Acenaphthylene
Concen: 32.585 ng
RT: 9.833 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 760268

Ion	Ratio	Lower	Upper
152	100		
151	20.0	16.2	24.2
153	12.9	10.6	16.0





#50
Dimethylphthalate
Concen: 36.250 ng
RT: 9.680 min Scan# 1273
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:163 Resp: 614540

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.3	4.9
164	10.4	8.2	12.2





#51
2,6-Dinitrotoluene
Concen: 40.656 ng
RT: 9.745 min Scan# 1
Delta R.T. 0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 128875

Ion	Ratio	Lower	Upper
165	100		
63	58.3	51.6	77.4
89	53.9	47.7	71.5





#52
Acenaphthene
Concen: 31.799 ng
RT: 10.004 min Scan# 1328
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:154 Resp: 493236

Ion	Ratio	Lower	Upper
154	100		
153	112.7	88.5	132.7
152	53.2	42.4	63.6





#53
3-Nitroaniline
Concen: 40.277 ng
RT: 9.916 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:138 Resp: 139833

Ion	Ratio	Lower	Upper
138	100		
108	10.6	9.6	14.4
92	113.1	93.4	140.2





#54
2,4-Dinitrophenol
Concen: 29.103 ng
RT: 10.028 min Scan# 1332
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:184 Resp: 24625

Ion	Ratio	Lower	Upper
184	100		
63	73.0	62.5	93.7
154	78.0	73.0	109.4





#55
Dibenzofuran
Concen: 33.049 ng
RT: 10.175 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:168 Resp: 737792

Ion	Ratio	Lower	Upper
168	100		
139	36.5	29.4	44.0
169	13.5	11.0	16.6





#56
4-Nitrophenol
Concen: 30.958 ng
RT: 10.080 min Scan# 1341
Delta R.T. 0.005 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:139 Resp: 75898

Ion	Ratio	Lower	Upper
139	100		
109	68.4	49.4	89.4
65	101.3	83.7	123.7





#57
2,4-Dinitrotoluene
Concen: 40.754 ng
RT: 10.151 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 171422

Ion	Ratio	Lower	Upper
165	100		
63	45.1	41.8	62.8
89	67.8	62.4	93.6
182	2.7	2.2	3.2





#58
Fluorene
Concen: 32.317 ng
RT: 10.522 min Scan# 1416
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:166 Resp: 551057

Ion	Ratio	Lower	Upper
166	100		
165	98.0	78.2	117.4
167	13.1	10.9	16.3





#59
2,3,4,6-Tetrachlorophenol
Concen: 38.636 ng
RT: 10.298 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:232 Resp: 132484

Ion	Ratio	Lower	Upper
232	100		
131	40.6	34.6	51.8
130	1.9	1.7	2.5
166	28.2	23.4	35.0





#60
Diethylphthalate
Concen: 38.608 ng
RT: 10.386 min Scan# 1393
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:149 Resp: 586261

Ion	Ratio	Lower	Upper
149	100		
177	23.4	18.2	27.2
150	12.7	9.9	14.9





#61
4-Chlorophenyl-phenylether
Concen: 34.550 ng
RT: 10.510 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:204 Resp: 284659

Ion	Ratio	Lower	Upper
204	100		
206	34.0	27.4	41.2
141	58.5	46.9	70.3





#62
4-Nitroaniline
Concen: 37.893 ng
RT: 10.527 min Scan# 1417
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:138 Resp: 127282

Ion	Ratio	Lower	Upper
138	100		
92	50.3	31.2	71.2
108	69.1	48.1	88.1





#63
Azobenzene
Concen: 32.483 ng
RT: 10.669 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 563404

Ion	Ratio	Lower	Upper
77	100		
182	26.4	4.4	44.4
105	21.8	1.8	41.8
51	32.6	13.7	53.7





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.457 min Scan# 1575
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:188 Resp: 440724

Ion	Ratio	Lower	Upper
188	100		
94	10.5	8.8	13.2
80	11.0	9.7	14.5





#65
4,6-Dinitro-2-methylphenol
Concen: 33.921 ng
RT: 10.563 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:198 Resp: 56010

Ion	Ratio	Lower	Upper
198	100		
51	52.5	41.7	81.7
105	42.0	26.8	66.8





#66
n-Nitrosodiphenylamine
Concen: 33.283 ng
RT: 10.622 min Scan# 1433
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:169 Resp: 483005

Ion	Ratio	Lower	Upper
169	100		
168	66.5	52.7	79.1
167	35.9	28.6	42.8





#67
4-Bromophenyl-phenylether
Concen: 35.127 ng
RT: 10.998 min Scan# 14
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:248 Resp: 177054

Ion	Ratio	Lower	Upper
248	100		
250	97.9	77.1	115.7
141	70.2	59.1	88.7





#68
Hexachlorobenzene
Concen: 33.541 ng
RT: 11.075 min Scan# 1510
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:284 Resp: 182234

Ion	Ratio	Lower	Upper
284	100		
142	29.4	25.7	38.5
249	30.3	24.6	37.0





#69
Atrazine
Concen: 42.966 ng
RT: 11.151 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:200 Resp: 162627

Ion	Ratio	Lower	Upper
200	100		
173	26.4	6.6	46.6
215	48.9	30.6	70.6





#70
Pentachlorophenol
Concen: 31.527 ng
RT: 11.269 min Scan# 1543
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:266 Resp: 73538

Ion	Ratio	Lower	Upper
266	100		
268	63.7	48.8	73.2
264	62.9	48.8	73.2





#71
Phenanthrene
Concen: 32.064 ng
RT: 11.480 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:178 Resp: 770997

Ion	Ratio	Lower	Upper
178	100		
176	19.5	15.5	23.3
179	15.4	12.5	18.7





#72
Anthracene
Concen: 32.187 ng
RT: 11.533 min Scan# 1588
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:178 Resp: 784923

Ion	Ratio	Lower	Upper
178	100		
176	18.3	15.1	22.7
179	15.2	12.7	19.1





#73
Carbazole
Concen: 31.538 ng
RT: 11.686 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:167 Resp: 654998

Ion	Ratio	Lower	Upper
167	100		
166	21.5	16.8	25.2
139	12.6	10.2	15.2





#74
Di-n-butylphthalate
Concen: 47.674 ng
RT: 12.010 min Scan# 1669
Delta R.T. -0.000 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:149 Resp: 837836

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.4	11.0
104	4.7	3.8	5.8





#75
Fluoranthene
Concen: 31.484 ng
RT: 12.669 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:202 Resp: 663149

Ion	Ratio	Lower	Upper
202	100		
101	12.5	0.0	33.2
203	17.5	0.0	37.6





#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.098 min Scan# 2024
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:240 Resp: 263251

Ion	Ratio	Lower	Upper
240	100		
120	10.9	9.0	13.6
236	25.5	19.9	29.9





#77
Benzidine
Concen: 35.412 ng
RT: 12.786 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:184 Resp: 254862

Ion	Ratio	Lower	Upper
184	100		
185	15.0	12.8	19.2
183	11.4	9.3	13.9





#78
Pyrene
Concen: 29.850 ng
RT: 12.898 min Scan# 1820
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:202 Resp: 659217

Ion	Ratio	Lower	Upper
202	100		
200	20.6	16.8	25.2
203	17.4	14.2	21.4





#79
Terphenyl-d14
Concen: 65.816 ng
RT: 13.039 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:244 Resp: 970470

Ion	Ratio	Lower	Upper
244	100		
212	6.5	5.1	7.7
122	10.3	8.9	13.3





#80
Butylbenzylphthalate
Concen: 54.249 ng
RT: 13.510 min Scan# 1924
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:149 Resp: 238799

Ion	Ratio	Lower	Upper
149	100		
91	70.9	58.8	88.2
206	21.9	16.4	24.6





#81
Benzo(a)anthracene
Concen: 32.070 ng
RT: 14.086 min Scan# 2
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 536603

Ion	Ratio	Lower	Upper
228	100		
226	26.6	22.0	33.0
229	19.8	15.8	23.8





#82
3,3'-Dichlorobenzidine
Concen: 38.596 ng
RT: 14.045 min Scan# 2015
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:252 Resp: 174378

Ion	Ratio	Lower	Upper
252	100		
254	63.9	51.7	77.5
126	11.0	9.2	13.8





#83
Chrysene
Concen: 33.206 ng
RT: 14.121 min Scan# 2(
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 518068

Ion	Ratio	Lower	Upper
228	100		
226	29.8	24.2	36.2
229	19.7	15.8	23.6





#84
Bis(2-ethylhexyl)phthalate
Concen: 48.477 ng
RT: 14.068 min Scan# 2019
Delta R.T. 0.005 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:149 Resp: 311459

Ion	Ratio	Lower	Upper
149	100		
167	28.2	21.4	32.0
279	4.3	3.2	4.8





#85
Di-n-octyl phthalate
Concen: 43.223 ng
RT: 14.686 min Scan# 21
Delta R.T. 0.012 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:149 Resp: 543645

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	10.8	10.8	16.2





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.592 min Scan# 2278
Delta R.T. 0.012 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:264 Resp: 287708

Ion	Ratio	Lower	Upper
264	100		
260	22.7	18.7	28.1
265	21.2	17.2	25.8





#87
Indeno(1,2,3-cd)pyrene
Concen: 25.053 ng
RT: 17.121 min Scan# 2
Delta R.T. 0.018 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:276 Resp: 516402

Ion	Ratio	Lower	Upper
276	100		
138	25.8	21.1	31.7
277	25.0	20.2	30.2





#88
Benzo(b)fluoranthene
Concen: 36.155 ng
RT: 15.151 min Scan# 2203
Delta R.T. 0.006 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:252 Resp: 568955

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.8	26.8
125	10.1	7.8	11.6





#89
Benzo(k)fluoranthene
Concen: 33.108 ng
RT: 15.180 min Scan# 2
Delta R.T. 0.012 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:252 Resp: 506257

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.6	26.4
125	10.1	8.4	12.6





#90
Benzo(a)pyrene
Concen: 33.357 ng
RT: 15.527 min Scan# 2267
Delta R.T. 0.012 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:252 Resp: 494384

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.6	26.4
125	10.9	9.1	13.7





#91
Dibenzo(a,h)anthracene
Concen: 25.756 ng
RT: 17.133 min Scan# 2
Delta R.T. 0.018 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040EC

Tgt Ion:278 Resp: 424135

Ion	Ratio	Lower	Upper
278	100		
139	16.3	14.0	21.0
279	23.9	19.4	29.0





#92
Benzo(g,h,i)perylene
Concen: 22.931 ng
RT: 17.574 min Scan# 2615
Delta R.T. 0.012 min
Lab File: BF143414.D
Acq: 15 Aug 2025 12:45

Tgt Ion:276 Resp: 380387

Ion	Ratio	Lower	Upper
276	100		
277	23.7	18.7	28.1
138	22.3	17.8	26.8



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025393.D
Acq On : 14 Aug 2025 13:15
Operator : CG/JU
Sample : SSTDICC005
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Quant Time: Aug 14 17:52:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	130958	20.000	ng		0.00
21) Naphthalene-d8	10.560	136	551384	20.000	ng		0.00
39) Acenaphthene-d10	14.401	164	392376	20.000	ng		0.00
64) Phenanthrene-d10	17.207	188	816331	20.000	ng		0.00
76) Chrysene-d12	21.654	240	858165	20.000	ng		0.00
86) Perylene-d12	25.036	264	963881	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	80645	10.227	ng		0.00
7) Phenol-d6	6.966	99	97106	9.605	ng		0.00
23) Nitrobenzene-d5	8.931	82	108814	9.983	ng		0.00
42) 2,4,6-Tribromophenol	15.913	330	52188	9.881	ng		0.00
45) 2-Fluorobiphenyl	13.019	172	305742	10.649	ng		0.00
79) Terphenyl-d14	19.925	244	536049	11.428	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	3.337	88	17016	5.509	ng		95
3) Pyridine	3.731	79	47347	5.600	ng		95
4) n-Nitrosodimethylamine	3.637	42	17697	5.077	ng	#	93
6) Aniline	7.119	93	68694	5.043	ng		100
8) 2-Chlorophenol	7.366	128	44217	4.969	ng		98
9) Benzaldehyde	6.943	77	35338	4.989	ng		99
10) Phenol	6.990	94	52186	4.919	ng		98
11) bis(2-Chloroethyl)ether	7.219	93	41995	5.079	ng		98
12) 1,3-Dichlorobenzene	7.684	146	50146	5.111	ng		96
13) 1,4-Dichlorobenzene	7.825	146	51948	5.180	ng		97
14) 1,2-Dichlorobenzene	8.143	146	50995	5.253	ng		96
15) Benzyl Alcohol	8.025	79	37874	4.715	ng		98
16) 2,2'-oxybis(1-Chloropr...	8.313	45	57686	5.208	ng		98
17) 2-Methylphenol	8.225	107	35186	4.776	ng		96
18) Hexachloroethane	8.866	117	18905	5.127	ng		99
19) n-Nitroso-di-n-propyla...	8.584	70	34898	5.205	ng		95
20) 3+4-Methylphenols	8.549	107	48056	4.705	ng		97
22) Acetophenone	8.602	105	70986	5.134	ng	#	96
24) Nitrobenzene	8.972	77	48234	4.951	ng		99
25) Isophorone	9.496	82	101112	5.242	ng		98
26) 2-Nitrophenol	9.678	139	23020	4.605	ng		95
27) 2,4-Dimethylphenol	9.737	122	41790	4.861	ng		99
28) bis(2-Chloroethoxy)met...	9.972	93	61017	5.233	ng		98
29) 2,4-Dichlorophenol	10.213	162	40336	4.723	ng		94
30) 1,2,4-Trichlorobenzene	10.425	180	49237	5.259	ng		97
31) Naphthalene	10.613	128	147346	5.141	ng		99
32) Benzoic acid	9.807	122	17656	2.788	ng		84
33) 4-Chloroaniline	10.713	127	62452	4.933	ng		96
34) Hexachlorobutadiene	10.902	225	30559	5.241	ng		95
35) Caprolactam	11.466	113	16890	5.393	ng	#	84
36) 4-Chloro-3-methylphenol	11.837	107	50515	5.154	ng		91
37) 2-Methylnaphthalene	12.219	142	98648	5.289	ng		97
38) 1-Methylnaphthalene	12.437	142	107044	5.397	ng		97
40) 1,2,4,5-Tetrachloroben...	12.590	216	56676	5.001	ng		100
41) Hexachlorocyclopentadiene	12.572	237	25243	3.688	ng		97
43) 2,4,6-Trichlorophenol	12.831	196	36093	4.718	ng		95

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025393.D
Acq On : 14 Aug 2025 13:15
Operator : CG/JU
Sample : SSTDICC005
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Quant Time: Aug 14 17:52:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	40875	4.875	ng		95
46) 1,1'-Biphenyl	13.237	154	146651	5.146	ng		98
47) 2-Chloronaphthalene	13.272	162	113015	5.094	ng		99
48) 2-Nitroaniline	13.466	65	29527	4.568	ng		98
49) Acenaphthylene	14.125	152	187026	5.095	ng		99
50) Dimethylphthalate	13.860	163	153868	5.355	ng		99
51) 2,6-Dinitrotoluene	13.966	165	29088	4.803	ng		94
52) Acenaphthene	14.472	154	117653	5.460	ng		97
53) 3-Nitroaniline	14.301	138	31224	4.583	ng		85
54) 2,4-Dinitrophenol	14.513	184	10441	3.228	ng	#	87
55) Dibenzofuran	14.813	168	178494	5.240	ng		99
56) 4-Nitrophenol	14.625	139	24517	4.379	ng		96
57) 2,4-Dinitrotoluene	14.760	165	39658	4.590	ng		94
58) Fluorene	15.472	166	147760	5.497	ng		97
59) 2,3,4,6-Tetrachlorophenol	15.037	232	36779	4.968	ng		99
60) Diethylphthalate	15.237	149	158426	5.426	ng		99
61) 4-Chlorophenyl-phenyle...	15.466	204	74636	5.583	ng		99
62) 4-Nitroaniline	15.478	138	33466	4.791	ng		90
63) Azobenzene	15.760	77	128978	5.159	ng		99
65) 4,6-Dinitro-2-methylph...	15.543	198	19069	3.747	ng		92
66) n-Nitrosodiphenylamine	15.678	169	129805	5.214	ng		97
67) 4-Bromophenyl-phenylether	16.378	248	47579	5.299	ng		98
68) Hexachlorobenzene	16.501	284	53940	5.183	ng		98
69) Atrazine	16.648	200	46750	5.015	ng		96
70) Pentachlorophenol	16.854	266	29650	4.513	ng		96
71) Phenanthrene	17.248	178	237107	5.287	ng		98
72) Anthracene	17.342	178	236938	5.174	ng		99
73) Carbazole	17.619	167	220112	5.103	ng		98
74) Di-n-butylphthalate	18.231	149	274467	5.172	ng		99
75) Fluoranthene	19.336	202	279497	5.225	ng		99
77) Benzidine	19.525	184	123915	4.231	ng		99
78) Pyrene	19.713	202	299922	5.377	ng		98
80) Butylbenzylphthalate	20.654	149	126321	4.997	ng		99
81) Benzo(a)anthracene	21.636	228	296847	5.245	ng		100
82) 3,3'-Dichlorobenzidine	21.548	252	106858	5.009	ng		99
83) Chrysene	21.701	228	277175	5.229	ng		99
84) Bis(2-ethylhexyl)phtha...	21.583	149	194541	5.228	ng		97
85) Di-n-octyl phthalate	22.877	149	313503	4.898	ng		99
87) Indeno(1,2,3-cd)pyrene	28.865	276	350414	4.956	ng		98
88) Benzo(b)fluoranthene	23.960	252	289797	5.099	ng		99
89) Benzo(k)fluoranthene	24.042	252	289556	5.091	ng		98
90) Benzo(a)pyrene	24.877	252	274440	4.960	ng		99
91) Dibenzo(a,h)anthracene	28.942	278	284440	4.924	ng		100
92) Benzo(g,h,i)perylene	30.036	276	279987	4.931	ng		97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025393.D
Acq On : 14 Aug 2025 13:15
Operator : CG/JU
Sample : SSTDICC005
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Quant Time: Aug 14 17:52:32 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:152 Resp: 130958

Ion	Ratio	Lower	Upper
152	100		
150	158.5	125.9	188.9
115	63.8	48.5	72.7





#2
1,4-Dioxane
Concen: 5.509 ng
RT: 3.337 min Scan# 68
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 88 Resp: 17016

Ion	Ratio	Lower	Upper
88	100		
58	69.1	59.2	88.8
43	26.1	21.7	32.5





#3
Pyridine
Concen: 5.600 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion: 79 Resp: 47347

Ion	Ratio	Lower	Upper
79	100		
52	64.7	55.5	83.3
51	37.0	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 5.077 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 42 Resp: 17697

Ion	Ratio	Lower	Upper
42	100		
74	126.7	107.0	160.4
44	18.7	6.2	9.4#





#5
2-Fluorophenol
Concen: 10.227 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:112 Resp: 80645

Ion	Ratio	Lower	Upper
112	100		
64	55.9	43.8	65.8
63	28.3	22.7	34.1





#6
Aniline
Concen: 5.043 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 93 Resp: 68694

Ion	Ratio	Lower	Upper
93	100		
66	38.0	30.4	45.6
65	18.6	15.3	22.9





#7
Phenol-d6
Concen: 9.605 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion: 99 Resp: 97106

Ion	Ratio	Lower	Upper
99	100		
42	16.5	13.7	20.5
71	33.7	28.2	42.4





#8
2-Chlorophenol
Concen: 4.969 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:128 Resp: 44217

Ion	Ratio	Lower	Upper
128	100		
130	33.8	12.6	52.6
64	44.1	23.4	63.4





#9
Benzaldehyde
Concen: 4.989 ng
RT: 6.943 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion: 77 Resp: 35338

Ion	Ratio	Lower	Upper
77	100		
105	105.9	84.8	124.8
106	100.5	80.5	120.5





#10
Phenol
Concen: 4.919 ng
RT: 6.990 min Scan# 689
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 94 Resp: 52186

Ion	Ratio	Lower	Upper
94	100		
65	26.5	6.8	46.8
66	36.2	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 5.079 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion: 93 Resp: 41995

Ion	Ratio	Lower	Upper
93	100		
63	75.4	52.6	92.6
95	32.6	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 5.111 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:146 Resp: 50146

Ion	Ratio	Lower	Upper
146	100		
148	62.1	51.9	77.9
75	32.6	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 5.180 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:146 Resp: 51948

Ion	Ratio	Lower	Upper
146	100		
148	64.0	51.6	77.4
111	38.3	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 5.253 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:146 Resp: 50995

Ion	Ratio	Lower	Upper
146	100		
148	67.2	50.4	75.6
111	43.7	34.5	51.7





#15
Benzyl Alcohol
Concen: 4.715 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion: 79 Resp: 37874

Ion	Ratio	Lower	Upper
79	100		
108	77.7	63.8	95.6
77	60.1	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 5.208 ng
RT: 8.313 min Scan# 914
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 45 Resp: 57686

Ion	Ratio	Lower	Upper
45	100		
77	14.1	0.0	35.3
79	12.4	0.0	31.8





#17
2-Methylphenol
Concen: 4.776 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:107 Resp: 35186

Ion	Ratio	Lower	Upper
107	100		
108	117.2	89.4	134.0
77	47.2	36.3	54.5
79	48.4	36.6	54.8





#18
Hexachloroethane
Concen: 5.127 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:117 Resp: 18905

Ion	Ratio	Lower	Upper
117	100		
119	94.5	75.1	112.7
201	101.5	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 5.205 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion: 70 Resp: 34898

Ion	Ratio	Lower	Upper
70	100		
42	59.8	43.8	65.6
101	10.3	8.5	12.7
130	23.7	19.4	29.0





#20
3+4-Methylphenols
Concen: 4.705 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:107 Resp: 48056

Ion	Ratio	Lower	Upper
107	100		
108	90.0	66.3	106.3
77	31.7	12.3	52.3
79	27.3	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:136 Resp: 551384

Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.2	13.8
54	7.8	6.0	9.0
68	5.5	4.3	6.5





#22
Acetophenone
Concen: 5.134 ng
RT: 8.602 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:105 Resp: 70986

Ion	Ratio	Lower	Upper
105	100		
71	1.5	2.6	4.0#
51	28.7	20.6	30.8
120	22.7	18.6	27.8





#23
Nitrobenzene-d5
Concen: 9.983 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion: 82 Resp: 108814

Ion	Ratio	Lower	Upper
82	100		
128	47.0	37.7	56.5
54	47.2	39.8	59.6





#24
Nitrobenzene
Concen: 4.951 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 77 Resp: 48234

Ion	Ratio	Lower	Upper
77	100		
123	47.6	38.6	58.0
65	13.9	10.6	15.8





#25
Isophorone
Concen: 5.242 ng
RT: 9.496 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion: 82 Resp: 101112

Ion	Ratio	Lower	Upper
82	100		
95	6.9	6.4	9.6
138	19.8	15.4	23.0





#26
2-Nitrophenol
Concen: 4.605 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:139 Resp: 23020

Ion	Ratio	Lower	Upper
139	100		
109	37.5	26.9	40.3
65	50.9	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 4.861 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:122 Resp: 41790

Ion	Ratio	Lower	Upper
122	100		
107	116.7	93.7	140.5
121	60.0	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 5.233 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 93 Resp: 61017

Ion	Ratio	Lower	Upper
93	100		
95	31.3	25.4	38.0
123	13.4	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 4.723 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:162 Resp: 40336

Ion	Ratio	Lower	Upper
162	100		
164	60.3	44.4	84.4
98	38.4	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 5.259 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:180 Resp: 49237

Ion	Ratio	Lower	Upper
180	100		
182	101.2	78.0	117.0
145	30.9	25.9	38.9





#31
Naphthalene
Concen: 5.141 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:128 Resp: 147346

Ion	Ratio	Lower	Upper
128	100		
129	10.6	8.6	13.0
127	13.9	10.7	16.1





#32
Benzoic acid
Concen: 2.788 ng
RT: 9.807 min Scan# 1168
Delta R.T. -0.065 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:122 Resp: 17656

Ion	Ratio	Lower	Upper
122	100		
105	140.5	100.6	140.6
77	104.3	71.5	111.5





#33
4-Chloroaniline
Concen: 4.933 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:127 Resp: 62452

Ion	Ratio	Lower	Upper
127	100		
129	29.4	25.4	38.2
65	26.9	23.8	35.6
92	19.8	15.8	23.8





#34
Hexachlorobutadiene
Concen: 5.241 ng
RT: 10.902 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:225 Resp: 30559

Ion	Ratio	Lower	Upper
225	100		
223	59.4	50.0	75.0
227	66.3	49.7	74.5





#35
Caprolactam
Concen: 5.393 ng
RT: 11.466 min Scan# 14
Delta R.T. -0.029 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:113 Resp: 16890

Ion	Ratio	Lower	Upper
113	100		
55	128.3	140.0	180.0#
56	113.2	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 5.154 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:107 Resp: 50515

Ion	Ratio	Lower	Upper
107	100		
144	25.4	21.0	31.4
142	70.9	64.6	97.0





#37
2-Methylnaphthalene
Concen: 5.289 ng
RT: 12.219 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:142 Resp: 98648

Ion	Ratio	Lower	Upper
142	100		
141	86.1	70.3	105.5
115	33.5	28.9	43.3





#38
1-Methylnaphthalene
Concen: 5.397 ng
RT: 12.437 min Scan# 1615
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:142 Resp: 107044

Ion	Ratio	Lower	Upper
142	100		
141	88.4	73.1	109.7
116	3.9	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:164 Resp: 392376

Ion	Ratio	Lower	Upper
164	100		
162	103.6	81.0	121.6
160	45.3	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 5.001 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:216 Resp: 56676

Ion	Ratio	Lower	Upper
216	100		
214	79.1	63.0	94.4
179	21.3	17.1	25.7
108	18.2	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 3.688 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:237 Resp: 25243

Ion	Ratio	Lower	Upper
237	100		
235	60.1	42.7	82.7
272	13.9	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 9.881 ng
RT: 15.913 min Scan# 2206
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:330 Resp: 52188

Ion	Ratio	Lower	Upper
330	100		
332	100.4	77.3	115.9
141	34.9	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 4.718 ng
RT: 12.831 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:196 Resp: 36093

Ion	Ratio	Lower	Upper
196	100		
198	101.0	77.2	115.8
200	33.7	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 4.875 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:196 Resp: 40875

Ion	Ratio	Lower	Upper
196	100		
198	91.0	76.2	114.2
97	46.0	41.2	61.8
132	27.6	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 10.649 ng
RT: 13.019 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:172 Resp: 305742

Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.1	42.1
170	23.1	18.6	28.0





#46
1,1'-Biphenyl
Concen: 5.146 ng
RT: 13.237 min Scan# 1751
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:154 Resp: 146651

Ion	Ratio	Lower	Upper
154	100		
153	40.3	19.5	59.5
76	12.2	0.0	31.1





#47
2-Chloronaphthalene
Concen: 5.094 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:162 Resp: 113015

Ion	Ratio	Lower	Upper
162	100		
127	41.5	33.4	50.2
164	33.0	26.2	39.2





#48
2-Nitroaniline
Concen: 4.568 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion: 65 Resp: 29527

Ion	Ratio	Lower	Upper
65	100		
92	69.3	57.6	86.4
138	111.8	91.0	136.6





#49
Acenaphthylene
Concen: 5.095 ng
RT: 14.125 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:152 Resp: 187026

Ion	Ratio	Lower	Upper
152	100		
151	19.8	16.0	24.0
153	13.8	10.6	15.8





#50
Dimethylphthalate
Concen: 5.355 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:163 Resp: 153868

Ion	Ratio	Lower	Upper
163	100		
194	4.4	3.4	5.0
164	10.1	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 4.803 ng
RT: 13.966 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:165 Resp: 29088

Ion	Ratio	Lower	Upper
165	100		
63	55.7	40.9	61.3
89	56.2	42.1	63.1





#52
Acenaphthene
Concen: 5.460 ng
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:154 Resp: 117653

Ion	Ratio	Lower	Upper
154	100		
153	115.1	90.2	135.2
152	55.7	42.1	63.1





#53
3-Nitroaniline
Concen: 4.583 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:138 Resp: 31224

Ion	Ratio	Lower	Upper
138	100		
108	12.5	8.3	12.5
92	124.5	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 3.228 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:184 Resp: 10441

Ion	Ratio	Lower	Upper
184	100		
63	47.6	49.4	74.2#
154	74.9	54.6	82.0





#55
Dibenzofuran
Concen: 5.240 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:168 Resp: 178494

Ion	Ratio	Lower	Upper
168	100		
139	39.6	31.5	47.3
169	12.9	10.9	16.3





#56
4-Nitrophenol
Concen: 4.379 ng
RT: 14.625 min Scan# 1987
Delta R.T. 0.012 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:139 Resp: 24517

Ion	Ratio	Lower	Upper
139	100		
109	70.6	56.6	96.6
65	86.9	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 4.590 ng
RT: 14.760 min Scan# 2(
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:165 Resp: 39658

Ion	Ratio	Lower	Upper
165	100		
63	43.9	31.4	47.2
89	70.6	53.3	79.9
182	2.8	2.3	3.5





#58
Fluorene
Concen: 5.497 ng
RT: 15.472 min Scan# 2131
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:166 Resp: 147760

Ion	Ratio	Lower	Upper
166	100		
165	95.7	78.8	118.2
167	13.8	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 4.968 ng
RT: 15.037 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:232 Resp: 36779

Ion	Ratio	Lower	Upper
232	100		
131	46.0	37.0	55.6
130	2.7	1.9	2.9
166	31.1	25.4	38.0





#60
Diethylphthalate
Concen: 5.426 ng
RT: 15.237 min Scan# 2091
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:149 Resp: 158426

Ion	Ratio	Lower	Upper
149	100		
177	20.9	17.3	25.9
150	13.3	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 5.583 ng
RT: 15.466 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:204 Resp: 74636

Ion	Ratio	Lower	Upper
204	100		
206	32.0	25.8	38.8
141	60.6	49.4	74.2





#62
4-Nitroaniline
Concen: 4.791 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:138 Resp: 33466

Ion	Ratio	Lower	Upper
138	100		
92	43.2	29.1	69.1
108	71.5	61.5	101.5





#63
Azobenzene
Concen: 5.159 ng
RT: 15.760 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion: 77 Resp: 128978

Ion	Ratio	Lower	Upper
77	100		
182	26.8	7.5	47.5
105	21.6	2.1	42.1
51	29.7	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 2426
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:188 Resp: 816331

Ion	Ratio	Lower	Upper
188	100		
94	8.9	6.6	10.0
80	9.4	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 3.747 ng
RT: 15.543 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:198 Resp: 19069

Ion	Ratio	Lower	Upper
198	100		
51	43.8	19.6	59.6
105	47.0	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 5.214 ng
RT: 15.678 min Scan# 2166
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:169 Resp: 129805

Ion	Ratio	Lower	Upper
169	100		
168	64.3	53.2	79.8
167	38.0	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 5.299 ng
RT: 16.378 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:248 Resp: 47579

Ion	Ratio	Lower	Upper
248	100		
250	95.1	78.2	117.2
141	76.0	59.6	89.4





#68
Hexachlorobenzene
Concen: 5.183 ng
RT: 16.501 min Scan# 2306
Delta R.T. 0.012 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:284 Resp: 53940

Ion	Ratio	Lower	Upper
284	100		
142	34.7	29.1	43.7
249	30.6	25.0	37.4





#69
Atrazine
Concen: 5.015 ng
RT: 16.648 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:200 Resp: 46750

Ion	Ratio	Lower	Upper
200	100		
173	27.3	6.7	46.7
215	45.9	29.7	69.7





#70
Pentachlorophenol
Concen: 4.513 ng
RT: 16.854 min Scan# 2366
Delta R.T. 0.012 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:266 Resp: 29650

Ion	Ratio	Lower	Upper
266	100		
268	70.4	52.6	79.0
264	66.3	52.0	78.0





#71
Phenanthrene
Concen: 5.287 ng
RT: 17.248 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:178 Resp: 237107

Ion	Ratio	Lower	Upper
178	100		
176	18.6	15.5	23.3
179	15.8	12.2	18.4





#72
Anthracene
Concen: 5.174 ng
RT: 17.342 min Scan# 2449
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:178 Resp: 236938

Ion	Ratio	Lower	Upper
178	100		
176	17.7	14.7	22.1
179	15.4	12.2	18.2





#73
Carbazole
Concen: 5.103 ng
RT: 17.619 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:167 Resp: 220112

Ion	Ratio	Lower	Upper
167	100		
166	21.0	17.5	26.3
139	14.4	10.6	16.0





#74
Di-n-butylphthalate
Concen: 5.172 ng
RT: 18.231 min Scan# 2600
Delta R.T. 0.024 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:149 Resp: 274467

Ion	Ratio	Lower	Upper
149	100		
150	8.8	7.4	11.0
104	5.3	4.2	6.2





#75
Fluoranthene
Concen: 5.225 ng
RT: 19.336 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:202 Resp: 279497

Ion	Ratio	Lower	Upper
202	100		
101	10.2	0.0	31.1
203	17.3	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.654 min Scan# 3182
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:240 Resp: 858165

Ion	Ratio	Lower	Upper
240	100		
120	10.6	8.9	13.3
236	25.2	19.8	29.8





#77
Benzidine
Concen: 4.231 ng
RT: 19.525 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:184 Resp: 123915

Ion	Ratio	Lower	Upper
184	100		
185	14.7	11.5	17.3
183	11.6	9.4	14.2





#78
Pyrene
Concen: 5.377 ng
RT: 19.713 min Scan# 2852
Delta R.T. 0.012 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:202 Resp: 299922

Ion	Ratio	Lower	Upper
202	100		
200	19.6	16.9	25.3
203	17.8	14.2	21.2





#79
Terphenyl-d14
Concen: 11.428 ng
RT: 19.925 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:244 Resp: 536049

Ion	Ratio	Lower	Upper
244	100		
212	7.3	5.8	8.6
122	9.5	7.4	11.2





#80
Butylbenzylphthalate
Concen: 4.997 ng
RT: 20.654 min Scan# 3012
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:149 Resp: 126321

Ion	Ratio	Lower	Upper
149	100		
91	68.0	54.2	81.2
206	21.1	16.6	24.8





#81
Benzo(a)anthracene
Concen: 5.245 ng
RT: 21.636 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:228 Resp: 296847

Ion	Ratio	Lower	Upper
228	100		
226	27.1	21.7	32.5
229	19.8	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 5.009 ng
RT: 21.548 min Scan# 3164
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:252 Resp: 106858

Ion	Ratio	Lower	Upper
252	100		
254	64.1	51.8	77.6
126	9.5	9.1	13.7





#83
Chrysene
Concen: 5.229 ng
RT: 21.701 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:228 Resp: 277175

Ion	Ratio	Lower	Upper
228	100		
226	29.5	23.2	34.8
229	20.0	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 5.228 ng
RT: 21.583 min Scan# 3170
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:149 Resp: 194541

Ion	Ratio	Lower	Upper
149	100		
167	26.3	22.1	33.1
279	3.8	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 4.898 ng
RT: 22.877 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:149 Resp: 313503

Ion	Ratio	Lower	Upper
149	100		
167	1.7	1.3	1.9
43	8.4	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.036 min Scan# 3757
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:264 Resp: 963881

Ion	Ratio	Lower	Upper
264	100		
260	22.5	19.3	28.9
265	22.3	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 4.956 ng
RT: 28.865 min Scan# 44
Delta R.T. 0.000 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:276 Resp: 350414

Ion	Ratio	Lower	Upper
276	100		
138	17.1	12.9	19.3
277	20.8	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 5.099 ng
RT: 23.960 min Scan# 3574
Delta R.T. 0.006 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:252 Resp: 289797

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.7	26.5
125	10.8	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 5.091 ng
RT: 24.042 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:252 Resp: 289556

Ion	Ratio	Lower	Upper
252	100		
253	22.5	17.1	25.7
125	10.5	7.8	11.6





#90
Benzo(a)pyrene
Concen: 4.960 ng
RT: 24.877 min Scan# 3730
Delta R.T. 0.024 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:252 Resp: 274440

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.5	26.3
125	12.4	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 4.924 ng
RT: 28.942 min Scan# 44
Delta R.T. -0.012 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Instrument :
BNA_P
ClientSampleId :
SSTDICC005

Tgt Ion:278 Resp: 284440

Ion	Ratio	Lower	Upper
278	100		
139	15.9	13.0	19.4
279	24.3	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 4.931 ng
RT: 30.036 min Scan# 4607
Delta R.T. -0.023 min
Lab File: BP025393.D
Acq: 14 Aug 2025 13:15

Tgt Ion:276 Resp: 279987

Ion	Ratio	Lower	Upper
276	100		
277	26.0	19.4	29.0
138	22.4	16.7	25.1



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025394.D
Acq On : 14 Aug 2025 13:56
Operator : CG/JU
Sample : SSTDICC010
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Quant Time: Aug 14 17:53:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	137852	20.000	ng		0.00
21) Naphthalene-d8	10.566	136	563995	20.000	ng		0.00
39) Acenaphthene-d10	14.407	164	383199	20.000	ng		0.00
64) Phenanthrene-d10	17.207	188	780940	20.000	ng		0.00
76) Chrysene-d12	21.648	240	860386	20.000	ng		0.00
86) Perylene-d12	25.036	264	980670	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	162289	19.551	ng		0.00
7) Phenol-d6	6.966	99	202204	19.000	ng		0.00
23) Nitrobenzene-d5	8.931	82	212236	19.036	ng		0.00
42) 2,4,6-Tribromophenol	15.919	330	99083	19.210	ng		0.00
45) 2-Fluorobiphenyl	13.019	172	568359	20.271	ng		0.00
79) Terphenyl-d14	19.924	244	946422	20.125	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	31948	9.826	ng		98
3) Pyridine	3.731	79	86156	9.681	ng		100
4) n-Nitrosodimethylamine	3.637	42	35519	9.681	ng	#	99
6) Aniline	7.125	93	135217	9.430	ng		99
8) 2-Chlorophenol	7.366	128	88413	9.439	ng		98
9) Benzaldehyde	6.943	77	68523	9.190	ng		96
10) Phenol	6.996	94	105394	9.438	ng		99
11) bis(2-Chloroethyl)ether	7.219	93	81541	9.368	ng		98
12) 1,3-Dichlorobenzene	7.684	146	98782	9.564	ng		98
13) 1,4-Dichlorobenzene	7.825	146	102729	9.731	ng		98
14) 1,2-Dichlorobenzene	8.143	146	98589	9.647	ng		98
15) Benzyl Alcohol	8.025	79	78411	9.273	ng		99
16) 2,2'-oxybis(1-Chloropr...	8.313	45	109744	9.412	ng		99
17) 2-Methylphenol	8.231	107	70991	9.153	ng		98
18) Hexachloroethane	8.866	117	37473	9.654	ng		98
19) n-Nitroso-di-n-propyla...	8.584	70	66105	9.366	ng		99
20) 3+4-Methylphenols	8.549	107	99382	9.244	ng		97
22) Acetophenone	8.602	105	137361	9.712	ng	#	98
24) Nitrobenzene	8.972	77	96502	9.685	ng		97
25) Isophorone	9.502	82	189510	9.604	ng		99
26) 2-Nitrophenol	9.678	139	45860	8.968	ng		96
27) 2,4-Dimethylphenol	9.737	122	85465	9.718	ng		98
28) bis(2-Chloroethoxy)met...	9.972	93	114635	9.611	ng		99
29) 2,4-Dichlorophenol	10.213	162	82676	9.464	ng		97
30) 1,2,4-Trichlorobenzene	10.431	180	92664	9.676	ng		94
31) Naphthalene	10.613	128	287754	9.816	ng		99
32) Benzoic acid	9.825	122	44404	6.856	ng		93
33) 4-Chloroaniline	10.713	127	122647	9.472	ng		98
34) Hexachlorobutadiene	10.901	225	57821	9.695	ng		97
35) Caprolactam	11.472	113	32038	10.001	ng		93
36) 4-Chloro-3-methylphenol	11.837	107	94538	9.431	ng		97
37) 2-Methylnaphthalene	12.219	142	184172	9.654	ng		100
38) 1-Methylnaphthalene	12.437	142	199160	9.817	ng		97
40) 1,2,4,5-Tetrachloroben...	12.590	216	107104	9.678	ng		99
41) Hexachlorocyclopentadiene	12.572	237	52588	7.867	ng		97
43) 2,4,6-Trichlorophenol	12.831	196	69780	9.339	ng		97

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025394.D
Acq On : 14 Aug 2025 13:56
Operator : CG/JU
Sample : SSTDICC010
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Quant Time: Aug 14 17:53:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	73744	9.006	ng		98
46) 1,1'-Biphenyl	13.237	154	271710	9.763	ng		98
47) 2-Chloronaphthalene	13.272	162	209419	9.666	ng		99
48) 2-Nitroaniline	13.466	65	58630	9.287	ng		97
49) Acenaphthylene	14.119	152	346021	9.652	ng		99
50) Dimethylphthalate	13.860	163	277701	9.896	ng		99
51) 2,6-Dinitrotoluene	13.972	165	54957	9.292	ng		96
52) Acenaphthene	14.472	154	218284	10.373	ng		98
53) 3-Nitroaniline	14.301	138	62991	9.466	ng		93
54) 2,4-Dinitrophenol	14.513	184	21748	6.886	ng		99
55) Dibenzofuran	14.807	168	327734	9.851	ng		100
56) 4-Nitrophenol	14.625	139	48103	8.797	ng		97
57) 2,4-Dinitrotoluene	14.766	165	77950	9.237	ng		100
58) Fluorene	15.472	166	266610	10.156	ng		96
59) 2,3,4,6-Tetrachlorophenol	15.042	232	68931	9.533	ng		99
60) Diethylphthalate	15.242	149	282526	9.909	ng		98
61) 4-Chlorophenyl-phenyle...	15.466	204	131137	10.044	ng		99
62) 4-Nitroaniline	15.478	138	64375	9.437	ng		99
63) Azobenzene	15.766	77	234879	9.620	ng		98
65) 4,6-Dinitro-2-methylph...	15.542	198	37380	7.679	ng		97
66) n-Nitrosodiphenylamine	15.684	169	235344	9.883	ng		100
67) 4-Bromophenyl-phenylether	16.384	248	80373	9.358	ng		98
68) Hexachlorobenzene	16.501	284	98614	9.905	ng		96
69) Atrazine	16.660	200	88240	9.894	ng		98
70) Pentachlorophenol	16.854	266	52539	8.360	ng		97
71) Phenanthrene	17.248	178	429752	10.018	ng		99
72) Anthracene	17.348	178	438953	10.020	ng		100
73) Carbazole	17.619	167	410726	9.954	ng		99
74) Di-n-butylphthalate	18.219	149	490232	9.656	ng		99
75) Fluoranthene	19.330	202	516523	10.094	ng		99
77) Benzidine	19.525	184	276193	9.406	ng		99
78) Pyrene	19.707	202	542670	9.704	ng		100
80) Butylbenzylphthalate	20.660	149	239416	9.446	ng		98
81) Benzo(a)anthracene	21.624	228	560279	9.874	ng		99
82) 3,3'-Dichlorobenzidine	21.554	252	207153	9.686	ng		99
83) Chrysene	21.701	228	522411	9.831	ng		99
84) Bis(2-ethylhexyl)phtha...	21.583	149	355530	9.529	ng		99
85) Di-n-octyl phthalate	22.877	149	594195	9.259	ng		99
87) Indeno(1,2,3-cd)pyrene	28.853	276	582808	8.101	ng	#	93
88) Benzo(b)fluoranthene	23.954	252	552191	9.549	ng		99
89) Benzo(k)fluoranthene	24.018	252	567080	9.800	ng		98
90) Benzo(a)pyrene	24.854	252	535820	9.519	ng		99
91) Dibenzo(a,h)anthracene	28.959	278	551694	9.387	ng		99
92) Benzo(g,h,i)perylene	30.047	276	548117	9.489	ng		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025394.D
Acq On : 14 Aug 2025 13:56
Operator : CG/JU
Sample : SSTDICC010
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Quant Time: Aug 14 17:53:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:152 Resp: 137852

Ion	Ratio	Lower	Upper
152	100		
150	158.6	125.9	188.9
115	61.1	48.5	72.7





#2
1,4-Dioxane
Concen: 9.826 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 88 Resp: 31948

Ion	Ratio	Lower	Upper
88	100		
58	74.0	59.2	88.8
43	30.8	21.7	32.5





#3
Pyridine
Concen: 9.681 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 79 Resp: 86156

Ion	Ratio	Lower	Upper
79	100		
52	69.4	55.5	83.3
51	35.8	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 9.681 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 42 Resp: 35519

Ion	Ratio	Lower	Upper
42	100		
74	133.3	107.0	160.4
44	11.4	6.2	9.4#





#5
2-Fluorophenol
Concen: 19.551 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:112 Resp: 162289

Ion	Ratio	Lower	Upper
112	100		
64	54.3	43.8	65.8
63	29.3	22.7	34.1





#6
Aniline
Concen: 9.430 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 93 Resp: 135217

Ion	Ratio	Lower	Upper
93	100		
66	38.4	30.4	45.6
65	18.5	15.3	22.9





#7
Phenol-d6
Concen: 19.000 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 99 Resp: 202204

Ion	Ratio	Lower	Upper
99	100		
42	18.3	13.7	20.5
71	34.2	28.2	42.4





#8
2-Chlorophenol
Concen: 9.439 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:128 Resp: 88413

Ion	Ratio	Lower	Upper
128	100		
130	32.8	12.6	52.6
64	40.8	23.4	63.4





#9
Benzaldehyde
Concen: 9.190 ng
RT: 6.943 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 77 Resp: 68523

Ion	Ratio	Lower	Upper
77	100		
105	109.4	84.8	124.8
106	103.0	80.5	120.5





#10
Phenol
Concen: 9.438 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 94 Resp: 105394

Ion	Ratio	Lower	Upper
94	100		
65	26.6	6.8	46.8
66	37.2	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 9.368 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 93 Resp: 81541

Ion	Ratio	Lower	Upper
93	100		
63	73.7	52.6	92.6
95	31.7	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 9.564 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:146 Resp: 98782

Ion	Ratio	Lower	Upper
146	100		
148	67.0	51.9	77.9
75	29.9	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 9.731 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:146 Resp: 102729

Ion	Ratio	Lower	Upper
146	100		
148	63.3	51.6	77.4
111	40.8	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 9.647 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:146 Resp: 98589

Ion	Ratio	Lower	Upper
146	100		
148	65.1	50.4	75.6
111	43.7	34.5	51.7





#15
Benzyl Alcohol
Concen: 9.273 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 79 Resp: 78411

Ion	Ratio	Lower	Upper
79	100		
108	78.4	63.8	95.6
77	61.0	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 9.412 ng
RT: 8.313 min Scan# 914
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 45 Resp: 109744

Ion	Ratio	Lower	Upper
45	100		
77	15.9	0.0	35.3
79	11.6	0.0	31.8





#17
2-Methylphenol
Concen: 9.153 ng
RT: 8.231 min Scan# 9(
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:107 Resp: 70991

Ion	Ratio	Lower	Upper
107	100		
108	108.4	89.4	134.0
77	45.5	36.3	54.5
79	45.3	36.6	54.8





#18
Hexachloroethane
Concen: 9.654 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:117 Resp: 37473

Ion	Ratio	Lower	Upper
117	100		
119	94.8	75.1	112.7
201	103.5	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 9.366 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 70 Resp: 66105

Ion	Ratio	Lower	Upper
70	100		
42	54.2	43.8	65.6
101	11.1	8.5	12.7
130	24.9	19.4	29.0





#20
3+4-Methylphenols
Concen: 9.244 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:107 Resp: 99382

Ion	Ratio	Lower	Upper
107	100		
108	88.8	66.3	106.3
77	31.3	12.3	52.3
79	25.3	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.566 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:136 Resp: 563995

Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.2	13.8
54	7.3	6.0	9.0
68	5.4	4.3	6.5





#22
Acetophenone
Concen: 9.712 ng
RT: 8.602 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:105 Resp: 137361

Ion	Ratio	Lower	Upper
105	100		
71	2.3	2.6	4.0#
51	23.7	20.6	30.8
120	23.1	18.6	27.8





#23
Nitrobenzene-d5
Concen: 19.036 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 82 Resp: 212236

Ion	Ratio	Lower	Upper
82	100		
128	46.6	37.7	56.5
54	51.2	39.8	59.6





#24
Nitrobenzene
Concen: 9.685 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 77 Resp: 96502

Ion	Ratio	Lower	Upper
77	100		
123	50.8	38.6	58.0
65	13.6	10.6	15.8





#25
Isophorone
Concen: 9.604 ng
RT: 9.502 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 82 Resp: 189510

Ion	Ratio	Lower	Upper
82	100		
95	7.0	6.4	9.6
138	18.8	15.4	23.0





#26
2-Nitrophenol
Concen: 8.968 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:139 Resp: 45860

Ion	Ratio	Lower	Upper
139	100		
109	30.9	26.9	40.3
65	45.6	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 9.718 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:122 Resp: 85465

Ion	Ratio	Lower	Upper
122	100		
107	114.2	93.7	140.5
121	57.8	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 9.611 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 93 Resp: 114635

Ion	Ratio	Lower	Upper
93	100		
95	31.5	25.4	38.0
123	12.5	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 9.464 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:162 Resp: 82676

Ion	Ratio	Lower	Upper
162	100		
164	61.6	44.4	84.4
98	33.8	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 9.676 ng
RT: 10.431 min Scan# 1274
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:180 Resp: 92664

Ion	Ratio	Lower	Upper
180	100		
182	90.7	78.0	117.0
145	30.1	25.9	38.9





#31
Naphthalene
Concen: 9.816 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:128 Resp: 287754

Ion	Ratio	Lower	Upper
128	100		
129	10.7	8.6	13.0
127	14.0	10.7	16.1





#32
Benzoic acid
Concen: 6.856 ng
RT: 9.825 min Scan# 1171
Delta R.T. -0.047 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:122 Resp: 44404

Ion	Ratio	Lower	Upper
122	100		
105	130.4	100.6	140.6
77	88.0	71.5	111.5





#33
4-Chloroaniline
Concen: 9.472 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:127 Resp: 122647

Ion	Ratio	Lower	Upper
127	100		
129	33.5	25.4	38.2
65	29.7	23.8	35.6
92	18.8	15.8	23.8





#34
Hexachlorobutadiene
Concen: 9.695 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:225 Resp: 57821

Ion	Ratio	Lower	Upper
225	100		
223	60.5	50.0	75.0
227	65.1	49.7	74.5





#35
Caprolactam
Concen: 10.001 ng
RT: 11.472 min Scan# 14
Delta R.T. -0.023 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:113 Resp: 32038

Ion	Ratio	Lower	Upper
113	100		
55	172.3	140.0	180.0
56	124.4	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 9.431 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:107 Resp: 94538

Ion	Ratio	Lower	Upper
107	100		
144	27.6	21.0	31.4
142	78.6	64.6	97.0





#37
2-Methylnaphthalene
Concen: 9.654 ng
RT: 12.219 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:142 Resp: 184172

Ion	Ratio	Lower	Upper
142	100		
141	87.5	70.3	105.5
115	35.7	28.9	43.3





#38
1-Methylnaphthalene
Concen: 9.817 ng
RT: 12.437 min Scan# 1615
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:142 Resp: 199160

Ion	Ratio	Lower	Upper
142	100		
141	88.6	73.1	109.7
116	4.0	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:164 Resp: 383199

Ion	Ratio	Lower	Upper
164	100		
162	99.7	81.0	121.6
160	44.2	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 9.678 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:216 Resp: 107104

Ion	Ratio	Lower	Upper
216	100		
214	77.8	63.0	94.4
179	22.0	17.1	25.7
108	18.7	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 7.867 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:237 Resp: 52588

Ion	Ratio	Lower	Upper
237	100		
235	61.1	42.7	82.7
272	12.0	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 19.210 ng
RT: 15.919 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:330 Resp: 99083

Ion	Ratio	Lower	Upper
330	100		
332	95.4	77.3	115.9
141	33.1	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 9.339 ng
RT: 12.831 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:196 Resp: 69780

Ion	Ratio	Lower	Upper
196	100		
198	99.9	77.2	115.8
200	31.3	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 9.006 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:196 Resp: 73744

Ion	Ratio	Lower	Upper
196	100		
198	95.7	76.2	114.2
97	48.2	41.2	61.8
132	27.6	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 20.271 ng
RT: 13.019 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:172 Resp: 568359

Ion	Ratio	Lower	Upper
172	100		
171	35.5	28.1	42.1
170	22.9	18.6	28.0





#46
1,1'-Biphenyl
Concen: 9.763 ng
RT: 13.237 min Scan# 1751
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:154 Resp: 271710

Ion	Ratio	Lower	Upper
154	100		
153	41.0	19.5	59.5
76	11.2	0.0	31.1





#47
2-Chloronaphthalene
Concen: 9.666 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:162 Resp: 209419

Ion	Ratio	Lower	Upper
162	100		
127	40.9	33.4	50.2
164	32.0	26.2	39.2





#48
2-Nitroaniline
Concen: 9.287 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion: 65 Resp: 58630

Ion	Ratio	Lower	Upper
65	100		
92	70.3	57.6	86.4
138	109.3	91.0	136.6





#49
Acenaphthylene
Concen: 9.652 ng
RT: 14.119 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:152 Resp: 346021

Ion	Ratio	Lower	Upper
152	100		
151	19.6	16.0	24.0
153	13.6	10.6	15.8





#50
Dimethylphthalate
Concen: 9.896 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:163 Resp: 277701

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.2	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 9.292 ng
RT: 13.972 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:165 Resp: 54957

Ion	Ratio	Lower	Upper
165	100		
63	52.3	40.9	61.3
89	56.9	42.1	63.1





#52
Acenaphthene
Concen: 10.373 ng
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:154 Resp: 218284

Ion	Ratio	Lower	Upper
154	100		
153	114.8	90.2	135.2
152	53.6	42.1	63.1





#53
3-Nitroaniline
Concen: 9.466 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:138 Resp: 62991

Ion	Ratio	Lower	Upper
138	100		
108	12.1	8.3	12.5
92	114.9	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 6.886 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:184 Resp: 21748

Ion	Ratio	Lower	Upper
184	100		
63	60.8	49.4	74.2
154	69.1	54.6	82.0





#55
Dibenzofuran
Concen: 9.851 ng
RT: 14.807 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:168 Resp: 327734

Ion	Ratio	Lower	Upper
168	100		
139	39.3	31.5	47.3
169	13.4	10.9	16.3





#56
4-Nitrophenol
Concen: 8.797 ng
RT: 14.625 min Scan# 1987
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:139 Resp: 48103

Ion	Ratio	Lower	Upper
139	100		
109	73.8	56.6	96.6
65	90.2	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 9.237 ng
RT: 14.766 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:165 Resp: 77950

Ion	Ratio	Lower	Upper
165	100		
63	38.9	31.4	47.2
89	66.9	53.3	79.9
182	2.8	2.3	3.5





#58
Fluorene
Concen: 10.156 ng
RT: 15.472 min Scan# 2131
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:166 Resp: 266610

Ion	Ratio	Lower	Upper
166	100		
165	94.6	78.8	118.2
167	12.7	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 9.533 ng
RT: 15.042 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:232 Resp: 68931

Ion	Ratio	Lower	Upper
232	100		
131	45.2	37.0	55.6
130	2.5	1.9	2.9
166	31.1	25.4	38.0





#60
Diethylphthalate
Concen: 9.909 ng
RT: 15.242 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:149 Resp: 282526

Ion	Ratio	Lower	Upper
149	100		
177	22.7	17.3	25.9
150	12.8	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 10.044 ng
RT: 15.466 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:204 Resp: 131137

Ion	Ratio	Lower	Upper
204	100		
206	33.6	25.8	38.8
141	62.5	49.4	74.2





#62
4-Nitroaniline
Concen: 9.437 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:138 Resp: 64375

Ion	Ratio	Lower	Upper
138	100		
92	49.1	29.1	69.1
108	82.8	61.5	101.5





#63
Azobenzene
Concen: 9.620 ng
RT: 15.766 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion: 77 Resp: 234879

Ion	Ratio	Lower	Upper
77	100		
182	28.3	7.5	47.5
105	21.7	2.1	42.1
51	30.6	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 2426
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:188 Resp: 780940

Ion	Ratio	Lower	Upper
188	100		
94	8.7	6.6	10.0
80	9.1	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 7.679 ng
RT: 15.542 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:198 Resp: 37380

Ion	Ratio	Lower	Upper
198	100		
51	42.0	19.6	59.6
105	39.4	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 9.883 ng
RT: 15.684 min Scan# 2167
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:169 Resp: 235344

Ion	Ratio	Lower	Upper
169	100		
168	66.7	53.2	79.8
167	35.5	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 9.358 ng
RT: 16.384 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:248 Resp: 80373

Ion	Ratio	Lower	Upper
248	100		
250	95.9	78.2	117.2
141	72.1	59.6	89.4





#68
Hexachlorobenzene
Concen: 9.905 ng
RT: 16.501 min Scan# 2306
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:284 Resp: 98614

Ion	Ratio	Lower	Upper
284	100		
142	32.1	29.1	43.7
249	30.8	25.0	37.4





#69
Atrazine
Concen: 9.894 ng
RT: 16.660 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:200 Resp: 88240

Ion	Ratio	Lower	Upper
200	100		
173	26.2	6.7	46.7
215	51.3	29.7	69.7





#70
Pentachlorophenol
Concen: 8.360 ng
RT: 16.854 min Scan# 2366
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:266 Resp: 52539

Ion	Ratio	Lower	Upper
266	100		
268	65.4	52.6	79.0
264	69.5	52.0	78.0





#71
Phenanthrene
Concen: 10.018 ng
RT: 17.248 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:178 Resp: 429752

Ion	Ratio	Lower	Upper
178	100		
176	18.4	15.5	23.3
179	15.1	12.2	18.4





#72
Anthracene
Concen: 10.020 ng
RT: 17.348 min Scan# 2450
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:178 Resp: 438953

Ion	Ratio	Lower	Upper
178	100		
176	18.3	14.7	22.1
179	15.1	12.2	18.2





#73
Carbazole
Concen: 9.954 ng
RT: 17.619 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:167 Resp: 410726

Ion	Ratio	Lower	Upper
167	100		
166	22.5	17.5	26.3
139	13.6	10.6	16.0





#74
Di-n-butylphthalate
Concen: 9.656 ng
RT: 18.219 min Scan# 2598
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:149 Resp: 490232

Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.4	11.0
104	4.7	4.2	6.2





#75
Fluoranthene
Concen: 10.094 ng
RT: 19.330 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:202 Resp: 516523

Ion	Ratio	Lower	Upper
202	100		
101	10.6	0.0	31.1
203	17.2	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:240 Resp: 860386

Ion	Ratio	Lower	Upper
240	100		
120	11.1	8.9	13.3
236	25.5	19.8	29.8





#77
Benzidine
Concen: 9.406 ng
RT: 19.525 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:184 Resp: 276193

Ion	Ratio	Lower	Upper
184	100		
185	13.8	11.5	17.3
183	12.1	9.4	14.2





#78
Pyrene
Concen: 9.704 ng
RT: 19.707 min Scan# 2851
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:202 Resp: 542670

Ion	Ratio	Lower	Upper
202	100		
200	21.2	16.9	25.3
203	17.5	14.2	21.2





#79
Terphenyl-d14
Concen: 20.125 ng
RT: 19.924 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:244 Resp: 946422

Ion	Ratio	Lower	Upper
244	100		
212	7.4	5.8	8.6
122	10.9	7.4	11.2





#80
Butylbenzylphthalate
Concen: 9.446 ng
RT: 20.660 min Scan# 3013
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:149 Resp: 239416

Ion	Ratio	Lower	Upper
149	100		
91	65.5	54.2	81.2
206	21.1	16.6	24.8





#81
Benzo(a)anthracene
Concen: 9.874 ng
RT: 21.624 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:228 Resp: 560279

Ion	Ratio	Lower	Upper
228	100		
226	26.3	21.7	32.5
229	19.8	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 9.686 ng
RT: 21.554 min Scan# 3165
Delta R.T. 0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:252 Resp: 207153

Ion	Ratio	Lower	Upper
252	100		
254	65.6	51.8	77.6
126	11.7	9.1	13.7





#83
Chrysene
Concen: 9.831 ng
RT: 21.701 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:228 Resp: 522411

Ion	Ratio	Lower	Upper
228	100		
226	29.6	23.2	34.8
229	19.5	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 9.529 ng
RT: 21.583 min Scan# 3170
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:149 Resp: 355530

Ion	Ratio	Lower	Upper
149	100		
167	27.9	22.1	33.1
279	4.9	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 9.259 ng
RT: 22.877 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:149 Resp: 594195

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.3	1.9
43	8.4	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.036 min Scan# 3757
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:264 Resp: 980670

Ion	Ratio	Lower	Upper
264	100		
260	23.0	19.3	28.9
265	22.3	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 8.101 ng
RT: 28.853 min Scan# 44
Delta R.T. -0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:276 Resp: 582808

Ion	Ratio	Lower	Upper
276	100		
138	19.4	12.9	19.3#
277	24.6	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 9.549 ng
RT: 23.954 min Scan# 3573
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:252 Resp: 552191

Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.7	26.5
125	10.0	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 9.800 ng
RT: 24.018 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:252 Resp: 567080

Ion	Ratio	Lower	Upper
252	100		
253	22.6	17.1	25.7
125	10.0	7.8	11.6





#90
Benzo(a)pyrene
Concen: 9.519 ng
RT: 24.854 min Scan# 3726
Delta R.T. 0.000 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:252 Resp: 535820

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	11.8	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 9.387 ng
RT: 28.959 min Scan# 44
Delta R.T. 0.006 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Instrument :
BNA_P
ClientSampleId :
SSTDICC010

Tgt Ion:278 Resp: 551694

Ion	Ratio	Lower	Upper
278	100		
139	15.0	13.0	19.4
279	24.2	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 9.489 ng
RT: 30.047 min Scan# 4609
Delta R.T. -0.012 min
Lab File: BP025394.D
Acq: 14 Aug 2025 13:56

Tgt Ion:276 Resp: 548117

Ion	Ratio	Lower	Upper
276	100		
277	25.1	19.4	29.0
138	20.4	16.7	25.1



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025395.D
Acq On : 14 Aug 2025 14:38
Operator : CG/JU
Sample : SSTDICC020
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Quant Time: Aug 14 17:54:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	141721	20.000	ng		0.00
21) Naphthalene-d8	10.560	136	603797	20.000	ng		0.00
39) Acenaphthene-d10	14.413	164	399034	20.000	ng		0.00
64) Phenanthrene-d10	17.213	188	785736	20.000	ng		0.01
76) Chrysene-d12	21.654	240	852065	20.000	ng		0.00
86) Perylene-d12	25.036	264	958651	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	338568	39.674	ng		0.00
7) Phenol-d6	6.966	99	434388	39.702	ng		0.00
23) Nitrobenzene-d5	8.931	82	473937	39.706	ng		0.00
42) 2,4,6-Tribromophenol	15.925	330	212968	39.651	ng		0.01
45) 2-Fluorobiphenyl	13.025	172	1203064	41.205	ng		0.00
79) Terphenyl-d14	19.930	244	1869951	40.152	ng		0.01
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	67276	20.126	ng		99
3) Pyridine	3.731	79	177948	19.450	ng		98
4) n-Nitrosodimethylamine	3.637	42	72627	19.255	ng	#	96
6) Aniline	7.125	93	287645	19.513	ng		99
8) 2-Chlorophenol	7.366	128	190858	19.819	ng		99
9) Benzaldehyde	6.937	77	135464	17.672	ng		99
10) Phenol	6.990	94	228580	19.910	ng		98
11) bis(2-Chloroethyl)ether	7.219	93	180390	20.159	ng		98
12) 1,3-Dichlorobenzene	7.684	146	213023	20.061	ng		99
13) 1,4-Dichlorobenzene	7.825	146	216400	19.938	ng		99
14) 1,2-Dichlorobenzene	8.143	146	211243	20.106	ng		99
15) Benzyl Alcohol	8.019	79	170736	19.640	ng		98
16) 2,2'-oxybis(1-Chloropr...	8.307	45	242616	20.240	ng		99
17) 2-Methylphenol	8.225	107	159119	19.956	ng		98
18) Hexachloroethane	8.866	117	78205	19.597	ng		94
19) n-Nitroso-di-n-propyla...	8.584	70	149715	20.633	ng		97
20) 3+4-Methylphenols	8.543	107	217240	19.655	ng		98
22) Acetophenone	8.596	105	305812	20.196	ng		99
24) Nitrobenzene	8.972	77	210234	19.708	ng		100
25) Isophorone	9.496	82	422370	19.995	ng		99
26) 2-Nitrophenol	9.678	139	106805	19.509	ng		98
27) 2,4-Dimethylphenol	9.743	122	178534	18.963	ng		99
28) bis(2-Chloroethoxy)met...	9.972	93	256656	20.100	ng		99
29) 2,4-Dichlorophenol	10.207	162	186076	19.896	ng		99
30) 1,2,4-Trichlorobenzene	10.425	180	201995	19.702	ng		98
31) Naphthalene	10.613	128	625899	19.944	ng		99
32) Benzoic acid	9.843	122	112932	16.287	ng		97
33) 4-Chloroaniline	10.713	127	270158	19.489	ng		99
34) Hexachlorobutadiene	10.901	225	127593	19.983	ng		99
35) Caprolactam	11.484	113	66168	19.294	ng		95
36) 4-Chloro-3-methylphenol	11.837	107	209817	19.551	ng		97
37) 2-Methylnaphthalene	12.219	142	409613	20.057	ng		99
38) 1-Methylnaphthalene	12.443	142	430666	19.829	ng		100
40) 1,2,4,5-Tetrachloroben...	12.590	216	233523	20.263	ng		99
41) Hexachlorocyclopentadiene	12.572	237	124759	17.922	ng		98
43) 2,4,6-Trichlorophenol	12.831	196	152031	19.540	ng		99

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025395.D
Acq On : 14 Aug 2025 14:38
Operator : CG/JU
Sample : SSTDICC020
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Quant Time: Aug 14 17:54:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	169197	19.842	ng	98
46) 1,1'-Biphenyl	13.237	154	581464	20.064	ng	100
47) 2-Chloronaphthalene	13.272	162	456552	20.237	ng	98
48) 2-Nitroaniline	13.478	65	126433	19.233	ng	99
49) Acenaphthylene	14.137	152	737527	19.756	ng	99
50) Dimethylphthalate	13.866	163	573661	19.632	ng	100
51) 2,6-Dinitrotoluene	13.966	165	120693	19.597	ng	96
52) Acenaphthene	14.484	154	469441	21.423	ng	99
53) 3-Nitroaniline	14.301	138	134502	19.410	ng	97
54) 2,4-Dinitrophenol	14.519	184	55713	16.939	ng	98
55) Dibenzofuran	14.819	168	692966	20.002	ng	99
56) 4-Nitrophenol	14.619	139	105787	18.578	ng	98
57) 2,4-Dinitrotoluene	14.772	165	172020	19.576	ng	96
58) Fluorene	15.478	166	554647	20.289	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.048	232	145926	19.381	ng	99
60) Diethylphthalate	15.248	149	584590	19.689	ng	99
61) 4-Chlorophenyl-phenyle...	15.472	204	270949	19.929	ng	98
62) 4-Nitroaniline	15.478	138	139202	19.595	ng	100
63) Azobenzene	15.766	77	508563	20.004	ng	100
65) 4,6-Dinitro-2-methylph...	15.548	198	88992	18.169	ng	97
66) n-Nitrosodiphenylamine	15.684	169	477080	19.911	ng	99
67) 4-Bromophenyl-phenylether	16.389	248	170738	19.758	ng	97
68) Hexachlorobenzene	16.495	284	199410	19.906	ng	99
69) Atrazine	16.666	200	179513	20.006	ng	99
70) Pentachlorophenol	16.848	266	120958	19.128	ng	99
71) Phenanthrene	17.254	178	872890	20.223	ng	99
72) Anthracene	17.342	178	890292	20.198	ng	100
73) Carbazole	17.625	167	843970	20.328	ng	99
74) Di-n-butylphthalate	18.219	149	1046709	20.491	ng	100
75) Fluoranthene	19.342	202	1058912	20.567	ng	99
77) Benzidine	19.525	184	546647	18.799	ng	99
78) Pyrene	19.713	202	1096965	19.807	ng	99
80) Butylbenzylphthalate	20.666	149	504019	20.081	ng	97
81) Benzo(a)anthracene	21.630	228	1118590	19.906	ng	100
82) 3,3'-Dichlorobenzidine	21.548	252	432075	20.399	ng	100
83) Chrysene	21.707	228	1063898	20.216	ng	99
84) Bis(2-ethylhexyl)phtha...	21.577	149	744704	20.155	ng	99
85) Di-n-octyl phthalate	22.871	149	1276798	20.091	ng	100
87) Indeno(1,2,3-cd)pyrene	28.865	276	1166289	16.584	ng	94
88) Benzo(b)fluoranthene	23.948	252	1122408	19.855	ng	100
89) Benzo(k)fluoranthene	24.018	252	1150366	20.336	ng	100
90) Benzo(a)pyrene	24.854	252	1102804	20.041	ng	100
91) Dibenzo(a,h)anthracene	28.965	278	1130209	19.672	ng	98
92) Benzo(g,h,i)perylene	30.053	276	1120307	19.840	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025395.D
Acq On : 14 Aug 2025 14:38
Operator : CG/JU
Sample : SSTDICC020
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Quant Time: Aug 14 17:54:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:152 Resp: 141721

Ion	Ratio	Lower	Upper
152	100		
150	153.0	125.9	188.9
115	60.0	48.5	72.7





#2
1,4-Dioxane
Concen: 20.126 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 88 Resp: 67276

Ion	Ratio	Lower	Upper
88	100		
58	73.2	59.2	88.8
43	27.9	21.7	32.5





#3
Pyridine
Concen: 19.450 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 79 Resp: 177948

Ion	Ratio	Lower	Upper
79	100		
52	71.9	55.5	83.3
51	36.1	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 19.255 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 42 Resp: 72627

Ion	Ratio	Lower	Upper
42	100		
74	138.9	107.0	160.4
44	9.5	6.2	9.4#





#5
2-Fluorophenol
Concen: 39.674 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:112 Resp: 338568

Ion	Ratio	Lower	Upper
112	100		
64	53.6	43.8	65.8
63	29.1	22.7	34.1





#6
Aniline
Concen: 19.513 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 93 Resp: 287645

Ion	Ratio	Lower	Upper
93	100		
66	38.6	30.4	45.6
65	19.4	15.3	22.9





#7
Phenol-d6
Concen: 39.702 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 99 Resp: 434388

Ion	Ratio	Lower	Upper
99	100		
42	16.7	13.7	20.5
71	33.7	28.2	42.4





#8
2-Chlorophenol
Concen: 19.819 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:128 Resp: 190858

Ion	Ratio	Lower	Upper
128	100		
130	31.9	12.6	52.6
64	44.0	23.4	63.4





#9
Benzaldehyde
Concen: 17.672 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 77 Resp: 135464

Ion	Ratio	Lower	Upper
77	100		
105	102.7	84.8	124.8
106	100.6	80.5	120.5





#10
Phenol
Concen: 19.910 ng
RT: 6.990 min Scan# 689
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 94 Resp: 228580

Ion	Ratio	Lower	Upper
94	100		
65	28.1	6.8	46.8
66	37.7	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 20.159 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 93 Resp: 180390

Ion	Ratio	Lower	Upper
93	100		
63	71.2	52.6	92.6
95	31.6	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 20.061 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:146 Resp: 213023

Ion	Ratio	Lower	Upper
146	100		
148	64.4	51.9	77.9
75	28.9	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 19.938 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:146 Resp: 216400

Ion	Ratio	Lower	Upper
146	100		
148	66.2	51.6	77.4
111	41.6	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 20.106 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:146 Resp: 211243

Ion	Ratio	Lower	Upper
146	100		
148	64.0	50.4	75.6
111	42.4	34.5	51.7





#15
Benzyl Alcohol
Concen: 19.640 ng
RT: 8.019 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 79 Resp: 170736

Ion	Ratio	Lower	Upper
79	100		
108	77.1	63.8	95.6
77	60.3	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 20.240 ng
RT: 8.307 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 45 Resp: 242616

Ion	Ratio	Lower	Upper
45	100		
77	14.7	0.0	35.3
79	12.2	0.0	31.8





#17
2-Methylphenol
Concen: 19.956 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:107 Resp: 159119

Ion	Ratio	Lower	Upper
107	100		
108	109.2	89.4	134.0
77	43.2	36.3	54.5
79	45.6	36.6	54.8





#18
Hexachloroethane
Concen: 19.597 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:117 Resp: 78205

Ion	Ratio	Lower	Upper
117	100		
119	98.8	75.1	112.7
201	107.5	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 20.633 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 70 Resp: 149715

Ion	Ratio	Lower	Upper
70	100		
42	52.0	43.8	65.6
101	11.3	8.5	12.7
130	23.8	19.4	29.0





#20
3+4-Methylphenols
Concen: 19.655 ng
RT: 8.543 min Scan# 953
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:107 Resp: 217240

Ion	Ratio	Lower	Upper
107	100		
108	89.1	66.3	106.3
77	31.8	12.3	52.3
79	26.9	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:136 Resp: 603797

Ion	Ratio	Lower	Upper
136	100		
137	11.6	9.2	13.8
54	7.7	6.0	9.0
68	5.3	4.3	6.5





#22
Acetophenone
Concen: 20.196 ng
RT: 8.596 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:105 Resp: 305812

Ion	Ratio	Lower	Upper
105	100		
71	2.8	2.6	4.0
51	25.0	20.6	30.8
120	22.8	18.6	27.8





#23
Nitrobenzene-d5
Concen: 39.706 ng
RT: 8.931 min Scan# 1(
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 82 Resp: 473937

Ion	Ratio	Lower	Upper
82	100		
128	46.3	37.7	56.5
54	50.8	39.8	59.6





#24
Nitrobenzene
Concen: 19.708 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 77 Resp: 210234

Ion	Ratio	Lower	Upper
77	100		
123	48.3	38.6	58.0
65	13.3	10.6	15.8





#25
Isophorone
Concen: 19.995 ng
RT: 9.496 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 82 Resp: 422370

Ion	Ratio	Lower	Upper
82	100		
95	7.6	6.4	9.6
138	18.9	15.4	23.0





#26
2-Nitrophenol
Concen: 19.509 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:139 Resp: 106805

Ion	Ratio	Lower	Upper
139	100		
109	31.5	26.9	40.3
65	46.9	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 18.963 ng
RT: 9.743 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:122 Resp: 178534

Ion	Ratio	Lower	Upper
122	100		
107	116.5	93.7	140.5
121	58.8	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 20.100 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 93 Resp: 256656

Ion	Ratio	Lower	Upper
93	100		
95	32.5	25.4	38.0
123	11.9	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 19.896 ng
RT: 10.207 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:162 Resp: 186076

Ion	Ratio	Lower	Upper
162	100		
164	64.9	44.4	84.4
98	35.7	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 19.702 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:180 Resp: 201995

Ion	Ratio	Lower	Upper
180	100		
182	95.6	78.0	117.0
145	30.7	25.9	38.9





#31
Naphthalene
Concen: 19.944 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:128 Resp: 625899

Ion	Ratio	Lower	Upper
128	100		
129	11.0	8.6	13.0
127	13.7	10.7	16.1





#32
Benzoic acid
Concen: 16.287 ng
RT: 9.843 min Scan# 1174
Delta R.T. -0.029 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:122 Resp: 112932

Ion	Ratio	Lower	Upper
122	100		
105	122.9	100.6	140.6
77	88.5	71.5	111.5





#33
4-Chloroaniline
Concen: 19.489 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:127 Resp: 270158

Ion	Ratio	Lower	Upper
127	100		
129	32.5	25.4	38.2
65	29.4	23.8	35.6
92	19.5	15.8	23.8





#34
Hexachlorobutadiene
Concen: 19.983 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:225 Resp: 127593

Ion	Ratio	Lower	Upper
225	100		
223	64.0	50.0	75.0
227	62.5	49.7	74.5





#35
Caprolactam
Concen: 19.294 ng
RT: 11.484 min Scan# 14
Delta R.T. -0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:113 Resp: 66168

Ion	Ratio	Lower	Upper
113	100		
55	151.5	140.0	180.0
56	117.4	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 19.551 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:107 Resp: 209817

Ion	Ratio	Lower	Upper
107	100		
144	25.5	21.0	31.4
142	77.1	64.6	97.0





#37
2-Methylnaphthalene
Concen: 20.057 ng
RT: 12.219 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:142 Resp: 409613

Ion	Ratio	Lower	Upper
142	100		
141	88.7	70.3	105.5
115	35.0	28.9	43.3





#38
1-Methylnaphthalene
Concen: 19.829 ng
RT: 12.443 min Scan# 1616
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:142 Resp: 430666

Ion	Ratio	Lower	Upper
142	100		
141	91.1	73.1	109.7
116	3.9	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.413 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:164 Resp: 399034

Ion	Ratio	Lower	Upper
164	100		
162	101.6	81.0	121.6
160	44.6	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 20.263 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:216 Resp: 233523

Ion	Ratio	Lower	Upper
216	100		
214	78.0	63.0	94.4
179	21.6	17.1	25.7
108	18.5	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 17.922 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:237 Resp: 124759

Ion	Ratio	Lower	Upper
237	100		
235	64.0	42.7	82.7
272	13.1	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 39.651 ng
RT: 15.925 min Scan# 2208
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:330 Resp: 212968

Ion	Ratio	Lower	Upper
330	100		
332	97.8	77.3	115.9
141	32.8	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 19.540 ng
RT: 12.831 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:196 Resp: 152031

Ion	Ratio	Lower	Upper
196	100		
198	96.3	77.2	115.8
200	31.8	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 19.842 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:196 Resp: 169197

Ion	Ratio	Lower	Upper
196	100		
198	96.2	76.2	114.2
97	48.1	41.2	61.8
132	28.5	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 41.205 ng
RT: 13.025 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:172 Resp: 1203064

Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.1	42.1
170	22.7	18.6	28.0





#46
1,1'-Biphenyl
Concen: 20.064 ng
RT: 13.237 min Scan# 1751
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:154 Resp: 581464

Ion	Ratio	Lower	Upper
154	100		
153	39.5	19.5	59.5
76	11.5	0.0	31.1





#47
2-Chloronaphthalene
Concen: 20.237 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:162 Resp: 456552

Ion	Ratio	Lower	Upper
162	100		
127	40.9	33.4	50.2
164	31.2	26.2	39.2





#48
2-Nitroaniline
Concen: 19.233 ng
RT: 13.478 min Scan# 1792
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion: 65 Resp: 126433

Ion	Ratio	Lower	Upper
65	100		
92	72.0	57.6	86.4
138	115.1	91.0	136.6





#49
Acenaphthylene
Concen: 19.756 ng
RT: 14.137 min Scan# 1
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:152 Resp: 737527

Ion	Ratio	Lower	Upper
152	100		
151	19.8	16.0	24.0
153	12.8	10.6	15.8





#50
Dimethylphthalate
Concen: 19.632 ng
RT: 13.866 min Scan# 1858
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:163 Resp: 573661

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	10.1	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 19.597 ng
RT: 13.966 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:165 Resp: 120693

Ion	Ratio	Lower	Upper
165	100		
63	52.9	40.9	61.3
89	55.7	42.1	63.1





#52
Acenaphthene
Concen: 21.423 ng
RT: 14.484 min Scan# 1963
Delta R.T. 0.018 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:154 Resp: 469441

Ion	Ratio	Lower	Upper
154	100		
153	111.2	90.2	135.2
152	52.7	42.1	63.1





#53
3-Nitroaniline
Concen: 19.410 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:138 Resp: 134502

Ion	Ratio	Lower	Upper
138	100		
108	11.3	8.3	12.5
92	111.4	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 16.939 ng
RT: 14.519 min Scan# 1969
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:184 Resp: 55713

Ion	Ratio	Lower	Upper
184	100		
63	60.4	49.4	74.2
154	70.4	54.6	82.0





#55
Dibenzofuran
Concen: 20.002 ng
RT: 14.819 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:168 Resp: 692966

Ion	Ratio	Lower	Upper
168	100		
139	38.6	31.5	47.3
169	13.1	10.9	16.3





#56
4-Nitrophenol
Concen: 18.578 ng
RT: 14.619 min Scan# 1986
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:139 Resp: 105787

Ion	Ratio	Lower	Upper
139	100		
109	75.0	56.6	96.6
65	89.8	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 19.576 ng
RT: 14.772 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:165 Resp: 172020

Ion	Ratio	Lower	Upper
165	100		
63	37.8	31.4	47.2
89	62.8	53.3	79.9
182	2.8	2.3	3.5





#58
Fluorene
Concen: 20.289 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:166 Resp: 554647

Ion	Ratio	Lower	Upper
166	100		
165	98.8	78.8	118.2
167	13.3	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 19.381 ng
RT: 15.048 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:232 Resp: 145926

Ion	Ratio	Lower	Upper
232	100		
131	45.5	37.0	55.6
130	2.7	1.9	2.9
166	31.3	25.4	38.0





#60
Diethylphthalate
Concen: 19.689 ng
RT: 15.248 min Scan# 2093
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:149 Resp: 584590

Ion	Ratio	Lower	Upper
149	100		
177	21.1	17.3	25.9
150	12.4	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 19.929 ng
RT: 15.472 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:204 Resp: 270949

Ion	Ratio	Lower	Upper
204	100		
206	33.6	25.8	38.8
141	60.5	49.4	74.2





#62
4-Nitroaniline
Concen: 19.595 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:138 Resp: 139202

Ion	Ratio	Lower	Upper
138	100		
92	48.4	29.1	69.1
108	81.6	61.5	101.5





#63
Azobenzene
Concen: 20.004 ng
RT: 15.766 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion: 77 Resp: 508563

Ion	Ratio	Lower	Upper
77	100		
182	27.7	7.5	47.5
105	21.9	2.1	42.1
51	29.4	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.213 min Scan# 2427
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:188 Resp: 785736

Ion	Ratio	Lower	Upper
188	100		
94	9.1	6.6	10.0
80	9.9	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 18.169 ng
RT: 15.548 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:198 Resp: 88992

Ion	Ratio	Lower	Upper
198	100		
51	42.6	19.6	59.6
105	42.2	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 19.911 ng
RT: 15.684 min Scan# 2167
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:169 Resp: 477080

Ion	Ratio	Lower	Upper
169	100		
168	67.5	53.2	79.8
167	36.8	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 19.758 ng
RT: 16.389 min Scan# 2
Delta R.T. 0.018 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:248 Resp: 170738

Ion	Ratio	Lower	Upper
248	100		
250	101.4	78.2	117.2
141	75.7	59.6	89.4





#68
Hexachlorobenzene
Concen: 19.906 ng
RT: 16.495 min Scan# 2305
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:284 Resp: 199410

Ion	Ratio	Lower	Upper
284	100		
142	35.2	29.1	43.7
249	31.0	25.0	37.4





#69
Atrazine
Concen: 20.006 ng
RT: 16.666 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:200 Resp: 179513

Ion	Ratio	Lower	Upper
200	100		
173	26.4	6.7	46.7
215	50.3	29.7	69.7





#70
Pentachlorophenol
Concen: 19.128 ng
RT: 16.848 min Scan# 2365
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:266 Resp: 120958

Ion	Ratio	Lower	Upper
266	100		
268	65.1	52.6	79.0
264	63.6	52.0	78.0





#71
Phenanthrene
Concen: 20.223 ng
RT: 17.254 min Scan# 24
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:178 Resp: 872890

Ion	Ratio	Lower	Upper
178	100		
176	18.7	15.5	23.3
179	15.2	12.2	18.4





#72
Anthracene
Concen: 20.198 ng
RT: 17.342 min Scan# 2449
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:178 Resp: 890292

Ion	Ratio	Lower	Upper
178	100		
176	18.3	14.7	22.1
179	15.2	12.2	18.2





#73
Carbazole
Concen: 20.328 ng
RT: 17.625 min Scan# 24
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:167 Resp: 843970

Ion	Ratio	Lower	Upper
167	100		
166	21.4	17.5	26.3
139	13.4	10.6	16.0





#74
Di-n-butylphthalate
Concen: 20.491 ng
RT: 18.219 min Scan# 2598
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:149 Resp: 1046709

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.4	11.0
104	5.1	4.2	6.2





#75
Fluoranthene
Concen: 20.567 ng
RT: 19.342 min Scan# 2
Delta R.T. 0.018 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:202 Resp: 1058912

Ion	Ratio	Lower	Upper
202	100		
101	10.5	0.0	31.1
203	17.3	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.654 min Scan# 3182
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:240 Resp: 852065

Ion	Ratio	Lower	Upper
240	100		
120	11.2	8.9	13.3
236	25.6	19.8	29.8





#77
Benzidine
Concen: 18.799 ng
RT: 19.525 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:184 Resp: 546647

Ion	Ratio	Lower	Upper
184	100		
185	13.9	11.5	17.3
183	11.9	9.4	14.2





#78
Pyrene
Concen: 19.807 ng
RT: 19.713 min Scan# 2852
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:202 Resp: 1096965

Ion	Ratio	Lower	Upper
202	100		
200	21.0	16.9	25.3
203	17.3	14.2	21.2





#79
Terphenyl-d14
Concen: 40.152 ng
RT: 19.930 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:244 Resp: 1869951

Ion	Ratio	Lower	Upper
244	100		
212	7.1	5.8	8.6
122	9.9	7.4	11.2





#80
Butylbenzylphthalate
Concen: 20.081 ng
RT: 20.666 min Scan# 3014
Delta R.T. 0.018 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:149 Resp: 504019

Ion	Ratio	Lower	Upper
149	100		
91	64.4	54.2	81.2
206	20.9	16.6	24.8





#81
Benzo(a)anthracene
Concen: 19.906 ng
RT: 21.630 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:228 Resp: 1118590

Ion	Ratio	Lower	Upper
228	100		
226	27.1	21.7	32.5
229	19.9	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 20.399 ng
RT: 21.548 min Scan# 3164
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:252 Resp: 432075

Ion	Ratio	Lower	Upper
252	100		
254	65.0	51.8	77.6
126	10.9	9.1	13.7





#83
Chrysene
Concen: 20.216 ng
RT: 21.707 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:228 Resp: 1063898

Ion	Ratio	Lower	Upper
228	100		
226	29.4	23.2	34.8
229	19.4	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 20.155 ng
RT: 21.577 min Scan# 3169
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:149 Resp: 744704

Ion	Ratio	Lower	Upper
149	100		
167	27.3	22.1	33.1
279	4.6	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 20.091 ng
RT: 22.871 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:149 Resp: 1276798

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	7.9	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.036 min Scan# 3757
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:264 Resp: 958651

Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.3	28.9
265	22.2	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 16.584 ng
RT: 28.865 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:276 Resp: 1166289

Ion	Ratio	Lower	Upper
276	100		
138	19.2	12.9	19.3
277	23.8	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 19.855 ng
RT: 23.948 min Scan# 3572
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:252 Resp: 1122408

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.7	26.5
125	9.9	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 20.336 ng
RT: 24.018 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:252 Resp: 1150366

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.1	25.7
125	9.6	7.8	11.6





#90
Benzo(a)pyrene
Concen: 20.041 ng
RT: 24.854 min Scan# 3726
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:252 Resp: 1102804

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	10.9	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 19.672 ng
RT: 28.965 min Scan# 44
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:278 Resp: 1130209

Ion	Ratio	Lower	Upper
278	100		
139	14.6	13.0	19.4
279	24.1	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 19.840 ng
RT: 30.053 min Scan# 4610
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:276 Resp: 1120307

Ion	Ratio	Lower	Upper
276	100		
277	23.5	19.4	29.0
138	20.4	16.7	25.1



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025396.D
Acq On : 14 Aug 2025 15:19
Operator : CG/JU
Sample : SSTDICCC040
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Quant Time: Aug 14 17:55:59 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.796	152	157704	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	663553	20.000	ng	0.00
39) Acenaphthene-d10	14.407	164	441110	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	884529	20.000	ng	0.00
76) Chrysene-d12	21.648	240	899207	20.000	ng	0.00
86) Perylene-d12	25.030	264	1022138	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	733191	77.209	ng	0.00
7) Phenol-d6	6.966	99	954285	78.381	ng	0.00
23) Nitrobenzene-d5	8.937	82	1015557	77.420	ng	0.00
42) 2,4,6-Tribromophenol	15.913	330	463783	78.112	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	2456787	76.118	ng	0.00
79) Terphenyl-d14	19.919	244	3760236	76.508	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.337	88	140326	37.726	ng	100
3) Pyridine	3.731	79	384936	37.809	ng	100
4) n-Nitrosodimethylamine	3.637	42	161267	38.421	ng	100
6) Aniline	7.125	93	637156	38.842	ng	100
8) 2-Chlorophenol	7.366	128	414233	38.655	ng	100
9) Benzaldehyde	6.943	77	430704	50.493	ng	100
10) Phenol	6.996	94	496755	38.884	ng	100
11) bis(2-Chloroethyl)ether	7.219	93	385335	38.698	ng	100
12) 1,3-Dichlorobenzene	7.684	146	455200	38.523	ng	100
13) 1,4-Dichlorobenzene	7.831	146	462800	38.319	ng	100
14) 1,2-Dichlorobenzene	8.143	146	451306	38.602	ng	100
15) Benzyl Alcohol	8.025	79	376323	38.901	ng	100
16) 2,2'-oxybis(1-Chloropr...	8.313	45	510991	38.308	ng	100
17) 2-Methylphenol	8.225	107	349313	39.369	ng	100
18) Hexachloroethane	8.866	117	171906	38.712	ng	100
19) n-Nitroso-di-n-propyla...	8.590	70	312773	38.737	ng	100
20) 3+4-Methylphenols	8.549	107	481148	39.121	ng	100
22) Acetophenone	8.601	105	644124	38.708	ng	100
24) Nitrobenzene	8.972	77	457175	38.997	ng	100
25) Isophorone	9.501	82	893987	38.510	ng	100
26) 2-Nitrophenol	9.678	139	239675	39.837	ng	100
27) 2,4-Dimethylphenol	9.743	122	408572	39.489	ng	100
28) bis(2-Chloroethoxy)met...	9.972	93	540282	38.502	ng	100
29) 2,4-Dichlorophenol	10.213	162	405233	39.427	ng	100
30) 1,2,4-Trichlorobenzene	10.425	180	434105	38.529	ng	100
31) Naphthalene	10.613	128	1326839	38.472	ng	100
32) Benzoic acid	9.872	122	301281	39.537	ng	100
33) 4-Chloroaniline	10.713	127	599466	39.350	ng	100
34) Hexachlorobutadiene	10.901	225	271549	38.700	ng	100
35) Caprolactam	11.495	113	145175	38.520	ng	100
36) 4-Chloro-3-methylphenol	11.837	107	459473	38.959	ng	100
37) 2-Methylnaphthalene	12.219	142	865427	38.559	ng	100
38) 1-Methylnaphthalene	12.437	142	909865	38.120	ng	100
40) 1,2,4,5-Tetrachloroben...	12.590	216	494141	38.787	ng	100
41) Hexachlorocyclopentadiene	12.572	237	307015	39.896	ng	100
43) 2,4,6-Trichlorophenol	12.825	196	337157	39.201	ng	100

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025396.D
Acq On : 14 Aug 2025 15:19
Operator : CG/JU
Sample : SSTDICCC040
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Quant Time: Aug 14 17:55:59 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.895	196	373880	39.664	ng	100
46) 1,1'-Biphenyl	13.231	154	1242247	38.777	ng	100
47) 2-Chloronaphthalene	13.272	162	970903	38.930	ng	100
48) 2-Nitroaniline	13.472	65	291341	40.092	ng	100
49) Acenaphthylene	14.125	152	1593636	38.617	ng	100
50) Dimethylphthalate	13.860	163	1237666	38.316	ng	100
51) 2,6-Dinitrotoluene	13.966	165	272750	40.061	ng	100
52) Acenaphthene	14.466	154	918569	37.921	ng	100
53) 3-Nitroaniline	14.301	138	301417	39.349	ng	100
54) 2,4-Dinitrophenol	14.507	184	144100	39.633	ng	100
55) Dibenzofuran	14.807	168	1479220	38.624	ng	100
56) 4-Nitrophenol	14.613	139	246542	39.168	ng	100
57) 2,4-Dinitrotoluene	14.766	165	386189	39.757	ng	100
58) Fluorene	15.466	166	1151825	38.115	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.036	232	324396	38.975	ng	100
60) Diethylphthalate	15.236	149	1264740	38.533	ng	100
61) 4-Chlorophenyl-phenyle...	15.460	204	574546	38.228	ng	100
62) 4-Nitroaniline	15.478	138	309740	39.443	ng	100
63) Azobenzene	15.754	77	1091004	38.820	ng	100
65) 4,6-Dinitro-2-methylph...	15.542	198	217153	39.384	ng	100
66) n-Nitrosodiphenylamine	15.678	169	1045170	38.749	ng	100
67) 4-Bromophenyl-phenylether	16.372	248	376864	38.739	ng	100
68) Hexachlorobenzene	16.489	284	428361	37.986	ng	100
69) Atrazine	16.654	200	386256	38.238	ng	100
70) Pentachlorophenol	16.842	266	278412	39.110	ng	100
71) Phenanthrene	17.242	178	1839191	37.851	ng	100
72) Anthracene	17.336	178	1908189	38.456	ng	100
73) Carbazole	17.613	167	1781890	38.125	ng	100
74) Di-n-butylphthalate	18.207	149	2201043	38.277	ng	100
75) Fluoranthene	19.324	202	2172758	37.488	ng	100
77) Benzidine	19.513	184	1738926	56.665	ng	100
78) Pyrene	19.701	202	2290461	39.189	ng	100
80) Butylbenzylphthalate	20.648	149	1041998	39.338	ng	100
81) Benzo(a)anthracene	21.630	228	2280774	38.460	ng	100
82) 3,3'-Dichlorobenzidine	21.542	252	877708	39.266	ng	100
83) Chrysene	21.695	228	2125866	38.278	ng	100
84) Bis(2-ethylhexyl)phtha...	21.583	149	1493804	38.310	ng	100
85) Di-n-octyl phthalate	22.871	149	2597558	38.730	ng	100
87) Indeno(1,2,3-cd)pyrene	28.865	276	2490737	33.216	ng	93
88) Benzo(b)fluoranthene	23.954	252	2318198	38.462	ng	100
89) Benzo(k)fluoranthene	24.030	252	2309091	38.285	ng	100
90) Benzo(a)pyrene	24.854	252	2265862	38.620	ng	100
91) Dibenzo(a,h)anthracene	28.953	278	2363840	38.589	ng	100
92) Benzo(g,h,i)perylene	30.059	276	2327292	38.654	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025396.D
Acq On : 14 Aug 2025 15:19
Operator : CG/JU
Sample : SSTDICCC040
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Quant Time: Aug 14 17:55:59 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.796 min Scan# 8
Delta R.T. -0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:152 Resp: 157704

Ion	Ratio	Lower	Upper
152	100		
150	157.4	125.9	188.9
115	60.6	48.5	72.7





#2
1,4-Dioxane
Concen: 37.726 ng
RT: 3.337 min Scan# 68
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 88 Resp: 140326

Ion	Ratio	Lower	Upper
88	100		
58	74.0	59.2	88.8
43	27.1	21.7	32.5





#3
Pyridine
Concen: 37.809 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion: 79 Resp: 384936

Ion	Ratio	Lower	Upper
79	100		
52	69.4	55.5	83.3
51	35.4	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 38.421 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 42 Resp: 161267

Ion	Ratio	Lower	Upper
42	100		
74	133.7	107.0	160.4
44	7.8	6.2	9.4





#5
2-Fluorophenol
Concen: 77.209 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:112 Resp: 733191

Ion	Ratio	Lower	Upper
112	100		
64	54.8	43.8	65.8
63	28.4	22.7	34.1





#6
Aniline
Concen: 38.842 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 93 Resp: 637156

Ion	Ratio	Lower	Upper
93	100		
66	38.0	30.4	45.6
65	19.1	15.3	22.9





#7
Phenol-d6
Concen: 78.381 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion: 99 Resp: 954285

Ion	Ratio	Lower	Upper
99	100		
42	17.1	13.7	20.5
71	35.3	28.2	42.4





#8
2-Chlorophenol
Concen: 38.655 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:128 Resp: 414233

Ion	Ratio	Lower	Upper
128	100		
130	32.6	12.6	52.6
64	43.4	23.4	63.4





#9
Benzaldehyde
Concen: 50.493 ng
RT: 6.943 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion: 77 Resp: 430704

Ion	Ratio	Lower	Upper
77	100		
105	104.8	84.8	124.8
106	100.5	80.5	120.5





#10
Phenol
Concen: 38.884 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 94 Resp: 496755

Ion	Ratio	Lower	Upper
94	100		
65	26.8	6.8	46.8
66	38.2	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 38.698 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion: 93 Resp: 385335

Ion	Ratio	Lower	Upper
93	100		
63	72.6	52.6	92.6
95	32.7	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 38.523 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:146 Resp: 455200

Ion	Ratio	Lower	Upper
146	100		
148	64.9	51.9	77.9
75	29.6	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 38.319 ng
RT: 7.831 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:146 Resp: 462800

Ion	Ratio	Lower	Upper
146	100		
148	64.5	51.6	77.4
111	41.7	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 38.602 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:146 Resp: 451306

Ion	Ratio	Lower	Upper
146	100		
148	63.0	50.4	75.6
111	43.1	34.5	51.7





#15
Benzyl Alcohol
Concen: 38.901 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion: 79 Resp: 376323

Ion	Ratio	Lower	Upper
79	100		
108	79.7	63.8	95.6
77	61.2	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 38.308 ng
RT: 8.313 min Scan# 914
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 45 Resp: 510991

Ion	Ratio	Lower	Upper
45	100		
77	15.3	0.0	35.3
79	11.8	0.0	31.8





#17
2-Methylphenol
Concen: 39.369 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:107 Resp: 349313

Ion	Ratio	Lower	Upper
107	100		
108	111.7	89.4	134.0
77	45.4	36.3	54.5
79	45.7	36.6	54.8





#18
Hexachloroethane
Concen: 38.712 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:117 Resp: 171906

Ion	Ratio	Lower	Upper
117	100		
119	93.9	75.1	112.7
201	100.1	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 38.737 ng
RT: 8.590 min Scan# 9
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion: 70 Resp: 312773

Ion	Ratio	Lower	Upper
70	100		
42	54.7	43.8	65.6
101	10.6	8.5	12.7
130	24.2	19.4	29.0





#20
3+4-Methylphenols
Concen: 39.121 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:107 Resp: 481148

Ion	Ratio	Lower	Upper
107	100		
108	86.3	66.3	106.3
77	32.3	12.3	52.3
79	27.8	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:136 Resp: 663553

Ion	Ratio	Lower	Upper
136	100		
137	11.5	9.2	13.8
54	7.5	6.0	9.0
68	5.4	4.3	6.5





#22
Acetophenone
Concen: 38.708 ng
RT: 8.601 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:105 Resp: 644124

Ion	Ratio	Lower	Upper
105	100		
71	3.3	2.6	4.0
51	25.7	20.6	30.8
120	23.2	18.6	27.8





#23
Nitrobenzene-d5
Concen: 77.420 ng
RT: 8.937 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion: 82 Resp: 1015557

Ion	Ratio	Lower	Upper
82	100		
128	47.1	37.7	56.5
54	49.7	39.8	59.6





#24
Nitrobenzene
Concen: 38.997 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 77 Resp: 457175

Ion	Ratio	Lower	Upper
77	100		
123	48.3	38.6	58.0
65	13.2	10.6	15.8





#25
Isophorone
Concen: 38.510 ng
RT: 9.501 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion: 82 Resp: 893987

Ion	Ratio	Lower	Upper
82	100		
95	8.0	6.4	9.6
138	19.2	15.4	23.0





#26
2-Nitrophenol
Concen: 39.837 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:139 Resp: 239675

Ion	Ratio	Lower	Upper
139	100		
109	33.6	26.9	40.3
65	47.9	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 39.489 ng
RT: 9.743 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:122 Resp: 408572

Ion	Ratio	Lower	Upper
122	100		
107	117.1	93.7	140.5
121	58.2	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 38.502 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 93 Resp: 540282

Ion	Ratio	Lower	Upper
93	100		
95	31.7	25.4	38.0
123	11.7	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 39.427 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:162 Resp: 405233

Ion	Ratio	Lower	Upper
162	100		
164	64.4	44.4	84.4
98	34.9	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 38.529 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:180 Resp: 434105

Ion	Ratio	Lower	Upper
180	100		
182	97.5	78.0	117.0
145	32.4	25.9	38.9





#31
Naphthalene
Concen: 38.472 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:128 Resp: 1326839

Ion	Ratio	Lower	Upper
128	100		
129	10.8	8.6	13.0
127	13.4	10.7	16.1





#32
Benzoic acid
Concen: 39.537 ng
RT: 9.872 min Scan# 1179
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:122 Resp: 301281

Ion	Ratio	Lower	Upper
122	100		
105	120.6	100.6	140.6
77	91.5	71.5	111.5





#33
4-Chloroaniline
Concen: 39.350 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:127 Resp: 599466

Ion	Ratio	Lower	Upper
127	100		
129	31.8	25.4	38.2
65	29.7	23.8	35.6
92	19.8	15.8	23.8





#34
Hexachlorobutadiene
Concen: 38.700 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:225 Resp: 271549

Ion	Ratio	Lower	Upper
225	100		
223	62.5	50.0	75.0
227	62.1	49.7	74.5





#35
Caprolactam
Concen: 38.520 ng
RT: 11.495 min Scan# 14
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:113 Resp: 145175

Ion	Ratio	Lower	Upper
113	100		
55	160.0	140.0	180.0
56	120.0	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 38.959 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:107 Resp: 459473

Ion	Ratio	Lower	Upper
107	100		
144	26.2	21.0	31.4
142	80.8	64.6	97.0





#37
2-Methylnaphthalene
Concen: 38.559 ng
RT: 12.219 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:142 Resp: 865427

Ion	Ratio	Lower	Upper
142	100		
141	87.9	70.3	105.5
115	36.1	28.9	43.3





#38
1-Methylnaphthalene
Concen: 38.120 ng
RT: 12.437 min Scan# 1615
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:142 Resp: 909865

Ion	Ratio	Lower	Upper
142	100		
141	91.4	73.1	109.7
116	4.0	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:164 Resp: 441110

Ion	Ratio	Lower	Upper
164	100		
162	101.3	81.0	121.6
160	44.3	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 38.787 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:216 Resp: 494141

Ion	Ratio	Lower	Upper
216	100		
214	78.7	63.0	94.4
179	21.4	17.1	25.7
108	18.6	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 39.896 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:237 Resp: 307015

Ion	Ratio	Lower	Upper
237	100		
235	62.7	42.7	82.7
272	14.0	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 78.112 ng
RT: 15.913 min Scan# 2206
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:330 Resp: 463783

Ion	Ratio	Lower	Upper
330	100		
332	96.6	77.3	115.9
141	33.2	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 39.201 ng
RT: 12.825 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:196 Resp: 337157

Ion	Ratio	Lower	Upper
196	100		
198	96.5	77.2	115.8
200	29.9	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 39.664 ng
RT: 12.895 min Scan# 1693
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:196 Resp: 373880

Ion	Ratio	Lower	Upper
196	100		
198	95.2	76.2	114.2
97	51.5	41.2	61.8
132	28.3	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 76.118 ng
RT: 13.019 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:172 Resp: 2456787

Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.1	42.1
170	23.3	18.6	28.0





#46
1,1'-Biphenyl
Concen: 38.777 ng
RT: 13.231 min Scan# 1750
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:154 Resp: 1242247

Ion	Ratio	Lower	Upper
154	100		
153	39.5	19.5	59.5
76	11.1	0.0	31.1





#47
2-Chloronaphthalene
Concen: 38.930 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:162 Resp: 970903

Ion	Ratio	Lower	Upper
162	100		
127	41.8	33.4	50.2
164	32.7	26.2	39.2





#48
2-Nitroaniline
Concen: 40.092 ng
RT: 13.472 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion: 65 Resp: 291341

Ion	Ratio	Lower	Upper
65	100		
92	72.0	57.6	86.4
138	113.8	91.0	136.6





#49
Acenaphthylene
Concen: 38.617 ng
RT: 14.125 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:152 Resp: 1593636

Ion	Ratio	Lower	Upper
152	100		
151	20.0	16.0	24.0
153	13.2	10.6	15.8





#50
Dimethylphthalate
Concen: 38.316 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:163 Resp: 1237666

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	9.9	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 40.061 ng
RT: 13.966 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:165 Resp: 272750

Ion	Ratio	Lower	Upper
165	100		
63	51.1	40.9	61.3
89	52.6	42.1	63.1





#52
Acenaphthene
Concen: 37.921 ng
RT: 14.466 min Scan# 1960
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:154 Resp: 918569

Ion	Ratio	Lower	Upper
154	100		
153	112.7	90.2	135.2
152	52.6	42.1	63.1





#53
3-Nitroaniline
Concen: 39.349 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:138 Resp: 301417

Ion	Ratio	Lower	Upper
138	100		
108	10.4	8.3	12.5
92	107.7	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 39.633 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:184 Resp: 144100

Ion	Ratio	Lower	Upper
184	100		
63	61.8	49.4	74.2
154	68.3	54.6	82.0





#55
Dibenzofuran
Concen: 38.624 ng
RT: 14.807 min Scan# 2(
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:168 Resp: 1479220

Ion	Ratio	Lower	Upper
168	100		
139	39.4	31.5	47.3
169	13.6	10.9	16.3





#56
4-Nitrophenol
Concen: 39.168 ng
RT: 14.613 min Scan# 1985
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:139 Resp: 246542

Ion	Ratio	Lower	Upper
139	100		
109	76.6	56.6	96.6
65	88.2	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 39.757 ng
RT: 14.766 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:165 Resp: 386189

Ion	Ratio	Lower	Upper
165	100		
63	39.3	31.4	47.2
89	66.6	53.3	79.9
182	2.9	2.3	3.5





#58
Fluorene
Concen: 38.115 ng
RT: 15.466 min Scan# 2130
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:166 Resp: 1151825

Ion	Ratio	Lower	Upper
166	100		
165	98.5	78.8	118.2
167	13.7	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 38.975 ng
RT: 15.036 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:232 Resp: 324396

Ion	Ratio	Lower	Upper
232	100		
131	46.3	37.0	55.6
130	2.4	1.9	2.9
166	31.7	25.4	38.0





#60
Diethylphthalate
Concen: 38.533 ng
RT: 15.236 min Scan# 2091
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:149 Resp: 1264740

Ion	Ratio	Lower	Upper
149	100		
177	21.6	17.3	25.9
150	12.9	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 38.228 ng
RT: 15.460 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:204 Resp: 574546

Ion	Ratio	Lower	Upper
204	100		
206	32.3	25.8	38.8
141	61.8	49.4	74.2





#62
4-Nitroaniline
Concen: 39.443 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:138 Resp: 309740

Ion	Ratio	Lower	Upper
138	100		
92	49.1	29.1	69.1
108	81.5	61.5	101.5





#63
Azobenzene
Concen: 38.820 ng
RT: 15.754 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion: 77 Resp: 1091004

Ion	Ratio	Lower	Upper
77	100		
182	27.5	7.5	47.5
105	22.1	2.1	42.1
51	29.6	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 2425
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:188 Resp: 884529

Ion	Ratio	Lower	Upper
188	100		
94	8.3	6.6	10.0
80	8.4	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 39.384 ng
RT: 15.542 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:198 Resp: 217153

Ion	Ratio	Lower	Upper
198	100		
51	39.6	19.6	59.6
105	40.9	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 38.749 ng
RT: 15.678 min Scan# 2166
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:169 Resp: 1045170

Ion	Ratio	Lower	Upper
169	100		
168	66.5	53.2	79.8
167	35.9	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 38.739 ng
RT: 16.372 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:248 Resp: 376864

Ion	Ratio	Lower	Upper
248	100		
250	97.7	78.2	117.2
141	74.5	59.6	89.4





#68
Hexachlorobenzene
Concen: 37.986 ng
RT: 16.489 min Scan# 2304
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:284 Resp: 428361

Ion	Ratio	Lower	Upper
284	100		
142	36.4	29.1	43.7
249	31.2	25.0	37.4





#69
Atrazine
Concen: 38.238 ng
RT: 16.654 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:200 Resp: 386256

Ion	Ratio	Lower	Upper
200	100		
173	26.7	6.7	46.7
215	49.7	29.7	69.7





#70
Pentachlorophenol
Concen: 39.110 ng
RT: 16.842 min Scan# 2364
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:266 Resp: 278412

Ion	Ratio	Lower	Upper
266	100		
268	65.8	52.6	79.0
264	65.0	52.0	78.0





#71
Phenanthrene
Concen: 37.851 ng
RT: 17.242 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:178 Resp: 1839191

Ion	Ratio	Lower	Upper
178	100		
176	19.4	15.5	23.3
179	15.3	12.2	18.4





#72
Anthracene
Concen: 38.456 ng
RT: 17.336 min Scan# 2448
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:178 Resp: 1908189

Ion	Ratio	Lower	Upper
178	100		
176	18.4	14.7	22.1
179	15.2	12.2	18.2





#73
Carbazole
Concen: 38.125 ng
RT: 17.613 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:167 Resp: 1781890

Ion	Ratio	Lower	Upper
167	100		
166	21.9	17.5	26.3
139	13.3	10.6	16.0





#74
Di-n-butylphthalate
Concen: 38.277 ng
RT: 18.207 min Scan# 2596
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:149 Resp: 2201043

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.4	11.0
104	5.2	4.2	6.2





#75
Fluoranthene
Concen: 37.488 ng
RT: 19.324 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:202 Resp: 2172758

Ion	Ratio	Lower	Upper
202	100		
101	11.1	0.0	31.1
203	17.3	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:240 Resp: 899207

Ion	Ratio	Lower	Upper
240	100		
120	11.1	8.9	13.3
236	24.8	19.8	29.8





#77
Benzidine
Concen: 56.665 ng
RT: 19.513 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:184 Resp: 1738926

Ion	Ratio	Lower	Upper
184	100		
185	14.4	11.5	17.3
183	11.8	9.4	14.2





#78
Pyrene
Concen: 39.189 ng
RT: 19.701 min Scan# 2850
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:202 Resp: 2290461

Ion	Ratio	Lower	Upper
202	100		
200	21.1	16.9	25.3
203	17.7	14.2	21.2





#79
Terphenyl-d14
Concen: 76.508 ng
RT: 19.919 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:244 Resp: 3760236

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	9.3	7.4	11.2





#80
Butylbenzylphthalate
Concen: 39.338 ng
RT: 20.648 min Scan# 3011
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:149 Resp: 1041998

Ion	Ratio	Lower	Upper
149	100		
91	67.7	54.2	81.2
206	20.7	16.6	24.8





#81
Benzo(a)anthracene
Concen: 38.460 ng
RT: 21.630 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:228 Resp: 2280774

Ion	Ratio	Lower	Upper
228	100		
226	27.1	21.7	32.5
229	19.5	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 39.266 ng
RT: 21.542 min Scan# 3163
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:252 Resp: 877708

Ion	Ratio	Lower	Upper
252	100		
254	64.7	51.8	77.6
126	11.4	9.1	13.7





#83
Chrysene
Concen: 38.278 ng
RT: 21.695 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:228 Resp: 2125866

Ion	Ratio	Lower	Upper
228	100		
226	29.0	23.2	34.8
229	19.5	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 38.310 ng
RT: 21.583 min Scan# 3170
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:149 Resp: 1493804

Ion	Ratio	Lower	Upper
149	100		
167	27.6	22.1	33.1
279	4.7	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 38.730 ng
RT: 22.871 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:149 Resp: 2597558

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	7.9	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.030 min Scan# 3756
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:264 Resp: 1022138

Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.3	28.9
265	21.7	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 33.216 ng
RT: 28.865 min Scan# 44
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:276 Resp: 2490737

Ion	Ratio	Lower	Upper
276	100		
138	18.7	12.9	19.3
277	24.7	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 38.462 ng
RT: 23.954 min Scan# 3573
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:252 Resp: 2318198

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.7	26.5
125	9.9	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 38.285 ng
RT: 24.030 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:252 Resp: 2309091

Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.1	25.7
125	9.7	7.8	11.6





#90
Benzo(a)pyrene
Concen: 38.620 ng
RT: 24.854 min Scan# 3726
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:252 Resp: 2265862

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	10.9	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 38.589 ng
RT: 28.953 min Scan# 44
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion:278 Resp: 2363840

Ion	Ratio	Lower	Upper
278	100		
139	16.2	13.0	19.4
279	24.3	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 38.654 ng
RT: 30.059 min Scan# 4611
Delta R.T. 0.000 min
Lab File: BP025396.D
Acq: 14 Aug 2025 15:19

Tgt Ion:276 Resp: 2327292

Ion	Ratio	Lower	Upper
276	100		
277	24.2	19.4	29.0
138	20.9	16.7	25.1



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025397.D
Acq On : 14 Aug 2025 16:01
Operator : CG/JU
Sample : SSTDICC050
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Quant Time: Aug 14 17:57:10 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	137945	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	573916	20.000	ng	0.00
39) Acenaphthene-d10	14.407	164	376731	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	753705	20.000	ng	0.00
76) Chrysene-d12	21.648	240	801742	20.000	ng	0.00
86) Perylene-d12	25.036	264	918939	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	855256	102.963	ng	0.00
7) Phenol-d6	6.966	99	1131869	106.283	ng	0.00
23) Nitrobenzene-d5	8.937	82	1201601	105.910	ng	0.00
42) 2,4,6-Tribromophenol	15.913	330	539295	106.352	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	2856639	103.632	ng	0.00
79) Terphenyl-d14	19.925	244	4409094	100.615	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.331	88	165184	50.769	ng	98
3) Pyridine	3.725	79	454022	50.983	ng	97
4) n-Nitrosodimethylamine	3.631	42	192837	52.524	ng	99
6) Aniline	7.125	93	756782	52.743	ng	100
8) 2-Chlorophenol	7.366	128	492570	52.550	ng	99
9) Benzaldehyde	6.943	77	435174	58.325	ng	97
10) Phenol	6.996	94	588764	52.687	ng	99
11) bis(2-Chloroethyl)ether	7.219	93	455697	52.320	ng	99
12) 1,3-Dichlorobenzene	7.684	146	536261	51.884	ng	99
13) 1,4-Dichlorobenzene	7.825	146	550541	52.113	ng	99
14) 1,2-Dichlorobenzene	8.143	146	528750	51.705	ng	99
15) Benzyl Alcohol	8.025	79	443889	52.458	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.319	45	603716	51.742	ng	99
17) 2-Methylphenol	8.225	107	412974	53.211	ng	98
18) Hexachloroethane	8.866	117	202672	52.178	ng	96
19) n-Nitroso-di-n-propyla...	8.590	70	363151	51.419	ng	98
20) 3+4-Methylphenols	8.549	107	565208	52.538	ng	99
22) Acetophenone	8.602	105	750308	52.131	ng	100
24) Nitrobenzene	8.978	77	537647	53.024	ng	98
25) Isophorone	9.502	82	1047736	52.182	ng	99
26) 2-Nitrophenol	9.678	139	282682	54.323	ng	98
27) 2,4-Dimethylphenol	9.737	122	481502	53.806	ng	97
28) bis(2-Chloroethoxy)met...	9.972	93	630027	51.909	ng	99
29) 2,4-Dichlorophenol	10.213	162	475406	53.478	ng	99
30) 1,2,4-Trichlorobenzene	10.431	180	507724	52.101	ng	99
31) Naphthalene	10.607	128	1560240	52.305	ng	100
32) Benzoic acid	9.884	122	357706	54.274	ng	96
33) 4-Chloroaniline	10.713	127	705562	53.548	ng	99
34) Hexachlorobutadiene	10.902	225	312163	51.436	ng	98
35) Caprolactam	11.502	113	172663	52.969	ng	94
36) 4-Chloro-3-methylphenol	11.843	107	534583	52.407	ng	100
37) 2-Methylnaphthalene	12.219	142	1003813	51.710	ng	99
38) 1-Methylnaphthalene	12.443	142	1076949	52.167	ng	99
40) 1,2,4,5-Tetrachloroben...	12.590	216	574152	52.769	ng	99
41) Hexachlorocyclopentadiene	12.572	237	364047	55.392	ng	98
43) 2,4,6-Trichlorophenol	12.831	196	396440	53.971	ng	99

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025397.D
Acq On : 14 Aug 2025 16:01
Operator : CG/JU
Sample : SSTDICC050
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Quant Time: Aug 14 17:57:10 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) 2,4,5-Trichlorophenol	12.896	196	430061	53.421	ng		99
46) 1,1'-Biphenyl	13.231	154	1447968	52.922	ng		99
47) 2-Chloronaphthalene	13.272	162	1114922	52.344	ng		99
48) 2-Nitroaniline	13.472	65	338939	54.613	ng		98
49) Acenaphthylene	14.125	152	1875998	53.227	ng		100
50) Dimethylphthalate	13.860	163	1424127	51.622	ng		100
51) 2,6-Dinitrotoluene	13.966	165	312149	53.683	ng		97
52) Acenaphthene	14.472	154	1087721	52.577	ng		98
53) 3-Nitroaniline	14.301	138	362030	55.339	ng		99
54) 2,4-Dinitrophenol	14.507	184	175453	56.503	ng		98
55) Dibenzofuran	14.813	168	1705630	52.147	ng		99
56) 4-Nitrophenol	14.619	139	296227	55.103	ng		98
57) 2,4-Dinitrotoluene	14.766	165	450923	54.354	ng		97
58) Fluorene	15.466	166	1332448	51.627	ng		99
59) 2,3,4,6-Tetrachlorophenol	15.043	232	378743	53.281	ng		99
60) Diethylphthalate	15.243	149	1450033	51.728	ng		99
61) 4-Chlorophenyl-phenyle...	15.466	204	650101	50.647	ng		99
62) 4-Nitroaniline	15.478	138	364030	54.278	ng		99
63) Azobenzene	15.760	77	1262576	52.602	ng		99
65) 4,6-Dinitro-2-methylph...	15.542	198	262126	55.792	ng		98
66) n-Nitrosodiphenylamine	15.678	169	1195077	51.997	ng		100
67) 4-Bromophenyl-phenylether	16.372	248	433740	52.325	ng		99
68) Hexachlorobenzene	16.495	284	497906	51.816	ng		97
69) Atrazine	16.654	200	451704	52.479	ng		98
70) Pentachlorophenol	16.842	266	332839	54.872	ng		97
71) Phenanthrene	17.248	178	2139431	51.673	ng		100
72) Anthracene	17.337	178	2214911	52.385	ng		100
73) Carbazole	17.613	167	2093175	52.559	ng		99
74) Di-n-butylphthalate	18.213	149	2589522	52.849	ng		99
75) Fluoranthene	19.325	202	2563702	51.910	ng		99
77) Benzidine	19.513	184	1330198	48.615	ng		99
78) Pyrene	19.701	202	2644850	50.754	ng		100
80) Butylbenzylphthalate	20.660	149	1231376	52.139	ng		98
81) Benzo(a)anthracene	21.630	228	2723006	51.499	ng		100
82) 3,3'-Dichlorobenzidine	21.548	252	1043476	52.357	ng		99
83) Chrysene	21.701	228	2565856	51.817	ng		99
84) Bis(2-ethylhexyl)phtha...	21.577	149	1805478	51.933	ng		100
85) Di-n-octyl phthalate	22.877	149	3150824	52.690	ng		100
87) Indeno(1,2,3-cd)pyrene	28.859	276	1446981	21.464	ng	#	92
88) Benzo(b)fluoranthene	23.960	252	2870971	52.982	ng		100
89) Benzo(k)fluoranthene	24.042	252	2817276	51.956	ng		99
90) Benzo(a)pyrene	24.877	252	2800880	53.100	ng		99
91) Dibenzo(a,h)anthracene	28.965	278	2962622	53.795	ng		98
92) Benzo(g,h,i)perylene	30.053	276	1840881	34.009	ng		99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025397.D
Acq On : 14 Aug 2025 16:01
Operator : CG/JU
Sample : SSTDICC050
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Quant Time: Aug 14 17:57:10 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:152 Resp: 137945

Ion	Ratio	Lower	Upper
152	100		
150	153.9	125.9	188.9
115	60.2	48.5	72.7





#2
1,4-Dioxane
Concen: 50.769 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 88 Resp: 165184

Ion	Ratio	Lower	Upper
88	100		
58	72.6	59.2	88.8
43	27.8	21.7	32.5





#3
Pyridine
Concen: 50.983 ng
RT: 3.725 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 79 Resp: 454022

Ion	Ratio	Lower	Upper
79	100		
52	72.9	55.5	83.3
51	36.3	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 52.524 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 42 Resp: 192837

Ion	Ratio	Lower	Upper
42	100		
74	133.0	107.0	160.4
44	6.9	6.2	9.4





#5
2-Fluorophenol
Concen: 102.963 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:112 Resp: 855256

Ion	Ratio	Lower	Upper
112	100		
64	55.4	43.8	65.8
63	28.8	22.7	34.1





#6
Aniline
Concen: 52.743 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 93 Resp: 756782

Ion	Ratio	Lower	Upper
93	100		
66	38.0	30.4	45.6
65	19.1	15.3	22.9





#7
Phenol-d6
Concen: 106.283 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 99 Resp: 1131869

Ion	Ratio	Lower	Upper
99	100		
42	16.7	13.7	20.5
71	34.4	28.2	42.4





#8
2-Chlorophenol
Concen: 52.550 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:128 Resp: 492570

Ion	Ratio	Lower	Upper
128	100		
130	33.4	12.6	52.6
64	42.7	23.4	63.4





#9
Benzaldehyde
Concen: 58.325 ng
RT: 6.943 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 77 Resp: 435174

Ion	Ratio	Lower	Upper
77	100		
105	102.9	84.8	124.8
106	96.7	80.5	120.5





#10
Phenol
Concen: 52.687 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 94 Resp: 588764

Ion	Ratio	Lower	Upper
94	100		
65	28.1	6.8	46.8
66	38.4	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 52.320 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 93 Resp: 455697

Ion	Ratio	Lower	Upper
93	100		
63	73.4	52.6	92.6
95	32.9	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 51.884 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:146 Resp: 536261

Ion	Ratio	Lower	Upper
146	100		
148	63.3	51.9	77.9
75	29.6	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 52.113 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:146 Resp: 550541

Ion	Ratio	Lower	Upper
146	100		
148	63.3	51.6	77.4
111	42.2	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 51.705 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:146 Resp: 528750

Ion	Ratio	Lower	Upper
146	100		
148	64.3	50.4	75.6
111	43.1	34.5	51.7





#15
Benzyl Alcohol
Concen: 52.458 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 79 Resp: 443889

Ion	Ratio	Lower	Upper
79	100		
108	77.9	63.8	95.6
77	63.4	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 51.742 ng
RT: 8.319 min Scan# 915
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 45 Resp: 603716

Ion	Ratio	Lower	Upper
45	100		
77	15.6	0.0	35.3
79	12.4	0.0	31.8





#17
2-Methylphenol
Concen: 53.211 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:107 Resp: 412974

Ion	Ratio	Lower	Upper
107	100		
108	113.8	89.4	134.0
77	45.5	36.3	54.5
79	44.3	36.6	54.8





#18
Hexachloroethane
Concen: 52.178 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:117 Resp: 202672

Ion	Ratio	Lower	Upper
117	100		
119	95.4	75.1	112.7
201	106.7	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 51.419 ng
RT: 8.590 min Scan# 9
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 70 Resp: 363151

Ion	Ratio	Lower	Upper
70	100		
42	56.4	43.8	65.6
101	10.6	8.5	12.7
130	23.4	19.4	29.0





#20
3+4-Methylphenols
Concen: 52.538 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:107 Resp: 565208

Ion	Ratio	Lower	Upper
107	100		
108	86.8	66.3	106.3
77	32.2	12.3	52.3
79	28.4	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:136 Resp: 573916

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.2	13.8
54	7.9	6.0	9.0
68	5.5	4.3	6.5





#22
Acetophenone
Concen: 52.131 ng
RT: 8.602 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:105 Resp: 750308

Ion	Ratio	Lower	Upper
105	100		
71	3.9	2.6	4.0
51	25.5	20.6	30.8
120	23.3	18.6	27.8





#23
Nitrobenzene-d5
Concen: 105.910 ng
RT: 8.937 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 82 Resp: 1201601

Ion	Ratio	Lower	Upper
82	100		
128	46.2	37.7	56.5
54	49.4	39.8	59.6





#24
Nitrobenzene
Concen: 53.024 ng
RT: 8.978 min Scan# 1027
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 77 Resp: 537647

Ion	Ratio	Lower	Upper
77	100		
123	49.5	38.6	58.0
65	13.9	10.6	15.8





#25
Isophorone
Concen: 52.182 ng
RT: 9.502 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 82 Resp: 1047736

Ion	Ratio	Lower	Upper
82	100		
95	7.8	6.4	9.6
138	18.5	15.4	23.0





#26
2-Nitrophenol
Concen: 54.323 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:139 Resp: 282682

Ion	Ratio	Lower	Upper
139	100		
109	32.3	26.9	40.3
65	46.8	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 53.806 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:122 Resp: 481502

Ion	Ratio	Lower	Upper
122	100		
107	120.8	93.7	140.5
121	60.2	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 51.909 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 93 Resp: 630027

Ion	Ratio	Lower	Upper
93	100		
95	32.2	25.4	38.0
123	11.8	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 53.478 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:162 Resp: 475406

Ion	Ratio	Lower	Upper
162	100		
164	64.1	44.4	84.4
98	36.2	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 52.101 ng
RT: 10.431 min Scan# 1274
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:180 Resp: 507724

Ion	Ratio	Lower	Upper
180	100		
182	97.0	78.0	117.0
145	30.8	25.9	38.9





#31
Naphthalene
Concen: 52.305 ng
RT: 10.607 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:128 Resp: 1560240

Ion	Ratio	Lower	Upper
128	100		
129	10.8	8.6	13.0
127	13.1	10.7	16.1





#32
Benzoic acid
Concen: 54.274 ng
RT: 9.884 min Scan# 1181
Delta R.T. 0.012 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:122 Resp: 357706

Ion	Ratio	Lower	Upper
122	100		
105	128.1	100.6	140.6
77	92.6	71.5	111.5





#33
4-Chloroaniline
Concen: 53.548 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:127 Resp: 705562

Ion	Ratio	Lower	Upper
127	100		
129	31.9	25.4	38.2
65	28.7	23.8	35.6
92	18.8	15.8	23.8





#34
Hexachlorobutadiene
Concen: 51.436 ng
RT: 10.902 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:225 Resp: 312163

Ion	Ratio	Lower	Upper
225	100		
223	63.5	50.0	75.0
227	63.7	49.7	74.5





#35
Caprolactam
Concen: 52.969 ng
RT: 11.502 min Scan# 14
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:113 Resp: 172663

Ion	Ratio	Lower	Upper
113	100		
55	149.6	140.0	180.0
56	116.0	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 52.407 ng
RT: 11.843 min Scan# 1514
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:107 Resp: 534583

Ion	Ratio	Lower	Upper
107	100		
144	26.0	21.0	31.4
142	80.6	64.6	97.0





#37
2-Methylnaphthalene
Concen: 51.710 ng
RT: 12.219 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:142 Resp: 1003813

Ion	Ratio	Lower	Upper
142	100		
141	88.5	70.3	105.5
115	36.7	28.9	43.3





#38
1-Methylnaphthalene
Concen: 52.167 ng
RT: 12.443 min Scan# 1616
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:142 Resp: 1076949

Ion	Ratio	Lower	Upper
142	100		
141	92.5	73.1	109.7
116	3.9	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:164 Resp: 376731

Ion	Ratio	Lower	Upper
164	100		
162	100.0	81.0	121.6
160	45.2	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 52.769 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:216 Resp: 574152

Ion	Ratio	Lower	Upper
216	100		
214	78.2	63.0	94.4
179	21.5	17.1	25.7
108	18.1	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 55.392 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:237 Resp: 364047

Ion	Ratio	Lower	Upper
237	100		
235	63.6	42.7	82.7
272	12.7	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 106.352 ng
RT: 15.913 min Scan# 2206
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:330 Resp: 539295

Ion	Ratio	Lower	Upper
330	100		
332	96.8	77.3	115.9
141	33.5	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 53.971 ng
RT: 12.831 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:196 Resp: 396440

Ion	Ratio	Lower	Upper
196	100		
198	96.3	77.2	115.8
200	31.0	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 53.421 ng
RT: 12.896 min Scan# 1693
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:196 Resp: 430061

Ion	Ratio	Lower	Upper
196	100		
198	95.8	76.2	114.2
97	50.1	41.2	61.8
132	28.8	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 103.632 ng
RT: 13.019 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:172 Resp: 2856639

Ion	Ratio	Lower	Upper
172	100		
171	35.3	28.1	42.1
170	23.4	18.6	28.0





#46
1,1'-Biphenyl
Concen: 52.922 ng
RT: 13.231 min Scan# 1750
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:154 Resp: 1447968

Ion	Ratio	Lower	Upper
154	100		
153	39.8	19.5	59.5
76	11.6	0.0	31.1





#47
2-Chloronaphthalene
Concen: 52.344 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:162 Resp: 1114922

Ion	Ratio	Lower	Upper
162	100		
127	41.3	33.4	50.2
164	33.2	26.2	39.2





#48
2-Nitroaniline
Concen: 54.613 ng
RT: 13.472 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion: 65 Resp: 338939

Ion	Ratio	Lower	Upper
65	100		
92	70.7	57.6	86.4
138	110.5	91.0	136.6





#49
Acenaphthylene
Concen: 53.227 ng
RT: 14.125 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:152 Resp: 1875998

Ion	Ratio	Lower	Upper
152	100		
151	20.1	16.0	24.0
153	13.1	10.6	15.8





#50
Dimethylphthalate
Concen: 51.622 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:163 Resp: 1424127

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	10.1	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 53.683 ng
RT: 13.966 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:165 Resp: 312149

Ion	Ratio	Lower	Upper
165	100		
63	53.8	40.9	61.3
89	54.2	42.1	63.1





#52
Acenaphthene
Concen: 52.577 ng
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:154 Resp: 1087721

Ion	Ratio	Lower	Upper
154	100		
153	110.6	90.2	135.2
152	53.1	42.1	63.1





#53
3-Nitroaniline
Concen: 55.339 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:138 Resp: 362030

Ion	Ratio	Lower	Upper
138	100		
108	11.0	8.3	12.5
92	106.6	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 56.503 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:184 Resp: 175453

Ion	Ratio	Lower	Upper
184	100		
63	59.7	49.4	74.2
154	69.4	54.6	82.0





#55
Dibenzofuran
Concen: 52.147 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:168 Resp: 1705630

Ion	Ratio	Lower	Upper
168	100		
139	38.9	31.5	47.3
169	13.0	10.9	16.3





#56
4-Nitrophenol
Concen: 55.103 ng
RT: 14.619 min Scan# 1986
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:139 Resp: 296227

Ion	Ratio	Lower	Upper
139	100		
109	76.8	56.6	96.6
65	85.5	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 54.354 ng
RT: 14.766 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:165 Resp: 450923

Ion	Ratio	Lower	Upper
165	100		
63	42.0	31.4	47.2
89	67.9	53.3	79.9
182	2.9	2.3	3.5





#58
Fluorene
Concen: 51.627 ng
RT: 15.466 min Scan# 2130
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:166 Resp: 1332448

Ion	Ratio	Lower	Upper
166	100		
165	97.6	78.8	118.2
167	13.9	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 53.281 ng
RT: 15.043 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:232 Resp: 378743

Ion	Ratio	Lower	Upper
232	100		
131	46.0	37.0	55.6
130	2.5	1.9	2.9
166	30.9	25.4	38.0





#60
Diethylphthalate
Concen: 51.728 ng
RT: 15.243 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:149 Resp: 1450033

Ion	Ratio	Lower	Upper
149	100		
177	21.9	17.3	25.9
150	12.8	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 50.647 ng
RT: 15.466 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:204 Resp: 650101

Ion	Ratio	Lower	Upper
204	100		
206	33.4	25.8	38.8
141	61.8	49.4	74.2





#62
4-Nitroaniline
Concen: 54.278 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:138 Resp: 364030

Ion	Ratio	Lower	Upper
138	100		
92	48.6	29.1	69.1
108	80.9	61.5	101.5





#63
Azobenzene
Concen: 52.602 ng
RT: 15.760 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 77 Resp: 1262576

Ion	Ratio	Lower	Upper
77	100		
182	28.3	7.5	47.5
105	22.4	2.1	42.1
51	29.8	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 2425
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:188 Resp: 753705

Ion	Ratio	Lower	Upper
188	100		
94	9.2	6.6	10.0
80	9.8	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 55.792 ng
RT: 15.542 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:198 Resp: 262126

Ion	Ratio	Lower	Upper
198	100		
51	41.2	19.6	59.6
105	42.0	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 51.997 ng
RT: 15.678 min Scan# 2166
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:169 Resp: 1195077

Ion	Ratio	Lower	Upper
169	100		
168	66.4	53.2	79.8
167	35.4	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 52.325 ng
RT: 16.372 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:248 Resp: 433740

Ion	Ratio	Lower	Upper
248	100		
250	98.3	78.2	117.2
141	75.0	59.6	89.4





#68
Hexachlorobenzene
Concen: 51.816 ng
RT: 16.495 min Scan# 2305
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:284 Resp: 497906

Ion	Ratio	Lower	Upper
284	100		
142	33.3	29.1	43.7
249	30.5	25.0	37.4





#69
Atrazine
Concen: 52.479 ng
RT: 16.654 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:200 Resp: 451704

Ion	Ratio	Lower	Upper
200	100		
173	26.1	6.7	46.7
215	47.7	29.7	69.7





#70
Pentachlorophenol
Concen: 54.872 ng
RT: 16.842 min Scan# 2364
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:266 Resp: 332839

Ion	Ratio	Lower	Upper
266	100		
268	63.2	52.6	79.0
264	62.1	52.0	78.0





#71
Phenanthrene
Concen: 51.673 ng
RT: 17.248 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:178 Resp: 2139431

Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.5	23.3
179	15.2	12.2	18.4





#72
Anthracene
Concen: 52.385 ng
RT: 17.337 min Scan# 2448
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:178 Resp: 2214911

Ion	Ratio	Lower	Upper
178	100		
176	18.6	14.7	22.1
179	15.4	12.2	18.2





#73
Carbazole
Concen: 52.559 ng
RT: 17.613 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:167 Resp: 2093175

Ion	Ratio	Lower	Upper
167	100		
166	21.2	17.5	26.3
139	13.4	10.6	16.0





#74
Di-n-butylphthalate
Concen: 52.849 ng
RT: 18.213 min Scan# 2597
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:149 Resp: 2589522

Ion	Ratio	Lower	Upper
149	100		
150	9.0	7.4	11.0
104	4.7	4.2	6.2





#75
Fluoranthene
Concen: 51.910 ng
RT: 19.325 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:202 Resp: 2563702

Ion	Ratio	Lower	Upper
202	100		
101	10.1	0.0	31.1
203	17.5	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:240 Resp: 801742

Ion	Ratio	Lower	Upper
240	100		
120	10.7	8.9	13.3
236	25.5	19.8	29.8





#77
Benzidine
Concen: 48.615 ng
RT: 19.513 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:184 Resp: 1330198

Ion	Ratio	Lower	Upper
184	100		
185	14.2	11.5	17.3
183	12.1	9.4	14.2





#78
Pyrene
Concen: 50.754 ng
RT: 19.701 min Scan# 2850
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:202 Resp: 2644850

Ion	Ratio	Lower	Upper
202	100		
200	21.0	16.9	25.3
203	17.4	14.2	21.2





#79
Terphenyl-d14
Concen: 100.615 ng
RT: 19.925 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:244 Resp: 4409094

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	9.2	7.4	11.2





#80
Butylbenzylphthalate
Concen: 52.139 ng
RT: 20.660 min Scan# 3013
Delta R.T. 0.012 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:149 Resp: 1231376

Ion	Ratio	Lower	Upper
149	100		
91	65.9	54.2	81.2
206	22.2	16.6	24.8





#81
Benzo(a)anthracene
Concen: 51.499 ng
RT: 21.630 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:228 Resp: 2723006

Ion	Ratio	Lower	Upper
228	100		
226	27.0	21.7	32.5
229	19.8	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 52.357 ng
RT: 21.548 min Scan# 3164
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:252 Resp: 1043476

Ion	Ratio	Lower	Upper
252	100		
254	63.7	51.8	77.6
126	11.1	9.1	13.7





#83
Chrysene
Concen: 51.817 ng
RT: 21.701 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:228 Resp: 2565856

Ion	Ratio	Lower	Upper
228	100		
226	29.6	23.2	34.8
229	19.7	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 51.933 ng
RT: 21.577 min Scan# 3169
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:149 Resp: 1805478

Ion	Ratio	Lower	Upper
149	100		
167	27.6	22.1	33.1
279	4.8	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 52.690 ng
RT: 22.877 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:149 Resp: 3150824

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	7.9	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.036 min Scan# 3757
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:264 Resp: 918939

Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.3	28.9
265	21.5	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 21.464 ng
RT: 28.859 min Scan# 44
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:276 Resp: 1446981

Ion	Ratio	Lower	Upper
276	100		
138	20.6	12.9	19.3#
277	24.2	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 52.982 ng
RT: 23.960 min Scan# 3574
Delta R.T. 0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:252 Resp: 2870971

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.7	26.5
125	9.8	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 51.956 ng
RT: 24.042 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:252 Resp: 2817276

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.1	25.7
125	9.5	7.8	11.6





#90
Benzo(a)pyrene
Concen: 53.100 ng
RT: 24.877 min Scan# 3730
Delta R.T. 0.024 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:252 Resp: 2800880

Ion	Ratio	Lower	Upper
252	100		
253	21.5	17.5	26.3
125	10.7	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 53.795 ng
RT: 28.965 min Scan# 44
Delta R.T. 0.012 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion:278 Resp: 2962622

Ion	Ratio	Lower	Upper
278	100		
139	15.5	13.0	19.4
279	22.9	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 34.009 ng
RT: 30.053 min Scan# 4610
Delta R.T. -0.006 min
Lab File: BP025397.D
Acq: 14 Aug 2025 16:01

Tgt Ion:276 Resp: 1840881

Ion	Ratio	Lower	Upper
276	100		
277	23.5	19.4	29.0
138	21.6	16.7	25.1



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025399.D
Acq On : 14 Aug 2025 17:24
Operator : CG/JU
Sample : SSTDICC080
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Quant Time: Aug 14 17:59:43 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.796	152	159148	20.000	ng	0.00
21) Naphthalene-d8	10.566	136	673018	20.000	ng	0.00
39) Acenaphthene-d10	14.401	164	436046	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	856946	20.000	ng	# 0.00
76) Chrysene-d12	21.660	240	888879	20.000	ng	0.01
86) Perylene-d12	25.030	264	1037707	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	1526166	159.254	ng	0.00
7) Phenol-d6	6.972	99	1989633	161.937	ng	0.00
23) Nitrobenzene-d5	8.937	82	2123522	159.609	ng	0.00
42) 2,4,6-Tribromophenol	15.913	330	936489	159.559	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	4712591	147.705	ng	0.00
79) Terphenyl-d14	19.930	244	7103816	146.217	ng	0.01
Target Compounds						Qvalue
2) 1,4-Dioxane	3.337	88	291527	77.664	ng	99
3) Pyridine	3.731	79	807269	78.572	ng	97
4) n-Nitrosodimethylamine	3.637	42	344349	81.296	ng	99
6) Aniline	7.131	93	1333221	80.538	ng	100
8) 2-Chlorophenol	7.372	128	877073	81.104	ng	99
9) Benzaldehyde	6.943	77	582344	67.651	ng	98
10) Phenol	7.002	94	1040534	80.710	ng	98
11) bis(2-Chloroethyl)ether	7.219	93	798672	79.481	ng	99
12) 1,3-Dichlorobenzene	7.684	146	950596	79.718	ng	98
13) 1,4-Dichlorobenzene	7.825	146	961421	78.882	ng	99
14) 1,2-Dichlorobenzene	8.143	146	922658	78.203	ng	99
15) Benzyl Alcohol	8.031	79	795618	81.498	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.319	45	1059824	78.732	ng	99
17) 2-Methylphenol	8.225	107	734482	82.028	ng	100
18) Hexachloroethane	8.866	117	355791	79.395	ng	94
19) n-Nitroso-di-n-propyla...	8.596	70	636387	78.102	ng	99
20) 3+4-Methylphenols	8.555	107	1005632	81.023	ng	97
22) Acetophenone	8.607	105	1314548	77.886	ng	99
24) Nitrobenzene	8.978	77	947511	79.686	ng	99
25) Isophorone	9.507	82	1829675	77.708	ng	99
26) 2-Nitrophenol	9.678	139	511806	83.872	ng	99
27) 2,4-Dimethylphenol	9.743	122	842467	80.280	ng	100
28) bis(2-Chloroethoxy)met...	9.972	93	1103640	77.542	ng	99
29) 2,4-Dichlorophenol	10.213	162	844787	81.037	ng	99
30) 1,2,4-Trichlorobenzene	10.425	180	892771	78.123	ng	98
31) Naphthalene	10.613	128	2722703	77.835	ng	99
32) Benzoic acid	9.901	122	686791	88.861	ng	99
33) 4-Chloroaniline	10.713	127	1232431	79.761	ng	100
34) Hexachlorobutadiene	10.901	225	557922	78.393	ng	99
35) Caprolactam	11.519	113	302874	79.233	ng	95
36) 4-Chloro-3-methylphenol	11.843	107	949779	79.399	ng	99
37) 2-Methylnaphthalene	12.213	142	1761325	77.372	ng	99
38) 1-Methylnaphthalene	12.437	142	1844376	76.186	ng	99
40) 1,2,4,5-Tetrachloroben...	12.584	216	995064	79.014	ng	100
41) Hexachlorocyclopentadiene	12.572	237	668771	87.916	ng	99
43) 2,4,6-Trichlorophenol	12.825	196	706484	83.096	ng	98

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025399.D
Acq On : 14 Aug 2025 17:24
Operator : CG/JU
Sample : SSTDICC080
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Quant Time: Aug 14 17:59:43 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	762861	81.870	ng	99
46) 1,1'-Biphenyl	13.231	154	2453536	77.476	ng	99
47) 2-Chloronaphthalene	13.272	162	1918120	77.804	ng	100
48) 2-Nitroaniline	13.472	65	594696	82.788	ng	96
49) Acenaphthylene	14.125	152	3194918	78.318	ng	100
50) Dimethylphthalate	13.860	163	2446951	76.632	ng	99
51) 2,6-Dinitrotoluene	13.972	165	542710	80.639	ng	99
52) Acenaphthene	14.472	154	1841448	76.902	ng	99
53) 3-Nitroaniline	14.301	138	618087	81.627	ng	100
54) 2,4-Dinitrophenol	14.507	184	339125	94.356	ng	100
55) Dibenzofuran	14.807	168	2915933	77.023	ng	99
56) 4-Nitrophenol	14.619	139	520294	83.618	ng	96
57) 2,4-Dinitrotoluene	14.766	165	791214	82.399	ng	99
58) Fluorene	15.466	166	2185593	73.164	ng	98
59) 2,3,4,6-Tetrachlorophenol	15.031	232	661890	80.448	ng	100
60) Diethylphthalate	15.242	149	2494087	76.870	ng	100
61) 4-Chlorophenyl-phenyle...	15.460	204	1105157	74.388	ng	97
62) 4-Nitroaniline	15.484	138	626525	80.710	ng	97
63) Azobenzene	15.760	77	2139674	77.017	ng	99
65) 4,6-Dinitro-2-methylph...	15.542	198	472602	88.473	ng	93
66) n-Nitrosodiphenylamine	15.678	169	2034782	77.866	ng	100
67) 4-Bromophenyl-phenylether	16.372	248	745915	79.144	ng	98
68) Hexachlorobenzene	16.495	284	860051	78.721	ng	97
69) Atrazine	16.654	200	783533	80.064	ng	98
70) Pentachlorophenol	16.842	266	589673	85.502	ng	98
71) Phenanthrene	17.242	178	3623454	76.972	ng	99
72) Anthracene	17.336	178	3702277	77.014	ng	99
73) Carbazole	17.607	167	3503273	77.368	ng	99
74) Di-n-butylphthalate	18.219	149	4336701	77.844	ng	100
75) Fluoranthene	19.330	202	4313301	76.815	ng	99
77) Benzidine	19.525	184	2036246	67.124	ng	99
78) Pyrene	19.707	202	4410693	76.343	ng	99
80) Butylbenzylphthalate	20.660	149	2054404	78.460	ng	97
81) Benzo(a)anthracene	21.642	228	4532763	77.322	ng	100
82) 3,3'-Dichlorobenzidine	21.554	252	1705746	77.197	ng	100
83) Chrysene	21.707	228	4218161	76.835	ng	99
84) Bis(2-ethylhexyl)phtha...	21.583	149	3021891	78.400	ng	100
85) Di-n-octyl phthalate	22.877	149	5302080	79.974	ng	100
87) Indeno(1,2,3-cd)pyrene	28.895	276	5473121	71.894	ng	95
88) Benzo(b)fluoranthene	23.977	252	4876398	79.692	ng	100
89) Benzo(k)fluoranthene	24.054	252	4734637	77.323	ng	99
90) Benzo(a)pyrene	24.889	252	4735685	79.505	ng	99
91) Dibenzo(a,h)anthracene	28.983	278	5046260	81.142	ng	99
92) Benzo(g,h,i)perylene	30.106	276	4949477	80.973	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025399.D
Acq On : 14 Aug 2025 17:24
Operator : CG/JU
Sample : SSTDICC080
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Quant Time: Aug 14 17:59:43 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.796 min Scan# 8
Delta R.T. -0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:152 Resp: 159148

Ion	Ratio	Lower	Upper
152	100		
150	157.9	125.9	188.9
115	59.9	48.5	72.7





#2
1,4-Dioxane
Concen: 77.664 ng
RT: 3.337 min Scan# 68
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 88 Resp: 291527

Ion	Ratio	Lower	Upper
88	100		
58	73.3	59.2	88.8
43	27.4	21.7	32.5





#3
Pyridine
Concen: 78.572 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion: 79 Resp: 807269

Ion	Ratio	Lower	Upper
79	100		
52	72.4	55.5	83.3
51	36.4	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 81.296 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 42 Resp: 344349

Ion	Ratio	Lower	Upper
42	100		
74	134.3	107.0	160.4
44	6.7	6.2	9.4





#5
2-Fluorophenol
Concen: 159.254 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:112 Resp: 1526166

Ion	Ratio	Lower	Upper
112	100		
64	54.7	43.8	65.8
63	29.3	22.7	34.1





#6
Aniline
Concen: 80.538 ng
RT: 7.131 min Scan# 713
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 93 Resp: 1333221

Ion	Ratio	Lower	Upper
93	100		
66	38.0	30.4	45.6
65	18.5	15.3	22.9





#7
Phenol-d6
Concen: 161.937 ng
RT: 6.972 min Scan# 6
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion: 99 Resp: 1989633

Ion	Ratio	Lower	Upper
99	100		
42	17.1	13.7	20.5
71	35.1	28.2	42.4





#8
2-Chlorophenol
Concen: 81.104 ng
RT: 7.372 min Scan# 754
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:128 Resp: 877073

Ion	Ratio	Lower	Upper
128	100		
130	32.6	12.6	52.6
64	42.5	23.4	63.4





#9
Benzaldehyde
Concen: 67.651 ng
RT: 6.943 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion: 77 Resp: 582344

Ion	Ratio	Lower	Upper
77	100		
105	103.0	84.8	124.8
106	99.3	80.5	120.5





#10
Phenol
Concen: 80.710 ng
RT: 7.002 min Scan# 691
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 94 Resp: 1040534

Ion	Ratio	Lower	Upper
94	100		
65	28.0	6.8	46.8
66	38.9	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 79.481 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion: 93 Resp: 798672

Ion	Ratio	Lower	Upper
93	100		
63	71.7	52.6	92.6
95	32.2	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 79.718 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:146 Resp: 950596

Ion	Ratio	Lower	Upper
146	100		
148	63.4	51.9	77.9
75	30.3	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 78.882 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:146 Resp: 961421

Ion	Ratio	Lower	Upper
146	100		
148	63.8	51.6	77.4
111	41.2	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 78.203 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:146 Resp: 922658

Ion	Ratio	Lower	Upper
146	100		
148	64.1	50.4	75.6
111	43.1	34.5	51.7





#15
Benzyl Alcohol
Concen: 81.498 ng
RT: 8.031 min Scan# 8
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion: 79 Resp: 795618

Ion	Ratio	Lower	Upper
79	100		
108	78.3	63.8	95.6
77	62.8	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 78.732 ng
RT: 8.319 min Scan# 915
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 45 Resp: 1059824

Ion	Ratio	Lower	Upper
45	100		
77	15.6	0.0	35.3
79	12.2	0.0	31.8





#17
2-Methylphenol
Concen: 82.028 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:107 Resp: 734482

Ion	Ratio	Lower	Upper
107	100		
108	111.5	89.4	134.0
77	44.8	36.3	54.5
79	45.9	36.6	54.8





#18
Hexachloroethane
Concen: 79.395 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:117 Resp: 355791

Ion	Ratio	Lower	Upper
117	100		
119	97.9	75.1	112.7
201	108.5	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 78.102 ng
RT: 8.596 min Scan# 9
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion: 70 Resp: 636387

Ion	Ratio	Lower	Upper
70	100		
42	54.2	43.8	65.6
101	11.0	8.5	12.7
130	24.2	19.4	29.0





#20
3+4-Methylphenols
Concen: 81.023 ng
RT: 8.555 min Scan# 955
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:107 Resp: 1005632

Ion	Ratio	Lower	Upper
107	100		
108	89.6	66.3	106.3
77	33.2	12.3	52.3
79	28.6	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.566 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:136 Resp: 673018

Ion	Ratio	Lower	Upper
136	100		
137	10.1	9.2	13.8
54	7.8	6.0	9.0
68	5.2	4.3	6.5





#22
Acetophenone
Concen: 77.886 ng
RT: 8.607 min Scan# 964
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:105 Resp: 1314548

Ion	Ratio	Lower	Upper
105	100		
71	3.4	2.6	4.0
51	25.1	20.6	30.8
120	23.1	18.6	27.8





#23
Nitrobenzene-d5
Concen: 159.609 ng
RT: 8.937 min Scan# 1(
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion: 82 Resp: 2123522

Ion	Ratio	Lower	Upper
82	100		
128	46.0	37.7	56.5
54	49.7	39.8	59.6





#24
Nitrobenzene
Concen: 79.686 ng
RT: 8.978 min Scan# 1027
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 77 Resp: 947511

Ion	Ratio	Lower	Upper
77	100		
123	48.7	38.6	58.0
65	13.9	10.6	15.8





#25
Isophorone
Concen: 77.708 ng
RT: 9.507 min Scan# 11
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion: 82 Resp: 1829675

Ion	Ratio	Lower	Upper
82	100		
95	7.8	6.4	9.6
138	19.4	15.4	23.0





#26
2-Nitrophenol
Concen: 83.872 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:139 Resp: 511806

Ion	Ratio	Lower	Upper
139	100		
109	34.2	26.9	40.3
65	47.6	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 80.280 ng
RT: 9.743 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:122 Resp: 842467

Ion	Ratio	Lower	Upper
122	100		
107	116.4	93.7	140.5
121	58.2	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 77.542 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 93 Resp: 1103640

Ion	Ratio	Lower	Upper
93	100		
95	32.7	25.4	38.0
123	11.8	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 81.037 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:162 Resp: 844787

Ion	Ratio	Lower	Upper
162	100		
164	64.6	44.4	84.4
98	35.6	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 78.123 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:180 Resp: 892771

Ion	Ratio	Lower	Upper
180	100		
182	95.4	78.0	117.0
145	31.9	25.9	38.9





#31
Naphthalene
Concen: 77.835 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:128 Resp: 2722703

Ion	Ratio	Lower	Upper
128	100		
129	11.0	8.6	13.0
127	13.2	10.7	16.1





#32
Benzoic acid
Concen: 88.861 ng
RT: 9.901 min Scan# 1184
Delta R.T. 0.029 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:122 Resp: 686791

Ion	Ratio	Lower	Upper
122	100		
105	121.0	100.6	140.6
77	89.3	71.5	111.5





#33
4-Chloroaniline
Concen: 79.761 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:127 Resp: 1232431

Ion	Ratio	Lower	Upper
127	100		
129	31.9	25.4	38.2
65	29.4	23.8	35.6
92	19.7	15.8	23.8





#34
Hexachlorobutadiene
Concen: 78.393 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:225 Resp: 557922

Ion	Ratio	Lower	Upper
225	100		
223	61.8	50.0	75.0
227	62.9	49.7	74.5





#35
Caprolactam
Concen: 79.233 ng
RT: 11.519 min Scan# 14
Delta R.T. 0.024 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:113 Resp: 302874

Ion	Ratio	Lower	Upper
113	100		
55	151.5	140.0	180.0
56	115.6	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 79.399 ng
RT: 11.843 min Scan# 1514
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:107 Resp: 949779

Ion	Ratio	Lower	Upper
107	100		
144	25.7	21.0	31.4
142	80.2	64.6	97.0





#37
2-Methylnaphthalene
Concen: 77.372 ng
RT: 12.213 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:142 Resp: 1761325

Ion	Ratio	Lower	Upper
142	100		
141	88.9	70.3	105.5
115	37.2	28.9	43.3





#38
1-Methylnaphthalene
Concen: 76.186 ng
RT: 12.437 min Scan# 1615
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:142 Resp: 1844376

Ion	Ratio	Lower	Upper
142	100		
141	92.0	73.1	109.7
116	4.1	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:164 Resp: 436046

Ion	Ratio	Lower	Upper
164	100		
162	98.6	81.0	121.6
160	42.6	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 79.014 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:216 Resp: 995064

Ion	Ratio	Lower	Upper
216	100		
214	78.8	63.0	94.4
179	21.2	17.1	25.7
108	18.7	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 87.916 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:237 Resp: 668771

Ion	Ratio	Lower	Upper
237	100		
235	61.9	42.7	82.7
272	12.7	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 159.559 ng
RT: 15.913 min Scan# 2206
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:330 Resp: 936489

Ion	Ratio	Lower	Upper
330	100		
332	96.5	77.3	115.9
141	32.8	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 83.096 ng
RT: 12.825 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:196 Resp: 706484

Ion	Ratio	Lower	Upper
196	100		
198	94.8	77.2	115.8
200	30.5	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 81.870 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:196 Resp: 762861

Ion	Ratio	Lower	Upper
196	100		
198	96.1	76.2	114.2
97	49.5	41.2	61.8
132	28.2	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 147.705 ng
RT: 13.019 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:172 Resp: 4712591

Ion	Ratio	Lower	Upper
172	100		
171	35.5	28.1	42.1
170	23.3	18.6	28.0





#46
1,1'-Biphenyl
Concen: 77.476 ng
RT: 13.231 min Scan# 1750
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:154 Resp: 2453536

Ion	Ratio	Lower	Upper
154	100		
153	40.2	19.5	59.5
76	11.5	0.0	31.1





#47
2-Chloronaphthalene
Concen: 77.804 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:162 Resp: 1918120

Ion	Ratio	Lower	Upper
162	100		
127	41.9	33.4	50.2
164	33.0	26.2	39.2





#48
2-Nitroaniline
Concen: 82.788 ng
RT: 13.472 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion: 65 Resp: 594696

Ion	Ratio	Lower	Upper
65	100		
92	72.9	57.6	86.4
138	120.4	91.0	136.6





#49
Acenaphthylene
Concen: 78.318 ng
RT: 14.125 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:152 Resp: 3194918

Ion	Ratio	Lower	Upper
152	100		
151	20.2	16.0	24.0
153	13.0	10.6	15.8





#50
Dimethylphthalate
Concen: 76.632 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:163 Resp: 2446951

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	10.3	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 80.639 ng
RT: 13.972 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:165 Resp: 542710

Ion	Ratio	Lower	Upper
165	100		
63	51.0	40.9	61.3
89	54.4	42.1	63.1





#52
Acenaphthene
Concen: 76.902 ng
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:154 Resp: 1841448

Ion	Ratio	Lower	Upper
154	100		
153	111.9	90.2	135.2
152	53.1	42.1	63.1





#53
3-Nitroaniline
Concen: 81.627 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:138 Resp: 618087

Ion	Ratio	Lower	Upper
138	100		
108	11.1	8.3	12.5
92	108.1	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 94.356 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:184 Resp: 339125

Ion	Ratio	Lower	Upper
184	100		
63	61.4	49.4	74.2
154	68.6	54.6	82.0





#55
Dibenzofuran
Concen: 77.023 ng
RT: 14.807 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:168 Resp: 2915933

Ion	Ratio	Lower	Upper
168	100		
139	39.7	31.5	47.3
169	13.1	10.9	16.3





#56
4-Nitrophenol
Concen: 83.618 ng
RT: 14.619 min Scan# 1986
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:139 Resp: 520294

Ion	Ratio	Lower	Upper
139	100		
109	80.0	56.6	96.6
65	91.5	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 82.399 ng
RT: 14.766 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:165 Resp: 791214

Ion	Ratio	Lower	Upper
165	100		
63	38.7	31.4	47.2
89	66.0	53.3	79.9
182	2.9	2.3	3.5





#58
Fluorene
Concen: 73.164 ng
RT: 15.466 min Scan# 2130
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:166 Resp: 2185593

Ion	Ratio	Lower	Upper
166	100		
165	96.8	78.8	118.2
167	13.4	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 80.448 ng
RT: 15.031 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:232 Resp: 661890

Ion	Ratio	Lower	Upper
232	100		
131	45.9	37.0	55.6
130	2.5	1.9	2.9
166	31.7	25.4	38.0





#60
Diethylphthalate
Concen: 76.870 ng
RT: 15.242 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:149 Resp: 2494087

Ion	Ratio	Lower	Upper
149	100		
177	21.6	17.3	25.9
150	12.5	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 74.388 ng
RT: 15.460 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:204 Resp: 1105157

Ion	Ratio	Lower	Upper
204	100		
206	33.6	25.8	38.8
141	64.1	49.4	74.2





#62
4-Nitroaniline
Concen: 80.710 ng
RT: 15.484 min Scan# 2133
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:138 Resp: 626525

Ion	Ratio	Lower	Upper
138	100		
92	50.8	29.1	69.1
108	85.1	61.5	101.5





#63
Azobenzene
Concen: 77.017 ng
RT: 15.760 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion: 77 Resp: 2139674

Ion	Ratio	Lower	Upper
77	100		
182	27.9	7.5	47.5
105	22.3	2.1	42.1
51	29.8	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 2425
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:188 Resp: 856946

Ion	Ratio	Lower	Upper
188	100		
94	8.7	6.6	10.0
80	10.1	6.7	10.1#





#65
4,6-Dinitro-2-methylphenol
Concen: 88.473 ng
RT: 15.542 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:198 Resp: 472602

Ion	Ratio	Lower	Upper
198	100		
51	44.3	19.6	59.6
105	44.6	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 77.866 ng
RT: 15.678 min Scan# 2166
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:169 Resp: 2034782

Ion	Ratio	Lower	Upper
169	100		
168	66.7	53.2	79.8
167	36.2	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 79.144 ng
RT: 16.372 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:248 Resp: 745915

Ion	Ratio	Lower	Upper
248	100		
250	97.2	78.2	117.2
141	77.2	59.6	89.4





#68
Hexachlorobenzene
Concen: 78.721 ng
RT: 16.495 min Scan# 2305
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:284 Resp: 860051

Ion	Ratio	Lower	Upper
284	100		
142	33.7	29.1	43.7
249	31.3	25.0	37.4





#69
Atrazine
Concen: 80.064 ng
RT: 16.654 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:200 Resp: 783533

Ion	Ratio	Lower	Upper
200	100		
173	25.7	6.7	46.7
215	48.2	29.7	69.7





#70
Pentachlorophenol
Concen: 85.502 ng
RT: 16.842 min Scan# 2364
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:266 Resp: 589673

Ion	Ratio	Lower	Upper
266	100		
268	63.8	52.6	79.0
264	63.4	52.0	78.0





#71
Phenanthrene
Concen: 76.972 ng
RT: 17.242 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:178 Resp: 3623454

Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.5	23.3
179	15.7	12.2	18.4





#72
Anthracene
Concen: 77.014 ng
RT: 17.336 min Scan# 2448
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:178 Resp: 3702277

Ion	Ratio	Lower	Upper
178	100		
176	18.9	14.7	22.1
179	15.7	12.2	18.2





#73
Carbazole
Concen: 77.368 ng
RT: 17.607 min Scan# 24
Delta R.T. -0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:167 Resp: 3503273

Ion	Ratio	Lower	Upper
167	100		
166	21.4	17.5	26.3
139	13.7	10.6	16.0





#74
Di-n-butylphthalate
Concen: 77.844 ng
RT: 18.219 min Scan# 2598
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:149 Resp: 4336701

Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.4	11.0
104	5.0	4.2	6.2





#75
Fluoranthene
Concen: 76.815 ng
RT: 19.330 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:202 Resp: 4313301

Ion	Ratio	Lower	Upper
202	100		
101	10.6	0.0	31.1
203	17.8	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.660 min Scan# 3183
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:240 Resp: 888879

Ion	Ratio	Lower	Upper
240	100		
120	10.9	8.9	13.3
236	25.7	19.8	29.8





#77
Benzidine
Concen: 67.124 ng
RT: 19.525 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:184 Resp: 2036246

Ion	Ratio	Lower	Upper
184	100		
185	13.9	11.5	17.3
183	11.9	9.4	14.2





#78
Pyrene
Concen: 76.343 ng
RT: 19.707 min Scan# 2851
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:202 Resp: 4410693

Ion	Ratio	Lower	Upper
202	100		
200	21.3	16.9	25.3
203	18.1	14.2	21.2





#79
Terphenyl-d14
Concen: 146.217 ng
RT: 19.930 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:244 Resp: 7103816

Ion	Ratio	Lower	Upper
244	100		
212	7.5	5.8	8.6
122	9.0	7.4	11.2





#80
Butylbenzylphthalate
Concen: 78.460 ng
RT: 20.660 min Scan# 3013
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:149 Resp: 2054404

Ion	Ratio	Lower	Upper
149	100		
91	65.0	54.2	81.2
206	22.1	16.6	24.8





#81
Benzo(a)anthracene
Concen: 77.322 ng
RT: 21.642 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:228 Resp: 4532763

Ion	Ratio	Lower	Upper
228	100		
226	27.0	21.7	32.5
229	19.5	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 77.197 ng
RT: 21.554 min Scan# 3165
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:252 Resp: 1705746

Ion	Ratio	Lower	Upper
252	100		
254	64.8	51.8	77.6
126	11.0	9.1	13.7





#83
Chrysene
Concen: 76.835 ng
RT: 21.707 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:228 Resp: 4218161

Ion	Ratio	Lower	Upper
228	100		
226	30.1	23.2	34.8
229	19.7	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 78.400 ng
RT: 21.583 min Scan# 3170
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:149 Resp: 3021891

Ion	Ratio	Lower	Upper
149	100		
167	27.8	22.1	33.1
279	4.8	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 79.974 ng
RT: 22.877 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:149 Resp: 5302080

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.0	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.030 min Scan# 3756
Delta R.T. 0.000 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:264 Resp: 1037707

Ion	Ratio	Lower	Upper
264	100		
260	23.2	19.3	28.9
265	21.8	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 71.894 ng
RT: 28.895 min Scan# 44
Delta R.T. 0.029 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:276 Resp: 5473121

Ion	Ratio	Lower	Upper
276	100		
138	19.0	12.9	19.3
277	23.1	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 79.692 ng
RT: 23.977 min Scan# 3577
Delta R.T. 0.024 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:252 Resp: 4876398

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.7	26.5
125	9.7	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 77.323 ng
RT: 24.054 min Scan# 3
Delta R.T. 0.024 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:252 Resp: 4734637

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.1	25.7
125	9.5	7.8	11.6





#90
Benzo(a)pyrene
Concen: 79.505 ng
RT: 24.889 min Scan# 3732
Delta R.T. 0.035 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:252 Resp: 4735685

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.5	26.3
125	10.5	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 81.142 ng
RT: 28.983 min Scan# 44
Delta R.T. 0.029 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Instrument :
BNA_P
ClientSampleId :
SSTDICC080

Tgt Ion:278 Resp: 5046260

Ion	Ratio	Lower	Upper
278	100		
139	15.6	13.0	19.4
279	23.6	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 80.973 ng
RT: 30.106 min Scan# 4619
Delta R.T. 0.047 min
Lab File: BP025399.D
Acq: 14 Aug 2025 17:24

Tgt Ion:276 Resp: 4949477

Ion	Ratio	Lower	Upper
276	100		
277	23.4	19.4	29.0
138	19.9	16.7	25.1



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025400.D
Acq On : 14 Aug 2025 18:05
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Quant Time: Aug 14 18:24:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	174007	20.000	ng		0.00
21) Naphthalene-d8	10.566	136	750079	20.000	ng		0.00
39) Acenaphthene-d10	14.407	164	503239	20.000	ng		0.00
64) Phenanthrene-d10	17.213	188	1034378	20.000	ng		0.01
76) Chrysene-d12	21.654	240	1060337	20.000	ng		0.00
86) Perylene-d12	25.024	264	1200519	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	727486	69.430	ng		0.00
7) Phenol-d6	6.966	99	962695	71.663	ng		0.00
23) Nitrobenzene-d5	8.937	82	984441	66.391	ng		0.00
42) 2,4,6-Tribromophenol	15.919	330	484870	71.582	ng		0.00
45) 2-Fluorobiphenyl	13.025	172	2430828	66.016	ng		0.00
79) Terphenyl-d14	19.936	244	3848160	66.399	ng		0.02
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	138687	33.792	ng		99
3) Pyridine	3.731	79	403298	35.901	ng		98
4) n-Nitrosodimethylamine	3.631	42	176521	38.115	ng		98
6) Aniline	7.125	93	690437	38.147	ng		99
8) 2-Chlorophenol	7.366	128	455230	38.501	ng		99
9) Benzaldehyde	6.943	77	321335	34.142	ng		96
10) Phenol	6.996	94	541123	38.388	ng		99
11) bis(2-Chloroethyl)ether	7.219	93	421318	38.348	ng		99
12) 1,3-Dichlorobenzene	7.684	146	492014	37.738	ng		100
13) 1,4-Dichlorobenzene	7.825	146	504919	37.890	ng		97
14) 1,2-Dichlorobenzene	8.143	146	487845	37.818	ng		99
15) Benzyl Alcohol	8.025	79	416544	39.025	ng		98
16) 2,2'-oxybis(1-Chloropr...	8.319	45	563276	38.271	ng		99
17) 2-Methylphenol	8.225	107	380608	38.877	ng		100
18) Hexachloroethane	8.866	117	186691	38.103	ng		97
19) n-Nitroso-di-n-propyla...	8.590	70	340533	38.270	ng		99
20) 3+4-Methylphenols	8.549	107	524095	38.620	ng		99
22) Acetophenone	8.602	105	718869	38.216	ng	#	99
24) Nitrobenzene	8.978	77	494466	37.313	ng		98
25) Isophorone	9.501	82	993378	37.855	ng		99
26) 2-Nitrophenol	9.678	139	263348	38.722	ng		97
27) 2,4-Dimethylphenol	9.743	122	455078	38.910	ng		99
28) bis(2-Chloroethoxy)met...	9.972	93	599862	37.816	ng		99
29) 2,4-Dichlorophenol	10.213	162	449034	38.649	ng		98
30) 1,2,4-Trichlorobenzene	10.431	180	474183	37.231	ng		98
31) Naphthalene	10.613	128	1459279	37.431	ng		99
32) Benzoic acid	9.884	122	330207	38.242	ng		96
33) 4-Chloroaniline	10.713	127	655135	38.043	ng		99
34) Hexachlorobutadiene	10.901	225	293728	37.031	ng		98
35) Caprolactam	11.501	113	163211	38.310	ng		98
36) 4-Chloro-3-methylphenol	11.837	107	517126	38.789	ng		98
37) 2-Methylnaphthalene	12.219	142	960146	37.845	ng		99
38) 1-Methylnaphthalene	12.443	142	1012844	37.539	ng		99
40) 1,2,4,5-Tetrachloroben...	12.590	216	550777	37.895	ng		100
41) Hexachlorocyclopentadiene	12.572	237	351819	40.074	ng		100
43) 2,4,6-Trichlorophenol	12.831	196	382393	38.972	ng		98

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025400.D
Acq On : 14 Aug 2025 18:05
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Quant Time: Aug 14 18:24:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	420565	39.108	ng	99
46) 1,1'-Biphenyl	13.237	154	1376834	37.672	ng	99
47) 2-Chloronaphthalene	13.272	162	1072147	37.682	ng	99
48) 2-Nitroaniline	13.472	65	323995	39.081	ng	99
49) Acenaphthylene	14.125	152	1775899	37.720	ng	100
50) Dimethylphthalate	13.860	163	1406620	38.170	ng	100
51) 2,6-Dinitrotoluene	13.972	165	304562	39.211	ng	98
52) Acenaphthene	14.472	154	1039167	37.603	ng	99
53) 3-Nitroaniline	14.301	138	349791	40.027	ng	98
54) 2,4-Dinitrophenol	14.507	184	172743	41.646	ng	100
55) Dibenzofuran	14.813	168	1630744	37.324	ng	100
56) 4-Nitrophenol	14.619	139	284585	39.630	ng	99
57) 2,4-Dinitrotoluene	14.772	165	448143	40.439	ng	98
58) Fluorene	15.478	166	1275341	36.992	ng	98
59) 2,3,4,6-Tetrachlorophenol	15.036	232	371715	39.147	ng	99
60) Diethylphthalate	15.242	149	1415787	37.810	ng	99
61) 4-Chlorophenyl-phenyle...	15.472	204	627477	36.596	ng	99
62) 4-Nitroaniline	15.484	138	346865	38.717	ng	99
63) Azobenzene	15.766	77	1235242	38.526	ng	99
65) 4,6-Dinitro-2-methylph...	15.548	198	256111	39.721	ng	99
66) n-Nitrosodiphenylamine	15.684	169	1174244	37.227	ng	100
67) 4-Bromophenyl-phenylether	16.378	248	422072	37.101	ng	96
68) Hexachlorobenzene	16.501	284	488749	37.062	ng	98
69) Atrazine	16.660	200	449555	38.057	ng	100
70) Pentachlorophenol	16.854	266	322435	38.733	ng	98
71) Phenanthrene	17.254	178	2070873	36.445	ng	99
72) Anthracene	17.342	178	2179669	37.563	ng	100
73) Carbazole	17.619	167	2028595	37.116	ng	100
74) Di-n-butylphthalate	18.225	149	2528547	37.602	ng	100
75) Fluoranthene	19.342	202	2540417	37.481	ng	99
77) Benzidine	19.519	184	1529656	42.271	ng	99
78) Pyrene	19.713	202	2577810	37.404	ng	99
80) Butylbenzylphthalate	20.660	149	1199445	38.401	ng	98
81) Benzo(a)anthracene	21.636	228	2583866	36.950	ng	99
82) 3,3'-Dichlorobenzidine	21.554	252	1002597	38.038	ng	99
83) Chrysene	21.701	228	2446197	37.353	ng	99
84) Bis(2-ethylhexyl)phtha...	21.583	149	1780746	38.729	ng	100
85) Di-n-octyl phthalate	22.877	149	2998528	37.915	ng	100
87) Indeno(1,2,3-cd)pyrene	28.877	276	3267965	37.119	ng	94
88) Benzo(b)fluoranthene	23.971	252	2616701	36.964	ng	100
89) Benzo(k)fluoranthene	24.042	252	2653905	37.464	ng	99
90) Benzo(a)pyrene	24.871	252	2560692	37.160	ng	100
91) Dibenzo(a,h)anthracene	28.948	278	2697336	37.490	ng	99
92) Benzo(g,h,i)perylene	30.089	276	2632085	37.216	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
Data File : BP025400.D
Acq On : 14 Aug 2025 18:05
Operator : CG/JU
Sample : SSTDICV040
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Quant Time: Aug 14 18:24:25 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:152 Resp: 174007

Ion	Ratio	Lower	Upper
152	100		
150	157.6	125.9	188.9
115	62.0	48.5	72.7





#2
1,4-Dioxane
Concen: 33.792 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 88 Resp: 138687

Ion	Ratio	Lower	Upper
88	100		
58	73.7	59.2	88.8
43	27.9	21.7	32.5





#3
Pyridine
Concen: 35.901 ng
RT: 3.731 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion: 79 Resp: 403298

Ion	Ratio	Lower	Upper
79	100		
52	70.8	55.5	83.3
51	34.7	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 38.115 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 42 Resp: 176521

Ion	Ratio	Lower	Upper
42	100		
74	130.8	107.0	160.4
44	7.7	6.2	9.4





#5
2-Fluorophenol
Concen: 69.430 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:112 Resp: 727486

Ion	Ratio	Lower	Upper
112	100		
64	54.2	43.8	65.8
63	28.8	22.7	34.1





#6
Aniline
Concen: 38.147 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 93 Resp: 690437

Ion	Ratio	Lower	Upper
93	100		
66	37.3	30.4	45.6
65	18.7	15.3	22.9





#7
Phenol-d6
Concen: 71.663 ng
RT: 6.966 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion: 99 Resp: 962695

Ion	Ratio	Lower	Upper
99	100		
42	16.6	13.7	20.5
71	33.7	28.2	42.4





#8
2-Chlorophenol
Concen: 38.501 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:128 Resp: 455230

Ion	Ratio	Lower	Upper
128	100		
130	31.6	12.6	52.6
64	43.2	23.4	63.4





#9
Benzaldehyde
Concen: 34.142 ng
RT: 6.943 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion: 77 Resp: 321335

Ion	Ratio	Lower	Upper
77	100		
105	100.9	84.8	124.8
106	96.6	80.5	120.5





#10
Phenol
Concen: 38.388 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 94 Resp: 541123

Ion	Ratio	Lower	Upper
94	100		
65	27.1	6.8	46.8
66	37.5	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 38.348 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion: 93 Resp: 421318

Ion	Ratio	Lower	Upper
93	100		
63	73.1	52.6	92.6
95	33.6	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 37.738 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:146 Resp: 492014

Ion	Ratio	Lower	Upper
146	100		
148	64.8	51.9	77.9
75	30.1	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 37.890 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:146 Resp: 504919

Ion	Ratio	Lower	Upper
146	100		
148	62.3	51.6	77.4
111	39.8	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 37.818 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:146 Resp: 487845

Ion	Ratio	Lower	Upper
146	100		
148	63.7	50.4	75.6
111	42.1	34.5	51.7





#15
Benzyl Alcohol
Concen: 39.025 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion: 79 Resp: 416544

Ion	Ratio	Lower	Upper
79	100		
108	78.5	63.8	95.6
77	62.8	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 38.271 ng
RT: 8.319 min Scan# 915
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 45 Resp: 563276

Ion	Ratio	Lower	Upper
45	100		
77	14.8	0.0	35.3
79	11.7	0.0	31.8





#17
2-Methylphenol
Concen: 38.877 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:107 Resp: 380608

Ion	Ratio	Lower	Upper
107	100		
108	111.0	89.4	134.0
77	45.3	36.3	54.5
79	45.7	36.6	54.8





#18
Hexachloroethane
Concen: 38.103 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:117 Resp: 186691

Ion	Ratio	Lower	Upper
117	100		
119	95.0	75.1	112.7
201	105.6	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 38.270 ng
RT: 8.590 min Scan# 9
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion: 70 Resp: 340533

Ion	Ratio	Lower	Upper
70	100		
42	55.7	43.8	65.6
101	10.7	8.5	12.7
130	24.6	19.4	29.0





#20
3+4-Methylphenols
Concen: 38.620 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:107 Resp: 524095

Ion	Ratio	Lower	Upper
107	100		
108	88.0	66.3	106.3
77	32.5	12.3	52.3
79	28.3	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.566 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:136 Resp: 750079

Ion	Ratio	Lower	Upper
136	100		
137	10.6	9.2	13.8
54	7.3	6.0	9.0
68	5.6	4.3	6.5





#22
Acetophenone
Concen: 38.216 ng
RT: 8.602 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:105 Resp: 718869

Ion	Ratio	Lower	Upper
105	100		
71	4.2	2.6	4.0#
51	26.2	20.6	30.8
120	23.1	18.6	27.8





#23
Nitrobenzene-d5
Concen: 66.391 ng
RT: 8.937 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion: 82 Resp: 984441

Ion	Ratio	Lower	Upper
82	100		
128	47.3	37.7	56.5
54	49.6	39.8	59.6





#24
Nitrobenzene
Concen: 37.313 ng
RT: 8.978 min Scan# 1027
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 77 Resp: 494466

Ion	Ratio	Lower	Upper
77	100		
123	50.3	38.6	58.0
65	12.9	10.6	15.8





#25
Isophorone
Concen: 37.855 ng
RT: 9.501 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion: 82 Resp: 993378

Ion	Ratio	Lower	Upper
82	100		
95	7.7	6.4	9.6
138	18.9	15.4	23.0





#26
2-Nitrophenol
Concen: 38.722 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:139 Resp: 263348

Ion	Ratio	Lower	Upper
139	100		
109	31.7	26.9	40.3
65	46.4	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 38.910 ng
RT: 9.743 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:122 Resp: 455078

Ion	Ratio	Lower	Upper
122	100		
107	115.6	93.7	140.5
121	59.1	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 37.816 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 93 Resp: 599862

Ion	Ratio	Lower	Upper
93	100		
95	32.7	25.4	38.0
123	11.9	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 38.649 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:162 Resp: 449034

Ion	Ratio	Lower	Upper
162	100		
164	63.3	44.4	84.4
98	36.9	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 37.231 ng
RT: 10.431 min Scan# 1274
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:180 Resp: 474183

Ion	Ratio	Lower	Upper
180	100		
182	95.9	78.0	117.0
145	31.7	25.9	38.9





#31
Naphthalene
Concen: 37.431 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:128 Resp: 1459279

Ion	Ratio	Lower	Upper
128	100		
129	10.9	8.6	13.0
127	12.8	10.7	16.1





#32
Benzoic acid
Concen: 38.242 ng
RT: 9.884 min Scan# 1181
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:122 Resp: 330207

Ion	Ratio	Lower	Upper
122	100		
105	126.0	100.6	140.6
77	88.0	71.5	111.5





#33
4-Chloroaniline
Concen: 38.043 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:127 Resp: 655135

Ion	Ratio	Lower	Upper
127	100		
129	31.7	25.4	38.2
65	28.7	23.8	35.6
92	19.3	15.8	23.8





#34
Hexachlorobutadiene
Concen: 37.031 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:225 Resp: 293728

Ion	Ratio	Lower	Upper
225	100		
223	61.5	50.0	75.0
227	63.6	49.7	74.5





#35
Caprolactam
Concen: 38.310 ng
RT: 11.501 min Scan# 14
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:113 Resp: 163211

Ion	Ratio	Lower	Upper
113	100		
55	156.9	140.0	180.0
56	121.2	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 38.789 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:107 Resp: 517126

Ion	Ratio	Lower	Upper
107	100		
144	25.4	21.0	31.4
142	79.2	64.6	97.0





#37
2-Methylnaphthalene
Concen: 37.845 ng
RT: 12.219 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:142 Resp: 960146

Ion	Ratio	Lower	Upper
142	100		
141	89.0	70.3	105.5
115	37.2	28.9	43.3





#38
1-Methylnaphthalene
Concen: 37.539 ng
RT: 12.443 min Scan# 1616
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:142 Resp: 1012844

Ion	Ratio	Lower	Upper
142	100		
141	90.0	73.1	109.7
116	3.9	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:164 Resp: 503239

Ion	Ratio	Lower	Upper
164	100		
162	99.1	81.0	121.6
160	44.5	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 37.895 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:216 Resp: 550777

Ion	Ratio	Lower	Upper
216	100		
214	78.8	63.0	94.4
179	21.4	17.1	25.7
108	18.9	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 40.074 ng
RT: 12.572 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:237 Resp: 351819

Ion	Ratio	Lower	Upper
237	100		
235	62.7	42.7	82.7
272	13.0	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 71.582 ng
RT: 15.919 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:330 Resp: 484870

Ion	Ratio	Lower	Upper
330	100		
332	96.4	77.3	115.9
141	33.4	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 38.972 ng
RT: 12.831 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:196 Resp: 382393

Ion	Ratio	Lower	Upper
196	100		
198	94.8	77.2	115.8
200	31.1	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 39.108 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:196 Resp: 420565

Ion	Ratio	Lower	Upper
196	100		
198	94.5	76.2	114.2
97	50.2	41.2	61.8
132	27.4	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 66.016 ng
RT: 13.025 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:172 Resp: 2430828

Ion	Ratio	Lower	Upper
172	100		
171	35.3	28.1	42.1
170	23.1	18.6	28.0





#46
1,1'-Biphenyl
Concen: 37.672 ng
RT: 13.237 min Scan# 1751
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:154 Resp: 1376834

Ion	Ratio	Lower	Upper
154	100		
153	40.2	19.5	59.5
76	11.4	0.0	31.1





#47
2-Chloronaphthalene
Concen: 37.682 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:162 Resp: 1072147

Ion	Ratio	Lower	Upper
162	100		
127	40.5	33.4	50.2
164	32.8	26.2	39.2





#48
2-Nitroaniline
Concen: 39.081 ng
RT: 13.472 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 65 Resp: 323995

Ion	Ratio	Lower	Upper
65	100		
92	72.2	57.6	86.4
138	114.9	91.0	136.6





#49
Acenaphthylene
Concen: 37.720 ng
RT: 14.125 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:152 Resp: 1775899

Ion	Ratio	Lower	Upper
152	100		
151	19.8	16.0	24.0
153	13.1	10.6	15.8





#50
Dimethylphthalate
Concen: 38.170 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:163 Resp: 1406620

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.1	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 39.211 ng
RT: 13.972 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:165 Resp: 304562

Ion	Ratio	Lower	Upper
165	100		
63	52.1	40.9	61.3
89	54.2	42.1	63.1





#52
Acenaphthene
Concen: 37.603 ng
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:154 Resp: 1039167

Ion	Ratio	Lower	Upper
154	100		
153	110.9	90.2	135.2
152	52.6	42.1	63.1





#53
3-Nitroaniline
Concen: 40.027 ng
RT: 14.301 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:138 Resp: 349791

Ion	Ratio	Lower	Upper
138	100		
108	10.6	8.3	12.5
92	110.0	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 41.646 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:184 Resp: 172743

Ion	Ratio	Lower	Upper
184	100		
63	61.3	49.4	74.2
154	68.1	54.6	82.0





#55
Dibenzofuran
Concen: 37.324 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:168 Resp: 1630744

Ion	Ratio	Lower	Upper
168	100		
139	39.8	31.5	47.3
169	13.5	10.9	16.3





#56
4-Nitrophenol
Concen: 39.630 ng
RT: 14.619 min Scan# 1986
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:139 Resp: 284585

Ion	Ratio	Lower	Upper
139	100		
109	77.1	56.6	96.6
65	90.2	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 40.439 ng
RT: 14.772 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:165 Resp: 448143

Ion	Ratio	Lower	Upper
165	100		
63	37.5	31.4	47.2
89	65.6	53.3	79.9
182	2.8	2.3	3.5





#58
Fluorene
Concen: 36.992 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:166 Resp: 1275341

Ion	Ratio	Lower	Upper
166	100		
165	97.0	78.8	118.2
167	13.2	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 39.147 ng
RT: 15.036 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:232 Resp: 371715

Ion	Ratio	Lower	Upper
232	100		
131	45.3	37.0	55.6
130	2.6	1.9	2.9
166	31.4	25.4	38.0





#60
Diethylphthalate
Concen: 37.810 ng
RT: 15.242 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:149 Resp: 1415787

Ion	Ratio	Lower	Upper
149	100		
177	22.0	17.3	25.9
150	12.7	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 36.596 ng
RT: 15.472 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:204 Resp: 627477

Ion	Ratio	Lower	Upper
204	100		
206	32.7	25.8	38.8
141	62.9	49.4	74.2





#62
4-Nitroaniline
Concen: 38.717 ng
RT: 15.484 min Scan# 2133
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:138 Resp: 346865

Ion	Ratio	Lower	Upper
138	100		
92	48.5	29.1	69.1
108	82.4	61.5	101.5





#63
Azobenzene
Concen: 38.526 ng
RT: 15.766 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion: 77 Resp: 1235242

Ion	Ratio	Lower	Upper
77	100		
182	26.8	7.5	47.5
105	22.8	2.1	42.1
51	29.9	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.213 min Scan# 2427
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:188 Resp: 1034378

Ion	Ratio	Lower	Upper
188	100		
94	8.8	6.6	10.0
80	9.4	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 39.721 ng
RT: 15.548 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:198 Resp: 256111

Ion	Ratio	Lower	Upper
198	100		
51	40.6	19.6	59.6
105	40.7	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 37.227 ng
RT: 15.684 min Scan# 2167
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:169 Resp: 1174244

Ion	Ratio	Lower	Upper
169	100		
168	66.0	53.2	79.8
167	35.7	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 37.101 ng
RT: 16.378 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:248 Resp: 422072

Ion	Ratio	Lower	Upper
248	100		
250	99.4	78.2	117.2
141	81.1	59.6	89.4





#68
Hexachlorobenzene
Concen: 37.062 ng
RT: 16.501 min Scan# 2306
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:284 Resp: 488749

Ion	Ratio	Lower	Upper
284	100		
142	35.3	29.1	43.7
249	32.1	25.0	37.4





#69
Atrazine
Concen: 38.057 ng
RT: 16.660 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:200 Resp: 449555

Ion	Ratio	Lower	Upper
200	100		
173	26.7	6.7	46.7
215	49.7	29.7	69.7





#70
Pentachlorophenol
Concen: 38.733 ng
RT: 16.854 min Scan# 2366
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:266 Resp: 322435

Ion	Ratio	Lower	Upper
266	100		
268	66.4	52.6	79.0
264	63.2	52.0	78.0





#71
Phenanthrene
Concen: 36.445 ng
RT: 17.254 min Scan# 24
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:178 Resp: 2070873

Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.5	23.3
179	15.3	12.2	18.4





#72
Anthracene
Concen: 37.563 ng
RT: 17.342 min Scan# 2449
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:178 Resp: 2179669

Ion	Ratio	Lower	Upper
178	100		
176	18.5	14.7	22.1
179	15.1	12.2	18.2





#73
Carbazole
Concen: 37.116 ng
RT: 17.619 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:167 Resp: 2028595

Ion	Ratio	Lower	Upper
167	100		
166	21.8	17.5	26.3
139	13.3	10.6	16.0





#74
Di-n-butylphthalate
Concen: 37.602 ng
RT: 18.225 min Scan# 2599
Delta R.T. 0.018 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:149 Resp: 2528547

Ion	Ratio	Lower	Upper
149	100		
150	9.4	7.4	11.0
104	5.1	4.2	6.2





#75
Fluoranthene
Concen: 37.481 ng
RT: 19.342 min Scan# 2
Delta R.T. 0.018 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:202 Resp: 2540417

Ion	Ratio	Lower	Upper
202	100		
101	9.9	0.0	31.1
203	17.4	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.654 min Scan# 3182
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:240 Resp: 1060337

Ion	Ratio	Lower	Upper
240	100		
120	10.3	8.9	13.3
236	25.7	19.8	29.8





#77
Benzidine
Concen: 42.271 ng
RT: 19.519 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:184 Resp: 1529656

Ion	Ratio	Lower	Upper
184	100		
185	13.9	11.5	17.3
183	12.1	9.4	14.2





#78
Pyrene
Concen: 37.404 ng
RT: 19.713 min Scan# 2852
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:202 Resp: 2577810

Ion	Ratio	Lower	Upper
202	100		
200	20.8	16.9	25.3
203	17.5	14.2	21.2





#79
Terphenyl-d14
Concen: 66.399 ng
RT: 19.936 min Scan# 2
Delta R.T. 0.018 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:244 Resp: 3848160

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	9.9	7.4	11.2





#80
Butylbenzylphthalate
Concen: 38.401 ng
RT: 20.660 min Scan# 3013
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:149 Resp: 1199445

Ion	Ratio	Lower	Upper
149	100		
91	65.6	54.2	81.2
206	21.1	16.6	24.8





#81
Benzo(a)anthracene
Concen: 36.950 ng
RT: 21.636 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:228 Resp: 2583866

Ion	Ratio	Lower	Upper
228	100		
226	26.6	21.7	32.5
229	19.5	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 38.038 ng
RT: 21.554 min Scan# 3165
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:252 Resp: 1002597

Ion	Ratio	Lower	Upper
252	100		
254	64.1	51.8	77.6
126	10.7	9.1	13.7





#83
Chrysene
Concen: 37.353 ng
RT: 21.701 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:228 Resp: 2446197

Ion	Ratio	Lower	Upper
228	100		
226	29.7	23.2	34.8
229	19.7	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 38.729 ng
RT: 21.583 min Scan# 3170
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:149 Resp: 1780746

Ion	Ratio	Lower	Upper
149	100		
167	27.8	22.1	33.1
279	4.5	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 37.915 ng
RT: 22.877 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:149 Resp: 2998528

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.0	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.024 min Scan# 3755
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:264 Resp: 1200519

Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.3	28.9
265	21.6	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 37.119 ng
RT: 28.877 min Scan# 44
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:276 Resp: 3267965

Ion	Ratio	Lower	Upper
276	100		
138	17.0	12.9	19.3
277	25.5	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 36.964 ng
RT: 23.971 min Scan# 3576
Delta R.T. 0.018 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:252 Resp: 2616701

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.7	26.5
125	10.2	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 37.464 ng
RT: 24.042 min Scan# 3
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:252 Resp: 2653905

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.1	25.7
125	10.4	7.8	11.6





#90
Benzo(a)pyrene
Concen: 37.160 ng
RT: 24.871 min Scan# 3729
Delta R.T. 0.018 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:252 Resp: 2560692

Ion	Ratio	Lower	Upper
252	100		
253	22.1	17.5	26.3
125	10.7	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 37.490 ng
RT: 28.948 min Scan# 44
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :
BNA_P
ClientSampleId :
ICVBP081425

Tgt Ion:278 Resp: 2697336

Ion	Ratio	Lower	Upper
278	100		
139	15.4	13.0	19.4
279	24.4	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 37.216 ng
RT: 30.089 min Scan# 4616
Delta R.T. 0.029 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:276 Resp: 2632085

Ion	Ratio	Lower	Upper
276	100		
277	24.0	19.4	29.0
138	19.6	16.7	25.1



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025422.D
Acq On : 15 Aug 2025 10:36
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Quant Time: Aug 15 11:23:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	163210	20.000	ng	0.00
21) Naphthalene-d8	10.554	136	699113	20.000	ng	0.00
39) Acenaphthene-d10	14.407	164	458301	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	913689	20.000	ng	0.00
76) Chrysene-d12	21.648	240	958309	20.000	ng	0.00
86) Perylene-d12	25.012	264	1096861	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.407	112	763443	77.682	ng	0.00
7) Phenol-d6	6.966	99	991544	78.694	ng	0.00
23) Nitrobenzene-d5	8.931	82	1096890	79.367	ng	0.00
42) 2,4,6-Tribromophenol	15.913	330	483517	78.381	ng	0.00
45) 2-Fluorobiphenyl	13.013	172	2530106	75.449	ng	0.00
79) Terphenyl-d14	19.918	244	3932091	75.070	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.331	88	143562	37.293	ng	98
3) Pyridine	3.725	79	405696	38.504	ng	96
4) n-Nitrosodimethylamine	3.637	42	179582	41.341	ng	98
6) Aniline	7.119	93	677656	39.917	ng	100
8) 2-Chlorophenol	7.360	128	438538	39.543	ng	98
9) Benzaldehyde	6.937	77	464483	52.616	ng	98
10) Phenol	6.990	94	518982	39.253	ng	97
11) bis(2-Chloroethyl)ether	7.213	93	406260	39.423	ng	98
12) 1,3-Dichlorobenzene	7.678	146	482648	39.468	ng	98
13) 1,4-Dichlorobenzene	7.819	146	483294	38.666	ng	98
14) 1,2-Dichlorobenzene	8.137	146	469905	38.837	ng	97
15) Benzyl Alcohol	8.019	79	402455	40.199	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.307	45	556083	40.282	ng	99
17) 2-Methylphenol	8.219	107	365027	39.752	ng	98
18) Hexachloroethane	8.860	117	181724	39.542	ng	96
19) n-Nitroso-di-n-propyla...	8.584	70	328037	39.304	ng	98
20) 3+4-Methylphenols	8.543	107	503552	39.561	ng	97
22) Acetophenone	8.595	105	680116	38.792	ng	98
24) Nitrobenzene	8.966	77	491654	39.805	ng	99
25) Isophorone	9.495	82	938896	38.387	ng	99
26) 2-Nitrophenol	9.672	139	250121	39.458	ng	98
27) 2,4-Dimethylphenol	9.737	122	425335	39.018	ng	98
28) bis(2-Chloroethoxy)met...	9.960	93	565633	38.258	ng	98
29) 2,4-Dichlorophenol	10.207	162	419343	38.724	ng	100
30) 1,2,4-Trichlorobenzene	10.419	180	450156	37.921	ng	98
31) Naphthalene	10.607	128	1392577	38.324	ng	100
32) Benzoic acid	9.872	122	303683	37.734	ng	94
33) 4-Chloroaniline	10.707	127	628608	39.164	ng	100
34) Hexachlorobutadiene	10.895	225	285751	38.652	ng	97
35) Caprolactam	11.489	113	150695	37.951	ng	96
36) 4-Chloro-3-methylphenol	11.825	107	482622	38.840	ng	98
37) 2-Methylnaphthalene	12.213	142	903084	38.190	ng	98
38) 1-Methylnaphthalene	12.431	142	941493	37.439	ng	100
40) 1,2,4,5-Tetrachloroben...	12.584	216	512464	38.717	ng	100
41) Hexachlorocyclopentadiene	12.566	237	322360	40.319	ng	98
43) 2,4,6-Trichlorophenol	12.819	196	351101	39.291	ng	98

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025422.D
Acq On : 15 Aug 2025 10:36
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Quant Time: Aug 15 11:23:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.889	196	388369	39.656	ng	99
46) 1,1'-Biphenyl	13.225	154	1287182	38.672	ng	99
47) 2-Chloronaphthalene	13.266	162	1004850	38.780	ng	100
48) 2-Nitroaniline	13.466	65	308875	40.910	ng	98
49) Acenaphthylene	14.125	152	1648885	38.457	ng	100
50) Dimethylphthalate	13.854	163	1276659	38.040	ng	99
51) 2,6-Dinitrotoluene	13.966	165	287385	40.628	ng	98
52) Acenaphthene	14.472	154	1033308	41.057	ng	99
53) 3-Nitroaniline	14.295	138	318681	40.043	ng	95
54) 2,4-Dinitrophenol	14.507	184	150322	39.794	ng	96
55) Dibenzofuran	14.813	168	1491927	37.495	ng	100
56) 4-Nitrophenol	14.607	139	260098	39.771	ng	93
57) 2,4-Dinitrotoluene	14.766	165	408919	40.518	ng	95
58) Fluorene	15.472	166	1165482	37.121	ng	97
59) 2,3,4,6-Tetrachlorophenol	15.036	232	345273	39.927	ng	99
60) Diethylphthalate	15.236	149	1297841	38.058	ng	99
61) 4-Chlorophenyl-phenyle...	15.460	204	575339	36.845	ng	95
62) 4-Nitroaniline	15.483	138	321438	39.397	ng	96
63) Azobenzene	15.760	77	1147009	39.282	ng	98
65) 4,6-Dinitro-2-methylph...	15.542	198	223566	39.253	ng	96
66) n-Nitrosodiphenylamine	15.672	169	1073233	38.519	ng	99
67) 4-Bromophenyl-phenylether	16.372	248	383814	38.195	ng	97
68) Hexachlorobenzene	16.495	284	442250	37.966	ng	98
69) Atrazine	16.654	200	395168	37.872	ng	98
70) Pentachlorophenol	16.842	266	299142	40.681	ng	96
71) Phenanthrene	17.248	178	1900372	37.862	ng	100
72) Anthracene	17.336	178	1953735	38.117	ng	99
73) Carbazole	17.613	167	1812820	37.549	ng	98
74) Di-n-butylphthalate	18.207	149	2277638	38.345	ng	100
75) Fluoranthene	19.324	202	2258336	37.721	ng	99
77) Benzidine	19.513	184	1861268	56.911	ng	99
78) Pyrene	19.701	202	2359709	37.884	ng	99
80) Butylbenzylphthalate	20.654	149	1064206	37.699	ng	96
81) Benzo(a)anthracene	21.630	228	2390024	37.816	ng	99
82) 3,3'-Dichlorobenzidine	21.536	252	906596	38.057	ng	99
83) Chrysene	21.695	228	2241792	37.876	ng	99
84) Bis(2-ethylhexyl)phtha...	21.571	149	1539693	37.052	ng	100
85) Di-n-octyl phthalate	22.859	149	2645927	37.018	ng	99
87) Indeno(1,2,3-cd)pyrene	28.865	276	3143696	39.082	ng	98
88) Benzo(b)fluoranthene	23.942	252	2512340	38.843	ng	99
89) Benzo(k)fluoranthene	24.012	252	2488345	38.446	ng	99
90) Benzo(a)pyrene	24.853	252	2443181	38.805	ng	99
91) Dibenzo(a,h)anthracene	28.930	278	2595384	39.482	ng	98
92) Benzo(g,h,i)perylene	30.012	276	2536518	39.255	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025422.D
Acq On : 15 Aug 2025 10:36
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Quant Time: Aug 15 11:23:48 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 163210

Ion	Ratio	Lower	Upper
152	100		
150	159.4	125.9	188.9
115	59.8	48.5	72.7





#2
1,4-Dioxane
Concen: 37.293 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 88 Resp: 143562

Ion	Ratio	Lower	Upper
88	100		
58	75.3	59.2	88.8
43	28.6	21.7	32.5





#3
Pyridine
Concen: 38.504 ng
RT: 3.725 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 405696

Ion	Ratio	Lower	Upper
79	100		
52	73.4	55.5	83.3
51	36.2	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 41.341 ng
RT: 3.637 min Scan# 119
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 42 Resp: 179582

Ion	Ratio	Lower	Upper
42	100		
74	131.5	107.0	160.4
44	7.6	6.2	9.4





#5
2-Fluorophenol
Concen: 77.682 ng
RT: 5.407 min Scan# 4
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:112 Resp: 763443

Ion	Ratio	Lower	Upper
112	100		
64	54.7	43.8	65.8
63	29.5	22.7	34.1





#6
Aniline
Concen: 39.917 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 93 Resp: 677656

Ion	Ratio	Lower	Upper
93	100		
66	37.9	30.4	45.6
65	19.4	15.3	22.9





#7
Phenol-d6
Concen: 78.694 ng
RT: 6.966 min Scan# 6
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 99 Resp: 991544

Ion	Ratio	Lower	Upper
99	100		
42	17.7	13.7	20.5
71	35.9	28.2	42.4





#8
2-Chlorophenol
Concen: 39.543 ng
RT: 7.360 min Scan# 752
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:128 Resp: 438538

Ion	Ratio	Lower	Upper
128	100		
130	33.3	12.6	52.6
64	44.6	23.4	63.4





#9
Benzaldehyde
Concen: 52.616 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 464483

Ion	Ratio	Lower	Upper
77	100		
105	102.8	84.8	124.8
106	98.0	80.5	120.5





#10
Phenol
Concen: 39.253 ng
RT: 6.990 min Scan# 689
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 94 Resp: 518982

Ion	Ratio	Lower	Upper
94	100		
65	27.9	6.8	46.8
66	40.2	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 39.423 ng
RT: 7.213 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 93 Resp: 406260

Ion	Ratio	Lower	Upper
93	100		
63	74.7	52.6	92.6
95	32.9	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 39.468 ng
RT: 7.678 min Scan# 806
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:146 Resp: 482648

Ion	Ratio	Lower	Upper
146	100		
148	63.6	51.9	77.9
75	31.6	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 38.666 ng
RT: 7.819 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:146 Resp: 483294

Ion	Ratio	Lower	Upper
146	100		
148	62.7	51.6	77.4
111	41.5	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 38.837 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:146 Resp: 469905

Ion	Ratio	Lower	Upper
146	100		
148	65.8	50.4	75.6
111	43.8	34.5	51.7





#15
Benzyl Alcohol
Concen: 40.199 ng
RT: 8.019 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 402455

Ion	Ratio	Lower	Upper
79	100		
108	78.5	63.8	95.6
77	62.8	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 40.282 ng
RT: 8.307 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 45 Resp: 556083

Ion	Ratio	Lower	Upper
45	100		
77	15.1	0.0	35.3
79	11.1	0.0	31.8





#17
2-Methylphenol
Concen: 39.752 ng
RT: 8.219 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:107 Resp: 365027

Ion	Ratio	Lower	Upper
107	100		
108	113.4	89.4	134.0
77	46.5	36.3	54.5
79	46.5	36.6	54.8





#18
Hexachloroethane
Concen: 39.542 ng
RT: 8.860 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:117 Resp: 181724

Ion	Ratio	Lower	Upper
117	100		
119	97.6	75.1	112.7
201	103.5	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 39.304 ng
RT: 8.584 min Scan# 9(
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 70 Resp: 328037

Ion	Ratio	Lower	Upper
70	100		
42	56.8	43.8	65.6
101	10.4	8.5	12.7
130	24.1	19.4	29.0





#20
3+4-Methylphenols
Concen: 39.561 ng
RT: 8.543 min Scan# 953
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:107 Resp: 503552

Ion	Ratio	Lower	Upper
107	100		
108	89.5	66.3	106.3
77	33.4	12.3	52.3
79	28.8	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.554 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:136 Resp: 699113

Ion	Ratio	Lower	Upper
136	100		
137	11.1	9.2	13.8
54	7.6	6.0	9.0
68	5.1	4.3	6.5





#22
Acetophenone
Concen: 38.792 ng
RT: 8.595 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:105 Resp: 680116

Ion	Ratio	Lower	Upper
105	100		
71	3.8	2.6	4.0
51	27.3	20.6	30.8
120	22.6	18.6	27.8





#23
Nitrobenzene-d5
Concen: 79.367 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 1096890

Ion	Ratio	Lower	Upper
82	100		
128	45.1	37.7	56.5
54	51.3	39.8	59.6





#24
Nitrobenzene
Concen: 39.805 ng
RT: 8.966 min Scan# 1025
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 77 Resp: 491654

Ion	Ratio	Lower	Upper
77	100		
123	47.7	38.6	58.0
65	14.2	10.6	15.8





#25
Isophorone
Concen: 38.387 ng
RT: 9.495 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 938896

Ion	Ratio	Lower	Upper
82	100		
95	8.0	6.4	9.6
138	18.8	15.4	23.0





#26
2-Nitrophenol
Concen: 39.458 ng
RT: 9.672 min Scan# 1145
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:139 Resp: 250121

Ion	Ratio	Lower	Upper
139	100		
109	34.1	26.9	40.3
65	49.2	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 39.018 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:122 Resp: 425335

Ion	Ratio	Lower	Upper
122	100		
107	118.5	93.7	140.5
121	59.8	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 38.258 ng
RT: 9.960 min Scan# 1194
Delta R.T. -0.012 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 93 Resp: 565633

Ion	Ratio	Lower	Upper
93	100		
95	33.0	25.4	38.0
123	11.7	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 38.724 ng
RT: 10.207 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 419343

Ion	Ratio	Lower	Upper
162	100		
164	64.7	44.4	84.4
98	34.7	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 37.921 ng
RT: 10.419 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:180 Resp: 450156

Ion	Ratio	Lower	Upper
180	100		
182	95.9	78.0	117.0
145	31.8	25.9	38.9





#31
Naphthalene
Concen: 38.324 ng
RT: 10.607 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:128 Resp: 1392577

Ion	Ratio	Lower	Upper
128	100		
129	10.8	8.6	13.0
127	13.2	10.7	16.1





#32
Benzoic acid
Concen: 37.734 ng
RT: 9.872 min Scan# 1179
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:122 Resp: 303683

Ion	Ratio	Lower	Upper
122	100		
105	129.8	100.6	140.6
77	95.1	71.5	111.5





#33
4-Chloroaniline
Concen: 39.164 ng
RT: 10.707 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:127 Resp: 628608

Ion	Ratio	Lower	Upper
127	100		
129	31.7	25.4	38.2
65	29.9	23.8	35.6
92	19.6	15.8	23.8





#34
Hexachlorobutadiene
Concen: 38.652 ng
RT: 10.895 min Scan# 1353
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:225 Resp: 285751

Ion	Ratio	Lower	Upper
225	100		
223	59.6	50.0	75.0
227	63.3	49.7	74.5





#35
Caprolactam
Concen: 37.951 ng
RT: 11.489 min Scan# 14
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:113 Resp: 150695

Ion	Ratio	Lower	Upper
113	100		
55	154.8	140.0	180.0
56	124.8	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 38.840 ng
RT: 11.825 min Scan# 1511
Delta R.T. -0.012 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:107 Resp: 482622

Ion	Ratio	Lower	Upper
107	100		
144	25.3	21.0	31.4
142	79.1	64.6	97.0





#37
2-Methylnaphthalene
Concen: 38.190 ng
RT: 12.213 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:142 Resp: 903084

Ion	Ratio	Lower	Upper
142	100		
141	89.2	70.3	105.5
115	37.5	28.9	43.3





#38
1-Methylnaphthalene
Concen: 37.439 ng
RT: 12.431 min Scan# 1614
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:142 Resp: 941493

Ion	Ratio	Lower	Upper
142	100		
141	91.7	73.1	109.7
116	4.3	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:164 Resp: 458301

Ion	Ratio	Lower	Upper
164	100		
162	102.0	81.0	121.6
160	45.5	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 38.717 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:216 Resp: 512464

Ion	Ratio	Lower	Upper
216	100		
214	78.9	63.0	94.4
179	21.5	17.1	25.7
108	19.3	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 40.319 ng
RT: 12.566 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:237 Resp: 322360

Ion	Ratio	Lower	Upper
237	100		
235	61.4	42.7	82.7
272	12.7	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 78.381 ng
RT: 15.913 min Scan# 2206
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:330 Resp: 483517

Ion	Ratio	Lower	Upper
330	100		
332	96.9	77.3	115.9
141	34.0	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 39.291 ng
RT: 12.819 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:196 Resp: 351101

Ion	Ratio	Lower	Upper
196	100		
198	97.7	77.2	115.8
200	31.6	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 39.656 ng
RT: 12.889 min Scan# 1692
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:196 Resp: 388369

Ion	Ratio	Lower	Upper
196	100		
198	94.9	76.2	114.2
97	49.5	41.2	61.8
132	27.8	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 75.449 ng
RT: 13.013 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:172 Resp: 2530106

Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.1	42.1
170	23.5	18.6	28.0





#46
1,1'-Biphenyl
Concen: 38.672 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:154 Resp: 1287182

Ion	Ratio	Lower	Upper
154	100		
153	40.2	19.5	59.5
76	11.0	0.0	31.1





#47
2-Chloronaphthalene
Concen: 38.780 ng
RT: 13.266 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 1004850

Ion	Ratio	Lower	Upper
162	100		
127	41.4	33.4	50.2
164	32.6	26.2	39.2





#48
2-Nitroaniline
Concen: 40.910 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion: 65 Resp: 308875

Ion	Ratio	Lower	Upper
65	100		
92	68.4	57.6	86.4
138	113.2	91.0	136.6





#49
Acenaphthylene
Concen: 38.457 ng
RT: 14.125 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 1648885

Ion	Ratio	Lower	Upper
152	100		
151	19.9	16.0	24.0
153	12.9	10.6	15.8





#50
Dimethylphthalate
Concen: 38.040 ng
RT: 13.854 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:163 Resp: 1276659

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.2	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 40.628 ng
RT: 13.966 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 287385

Ion	Ratio	Lower	Upper
165	100		
63	52.5	40.9	61.3
89	54.3	42.1	63.1





#52
Acenaphthene
Concen: 41.057 ng
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:154 Resp: 1033308

Ion	Ratio	Lower	Upper
154	100		
153	111.7	90.2	135.2
152	53.1	42.1	63.1





#53
3-Nitroaniline
Concen: 40.043 ng
RT: 14.295 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:138 Resp: 318681

Ion	Ratio	Lower	Upper
138	100		
108	11.9	8.3	12.5
92	112.8	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 39.794 ng
RT: 14.507 min Scan# 1967
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:184 Resp: 150322

Ion	Ratio	Lower	Upper
184	100		
63	57.7	49.4	74.2
154	70.9	54.6	82.0





#55
Dibenzofuran
Concen: 37.495 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:168 Resp: 1491927

Ion	Ratio	Lower	Upper
168	100		
139	39.7	31.5	47.3
169	13.4	10.9	16.3





#56
4-Nitrophenol
Concen: 39.771 ng
RT: 14.607 min Scan# 1984
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:139 Resp: 260098

Ion	Ratio	Lower	Upper
139	100		
109	82.0	56.6	96.6
65	95.2	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 40.518 ng
RT: 14.766 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 408919

Ion	Ratio	Lower	Upper
165	100		
63	43.0	31.4	47.2
89	70.7	53.3	79.9
182	3.1	2.3	3.5





#58
Fluorene
Concen: 37.121 ng
RT: 15.472 min Scan# 2131
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:166 Resp: 1165482

Ion	Ratio	Lower	Upper
166	100		
165	95.8	78.8	118.2
167	13.1	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 39.927 ng
RT: 15.036 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:232 Resp: 345273

Ion	Ratio	Lower	Upper
232	100		
131	47.6	37.0	55.6
130	2.6	1.9	2.9
166	31.9	25.4	38.0





#60
Diethylphthalate
Concen: 38.058 ng
RT: 15.236 min Scan# 2091
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:149 Resp: 1297841

Ion	Ratio	Lower	Upper
149	100		
177	21.3	17.3	25.9
150	12.8	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 36.845 ng
RT: 15.460 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:204 Resp: 575339

Ion	Ratio	Lower	Upper
204	100		
206	33.3	25.8	38.8
141	66.6	49.4	74.2





#62
4-Nitroaniline
Concen: 39.397 ng
RT: 15.483 min Scan# 2133
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:138 Resp: 321438

Ion	Ratio	Lower	Upper
138	100		
92	49.4	29.1	69.1
108	87.5	61.5	101.5





#63
Azobenzene
Concen: 39.282 ng
RT: 15.760 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 1147009

Ion	Ratio	Lower	Upper
77	100		
182	27.1	7.5	47.5
105	22.0	2.1	42.1
51	31.3	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 2425
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:188 Resp: 913689

Ion	Ratio	Lower	Upper
188	100		
94	8.5	6.6	10.0
80	9.1	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 39.253 ng
RT: 15.542 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:198 Resp: 223566

Ion	Ratio	Lower	Upper
198	100		
51	42.4	19.6	59.6
105	42.9	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 38.519 ng
RT: 15.672 min Scan# 2165
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:169 Resp: 1073233

Ion	Ratio	Lower	Upper
169	100		
168	65.7	53.2	79.8
167	35.9	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 38.195 ng
RT: 16.372 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:248 Resp: 383814

Ion	Ratio	Lower	Upper
248	100		
250	95.5	78.2	117.2
141	78.8	59.6	89.4





#68
Hexachlorobenzene
Concen: 37.966 ng
RT: 16.495 min Scan# 2305
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:284 Resp: 442250

Ion	Ratio	Lower	Upper
284	100		
142	34.8	29.1	43.7
249	31.3	25.0	37.4





#69
Atrazine
Concen: 37.872 ng
RT: 16.654 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:200 Resp: 395168

Ion	Ratio	Lower	Upper
200	100		
173	26.3	6.7	46.7
215	47.3	29.7	69.7





#70
Pentachlorophenol
Concen: 40.681 ng
RT: 16.842 min Scan# 2364
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:266 Resp: 299142

Ion	Ratio	Lower	Upper
266	100		
268	62.5	52.6	79.0
264	62.4	52.0	78.0





#71
Phenanthrene
Concen: 37.862 ng
RT: 17.248 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:178 Resp: 1900372

Ion	Ratio	Lower	Upper
178	100		
176	19.4	15.5	23.3
179	15.2	12.2	18.4





#72
Anthracene
Concen: 38.117 ng
RT: 17.336 min Scan# 2448
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:178 Resp: 1953735

Ion	Ratio	Lower	Upper
178	100		
176	18.7	14.7	22.1
179	15.6	12.2	18.2





#73
Carbazole
Concen: 37.549 ng
RT: 17.613 min Scan# 24
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:167 Resp: 1812820

Ion	Ratio	Lower	Upper
167	100		
166	21.0	17.5	26.3
139	14.0	10.6	16.0





#74
Di-n-butylphthalate
Concen: 38.345 ng
RT: 18.207 min Scan# 2596
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:149 Resp: 2277638

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.4	11.0
104	4.9	4.2	6.2





#75
Fluoranthene
Concen: 37.721 ng
RT: 19.324 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:202 Resp: 2258336

Ion	Ratio	Lower	Upper
202	100		
101	9.9	0.0	31.1
203	17.4	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:240 Resp: 958309

Ion	Ratio	Lower	Upper
240	100		
120	10.3	8.9	13.3
236	25.4	19.8	29.8





#77
Benzidine
Concen: 56.911 ng
RT: 19.513 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:184 Resp: 1861268

Ion	Ratio	Lower	Upper
184	100		
185	13.8	11.5	17.3
183	11.9	9.4	14.2





#78
Pyrene
Concen: 37.884 ng
RT: 19.701 min Scan# 2850
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:202 Resp: 2359709

Ion	Ratio	Lower	Upper
202	100		
200	21.2	16.9	25.3
203	17.3	14.2	21.2





#79
Terphenyl-d14
Concen: 75.070 ng
RT: 19.918 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:244 Resp: 3932091

Ion	Ratio	Lower	Upper
244	100		
212	7.4	5.8	8.6
122	8.7	7.4	11.2





#80
Butylbenzylphthalate
Concen: 37.699 ng
RT: 20.654 min Scan# 3012
Delta R.T. 0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:149 Resp: 1064206

Ion	Ratio	Lower	Upper
149	100		
91	64.5	54.2	81.2
206	21.7	16.6	24.8





#81
Benzo(a)anthracene
Concen: 37.816 ng
RT: 21.630 min Scan# 3
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 2390024

Ion	Ratio	Lower	Upper
228	100		
226	27.3	21.7	32.5
229	19.8	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 38.057 ng
RT: 21.536 min Scan# 3162
Delta R.T. -0.006 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:252 Resp: 906596

Ion	Ratio	Lower	Upper
252	100		
254	64.1	51.8	77.6
126	11.1	9.1	13.7





#83
Chrysene
Concen: 37.876 ng
RT: 21.695 min Scan# 3
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 2241792

Ion	Ratio	Lower	Upper
228	100		
226	29.8	23.2	34.8
229	19.7	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 37.052 ng
RT: 21.571 min Scan# 3168
Delta R.T. -0.012 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:149 Resp: 1539693

Ion	Ratio	Lower	Upper
149	100		
167	27.7	22.1	33.1
279	4.7	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 37.018 ng
RT: 22.859 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:149 Resp: 2645927

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.3	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.012 min Scan# 3753
Delta R.T. -0.018 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:264 Resp: 1096861

Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.3	28.9
265	21.4	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 39.082 ng
RT: 28.865 min Scan# 44
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:276 Resp: 3143696

Ion	Ratio	Lower	Upper
276	100		
138	17.7	12.9	19.3
277	21.0	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 38.843 ng
RT: 23.942 min Scan# 3571
Delta R.T. -0.012 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:252 Resp: 2512340

Ion	Ratio	Lower	Upper
252	100		
253	22.5	17.7	26.5
125	9.5	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 38.446 ng
RT: 24.012 min Scan# 3
Delta R.T. -0.018 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:252 Resp: 2488345

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.1	25.7
125	9.3	7.8	11.6





#90
Benzo(a)pyrene
Concen: 38.805 ng
RT: 24.853 min Scan# 3726
Delta R.T. -0.000 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:252 Resp: 2443181

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.5	26.3
125	10.5	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 39.482 ng
RT: 28.930 min Scan# 4
Delta R.T. -0.024 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 2595384

Ion	Ratio	Lower	Upper
278	100		
139	14.5	13.0	19.4
279	23.9	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 39.255 ng
RT: 30.012 min Scan# 4603
Delta R.T. -0.047 min
Lab File: BP025422.D
Acq: 15 Aug 2025 10:36

Tgt Ion:276 Resp: 2536518

Ion	Ratio	Lower	Upper
276	100		
277	24.1	19.4	29.0
138	20.7	16.7	25.1



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025424.D
Acq On : 15 Aug 2025 11:59
Operator : CG/JU
Sample : PB169230BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Quant Time: Aug 15 12:24:12 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	169971	20.000	ng		0.00
21) Naphthalene-d8	10.555	136	670319	20.000	ng		0.00
39) Acenaphthene-d10	14.396	164	424018	20.000	ng		-0.01
64) Phenanthrene-d10	17.190	188	812951	20.000	ng		-0.01
76) Chrysene-d12	21.642	240	911094	20.000	ng		0.00
86) Perylene-d12	25.019	264	1094193	20.000	ng		-0.01
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	1156544	113.000	ng		0.00
7) Phenol-d6	6.972	99	1449790	110.485	ng		0.00
23) Nitrobenzene-d5	8.931	82	922542	69.619	ng		0.00
42) 2,4,6-Tribromophenol	15.907	330	632733	110.863	ng		0.00
45) 2-Fluorobiphenyl	13.013	172	2128772	68.614	ng		0.00
79) Terphenyl-d14	19.919	244	3276717	65.800	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	178151	44.438	ng		99
3) Pyridine	3.726	79	351940	32.073	ng		97
4) n-Nitrosodimethylamine	3.631	42	183440	40.550	ng		97
6) Aniline	7.125	93	575167	32.532	ng		98
8) 2-Chlorophenol	7.361	128	461335	39.944	ng		99
9) Benzaldehyde	6.937	77	219291	23.853	ng		95
10) Phenol	6.996	94	556276	40.400	ng		98
11) bis(2-Chloroethyl)ether	7.219	93	398485	37.131	ng		98
12) 1,3-Dichlorobenzene	7.684	146	486604	38.209	ng		99
13) 1,4-Dichlorobenzene	7.825	146	493901	37.943	ng		99
14) 1,2-Dichlorobenzene	8.137	146	473554	37.582	ng		98
15) Benzyl Alcohol	8.019	79	400986	38.459	ng		97
16) 2,2'-oxybis(1-Chloropr...	8.308	45	537421	37.382	ng		98
17) 2-Methylphenol	8.225	107	379222	39.655	ng		99
18) Hexachloroethane	8.861	117	185309	38.719	ng		96
19) n-Nitroso-di-n-propyla...	8.584	70	306664	35.282	ng		96
20) 3+4-Methylphenols	8.543	107	514736	38.831	ng		97
22) Acetophenone	8.596	105	645991	38.428	ng	#	98
24) Nitrobenzene	8.972	77	470422	39.722	ng		98
25) Isophorone	9.496	82	867444	36.989	ng		99
26) 2-Nitrophenol	9.672	139	238004	39.160	ng		99
27) 2,4-Dimethylphenol	9.737	122	426335	40.790	ng		98
28) bis(2-Chloroethoxy)met...	9.966	93	533145	37.610	ng		98
29) 2,4-Dichlorophenol	10.208	162	430899	41.501	ng		100
30) 1,2,4-Trichlorobenzene	10.419	180	439417	38.606	ng		99
31) Naphthalene	10.608	128	1343452	38.560	ng		99
32) Benzoic acid	9.878	122	306370	39.703	ng		98
33) 4-Chloroaniline	10.702	127	385406	25.043	ng		99
34) Hexachlorobutadiene	10.896	225	272129	38.391	ng		98
35) Caprolactam	11.490	113	146622	38.511	ng		95
36) 4-Chloro-3-methylphenol	11.831	107	486472	40.832	ng		97
37) 2-Methylnaphthalene	12.213	142	864478	38.128	ng		99
38) 1-Methylnaphthalene	12.431	142	898180	37.251	ng		100
40) 1,2,4,5-Tetrachloroben...	12.578	216	483197	39.457	ng		99
41) Hexachlorocyclopentadiene	12.566	237	636193	86.005	ng		99
43) 2,4,6-Trichlorophenol	12.819	196	343891	41.596	ng		99

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025424.D
Acq On : 15 Aug 2025 11:59
Operator : CG/JU
Sample : PB169230BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Quant Time: Aug 15 12:24:12 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.890	196	381721	42.128	ng	98
46) 1,1'-Biphenyl	13.225	154	1235911	40.134	ng	99
47) 2-Chloronaphthalene	13.266	162	949832	39.620	ng	99
48) 2-Nitroaniline	13.460	65	296397	42.432	ng	99
49) Acenaphthylene	14.119	152	1568169	39.531	ng	100
50) Dimethylphthalate	13.849	163	1223759	39.412	ng	100
51) 2,6-Dinitrotoluene	13.960	165	270344	41.309	ng	93
52) Acenaphthene	14.460	154	911236	39.134	ng	99
53) 3-Nitroaniline	14.290	138	223962	30.416	ng	95
54) 2,4-Dinitrophenol	14.501	184	319395	91.387	ng	97
55) Dibenzofuran	14.796	168	1435621	38.997	ng	98
56) 4-Nitrophenol	14.607	139	509537	84.213	ng	94
57) 2,4-Dinitrotoluene	14.754	165	389153	41.677	ng	97
58) Fluorene	15.460	166	1123848	38.689	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.025	232	327248	40.903	ng	99
60) Diethylphthalate	15.231	149	1237967	39.238	ng	99
61) 4-Chlorophenyl-phenyle...	15.454	204	548873	37.992	ng	98
62) 4-Nitroaniline	15.466	138	293368	38.864	ng	95
63) Azobenzene	15.748	77	1081923	40.048	ng	98
65) 4,6-Dinitro-2-methylph...	15.531	198	215285	42.483	ng	94
66) n-Nitrosodiphenylamine	15.666	169	1020090	41.149	ng	100
67) 4-Bromophenyl-phenylether	16.366	248	357730	40.010	ng	98
68) Hexachlorobenzene	16.484	284	421113	40.631	ng	97
69) Atrazine	16.648	200	371199	39.983	ng	99
70) Pentachlorophenol	16.831	266	569065	86.979	ng	99
71) Phenanthrene	17.237	178	1834594	41.081	ng	99
72) Anthracene	17.325	178	1867641	40.953	ng	99
73) Carbazole	17.601	167	1745068	40.625	ng	99
74) Di-n-butylphthalate	18.207	149	2153331	40.744	ng	100
75) Fluoranthene	19.319	202	2161988	40.586	ng	99
77) Benzidine	19.513	184	1323440	42.563	ng	99
78) Pyrene	19.695	202	2262750	38.210	ng	100
80) Butylbenzylphthalate	20.654	149	1053807	39.265	ng	99
81) Benzo(a)anthracene	21.625	228	2464717	41.019	ng	99
82) 3,3'-Dichlorobenzidine	21.536	252	686690	30.320	ng	99
83) Chrysene	21.695	228	2304341	40.951	ng	99
84) Bis(2-ethylhexyl)phtha...	21.578	149	1594510	40.360	ng	100
85) Di-n-octyl phthalate	22.860	149	2830250	41.649	ng	99
87) Indeno(1,2,3-cd)pyrene	28.848	276	3386531	42.203	ng	99
88) Benzo(b)fluoranthene	23.936	252	2671223	41.401	ng	99
89) Benzo(k)fluoranthene	24.024	252	2607648	40.388	ng	100
90) Benzo(a)pyrene	24.866	252	2585640	41.168	ng	99
91) Dibenzo(a,h)anthracene	28.936	278	2746421	41.882	ng	98
92) Benzo(g,h,i)perylene	30.018	276	1615238	25.058	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025424.D
Acq On : 15 Aug 2025 11:59
Operator : CG/JU
Sample : PB169230BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Quant Time: Aug 15 12:24:12 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:152 Resp: 169971

Ion	Ratio	Lower	Upper
152	100		
150	160.6	125.9	188.9
115	62.7	48.5	72.7





#2
1,4-Dioxane
Concen: 44.438 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 88 Resp: 178151

Ion	Ratio	Lower	Upper
88	100		
58	73.9	59.2	88.8
43	28.8	21.7	32.5





#3
Pyridine
Concen: 32.073 ng
RT: 3.726 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion: 79 Resp: 351940

Ion	Ratio	Lower	Upper
79	100		
52	71.8	55.5	83.3
51	37.5	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 40.550 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 42 Resp: 183440

Ion	Ratio	Lower	Upper
42	100		
74	130.5	107.0	160.4
44	7.9	6.2	9.4





#5
2-Fluorophenol
Concen: 113.000 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:112 Resp: 1156544

Ion	Ratio	Lower	Upper
112	100		
64	55.5	43.8	65.8
63	29.8	22.7	34.1





#6
Aniline
Concen: 32.532 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 93 Resp: 575167

Ion	Ratio	Lower	Upper
93	100		
66	39.3	30.4	45.6
65	19.5	15.3	22.9





#7
Phenol-d6
Concen: 110.485 ng
RT: 6.972 min Scan# 6
Delta R.T. 0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion: 99 Resp: 1449790

Ion	Ratio	Lower	Upper
99	100		
42	17.4	13.7	20.5
71	36.2	28.2	42.4





#8
2-Chlorophenol
Concen: 39.944 ng
RT: 7.361 min Scan# 752
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:128 Resp: 461335

Ion	Ratio	Lower	Upper
128	100		
130	32.2	12.6	52.6
64	44.2	23.4	63.4





#9
Benzaldehyde
Concen: 23.853 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion: 77 Resp: 219291

Ion	Ratio	Lower	Upper
77	100		
105	99.6	84.8	124.8
106	95.6	80.5	120.5





#10
Phenol
Concen: 40.400 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 94 Resp: 556276

Ion	Ratio	Lower	Upper
94	100		
65	27.3	6.8	46.8
66	39.7	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 37.131 ng
RT: 7.219 min Scan# 7
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion: 93 Resp: 398485

Ion	Ratio	Lower	Upper
93	100		
63	74.6	52.6	92.6
95	32.1	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 38.209 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:146 Resp: 486604

Ion	Ratio	Lower	Upper
146	100		
148	64.1	51.9	77.9
75	30.3	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 37.943 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:146 Resp: 493901

Ion	Ratio	Lower	Upper
146	100		
148	63.9	51.6	77.4
111	41.4	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 37.582 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:146 Resp: 473554

Ion	Ratio	Lower	Upper
146	100		
148	64.3	50.4	75.6
111	44.5	34.5	51.7





#15
Benzyl Alcohol
Concen: 38.459 ng
RT: 8.019 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion: 79 Resp: 400986

Ion	Ratio	Lower	Upper
79	100		
108	77.0	63.8	95.6
77	63.7	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 37.382 ng
RT: 8.308 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 45 Resp: 537421

Ion	Ratio	Lower	Upper
45	100		
77	15.3	0.0	35.3
79	10.4	0.0	31.8





#17
2-Methylphenol
Concen: 39.655 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:107 Resp: 379222

Ion	Ratio	Lower	Upper
107	100		
108	110.2	89.4	134.0
77	46.5	36.3	54.5
79	45.2	36.6	54.8





#18
Hexachloroethane
Concen: 38.719 ng
RT: 8.861 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:117 Resp: 185309

Ion	Ratio	Lower	Upper
117	100		
119	97.6	75.1	112.7
201	104.7	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 35.282 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion: 70 Resp: 306664

Ion	Ratio	Lower	Upper
70	100		
42	58.8	43.8	65.6
101	11.2	8.5	12.7
130	24.6	19.4	29.0





#20
3+4-Methylphenols
Concen: 38.831 ng
RT: 8.543 min Scan# 953
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:107 Resp: 514736

Ion	Ratio	Lower	Upper
107	100		
108	89.3	66.3	106.3
77	32.5	12.3	52.3
79	30.2	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.555 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:136 Resp: 670319

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.2	13.8
54	8.0	6.0	9.0
68	5.3	4.3	6.5





#22
Acetophenone
Concen: 38.428 ng
RT: 8.596 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:105 Resp: 645991

Ion	Ratio	Lower	Upper
105	100		
71	4.0	2.6	4.0#
51	27.8	20.6	30.8
120	23.1	18.6	27.8





#23
Nitrobenzene-d5
Concen: 69.619 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion: 82 Resp: 922542

Ion	Ratio	Lower	Upper
82	100		
128	45.7	37.7	56.5
54	50.9	39.8	59.6





#24
Nitrobenzene
Concen: 39.722 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 77 Resp: 470422

Ion	Ratio	Lower	Upper
77	100		
123	47.3	38.6	58.0
65	14.0	10.6	15.8





#25
Isophorone
Concen: 36.989 ng
RT: 9.496 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion: 82 Resp: 867444

Ion	Ratio	Lower	Upper
82	100		
95	8.1	6.4	9.6
138	18.7	15.4	23.0





#26
2-Nitrophenol
Concen: 39.160 ng
RT: 9.672 min Scan# 1145
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:139 Resp: 238004

Ion	Ratio	Lower	Upper
139	100		
109	33.2	26.9	40.3
65	48.8	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 40.790 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:122 Resp: 426335

Ion	Ratio	Lower	Upper
122	100		
107	119.6	93.7	140.5
121	59.0	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 37.610 ng
RT: 9.966 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 93 Resp: 533145

Ion	Ratio	Lower	Upper
93	100		
95	33.4	25.4	38.0
123	12.0	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 41.501 ng
RT: 10.208 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:162 Resp: 430899

Ion	Ratio	Lower	Upper
162	100		
164	64.4	44.4	84.4
98	35.7	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 38.606 ng
RT: 10.419 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:180 Resp: 439417

Ion	Ratio	Lower	Upper
180	100		
182	96.7	78.0	117.0
145	31.5	25.9	38.9





#31
Naphthalene
Concen: 38.560 ng
RT: 10.608 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:128 Resp: 1343452

Ion	Ratio	Lower	Upper
128	100		
129	10.6	8.6	13.0
127	12.9	10.7	16.1





#32
Benzoic acid
Concen: 39.703 ng
RT: 9.878 min Scan# 1180
Delta R.T. 0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:122 Resp: 306370

Ion	Ratio	Lower	Upper
122	100		
105	123.6	100.6	140.6
77	91.9	71.5	111.5





#33
4-Chloroaniline
Concen: 25.043 ng
RT: 10.702 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:127 Resp: 385406

Ion	Ratio	Lower	Upper
127	100		
129	31.6	25.4	38.2
65	28.8	23.8	35.6
92	19.5	15.8	23.8





#34
Hexachlorobutadiene
Concen: 38.391 ng
RT: 10.896 min Scan# 1353
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:225 Resp: 272129

Ion	Ratio	Lower	Upper
225	100		
223	63.5	50.0	75.0
227	64.9	49.7	74.5





#35
Caprolactam
Concen: 38.511 ng
RT: 11.490 min Scan# 14
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:113 Resp: 146622

Ion	Ratio	Lower	Upper
113	100		
55	151.2	140.0	180.0
56	122.9	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 40.832 ng
RT: 11.831 min Scan# 1512
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:107 Resp: 486472

Ion	Ratio	Lower	Upper
107	100		
144	25.7	21.0	31.4
142	77.6	64.6	97.0





#37
2-Methylnaphthalene
Concen: 38.128 ng
RT: 12.213 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:142 Resp: 864478

Ion	Ratio	Lower	Upper
142	100		
141	88.4	70.3	105.5
115	37.5	28.9	43.3





#38
1-Methylnaphthalene
Concen: 37.251 ng
RT: 12.431 min Scan# 1614
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:142 Resp: 898180

Ion	Ratio	Lower	Upper
142	100		
141	91.3	73.1	109.7
116	4.3	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.396 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:164 Resp: 424018

Ion	Ratio	Lower	Upper
164	100		
162	101.5	81.0	121.6
160	45.2	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 39.457 ng
RT: 12.578 min Scan# 1639
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:216 Resp: 483197

Ion	Ratio	Lower	Upper
216	100		
214	79.0	63.0	94.4
179	21.9	17.1	25.7
108	21.4	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 86.005 ng
RT: 12.566 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:237 Resp: 636193

Ion	Ratio	Lower	Upper
237	100		
235	62.2	42.7	82.7
272	12.7	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 110.863 ng
RT: 15.907 min Scan# 2205
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:330 Resp: 632733

Ion	Ratio	Lower	Upper
330	100		
332	97.2	77.3	115.9
141	35.4	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 41.596 ng
RT: 12.819 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:196 Resp: 343891

Ion	Ratio	Lower	Upper
196	100		
198	97.1	77.2	115.8
200	31.3	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 42.128 ng
RT: 12.890 min Scan# 1692
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:196 Resp: 381721

Ion	Ratio	Lower	Upper
196	100		
198	97.4	76.2	114.2
97	48.8	41.2	61.8
132	27.8	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 68.614 ng
RT: 13.013 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:172 Resp: 2128772

Ion	Ratio	Lower	Upper
172	100		
171	34.5	28.1	42.1
170	23.0	18.6	28.0





#46
1,1'-Biphenyl
Concen: 40.134 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:154 Resp: 1235911

Ion	Ratio	Lower	Upper
154	100		
153	39.0	19.5	59.5
76	11.5	0.0	31.1





#47
2-Chloronaphthalene
Concen: 39.620 ng
RT: 13.266 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:162 Resp: 949832

Ion	Ratio	Lower	Upper
162	100		
127	42.2	33.4	50.2
164	33.2	26.2	39.2





#48
2-Nitroaniline
Concen: 42.432 ng
RT: 13.460 min Scan# 1789
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion: 65 Resp: 296397

Ion	Ratio	Lower	Upper
65	100		
92	72.8	57.6	86.4
138	115.4	91.0	136.6





#49
Acenaphthylene
Concen: 39.531 ng
RT: 14.119 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:152 Resp: 1568169

Ion	Ratio	Lower	Upper
152	100		
151	20.1	16.0	24.0
153	12.9	10.6	15.8





#50
Dimethylphthalate
Concen: 39.412 ng
RT: 13.849 min Scan# 1855
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:163 Resp: 1223759

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.0	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 41.309 ng
RT: 13.960 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:165 Resp: 270344

Ion	Ratio	Lower	Upper
165	100		
63	55.9	40.9	61.3
89	57.4	42.1	63.1





#52
Acenaphthene
Concen: 39.134 ng
RT: 14.460 min Scan# 1959
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:154 Resp: 911236

Ion	Ratio	Lower	Upper
154	100		
153	113.4	90.2	135.2
152	53.7	42.1	63.1





#53
3-Nitroaniline
Concen: 30.416 ng
RT: 14.290 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:138 Resp: 223962

Ion	Ratio	Lower	Upper
138	100		
108	11.1	8.3	12.5
92	113.4	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 91.387 ng
RT: 14.501 min Scan# 1966
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:184 Resp: 319395

Ion	Ratio	Lower	Upper
184	100		
63	58.2	49.4	74.2
154	69.6	54.6	82.0





#55
Dibenzofuran
Concen: 38.997 ng
RT: 14.796 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:168 Resp: 1435621

Ion	Ratio	Lower	Upper
168	100		
139	40.6	31.5	47.3
169	13.6	10.9	16.3





#56
4-Nitrophenol
Concen: 84.213 ng
RT: 14.607 min Scan# 1984
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:139 Resp: 509537

Ion	Ratio	Lower	Upper
139	100		
109	82.5	56.6	96.6
65	92.6	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 41.677 ng
RT: 14.754 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:165 Resp: 389153

Ion	Ratio	Lower	Upper
165	100		
63	41.3	31.4	47.2
89	68.9	53.3	79.9
182	2.8	2.3	3.5





#58
Fluorene
Concen: 38.689 ng
RT: 15.460 min Scan# 2129
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:166 Resp: 1123848

Ion	Ratio	Lower	Upper
166	100		
165	97.5	78.8	118.2
167	13.3	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 40.903 ng
RT: 15.025 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:232 Resp: 327248

Ion	Ratio	Lower	Upper
232	100		
131	47.3	37.0	55.6
130	2.6	1.9	2.9
166	31.8	25.4	38.0





#60
Diethylphthalate
Concen: 39.238 ng
RT: 15.231 min Scan# 2090
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:149 Resp: 1237967

Ion	Ratio	Lower	Upper
149	100		
177	22.1	17.3	25.9
150	12.6	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 37.992 ng
RT: 15.454 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:204 Resp: 548873

Ion	Ratio	Lower	Upper
204	100		
206	33.1	25.8	38.8
141	63.5	49.4	74.2





#62
4-Nitroaniline
Concen: 38.864 ng
RT: 15.466 min Scan# 2130
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:138 Resp: 293368

Ion	Ratio	Lower	Upper
138	100		
92	48.6	29.1	69.1
108	88.6	61.5	101.5





#63
Azobenzene
Concen: 40.048 ng
RT: 15.748 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion: 77 Resp: 1081923

Ion	Ratio	Lower	Upper
77	100		
182	28.4	7.5	47.5
105	21.6	2.1	42.1
51	30.8	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.190 min Scan# 2423
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:188 Resp: 812951

Ion	Ratio	Lower	Upper
188	100		
94	9.0	6.6	10.0
80	9.7	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 42.483 ng
RT: 15.531 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:198 Resp: 215285

Ion	Ratio	Lower	Upper
198	100		
51	44.5	19.6	59.6
105	43.1	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 41.149 ng
RT: 15.666 min Scan# 2164
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:169 Resp: 1020090

Ion	Ratio	Lower	Upper
169	100		
168	66.5	53.2	79.8
167	35.1	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 40.010 ng
RT: 16.366 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:248 Resp: 357730

Ion	Ratio	Lower	Upper
248	100		
250	99.6	78.2	117.2
141	77.1	59.6	89.4





#68
Hexachlorobenzene
Concen: 40.631 ng
RT: 16.484 min Scan# 2303
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:284 Resp: 421113

Ion	Ratio	Lower	Upper
284	100		
142	33.5	29.1	43.7
249	32.0	25.0	37.4





#69
Atrazine
Concen: 39.983 ng
RT: 16.648 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:200 Resp: 371199

Ion	Ratio	Lower	Upper
200	100		
173	26.4	6.7	46.7
215	49.2	29.7	69.7





#70
Pentachlorophenol
Concen: 86.979 ng
RT: 16.831 min Scan# 2362
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:266 Resp: 569065

Ion	Ratio	Lower	Upper
266	100		
268	65.1	52.6	79.0
264	64.7	52.0	78.0





#71
Phenanthrene
Concen: 41.081 ng
RT: 17.237 min Scan# 24
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:178 Resp: 1834594

Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.5	23.3
179	15.2	12.2	18.4





#72
Anthracene
Concen: 40.953 ng
RT: 17.325 min Scan# 2446
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:178 Resp: 1867641

Ion	Ratio	Lower	Upper
178	100		
176	18.5	14.7	22.1
179	15.7	12.2	18.2





#73
Carbazole
Concen: 40.625 ng
RT: 17.601 min Scan# 24
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:167 Resp: 1745068

Ion	Ratio	Lower	Upper
167	100		
166	21.4	17.5	26.3
139	13.9	10.6	16.0





#74
Di-n-butylphthalate
Concen: 40.744 ng
RT: 18.207 min Scan# 2596
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:149 Resp: 2153331

Ion	Ratio	Lower	Upper
149	100		
150	9.0	7.4	11.0
104	5.1	4.2	6.2





#75
Fluoranthene
Concen: 40.586 ng
RT: 19.319 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:202 Resp: 2161988

Ion	Ratio	Lower	Upper
202	100		
101	10.4	0.0	31.1
203	17.4	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:240 Resp: 911094

Ion	Ratio	Lower	Upper
240	100		
120	10.7	8.9	13.3
236	26.4	19.8	29.8





#77
Benzidine
Concen: 42.563 ng
RT: 19.513 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:184 Resp: 1323440

Ion	Ratio	Lower	Upper
184	100		
185	14.2	11.5	17.3
183	12.1	9.4	14.2





#78
Pyrene
Concen: 38.210 ng
RT: 19.695 min Scan# 2849
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:202 Resp: 2262750

Ion	Ratio	Lower	Upper
202	100		
200	20.8	16.9	25.3
203	17.6	14.2	21.2





#79
Terphenyl-d14
Concen: 65.800 ng
RT: 19.919 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:244 Resp: 3276717

Ion	Ratio	Lower	Upper
244	100		
212	7.6	5.8	8.6
122	8.9	7.4	11.2





#80
Butylbenzylphthalate
Concen: 39.265 ng
RT: 20.654 min Scan# 3012
Delta R.T. 0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:149 Resp: 1053807

Ion	Ratio	Lower	Upper
149	100		
91	66.9	54.2	81.2
206	21.2	16.6	24.8





#81
Benzo(a)anthracene
Concen: 41.019 ng
RT: 21.625 min Scan# 31
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:228 Resp: 2464717

Ion	Ratio	Lower	Upper
228	100		
226	26.6	21.7	32.5
229	19.3	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 30.320 ng
RT: 21.536 min Scan# 3162
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:252 Resp: 686690

Ion	Ratio	Lower	Upper
252	100		
254	64.3	51.8	77.6
126	11.1	9.1	13.7





#83
Chrysene
Concen: 40.951 ng
RT: 21.695 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:228 Resp: 2304341

Ion	Ratio	Lower	Upper
228	100		
226	29.7	23.2	34.8
229	19.7	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 40.360 ng
RT: 21.578 min Scan# 3169
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:149 Resp: 1594510

Ion	Ratio	Lower	Upper
149	100		
167	27.5	22.1	33.1
279	5.0	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 41.649 ng
RT: 22.860 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:149 Resp: 2830250

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.3	1.9
43	8.2	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.019 min Scan# 3754
Delta R.T. -0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:264 Resp: 1094193

Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.3	28.9
265	22.4	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 42.203 ng
RT: 28.848 min Scan# 44
Delta R.T. -0.017 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:276 Resp: 3386531

Ion	Ratio	Lower	Upper
276	100		
138	16.6	12.9	19.3
277	20.7	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 41.401 ng
RT: 23.936 min Scan# 3570
Delta R.T. -0.017 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:252 Resp: 2671223

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.7	26.5
125	9.1	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 40.388 ng
RT: 24.024 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:252 Resp: 2607648

Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.1	25.7
125	9.7	7.8	11.6





#90
Benzo(a)pyrene
Concen: 41.168 ng
RT: 24.866 min Scan# 3728
Delta R.T. 0.012 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:252 Resp: 2585640

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.5	26.3
125	9.9	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 41.882 ng
RT: 28.936 min Scan# 44
Delta R.T. -0.017 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Instrument :
BNA_P
ClientSampleId :
PB169230BS

Tgt Ion:278 Resp: 2746421

Ion	Ratio	Lower	Upper
278	100		
139	15.4	13.0	19.4
279	23.5	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 25.058 ng
RT: 30.018 min Scan# 4604
Delta R.T. -0.041 min
Lab File: BP025424.D
Acq: 15 Aug 2025 11:59

Tgt Ion:276 Resp: 1615238

Ion	Ratio	Lower	Upper
276	100		
277	24.3	19.4	29.0
138	19.5	16.7	25.1



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025436.D
Acq On : 15 Aug 2025 21:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 18 01:37:05 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	166135	20.000	ng		0.00
21) Naphthalene-d8	10.560	136	710479	20.000	ng		0.00
39) Acenaphthene-d10	14.407	164	456766	20.000	ng		0.00
64) Phenanthrene-d10	17.195	188	916670	20.000	ng		0.00
76) Chrysene-d12	21.630	240	933454	20.000	ng		-0.02
86) Perylene-d12	24.989	264	1056853	20.000	ng		-0.04
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	862200	86.186	ng		0.00
7) Phenol-d6	6.967	99	1135967	88.568	ng		0.00
23) Nitrobenzene-d5	8.931	82	1224664	87.195	ng		0.00
42) 2,4,6-Tribromophenol	15.907	330	544037	88.488	ng		0.00
45) 2-Fluorobiphenyl	13.013	172	2790655	83.499	ng		0.00
79) Terphenyl-d14	19.913	244	4367516	85.603	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	160658	41.000	ng		98
3) Pyridine	3.725	79	439304	40.960	ng		94
4) n-Nitrosodimethylamine	3.637	42	200626	45.373	ng		96
6) Aniline	7.125	93	757650	43.843	ng		99
8) 2-Chlorophenol	7.367	128	495342	43.878	ng		99
9) Benzaldehyde	6.937	77	437036	48.635	ng		98
10) Phenol	6.996	94	590307	43.862	ng		98
11) bis(2-Chloroethyl)ether	7.214	93	453562	43.239	ng		99
12) 1,3-Dichlorobenzene	7.684	146	543009	43.622	ng		99
13) 1,4-Dichlorobenzene	7.825	146	546465	42.950	ng		99
14) 1,2-Dichlorobenzene	8.137	146	530443	43.069	ng		97
15) Benzyl Alcohol	8.025	79	454736	44.621	ng		98
16) 2,2'-oxybis(1-Chloropr...	8.308	45	634562	45.158	ng		99
17) 2-Methylphenol	8.219	107	414498	44.345	ng		98
18) Hexachloroethane	8.861	117	206177	44.074	ng		96
19) n-Nitroso-di-n-propyla...	8.584	70	368678	43.396	ng		98
20) 3+4-Methylphenols	8.543	107	564553	43.573	ng		97
22) Acetophenone	8.596	105	762747	42.809	ng	#	98
24) Nitrobenzene	8.972	77	551258	43.917	ng		100
25) Isophorone	9.496	82	1033357	41.573	ng		98
26) 2-Nitrophenol	9.672	139	283328	43.982	ng		100
27) 2,4-Dimethylphenol	9.737	122	481271	43.443	ng		98
28) bis(2-Chloroethoxy)met...	9.966	93	637027	42.398	ng		99
29) 2,4-Dichlorophenol	10.208	162	486914	44.245	ng		99
30) 1,2,4-Trichlorobenzene	10.425	180	515873	42.762	ng		98
31) Naphthalene	10.613	128	1558976	42.217	ng		99
32) Benzoic acid	9.878	122	346284	42.339	ng		94
33) 4-Chloroaniline	10.713	127	693770	42.532	ng		99
34) Hexachlorobutadiene	10.902	225	326490	43.456	ng		99
35) Caprolactam	11.496	113	167685	41.554	ng		98
36) 4-Chloro-3-methylphenol	11.831	107	539188	42.698	ng		96
37) 2-Methylnaphthalene	12.207	142	1008537	41.968	ng		98
38) 1-Methylnaphthalene	12.431	142	1057345	41.373	ng		100
40) 1,2,4,5-Tetrachloroben...	12.584	216	577904	43.807	ng		99
41) Hexachlorocyclopentadiene	12.566	237	295524	37.087	ng		99
43) 2,4,6-Trichlorophenol	12.825	196	398621	44.759	ng		99

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025436.D
Acq On : 15 Aug 2025 21:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 18 01:37:05 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.902	196	440218	45.101	ng	99
46) 1,1'-Biphenyl	13.225	154	1452635	43.790	ng	99
47) 2-Chloronaphthalene	13.272	162	1120958	43.406	ng	98
48) 2-Nitroaniline	13.466	65	348676	46.337	ng	98
49) Acenaphthylene	14.119	152	1830675	42.840	ng	100
50) Dimethylphthalate	13.849	163	1455084	43.502	ng	99
51) 2,6-Dinitrotoluene	13.972	165	318483	45.175	ng	98
52) Acenaphthene	14.460	154	1067358	42.553	ng	99
53) 3-Nitroaniline	14.296	138	356395	44.932	ng	99
54) 2,4-Dinitrophenol	14.501	184	122865	32.634	ng	96
55) Dibenzofuran	14.807	168	1689125	42.593	ng	99
56) 4-Nitrophenol	14.613	139	295639	45.358	ng	94
57) 2,4-Dinitrotoluene	14.766	165	454531	45.189	ng	99
58) Fluorene	15.466	166	1287972	41.160	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.043	232	380952	44.201	ng	97
60) Diethylphthalate	15.231	149	1468089	43.195	ng	100
61) 4-Chlorophenyl-phenyle...	15.454	204	641804	41.240	ng	96
62) 4-Nitroaniline	15.478	138	350711	43.130	ng	95
63) Azobenzene	15.760	77	1297353	44.580	ng	98
65) 4,6-Dinitro-2-methylph...	15.543	198	201944	35.341	ng	97
66) n-Nitrosodiphenylamine	15.678	169	1208784	43.243	ng	98
67) 4-Bromophenyl-phenylether	16.372	248	442865	43.928	ng	98
68) Hexachlorobenzene	16.490	284	498920	42.691	ng	99
69) Atrazine	16.648	200	458257	43.775	ng	96
70) Pentachlorophenol	16.842	266	327120	44.342	ng	98
71) Phenanthrene	17.242	178	2130157	42.302	ng	100
72) Anthracene	17.331	178	2204625	42.872	ng	99
73) Carbazole	17.613	167	2067991	42.695	ng	99
74) Di-n-butylphthalate	18.201	149	2603783	43.693	ng	100
75) Fluoranthene	19.319	202	2518758	41.933	ng	99
77) Benzidine	19.507	184	1508404	47.349	ng	100
78) Pyrene	19.689	202	2619981	43.183	ng	100
80) Butylbenzylphthalate	20.642	149	1256440	45.693	ng	99
81) Benzo(a)anthracene	21.613	228	2626516	42.665	ng	99
82) 3,3'-Dichlorobenzidine	21.530	252	1026166	44.224	ng	100
83) Chrysene	21.677	228	2465631	42.767	ng	100
84) Bis(2-ethylhexyl)phtha...	21.560	149	1800639	44.485	ng	99
85) Di-n-octyl phthalate	22.848	149	3138516	45.079	ng	99
87) Indeno(1,2,3-cd)pyrene	28.807	276	3296276	42.530	ng	99
88) Benzo(b)fluoranthene	23.930	252	2712012	43.518	ng	99
89) Benzo(k)fluoranthene	24.001	252	2673968	42.878	ng	99
90) Benzo(a)pyrene	24.830	252	2622614	43.232	ng	99
91) Dibenzo(a,h)anthracene	28.912	278	2716441	42.888	ng	98
92) Benzo(g,h,i)perylene	30.006	276	2661609	42.750	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081525\
Data File : BP025436.D
Acq On : 15 Aug 2025 21:03
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 18 01:37:05 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 166135

Ion	Ratio	Lower	Upper
152	100		
150	157.3	125.9	188.9
115	62.2	48.5	72.7





#2
1,4-Dioxane
Concen: 41.000 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 88 Resp: 160658

Ion	Ratio	Lower	Upper
88	100		
58	75.7	59.2	88.8
43	28.9	21.7	32.5





#3
Pyridine
Concen: 40.960 ng
RT: 3.725 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 439304

Ion	Ratio	Lower	Upper
79	100		
52	74.4	55.5	83.3
51	38.0	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 45.373 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 42 Resp: 200626

Ion	Ratio	Lower	Upper
42	100		
74	128.9	107.0	160.4
44	6.7	6.2	9.4





#5
2-Fluorophenol
Concen: 86.186 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:112 Resp: 862200

Ion	Ratio	Lower	Upper
112	100		
64	55.8	43.8	65.8
63	29.9	22.7	34.1





#6
Aniline
Concen: 43.843 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 93 Resp: 757650

Ion	Ratio	Lower	Upper
93	100		
66	38.5	30.4	45.6
65	19.3	15.3	22.9





#7
Phenol-d6
Concen: 88.568 ng
RT: 6.967 min Scan# 6
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 99 Resp: 1135967

Ion	Ratio	Lower	Upper
99	100		
42	17.9	13.7	20.5
71	34.7	28.2	42.4





#8
2-Chlorophenol
Concen: 43.878 ng
RT: 7.367 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:128 Resp: 495342

Ion	Ratio	Lower	Upper
128	100		
130	32.5	12.6	52.6
64	42.4	23.4	63.4





#9
Benzaldehyde
Concen: 48.635 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 437036

Ion	Ratio	Lower	Upper
77	100		
105	101.5	84.8	124.8
106	100.1	80.5	120.5





#10
Phenol
Concen: 43.862 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 94 Resp: 590307

Ion	Ratio	Lower	Upper
94	100		
65	28.5	6.8	46.8
66	38.9	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 43.239 ng
RT: 7.214 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 93 Resp: 453562

Ion	Ratio	Lower	Upper
93	100		
63	73.8	52.6	92.6
95	32.3	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 43.622 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:146 Resp: 543009

Ion	Ratio	Lower	Upper
146	100		
148	64.0	51.9	77.9
75	30.2	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 42.950 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:146 Resp: 546465

Ion	Ratio	Lower	Upper
146	100		
148	63.9	51.6	77.4
111	42.2	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 43.069 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:146 Resp: 530443

Ion	Ratio	Lower	Upper
146	100		
148	64.8	50.4	75.6
111	45.0	34.5	51.7





#15
Benzyl Alcohol
Concen: 44.621 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 454736

Ion	Ratio	Lower	Upper
79	100		
108	79.1	63.8	95.6
77	63.6	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 45.158 ng
RT: 8.308 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 45 Resp: 634562

Ion	Ratio	Lower	Upper
45	100		
77	15.5	0.0	35.3
79	11.5	0.0	31.8





#17
2-Methylphenol
Concen: 44.345 ng
RT: 8.219 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:107 Resp: 414498

Ion	Ratio	Lower	Upper
107	100		
108	109.3	89.4	134.0
77	45.3	36.3	54.5
79	47.1	36.6	54.8





#18
Hexachloroethane
Concen: 44.074 ng
RT: 8.861 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:117 Resp: 206177

Ion	Ratio	Lower	Upper
117	100		
119	95.4	75.1	112.7
201	107.2	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 43.396 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 70 Resp: 368678

Ion	Ratio	Lower	Upper
70	100		
42	57.2	43.8	65.6
101	10.4	8.5	12.7
130	24.3	19.4	29.0





#20
3+4-Methylphenols
Concen: 43.573 ng
RT: 8.543 min Scan# 953
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:107 Resp: 564553

Ion	Ratio	Lower	Upper
107	100		
108	89.1	66.3	106.3
77	33.2	12.3	52.3
79	29.6	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:136 Resp: 710479

Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.2	13.8
54	7.5	6.0	9.0
68	5.1	4.3	6.5





#22
Acetophenone
Concen: 42.809 ng
RT: 8.596 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:105 Resp: 762747

Ion	Ratio	Lower	Upper
105	100		
71	4.4	2.6	4.0#
51	27.1	20.6	30.8
120	22.3	18.6	27.8





#23
Nitrobenzene-d5
Concen: 87.195 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 1224664

Ion	Ratio	Lower	Upper
82	100		
128	45.3	37.7	56.5
54	52.0	39.8	59.6





#24
Nitrobenzene
Concen: 43.917 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 77 Resp: 551258

Ion	Ratio	Lower	Upper
77	100		
123	48.4	38.6	58.0
65	13.8	10.6	15.8





#25
Isophorone
Concen: 41.573 ng
RT: 9.496 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 1033357

Ion	Ratio	Lower	Upper
82	100		
95	7.9	6.4	9.6
138	18.1	15.4	23.0





#26
2-Nitrophenol
Concen: 43.982 ng
RT: 9.672 min Scan# 1145
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:139 Resp: 283328

Ion	Ratio	Lower	Upper
139	100		
109	33.9	26.9	40.3
65	47.9	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 43.443 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:122 Resp: 481271

Ion	Ratio	Lower	Upper
122	100		
107	120.6	93.7	140.5
121	58.9	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 42.398 ng
RT: 9.966 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 93 Resp: 637027

Ion	Ratio	Lower	Upper
93	100		
95	32.1	25.4	38.0
123	12.1	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 44.245 ng
RT: 10.208 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 486914

Ion	Ratio	Lower	Upper
162	100		
164	64.1	44.4	84.4
98	36.2	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 42.762 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:180 Resp: 515873

Ion	Ratio	Lower	Upper
180	100		
182	95.3	78.0	117.0
145	31.3	25.9	38.9





#31
Naphthalene
Concen: 42.217 ng
RT: 10.613 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:128 Resp: 1558976

Ion	Ratio	Lower	Upper
128	100		
129	11.0	8.6	13.0
127	13.0	10.7	16.1





#32
Benzoic acid
Concen: 42.339 ng
RT: 9.878 min Scan# 1180
Delta R.T. 0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:122 Resp: 346284

Ion	Ratio	Lower	Upper
122	100		
105	130.5	100.6	140.6
77	93.0	71.5	111.5





#33
4-Chloroaniline
Concen: 42.532 ng
RT: 10.713 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:127 Resp: 693770

Ion	Ratio	Lower	Upper
127	100		
129	32.3	25.4	38.2
65	29.1	23.8	35.6
92	20.0	15.8	23.8





#34
Hexachlorobutadiene
Concen: 43.456 ng
RT: 10.902 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:225 Resp: 326490

Ion	Ratio	Lower	Upper
225	100		
223	62.3	50.0	75.0
227	63.8	49.7	74.5





#35
Caprolactam
Concen: 41.554 ng
RT: 11.496 min Scan# 14
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:113 Resp: 167685

Ion	Ratio	Lower	Upper
113	100		
55	161.7	140.0	180.0
56	123.5	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 42.698 ng
RT: 11.831 min Scan# 1512
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:107 Resp: 539188

Ion	Ratio	Lower	Upper
107	100		
144	24.8	21.0	31.4
142	76.9	64.6	97.0





#37
2-Methylnaphthalene
Concen: 41.968 ng
RT: 12.207 min Scan# 1
Delta R.T. -0.012 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:142 Resp: 1008537

Ion	Ratio	Lower	Upper
142	100		
141	89.0	70.3	105.5
115	38.5	28.9	43.3





#38
1-Methylnaphthalene
Concen: 41.373 ng
RT: 12.431 min Scan# 1614
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:142 Resp: 1057345

Ion	Ratio	Lower	Upper
142	100		
141	91.2	73.1	109.7
116	4.1	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:164 Resp: 456766

Ion	Ratio	Lower	Upper
164	100		
162	98.2	81.0	121.6
160	43.8	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 43.807 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:216 Resp: 577904

Ion	Ratio	Lower	Upper
216	100		
214	78.1	63.0	94.4
179	22.0	17.1	25.7
108	18.9	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 37.087 ng
RT: 12.566 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:237 Resp: 295524

Ion	Ratio	Lower	Upper
237	100		
235	63.0	42.7	82.7
272	12.7	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 88.488 ng
RT: 15.907 min Scan# 2205
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:330 Resp: 544037

Ion	Ratio	Lower	Upper
330	100		
332	96.7	77.3	115.9
141	35.0	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 44.759 ng
RT: 12.825 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:196 Resp: 398621

Ion	Ratio	Lower	Upper
196	100		
198	95.7	77.2	115.8
200	30.5	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 45.101 ng
RT: 12.902 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:196 Resp: 440218

Ion	Ratio	Lower	Upper
196	100		
198	96.4	76.2	114.2
97	50.4	41.2	61.8
132	28.0	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 83.499 ng
RT: 13.013 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:172 Resp: 2790655

Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.1	42.1
170	23.5	18.6	28.0





#46
1,1'-Biphenyl
Concen: 43.790 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:154 Resp: 1452635

Ion	Ratio	Lower	Upper
154	100		
153	39.7	19.5	59.5
76	11.6	0.0	31.1





#47
2-Chloronaphthalene
Concen: 43.406 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 1120958

Ion	Ratio	Lower	Upper
162	100		
127	39.8	33.4	50.2
164	32.2	26.2	39.2





#48
2-Nitroaniline
Concen: 46.337 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion: 65 Resp: 348676

Ion	Ratio	Lower	Upper
65	100		
92	70.5	57.6	86.4
138	116.5	91.0	136.6





#49
Acenaphthylene
Concen: 42.840 ng
RT: 14.119 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 1830675

Ion	Ratio	Lower	Upper
152	100		
151	19.9	16.0	24.0
153	13.3	10.6	15.8





#50
Dimethylphthalate
Concen: 43.502 ng
RT: 13.849 min Scan# 1855
Delta R.T. -0.012 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:163 Resp: 1455084

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	10.4	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 45.175 ng
RT: 13.972 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 318483

Ion	Ratio	Lower	Upper
165	100		
63	52.5	40.9	61.3
89	54.4	42.1	63.1





#52
Acenaphthene
Concen: 42.553 ng
RT: 14.460 min Scan# 1959
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:154 Resp: 1067358

Ion	Ratio	Lower	Upper
154	100		
153	111.8	90.2	135.2
152	53.2	42.1	63.1





#53
3-Nitroaniline
Concen: 44.932 ng
RT: 14.296 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:138 Resp: 356395

Ion	Ratio	Lower	Upper
138	100		
108	11.7	8.3	12.5
92	108.6	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 32.634 ng
RT: 14.501 min Scan# 1966
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:184 Resp: 122865

Ion	Ratio	Lower	Upper
184	100		
63	60.0	49.4	74.2
154	72.5	54.6	82.0





#55
Dibenzofuran
Concen: 42.593 ng
RT: 14.807 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:168 Resp: 1689125

Ion	Ratio	Lower	Upper
168	100		
139	39.9	31.5	47.3
169	13.2	10.9	16.3





#56
4-Nitrophenol
Concen: 45.358 ng
RT: 14.613 min Scan# 1985
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:139 Resp: 295639

Ion	Ratio	Lower	Upper
139	100		
109	81.5	56.6	96.6
65	94.1	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 45.189 ng
RT: 14.766 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 454531

Ion	Ratio	Lower	Upper
165	100		
63	40.2	31.4	47.2
89	66.7	53.3	79.9
182	2.7	2.3	3.5





#58
Fluorene
Concen: 41.160 ng
RT: 15.466 min Scan# 2130
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:166 Resp: 1287972

Ion	Ratio	Lower	Upper
166	100		
165	98.2	78.8	118.2
167	13.5	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 44.201 ng
RT: 15.043 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:232 Resp: 380952

Ion	Ratio	Lower	Upper
232	100		
131	48.7	37.0	55.6
130	2.7	1.9	2.9
166	32.7	25.4	38.0





#60
Diethylphthalate
Concen: 43.195 ng
RT: 15.231 min Scan# 2090
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:149 Resp: 1468089

Ion	Ratio	Lower	Upper
149	100		
177	21.5	17.3	25.9
150	12.6	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 41.240 ng
RT: 15.454 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:204 Resp: 641804

Ion	Ratio	Lower	Upper
204	100		
206	32.5	25.8	38.8
141	66.7	49.4	74.2





#62
4-Nitroaniline
Concen: 43.130 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:138 Resp: 350711

Ion	Ratio	Lower	Upper
138	100		
92	49.3	29.1	69.1
108	88.2	61.5	101.5





#63
Azobenzene
Concen: 44.580 ng
RT: 15.760 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 1297353

Ion	Ratio	Lower	Upper
77	100		
182	28.3	7.5	47.5
105	22.1	2.1	42.1
51	31.2	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.195 min Scan# 2424
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:188 Resp: 916670

Ion	Ratio	Lower	Upper
188	100		
94	8.5	6.6	10.0
80	9.3	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 35.341 ng
RT: 15.543 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:198 Resp: 201944

Ion	Ratio	Lower	Upper
198	100		
51	37.8	19.6	59.6
105	38.8	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 43.243 ng
RT: 15.678 min Scan# 2166
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:169 Resp: 1208784

Ion	Ratio	Lower	Upper
169	100		
168	65.0	53.2	79.8
167	34.9	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 43.928 ng
RT: 16.372 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:248 Resp: 442865

Ion	Ratio	Lower	Upper
248	100		
250	96.0	78.2	117.2
141	77.0	59.6	89.4





#68
Hexachlorobenzene
Concen: 42.691 ng
RT: 16.490 min Scan# 2304
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:284 Resp: 498920

Ion	Ratio	Lower	Upper
284	100		
142	35.8	29.1	43.7
249	31.4	25.0	37.4





#69
Atrazine
Concen: 43.775 ng
RT: 16.648 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:200 Resp: 458257

Ion	Ratio	Lower	Upper
200	100		
173	26.6	6.7	46.7
215	45.3	29.7	69.7





#70
Pentachlorophenol
Concen: 44.342 ng
RT: 16.842 min Scan# 2364
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:266 Resp: 327120

Ion	Ratio	Lower	Upper
266	100		
268	63.7	52.6	79.0
264	63.4	52.0	78.0





#71
Phenanthrene
Concen: 42.302 ng
RT: 17.242 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:178 Resp: 2130157

Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.5	23.3
179	15.5	12.2	18.4





#72
Anthracene
Concen: 42.872 ng
RT: 17.331 min Scan# 2447
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:178 Resp: 2204625

Ion	Ratio	Lower	Upper
178	100		
176	18.6	14.7	22.1
179	15.5	12.2	18.2





#73
Carbazole
Concen: 42.695 ng
RT: 17.613 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:167 Resp: 2067991

Ion	Ratio	Lower	Upper
167	100		
166	21.3	17.5	26.3
139	13.5	10.6	16.0





#74
Di-n-butylphthalate
Concen: 43.693 ng
RT: 18.201 min Scan# 2595
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:149 Resp: 2603783

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.4	11.0
104	5.2	4.2	6.2





#75
Fluoranthene
Concen: 41.933 ng
RT: 19.319 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:202 Resp: 2518758

Ion	Ratio	Lower	Upper
202	100		
101	9.7	0.0	31.1
203	17.3	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.630 min Scan# 3178
Delta R.T. -0.017 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:240 Resp: 933454

Ion	Ratio	Lower	Upper
240	100		
120	10.1	8.9	13.3
236	25.8	19.8	29.8





#77
Benzidine
Concen: 47.349 ng
RT: 19.507 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:184 Resp: 1508404

Ion	Ratio	Lower	Upper
184	100		
185	14.4	11.5	17.3
183	12.0	9.4	14.2





#78
Pyrene
Concen: 43.183 ng
RT: 19.689 min Scan# 2848
Delta R.T. -0.012 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:202 Resp: 2619981

Ion	Ratio	Lower	Upper
202	100		
200	21.0	16.9	25.3
203	17.3	14.2	21.2





#79
Terphenyl-d14
Concen: 85.603 ng
RT: 19.913 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:244 Resp: 4367516

Ion	Ratio	Lower	Upper
244	100		
212	7.3	5.8	8.6
122	9.6	7.4	11.2





#80
Butylbenzylphthalate
Concen: 45.693 ng
RT: 20.642 min Scan# 3010
Delta R.T. -0.006 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:149 Resp: 1256440

Ion	Ratio	Lower	Upper
149	100		
91	68.8	54.2	81.2
206	20.6	16.6	24.8





#81
Benzo(a)anthracene
Concen: 42.665 ng
RT: 21.613 min Scan# 3
Delta R.T. -0.017 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 2626516

Ion	Ratio	Lower	Upper
228	100		
226	26.6	21.7	32.5
229	19.6	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 44.224 ng
RT: 21.530 min Scan# 3161
Delta R.T. -0.012 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:252 Resp: 1026166

Ion	Ratio	Lower	Upper
252	100		
254	65.1	51.8	77.6
126	11.5	9.1	13.7





#83
Chrysene
Concen: 42.767 ng
RT: 21.677 min Scan# 3
Delta R.T. -0.017 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 2465631

Ion	Ratio	Lower	Upper
228	100		
226	29.1	23.2	34.8
229	19.4	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 44.485 ng
RT: 21.560 min Scan# 3166
Delta R.T. -0.023 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:149 Resp: 1800639

Ion	Ratio	Lower	Upper
149	100		
167	27.4	22.1	33.1
279	4.4	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 45.079 ng
RT: 22.848 min Scan# 3
Delta R.T. -0.023 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:149 Resp: 3138516

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.3	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 24.989 min Scan# 3749
Delta R.T. -0.041 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:264 Resp: 1056853

Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.3	28.9
265	22.1	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 42.530 ng
RT: 28.807 min Scan# 4
Delta R.T. -0.059 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:276 Resp: 3296276

Ion	Ratio	Lower	Upper
276	100		
138	16.0	12.9	19.3
277	20.8	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 43.518 ng
RT: 23.930 min Scan# 3569
Delta R.T. -0.023 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:252 Resp: 2712012

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.7	26.5
125	9.3	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 42.878 ng
RT: 24.001 min Scan# 3
Delta R.T. -0.029 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:252 Resp: 2673968

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.1	25.7
125	8.9	7.8	11.6





#90
Benzo(a)pyrene
Concen: 43.232 ng
RT: 24.830 min Scan# 3722
Delta R.T. -0.023 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:252 Resp: 2622614

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.5	26.3
125	10.1	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 42.888 ng
RT: 28.912 min Scan# 4
Delta R.T. -0.041 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:278 Resp: 2716441

Ion	Ratio	Lower	Upper
278	100		
139	14.4	13.0	19.4
279	23.9	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 42.750 ng
RT: 30.006 min Scan# 4602
Delta R.T. -0.053 min
Lab File: BP025436.D
Acq: 15 Aug 2025 21:03

Tgt Ion:276 Resp: 2661609

Ion	Ratio	Lower	Upper
276	100		
277	24.1	19.4	29.0
138	21.2	16.7	25.1



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025472.D
Acq On : 19 Aug 2025 12:06
Operator : CG/JU
Sample : PB169244BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Quant Time: Aug 19 12:52:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	161110	20.000	ng		0.00
21) Naphthalene-d8	10.560	136	644957	20.000	ng		0.00
39) Acenaphthene-d10	14.401	164	415960	20.000	ng		0.00
64) Phenanthrene-d10	17.189	188	862003	20.000	ng		#-0.01
76) Chrysene-d12	21.642	240	910554	20.000	ng		0.00
86) Perylene-d12	25.001	264	1045081	20.000	ng		-0.03
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	1337580	137.876	ng		0.00
7) Phenol-d6	6.972	99	1688269	135.735	ng		0.00
23) Nitrobenzene-d5	8.931	82	1050881	82.423	ng		0.00
42) 2,4,6-Tribromophenol	15.901	330	775299	138.474	ng		-0.01
45) 2-Fluorobiphenyl	13.013	172	2467804	81.083	ng		0.00
79) Terphenyl-d14	19.907	244	4077204	81.923	ng		-0.01
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	142275	37.441	ng		99
3) Pyridine	3.725	79	398620	38.325	ng		95
4) n-Nitrosodimethylamine	3.631	42	201784	47.058	ng		96
6) Aniline	7.119	93	625971	37.353	ng		99
8) 2-Chlorophenol	7.366	128	524831	47.941	ng		99
9) Benzaldehyde	6.937	77	239040	27.431	ng		98
10) Phenol	6.996	94	628743	48.175	ng		99
11) bis(2-Chloroethyl)ether	7.213	93	455153	44.744	ng		99
12) 1,3-Dichlorobenzene	7.684	146	543382	45.014	ng		99
13) 1,4-Dichlorobenzene	7.825	146	553701	44.876	ng		100
14) 1,2-Dichlorobenzene	8.137	146	534380	44.742	ng		97
15) Benzyl Alcohol	8.025	79	444471	44.974	ng		99
16) 2,2'-oxybis(1-Chloropr...	8.307	45	615310	45.153	ng		98
17) 2-Methylphenol	8.225	107	424929	46.879	ng		98
18) Hexachloroethane	8.860	117	205091	45.209	ng		97
19) n-Nitroso-di-n-propyla...	8.584	70	347018	42.121	ng		97
20) 3+4-Methylphenols	8.549	107	585226	46.577	ng		98
22) Acetophenone	8.601	105	735041	45.445	ng	#	99
24) Nitrobenzene	8.972	77	531108	46.610	ng		100
25) Isophorone	9.496	82	993893	44.048	ng		99
26) 2-Nitrophenol	9.672	139	273836	46.827	ng		96
27) 2,4-Dimethylphenol	9.737	122	479387	47.669	ng		98
28) bis(2-Chloroethoxy)met...	9.972	93	613611	44.988	ng		99
29) 2,4-Dichlorophenol	10.213	162	491610	49.210	ng		99
30) 1,2,4-Trichlorobenzene	10.425	180	495197	45.218	ng		99
31) Naphthalene	10.607	128	1534568	45.778	ng		99
32) Benzoic acid	9.890	122	357076	48.094	ng		98
33) 4-Chloroaniline	10.707	127	389745	26.321	ng		99
34) Hexachlorobutadiene	10.896	225	306039	44.872	ng		99
35) Caprolactam	11.495	113	173914	47.476	ng		98
36) 4-Chloro-3-methylphenol	11.837	107	555661	48.473	ng		99
37) 2-Methylnaphthalene	12.213	142	992936	45.516	ng		100
38) 1-Methylnaphthalene	12.437	142	1029457	44.374	ng		98
40) 1,2,4,5-Tetrachloroben...	12.584	216	553975	46.113	ng		99
41) Hexachlorocyclopentadiene	12.566	237	670283	92.369	ng		98
43) 2,4,6-Trichlorophenol	12.825	196	408898	50.417	ng		99

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025472.D
Acq On : 19 Aug 2025 12:06
Operator : CG/JU
Sample : PB169244BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Quant Time: Aug 19 12:52:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	452804	50.941	ng	98
46) 1,1'-Biphenyl	13.231	154	1412174	46.746	ng	99
47) 2-Chloronaphthalene	13.272	162	1094908	46.557	ng	100
48) 2-Nitroaniline	13.466	65	353391	51.571	ng	98
49) Acenaphthylene	14.119	152	1874575	48.171	ng	99
50) Dimethylphthalate	13.860	163	1476660	48.478	ng	100
51) 2,6-Dinitrotoluene	13.966	165	320426	49.910	ng	97
52) Acenaphthene	14.466	154	1076858	47.143	ng	99
53) 3-Nitroaniline	14.295	138	254955	35.296	ng	96
54) 2,4-Dinitrophenol	14.513	184	397607	115.970	ng	98
55) Dibenzofuran	14.801	168	1703170	47.161	ng	100
56) 4-Nitrophenol	14.625	139	605113	101.946	ng	99
57) 2,4-Dinitrotoluene	14.760	165	473816	51.727	ng	97
58) Fluorene	15.460	166	1322243	46.400	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.031	232	396757	50.551	ng	99
60) Diethylphthalate	15.236	149	1517718	49.036	ng	99
61) 4-Chlorophenyl-phenyle...	15.454	204	661344	46.664	ng	97
62) 4-Nitroaniline	15.478	138	353899	47.791	ng	99
63) Azobenzene	15.754	77	1322217	49.891	ng	99
65) 4,6-Dinitro-2-methylph...	15.536	198	272964	50.800	ng	99
66) n-Nitrosodiphenylamine	15.672	169	1246458	47.419	ng	99
67) 4-Bromophenyl-phenylether	16.360	248	451437	47.618	ng	95
68) Hexachlorobenzene	16.489	284	512163	46.604	ng	97
69) Atrazine	16.642	200	470922	47.838	ng	98
70) Pentachlorophenol	16.842	266	687032	99.034	ng	97
71) Phenanthrene	17.236	178	2253291	47.585	ng	99
72) Anthracene	17.330	178	2284335	47.239	ng	99
73) Carbazole	17.601	167	2155496	47.324	ng	99
74) Di-n-butylphthalate	18.201	149	2713180	48.416	ng	100
75) Fluoranthene	19.319	202	2675123	47.361	ng	99
77) Benzidine	19.507	184	1413258	45.479	ng	100
78) Pyrene	19.695	202	2762164	46.671	ng	99
80) Butylbenzylphthalate	20.642	149	1298221	48.400	ng	99
81) Benzo(a)anthracene	21.624	228	2834413	47.200	ng	99
82) 3,3'-Dichlorobenzidine	21.536	252	727758	32.152	ng	99
83) Chrysene	21.689	228	2644963	47.032	ng	99
84) Bis(2-ethylhexyl)phtha...	21.566	149	1936416	49.043	ng	99
85) Di-n-octyl phthalate	22.854	149	3437312	50.612	ng	99
87) Indeno(1,2,3-cd)pyrene	28.842	276	3500214	45.670	ng	98
88) Benzo(b)fluoranthene	23.954	252	2979641	48.351	ng	99
89) Benzo(k)fluoranthene	24.024	252	2940688	47.686	ng	99
90) Benzo(a)pyrene	24.865	252	2836165	47.279	ng	100
91) Dibenzo(a,h)anthracene	28.924	278	2878994	45.967	ng	99
92) Benzo(g,h,i)perylene	30.030	276	2809647	45.636	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025472.D
Acq On : 19 Aug 2025 12:06
Operator : CG/JU
Sample : PB169244BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Quant Time: Aug 19 12:52:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:152 Resp: 161110

Ion	Ratio	Lower	Upper
152	100		
150	157.9	125.9	188.9
115	62.9	48.5	72.7





#2
1,4-Dioxane
Concen: 37.441 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 88 Resp: 142275

Ion	Ratio	Lower	Upper
88	100		
58	74.1	59.2	88.8
43	28.2	21.7	32.5





#3
Pyridine
Concen: 38.325 ng
RT: 3.725 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion: 79 Resp: 398620

Ion	Ratio	Lower	Upper
79	100		
52	73.4	55.5	83.3
51	37.9	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 47.058 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 42 Resp: 201784

Ion	Ratio	Lower	Upper
42	100		
74	129.0	107.0	160.4
44	8.2	6.2	9.4





#5
2-Fluorophenol
Concen: 137.876 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:112 Resp: 1337580

Ion	Ratio	Lower	Upper
112	100		
64	56.5	43.8	65.8
63	30.4	22.7	34.1





#6
Aniline
Concen: 37.353 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 93 Resp: 625971

Ion	Ratio	Lower	Upper
93	100		
66	38.9	30.4	45.6
65	19.4	15.3	22.9





#7
Phenol-d6
Concen: 135.735 ng
RT: 6.972 min Scan# 6
Delta R.T. 0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion: 99 Resp: 1688269

Ion	Ratio	Lower	Upper
99	100		
42	17.0	13.7	20.5
71	34.4	28.2	42.4





#8
2-Chlorophenol
Concen: 47.941 ng
RT: 7.366 min Scan# 753
Delta R.T. -0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:128 Resp: 524831

Ion	Ratio	Lower	Upper
128	100		
130	33.3	12.6	52.6
64	42.9	23.4	63.4





#9
Benzaldehyde
Concen: 27.431 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion: 77 Resp: 239040

Ion	Ratio	Lower	Upper
77	100		
105	103.8	84.8	124.8
106	98.4	80.5	120.5





#10
Phenol
Concen: 48.175 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 94 Resp: 628743

Ion	Ratio	Lower	Upper
94	100		
65	27.7	6.8	46.8
66	38.6	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 44.744 ng
RT: 7.213 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion: 93 Resp: 455153

Ion	Ratio	Lower	Upper
93	100		
63	72.2	52.6	92.6
95	31.9	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 45.014 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:146 Resp: 543382

Ion	Ratio	Lower	Upper
146	100		
148	65.2	51.9	77.9
75	30.8	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 44.876 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:146 Resp: 553701

Ion	Ratio	Lower	Upper
146	100		
148	64.6	51.6	77.4
111	41.6	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 44.742 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:146 Resp: 534380

Ion	Ratio	Lower	Upper
146	100		
148	66.0	50.4	75.6
111	44.3	34.5	51.7





#15
Benzyl Alcohol
Concen: 44.974 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion: 79 Resp: 444471

Ion	Ratio	Lower	Upper
79	100		
108	78.8	63.8	95.6
77	61.1	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 45.153 ng
RT: 8.307 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 45 Resp: 615310

Ion	Ratio	Lower	Upper
45	100		
77	14.7	0.0	35.3
79	11.1	0.0	31.8





#17
2-Methylphenol
Concen: 46.879 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:107 Resp: 424929

Ion	Ratio	Lower	Upper
107	100		
108	114.5	89.4	134.0
77	44.9	36.3	54.5
79	46.0	36.6	54.8





#18
Hexachloroethane
Concen: 45.209 ng
RT: 8.860 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:117 Resp: 205091

Ion	Ratio	Lower	Upper
117	100		
119	97.0	75.1	112.7
201	102.5	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 42.121 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion: 70 Resp: 347018

Ion	Ratio	Lower	Upper
70	100		
42	58.0	43.8	65.6
101	11.4	8.5	12.7
130	24.8	19.4	29.0





#20
3+4-Methylphenols
Concen: 46.577 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:107 Resp: 585226

Ion	Ratio	Lower	Upper
107	100		
108	87.9	66.3	106.3
77	32.9	12.3	52.3
79	28.7	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:136 Resp: 644957

Ion	Ratio	Lower	Upper
136	100		
137	10.6	9.2	13.8
54	8.1	6.0	9.0
68	5.6	4.3	6.5





#22
Acetophenone
Concen: 45.445 ng
RT: 8.601 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:105 Resp: 735041

Ion	Ratio	Lower	Upper
105	100		
71	2.4	2.6	4.0#
51	26.0	20.6	30.8
120	23.3	18.6	27.8





#23
Nitrobenzene-d5
Concen: 82.423 ng
RT: 8.931 min Scan# 1(
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion: 82 Resp: 1050881

Ion	Ratio	Lower	Upper
82	100		
128	45.6	37.7	56.5
54	50.4	39.8	59.6





#24
Nitrobenzene
Concen: 46.610 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 77 Resp: 531108

Ion	Ratio	Lower	Upper
77	100		
123	48.2	38.6	58.0
65	13.2	10.6	15.8





#25
Isophorone
Concen: 44.048 ng
RT: 9.496 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion: 82 Resp: 993893

Ion	Ratio	Lower	Upper
82	100		
95	7.5	6.4	9.6
138	18.8	15.4	23.0





#26
2-Nitrophenol
Concen: 46.827 ng
RT: 9.672 min Scan# 1145
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:139 Resp: 273836

Ion	Ratio	Lower	Upper
139	100		
109	32.9	26.9	40.3
65	51.5	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 47.669 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:122 Resp: 479387

Ion	Ratio	Lower	Upper
122	100		
107	119.5	93.7	140.5
121	60.1	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 44.988 ng
RT: 9.972 min Scan# 1196
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 93 Resp: 613611

Ion	Ratio	Lower	Upper
93	100		
95	32.4	25.4	38.0
123	11.5	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 49.210 ng
RT: 10.213 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:162 Resp: 491610

Ion	Ratio	Lower	Upper
162	100		
164	63.1	44.4	84.4
98	34.9	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 45.218 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:180 Resp: 495197

Ion	Ratio	Lower	Upper
180	100		
182	96.4	78.0	117.0
145	31.0	25.9	38.9





#31
Naphthalene
Concen: 45.778 ng
RT: 10.607 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:128 Resp: 1534568

Ion	Ratio	Lower	Upper
128	100		
129	10.9	8.6	13.0
127	12.7	10.7	16.1





#32
Benzoic acid
Concen: 48.094 ng
RT: 9.890 min Scan# 1182
Delta R.T. 0.018 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:122 Resp: 357076

Ion	Ratio	Lower	Upper
122	100		
105	123.0	100.6	140.6
77	93.3	71.5	111.5





#33
4-Chloroaniline
Concen: 26.321 ng
RT: 10.707 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:127 Resp: 389745

Ion	Ratio	Lower	Upper
127	100		
129	32.4	25.4	38.2
65	30.3	23.8	35.6
92	20.0	15.8	23.8





#34
Hexachlorobutadiene
Concen: 44.872 ng
RT: 10.896 min Scan# 1353
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:225 Resp: 306039

Ion	Ratio	Lower	Upper
225	100		
223	61.5	50.0	75.0
227	62.9	49.7	74.5





#35
Caprolactam
Concen: 47.476 ng
RT: 11.495 min Scan# 14
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:113 Resp: 173914

Ion	Ratio	Lower	Upper
113	100		
55	162.3	140.0	180.0
56	122.1	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 48.473 ng
RT: 11.837 min Scan# 1513
Delta R.T. -0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:107 Resp: 555661

Ion	Ratio	Lower	Upper
107	100		
144	25.9	21.0	31.4
142	80.1	64.6	97.0





#37
2-Methylnaphthalene
Concen: 45.516 ng
RT: 12.213 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:142 Resp: 992936

Ion	Ratio	Lower	Upper
142	100		
141	88.0	70.3	105.5
115	35.4	28.9	43.3





#38
1-Methylnaphthalene
Concen: 44.374 ng
RT: 12.437 min Scan# 1615
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:142 Resp: 1029457

Ion	Ratio	Lower	Upper
142	100		
141	92.9	73.1	109.7
116	4.1	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:164 Resp: 415960

Ion	Ratio	Lower	Upper
164	100		
162	100.5	81.0	121.6
160	42.7	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 46.113 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:216 Resp: 553975

Ion	Ratio	Lower	Upper
216	100		
214	78.5	63.0	94.4
179	21.6	17.1	25.7
108	20.9	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 92.369 ng
RT: 12.566 min Scan# 1(
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:237 Resp: 670283

Ion	Ratio	Lower	Upper
237	100		
235	61.7	42.7	82.7
272	12.8	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 138.474 ng
RT: 15.901 min Scan# 2204
Delta R.T. -0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:330 Resp: 775299

Ion	Ratio	Lower	Upper
330	100		
332	97.0	77.3	115.9
141	33.1	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 50.417 ng
RT: 12.825 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:196 Resp: 408898

Ion	Ratio	Lower	Upper
196	100		
198	95.3	77.2	115.8
200	30.7	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 50.941 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:196 Resp: 452804

Ion	Ratio	Lower	Upper
196	100		
198	94.9	76.2	114.2
97	48.4	41.2	61.8
132	28.8	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 81.083 ng
RT: 13.013 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:172 Resp: 2467804

Ion	Ratio	Lower	Upper
172	100		
171	35.2	28.1	42.1
170	23.3	18.6	28.0





#46
1,1'-Biphenyl
Concen: 46.746 ng
RT: 13.231 min Scan# 1750
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:154 Resp: 1412174

Ion	Ratio	Lower	Upper
154	100		
153	40.4	19.5	59.5
76	11.3	0.0	31.1





#47
2-Chloronaphthalene
Concen: 46.557 ng
RT: 13.272 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:162 Resp: 1094908

Ion	Ratio	Lower	Upper
162	100		
127	41.7	33.4	50.2
164	32.4	26.2	39.2





#48
2-Nitroaniline
Concen: 51.571 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion: 65 Resp: 353391

Ion	Ratio	Lower	Upper
65	100		
92	71.0	57.6	86.4
138	111.2	91.0	136.6





#49
Acenaphthylene
Concen: 48.171 ng
RT: 14.119 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:152 Resp: 1874575

Ion	Ratio	Lower	Upper
152	100		
151	19.7	16.0	24.0
153	13.0	10.6	15.8





#50
Dimethylphthalate
Concen: 48.478 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:163 Resp: 1476660

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	9.9	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 49.910 ng
RT: 13.966 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:165 Resp: 320426

Ion	Ratio	Lower	Upper
165	100		
63	53.6	40.9	61.3
89	54.9	42.1	63.1





#52
Acenaphthene
Concen: 47.143 ng
RT: 14.466 min Scan# 1960
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:154 Resp: 1076858

Ion	Ratio	Lower	Upper
154	100		
153	111.7	90.2	135.2
152	52.7	42.1	63.1





#53
3-Nitroaniline
Concen: 35.296 ng
RT: 14.295 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:138 Resp: 254955

Ion	Ratio	Lower	Upper
138	100		
108	11.0	8.3	12.5
92	112.5	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 115.970 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:184 Resp: 397607

Ion	Ratio	Lower	Upper
184	100		
63	59.0	49.4	74.2
154	68.5	54.6	82.0





#55
Dibenzofuran
Concen: 47.161 ng
RT: 14.801 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:168 Resp: 1703170

Ion	Ratio	Lower	Upper
168	100		
139	39.7	31.5	47.3
169	13.6	10.9	16.3





#56
4-Nitrophenol
Concen: 101.946 ng
RT: 14.625 min Scan# 1987
Delta R.T. 0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:139 Resp: 605113

Ion	Ratio	Lower	Upper
139	100		
109	77.8	56.6	96.6
65	89.0	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 51.727 ng
RT: 14.760 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:165 Resp: 473816

Ion	Ratio	Lower	Upper
165	100		
63	42.7	31.4	47.2
89	68.2	53.3	79.9
182	2.9	2.3	3.5





#58
Fluorene
Concen: 46.400 ng
RT: 15.460 min Scan# 2129
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:166 Resp: 1322243

Ion	Ratio	Lower	Upper
166	100		
165	97.5	78.8	118.2
167	14.1	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 50.551 ng
RT: 15.031 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:232 Resp: 396757

Ion	Ratio	Lower	Upper
232	100		
131	46.9	37.0	55.6
130	2.5	1.9	2.9
166	31.6	25.4	38.0





#60
Diethylphthalate
Concen: 49.036 ng
RT: 15.236 min Scan# 2091
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:149 Resp: 1517718

Ion	Ratio	Lower	Upper
149	100		
177	22.2	17.3	25.9
150	12.3	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 46.664 ng
RT: 15.454 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:204 Resp: 661344

Ion	Ratio	Lower	Upper
204	100		
206	32.6	25.8	38.8
141	65.0	49.4	74.2





#62
4-Nitroaniline
Concen: 47.791 ng
RT: 15.478 min Scan# 2132
Delta R.T. -0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:138 Resp: 353899

Ion	Ratio	Lower	Upper
138	100		
92	50.5	29.1	69.1
108	82.2	61.5	101.5





#63
Azobenzene
Concen: 49.891 ng
RT: 15.754 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion: 77 Resp: 1322217

Ion	Ratio	Lower	Upper
77	100		
182	28.1	7.5	47.5
105	22.3	2.1	42.1
51	30.6	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.189 min Scan# 2423
Delta R.T. -0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:188 Resp: 862003

Ion	Ratio	Lower	Upper
188	100		
94	9.6	6.6	10.0
80	10.5	6.7	10.1#





#65
4,6-Dinitro-2-methylphenol
Concen: 50.800 ng
RT: 15.536 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:198 Resp: 272964

Ion	Ratio	Lower	Upper
198	100		
51	41.2	19.6	59.6
105	40.6	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 47.419 ng
RT: 15.672 min Scan# 2165
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:169 Resp: 1246458

Ion	Ratio	Lower	Upper
169	100		
168	66.0	53.2	79.8
167	35.7	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 47.618 ng
RT: 16.360 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:248 Resp: 451437

Ion	Ratio	Lower	Upper
248	100		
250	98.8	78.2	117.2
141	83.4	59.6	89.4





#68
Hexachlorobenzene
Concen: 46.604 ng
RT: 16.489 min Scan# 2304
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:284 Resp: 512163

Ion	Ratio	Lower	Upper
284	100		
142	33.7	29.1	43.7
249	31.3	25.0	37.4





#69
Atrazine
Concen: 47.838 ng
RT: 16.642 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:200 Resp: 470922

Ion	Ratio	Lower	Upper
200	100		
173	25.6	6.7	46.7
215	48.4	29.7	69.7





#70
Pentachlorophenol
Concen: 99.034 ng
RT: 16.842 min Scan# 2364
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:266 Resp: 687032

Ion	Ratio	Lower	Upper
266	100		
268	63.2	52.6	79.0
264	62.2	52.0	78.0





#71
Phenanthrene
Concen: 47.585 ng
RT: 17.236 min Scan# 24
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:178 Resp: 2253291

Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.5	23.3
179	15.2	12.2	18.4





#72
Anthracene
Concen: 47.239 ng
RT: 17.330 min Scan# 2447
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:178 Resp: 2284335

Ion	Ratio	Lower	Upper
178	100		
176	18.3	14.7	22.1
179	15.7	12.2	18.2





#73
Carbazole
Concen: 47.324 ng
RT: 17.601 min Scan# 24
Delta R.T. -0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:167 Resp: 2155496

Ion	Ratio	Lower	Upper
167	100		
166	21.2	17.5	26.3
139	13.2	10.6	16.0





#74
Di-n-butylphthalate
Concen: 48.416 ng
RT: 18.201 min Scan# 2595
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:149 Resp: 2713180

Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.4	11.0
104	5.1	4.2	6.2





#75
Fluoranthene
Concen: 47.361 ng
RT: 19.319 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:202 Resp: 2675123

Ion	Ratio	Lower	Upper
202	100		
101	10.5	0.0	31.1
203	17.4	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:240 Resp: 910554

Ion	Ratio	Lower	Upper
240	100		
120	10.7	8.9	13.3
236	25.6	19.8	29.8





#77
Benzidine
Concen: 45.479 ng
RT: 19.507 min Scan# 2
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:184 Resp: 1413258

Ion	Ratio	Lower	Upper
184	100		
185	14.2	11.5	17.3
183	11.7	9.4	14.2





#78
Pyrene
Concen: 46.671 ng
RT: 19.695 min Scan# 2849
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:202 Resp: 2762164

Ion	Ratio	Lower	Upper
202	100		
200	20.6	16.9	25.3
203	17.4	14.2	21.2





#79
Terphenyl-d14
Concen: 81.923 ng
RT: 19.907 min Scan# 2
Delta R.T. -0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:244 Resp: 4077204

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	10.1	7.4	11.2





#80
Butylbenzylphthalate
Concen: 48.400 ng
RT: 20.642 min Scan# 3010
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:149 Resp: 1298221

Ion	Ratio	Lower	Upper
149	100		
91	67.1	54.2	81.2
206	20.7	16.6	24.8





#81
Benzo(a)anthracene
Concen: 47.200 ng
RT: 21.624 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:228 Resp: 2834413

Ion	Ratio	Lower	Upper
228	100		
226	26.8	21.7	32.5
229	19.8	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 32.152 ng
RT: 21.536 min Scan# 3162
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:252 Resp: 727758

Ion	Ratio	Lower	Upper
252	100		
254	65.3	51.8	77.6
126	11.8	9.1	13.7





#83
Chrysene
Concen: 47.032 ng
RT: 21.689 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:228 Resp: 2644963

Ion	Ratio	Lower	Upper
228	100		
226	29.9	23.2	34.8
229	19.6	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 49.043 ng
RT: 21.566 min Scan# 3167
Delta R.T. -0.018 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:149 Resp: 1936416

Ion	Ratio	Lower	Upper
149	100		
167	28.2	22.1	33.1
279	4.5	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 50.612 ng
RT: 22.854 min Scan# 3
Delta R.T. -0.018 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:149 Resp: 3437312

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.3	1.9
43	8.3	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.001 min Scan# 3751
Delta R.T. -0.029 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:264 Resp: 1045081

Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.3	28.9
265	22.8	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 45.670 ng
RT: 28.842 min Scan# 44
Delta R.T. -0.024 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:276 Resp: 3500214

Ion	Ratio	Lower	Upper
276	100		
138	16.9	12.9	19.3
277	20.2	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 48.351 ng
RT: 23.954 min Scan# 3573
Delta R.T. 0.000 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:252 Resp: 2979641

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.7	26.5
125	9.3	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 47.686 ng
RT: 24.024 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:252 Resp: 2940688

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.1	25.7
125	9.4	7.8	11.6





#90
Benzo(a)pyrene
Concen: 47.279 ng
RT: 24.865 min Scan# 3728
Delta R.T. 0.012 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:252 Resp: 2836165

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	10.8	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 45.967 ng
RT: 28.924 min Scan# 44
Delta R.T. -0.029 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Instrument :
BNA_P
ClientSampleId :
PB169244BS

Tgt Ion:278 Resp: 2878994

Ion	Ratio	Lower	Upper
278	100		
139	15.5	13.0	19.4
279	24.5	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 45.636 ng
RT: 30.030 min Scan# 4606
Delta R.T. -0.029 min
Lab File: BP025472.D
Acq: 19 Aug 2025 12:06

Tgt Ion:276 Resp: 2809647

Ion	Ratio	Lower	Upper
276	100		
277	23.3	19.4	29.0
138	20.4	16.7	25.1



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025473.D
Acq On : 19 Aug 2025 12:47
Operator : CG/JU
Sample : PB169244BSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Quant Time: Aug 19 13:10:51 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
Internal Standards							
1) 1,4-Dichlorobenzene-d4	7.790	152	172374	20.000	ng		0.00
21) Naphthalene-d8	10.555	136	704478	20.000	ng		0.00
39) Acenaphthene-d10	14.401	164	488785	20.000	ng		0.00
64) Phenanthrene-d10	17.207	188	1043571	20.000	ng		0.00
76) Chrysene-d12	21.654	240	1070063	20.000	ng		0.00
86) Perylene-d12	25.030	264	1176738	20.000	ng		0.00
System Monitoring Compounds							
5) 2-Fluorophenol	5.408	112	1466573	141.294	ng		0.00
7) Phenol-d6	6.972	99	1870146	140.533	ng		0.00
23) Nitrobenzene-d5	8.931	82	1177998	84.587	ng		0.00
42) 2,4,6-Tribromophenol	15.919	330	948405	144.154	ng		0.00
45) 2-Fluorobiphenyl	13.013	172	2831786	79.179	ng		0.00
79) Terphenyl-d14	19.925	244	4922368	84.162	ng		0.00
Target Compounds							Qvalue
2) 1,4-Dioxane	3.331	88	158108	38.889	ng		99
3) Pyridine	3.726	79	436550	39.230	ng		97
4) n-Nitrosodimethylamine	3.631	42	221517	48.284	ng		97
6) Aniline	7.119	93	672688	37.518	ng		99
8) 2-Chlorophenol	7.367	128	584248	49.881	ng		100
9) Benzaldehyde	6.937	77	263740	28.288	ng		98
10) Phenol	6.996	94	701844	50.262	ng		99
11) bis(2-Chloroethyl)ether	7.214	93	510577	46.912	ng		99
12) 1,3-Dichlorobenzene	7.684	146	601240	46.552	ng		99
13) 1,4-Dichlorobenzene	7.825	146	610323	46.233	ng		100
14) 1,2-Dichlorobenzene	8.137	146	589005	46.093	ng		99
15) Benzyl Alcohol	8.025	79	504404	47.704	ng		99
16) 2,2'-oxybis(1-Chloropr...	8.308	45	689083	47.263	ng		98
17) 2-Methylphenol	8.225	107	482348	49.736	ng		99
18) Hexachloroethane	8.861	117	227208	46.811	ng		97
19) n-Nitroso-di-n-propyla...	8.584	70	393822	44.678	ng		98
20) 3+4-Methylphenols	8.549	107	660509	49.134	ng		97
22) Acetophenone	8.596	105	819556	46.389	ng	#	99
24) Nitrobenzene	8.972	77	591064	47.489	ng		99
25) Isophorone	9.496	82	1134513	46.032	ng		98
26) 2-Nitrophenol	9.678	139	314959	49.309	ng		97
27) 2,4-Dimethylphenol	9.737	122	558293	50.825	ng		100
28) bis(2-Chloroethoxy)met...	9.966	93	698931	46.914	ng		98
29) 2,4-Dichlorophenol	10.208	162	564908	51.769	ng		99
30) 1,2,4-Trichlorobenzene	10.419	180	553924	46.307	ng		99
31) Naphthalene	10.608	128	1710559	46.717	ng		99
32) Benzoic acid	9.896	122	439462	54.190	ng		98
33) 4-Chloroaniline	10.708	127	440457	27.233	ng		99
34) Hexachlorobutadiene	10.896	225	342743	46.008	ng		98
35) Caprolactam	11.502	113	182006	45.487	ng		93
36) 4-Chloro-3-methylphenol	11.837	107	646361	51.621	ng		99
37) 2-Methylnaphthalene	12.213	142	1107270	46.469	ng		100
38) 1-Methylnaphthalene	12.431	142	1168249	46.102	ng		100
40) 1,2,4,5-Tetrachloroben...	12.584	216	626241	44.362	ng		99
41) Hexachlorocyclopentadiene	12.566	237	771660	90.496	ng		98
43) 2,4,6-Trichlorophenol	12.825	196	479514	50.315	ng		99

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025473.D
Acq On : 19 Aug 2025 12:47
Operator : CG/JU
Sample : PB169244BSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Quant Time: Aug 19 13:10:51 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) 2,4,5-Trichlorophenol	12.896	196	536382	51.353	ng		99
46) 1,1'-Biphenyl	13.225	154	1638603	46.160	ng		99
47) 2-Chloronaphthalene	13.266	162	1259783	45.586	ng		98
48) 2-Nitroaniline	13.466	65	415059	51.546	ng		98
49) Acenaphthylene	14.125	152	2177367	47.615	ng		100
50) Dimethylphthalate	13.854	163	1738994	48.585	ng		99
51) 2,6-Dinitrotoluene	13.966	165	395341	52.404	ng		98
52) Acenaphthene	14.472	154	1220137	45.457	ng		99
53) 3-Nitroaniline	14.296	138	300405	35.392	ng		97
54) 2,4-Dinitrophenol	14.513	184	495694	123.038	ng		99
55) Dibenzofuran	14.813	168	2007042	47.295	ng		100
56) 4-Nitrophenol	14.625	139	746663	107.051	ng		98
57) 2,4-Dinitrotoluene	14.766	165	583246	54.187	ng		99
58) Fluorene	15.466	166	1589403	47.465	ng		99
59) 2,3,4,6-Tetrachlorophenol	15.037	232	472386	51.220	ng		100
60) Diethylphthalate	15.243	149	1844493	50.715	ng		99
61) 4-Chlorophenyl-phenyle...	15.460	204	789982	47.436	ng		98
62) 4-Nitroaniline	15.484	138	442261	50.825	ng		99
63) Azobenzene	15.754	77	1593888	51.181	ng		99
65) 4,6-Dinitro-2-methylph...	15.548	198	340236	52.303	ng		96
66) n-Nitrosodiphenylamine	15.678	169	1483025	46.603	ng		100
67) 4-Bromophenyl-phenylether	16.372	248	531300	46.291	ng		96
68) Hexachlorobenzene	16.495	284	616466	46.335	ng		98
69) Atrazine	16.660	200	590070	49.512	ng		97
70) Pentachlorophenol	16.848	266	843937	100.486	ng		97
71) Phenanthrene	17.254	178	2687053	46.873	ng		99
72) Anthracene	17.348	178	2780840	47.501	ng		100
73) Carbazole	17.619	167	2645585	47.978	ng		99
74) Di-n-butylphthalate	18.213	149	3375219	49.751	ng		100
75) Fluoranthene	19.336	202	3282061	47.997	ng		99
77) Benzidine	19.519	184	1590772	43.560	ng		100
78) Pyrene	19.713	202	3315062	47.664	ng		100
80) Butylbenzylphthalate	20.654	149	1618023	51.331	ng		98
81) Benzo(a)anthracene	21.630	228	3439380	48.736	ng		99
82) 3,3'-Dichlorobenzidine	21.548	252	816647	30.701	ng		99
83) Chrysene	21.701	228	3127598	47.324	ng		99
84) Bis(2-ethylhexyl)phtha...	21.566	149	2323944	50.084	ng		98
85) Di-n-octyl phthalate	22.860	149	4076449	51.076	ng		99
87) Indeno(1,2,3-cd)pyrene	28.859	276	3302888	38.273	ng	#	93
88) Benzo(b)fluoranthene	23.954	252	3354449	48.343	ng		100
89) Benzo(k)fluoranthene	24.019	252	3390357	48.827	ng		99
90) Benzo(a)pyrene	24.854	252	3251341	48.136	ng		100
91) Dibenzo(a,h)anthracene	28.971	278	3297613	46.760	ng		97
92) Benzo(g,h,i)perylene	30.054	276	3230088	46.595	ng		98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025473.D
Acq On : 19 Aug 2025 12:47
Operator : CG/JU
Sample : PB169244BSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Quant Time: Aug 19 13:10:51 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:152 Resp: 172374

Ion	Ratio	Lower	Upper
152	100		
150	153.4	125.9	188.9
115	60.2	48.5	72.7





#2
1,4-Dioxane
Concen: 38.889 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 88 Resp: 158108

Ion	Ratio	Lower	Upper
88	100		
58	73.4	59.2	88.8
43	28.3	21.7	32.5





#3
Pyridine
Concen: 39.230 ng
RT: 3.726 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion: 79 Resp: 436550

Ion	Ratio	Lower	Upper
79	100		
52	72.5	55.5	83.3
51	36.8	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 48.284 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 42 Resp: 221517

Ion	Ratio	Lower	Upper
42	100		
74	130.0	107.0	160.4
44	8.4	6.2	9.4





#5
2-Fluorophenol
Concen: 141.294 ng
RT: 5.408 min Scan# 4
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:112 Resp: 1466573

Ion	Ratio	Lower	Upper
112	100		
64	56.2	43.8	65.8
63	30.0	22.7	34.1





#6
Aniline
Concen: 37.518 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 93 Resp: 672688

Ion	Ratio	Lower	Upper
93	100		
66	38.8	30.4	45.6
65	19.5	15.3	22.9





#7
Phenol-d6
Concen: 140.533 ng
RT: 6.972 min Scan# 6
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion: 99 Resp: 1870146

Ion	Ratio	Lower	Upper
99	100		
42	17.1	13.7	20.5
71	34.4	28.2	42.4





#8
2-Chlorophenol
Concen: 49.881 ng
RT: 7.367 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:128 Resp: 584248

Ion	Ratio	Lower	Upper
128	100		
130	32.6	12.6	52.6
64	43.8	23.4	63.4





#9
Benzaldehyde
Concen: 28.288 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion: 77 Resp: 263740

Ion	Ratio	Lower	Upper
77	100		
105	102.9	84.8	124.8
106	99.2	80.5	120.5





#10
Phenol
Concen: 50.262 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 94 Resp: 701844

Ion	Ratio	Lower	Upper
94	100		
65	27.5	6.8	46.8
66	38.9	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 46.912 ng
RT: 7.214 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion: 93 Resp: 510577

Ion	Ratio	Lower	Upper
93	100		
63	73.6	52.6	92.6
95	31.5	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 46.552 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:146 Resp: 601240

Ion	Ratio	Lower	Upper
146	100		
148	64.8	51.9	77.9
75	27.9	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 46.233 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:146 Resp: 610323

Ion	Ratio	Lower	Upper
146	100		
148	64.3	51.6	77.4
111	41.4	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 46.093 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:146 Resp: 589005

Ion	Ratio	Lower	Upper
146	100		
148	64.2	50.4	75.6
111	42.3	34.5	51.7





#15
Benzyl Alcohol
Concen: 47.704 ng
RT: 8.025 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion: 79 Resp: 504404

Ion	Ratio	Lower	Upper
79	100		
108	79.2	63.8	95.6
77	62.4	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 47.263 ng
RT: 8.308 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 45 Resp: 689083

Ion	Ratio	Lower	Upper
45	100		
77	14.6	0.0	35.3
79	11.1	0.0	31.8





#17
2-Methylphenol
Concen: 49.736 ng
RT: 8.225 min Scan# 8
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:107 Resp: 482348

Ion	Ratio	Lower	Upper
107	100		
108	112.9	89.4	134.0
77	45.2	36.3	54.5
79	46.5	36.6	54.8





#18
Hexachloroethane
Concen: 46.811 ng
RT: 8.861 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:117 Resp: 227208

Ion	Ratio	Lower	Upper
117	100		
119	96.8	75.1	112.7
201	102.3	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 44.678 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion: 70 Resp: 393822

Ion	Ratio	Lower	Upper
70	100		
42	56.2	43.8	65.6
101	11.1	8.5	12.7
130	22.9	19.4	29.0





#20
3+4-Methylphenols
Concen: 49.134 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:107 Resp: 660509

Ion	Ratio	Lower	Upper
107	100		
108	89.5	66.3	106.3
77	33.4	12.3	52.3
79	29.0	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.555 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:136 Resp: 704478

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.2	13.8
54	8.4	6.0	9.0
68	5.9	4.3	6.5





#22
Acetophenone
Concen: 46.389 ng
RT: 8.596 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:105 Resp: 819556

Ion	Ratio	Lower	Upper
105	100		
71	4.5	2.6	4.0#
51	26.4	20.6	30.8
120	23.1	18.6	27.8





#23
Nitrobenzene-d5
Concen: 84.587 ng
RT: 8.931 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion: 82 Resp: 1177998

Ion	Ratio	Lower	Upper
82	100		
128	47.3	37.7	56.5
54	50.9	39.8	59.6





#24
Nitrobenzene
Concen: 47.489 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 77 Resp: 591064

Ion	Ratio	Lower	Upper
77	100		
123	48.7	38.6	58.0
65	14.1	10.6	15.8





#25
Isophorone
Concen: 46.032 ng
RT: 9.496 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion: 82 Resp: 1134513

Ion	Ratio	Lower	Upper
82	100		
95	7.8	6.4	9.6
138	18.0	15.4	23.0





#26
2-Nitrophenol
Concen: 49.309 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:139 Resp: 314959

Ion	Ratio	Lower	Upper
139	100		
109	31.5	26.9	40.3
65	46.5	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 50.825 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:122 Resp: 558293

Ion	Ratio	Lower	Upper
122	100		
107	117.0	93.7	140.5
121	57.3	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 46.914 ng
RT: 9.966 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 93 Resp: 698931

Ion	Ratio	Lower	Upper
93	100		
95	32.7	25.4	38.0
123	12.1	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 51.769 ng
RT: 10.208 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:162 Resp: 564908

Ion	Ratio	Lower	Upper
162	100		
164	64.2	44.4	84.4
98	35.7	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 46.307 ng
RT: 10.419 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:180 Resp: 553924

Ion	Ratio	Lower	Upper
180	100		
182	97.2	78.0	117.0
145	31.7	25.9	38.9





#31
Naphthalene
Concen: 46.717 ng
RT: 10.608 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:128 Resp: 1710559

Ion	Ratio	Lower	Upper
128	100		
129	10.7	8.6	13.0
127	13.0	10.7	16.1





#32
Benzoic acid
Concen: 54.190 ng
RT: 9.896 min Scan# 1183
Delta R.T. 0.024 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:122 Resp: 439462

Ion	Ratio	Lower	Upper
122	100		
105	123.3	100.6	140.6
77	90.8	71.5	111.5





#33
4-Chloroaniline
Concen: 27.233 ng
RT: 10.708 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:127 Resp: 440457

Ion	Ratio	Lower	Upper
127	100		
129	32.2	25.4	38.2
65	30.3	23.8	35.6
92	19.9	15.8	23.8





#34
Hexachlorobutadiene
Concen: 46.008 ng
RT: 10.896 min Scan# 1353
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:225 Resp: 342743

Ion	Ratio	Lower	Upper
225	100		
223	61.1	50.0	75.0
227	63.7	49.7	74.5





#35
Caprolactam
Concen: 45.487 ng
RT: 11.502 min Scan# 14
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:113 Resp: 182006

Ion	Ratio	Lower	Upper
113	100		
55	148.5	140.0	180.0
56	115.7	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 51.621 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:107 Resp: 646361

Ion	Ratio	Lower	Upper
107	100		
144	25.3	21.0	31.4
142	79.5	64.6	97.0





#37
2-Methylnaphthalene
Concen: 46.469 ng
RT: 12.213 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:142 Resp: 1107270

Ion	Ratio	Lower	Upper
142	100		
141	88.1	70.3	105.5
115	36.1	28.9	43.3





#38
1-Methylnaphthalene
Concen: 46.102 ng
RT: 12.431 min Scan# 1614
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:142 Resp: 1168249

Ion	Ratio	Lower	Upper
142	100		
141	91.4	73.1	109.7
116	4.0	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.401 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:164 Resp: 488785

Ion	Ratio	Lower	Upper
164	100		
162	98.6	81.0	121.6
160	44.6	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 44.362 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:216 Resp: 626241

Ion	Ratio	Lower	Upper
216	100		
214	78.6	63.0	94.4
179	21.7	17.1	25.7
108	20.7	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 90.496 ng
RT: 12.566 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:237 Resp: 771660

Ion	Ratio	Lower	Upper
237	100		
235	61.0	42.7	82.7
272	12.7	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 144.154 ng
RT: 15.919 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:330 Resp: 948405

Ion	Ratio	Lower	Upper
330	100		
332	96.8	77.3	115.9
141	32.9	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 50.315 ng
RT: 12.825 min Scan# 1(
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:196 Resp: 479514

Ion	Ratio	Lower	Upper
196	100		
198	95.5	77.2	115.8
200	30.4	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 51.353 ng
RT: 12.896 min Scan# 1693
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:196 Resp: 536382

Ion	Ratio	Lower	Upper
196	100		
198	95.2	76.2	114.2
97	48.1	41.2	61.8
132	28.2	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 79.179 ng
RT: 13.013 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:172 Resp: 2831786

Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.1	42.1
170	23.5	18.6	28.0





#46
1,1'-Biphenyl
Concen: 46.160 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:154 Resp: 1638603

Ion	Ratio	Lower	Upper
154	100		
153	40.1	19.5	59.5
76	11.4	0.0	31.1





#47
2-Chloronaphthalene
Concen: 45.586 ng
RT: 13.266 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:162 Resp: 1259783

Ion	Ratio	Lower	Upper
162	100		
127	39.6	33.4	50.2
164	32.2	26.2	39.2





#48
2-Nitroaniline
Concen: 51.546 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion: 65 Resp: 415059

Ion	Ratio	Lower	Upper
65	100		
92	71.9	57.6	86.4
138	117.3	91.0	136.6





#49
Acenaphthylene
Concen: 47.615 ng
RT: 14.125 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:152 Resp: 2177367

Ion	Ratio	Lower	Upper
152	100		
151	19.8	16.0	24.0
153	13.0	10.6	15.8





#50
Dimethylphthalate
Concen: 48.585 ng
RT: 13.854 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:163 Resp: 1738994

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.2	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 52.404 ng
RT: 13.966 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:165 Resp: 395341

Ion	Ratio	Lower	Upper
165	100		
63	49.4	40.9	61.3
89	51.6	42.1	63.1





#52
Acenaphthene
Concen: 45.457 ng
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:154 Resp: 1220137

Ion	Ratio	Lower	Upper
154	100		
153	114.1	90.2	135.2
152	53.3	42.1	63.1





#53
3-Nitroaniline
Concen: 35.392 ng
RT: 14.296 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:138 Resp: 300405

Ion	Ratio	Lower	Upper
138	100		
108	10.9	8.3	12.5
92	111.4	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 123.038 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:184 Resp: 495694

Ion	Ratio	Lower	Upper
184	100		
63	59.7	49.4	74.2
154	68.5	54.6	82.0





#55
Dibenzofuran
Concen: 47.295 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:168 Resp: 2007042

Ion	Ratio	Lower	Upper
168	100		
139	39.3	31.5	47.3
169	13.2	10.9	16.3





#56
4-Nitrophenol
Concen: 107.051 ng
RT: 14.625 min Scan# 1987
Delta R.T. 0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:139 Resp: 746663

Ion	Ratio	Lower	Upper
139	100		
109	78.0	56.6	96.6
65	89.5	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 54.187 ng
RT: 14.766 min Scan# 2(
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:165 Resp: 583246

Ion	Ratio	Lower	Upper
165	100		
63	41.1	31.4	47.2
89	67.0	53.3	79.9
182	3.0	2.3	3.5





#58
Fluorene
Concen: 47.465 ng
RT: 15.466 min Scan# 2130
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:166 Resp: 1589403

Ion	Ratio	Lower	Upper
166	100		
165	97.7	78.8	118.2
167	13.5	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 51.220 ng
RT: 15.037 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:232 Resp: 472386

Ion	Ratio	Lower	Upper
232	100		
131	46.3	37.0	55.6
130	2.4	1.9	2.9
166	31.6	25.4	38.0





#60
Diethylphthalate
Concen: 50.715 ng
RT: 15.243 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:149 Resp: 1844493

Ion	Ratio	Lower	Upper
149	100		
177	21.8	17.3	25.9
150	12.3	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 47.436 ng
RT: 15.460 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:204 Resp: 789982

Ion	Ratio	Lower	Upper
204	100		
206	33.3	25.8	38.8
141	63.2	49.4	74.2





#62
4-Nitroaniline
Concen: 50.825 ng
RT: 15.484 min Scan# 2133
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:138 Resp: 442261

Ion	Ratio	Lower	Upper
138	100		
92	48.4	29.1	69.1
108	81.9	61.5	101.5





#63
Azobenzene
Concen: 51.181 ng
RT: 15.754 min Scan# 21
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion: 77 Resp: 1593888

Ion	Ratio	Lower	Upper
77	100		
182	27.2	7.5	47.5
105	22.2	2.1	42.1
51	30.7	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 2426
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:188 Resp: 1043571

Ion	Ratio	Lower	Upper
188	100		
94	9.4	6.6	10.0
80	9.6	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 52.303 ng
RT: 15.548 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:198 Resp: 340236

Ion	Ratio	Lower	Upper
198	100		
51	42.9	19.6	59.6
105	43.1	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 46.603 ng
RT: 15.678 min Scan# 2166
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:169 Resp: 1483025

Ion	Ratio	Lower	Upper
169	100		
168	66.3	53.2	79.8
167	36.0	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 46.291 ng
RT: 16.372 min Scan# 2
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:248 Resp: 531300

Ion	Ratio	Lower	Upper
248	100		
250	98.3	78.2	117.2
141	82.4	59.6	89.4





#68
Hexachlorobenzene
Concen: 46.335 ng
RT: 16.495 min Scan# 2305
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:284 Resp: 616466

Ion	Ratio	Lower	Upper
284	100		
142	34.6	29.1	43.7
249	30.9	25.0	37.4





#69
Atrazine
Concen: 49.512 ng
RT: 16.660 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:200 Resp: 590070

Ion	Ratio	Lower	Upper
200	100		
173	26.1	6.7	46.7
215	46.9	29.7	69.7





#70
Pentachlorophenol
Concen: 100.486 ng
RT: 16.848 min Scan# 2365
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:266 Resp: 843937

Ion	Ratio	Lower	Upper
266	100		
268	64.3	52.6	79.0
264	62.4	52.0	78.0





#71
Phenanthrene
Concen: 46.873 ng
RT: 17.254 min Scan# 24
Delta R.T. 0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:178 Resp: 2687053

Ion	Ratio	Lower	Upper
178	100		
176	18.9	15.5	23.3
179	15.0	12.2	18.4





#72
Anthracene
Concen: 47.501 ng
RT: 17.348 min Scan# 2450
Delta R.T. 0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:178 Resp: 2780840

Ion	Ratio	Lower	Upper
178	100		
176	18.6	14.7	22.1
179	15.3	12.2	18.2





#73
Carbazole
Concen: 47.978 ng
RT: 17.619 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:167 Resp: 2645585

Ion	Ratio	Lower	Upper
167	100		
166	21.5	17.5	26.3
139	13.2	10.6	16.0





#74
Di-n-butylphthalate
Concen: 49.751 ng
RT: 18.213 min Scan# 2597
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:149 Resp: 3375219

Ion	Ratio	Lower	Upper
149	100		
150	9.2	7.4	11.0
104	5.1	4.2	6.2





#75
Fluoranthene
Concen: 47.997 ng
RT: 19.336 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:202 Resp: 3282061

Ion	Ratio	Lower	Upper
202	100		
101	10.8	0.0	31.1
203	17.5	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.654 min Scan# 3182
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:240 Resp: 1070063

Ion	Ratio	Lower	Upper
240	100		
120	9.9	8.9	13.3
236	26.0	19.8	29.8





#77
Benzidine
Concen: 43.560 ng
RT: 19.519 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:184 Resp: 1590772

Ion	Ratio	Lower	Upper
184	100		
185	14.3	11.5	17.3
183	11.8	9.4	14.2





#78
Pyrene
Concen: 47.664 ng
RT: 19.713 min Scan# 2852
Delta R.T. 0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:202 Resp: 3315062

Ion	Ratio	Lower	Upper
202	100		
200	21.1	16.9	25.3
203	17.6	14.2	21.2





#79
Terphenyl-d14
Concen: 84.162 ng
RT: 19.925 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:244 Resp: 4922368

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	9.1	7.4	11.2





#80
Butylbenzylphthalate
Concen: 51.331 ng
RT: 20.654 min Scan# 3012
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:149 Resp: 1618023

Ion	Ratio	Lower	Upper
149	100		
91	69.5	54.2	81.2
206	19.9	16.6	24.8





#81
Benzo(a)anthracene
Concen: 48.736 ng
RT: 21.630 min Scan# 3
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:228 Resp: 3439380

Ion	Ratio	Lower	Upper
228	100		
226	26.7	21.7	32.5
229	19.7	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 30.701 ng
RT: 21.548 min Scan# 3164
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:252 Resp: 816647

Ion	Ratio	Lower	Upper
252	100		
254	64.3	51.8	77.6
126	10.7	9.1	13.7





#83
Chrysene
Concen: 47.324 ng
RT: 21.701 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:228 Resp: 3127598

Ion	Ratio	Lower	Upper
228	100		
226	29.8	23.2	34.8
229	19.8	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 50.084 ng
RT: 21.566 min Scan# 3167
Delta R.T. -0.017 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:149 Resp: 2323944

Ion	Ratio	Lower	Upper
149	100		
167	28.5	22.1	33.1
279	5.0	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 51.076 ng
RT: 22.860 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:149 Resp: 4076449

Ion	Ratio	Lower	Upper
149	100		
167	1.5	1.3	1.9
43	8.2	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.030 min Scan# 3756
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:264 Resp: 1176738

Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.3	28.9
265	21.9	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 38.273 ng
RT: 28.859 min Scan# 44
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:276 Resp: 3302888

Ion	Ratio	Lower	Upper
276	100		
138	19.5	12.9	19.3#
277	24.3	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 48.343 ng
RT: 23.954 min Scan# 3573
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:252 Resp: 3354449

Ion	Ratio	Lower	Upper
252	100		
253	22.2	17.7	26.5
125	9.8	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 48.827 ng
RT: 24.019 min Scan# 3
Delta R.T. -0.012 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:252 Resp: 3390357

Ion	Ratio	Lower	Upper
252	100		
253	21.7	17.1	25.7
125	9.5	7.8	11.6





#90
Benzo(a)pyrene
Concen: 48.136 ng
RT: 24.854 min Scan# 3726
Delta R.T. 0.000 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:252 Resp: 3251341

Ion	Ratio	Lower	Upper
252	100		
253	22.0	17.5	26.3
125	10.5	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 46.760 ng
RT: 28.971 min Scan# 4
Delta R.T. 0.018 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Instrument :
BNA_P
ClientSampleId :
PB169244BSD

Tgt Ion:278 Resp: 3297613

Ion	Ratio	Lower	Upper
278	100		
139	14.3	13.0	19.4
279	23.6	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 46.595 ng
RT: 30.054 min Scan# 4610
Delta R.T. -0.006 min
Lab File: BP025473.D
Acq: 19 Aug 2025 12:47

Tgt Ion:276 Resp: 3230088

Ion	Ratio	Lower	Upper
276	100		
277	23.0	19.4	29.0
138	22.0	16.7	25.1



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025487.D
Acq On : 19 Aug 2025 23:46
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Quant Time: Aug 20 02:26:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	159158	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	679178	20.000	ng	0.00
39) Acenaphthene-d10	14.413	164	450864	20.000	ng	0.00
64) Phenanthrene-d10	17.207	188	905283	20.000	ng	0.00
76) Chrysene-d12	21.642	240	932001	20.000	ng	0.00
86) Perylene-d12	25.012	264	1054169	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.407	112	766191	79.946	ng	0.00
7) Phenol-d6	6.966	99	999385	81.335	ng	0.00
23) Nitrobenzene-d5	8.931	82	1089412	81.140	ng	0.00
42) 2,4,6-Tribromophenol	15.919	330	501941	82.710	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	2539096	76.967	ng	0.00
79) Terphenyl-d14	19.930	244	3955073	77.640	ng	0.01
Target Compounds						Qvalue
2) 1,4-Dioxane	3.331	88	146798	39.105	ng	98
3) Pyridine	3.725	79	399648	38.896	ng	95
4) n-Nitrosodimethylamine	3.631	42	183947	43.424	ng	91
6) Aniline	7.119	93	673487	40.682	ng	98
8) 2-Chlorophenol	7.360	128	442242	40.892	ng	99
9) Benzaldehyde	6.937	77	278873	32.395	ng	97
10) Phenol	6.990	94	528660	41.003	ng	96
11) bis(2-Chloroethyl)ether	7.213	93	403740	40.176	ng	99
12) 1,3-Dichlorobenzene	7.678	146	477680	40.056	ng	99
13) 1,4-Dichlorobenzene	7.825	146	485332	39.818	ng	99
14) 1,2-Dichlorobenzene	8.137	146	470101	39.843	ng	100
15) Benzyl Alcohol	8.019	79	396938	40.657	ng	97
16) 2,2'-oxybis(1-Chloropr...	8.307	45	567987	42.192	ng	98
17) 2-Methylphenol	8.219	107	366688	40.950	ng	99
18) Hexachloroethane	8.860	117	180159	40.200	ng	97
19) n-Nitroso-di-n-propyla...	8.584	70	332906	40.903	ng	97
20) 3+4-Methylphenols	8.542	107	500121	40.292	ng	98
22) Acetophenone	8.595	105	683834	40.149	ng	98
24) Nitrobenzene	8.972	77	491390	40.951	ng	99
25) Isophorone	9.501	82	957661	40.304	ng	100
26) 2-Nitrophenol	9.678	139	251156	40.785	ng	99
27) 2,4-Dimethylphenol	9.736	122	428351	40.448	ng	98
28) bis(2-Chloroethoxy)met...	9.966	93	579381	40.338	ng	99
29) 2,4-Dichlorophenol	10.207	162	424988	40.398	ng	98
30) 1,2,4-Trichlorobenzene	10.425	180	449563	38.983	ng	100
31) Naphthalene	10.613	128	1406520	39.844	ng	99
32) Benzoic acid	9.895	122	408095	52.196	ng	97
33) 4-Chloroaniline	10.713	127	634028	40.661	ng	99
34) Hexachlorobutadiene	10.901	225	280821	39.100	ng	98
35) Caprolactam	11.501	113	158902	41.192	ng	98
36) 4-Chloro-3-methylphenol	11.836	107	498499	41.295	ng	98
37) 2-Methylnaphthalene	12.219	142	914456	39.806	ng	97
38) 1-Methylnaphthalene	12.436	142	964168	39.466	ng	100
40) 1,2,4,5-Tetrachloroben...	12.583	216	515884	39.618	ng	99
41) Hexachlorocyclopentadiene	12.566	237	362128	46.040	ng	99
43) 2,4,6-Trichlorophenol	12.825	196	360300	40.986	ng	99

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025487.D
Acq On : 19 Aug 2025 23:46
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Quant Time: Aug 20 02:26:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units		Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	399763	41.492	ng		98
46) 1,1'-Biphenyl	13.230	154	1318412	40.264	ng		100
47) 2-Chloronaphthalene	13.272	162	1019352	39.989	ng		99
48) 2-Nitroaniline	13.466	65	324159	43.643	ng		98
49) Acenaphthylene	14.124	152	1703788	40.393	ng		100
50) Dimethylphthalate	13.854	163	1355491	41.055	ng		100
51) 2,6-Dinitrotoluene	13.972	165	294671	42.345	ng		93
52) Acenaphthene	14.472	154	965696	39.004	ng		99
53) 3-Nitroaniline	14.307	138	330858	42.258	ng		94
54) 2,4-Dinitrophenol	14.513	184	299007	80.460	ng		97
55) Dibenzofuran	14.813	168	1541513	39.380	ng		100
56) 4-Nitrophenol	14.624	139	271237	42.159	ng		97
57) 2,4-Dinitrotoluene	14.772	165	428628	43.171	ng		97
58) Fluorene	15.477	166	1201420	38.896	ng		100
59) 2,3,4,6-Tetrachlorophenol	15.042	232	350101	41.154	ng		98
60) Diethylphthalate	15.236	149	1386072	41.316	ng		99
61) 4-Chlorophenyl-phenyle...	15.466	204	598934	38.989	ng		96
62) 4-Nitroaniline	15.489	138	331726	41.329	ng		93
63) Azobenzene	15.766	77	1240846	43.196	ng		98
65) 4,6-Dinitro-2-methylph...	15.548	198	322240	57.103	ng		94
66) n-Nitrosodiphenylamine	15.683	169	1132449	41.022	ng		99
67) 4-Bromophenyl-phenylether	16.383	248	402714	40.448	ng		98
68) Hexachlorobenzene	16.501	284	461625	39.997	ng		97
69) Atrazine	16.654	200	420453	40.669	ng		99
70) Pentachlorophenol	16.848	266	307884	42.259	ng		98
71) Phenanthrene	17.242	178	1961812	39.449	ng		99
72) Anthracene	17.342	178	2071008	40.780	ng		99
73) Carbazole	17.618	167	1903889	39.801	ng		99
74) Di-n-butylphthalate	18.212	149	2414257	41.022	ng		100
75) Fluoranthene	19.324	202	2322167	39.147	ng		98
77) Benzidine	19.518	184	1232065	38.735	ng		100
78) Pyrene	19.701	202	2394461	39.527	ng		100
80) Butylbenzylphthalate	20.654	149	1127547	41.070	ng		98
81) Benzo(a)anthracene	21.624	228	2426505	39.477	ng		100
82) 3,3'-Dichlorobenzidine	21.542	252	903654	39.005	ng		98
83) Chrysene	21.689	228	2294146	39.855	ng		99
84) Bis(2-ethylhexyl)phtha...	21.571	149	1659835	41.071	ng		99
85) Di-n-octyl phthalate	22.853	149	2843533	40.906	ng		99
87) Indeno(1,2,3-cd)pyrene	28.841	276	1338699	17.316	ng	#	73
88) Benzo(b)fluoranthene	23.953	252	2471608	39.761	ng		99
89) Benzo(k)fluoranthene	24.030	252	2451237	39.407	ng		99
90) Benzo(a)pyrene	24.865	252	2406620	39.773	ng		99
91) Dibenzo(a,h)anthracene	28.941	278	2487038	39.366	ng		98
92) Benzo(g,h,i)perylene	30.047	276	2423566	39.026	ng		98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025487.D
Acq On : 19 Aug 2025 23:46
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Quant Time: Aug 20 02:26:31 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 159158

Ion	Ratio	Lower	Upper
152	100		
150	158.1	125.9	188.9
115	63.6	48.5	72.7





#2
1,4-Dioxane
Concen: 39.105 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 88 Resp: 146798

Ion	Ratio	Lower	Upper
88	100		
58	75.0	59.2	88.8
43	28.8	21.7	32.5





#3
Pyridine
Concen: 38.896 ng
RT: 3.725 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 399648

Ion	Ratio	Lower	Upper
79	100		
52	72.9	55.5	83.3
51	38.4	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 43.424 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 42 Resp: 183947

Ion	Ratio	Lower	Upper
42	100		
74	122.9	107.0	160.4
44	6.5	6.2	9.4





#5
2-Fluorophenol
Concen: 79.946 ng
RT: 5.407 min Scan# 4
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:112 Resp: 766191

Ion	Ratio	Lower	Upper
112	100		
64	55.4	43.8	65.8
63	29.7	22.7	34.1





#6
Aniline
Concen: 40.682 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 93 Resp: 673487

Ion	Ratio	Lower	Upper
93	100		
66	39.1	30.4	45.6
65	20.1	15.3	22.9





#7
Phenol-d6
Concen: 81.335 ng
RT: 6.966 min Scan# 6
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 99 Resp: 999385

Ion	Ratio	Lower	Upper
99	100		
42	18.7	13.7	20.5
71	36.3	28.2	42.4





#8
2-Chlorophenol
Concen: 40.892 ng
RT: 7.360 min Scan# 752
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:128 Resp: 442242

Ion	Ratio	Lower	Upper
128	100		
130	31.9	12.6	52.6
64	44.5	23.4	63.4





#9
Benzaldehyde
Concen: 32.395 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 278873

Ion	Ratio	Lower	Upper
77	100		
105	101.2	84.8	124.8
106	97.9	80.5	120.5





#10
Phenol
Concen: 41.003 ng
RT: 6.990 min Scan# 689
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 94 Resp: 528660

Ion	Ratio	Lower	Upper
94	100		
65	28.9	6.8	46.8
66	40.4	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 40.176 ng
RT: 7.213 min Scan# 7
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 93 Resp: 403740

Ion	Ratio	Lower	Upper
93	100		
63	72.7	52.6	92.6
95	31.5	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 40.056 ng
RT: 7.678 min Scan# 806
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:146 Resp: 477680

Ion	Ratio	Lower	Upper
146	100		
148	65.0	51.9	77.9
75	30.6	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 39.818 ng
RT: 7.825 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:146 Resp: 485332

Ion	Ratio	Lower	Upper
146	100		
148	65.6	51.6	77.4
111	41.6	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 39.843 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:146 Resp: 470101

Ion	Ratio	Lower	Upper
146	100		
148	63.0	50.4	75.6
111	43.3	34.5	51.7





#15
Benzyl Alcohol
Concen: 40.657 ng
RT: 8.019 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 79 Resp: 396938

Ion	Ratio	Lower	Upper
79	100		
108	77.6	63.8	95.6
77	64.0	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 42.192 ng
RT: 8.307 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 45 Resp: 567987

Ion	Ratio	Lower	Upper
45	100		
77	14.6	0.0	35.3
79	10.6	0.0	31.8





#17
2-Methylphenol
Concen: 40.950 ng
RT: 8.219 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:107 Resp: 366688

Ion	Ratio	Lower	Upper
107	100		
108	112.2	89.4	134.0
77	45.1	36.3	54.5
79	46.8	36.6	54.8





#18
Hexachloroethane
Concen: 40.200 ng
RT: 8.860 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:117 Resp: 180159

Ion	Ratio	Lower	Upper
117	100		
119	96.4	75.1	112.7
201	102.7	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 40.903 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 70 Resp: 332906

Ion	Ratio	Lower	Upper
70	100		
42	57.8	43.8	65.6
101	10.7	8.5	12.7
130	23.4	19.4	29.0





#20
3+4-Methylphenols
Concen: 40.292 ng
RT: 8.542 min Scan# 953
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:107 Resp: 500121

Ion	Ratio	Lower	Upper
107	100		
108	87.8	66.3	106.3
77	34.6	12.3	52.3
79	28.6	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:136 Resp: 679178

Ion	Ratio	Lower	Upper
136	100		
137	10.8	9.2	13.8
54	8.0	6.0	9.0
68	5.3	4.3	6.5





#22
Acetophenone
Concen: 40.149 ng
RT: 8.595 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:105 Resp: 683834

Ion	Ratio	Lower	Upper
105	100		
71	3.4	2.6	4.0
51	27.1	20.6	30.8
120	22.1	18.6	27.8





#23
Nitrobenzene-d5
Concen: 81.140 ng
RT: 8.931 min Scan# 1(
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 1089412

Ion	Ratio	Lower	Upper
82	100		
128	45.8	37.7	56.5
54	52.2	39.8	59.6





#24
Nitrobenzene
Concen: 40.951 ng
RT: 8.972 min Scan# 1026
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 77 Resp: 491390

Ion	Ratio	Lower	Upper
77	100		
123	48.8	38.6	58.0
65	13.9	10.6	15.8





#25
Isophorone
Concen: 40.304 ng
RT: 9.501 min Scan# 11
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 82 Resp: 957661

Ion	Ratio	Lower	Upper
82	100		
95	8.0	6.4	9.6
138	19.2	15.4	23.0





#26
2-Nitrophenol
Concen: 40.785 ng
RT: 9.678 min Scan# 1146
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:139 Resp: 251156

Ion	Ratio	Lower	Upper
139	100		
109	34.3	26.9	40.3
65	48.3	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 40.448 ng
RT: 9.736 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:122 Resp: 428351

Ion	Ratio	Lower	Upper
122	100		
107	119.7	93.7	140.5
121	58.6	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 40.338 ng
RT: 9.966 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 93 Resp: 579381

Ion	Ratio	Lower	Upper
93	100		
95	32.1	25.4	38.0
123	11.4	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 40.398 ng
RT: 10.207 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 424988

Ion	Ratio	Lower	Upper
162	100		
164	65.0	44.4	84.4
98	36.9	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 38.983 ng
RT: 10.425 min Scan# 1273
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:180 Resp: 449563

Ion	Ratio	Lower	Upper
180	100		
182	97.3	78.0	117.0
145	32.1	25.9	38.9





#31
Naphthalene
Concen: 39.844 ng
RT: 10.613 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:128 Resp: 1406520

Ion	Ratio	Lower	Upper
128	100		
129	11.1	8.6	13.0
127	13.0	10.7	16.1





#32
Benzoic acid
Concen: 52.196 ng
RT: 9.895 min Scan# 1183
Delta R.T. 0.023 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:122 Resp: 408095

Ion	Ratio	Lower	Upper
122	100		
105	125.2	100.6	140.6
77	91.0	71.5	111.5





#33
4-Chloroaniline
Concen: 40.661 ng
RT: 10.713 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:127 Resp: 634028

Ion	Ratio	Lower	Upper
127	100		
129	32.4	25.4	38.2
65	29.8	23.8	35.6
92	19.1	15.8	23.8





#34
Hexachlorobutadiene
Concen: 39.100 ng
RT: 10.901 min Scan# 1354
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:225 Resp: 280821

Ion	Ratio	Lower	Upper
225	100		
223	62.1	50.0	75.0
227	65.1	49.7	74.5





#35
Caprolactam
Concen: 41.192 ng
RT: 11.501 min Scan# 14
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:113 Resp: 158902

Ion	Ratio	Lower	Upper
113	100		
55	158.4	140.0	180.0
56	122.3	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 41.295 ng
RT: 11.836 min Scan# 1513
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:107 Resp: 498499

Ion	Ratio	Lower	Upper
107	100		
144	26.1	21.0	31.4
142	78.3	64.6	97.0





#37
2-Methylnaphthalene
Concen: 39.806 ng
RT: 12.219 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:142 Resp: 914456

Ion	Ratio	Lower	Upper
142	100		
141	89.8	70.3	105.5
115	38.3	28.9	43.3





#38
1-Methylnaphthalene
Concen: 39.466 ng
RT: 12.436 min Scan# 1615
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:142 Resp: 964168

Ion	Ratio	Lower	Upper
142	100		
141	91.8	73.1	109.7
116	4.0	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.413 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:164 Resp: 450864

Ion	Ratio	Lower	Upper
164	100		
162	98.7	81.0	121.6
160	44.1	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 39.618 ng
RT: 12.583 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:216 Resp: 515884

Ion	Ratio	Lower	Upper
216	100		
214	79.1	63.0	94.4
179	22.1	17.1	25.7
108	19.9	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 46.040 ng
RT: 12.566 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:237 Resp: 362128

Ion	Ratio	Lower	Upper
237	100		
235	62.1	42.7	82.7
272	13.1	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 82.710 ng
RT: 15.919 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:330 Resp: 501941

Ion	Ratio	Lower	Upper
330	100		
332	96.2	77.3	115.9
141	34.8	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 40.986 ng
RT: 12.825 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:196 Resp: 360300

Ion	Ratio	Lower	Upper
196	100		
198	96.1	77.2	115.8
200	31.4	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 41.492 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:196 Resp: 399763

Ion	Ratio	Lower	Upper
196	100		
198	96.4	76.2	114.2
97	53.0	41.2	61.8
132	29.9	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 76.967 ng
RT: 13.019 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:172 Resp: 2539096

Ion	Ratio	Lower	Upper
172	100		
171	35.2	28.1	42.1
170	23.6	18.6	28.0





#46
1,1'-Biphenyl
Concen: 40.264 ng
RT: 13.230 min Scan# 1750
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:154 Resp: 1318412

Ion	Ratio	Lower	Upper
154	100		
153	39.8	19.5	59.5
76	11.3	0.0	31.1





#47
2-Chloronaphthalene
Concen: 39.989 ng
RT: 13.272 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:162 Resp: 1019352

Ion	Ratio	Lower	Upper
162	100		
127	41.1	33.4	50.2
164	33.0	26.2	39.2





#48
2-Nitroaniline
Concen: 43.643 ng
RT: 13.466 min Scan# 1790
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion: 65 Resp: 324159

Ion	Ratio	Lower	Upper
65	100		
92	72.7	57.6	86.4
138	111.0	91.0	136.6





#49
Acenaphthylene
Concen: 40.393 ng
RT: 14.124 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:152 Resp: 1703788

Ion	Ratio	Lower	Upper
152	100		
151	20.0	16.0	24.0
153	13.2	10.6	15.8





#50
Dimethylphthalate
Concen: 41.055 ng
RT: 13.854 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:163 Resp: 1355491

Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	9.9	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 42.345 ng
RT: 13.972 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 294671

Ion	Ratio	Lower	Upper
165	100		
63	57.3	40.9	61.3
89	56.4	42.1	63.1





#52
Acenaphthene
Concen: 39.004 ng
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:154 Resp: 965696

Ion	Ratio	Lower	Upper
154	100		
153	112.7	90.2	135.2
152	54.1	42.1	63.1





#53
3-Nitroaniline
Concen: 42.258 ng
RT: 14.307 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:138 Resp: 330858

Ion	Ratio	Lower	Upper
138	100		
108	11.3	8.3	12.5
92	114.1	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 80.460 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:184 Resp: 299007

Ion	Ratio	Lower	Upper
184	100		
63	62.7	49.4	74.2
154	71.4	54.6	82.0





#55
Dibenzofuran
Concen: 39.380 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:168 Resp: 1541513

Ion	Ratio	Lower	Upper
168	100		
139	39.4	31.5	47.3
169	13.2	10.9	16.3





#56
4-Nitrophenol
Concen: 42.159 ng
RT: 14.624 min Scan# 1987
Delta R.T. 0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:139 Resp: 271237

Ion	Ratio	Lower	Upper
139	100		
109	80.3	56.6	96.6
65	90.3	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 43.171 ng
RT: 14.772 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:165 Resp: 428628

Ion	Ratio	Lower	Upper
165	100		
63	41.7	31.4	47.2
89	68.3	53.3	79.9
182	3.3	2.3	3.5





#58
Fluorene
Concen: 38.896 ng
RT: 15.477 min Scan# 2132
Delta R.T. 0.011 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:166 Resp: 1201420

Ion	Ratio	Lower	Upper
166	100		
165	98.1	78.8	118.2
167	13.6	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 41.154 ng
RT: 15.042 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:232 Resp: 350101

Ion	Ratio	Lower	Upper
232	100		
131	48.6	37.0	55.6
130	2.8	1.9	2.9
166	32.1	25.4	38.0





#60
Diethylphthalate
Concen: 41.316 ng
RT: 15.236 min Scan# 2091
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:149 Resp: 1386072

Ion	Ratio	Lower	Upper
149	100		
177	21.3	17.3	25.9
150	12.7	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 38.989 ng
RT: 15.466 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:204 Resp: 598934

Ion	Ratio	Lower	Upper
204	100		
206	33.0	25.8	38.8
141	65.5	49.4	74.2





#62
4-Nitroaniline
Concen: 41.329 ng
RT: 15.489 min Scan# 2134
Delta R.T. 0.011 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:138 Resp: 331726

Ion	Ratio	Lower	Upper
138	100		
92	50.6	29.1	69.1
108	90.0	61.5	101.5





#63
Azobenzene
Concen: 43.196 ng
RT: 15.766 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 1240846

Ion	Ratio	Lower	Upper
77	100		
182	26.4	7.5	47.5
105	21.6	2.1	42.1
51	31.6	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 2426
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:188 Resp: 905283

Ion	Ratio	Lower	Upper
188	100		
94	8.7	6.6	10.0
80	9.5	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 57.103 ng
RT: 15.548 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:198 Resp: 322240

Ion	Ratio	Lower	Upper
198	100		
51	45.1	19.6	59.6
105	42.9	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 41.022 ng
RT: 15.683 min Scan# 2167
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:169 Resp: 1132449

Ion	Ratio	Lower	Upper
169	100		
168	66.3	53.2	79.8
167	35.3	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 40.448 ng
RT: 16.383 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:248 Resp: 402714

Ion	Ratio	Lower	Upper
248	100		
250	99.0	78.2	117.2
141	76.6	59.6	89.4





#68
Hexachlorobenzene
Concen: 39.997 ng
RT: 16.501 min Scan# 2306
Delta R.T. 0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:284 Resp: 461625

Ion	Ratio	Lower	Upper
284	100		
142	33.3	29.1	43.7
249	31.1	25.0	37.4





#69
Atrazine
Concen: 40.669 ng
RT: 16.654 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:200 Resp: 420453

Ion	Ratio	Lower	Upper
200	100		
173	26.7	6.7	46.7
215	48.7	29.7	69.7





#70
Pentachlorophenol
Concen: 42.259 ng
RT: 16.848 min Scan# 2365
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:266 Resp: 307884

Ion	Ratio	Lower	Upper
266	100		
268	64.2	52.6	79.0
264	63.3	52.0	78.0





#71
Phenanthrene
Concen: 39.449 ng
RT: 17.242 min Scan# 24
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:178 Resp: 1961812

Ion	Ratio	Lower	Upper
178	100		
176	19.2	15.5	23.3
179	15.7	12.2	18.4





#72
Anthracene
Concen: 40.780 ng
RT: 17.342 min Scan# 2449
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:178 Resp: 2071008

Ion	Ratio	Lower	Upper
178	100		
176	18.1	14.7	22.1
179	15.4	12.2	18.2





#73
Carbazole
Concen: 39.801 ng
RT: 17.618 min Scan# 24
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:167 Resp: 1903889

Ion	Ratio	Lower	Upper
167	100		
166	21.4	17.5	26.3
139	13.6	10.6	16.0





#74
Di-n-butylphthalate
Concen: 41.022 ng
RT: 18.212 min Scan# 2597
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:149 Resp: 2414257

Ion	Ratio	Lower	Upper
149	100		
150	9.3	7.4	11.0
104	5.0	4.2	6.2





#75
Fluoranthene
Concen: 39.147 ng
RT: 19.324 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:202 Resp: 2322167

Ion	Ratio	Lower	Upper
202	100		
101	9.6	0.0	31.1
203	17.3	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.642 min Scan# 3180
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:240 Resp: 932001

Ion	Ratio	Lower	Upper
240	100		
120	10.7	8.9	13.3
236	25.1	19.8	29.8





#77
Benzidine
Concen: 38.735 ng
RT: 19.518 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:184 Resp: 1232065

Ion	Ratio	Lower	Upper
184	100		
185	14.1	11.5	17.3
183	11.8	9.4	14.2





#78
Pyrene
Concen: 39.527 ng
RT: 19.701 min Scan# 2850
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:202 Resp: 2394461

Ion	Ratio	Lower	Upper
202	100		
200	21.0	16.9	25.3
203	17.5	14.2	21.2





#79
Terphenyl-d14
Concen: 77.640 ng
RT: 19.930 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:244 Resp: 3955073

Ion	Ratio	Lower	Upper
244	100		
212	7.7	5.8	8.6
122	9.5	7.4	11.2





#80
Butylbenzylphthalate
Concen: 41.070 ng
RT: 20.654 min Scan# 3012
Delta R.T. 0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:149 Resp: 1127547

Ion	Ratio	Lower	Upper
149	100		
91	65.8	54.2	81.2
206	21.5	16.6	24.8





#81
Benzo(a)anthracene
Concen: 39.477 ng
RT: 21.624 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 2426505

Ion	Ratio	Lower	Upper
228	100		
226	27.1	21.7	32.5
229	20.0	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 39.005 ng
RT: 21.542 min Scan# 3163
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:252 Resp: 903654

Ion	Ratio	Lower	Upper
252	100		
254	63.1	51.8	77.6
126	10.7	9.1	13.7





#83
Chrysene
Concen: 39.855 ng
RT: 21.689 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:228 Resp: 2294146

Ion	Ratio	Lower	Upper
228	100		
226	29.9	23.2	34.8
229	19.8	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 41.071 ng
RT: 21.571 min Scan# 3168
Delta R.T. -0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:149 Resp: 1659835

Ion	Ratio	Lower	Upper
149	100		
167	28.0	22.1	33.1
279	4.9	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 40.906 ng
RT: 22.853 min Scan# 3
Delta R.T. -0.018 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:149 Resp: 2843533

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.5	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.012 min Scan# 3753
Delta R.T. -0.018 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:264 Resp: 1054169

Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.3	28.9
265	22.2	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 17.316 ng
RT: 28.841 min Scan# 44
Delta R.T. -0.024 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:276 Resp: 1338699

Ion	Ratio	Lower	Upper
276	100		
138	38.7	12.9	19.3#
277	24.3	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 39.761 ng
RT: 23.953 min Scan# 3573
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:252 Resp: 2471608

Ion	Ratio	Lower	Upper
252	100		
253	22.5	17.7	26.5
125	9.7	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 39.407 ng
RT: 24.030 min Scan# 3
Delta R.T. -0.000 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:252 Resp: 2451237

Ion	Ratio	Lower	Upper
252	100		
253	21.4	17.1	25.7
125	8.9	7.8	11.6





#90
Benzo(a)pyrene
Concen: 39.773 ng
RT: 24.865 min Scan# 3728
Delta R.T. 0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:252 Resp: 2406620

Ion	Ratio	Lower	Upper
252	100		
253	21.9	17.5	26.3
125	9.5	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 39.366 ng
RT: 28.941 min Scan# 44
Delta R.T. -0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 2487038

Ion	Ratio	Lower	Upper
278	100		
139	14.8	13.0	19.4
279	23.4	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 39.026 ng
RT: 30.047 min Scan# 4609
Delta R.T. -0.012 min
Lab File: BP025487.D
Acq: 19 Aug 2025 23:46

Tgt Ion:276 Resp: 2423566

Ion	Ratio	Lower	Upper
276	100		
277	23.2	19.4	29.0
138	20.3	16.7	25.1



Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025502.D
Acq On : 20 Aug 2025 10:41
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 20 11:50:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.784	152	147637	20.000	ng	-0.01
21) Naphthalene-d8	10.554	136	617928	20.000	ng	0.00
39) Acenaphthene-d10	14.407	164	400331	20.000	ng	0.00
64) Phenanthrene-d10	17.207	188	794586	20.000	ng	0.00
76) Chrysene-d12	21.648	240	859938	20.000	ng	0.00
86) Perylene-d12	25.018	264	959319	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.402	112	719851	80.973	ng	0.00
7) Phenol-d6	6.966	99	928207	81.437	ng	0.00
23) Nitrobenzene-d5	8.931	82	996684	81.592	ng	0.00
42) 2,4,6-Tribromophenol	15.919	330	434204	80.580	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	2329621	79.531	ng	0.00
79) Terphenyl-d14	19.930	244	3655452	77.772	ng	0.01
Target Compounds						Qvalue
2) 1,4-Dioxane	3.331	88	143916	41.329	ng	98
3) Pyridine	3.731	79	384461	40.337	ng	95
4) n-Nitrosodimethylamine	3.631	42	170424	43.372	ng	94
6) Aniline	7.119	93	617192	40.190	ng	97
8) 2-Chlorophenol	7.360	128	401335	40.005	ng	98
9) Benzaldehyde	6.937	77	190261	23.826	ng	96
10) Phenol	6.990	94	487981	40.802	ng	96
11) bis(2-Chloroethyl)ether	7.219	93	374074	40.129	ng	99
12) 1,3-Dichlorobenzene	7.678	146	441153	39.880	ng	96
13) 1,4-Dichlorobenzene	7.819	146	454745	40.220	ng	99
14) 1,2-Dichlorobenzene	8.137	146	437042	39.931	ng	98
15) Benzyl Alcohol	8.019	79	368154	40.652	ng	97
16) 2,2'-oxybis(1-Chloropr...	8.313	45	520729	41.700	ng	98
17) 2-Methylphenol	8.225	107	336589	40.522	ng	100
18) Hexachloroethane	8.860	117	170458	41.003	ng	97
19) n-Nitroso-di-n-propyla...	8.584	70	303621	40.216	ng	97
20) 3+4-Methylphenols	8.549	107	458019	39.780	ng	97
22) Acetophenone	8.601	105	619709	39.991	ng	98
24) Nitrobenzene	8.972	77	440063	40.309	ng	98
25) Isophorone	9.496	82	864797	40.003	ng	100
26) 2-Nitrophenol	9.678	139	223032	39.808	ng	97
27) 2,4-Dimethylphenol	9.737	122	385100	39.968	ng	97
28) bis(2-Chloroethoxy)met...	9.966	93	515756	39.468	ng	98
29) 2,4-Dichlorophenol	10.207	162	387958	40.533	ng	99
30) 1,2,4-Trichlorobenzene	10.419	180	408012	38.887	ng	97
31) Naphthalene	10.607	128	1252509	38.998	ng	100
32) Benzoic acid	9.878	122	284166	39.948	ng	96
33) 4-Chloroaniline	10.713	127	561871	39.605	ng	99
34) Hexachlorobutadiene	10.895	225	261058	39.951	ng	96
35) Caprolactam	11.490	113	136092	38.776	ng	98
36) 4-Chloro-3-methylphenol	11.831	107	441463	40.195	ng	96
37) 2-Methylnaphthalene	12.219	142	809155	38.714	ng	99
38) 1-Methylnaphthalene	12.437	142	851212	38.296	ng	100
40) 1,2,4,5-Tetrachloroben...	12.584	216	469176	40.579	ng	99
41) Hexachlorocyclopentadiene	12.566	237	291550	41.746	ng	99
43) 2,4,6-Trichlorophenol	12.831	196	319303	40.907	ng	98

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025502.D
Acq On : 20 Aug 2025 10:41
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 20 11:50:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.895	196	350964	41.026	ng	99
46) 1,1'-Biphenyl	13.225	154	1153599	39.678	ng	99
47) 2-Chloronaphthalene	13.272	162	900445	39.783	ng	98
48) 2-Nitroaniline	13.472	65	281785	42.727	ng	97
49) Acenaphthylene	14.125	152	1492877	39.860	ng	100
50) Dimethylphthalate	13.854	163	1165139	39.744	ng	99
51) 2,6-Dinitrotoluene	13.972	165	253787	41.073	ng	93
52) Acenaphthene	14.478	154	943497	42.917	ng	99
53) 3-Nitroaniline	14.301	138	285327	41.043	ng	97
54) 2,4-Dinitrophenol	14.507	184	142309	43.128	ng	97
55) Dibenzofuran	14.813	168	1363388	39.226	ng	98
56) 4-Nitrophenol	14.619	139	231578	40.538	ng	92
57) 2,4-Dinitrotoluene	14.766	165	365491	41.459	ng	96
58) Fluorene	15.466	166	1053490	38.412	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.036	232	306484	40.574	ng	98
60) Diethylphthalate	15.242	149	1206790	40.513	ng	99
61) 4-Chlorophenyl-phenyle...	15.466	204	531056	38.934	ng	97
62) 4-Nitroaniline	15.483	138	288849	40.530	ng	93
63) Azobenzene	15.766	77	1076346	42.199	ng	98
65) 4,6-Dinitro-2-methylph...	15.542	198	207617	41.917	ng	93
66) n-Nitrosodiphenylamine	15.678	169	973360	40.171	ng	99
67) 4-Bromophenyl-phenylether	16.378	248	351898	40.268	ng	97
68) Hexachlorobenzene	16.495	284	404392	39.919	ng	98
69) Atrazine	16.654	200	364653	40.186	ng	100
70) Pentachlorophenol	16.842	266	271451	42.449	ng	96
71) Phenanthrene	17.242	178	1705125	39.064	ng	99
72) Anthracene	17.336	178	1754702	39.365	ng	99
73) Carbazole	17.613	167	1650038	39.300	ng	99
74) Di-n-butylphthalate	18.213	149	2085492	40.373	ng	100
75) Fluoranthene	19.330	202	2058062	39.528	ng	99
77) Benzidine	19.519	184	965340	32.893	ng	99
78) Pyrene	19.701	202	2123016	37.983	ng	100
80) Butylbenzylphthalate	20.654	149	1028893	40.617	ng	98
81) Benzo(a)anthracene	21.630	228	2219096	39.128	ng	99
82) 3,3'-Dichlorobenzidine	21.542	252	839996	39.295	ng	99
83) Chrysene	21.695	228	2094426	39.434	ng	99
84) Bis(2-ethylhexyl)phtha...	21.571	149	1528918	41.001	ng	99
85) Di-n-octyl phthalate	22.865	149	2647644	41.280	ng	98
87) Indeno(1,2,3-cd)pyrene	28.842	276	2736984	38.904	ng	98
88) Benzo(b)fluoranthene	23.959	252	2250091	39.777	ng	99
89) Benzo(k)fluoranthene	24.036	252	2294595	40.536	ng	99
90) Benzo(a)pyrene	24.871	252	2174497	39.490	ng	100
91) Dibenzo(a,h)anthracene	28.936	278	2262080	39.346	ng	98
92) Benzo(g,h,i)perylene	30.042	276	2184778	38.659	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quantitation Report (Not Reviewed)

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025502.D
Acq On : 20 Aug 2025 10:41
Operator : CG/JU
Sample : SSTDCCC040
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Quant Time: Aug 20 11:50:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.784 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 147637

Ion	Ratio	Lower	Upper
152	100		
150	148.3	125.9	188.9
115	62.5	48.5	72.7





#2
1,4-Dioxane
Concen: 41.329 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 88 Resp: 143916

Ion	Ratio	Lower	Upper
88	100		
58	75.4	59.2	88.8
43	28.9	21.7	32.5





#3
Pyridine
Concen: 40.337 ng
RT: 3.731 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 384461

Ion	Ratio	Lower	Upper
79	100		
52	73.4	55.5	83.3
51	38.2	28.3	42.5





#4
n-Nitrosodimethylamine
Concen: 43.372 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 42 Resp: 170424

Ion	Ratio	Lower	Upper
42	100		
74	126.8	107.0	160.4
44	7.2	6.2	9.4





#5
2-Fluorophenol
Concen: 80.973 ng
RT: 5.402 min Scan# 41
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:112 Resp: 719851

Ion	Ratio	Lower	Upper
112	100		
64	56.6	43.8	65.8
63	30.4	22.7	34.1





#6
Aniline
Concen: 40.190 ng
RT: 7.119 min Scan# 711
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 93 Resp: 617192

Ion	Ratio	Lower	Upper
93	100		
66	39.3	30.4	45.6
65	20.5	15.3	22.9





#7
Phenol-d6
Concen: 81.437 ng
RT: 6.966 min Scan# 6
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 99 Resp: 928207

Ion	Ratio	Lower	Upper
99	100		
42	17.8	13.7	20.5
71	35.3	28.2	42.4





#8
2-Chlorophenol
Concen: 40.005 ng
RT: 7.360 min Scan# 752
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:128 Resp: 401335

Ion	Ratio	Lower	Upper
128	100		
130	32.0	12.6	52.6
64	45.3	23.4	63.4





#9
Benzaldehyde
Concen: 23.826 ng
RT: 6.937 min Scan# 6
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 190261

Ion	Ratio	Lower	Upper
77	100		
105	100.6	84.8	124.8
106	96.4	80.5	120.5





#10
Phenol
Concen: 40.802 ng
RT: 6.990 min Scan# 689
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 94 Resp: 487981

Ion	Ratio	Lower	Upper
94	100		
65	28.6	6.8	46.8
66	41.1	18.2	58.2





#11
bis(2-Chloroethyl)ether
Concen: 40.129 ng
RT: 7.219 min Scan# 7
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 93 Resp: 374074

Ion	Ratio	Lower	Upper
93	100		
63	73.8	52.6	92.6
95	32.3	12.7	52.7





#12
1,3-Dichlorobenzene
Concen: 39.880 ng
RT: 7.678 min Scan# 806
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:146 Resp: 441153

Ion	Ratio	Lower	Upper
146	100		
148	62.1	51.9	77.9
75	32.3	23.7	35.5





#13
1,4-Dichlorobenzene
Concen: 40.220 ng
RT: 7.819 min Scan# 8
Delta R.T. -0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:146 Resp: 454745

Ion	Ratio	Lower	Upper
146	100		
148	64.2	51.6	77.4
111	42.4	33.4	50.0





#14
1,2-Dichlorobenzene
Concen: 39.931 ng
RT: 8.137 min Scan# 884
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:146 Resp: 437042

Ion	Ratio	Lower	Upper
146	100		
148	64.7	50.4	75.6
111	44.3	34.5	51.7





#15
Benzyl Alcohol
Concen: 40.652 ng
RT: 8.019 min Scan# 8
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 79 Resp: 368154

Ion	Ratio	Lower	Upper
79	100		
108	75.7	63.8	95.6
77	61.9	49.0	73.4





#16
2,2'-oxybis(1-Chloropropane)
Concen: 41.700 ng
RT: 8.313 min Scan# 914
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 45 Resp: 520729

Ion	Ratio	Lower	Upper
45	100		
77	14.6	0.0	35.3
79	10.7	0.0	31.8





#17
2-Methylphenol
Concen: 40.522 ng
RT: 8.225 min Scan# 8
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:107 Resp: 336589

Ion	Ratio	Lower	Upper
107	100		
108	111.7	89.4	134.0
77	45.4	36.3	54.5
79	47.0	36.6	54.8





#18
Hexachloroethane
Concen: 41.003 ng
RT: 8.860 min Scan# 1007
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:117 Resp: 170458

Ion	Ratio	Lower	Upper
117	100		
119	97.7	75.1	112.7
201	101.9	80.1	120.1





#19
n-Nitroso-di-n-propylamine
Concen: 40.216 ng
RT: 8.584 min Scan# 9
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 70 Resp: 303621

Ion	Ratio	Lower	Upper
70	100		
42	57.6	43.8	65.6
101	10.7	8.5	12.7
130	23.5	19.4	29.0





#20
3+4-Methylphenols
Concen: 39.780 ng
RT: 8.549 min Scan# 954
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:107 Resp: 458019

Ion	Ratio	Lower	Upper
107	100		
108	88.7	66.3	106.3
77	33.3	12.3	52.3
79	29.4	7.8	47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.554 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:136 Resp: 617928

Ion	Ratio	Lower	Upper
136	100		
137	11.4	9.2	13.8
54	7.9	6.0	9.0
68	5.4	4.3	6.5





#22
Acetophenone
Concen: 39.991 ng
RT: 8.601 min Scan# 963
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:105 Resp: 619709

Ion	Ratio	Lower	Upper
105	100		
71	2.7	2.6	4.0
51	27.2	20.6	30.8
120	23.3	18.6	27.8





#23
Nitrobenzene-d5
Concen: 81.592 ng
RT: 8.931 min Scan# 1(
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 996684

Ion	Ratio	Lower	Upper
82	100		
128	44.2	37.7	56.5
54	51.9	39.8	59.6





#24
Nitrobenzene
Concen: 40.309 ng
RT: 8.972 min Scan# 1026
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 77 Resp: 440063

Ion	Ratio	Lower	Upper
77	100		
123	46.8	38.6	58.0
65	14.2	10.6	15.8





#25
Isophorone
Concen: 40.003 ng
RT: 9.496 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 82 Resp: 864797

Ion	Ratio	Lower	Upper
82	100		
95	8.2	6.4	9.6
138	19.2	15.4	23.0





#26
2-Nitrophenol
Concen: 39.808 ng
RT: 9.678 min Scan# 1146
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:139 Resp: 223032

Ion	Ratio	Lower	Upper
139	100		
109	35.6	26.9	40.3
65	49.4	38.3	57.5





#27
2,4-Dimethylphenol
Concen: 39.968 ng
RT: 9.737 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:122 Resp: 385100

Ion	Ratio	Lower	Upper
122	100		
107	120.5	93.7	140.5
121	59.5	46.6	69.8





#28
bis(2-Chloroethoxy)methane
Concen: 39.468 ng
RT: 9.966 min Scan# 1195
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 93 Resp: 515756

Ion	Ratio	Lower	Upper
93	100		
95	33.0	25.4	38.0
123	11.7	9.4	14.0





#29
2,4-Dichlorophenol
Concen: 40.533 ng
RT: 10.207 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 387958

Ion	Ratio	Lower	Upper
162	100		
164	63.9	44.4	84.4
98	36.2	14.9	54.9





#30
1,2,4-Trichlorobenzene
Concen: 38.887 ng
RT: 10.419 min Scan# 1272
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:180 Resp: 408012

Ion	Ratio	Lower	Upper
180	100		
182	93.8	78.0	117.0
145	31.8	25.9	38.9





#31
Naphthalene
Concen: 38.998 ng
RT: 10.607 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:128 Resp: 1252509

Ion	Ratio	Lower	Upper
128	100		
129	11.1	8.6	13.0
127	13.4	10.7	16.1





#32
Benzoic acid
Concen: 39.948 ng
RT: 9.878 min Scan# 1180
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:122 Resp: 284166

Ion	Ratio	Lower	Upper
122	100		
105	128.1	100.6	140.6
77	92.2	71.5	111.5





#33
4-Chloroaniline
Concen: 39.605 ng
RT: 10.713 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:127 Resp: 561871

Ion	Ratio	Lower	Upper
127	100		
129	31.7	25.4	38.2
65	30.3	23.8	35.6
92	19.7	15.8	23.8





#34
Hexachlorobutadiene
Concen: 39.951 ng
RT: 10.895 min Scan# 1353
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:225 Resp: 261058

Ion	Ratio	Lower	Upper
225	100		
223	64.6	50.0	75.0
227	65.7	49.7	74.5





#35
Caprolactam
Concen: 38.776 ng
RT: 11.490 min Scan# 14
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:113 Resp: 136092

Ion	Ratio	Lower	Upper
113	100		
55	156.6	140.0	180.0
56	122.4	100.0	140.0





#36
4-Chloro-3-methylphenol
Concen: 40.195 ng
RT: 11.831 min Scan# 1512
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:107 Resp: 441463

Ion	Ratio	Lower	Upper
107	100		
144	26.0	21.0	31.4
142	76.7	64.6	97.0





#37
2-Methylnaphthalene
Concen: 38.714 ng
RT: 12.219 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:142 Resp: 809155

Ion	Ratio	Lower	Upper
142	100		
141	88.0	70.3	105.5
115	37.9	28.9	43.3





#38
1-Methylnaphthalene
Concen: 38.296 ng
RT: 12.437 min Scan# 1615
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:142 Resp: 851212

Ion	Ratio	Lower	Upper
142	100		
141	91.8	73.1	109.7
116	4.1	3.2	4.8





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:164 Resp: 400331

Ion	Ratio	Lower	Upper
164	100		
162	100.4	81.0	121.6
160	43.6	35.4	53.2





#40
1,2,4,5-Tetrachlorobenzene
Concen: 40.579 ng
RT: 12.584 min Scan# 1640
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:216 Resp: 469176

Ion	Ratio	Lower	Upper
216	100		
214	78.4	63.0	94.4
179	21.7	17.1	25.7
108	19.5	14.9	22.3





#41
Hexachlorocyclopentadiene
Concen: 41.746 ng
RT: 12.566 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:237 Resp: 291550

Ion	Ratio	Lower	Upper
237	100		
235	62.2	42.7	82.7
272	12.6	0.0	34.0





#42
2,4,6-Tribromophenol
Concen: 80.580 ng
RT: 15.919 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:330 Resp: 434204

Ion	Ratio	Lower	Upper
330	100		
332	97.2	77.3	115.9
141	36.0	26.6	39.8





#43
2,4,6-Trichlorophenol
Concen: 40.907 ng
RT: 12.831 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:196 Resp: 319303

Ion	Ratio	Lower	Upper
196	100		
198	94.6	77.2	115.8
200	30.6	23.9	35.9





#44
2,4,5-Trichlorophenol
Concen: 41.026 ng
RT: 12.895 min Scan# 1693
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:196 Resp: 350964

Ion	Ratio	Lower	Upper
196	100		
198	96.4	76.2	114.2
97	51.9	41.2	61.8
132	28.0	22.6	34.0





#45
2-Fluorobiphenyl
Concen: 79.531 ng
RT: 13.019 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:172 Resp: 2329621

Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.1	42.1
170	23.5	18.6	28.0





#46
1,1'-Biphenyl
Concen: 39.678 ng
RT: 13.225 min Scan# 1749
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:154 Resp: 1153599

Ion	Ratio	Lower	Upper
154	100		
153	40.3	19.5	59.5
76	11.7	0.0	31.1





#47
2-Chloronaphthalene
Concen: 39.783 ng
RT: 13.272 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:162 Resp: 900445

Ion	Ratio	Lower	Upper
162	100		
127	39.8	33.4	50.2
164	32.7	26.2	39.2





#48
2-Nitroaniline
Concen: 42.727 ng
RT: 13.472 min Scan# 1791
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion: 65 Resp: 281785

Ion	Ratio	Lower	Upper
65	100		
92	71.4	57.6	86.4
138	109.5	91.0	136.6





#49
Acenaphthylene
Concen: 39.860 ng
RT: 14.125 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:152 Resp: 1492877

Ion	Ratio	Lower	Upper
152	100		
151	19.9	16.0	24.0
153	12.8	10.6	15.8





#50
Dimethylphthalate
Concen: 39.744 ng
RT: 13.854 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:163 Resp: 1165139

Ion	Ratio	Lower	Upper
163	100		
194	4.1	3.4	5.0
164	10.1	7.9	11.9





#51
2,6-Dinitrotoluene
Concen: 41.073 ng
RT: 13.972 min Scan# 1
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 253787

Ion	Ratio	Lower	Upper
165	100		
63	56.1	40.9	61.3
89	57.3	42.1	63.1





#52
Acenaphthene
Concen: 42.917 ng
RT: 14.478 min Scan# 1962
Delta R.T. 0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:154 Resp: 943497

Ion	Ratio	Lower	Upper
154	100		
153	112.4	90.2	135.2
152	53.8	42.1	63.1





#53
3-Nitroaniline
Concen: 41.043 ng
RT: 14.301 min Scan# 1
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:138 Resp: 285327

Ion	Ratio	Lower	Upper
138	100		
108	10.9	8.3	12.5
92	110.8	86.2	129.2





#54
2,4-Dinitrophenol
Concen: 43.128 ng
RT: 14.507 min Scan# 1967
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:184 Resp: 142309

Ion	Ratio	Lower	Upper
184	100		
63	62.8	49.4	74.2
154	71.8	54.6	82.0





#55
Dibenzofuran
Concen: 39.226 ng
RT: 14.813 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:168 Resp: 1363388

Ion	Ratio	Lower	Upper
168	100		
139	40.6	31.5	47.3
169	13.3	10.9	16.3





#56
4-Nitrophenol
Concen: 40.538 ng
RT: 14.619 min Scan# 1986
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:139 Resp: 231578

Ion	Ratio	Lower	Upper
139	100		
109	83.9	56.6	96.6
65	94.5	68.2	108.2





#57
2,4-Dinitrotoluene
Concen: 41.459 ng
RT: 14.766 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:165 Resp: 365491

Ion	Ratio	Lower	Upper
165	100		
63	41.4	31.4	47.2
89	70.3	53.3	79.9
182	3.1	2.3	3.5





#58
Fluorene
Concen: 38.412 ng
RT: 15.466 min Scan# 2130
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:166 Resp: 1053490

Ion	Ratio	Lower	Upper
166	100		
165	97.4	78.8	118.2
167	13.5	11.0	16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 40.574 ng
RT: 15.036 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:232 Resp: 306484

Ion	Ratio	Lower	Upper
232	100		
131	47.8	37.0	55.6
130	2.6	1.9	2.9
166	32.2	25.4	38.0





#60
Diethylphthalate
Concen: 40.513 ng
RT: 15.242 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:149 Resp: 1206790

Ion	Ratio	Lower	Upper
149	100		
177	21.3	17.3	25.9
150	12.7	10.3	15.5





#61
4-Chlorophenyl-phenylether
Concen: 38.934 ng
RT: 15.466 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:204 Resp: 531056

Ion	Ratio	Lower	Upper
204	100		
206	31.9	25.8	38.8
141	64.8	49.4	74.2





#62
4-Nitroaniline
Concen: 40.530 ng
RT: 15.483 min Scan# 2133
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:138 Resp: 288849

Ion	Ratio	Lower	Upper
138	100		
92	51.4	29.1	69.1
108	89.0	61.5	101.5





#63
Azobenzene
Concen: 42.199 ng
RT: 15.766 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion: 77 Resp: 1076346

Ion	Ratio	Lower	Upper
77	100		
182	26.4	7.5	47.5
105	21.9	2.1	42.1
51	30.9	9.6	49.6





#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.207 min Scan# 2426
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:188 Resp: 794586

Ion	Ratio	Lower	Upper
188	100		
94	7.8	6.6	10.0
80	8.8	6.7	10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 41.917 ng
RT: 15.542 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:198 Resp: 207617

Ion	Ratio	Lower	Upper
198	100		
51	45.1	19.6	59.6
105	43.8	20.9	60.9





#66
n-Nitrosodiphenylamine
Concen: 40.171 ng
RT: 15.678 min Scan# 2166
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:169 Resp: 973360

Ion	Ratio	Lower	Upper
169	100		
168	65.4	53.2	79.8
167	35.6	28.7	43.1





#67
4-Bromophenyl-phenylether
Concen: 40.268 ng
RT: 16.378 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:248 Resp: 351898

Ion	Ratio	Lower	Upper
248	100		
250	96.8	78.2	117.2
141	80.1	59.6	89.4





#68
Hexachlorobenzene
Concen: 39.919 ng
RT: 16.495 min Scan# 2305
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:284 Resp: 404392

Ion	Ratio	Lower	Upper
284	100		
142	37.3	29.1	43.7
249	33.2	25.0	37.4





#69
Atrazine
Concen: 40.186 ng
RT: 16.654 min Scan# 2
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:200 Resp: 364653

Ion	Ratio	Lower	Upper
200	100		
173	26.9	6.7	46.7
215	49.3	29.7	69.7





#70
Pentachlorophenol
Concen: 42.449 ng
RT: 16.842 min Scan# 2364
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:266 Resp: 271451

Ion	Ratio	Lower	Upper
266	100		
268	64.9	52.6	79.0
264	59.7	52.0	78.0





#71
Phenanthrene
Concen: 39.064 ng
RT: 17.242 min Scan# 24
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:178 Resp: 1705125

Ion	Ratio	Lower	Upper
178	100		
176	19.0	15.5	23.3
179	15.6	12.2	18.4





#72
Anthracene
Concen: 39.365 ng
RT: 17.336 min Scan# 2448
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:178 Resp: 1754702

Ion	Ratio	Lower	Upper
178	100		
176	18.6	14.7	22.1
179	15.5	12.2	18.2





#73
Carbazole
Concen: 39.300 ng
RT: 17.613 min Scan# 24
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:167 Resp: 1650038

Ion	Ratio	Lower	Upper
167	100		
166	21.3	17.5	26.3
139	13.3	10.6	16.0





#74
Di-n-butylphthalate
Concen: 40.373 ng
RT: 18.213 min Scan# 2597
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:149 Resp: 2085492

Ion	Ratio	Lower	Upper
149	100		
150	9.1	7.4	11.0
104	5.2	4.2	6.2





#75
Fluoranthene
Concen: 39.528 ng
RT: 19.330 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:202 Resp: 2058062

Ion	Ratio	Lower	Upper
202	100		
101	10.0	0.0	31.1
203	17.3	0.0	37.3





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:240 Resp: 859938

Ion	Ratio	Lower	Upper
240	100		
120	10.8	8.9	13.3
236	26.1	19.8	29.8





#77
Benzidine
Concen: 32.893 ng
RT: 19.519 min Scan# 2
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:184 Resp: 965340

Ion	Ratio	Lower	Upper
184	100		
185	13.8	11.5	17.3
183	11.6	9.4	14.2





#78
Pyrene
Concen: 37.983 ng
RT: 19.701 min Scan# 2850
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:202 Resp: 2123016

Ion	Ratio	Lower	Upper
202	100		
200	21.0	16.9	25.3
203	17.8	14.2	21.2





#79
Terphenyl-d14
Concen: 77.772 ng
RT: 19.930 min Scan# 2
Delta R.T. 0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:244 Resp: 3655452

Ion	Ratio	Lower	Upper
244	100		
212	7.5	5.8	8.6
122	8.9	7.4	11.2





#80
Butylbenzylphthalate
Concen: 40.617 ng
RT: 20.654 min Scan# 3012
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:149 Resp: 1028893

Ion	Ratio	Lower	Upper
149	100		
91	69.7	54.2	81.2
206	21.2	16.6	24.8





#81
Benzo(a)anthracene
Concen: 39.128 ng
RT: 21.630 min Scan# 3
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 2219096

Ion	Ratio	Lower	Upper
228	100		
226	26.6	21.7	32.5
229	19.5	15.6	23.4





#82
3,3'-Dichlorobenzidine
Concen: 39.295 ng
RT: 21.542 min Scan# 3163
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:252 Resp: 839996

Ion	Ratio	Lower	Upper
252	100		
254	65.0	51.8	77.6
126	10.9	9.1	13.7





#83
Chrysene
Concen: 39.434 ng
RT: 21.695 min Scan# 3
Delta R.T. -0.000 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:228 Resp: 2094426

Ion	Ratio	Lower	Upper
228	100		
226	29.5	23.2	34.8
229	19.5	15.6	23.4





#84
Bis(2-ethylhexyl)phthalate
Concen: 41.001 ng
RT: 21.571 min Scan# 3168
Delta R.T. -0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:149 Resp: 1528918

Ion	Ratio	Lower	Upper
149	100		
167	27.9	22.1	33.1
279	4.4	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 41.280 ng
RT: 22.865 min Scan# 3
Delta R.T. -0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:149 Resp: 2647644

Ion	Ratio	Lower	Upper
149	100		
167	1.6	1.3	1.9
43	8.6	6.3	9.5





#86
Perylene-d12
Concen: 20.000 ng
RT: 25.018 min Scan# 3754
Delta R.T. -0.012 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:264 Resp: 959319

Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.3	28.9
265	22.3	17.4	26.0





#87
Indeno(1,2,3-cd)pyrene
Concen: 38.904 ng
RT: 28.842 min Scan# 44
Delta R.T. -0.024 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:276 Resp: 2736984

Ion	Ratio	Lower	Upper
276	100		
138	15.6	12.9	19.3
277	20.3	17.0	25.6





#88
Benzo(b)fluoranthene
Concen: 39.777 ng
RT: 23.959 min Scan# 3574
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:252 Resp: 2250091

Ion	Ratio	Lower	Upper
252	100		
253	21.6	17.7	26.5
125	9.2	7.9	11.9





#89
Benzo(k)fluoranthene
Concen: 40.536 ng
RT: 24.036 min Scan# 3
Delta R.T. 0.006 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:252 Resp: 2294595

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.1	25.7
125	9.5	7.8	11.6





#90
Benzo(a)pyrene
Concen: 39.490 ng
RT: 24.871 min Scan# 3729
Delta R.T. 0.018 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:252 Resp: 2174497

Ion	Ratio	Lower	Upper
252	100		
253	21.8	17.5	26.3
125	10.6	8.7	13.1





#91
Dibenzo(a,h)anthracene
Concen: 39.346 ng
RT: 28.936 min Scan# 44
Delta R.T. -0.018 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Instrument :
BNA_P
ClientSampleId :
SSTDCCC040EC

Tgt Ion:278 Resp: 2262080

Ion	Ratio	Lower	Upper
278	100		
139	15.1	13.0	19.4
279	23.5	19.4	29.2





#92
Benzo(g,h,i)perylene
Concen: 38.659 ng
RT: 30.042 min Scan# 4608
Delta R.T. -0.018 min
Lab File: BP025502.D
Acq: 20 Aug 2025 10:41

Tgt Ion:276 Resp: 2184778

Ion	Ratio	Lower	Upper
276	100		
277	23.9	19.4	29.0
138	20.9	16.7	25.1