



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Cover Page

**Order ID :** Q2816

**Project ID :** Andrews St Site - NYSDEC E828144

**Client :** Day Environmental, Inc.

### Lab Sample Number

Q2816-01  
Q2816-02  
Q2816-03  
Q2816-04  
Q2816-05  
Q2816-06  
Q2816-07  
Q2816-08  
Q2816-09

### Client Sample Number

1055-MW-01(23)  
1056-MW-02(23.8)  
1056-MW-02(23.8)MS  
1056-MW-02(23.8)MSD  
1057-MW-03A(17)  
1058-MW-11(15)  
1059-MW-17A(15.5)  
1060-FB080725  
1061-TB080725

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

Date: 8/19/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## CASE NARRATIVE

**Day Environmental, Inc.**

**Project Name:** Andrews St Site - NYSDEC E828144

**Project #** N/A

**Order ID #** Q2816

**Test Name:** VOC-TCLVOA-10

**A. Number of Samples and Date of Receipt:**

9 Water samples were received on 08/11/2025.

**B. Parameters**

According to the Chain of Custody document, the following analyses were requested:  
VOC-TCLVOA-10. This data package contains results for VOC-TCLVOA-10.

**C. Analytical Techniques:**

The analysis performed on instrument MSVOA\_N were done using GC column Rx-624SIL MS 30m, 0.25mm, 1.4 um, Cat. #13868. The analysis of VOC-TCLVOA-10 was based on method 8260D.

**D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis except for 1055-MW-01(23)DL [1,2-Dichloroethane-d4 - 129%] due to high concentration of compound, this sample required dilution. Therefore, sample was reanalyzed with dilution and reported.

The Internal Standards Areas were met for all analysis.

The Retention Times were met for all analysis.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the requirements for all compounds.

The RPD for {Q2816-04MSD} with File ID: VN087522.D met criteria except for Bromomethane[23%] due to difference in results of MS and MSD.

The Blank Spike for {VN0813WBS01} with File ID: VN087528.D met requirements for all compounds except for Bromochloromethane[133%], Dichlorodifluoromethane[117%] and Methyl tert-butyl Ether[115%] are failing high but no positive hit in associate sample therefore no corrective action taken.

The Blank analysis did not indicate the presence of lab contamination.

The %RSD is greater than 20% in the Initial Calibration method (82N071625W.M) for Methylene chloride passing on Linear regression.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

The Continuous Calibration File ID VN087502.D met the requirements except for Dichlorodifluoromethane, Isopropylbenzene and Methyl tert-butyl Ether are failing high but no positive hit in associate sample therefore no corrective action taken.

The Continuous Calibration File ID VN087525.D met the requirements except for Dichlorodifluoromethane is failing high but no positive hit in associate sample therefore no corrective action taken.

The Tuning criteria met requirements.

Samples 1055-MW-01(23), 1057-MW-03A(17) were diluted due to high concentrations.

**E. Additional Comments:**

The Sample #1055-MW-01(23), 1056-MW-02(23.8), 1058-MW-11(15) and 1059-MW-17A(15.5) have the concentration of target compound below Method detection limits, therefore it is not reported as Hit in Form1.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

**F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature \_\_\_\_\_

**DATA REPORTING QUALIFIERS- ORGANIC**

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
<b>U</b>	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10 U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>J</b>	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
<b>B</b>	Indicates the analyte was found in the blank as well as the sample report as "12 B".
<b>E</b>	Indicates the analyte 's concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>D</b>	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
<b>P</b>	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a "P".
<b>N</b>	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
<b>A</b>	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements

**ALLIANCE 284 Sheffield Street, Mountainside New Jersey 07092**

NEW JERSEY LAB ID#: 20012; NEW YORK LAB ID#: 11376

**GC/MS VOA CONFORMANCE/NON-CONFORMANCE SUMMARY**

ORDER ID: Q2816

MATRIX: Water

METHOD: 8260D

	NA	NO	YES
1. Chromatograms Labeled/Compounds Identified. (Field samples and Method Blanks)			✓
2. GC/MS Tuning Specifications BFB Meet Criteria (NOTE THAT THERE ARE DIFFERENT CRITERIA FOR NY ASP CLP, CLP AND NJ)			✓
3. GC/MS Tuning Frequency - Performed every 24 hours for 600 series and 12 hours for 8000 Series.			✓
4. GC/MS Calibration - Initial Calibration performed before sample analysis and continuing calibration performed within 24 hours of sample analysis for 600 series and 12 hours for 8000 series.			✓
5. GC/MS Calibration Requirements.  The %RSD is greater than 20% in the Initial Calibration method (82N071625W.M) for Methylene chloride passing on Linear regression. The Continuous Calibration File ID VN087502.D met the requirements except for Dichlorodifluoromethane, Isopropylbenzene and Methyl tert-butyl Ether are failing high but no positive hit in associate sample therefore no corrective action taken.  The Continuous Calibration File ID VN087525.D met the requirements except for Dichlorodifluoromethane is failing high but no positive hit in associate sample therefore no corrective action taken.			✓
6. Blank Contamination - If yes, list compounds and concentrations in each blank:			✓
7. Surrogate Recoveries Meet Criteria  If not met, list those compounds and their recoveries which fall outside the acceptable ranges.  The Surrogate recoveries were met for all analysis except for 1055-MW-01(23)DL [1,2-Dichloroethane-d4 - 129%] due to high concentration of compound, this sample required dilution. Therefore, sample was reanalyzed with dilution and reported.			✓

**ALLIANCE 284 Sheffield Street, Mountainside New Jersey 07092**

NEW JERSEY LAB ID#: 20012; NEW YORK LAB ID#: 11376

**GC/MS VOA CONFORMANCE/NON-CONFORMANCE SUMMARY (CONTINUED)**

NA      NO      YES

8. Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria ✓

If not met, list those compounds and their recoveries which fall outside the acceptable range.

The Blank Spike for {VN0813WBS01} with File ID: VN087528.D met requirements for all compounds except for Bromochloromethane[133%], Dichlorodifluoromethane[117%] and Methyl tert-butyl Ether[115%] are failing high but no positive hit in associate sample therefore no corrective action taken.

The RPD for {Q2816-04MSD} with File ID: VN087522.D met criteria except for Bromomethane[23%] due to difference in results of MS and MSD.

9. Internal Standard Area/Retention Time Shift Meet Criteria ✓

Comments:

10. Analysis Holding Time Met ✓

If not met, list number of days exceeded for each sample:

**ADDITIONAL COMMENTS:**

Samples 1055-MW-01(23), 1057-MW-03A(17) were diluted due to high concentrations.

The Sample #1055-MW-01(23), 1056-MW-02(23.8), 1058-MW-11(15) and 1059-MW-17A(15.5) have the concentration of target compound below Method detection limits, therefore it is not reported as Hit in Form1.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

---

QA REVIEW

---

Date

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q2816

Completed

**For thorough review, the report must have the following:**

**GENERAL:**

Are all original paperwork present (chain of custody, record of communication, airbill, sample management lab chronicle, login page) ✓

Check chain-of-custody for proper relinquish/return of samples ✓

Is the chain of custody signed and complete ✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts ✓

Collect information for each project id from server. Were all requirements followed ✓

**COVER PAGE:**

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page ✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody ✓

**CHAIN OF CUSTODY:**

Do requested analyses on Chain of Custody agree with form I results ✓

Do requested analyses on Chain of Custody agree with the log-in page ✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody ✓

Were the samples received within hold time ✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle ✓

**ANALYTICAL:**

Was method requirement followed? ✓

Was client requirement followed? ✓

Does the case narrative summarize all QC failure? ✓

All runlogs and manual integration are reviewed for requirements ✓

All manual calculations and /or hand notations verified ✓

## LAB CHRONICLE

<b>OrderID:</b>	Q2816	<b>OrderDate:</b>	8/11/2025 10:53:00 AM					
<b>Client:</b>	Day Environmental, Inc.	<b>Project:</b>	Andrews St Site - NYSDEC E828144					
<b>Contact:</b>	Jeff Danzinger	<b>Location:</b>	VOA Lab					
<hr/>								
LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2816-01	1055-MW-01(23)	Water	VOC-TCLVOA-10	8260-Low	<b>08/07/25</b>		08/12/25	<b>08/11/25</b>
Q2816-01DL	1055-MW-01(23)DL	Water	VOC-TCLVOA-10	8260-Low	<b>08/07/25</b>		08/13/25	<b>08/11/25</b>
Q2816-02	1056-MW-02(23.8)	Water	VOC-TCLVOA-10	8260-Low	<b>08/07/25</b>		08/12/25	<b>08/11/25</b>
Q2816-05	1057-MW-03A(17)	Water	VOC-TCLVOA-10	8260-Low	<b>08/07/25</b>		08/12/25	<b>08/11/25</b>
Q2816-05DL	1057-MW-03A(17)DL	Water	VOC-TCLVOA-10	8260-Low	<b>08/07/25</b>		08/13/25	<b>08/11/25</b>
Q2816-06	1058-MW-11(15)	Water	VOC-TCLVOA-10	8260-Low	<b>08/07/25</b>		08/12/25	<b>08/11/25</b>
Q2816-07	1059-MW-17A(15.5)	Water	VOC-TCLVOA-10	8260-Low	<b>08/07/25</b>		08/12/25	<b>08/11/25</b>
Q2816-08	1060-FB080725	Water	VOC-TCLVOA-10	8260-Low	<b>08/07/25</b>		08/13/25	<b>08/11/25</b>
Q2816-09	1061-TB080725	Water	VOC-TCLVOA-10	8260-Low	<b>08/07/25</b>		08/12/25	<b>08/11/25</b>

**Hit Summary Sheet**  
**SW-846**

SDG No.: Q2816  
Client: Day Environmental, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
<b>Client ID: 1055-MW-01(23)</b>								
Q2816-01	1055-MW-01(23)	Water	Vinyl Chloride	13.3		0.26	1.00	ug/L
Q2816-01	1055-MW-01(23)	Water	Acetone	13.5		1.50	5.00	ug/L
Q2816-01	1055-MW-01(23)	Water	trans-1,2-Dichloroethene	2.20		0.23	1.00	ug/L
Q2816-01	1055-MW-01(23)	Water	cis-1,2-Dichloroethene	140		0.19	1.00	ug/L
Q2816-01	1055-MW-01(23)	Water	Trichloroethene	160	E	0.090	1.00	ug/L
Q2816-01	1055-MW-01(23)	Water	Tetrachloroethene	1000	E	0.23	1.00	ug/L
Total Voc :				1330				
Q2816-01	1055-MW-01(23)	Water	Naphthalene, 1,7-dimethyl-	*	14.1	J	0	0 ug/L
Q2816-01	1055-MW-01(23)	Water	Naphthalene, 1,6-dimethyl-	*	37.9	J	0	0 ug/L
Q2816-01	1055-MW-01(23)	Water	Naphthalene, 2,7-dimethyl-	*	10.8	J	0	0 ug/L
Q2816-01	1055-MW-01(23)	Water	Naphthalene, 1-ethyl-	*	11.1	J	0	0 ug/L
Total Tics :				73.9				
Total Concentration:				1400				
<b>Client ID: 1055-MW-01(23)DL</b>								
Q2816-01DL	1055-MW-01(23)DL	Water	cis-1,2-Dichloroethene	120	D	3.80	20.0	ug/L
Q2816-01DL	1055-MW-01(23)DL	Water	Trichloroethene	120	D	1.90	20.0	ug/L
Q2816-01DL	1055-MW-01(23)DL	Water	Tetrachloroethene	650	D	4.60	20.0	ug/L
Total Voc :				890				
Total Concentration:				890				
<b>Client ID: 1056-MW-02(23.8)</b>								
Q2816-02	1056-MW-02(23.8)	Water	Vinyl Chloride	2.50		0.26	1.00	ug/L
Q2816-02	1056-MW-02(23.8)	Water	Acetone	15.0		1.50	5.00	ug/L
Q2816-02	1056-MW-02(23.8)	Water	trans-1,2-Dichloroethene	1.10		0.23	1.00	ug/L
Q2816-02	1056-MW-02(23.8)	Water	cis-1,2-Dichloroethene	30.1		0.19	1.00	ug/L
Q2816-02	1056-MW-02(23.8)	Water	Trichloroethene	26.5		0.090	1.00	ug/L
Q2816-02	1056-MW-02(23.8)	Water	Tetrachloroethene	54.0		0.23	1.00	ug/L
Total Voc :				129				
Q2816-02	1056-MW-02(23.8)	Water	Tetrahydrofuran	*	1.10	J	0.99	5.00 ug/L
Total Tics :				1.10				
Total Concentration:				130				
<b>Client ID: 1057-MW-03A(17)</b>								
Q2816-05	1057-MW-03A(17)	Water	Acetone	13.6		1.50	5.00	ug/L
Q2816-05	1057-MW-03A(17)	Water	trans-1,2-Dichloroethene	5.90		0.23	1.00	ug/L
Q2816-05	1057-MW-03A(17)	Water	cis-1,2-Dichloroethene	70.4		0.19	1.00	ug/L
Q2816-05	1057-MW-03A(17)	Water	Trichloroethene	120		0.090	1.00	ug/L
Q2816-05	1057-MW-03A(17)	Water	Tetrachloroethene	160	E	0.23	1.00	ug/L
Total Voc :				370				

**Hit Summary Sheet**  
**SW-846**

SDG No.: Q2816  
 Client: Day Environmental, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
			<b>Total Concentration:</b>	370				
<b>Client ID:</b>	<b>1057-MW-03A(17)DL</b>							
Q2816-05DL	1057-MW-03A(17)l Water		Acetone	24.3	JD	7.60	25.0	ug/L
Q2816-05DL	1057-MW-03A(17)l Water		cis-1,2-Dichloroethene	66.7	D	0.95	5.00	ug/L
Q2816-05DL	1057-MW-03A(17)l Water		Trichloroethene	110	D	0.47	5.00	ug/L
Q2816-05DL	1057-MW-03A(17)l Water		Tetrachloroethene	160	D	1.20	5.00	ug/L
			<b>Total Voc :</b>	361				
			<b>Total Concentration:</b>	361				
<b>Client ID:</b>	<b>1058-MW-11(15)</b>							
Q2816-06	1058-MW-11(15)	Water	Chloromethane	0.35	J	0.32	1.00	ug/L
Q2816-06	1058-MW-11(15)	Water	Vinyl Chloride	2.10		0.26	1.00	ug/L
Q2816-06	1058-MW-11(15)	Water	Acetone	17.1		1.50	5.00	ug/L
Q2816-06	1058-MW-11(15)	Water	trans-1,2-Dichloroethene	0.55	J	0.23	1.00	ug/L
Q2816-06	1058-MW-11(15)	Water	2-Butanone	2.90	J	0.98	5.00	ug/L
Q2816-06	1058-MW-11(15)	Water	cis-1,2-Dichloroethene	24.4		0.19	1.00	ug/L
Q2816-06	1058-MW-11(15)	Water	Trichloroethene	29.1		0.090	1.00	ug/L
Q2816-06	1058-MW-11(15)	Water	Tetrachloroethene	140		0.23	1.00	ug/L
			<b>Total Voc :</b>	217				
Q2816-06	1058-MW-11(15)	Water	Methanethiol	* 21.8	J	0	0	ug/L
Q2816-06	1058-MW-11(15)	Water	Dimethyl sulfide	* 29.2	J	0	0	ug/L
Q2816-06	1058-MW-11(15)	Water	Disulfide, dimethyl	* 12.5	J	0	0	ug/L
			<b>Total Tics :</b>	63.5				
			<b>Total Concentration:</b>	280				
<b>Client ID:</b>	<b>1059-MW-17A(15.5)</b>							
Q2816-07	1059-MW-17A(15.5	Water	Vinyl Chloride	7.00		0.26	1.00	ug/L
Q2816-07	1059-MW-17A(15.5	Water	Acetone	14.9		1.50	5.00	ug/L
Q2816-07	1059-MW-17A(15.5	Water	trans-1,2-Dichloroethene	7.40		0.23	1.00	ug/L
Q2816-07	1059-MW-17A(15.5	Water	cis-1,2-Dichloroethene	150		0.19	1.00	ug/L
Q2816-07	1059-MW-17A(15.5	Water	Trichloroethene	26.5		0.090	1.00	ug/L
Q2816-07	1059-MW-17A(15.5	Water	Tetrachloroethene	5.00		0.23	1.00	ug/L
			<b>Total Voc :</b>	211				
			<b>Total Concentration:</b>	211				
<b>Client ID:</b>	<b>1060-FB080725</b>							
Q2816-08	1060-FB080725	Water	Acetone	15.6		1.50	5.00	ug/L
			<b>Total Voc :</b>	15.6				
			<b>Total Concentration:</b>	15.6				



QC

SUMMARY

### Surrogate Summary

**SDG No.:** **Q2816**

**Client:** **Day Environmental, Inc.**

**Analytical Method:** **SW8260-Low**

<b>Lab Sample ID</b>	<b>Client ID</b>	<b>Parameter</b>	<b>Spike</b>	<b>Result</b>	<b>Recovery (%)</b>	<b>Qual</b>	<b>Limits (%)</b>	
							<b>Low</b>	<b>High</b>
Q2816-01	1055-MW-01(23)	1,2-Dichloroethane-d4	50	59.5	119		74	125
		Dibromofluoromethane	50	49.2	98		75	124
		Toluene-d8	50	52.0	104		86	113
		4-Bromofluorobenzene	50	52.5	105		77	121
Q2816-01DL	1055-MW-01(23)DL	1,2-Dichloroethane-d4	50	64.3	129	*	74	125
		Dibromofluoromethane	50	50.7	101		75	124
		Toluene-d8	50	52.0	104		86	113
		4-Bromofluorobenzene	50	51.7	103		77	121
Q2816-02	1056-MW-02(23.8)	1,2-Dichloroethane-d4	50	60.4	121		74	125
		Dibromofluoromethane	50	49.4	99		75	124
		Toluene-d8	50	51.3	103		86	113
		4-Bromofluorobenzene	50	50.8	102		77	121
Q2816-03MS	1056-MW-02(23.8)MS	1,2-Dichloroethane-d4	50	50.3	100		74	125
		Dibromofluoromethane	50	44.3	89		75	124
		Toluene-d8	50	43.5	87		86	113
		4-Bromofluorobenzene	50	46.8	94		77	121
Q2816-04MSD	1056-MW-02(23.8)MSD	1,2-Dichloroethane-d4	50	53.3	107		74	125
		Dibromofluoromethane	50	44.8	90		75	124
		Toluene-d8	50	46.0	92		86	113
		4-Bromofluorobenzene	50	48.5	97		77	121
Q2816-05	1057-MW-03A(17)	1,2-Dichloroethane-d4	50	60.6	121		74	125
		Dibromofluoromethane	50	49.0	98		75	124
		Toluene-d8	50	51.4	103		86	113
		4-Bromofluorobenzene	50	51.9	104		77	121
Q2816-05DL	1057-MW-03A(17)DL	1,2-Dichloroethane-d4	50	62.5	125		74	125
		Dibromofluoromethane	50	49.1	98		75	124
		Toluene-d8	50	51.2	102		86	113
		4-Bromofluorobenzene	50	49.5	99		77	121
Q2816-06	1058-MW-11(15)	1,2-Dichloroethane-d4	50	61.3	123		74	125
		Dibromofluoromethane	50	49.9	100		75	124
		Toluene-d8	50	52.2	104		86	113
		4-Bromofluorobenzene	50	52.4	105		77	121
Q2816-07	1059-MW-17A(15.5)	1,2-Dichloroethane-d4	50	61.3	123		74	125
		Dibromofluoromethane	50	50.2	100		75	124
		Toluene-d8	50	50.8	102		86	113
		4-Bromofluorobenzene	50	50.7	101		77	121
Q2816-08	1060-FB080725	1,2-Dichloroethane-d4	50	62.2	124		74	125
		Dibromofluoromethane	50	49.6	99		75	124
		Toluene-d8	50	52.0	104		86	113
		4-Bromofluorobenzene	50	50.4	101		77	121
Q2816-09	1061-TB080725	1,2-Dichloroethane-d4	50	60.5	121		74	125
		Dibromofluoromethane	50	50.2	100		75	124
		Toluene-d8	50	51.3	103		86	113
		4-Bromofluorobenzene	50	50.7	101		77	121
VN0812WBL01	VN0812WBL01	1,2-Dichloroethane-d4	50	58.4	117		74	125
		Dibromofluoromethane	50	50.3	101		75	124
		Toluene-d8	50	51.3	103		86	113
		4-Bromofluorobenzene	50	50.1	100		77	121
VN0812WBS01	VN0812WBS01	1,2-Dichloroethane-d4	50	53.3	107		74	125
		Dibromofluoromethane	50	44.8	90		75	124

### Surrogate Summary

**SDG No.:** Q2816

**Client:** Day Environmental, Inc.

**Analytical Method:** SW8260-Low

Lab Sample ID	Client ID	Parameter	Spike	Result	Recovery (%)	Qual	Limits (%)	
							Low	High
VN0812WBS01	VN0812WBS01	Toluene-d8	50	46.2	92	86	86	113
		4-Bromofluorobenzene	50	48.7	97	77	77	121
VN0813WBL01	VN0813WBL01	1,2-Dichloroethane-d4	50	59.6	119	74	74	125
		Dibromofluoromethane	50	49.7	99	75	75	124
VN0813WBS01	VN0813WBS01	Toluene-d8	50	52.0	104	86	86	113
		4-Bromofluorobenzene	50	50.2	100	77	77	121
VN0813WBS01	VN0813WBS01	1,2-Dichloroethane-d4	50	58.5	117	74	74	125
		Dibromofluoromethane	50	50.0	100	75	75	124
VN0813WBS01	VN0813WBS01	Toluene-d8	50	51.1	102	86	86	113
		4-Bromofluorobenzene	50	52.4	105	77	77	121

### Matrix Spike/Matrix Spike Duplicate Summary

**SW-846**

<b>SDG No.:</b>	<b>Q2816</b>	<b>Analytical Method:</b>	<b>SW8260-Low</b>
<b>Client:</b>	<b>Day Environmental, Inc.</b>	<b>Datafile :</b>	<b>VN087521.D</b>

<b>Parameter</b>	<b>Spike</b>	<b>Sample Result</b>	<b>Result</b>	<b>Units</b>	<b>Rec</b>	<b>RPD</b>	<b>Limits</b>		
					<b>Rec</b>		<b>Low</b>	<b>High</b>	<b>RPD</b>
<b>Lab Sample ID :</b>	<b>Q2816-03MS</b>	<b>Client Sample ID :</b>	<b>1056-MW-02(23.8)MS</b>						
Dichlorodifluoromethane	50	0	54.0	ug/L	108		73	120	
Chloromethane	50	0	45.7	ug/L	91		58	133	
Vinyl chloride	50	2.50	52.8	ug/L	101		69	125	
Bromomethane	50	0	46.1	ug/L	92		28	165	
Chloroethane	50	0	51.8	ug/L	104		70	141	
Trichlorofluoromethane	50	0	47.6	ug/L	95		72	124	
1,1,2-Trichlorotrifluoroethane	50	0	48.8	ug/L	98		75	117	
1,1-Dichloroethene	50	0	47.3	ug/L	95		53	162	
Acetone	250	15.0	250	ug/L	94		44	150	
Carbon disulfide	50	0	44.4	ug/L	89		44	135	
Methyl tert-butyl Ether	50	0	55.2	ug/L	110		82	133	
Methyl Acetate	50	0	50.7	ug/L	101		76	138	
Methylene Chloride	50	0	49.4	ug/L	99		79	115	
trans-1,2-Dichloroethene	50	1.10	47.7	ug/L	93		76	118	
1,1-Dichloroethane	50	0	49.4	ug/L	99		78	122	
Cyclohexane	50	0	48.0	ug/L	96		71	119	
2-Butanone	250	0	250	ug/L	100		67	137	
Carbon Tetrachloride	50	0	44.2	ug/L	88		66	133	
cis-1,2-Dichloroethene	50	30.1	81.4	ug/L	103		82	124	
Bromochloromethane	50	0	55.6	ug/L	111		72	130	
Chloroform	50	0	51.9	ug/L	104		83	119	
1,1,1-Trichloroethane	50	0	50.0	ug/L	100		83	117	
Methylcyclohexane	50	0	47.0	ug/L	94		64	120	
Benzene	50	0	45.9	ug/L	92		81	128	
1,2-Dichloroethane	50	0	47.5	ug/L	95		76	120	
Trichloroethene	50	26.5	72.7	ug/L	92		28	175	
1,2-Dichloropropane	50	0	46.2	ug/L	92		85	116	
Bromodichloromethane	50	0	47.7	ug/L	95		54	157	
4-Methyl-2-Pentanone	250	0	240	ug/L	96		72	137	
Toluene	50	0	46.8	ug/L	94		85	115	
t-1,3-Dichloropropene	50	0	48.1	ug/L	96		60	141	
cis-1,3-Dichloropropene	50	0	47.4	ug/L	95		36	161	
1,1,2-Trichloroethane	50	0	45.8	ug/L	92		27	175	
2-Hexanone	250	0	240	ug/L	96		75	131	
Dibromochloromethane	50	0	46.2	ug/L	92		59	164	
1,2-Dibromoethane	50	0	47.1	ug/L	94		85	119	
Tetrachloroethene	50	54.0	99.2	ug/L	90		48	153	
Chlorobenzene	50	0	44.2	ug/L	88		85	114	
Ethyl Benzene	50	0	47.9	ug/L	96		81	128	
m/p-Xylenes	100	0	95.5	ug/L	96		69	129	
o-Xylene	50	0	49.9	ug/L	100		75	127	
Styrene	50	0	51.6	ug/L	103		84	128	
Bromoform	50	0	44.5	ug/L	89		73	147	
Isopropylbenzene	50	0	50.4	ug/L	101		76	121	
1,1,2-Tetrachloroethane	50	0	47.7	ug/L	95		81	131	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### Matrix Spike/Matrix Spike Duplicate Summary

**SW-846**

<b>SDG No.:</b>	<u>Q2816</u>	<b>Analytical Method:</b>	<u>SW8260-Low</u>
<b>Client:</b>	<u>Day Environmental, Inc.</u>	<b>Datafile :</b>	<u>VN087521.D</u>

Parameter	Spike	Sample			Units	Rec	RPD	Limits			
		Result	Result	Qual				Qual	Low	High	RPD
1,3-Dichlorobenzene	50	0	45.9	ug/L	92				84	110	
1,4-Dichlorobenzene	50	0	43.8	ug/L	88				81	111	
1,2-Dichlorobenzene	50	0	46.9	ug/L	94				82	113	
1,2-Dibromo-3-Chloropropane	50	0	44.0	ug/L	88				79	137	
1,2,4-Trichlorobenzene	50	0	46.4	ug/L	93				73	120	
1,2,3-Trichlorobenzene	50	0	44.7	ug/L	89				75	119	

### Matrix Spike/Matrix Spike Duplicate Summary

**SW-846**

<b>SDG No.:</b>	<u>Q2816</u>	<b>Analytical Method:</b>	<u>SW8260-Low</u>
<b>Client:</b>	<u>Day Environmental, Inc.</u>	<b>Datafile :</b>	<u>VN087522.D</u>

<b>Parameter</b>	<b>Spike</b>	<b>Sample Result</b>	<b>Result</b>	<b>Units</b>	<b>Rec</b>	<b>RPD</b>	<b>Limits</b>		
					<b>Rec</b>		<b>Low</b>	<b>High</b>	<b>RPD</b>
<b>Lab Sample ID :</b> Q2816-04MSD <b>Client Sample ID :</b> 1056-MW-02(23.8)MSD									
Dichlorodifluoromethane	50	0	60.2	ug/L	120	11	73	120	20
Chloromethane	50	0	50.6	ug/L	101	10	58	133	20
Vinyl chloride	50	2.50	58.9	ug/L	113	11	69	125	20
Bromomethane	50	0	58.2	ug/L	116	23	*	28	165
Chloroethane	50	0	57.0	ug/L	114	10	70	141	20
Trichlorofluoromethane	50	0	53.7	ug/L	107	12	72	124	20
1,1,2-Trichlorotrifluoroethane	50	0	53.6	ug/L	107	9	75	117	20
1,1-Dichloroethene	50	0	52.7	ug/L	105	11	53	162	20
Acetone	250	15.0	290	ug/L	110	16	44	150	20
Carbon disulfide	50	0	50.1	ug/L	100	12	44	135	20
Methyl tert-butyl Ether	50	0	63.0	ug/L	126	13	82	133	20
Methyl Acetate	50	0	57.1	ug/L	114	12	76	138	20
Methylene Chloride	50	0	56.6	ug/L	113	14	79	115	20
trans-1,2-Dichloroethene	50	1.10	53.3	ug/L	104	11	76	118	20
1,1-Dichloroethane	50	0	55.8	ug/L	112	12	78	122	20
Cyclohexane	50	0	51.7	ug/L	103	7	71	119	20
2-Butanone	250	0	290	ug/L	116	15	67	137	20
Carbon Tetrachloride	50	0	49.8	ug/L	100	12	66	133	20
cis-1,2-Dichloroethene	50	30.1	86.3	ug/L	112	8	82	124	20
Bromochloromethane	50	0	56.4	ug/L	113	1	72	130	20
Chloroform	50	0	58.6	ug/L	117	12	83	119	20
1,1,1-Trichloroethane	50	0	56.9	ug/L	114	13	83	117	20
Methylcyclohexane	50	0	53.2	ug/L	106	12	64	120	20
Benzene	50	0	51.8	ug/L	104	12	81	128	20
1,2-Dichloroethane	50	0	55.4	ug/L	111	15	76	120	20
Trichloroethene	50	26.5	76.4	ug/L	100	8	28	175	20
1,2-Dichloropropane	50	0	52.1	ug/L	104	12	85	116	20
Bromodichloromethane	50	0	53.5	ug/L	107	11	54	157	20
4-Methyl-2-Pentanone	250	0	280	ug/L	112	15	72	137	20
Toluene	50	0	53.2	ug/L	106	13	85	115	20
t-1,3-Dichloropropene	50	0	56.3	ug/L	113	16	60	141	20
cis-1,3-Dichloropropene	50	0	54.8	ug/L	110	14	36	161	20
1,1,2-Trichloroethane	50	0	53.5	ug/L	107	16	27	175	20
2-Hexanone	250	0	290	ug/L	116	19	75	131	20
Dibromochloromethane	50	0	52.5	ug/L	105	13	59	164	20
1,2-Dibromoethane	50	0	54.2	ug/L	108	14	85	119	20
Tetrachloroethene	50	54.0	100	ug/L	92	2	48	153	20
Chlorobenzene	50	0	50.1	ug/L	100	13	85	114	20
Ethyl Benzene	50	0	54.7	ug/L	109	13	81	128	20
m/p-Xylenes	100	0	110	ug/L	110	14	69	129	20
o-Xylene	50	0	55.5	ug/L	111	11	75	127	20
Styrene	50	0	57.4	ug/L	115	11	84	128	20
Bromoform	50	0	49.7	ug/L	99	11	73	147	20
Isopropylbenzene	50	0	58.9	ug/L	118	16	76	121	20
1,1,2,2-Tetrachloroethane	50	0	54.7	ug/L	109	14	81	131	20



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### Matrix Spike/Matrix Spike Duplicate Summary

**SW-846**

SDG No.:	<u>Q2816</u>	Analytical Method:	<u>SW8260-Low</u>
Client:	<u>Day Environmental, Inc.</u>	Datafile :	<u>VN087522.D</u>

Parameter	Spike	Sample		Units	Rec		RPD Qual	Limits		
		Result	Result		Rec	Qual		Low	High	RPD
1,3-Dichlorobenzene	50	0	52.7	ug/L	105		14	84	110	20
1,4-Dichlorobenzene	50	0	50.7	ug/L	101		15	81	111	20
1,2-Dichlorobenzene	50	0	53.9	ug/L	108		14	82	113	20
1,2-Dibromo-3-Chloropropane	50	0	52.6	ug/L	105		18	79	137	20
1,2,4-Trichlorobenzene	50	0	55.4	ug/L	111		18	73	120	20
1,2,3-Trichlorobenzene	50	0	53.0	ug/L	106		17	75	119	20

**Laboratory Control Sample/Laboratory Control Sample Duplicate Summary**

**SW-846**

<b>SDG No.:</b>	<u>Q2816</u>	<b>Analytical Method:</b>	<u>SW8260-Low</u>
<b>Client:</b>	<u>Day Environmental, Inc.</u>	<b>Datafile :</b>	<u>VN087505.D</u>

<b>Lab Sample ID</b>	<b>Parameter</b>	<b>Spike</b>	<b>Result</b>	<b>Unit</b>	<b>Rec</b>	<b>RPD</b>	<b>Qual</b>	<b>Limits</b>		
								<b>Low</b>	<b>High</b>	<b>RPD</b>
<b>VN0812WBS01</b>	Dichlorodifluoromethane	20	22.2	ug/L	111			69	116	
	Chloromethane	20	18.1	ug/L	91			65	116	
	Vinyl chloride	20	19.3	ug/L	97			65	117	
	Bromomethane	20	19.8	ug/L	99			58	125	
	Chloroethane	20	20.3	ug/L	102			56	128	
	Trichlorofluoromethane	20	19.5	ug/L	98			73	115	
	1,1,2-Trichlorotrifluoroethane	20	19.5	ug/L	98			80	112	
	1,1-Dichloroethene	20	18.6	ug/L	93			74	110	
	Acetone	100	110	ug/L	110			60	125	
	Carbon disulfide	20	18.3	ug/L	92			64	112	
	Methyl tert-butyl Ether	20	21.8	ug/L	109			78	114	
	Methyl Acetate	20	21.4	ug/L	107			67	125	
	Methylene Chloride	20	19.2	ug/L	96			72	114	
	trans-1,2-Dichloroethene	20	19.1	ug/L	96			75	108	
	1,1-Dichloroethane	20	20.1	ug/L	101			78	112	
	Cyclohexane	20	19.6	ug/L	98			75	110	
	2-Butanone	100	98.5	ug/L	99			65	122	
	Carbon Tetrachloride	20	17.6	ug/L	88			77	113	
	cis-1,2-Dichloroethene	20	20.6	ug/L	103			77	110	
	Bromochloromethane	20	19.4	ug/L	97			70	124	
	Chloroform	20	20.7	ug/L	104			79	113	
	1,1,1-Trichloroethane	20	20.3	ug/L	102			80	108	
	Methylcyclohexane	20	19.4	ug/L	97			72	115	
	Benzene	20	18.3	ug/L	92			82	109	
	1,2-Dichloroethane	20	19.9	ug/L	100			80	115	
	Trichloroethene	20	17.1	ug/L	86			77	113	
	1,2-Dichloropropane	20	19.3	ug/L	97			83	111	
	Bromodichloromethane	20	18.8	ug/L	94			83	110	
	4-Methyl-2-Pentanone	100	93.9	ug/L	94			74	118	
	Toluene	20	18.8	ug/L	94			82	110	
	t-1,3-Dichloropropene	20	20.2	ug/L	101			79	110	
	cis-1,3-Dichloropropene	20	19.9	ug/L	100			82	110	
	1,1,2-Trichloroethane	20	18.5	ug/L	93			83	112	
	2-Hexanone	100	92.3	ug/L	92			73	117	
	Dibromochloromethane	20	18.7	ug/L	94			82	110	
	1,2-Dibromoethane	20	19.0	ug/L	95			81	110	
	Tetrachloroethene	20	16.2	ug/L	81			67	123	
	Chlorobenzene	20	17.8	ug/L	89			82	109	
	Ethyl Benzene	20	19.4	ug/L	97			83	109	
	m/p-Xylenes	40	37.5	ug/L	94			82	110	
	o-Xylene	20	19.6	ug/L	98			83	109	
	Styrene	20	19.1	ug/L	96			80	111	
	Bromoform	20	17.1	ug/L	86			79	109	
	Isopropylbenzene	20	21.4	ug/L	107			83	112	
	1,1,2,2-Tetrachloroethane	20	19.8	ug/L	99			76	118	
	1,3-Dichlorobenzene	20	18.6	ug/L	93			82	108	
	1,4-Dichlorobenzene	20	18.6	ug/L	93			82	107	
	1,2-Dichlorobenzene	20	19.8	ug/L	99			82	109	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Laboratory Control Sample/Laboratory Control Sample Duplicate Summary**

**SW-846**

<b>SDG No.:</b>	<u><b>Q2816</b></u>	<b>Analytical Method:</b>	<u><b>SW8260-Low</b></u>
<b>Client:</b>	<u><b>Day Environmental, Inc.</b></u>	<b>Datafile :</b>	<u><b>VN087505.D</b></u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Limits		
								Low	High	RPD
<b>VN0812WBS01</b>	1,2-Dibromo-3-Chloropropane	20	18.5	ug/L	93			68	112	
	1,2,4-Trichlorobenzene	20	20.7	ug/L	104			75	113	
	1,2,3-Trichlorobenzene	20	19.0	ug/L	95			76	114	

**Laboratory Control Sample/Laboratory Control Sample Duplicate Summary**

**SW-846**

<b>SDG No.:</b>	<u>Q2816</u>	<b>Analytical Method:</b>	<u>SW8260-Low</u>
<b>Client:</b>	<u>Day Environmental, Inc.</u>	<b>Datafile :</b>	<u>VN087528.D</u>

<b>Lab Sample ID</b>	<b>Parameter</b>	<b>Spike</b>	<b>Result</b>	<b>Unit</b>	<b>Rec</b>	<b>RPD</b>	<b>Qual</b>	<b>Limits</b>		
								<b>Low</b>	<b>High</b>	<b>RPD</b>
<b>VN0813WBS01</b>	Dichlorodifluoromethane	20	23.3	ug/L	117	*		69	116	
	Chloromethane	20	18.4	ug/L	92			65	116	
	Vinyl chloride	20	20.8	ug/L	104			65	117	
	Bromomethane	20	21.9	ug/L	110			58	125	
	Chloroethane	20	20.7	ug/L	104			56	128	
	Trichlorofluoromethane	20	20.9	ug/L	104			73	115	
	1,1,2-Trichlorotrifluoroethane	20	21.4	ug/L	107			80	112	
	1,1-Dichloroethene	20	19.2	ug/L	96			74	110	
	Acetone	100	120	ug/L	120			60	125	
	Carbon disulfide	20	18.1	ug/L	91			64	112	
	Methyl tert-butyl Ether	20	22.9	ug/L	115	*		78	114	
	Methyl Acetate	20	22.7	ug/L	114			67	125	
	Methylene Chloride	20	20.0	ug/L	100			72	114	
	trans-1,2-Dichloroethene	20	19.0	ug/L	95			75	108	
	1,1-Dichloroethane	20	21.1	ug/L	106			78	112	
	Cyclohexane	20	20.8	ug/L	104			75	110	
	2-Butanone	100	110	ug/L	110			65	122	
	Carbon Tetrachloride	20	18.5	ug/L	93			77	113	
	cis-1,2-Dichloroethene	20	21.2	ug/L	106			77	110	
	Bromochloromethane	20	26.6	ug/L	133	*		70	124	
	Chloroform	20	21.8	ug/L	109			79	113	
	1,1,1-Trichloroethane	20	20.7	ug/L	104			80	108	
	Methylcyclohexane	20	20.0	ug/L	100			72	115	
	Benzene	20	19.2	ug/L	96			82	109	
	1,2-Dichloroethane	20	20.8	ug/L	104			80	115	
	Trichloroethene	20	17.5	ug/L	88			77	113	
	1,2-Dichloropropane	20	19.2	ug/L	96			83	111	
	Bromodichloromethane	20	19.7	ug/L	99			83	110	
	4-Methyl-2-Pentanone	100	99.2	ug/L	99			74	118	
	Toluene	20	19.3	ug/L	97			82	110	
	t-1,3-Dichloropropene	20	20.8	ug/L	104			79	110	
	cis-1,3-Dichloropropene	20	20.3	ug/L	102			82	110	
	1,1,2-Trichloroethane	20	19.5	ug/L	98			83	112	
	2-Hexanone	100	98.5	ug/L	99			73	117	
	Dibromochloromethane	20	18.9	ug/L	95			82	110	
	1,2-Dibromoethane	20	18.9	ug/L	95			81	110	
	Tetrachloroethene	20	17.0	ug/L	85			67	123	
	Chlorobenzene	20	18.8	ug/L	94			82	109	
	Ethyl Benzene	20	19.6	ug/L	98			83	109	
	m/p-Xylenes	40	38.5	ug/L	96			82	110	
	o-Xylene	20	19.8	ug/L	99			83	109	
	Styrene	20	20.2	ug/L	101			80	111	
	Bromoform	20	17.3	ug/L	86			79	109	
	Isopropylbenzene	20	21.3	ug/L	106			83	112	
	1,1,2,2-Tetrachloroethane	20	20.3	ug/L	102			76	118	
	1,3-Dichlorobenzene	20	19.0	ug/L	95			82	108	
	1,4-Dichlorobenzene	20	18.8	ug/L	94			82	107	
	1,2-Dichlorobenzene	20	19.6	ug/L	98			82	109	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

**Laboratory Control Sample/Laboratory Control Sample Duplicate Summary**

**SW-846**

<b>SDG No.:</b>	<u>Q2816</u>	<b>Analytical Method:</b>	<u>SW8260-Low</u>
<b>Client:</b>	<u>Day Environmental, Inc.</u>	<b>Datafile :</b>	<u>VN087528.D</u>

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Limits		
								Low	High	RPD
<b>VN0813WBS01</b>	1,2-Dibromo-3-Chloropropane	20	18.6	ug/L	93			68	112	
	1,2,4-Trichlorobenzene	20	20.2	ug/L	101			75	113	
	1,2,3-Trichlorobenzene	20	18.9	ug/L	95			76	114	



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE METHOD BLANK SUMMARY

Client ID

VN0812WBL01

Lab Name: Alliance

Contract: DAYE01

Lab Code: ACE

SDG NO.: Q2816

Lab File ID: VN087504.D

Lab Sample ID: VN0812WBL01

Date Analyzed: 08/12/2025

Time Analyzed: 11:07

GC Column: RXI-624 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA\_N

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VN0812WBS01	VN0812WBS01	VN087505.D	08/12/2025
1055-MW-01 (23)	Q2816-01	VN087512.D	08/12/2025
1057-MW-03A(17)	Q2816-05	VN087513.D	08/12/2025
1058-MW-11(15)	Q2816-06	VN087514.D	08/12/2025
1059-MW-17A(15.5)	Q2816-07	VN087515.D	08/12/2025
1061-TB080725	Q2816-09	VN087517.D	08/12/2025
1056-MW-02 (23.8)	Q2816-02	VN087520.D	08/12/2025
1056-MW-02 (23.8)MS	Q2816-03MS	VN087521.D	08/12/2025
1056-MW-02 (23.8)MSD	Q2816-04MSD	VN087522.D	08/12/2025

COMMENTS:

---



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE METHOD BLANK SUMMARY

Client ID

VN0813WBL01

Lab Name: Alliance

Contract: DAYE01

Lab Code: ACE

SDG NO.: Q2816

Lab File ID: VN087527.D

Lab Sample ID: VN0813WBL01

Date Analyzed: 08/13/2025

Time Analyzed: 11:41

GC Column: RXI-624 ID: 0.25 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA\_N

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VN0813WBS01	VN0813WBS01	VN087528.D	08/13/2025
1057-MW-03A(17)DL	Q2816-05DL	VN087531.D	08/13/2025
1055-MW-01(23)DL	Q2816-01DL	VN087532.D	08/13/2025
1060-FB080725	Q2816-08	VN087533.D	08/13/2025

COMMENTS:

---



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: Alliance  
 Lab Code: ACE  
 Lab File ID: VN087327.D  
 Instrument ID: MSVOA\_N  
 GC Column: RXI-624 ID: 0.25 (mm)

Contract: DAYE01  
 SDG NO.: Q2816  
 BFB Injection Date: 07/16/2025  
 BFB Injection Time: 16:10  
 Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	19.8
75	30.0 - 60.0% of mass 95	50.8
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.1
173	Less than 2.0% of mass 174	0.6 ( 0.8 ) 1
174	50.0 - 100.0% of mass 95	70.9
175	5.0 - 9.0% of mass 174	3.6 ( 5.1 ) 1
176	95.0 - 101.0% of mass 174	68.7 ( 96.9 ) 1
177	5.0 - 9.0% of mass 176	4.8 ( 7 ) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

CLIENT ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDICC001	VSTDICC001	VN087328.D	07/16/2025	17:05
VSTDICC005	VSTDICC005	VN087329.D	07/16/2025	17:27
VSTDICC020	VSTDICC020	VN087330.D	07/16/2025	17:49
VSTDICCC050	VSTDICCC050	VN087331.D	07/16/2025	18:11
VSTDICC100	VSTDICC100	VN087332.D	07/16/2025	18:32
VSTDICC150	VSTDICC150	VN087333.D	07/16/2025	18:54



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name:	Alliance	Contract:	DAYE01
Lab Code:	ACE	SDG NO.:	Q2816
Lab File ID:	VN087501.D	BFB Injection Date:	08/12/2025
Instrument ID:	MSVOA_N	BFB Injection Time:	07:57
GC Column:	RXI-624 ID: 0.25 (mm)	Heated Purge:	Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	23.4
75	30.0 - 60.0% of mass 95	55.3
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.6
173	Less than 2.0% of mass 174	0.6 ( 0.9 ) 1
174	50.0 - 100.0% of mass 95	66.6
175	5.0 - 9.0% of mass 174	5 ( 7.5 ) 1
176	95.0 - 101.0% of mass 174	64.5 ( 96.7 ) 1
177	5.0 - 9.0% of mass 176	5.1 ( 7.9 ) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

CLIENT ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDCCC050	VSTDCCC050	VN087502.D	08/12/2025	10:24
VN0812WBL01	VN0812WBL01	VN087504.D	08/12/2025	11:07
VN0812WBS01	VN0812WBS01	VN087505.D	08/12/2025	11:42
1055-MW-01(23)	Q2816-01	VN087512.D	08/12/2025	14:24
1057-MW-03A(17)	Q2816-05	VN087513.D	08/12/2025	14:46
1058-MW-11(15)	Q2816-06	VN087514.D	08/12/2025	15:07
1059-MW-17A(15.5)	Q2816-07	VN087515.D	08/12/2025	15:29
1061-TB080725	Q2816-09	VN087517.D	08/12/2025	16:13
1056-MW-02(23.8)	Q2816-02	VN087520.D	08/12/2025	17:19
1056-MW-02(23.8)MS	Q2816-03MS	VN087521.D	08/12/2025	17:41
1056-MW-02(23.8)MSD	Q2816-04MSD	VN087522.D	08/12/2025	18:02



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK  
BROMOFLUOROBENZENE (BFB)

Lab Name: Alliance  
 Lab Code: ACE  
 Lab File ID: VN087524.D  
 Instrument ID: MSVOA\_N  
 GC Column: RXI-624 ID: 0.25 (mm)

Contract: DAYE01  
 SDG NO.: Q2816  
 BFB Injection Date: 08/13/2025  
 BFB Injection Time: 09:04  
 Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	15.0 - 40.0% of mass 95	23.3
75	30.0 - 60.0% of mass 95	57
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	7.3
173	Less than 2.0% of mass 174	1.1 ( 1.6 ) 1
174	50.0 - 100.0% of mass 95	66
175	5.0 - 9.0% of mass 174	5.3 ( 8 ) 1
176	95.0 - 101.0% of mass 174	63.9 ( 96.8 ) 1
177	5.0 - 9.0% of mass 176	3.8 ( 6 ) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

CLIENT ID	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDCCC050	VSTDCCC050	VN087525.D	08/13/2025	10:57
VN0813WBL01	VN0813WBL01	VN087527.D	08/13/2025	11:41
VN0813WBS01	VN0813WBS01	VN087528.D	08/13/2025	12:39
1057-MW-03A(17)DL	Q2816-05DL	VN087531.D	08/13/2025	13:45
1055-MW-01(23)DL	Q2816-01DL	VN087532.D	08/13/2025	14:07
1060-FB080725	Q2816-08	VN087533.D	08/13/2025	14:29



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance Contract: DAYE01  
Lab Code: ACE SDG NO.: Q2816  
Lab File ID: VN087502.D Date Analyzed: 08/12/2025  
Instrument ID: MSVOA\_N Time Analyzed: 10:24  
GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: (Y/N) N

	IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	330662	8.21	639180	9.08	587049	11.85
	661324	8.712	1278360	9.582	1174100	12.347
	165331	7.712	319590	8.582	293525	11.347
EPA SAMPLE NO.						
1055-MW-01(23)	256280	8.21	555349	9.08	509191	11.85
1056-MW-02(23.8)	238630	8.21	517594	9.08	473697	11.85
1056-MW-02(23.8)MS	257892	8.21	515665	9.09	470061	11.85
1056-MW-02(23.8)MSD	271903	8.21	540888	9.08	499161	11.85
1057-MW-03A(17)	248546	8.21	554436	9.08	512804	11.85
1058-MW-11(15)	245218	8.21	533590	9.08	497794	11.85
1059-MW-17A(15.5)	245518	8.21	544156	9.08	499181	11.85
1061-TB080725	236735	8.21	521055	9.08	471277	11.85
VN0812WBL01	271221	8.21	578160	9.08	521832	11.85
VN0812WBS01	292778	8.21	576676	9.08	523240	11.85

IS1 = Pentafluorobenzene

IS2 = 1,4-Difluorobenzene

IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance Contract: DAYE01  
Lab Code: ACE SDG NO.: Q2816  
Lab File ID: VN087502.D Date Analyzed: 08/12/2025  
Instrument ID: MSVOA\_N Time Analyzed: 10:24  
GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: (Y/N) N

	IS4 AREA #	RT #				
12 HOUR STD	291692	13.77				
	583384	14.27				
	145846	13.27				
EPA SAMPLE NO.						
1055-MW-01(23)	246455	13.77				
1056-MW-02(23.8)	220538	13.77				
1056-MW-02(23.8)MS	243472	13.77				
1056-MW-02(23.8)MSD	251240	13.77				
1057-MW-03A(17)	233578	13.77				
1058-MW-11(15)	234425	13.77				
1059-MW-17A(15.5)	232946	13.77				
1061-TB080725	215113	13.77				
VN0812WBL01	242445	13.77				
VN0812WBS01	256652	13.77				

IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance Contract: DAYE01  
Lab Code: ACE SDG NO.: Q2816  
Lab File ID: VN087525.D Date Analyzed: 08/13/2025  
Instrument ID: MSVOA\_N Time Analyzed: 10:57  
GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: (Y/N) N

	IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	297883	8.21	560249	9.09	506486	11.85
UPPER LIMIT	595766	8.706	1120500	9.588	1012970	12.347
LOWER LIMIT	148942	7.706	280125	8.588	253243	11.347
EPA SAMPLE NO.						
1055-MW-01(23)DL	249299	8.21	549507	9.09	507445	11.85
1057-MW-03A(17)DL	242235	8.21	538435	9.09	477328	11.85
1060-FB080725	221955	8.21	492245	9.08	450681	11.85
VN0813WBL01	240605	8.21	517097	9.09	472576	11.85
VN0813WBS01	271136	8.21	532074	9.09	483502	11.85

IS1 = Pentafluorobenzene

IS2 = 1,4-Difluorobenzene

IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +100% of internal standard area

AREA LOWER LIMIT = -50% of internal standard area

RT UPPER LIMIT = +0.50 minutes of internal standard RT

RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.

\* Values outside of QC limits.



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: Alliance Contract: DAYE01  
Lab Code: ACE SDG NO.: Q2816  
Lab File ID: VN087525.D Date Analyzed: 08/13/2025  
Instrument ID: MSVOA\_N Time Analyzed: 10:57  
GC Column: RXI-624 ID: 0.25 (mm) Heated Purge: (Y/N) N

	IS4 AREA #	RT #				
12 HOUR STD	261423	13.77				
	522846	14.27				
	130712	13.27				
EPA SAMPLE NO.						
1055-MW-01(23)DL	235933	13.77				
1057-MW-03A(17)DL	224016	13.77				
1060-FB080725	210279	13.77				
VN0813WBL01	217582	13.77				
VN0813WBS01	246357	13.77				

IS4 = 1,4-Dichlorobenzene-d4

AREA UPPER LIMIT = +100% of internal standard area  
AREA LOWER LIMIT = -50% of internal standard area  
RT UPPER LIMIT = +0.50 minutes of internal standard RT  
RT LOWER LIMIT = -0.50 minutes of internal standard RT

# Column used to flag values outside QC limits with an asterisk.  
\* Values outside of QC limits.



# SAMPLE

# DATA



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1055-MW-01(23)			SDG No.:	Q2816	
Lab Sample ID:	Q2816-01			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087512.D	1	08/12/25 14:24	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	1.00	U	0.22	1.00	ug/L
74-87-3	Chloromethane	1.00	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	13.3		0.26	1.00	ug/L
74-83-9	Bromomethane	5.00	U	1.40	5.00	ug/L
75-00-3	Chloroethane	1.00	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	1.00	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	1.00	U	0.23	1.00	ug/L
67-64-1	Acetone	13.5		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	1.00	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	1.00	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	1.00	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	1.00	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	2.20		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	1.00	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	5.00	U	1.50	5.00	ug/L
78-93-3	2-Butanone	5.00	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	1.00	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	140		0.19	1.00	ug/L
74-97-5	Bromochloromethane	1.00	U	0.22	1.00	ug/L
67-66-3	Chloroform	1.00	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	1.00	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	1.00	U	0.16	1.00	ug/L
71-43-2	Benzene	1.00	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	1.00	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	160	E	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	1.00	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	1.00	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	5.00	U	0.68	5.00	ug/L
108-88-3	Toluene	1.00	U	0.14	1.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client: Day Environmental, Inc. Date Collected: 08/07/25  
Project: Andrews St Site - NYSDEC E828144 Date Received: 08/11/25  
Client Sample ID: 1055-MW-01(23) SDG No.: Q2816  
Lab Sample ID: Q2816-01 Matrix: Water  
Analytical Method: 8260D % Solid: 0  
Sample Wt/Vol: 5 Units: mL Final Vol: 5000 uL  
Soil Aliquot Vol: uL Test: VOC-TCLVOA-10  
GC Column: RXI-624 ID : 0.25 Level : LOW  
Prep Method :

File ID/Qc Batch: Dilution: Date Analyzed Prep Batch ID  
VN087512.D 1 08/12/25 14:24 VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	1.00	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.00	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	1.00	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	5.00	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	1.00	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	1.00	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	1000	E	0.23	1.00	ug/L
108-90-7	Chlorobenzene	1.00	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	1.00	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	2.00	U	0.24	2.00	ug/L
95-47-6	o-Xylene	1.00	U	0.12	1.00	ug/L
100-42-5	Styrene	1.00	U	0.15	1.00	ug/L
75-25-2	Bromoform	1.00	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	1.00	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	1.00	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	1.00	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	1.00	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	59.5		74 - 125	119%	SPK: 50
1868-53-7	Dibromofluoromethane	49.2		75 - 124	98%	SPK: 50
2037-26-5	Toluene-d8	52.0		86 - 113	104%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.5		77 - 121	105%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	256000	8.212			
540-36-3	1,4-Difluorobenzene	555000	9.082			
3114-55-4	Chlorobenzene-d5	509000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	246000	13.77			



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.	Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144	Date Received:	08/11/25
Client Sample ID:	1055-MW-01(23)	SDG No.:	Q2816
Lab Sample ID:	Q2816-01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087512.D	1	08/12/25 14:24	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
001127-76-0	Naphthalene, 1-ethyl-	11.1	J		13.2	ug/L
000575-37-1	Naphthalene, 1,7-dimethyl-	14.1	J		13.6	ug/L
000575-43-9	Naphthalene, 1,6-dimethyl-	37.9	J		13.9	ug/L
000582-16-1	Naphthalene, 2,7-dimethyl-	10.8	J		14.5	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087512.D  
 Acq On : 12 Aug 2025 14:24  
 Operator : JC\MD  
 Sample : Q2816-01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 12 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1055-MW-01(23)**

Quant Time: Aug 13 03:04:51 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	256280	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.082	114	555349	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	509191	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	246455	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	258727	59.498	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	119.000%	
35) Dibromofluoromethane	8.153	113	188525	49.213	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	98.420%	
50) Toluene-d8	10.547	98	710694	52.009	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	104.020%	
62) 4-Bromofluorobenzene	12.829	95	265076	52.506	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	105.020%	
<b>Target Compounds</b>						
				Qvalue		
4) Vinyl Chloride	2.542	62	45371	13.338	ug/l	98
16) Acetone	4.424	43	27475	13.475	ug/l	100
21) trans-1,2-Dichloroethene	5.777	96	7205	2.184	ug/l	# 75
27) cis-1,2-Dichloroethene	7.471	96	541229	142.486	ug/l	93
44) Trichloroethene	9.335	130	613549	158.741	ug/l	90
51) 4-Methyl-2-Pentanone	10.435	43	3474	0.484	ug/l	# 74
64) Tetrachloroethene	11.082	164	3301374	1007.382	ug/l	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087512.D  
 Acq On : 12 Aug 2025 14:24  
 Operator : JC\MD  
 Sample : Q2816-01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 1055-MW-01(23)


Quant Time: Aug 13 03:04:51 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration








#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 8.212 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087512.D  
Acq: 12 Aug 2025 14:24


Instrument : MSVOA\_N  
ClientSampleId : 1055-MW-01(23)





Tgt Ion:168 Resp: 256280  
Ion Ratio Lower Upper  
168 100  
99 68.6 47.9 71.9






#4  
Vinyl Chloride  
Concen: 13.338 ug/l  
RT: 2.542 min Scan# 100  
Delta R.T. 0.000 min  
Lab File: VN087512.D  
Acq: 12 Aug 2025 14:24







Tgt Ion: 62 Resp: 45371  
Ion Ratio Lower Upper  
62 100  
64 32.7 27.0 40.6






#16  
Acetone  
Concen: 13.475 ug/l  
RT: 4.424 min Scan# 4  
Instrument : MSVOA\_N  
Delta R.T. -0.000 min  
Lab File: VN087512.D  
Acq: 12 Aug 2025 14:24 ClientSampleId : 1055-MW-01(23)




Tgt Ion: 43 Resp: 27475  
Ion Ratio Lower Upper  
43 100  
58 27.7 22.3 33.5



#21  
trans-1,2-Dichloroethene  
Concen: 2.184 ug/l  
RT: 5.777 min Scan# 650  
Delta R.T. 0.006 min  
Lab File: VN087512.D  
Acq: 12 Aug 2025 14:24

Tgt Ion: 96 Resp: 7205  
Ion Ratio Lower Upper  
96 100  
61 110.8 122.0 183.0#  
98 58.5 50.0 75.0









#27  
cis-1,2-Dichloroethene  
Concen: 142.486 ug/l  
RT: 7.471 min Scan# 9  
Delta R.T. 0.000 min  
Lab File: VN087512.D  
Acq: 12 Aug 2025 14:24


Instrument : MSVOA\_N  
ClientSampleId : 1055-MW-01(23)


Tgt Ion: 96 Resp: 541229  
Ion Ratio Lower Upper  
96 100  
61 137.7 0.0 297.8  
98 64.3 0.0 132.4



#33  
1,2-Dichloroethane-d4  
Concen: 59.498 ug/l  
RT: 8.565 min Scan# 1124  
Delta R.T. 0.000 min  
Lab File: VN087512.D  
Acq: 12 Aug 2025 14:24

Tgt Ion: 65 Resp: 258727  
Ion Ratio Lower Upper  
65 100  
67 51.0 0.0 104.0







#34  
 1,4-Difluorobenzene  
 Concen: 50.000 ug/l  
 RT: 9.082 min Scan# 1  
 Delta R.T. 0.000 min  
 Lab File: VN087512.D  
 Acq: 12 Aug 2025 14:24


Instrument : MSVOA\_N  
 ClientSampleId : 1055-MW-01(23)


Tgt Ion:114 Resp: 555349  
 Ion Ratio Lower Upper  
 114 100  
 63 24.1 0.0 44.6  
 88 17.4 0.0 32.8



#35  
 Dibromofluoromethane  
 Concen: 49.213 ug/l  
 RT: 8.153 min Scan# 1054  
 Delta R.T. 0.006 min  
 Lab File: VN087512.D  
 Acq: 12 Aug 2025 14:24


Tgt Ion:113 Resp: 188525  
 Ion Ratio Lower Upper  
 113 100  
 111 106.0 82.5 123.7  
 192 16.6 13.7 20.5








#44  
Trichloroethene  
Concen: 158.741 ug/l  
RT: 9.335 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087512.D  
Acq: 12 Aug 2025 14:24


Instrument : MSVOA\_N  
ClientSampleId : 1055-MW-01(23)





Tgt Ion:130 Resp: 613549  
Ion Ratio Lower Upper  
130 100  
95 107.0 0.0 195.2




#50  
Toluene-d8  
Concen: 52.009 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. -0.000 min  
Lab File: VN087512.D  
Acq: 12 Aug 2025 14:24




Tgt Ion: 98 Resp: 710694  
Ion Ratio Lower Upper  
98 100  
100 63.4 52.1 78.1






Abundance Scan 1442 (10.435 min): VN087512.D\data.ms (-)



Abundance Scan 1442 (10.435 min): VN087512.D\data.ms (-)



#51

4-Methyl-2-Pentanone

Concen: 0.484 ug/l

RT: 10.435 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087512.D

Acq: 12 Aug 2025 14:24

Instrument:

MSVOA\_N

ClientSampleId :



1055-MW-01(23)

Tgt Ion: 43 Resp: 3474


Ion Ratio Lower Upper

43 100


58 22.5 30.8 46.2#



Abundance Scan 1849 (12.829 min): VN087512.D\data.ms (-)



Abundance Scan 1849 (12.829 min): VN087512.D\data.ms (-)



#62

4-Bromofluorobenzene

Concen: 52.506 ug/l

RT: 12.829 min Scan# 1849

Delta R.T. 0.000 min

Lab File: VN087512.D

Acq: 12 Aug 2025 14:24


Tgt Ion: 95 Resp: 265076


Ion Ratio Lower Upper

95 100

174 68.6 0.0 149.4

176 64.1 0.0 141.2







#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.847 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087512.D  
Acq: 12 Aug 2025 14:24


Instrument : MSVOA\_N  
ClientSampleId : 1055-MW-01(23)


Tgt Ion:117 Resp: 509191  
Ion Ratio Lower Upper  
117 100  
82 62.8 47.4 71.2  
119 33.8 23.8 35.8



#64  
Tetrachloroethene  
Concen: 1007.382 ug/l  
RT: 11.082 min Scan# 1552  
Delta R.T. -0.006 min  
Lab File: VN087512.D  
Acq: 12 Aug 2025 14:24

Tgt Ion:164 Resp: 3301374  
Ion Ratio Lower Upper  
164 100  
166 125.5 105.5 158.3  
129 104.7 77.4 116.2  
131 99.2 77.3 115.9






#72  
 1,4-Dichlorobenzene-d4  
 Concen: 50.000 ug/l  
 RT: 13.770 min Scan# 2  
 Delta R.T. 0.000 min  
 Lab File: VN087512.D  
 Acq: 12 Aug 2025 14:24

Instrument : MSVOA\_N  
 ClientSampleId : 1055-MW-01(23)

Tgt Ion:152 Resp: 246455  
 Ion Ratio Lower Upper  
 152 100  
 115 66.0 31.1 93.5  
 150 159.3 0.0 349.0



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087512.D  
 Acq On : 12 Aug 2025 14:24  
 Operator : JC\MD  
 Sample : Q2816-01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 12 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1055-MW-01(23)**

Integration Parameters: RTEINT.P

Integrator: RTE  
 Smoothing : ON Filtering: 5  
 Sampling : 1 Min Area: 3 % of largest Peak  
 Start Thrs: 0.2 Max Peaks: 100  
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >  
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Title : SW846 8260

Signal : TIC: VN087512.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	7.477	925	939	953	rBV	929115	2500410	8.68%	5.212%
2	8.153	1042	1054	1059	rBV	274437	676823	2.35%	1.411%
3	8.206	1059	1063	1076	rBV	389012	854621	2.97%	1.781%
4	8.565	1114	1124	1136	rBV	307636	702745	2.44%	1.465%
5	9.082	1203	1212	1223	rBV	670935	1411501	4.90%	2.942%
6	9.335	1246	1255	1266	rBV	1849274	3714890	12.89%	7.743%
7	10.547	1449	1461	1471	rBV	1074626	1980199	6.87%	4.127%
8	11.082	1543	1552	1570	rBV	15897113	28815416	100.00%	60.060%
9	11.847	1674	1682	1694	rBV	952779	1738436	6.03%	3.623%
10	12.829	1842	1849	1864	rBV	740691	1342849	4.66%	2.799%
11	13.223	1898	1916	1924	rBV4	73889	381221	1.32%	0.795%
12	13.588	1959	1978	1979	rBV4	142950	482046	1.67%	1.005%
13	13.770	2002	2009	2020	rBV	965893	1711496	5.94%	3.567%
14	13.941	2023	2038	2050	rVV5	292031	1297426	4.50%	2.704%
15	14.494	2123	2132	2146	rVB3	106285	367944	1.28%	0.767%


Sum of corrected areas: 47978023

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087512.D  
 Acq On : 12 Aug 2025 14:24  
 Operator : JC\MD  
 Sample : Q2816-01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 12 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1055-MW-01(23)**

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
 TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087512.D  
 Acq On : 12 Aug 2025 14:24  
 Operator : JC\MD  
 Sample : Q2816-01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 1055-MW-01(23)

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L










TIC Integration Parameters: LSCINT.P

\*\*\*\*\*

Peak Number 1 Naphthalene, 1-ethyl- Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.223	11.14 ug/l	381221	1,4-Dichlorobenzene-d4	13.770

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Naphthalene, 1-ethyl-	156	C12H12	001127-76-0	90
2	Naphthalene, 2-ethyl-	156	C12H12	000939-27-5	87
3	Naphthalene, 1,3-dimethyl-	156	C12H12	000575-41-7	64
4	2,4-Difluoromesitylene	156	C9H10F2	000392-61-0	59
5	Naphthalene, 2,3-dimethyl-	156	C12H12	000581-40-8	58



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087512.D  
 Acq On : 12 Aug 2025 14:24  
 Operator : JC\MD  
 Sample : Q2816-01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 1055-MW-01(23)

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L










TIC Integration Parameters: LSCINT.P

\*\*\*\*\*

Peak Number 2 Naphthalene, 1,7-dimethyl- Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.588	14.08 ug/l	482046	1,4-Dichlorobenzene-d4	13.770

Hit# of	5	Tentative ID	MW	MolForm	CAS#	Qual
1	Naphthalene, 1,7-dimethyl-	156	C12H12		000575-37-1	98
2	Naphthalene, 1,5-dimethyl-	156	C12H12		000571-61-9	98
3	Naphthalene, 2,7-dimethyl-	156	C12H12		000582-16-1	97
4	Naphthalene, 2,6-dimethyl-	156	C12H12		000581-42-0	97
5	Naphthalene, 2,3-dimethyl-	156	C12H12		000581-40-8	97



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087512.D  
 Acq On : 12 Aug 2025 14:24  
 Operator : JC\MD  
 Sample : Q2816-01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 1055-MW-01(23)

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L










TIC Integration Parameters: LSCINT.P

\*\*\*\*\*

Peak Number 3 Naphthalene, 1,6-dimethyl- Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
13.941	37.90 ug/l	1297430	1,4-Dichlorobenzene-d4	13.770

Hit# of 5	Tentative ID	MW	MolForm	CAS#	Qual
1	Naphthalene, 1,7-dimethyl-	156	C12H12	000575-37-1	98
2	Naphthalene, 1,6-dimethyl-	156	C12H12	000575-43-9	97
3	Naphthalene, 1,5-dimethyl-	156	C12H12	000571-61-9	97
4	Naphthalene, 2,7-dimethyl-	156	C12H12	000582-16-1	97
5	Naphthalene, 2,3-dimethyl-	156	C12H12	000581-40-8	96



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087512.D  
 Acq On : 12 Aug 2025 14:24  
 Operator : JC\MD  
 Sample : Q2816-01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 1055-MW-01(23)

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L









TIC Integration Parameters: LSCINT.P

\*\*\*\*\*

Peak Number 4 Naphthalene, 2,7-dimethyl- Concentration Rank 4

R.T.	EstConc	Area	Relative to ISTD	R.T.
14.494	10.75 ug/l	367944	1,4-Dichlorobenzene-d4	13.770

Hit# of	5	Tentative ID	MW	MolForm	CAS#	Qual
1	Naphthalene, 2,7-dimethyl-	156	C12H12		000582-16-1	97
2	Naphthalene, 2,3-dimethyl-	156	C12H12		000581-40-8	95
3	Naphthalene, 1,7-dimethyl-	156	C12H12		000575-37-1	95
4	Naphthalene, 1,6-dimethyl-	156	C12H12		000575-43-9	95
5	Naphthalene, 1,4-dimethyl-	156	C12H12		000571-58-4	94



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087512.D  
 Acq On : 12 Aug 2025 14:24  
 Operator : JC\MD  
 Sample : Q2816-01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 12 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1055-MW-01(23)**

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
 TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard---			
					#	RT	Resp	Conc
Naphthalene, 1-...	13.223	11.1	ug/l	381221	4	13.770	1711500	50.0
Naphthalene, 1-...	13.588	14.1	ug/l	482046	4	13.770	1711500	50.0
Naphthalene, 1-...	13.941	37.9	ug/l	1297430	4	13.770	1711500	50.0
Naphthalene, 2-...	14.494	10.8	ug/l	367944	4	13.770	1711500	50.0



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1055-MW-01(23)DL			SDG No.:	Q2816	
Lab Sample ID:	Q2816-01DL			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087532.D	20	08/13/25 14:07	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	20.0	UDQ	4.40	20.0	ug/L
74-87-3	Chloromethane	20.0	UD	6.40	20.0	ug/L
75-01-4	Vinyl Chloride	20.0	UD	5.20	20.0	ug/L
74-83-9	Bromomethane	100	UD	28.8	100	ug/L
75-00-3	Chloroethane	20.0	UD	9.40	20.0	ug/L
75-69-4	Trichlorofluoromethane	20.0	UD	6.60	20.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	20.0	UD	5.00	20.0	ug/L
75-35-4	1,1-Dichloroethene	20.0	UD	4.60	20.0	ug/L
67-64-1	Acetone	100	UD	30.2	100	ug/L
75-15-0	Carbon Disulfide	20.0	UD	4.20	20.0	ug/L
1634-04-4	Methyl tert-butyl Ether	20.0	UDQ	3.20	20.0	ug/L
79-20-9	Methyl Acetate	20.0	UD	5.40	20.0	ug/L
75-09-2	Methylene Chloride	20.0	UD	5.60	20.0	ug/L
156-60-5	trans-1,2-Dichloroethene	20.0	UD	4.60	20.0	ug/L
75-34-3	1,1-Dichloroethane	20.0	UD	4.60	20.0	ug/L
110-82-7	Cyclohexane	100	UD	29.0	100	ug/L
78-93-3	2-Butanone	100	UD	19.6	100	ug/L
56-23-5	Carbon Tetrachloride	20.0	UD	5.00	20.0	ug/L
156-59-2	cis-1,2-Dichloroethene	120	D	3.80	20.0	ug/L
74-97-5	Bromochloromethane	20.0	UDQ	4.40	20.0	ug/L
67-66-3	Chloroform	20.0	UD	5.00	20.0	ug/L
71-55-6	1,1,1-Trichloroethane	20.0	UD	4.00	20.0	ug/L
108-87-2	Methylcyclohexane	20.0	UD	3.20	20.0	ug/L
71-43-2	Benzene	20.0	UD	3.00	20.0	ug/L
107-06-2	1,2-Dichloroethane	20.0	UD	4.40	20.0	ug/L
79-01-6	Trichloroethene	120	D	1.90	20.0	ug/L
78-87-5	1,2-Dichloropropane	20.0	UD	4.00	20.0	ug/L
75-27-4	Bromodichloromethane	20.0	UD	4.40	20.0	ug/L
108-10-1	4-Methyl-2-Pentanone	100	UD	13.6	100	ug/L
108-88-3	Toluene	20.0	UD	2.80	20.0	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1055-MW-01(23)DL			SDG No.:	Q2816	
Lab Sample ID:	Q2816-01DL			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087532.D	20	08/13/25 14:07	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	20.0	UD	3.40	20.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	20.0	UD	3.20	20.0	ug/L
79-00-5	1,1,2-Trichloroethane	20.0	UD	4.20	20.0	ug/L
591-78-6	2-Hexanone	100	UD	17.8	100	ug/L
124-48-1	Dibromochloromethane	20.0	UD	3.60	20.0	ug/L
106-93-4	1,2-Dibromoethane	20.0	UD	3.00	20.0	ug/L
127-18-4	Tetrachloroethene	650	D	4.60	20.0	ug/L
108-90-7	Chlorobenzene	20.0	UD	2.40	20.0	ug/L
100-41-4	Ethyl Benzene	20.0	UD	2.60	20.0	ug/L
179601-23-1	m/p-Xylenes	40.0	UD	4.80	40.0	ug/L
95-47-6	o-Xylene	20.0	UD	2.40	20.0	ug/L
100-42-5	Styrene	20.0	UD	3.00	20.0	ug/L
75-25-2	Bromoform	20.0	UD	3.80	20.0	ug/L
98-82-8	Isopropylbenzene	20.0	UD	2.40	20.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	20.0	UD	5.20	20.0	ug/L
541-73-1	1,3-Dichlorobenzene	20.0	UD	3.20	20.0	ug/L
106-46-7	1,4-Dichlorobenzene	20.0	UD	3.80	20.0	ug/L
95-50-1	1,2-Dichlorobenzene	20.0	UD	3.20	20.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	20.0	UD	10.6	20.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	20.0	UD	4.00	20.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	20.0	UD	4.00	20.0	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	64.3	*	74 - 125	129%	SPK: 50
1868-53-7	Dibromofluoromethane	50.7		75 - 124	101%	SPK: 50
2037-26-5	Toluene-d8	52.0		86 - 113	104%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.7		77 - 121	103%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	249000	8.212			
540-36-3	1,4-Difluorobenzene	550000	9.088			
3114-55-4	Chlorobenzene-d5	507000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	236000	13.77			



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.	Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144	Date Received:	08/11/25
Client Sample ID:	1055-MW-01(23)DL	SDG No.:	Q2816
Lab Sample ID:	Q2816-01DL	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:		uL	
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087532.D	20	08/13/25 14:07	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087532.D  
 Acq On : 13 Aug 2025 14:07  
 Operator : JC\MD  
 Sample : Q2816-01DL 20X  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 9 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1055-MW-01(23)DL**

Quant Time: Aug 14 04:00:19 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	249299	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.088	114	549507	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	507445	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	235933	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	271979	64.297	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	= 128.600%	#	
35) Dibromofluoromethane	8.153	113	192193	50.704	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	= 101.400%		
50) Toluene-d8	10.547	98	702828	51.980	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	= 103.960%		
62) 4-Bromofluorobenzene	12.829	95	258230	51.693	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	= 103.380%		
<b>Target Compounds</b>						
				Qvalue		
27) cis-1,2-Dichloroethene	7.477	96	21638	5.856	ug/l	96
44) Trichloroethene	9.335	130	22821	5.967	ug/l	83
64) Tetrachloroethene	11.088	164	105782	32.389	ug/l	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087532.D  
Acq On : 13 Aug 2025 14:07  
Operator : JC\MD  
Sample : Q2816-01DL 20X  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 9 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1055-MW-01(23)DL


Quant Time: Aug 14 04:00:19 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration








#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 8.212 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087532.D  
Acq: 13 Aug 2025 14:07


Instrument : MSVOA\_N  
ClientSampleId : 1055-MW-01(23)DL





Tgt Ion:168 Resp: 249299  
Ion Ratio Lower Upper  
168 100  
99 70.7 47.9 71.9




#27  
cis-1,2-Dichloroethene  
Concen: 5.856 ug/l  
RT: 7.477 min Scan# 939  
Delta R.T. 0.006 min  
Lab File: VN087532.D  
Acq: 13 Aug 2025 14:07




Tgt Ion: 96 Resp: 21638  
Ion Ratio Lower Upper  
96 100  
61 142.7 0.0 297.8  
98 64.8 0.0 132.4








#33  
1,2-Dichloroethane-d4  
Concen: 64.297 ug/l  
RT: 8.565 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087532.D  
Acq: 13 Aug 2025 14:07


Instrument : MSVOA\_N  
ClientSampleId : 1055-MW-01(23)DL





Tgt Ion: 65 Resp: 271979  
Ion Ratio Lower Upper  
65 100  
67 50.3 0.0 104.0




#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 9.088 min Scan# 1213  
Delta R.T. 0.006 min  
Lab File: VN087532.D  
Acq: 13 Aug 2025 14:07




Tgt Ion:114 Resp: 549507  
Ion Ratio Lower Upper  
114 100  
63 22.5 0.0 44.6  
88 16.8 0.0 32.8








#35  
Dibromofluoromethane  
Concen: 50.704 ug/l  
RT: 8.153 min Scan# 1  
Instrument: MSVOA\_N  
Delta R.T. 0.006 min  
Lab File: VN087532.D  
ClientSampleId : 1055-MW-01(23)DL  
Acq: 13 Aug 2025 14:07




Tgt Ion:113 Resp: 192193  
Ion Ratio Lower Upper  
113 100  
111 103.8 82.5 123.7  
192 16.1 13.7 20.5






#44  
Trichloroethene  
Concen: 5.967 ug/l  
RT: 9.335 min Scan# 1255  
Delta R.T. 0.000 min  
Lab File: VN087532.D  
Acq: 13 Aug 2025 14:07



Tgt Ion:130 Resp: 22821  
Ion Ratio Lower Upper  
130 100  
95 114.5 0.0 195.2









#50  
Toluene-d8  
Concen: 51.980 ug/l  
RT: 10.547 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087532.D  
Acq: 13 Aug 2025 14:07


Instrument : MSVOA\_N  
ClientSampleId : 1055-MW-01(23)DL


Tgt Ion: 98 Resp: 702828  
Ion Ratio Lower Upper  
98 100  
100 65.2 52.1 78.1



#62  
4-Bromofluorobenzene  
Concen: 51.693 ug/l  
RT: 12.829 min Scan# 1849  
Delta R.T. -0.000 min  
Lab File: VN087532.D  
Acq: 13 Aug 2025 14:07

Tgt Ion: 95 Resp: 258230  
Ion Ratio Lower Upper  
95 100  
174 67.3 0.0 149.4  
176 65.2 0.0 141.2







#63  
 Chlorobenzene-d5  
 Concen: 50.000 ug/l  
 RT: 11.847 min Scan# 1  
 Delta R.T. -0.000 min  
 Lab File: VN087532.D  
 Acq: 13 Aug 2025 14:07


Instrument : MSVOA\_N  
 ClientSampleId : 1055-MW-01(23)DL


Tgt Ion:117 Resp: 507445  
 Ion Ratio Lower Upper  
 117 100  
 82 60.3 47.4 71.2  
 119 31.6 23.8 35.8



#64  
 Tetrachloroethene  
 Concen: 32.389 ug/l  
 RT: 11.088 min Scan# 1553  
 Delta R.T. 0.000 min  
 Lab File: VN087532.D  
 Acq: 13 Aug 2025 14:07

Tgt Ion:164 Resp: 105782  
 Ion Ratio Lower Upper  
 164 100  
 166 130.4 105.5 158.3  
 129 110.2 77.4 116.2  
 131 96.3 77.3 115.9





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.770 min Scan# 2

Delta R.T. -0.000 min

Lab File: VN087532.D

Acq: 13 Aug 2025 14:07

Instrument :

MSVOA\_N

ClientSampleId :

1055-MW-01(23)DL


Tgt Ion:152 Resp: 235933

Ion Ratio Lower Upper

152 100

115 65.2 31.1 93.5

150 156.6 0.0 349.0





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1056-MW-02(23.8)			SDG No.:	Q2816	
Lab Sample ID:	Q2816-02			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087520.D	1	08/12/25 17:19	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	1.00	U	0.22	1.00	ug/L
74-87-3	Chloromethane	1.00	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	2.50		0.26	1.00	ug/L
74-83-9	Bromomethane	5.00	U	1.40	5.00	ug/L
75-00-3	Chloroethane	1.00	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	1.00	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	1.00	U	0.23	1.00	ug/L
67-64-1	Acetone	15.0		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	1.00	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	1.00	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	1.00	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	1.00	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	1.10		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	1.00	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	5.00	U	1.50	5.00	ug/L
78-93-3	2-Butanone	5.00	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	1.00	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	30.1		0.19	1.00	ug/L
74-97-5	Bromochloromethane	1.00	U	0.22	1.00	ug/L
67-66-3	Chloroform	1.00	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	1.00	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	1.00	U	0.16	1.00	ug/L
71-43-2	Benzene	1.00	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	1.00	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	26.5		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	1.00	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	1.00	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	5.00	U	0.68	5.00	ug/L
108-88-3	Toluene	1.00	U	0.14	1.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## **Report of Analysis**

Client:	Day Environmental, Inc.	Date Collected:	08/07/25			
Project:	Andrews St Site - NYSDEC E828144	Date Received:	08/11/25			
Client Sample ID:	1056-MW-02(23.8)	SDG No.:	Q2816			
Lab Sample ID:	Q2816-02	Matrix:	Water			
Analytical Method:	8260D	% Solid:	0			
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:			uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch: Dilution: Date Analyzed Prep Batch ID  
VN087520.D 1 08/12/25 17:19 VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	1.00	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.00	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	1.00	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	5.00	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	1.00	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	1.00	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	54.0		0.23	1.00	ug/L
108-90-7	Chlorobenzene	1.00	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	1.00	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	2.00	U	0.24	2.00	ug/L
95-47-6	o-Xylene	1.00	U	0.12	1.00	ug/L
100-42-5	Styrene	1.00	U	0.15	1.00	ug/L
75-25-2	Bromoform	1.00	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	1.00	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	1.00	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	1.00	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	1.00	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	60.4		74 - 125	121%	SPK: 50
1868-53-7	Dibromofluoromethane	49.4		75 - 124	99%	SPK: 50
2037-26-5	Toluene-d8	51.3		86 - 113	103%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.8		77 - 121	102%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	239000	8.212			
540-36-3	1,4-Difluorobenzene	518000	9.083			
3114-55-4	Chlorobenzene-d5	474000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	221000	13.77			

## TENTATIVE IDENTIFIED COMPOUNDS



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.	Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144	Date Received:	08/11/25
Client Sample ID:	1056-MW-02(23.8)	SDG No.:	Q2816
Lab Sample ID:	Q2816-02	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:		uL	
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087520.D	1	08/12/25 17:19	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
109-99-9	Tetrahydrofuran	1.10	J		7.84	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087520.D  
 Acq On : 12 Aug 2025 17:19  
 Operator : JC\MD  
 Sample : Q2816-02  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 20 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1056-MW-02(23.8)**

Quant Time: Aug 13 03:08:12 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	238630	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.083	114	517594	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	473697	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	220538	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	244400	60.360	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	120.720%	
35) Dibromofluoromethane	8.153	113	176216	49.355	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	98.720%	
50) Toluene-d8	10.547	98	653820	51.337	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	102.680%	
62) 4-Bromofluorobenzene	12.829	95	239200	50.836	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	101.680%	
<b>Target Compounds</b>						
				Qvalue		
4) Vinyl Chloride	2.536	62	7940	2.507	ug/l	92
16) Acetone	4.430	43	28412	14.966	ug/l	# 89
21) trans-1,2-Dichloroethene	5.771	96	3503	1.140	ug/l	# 80
27) cis-1,2-Dichloroethene	7.471	96	106477	30.105	ug/l	93
29) Tetrahydrofuran	7.841	42	2171	1.139	ug/l	# 72
44) Trichloroethene	9.335	130	95371	26.475	ug/l	87
51) 4-Methyl-2-Pentanone	10.435	43	2672	0.399	ug/l	# 85
64) Tetrachloroethene	11.082	164	164586	53.985	ug/l	93


(#) = qualifier out of range (#) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087520.D  
Acq On : 12 Aug 2025 17:19  
Operator : JC\MD  
Sample : Q2816-02  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 20 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1056-MW-02(23.8)


Quant Time: Aug 13 03:08:12 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration








#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 8.212 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087520.D  
Acq: 12 Aug 2025 17:19


Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)





Tgt Ion:168 Resp: 238630  
Ion Ratio Lower Upper  
168 100  
99 70.0 47.9 71.9






#4  
Vinyl Chloride  
Concen: 2.507 ug/l  
RT: 2.536 min Scan# 99  
Delta R.T. -0.006 min  
Lab File: VN087520.D  
Acq: 12 Aug 2025 17:19



Tgt Ion: 62 Resp: 7940  
Ion Ratio Lower Upper  
62 100  
64 29.3 27.0 40.6





#16

Acetone

Concen: 14.966 ug/l

RT: 4.430 min Scan# 4

Delta R.T. 0.006 min

Lab File: VN087520.D

Acq: 12 Aug 2025 17:19

Instrument:

MSVOA\_N

ClientSampleId :





1056-MW-02(23.8)

Tgt Ion: 43 Resp: 28412

Ion Ratio Lower Upper

43 100

58 33.8 22.3 33.5#



#21

trans-1,2-Dichloroethene

Concen: 1.140 ug/l

RT: 5.771 min Scan# 649

Delta R.T. -0.000 min

Lab File: VN087520.D

Acq: 12 Aug 2025 17:19


Tgt Ion: 96 Resp: 3503


Ion Ratio Lower Upper

96 100

61 119.9 122.0 183.0#



98 68.5 50.0 75.0






#27  
cis-1,2-Dichloroethene  
Concen: 30.105 ug/l  
RT: 7.471 min Scan# 9  
Instrument : MSVOA\_N  
Delta R.T. 0.000 min  
Lab File: VN087520.D  
Acq: 12 Aug 2025 17:19  
ClientSampleId : 1056-MW-02(23.8)






Tgt Ion: 96 Resp: 106477  
Ion Ratio Lower Upper  
96 100  
61 138.0 0.0 297.8  
98 63.7 0.0 132.4



#29  
Tetrahydrofuran  
Concen: 1.139 ug/l  
RT: 7.841 min Scan# 1001  
Delta R.T. 0.012 min  
Lab File: VN087520.D  
Acq: 12 Aug 2025 17:19

Tgt Ion: 42 Resp: 2171  
Ion Ratio Lower Upper  
42 100  
72 26.1 33.4 50.0#  
71 20.0 31.2 46.8#





#33

1,2-Dichloroethane-d4

Concen: 60.360 ug/l

RT: 8.565 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087520.D

Acq: 12 Aug 2025 17:19

Instrument :

MSVOA\_N

ClientSampleId :


1056-MW-02(23.8)

Tgt Ion: 65 Resp: 244400

Ion Ratio Lower Upper

65 100

67 49.8 0.0 104.0



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.083 min Scan# 1212

Delta R.T. 0.001 min

Lab File: VN087520.D

Acq: 12 Aug 2025 17:19


Tgt Ion: 114 Resp: 517594




Ion Ratio Lower Upper

114 100

63 23.3 0.0 44.6

88 16.1 0.0 32.8





#35

Dibromofluoromethane

Concen: 49.355 ug/l

RT: 8.153 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087520.D

Acq: 12 Aug 2025 17:19

Instrument:

MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)





Tgt Ion:113 Resp: 176216

Ion Ratio Lower Upper

113 100

111 104.1 82.5 123.7

192 15.9 13.7 20.5



#44

Trichloroethene

Concen: 26.475 ug/l

RT: 9.335 min Scan# 1255

Delta R.T. 0.000 min

Lab File: VN087520.D


Acq: 12 Aug 2025 17:19




Tgt Ion:130 Resp: 95371

Ion Ratio Lower Upper

130 100

95 110.3 0.0 195.2








#50  
Toluene-d8  
Concen: 51.337 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087520.D  
Acq: 12 Aug 2025 17:19



Instrument: MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)




Tgt Ion: 98 Resp: 653820  
Ion Ratio Lower Upper  
98 100  
100 64.8 52.1 78.1



#51  
4-Methyl-2-Pentanone  
Concen: 0.399 ug/l  
RT: 10.435 min Scan# 1442  
Delta R.T. 0.006 min  
Lab File: VN087520.D  
Acq: 12 Aug 2025 17:19

Tgt Ion: 43 Resp: 2672  
Ion Ratio Lower Upper  
43 100  
58 29.6 30.8 46.2#





#62

4-Bromofluorobenzene

Concen: 50.836 ug/l

RT: 12.829 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087520.D

Acq: 12 Aug 2025 17:19

Instrument:

MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)





Tgt Ion: 95 Resp: 239200

Ion Ratio Lower Upper

95 100

174 68.7 0.0 149.4

176 65.2 0.0 141.2



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.847 min Scan# 1682

Delta R.T. 0.000 min

Lab File: VN087520.D

Acq: 12 Aug 2025 17:19


Tgt Ion:117 Resp: 473697


Ion Ratio Lower Upper

117 100

82 61.7 47.4 71.2


119 32.4 23.8 35.8








#64  
Tetrachloroethene  
Concen: 53.985 ug/l  
RT: 11.082 min Scan# 1  
Delta R.T. -0.006 min  
Lab File: VN087520.D  
Acq: 12 Aug 2025 17:19


Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)




Tgt Ion:164 Resp: 164586  
Ion Ratio Lower Upper  
164 100  
166 126.4 105.5 158.3  
129 104.9 77.4 116.2  
131 103.8 77.3 115.9



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.770 min Scan# 2009  
Delta R.T. 0.000 min  
Lab File: VN087520.D  
Acq: 12 Aug 2025 17:19



Tgt Ion:152 Resp: 220538  
Ion Ratio Lower Upper  
152 100  
115 64.8 31.1 93.5  
150 158.8 0.0 349.0



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087520.D  
 Acq On : 12 Aug 2025 17:19  
 Operator : JC\MD  
 Sample : Q2816-02  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 20 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1056-MW-02(23.8)**

Integration Parameters: RTEINT.P

Integrator: RTE  
 Smoothing : ON Filtering: 5  
 Sampling : 1 Min Area: 3 % of largest Peak  
 Start Thrs: 0.2 Max Peaks: 100  
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >  
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Title : SW846 8260

Signal : TIC: VN087520.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.536	94	99	105	rVB4	13128	22570	1.22%	0.184%
2	4.430	413	421	428	rVB2	15009	44106	2.39%	0.360%
3	7.477	926	939	955	rBV2	183000	507294	27.47%	4.137%
4	8.153	1043	1054	1058	rBV2	245300	581076	31.46%	4.739%
5	8.212	1058	1064	1077	rVB	353923	834674	45.19%	6.807%
6	8.565	1115	1124	1133	rBV	287187	656655	35.55%	5.355%
7	9.083	1203	1212	1225	rBV	626748	1317566	71.34%	10.745%
8	9.335	1247	1255	1270	rBV	287398	604678	32.74%	4.931%
9	10.547	1450	1461	1477	rBV	994081	1846931	100.00%	15.062%
10	11.082	1544	1552	1564	rBV	795356	1462386	79.18%	11.926%
11	11.847	1674	1682	1696	rBV	901781	1625166	87.99%	13.254%
12	12.829	1840	1849	1862	rBV	678366	1219648	66.04%	9.947%
13	13.770	2001	2009	2024	rBV	872325	1539242	83.34%	12.553%




Sum of corrected areas: 12261992

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087520.D  
 Acq On : 12 Aug 2025 17:19  
 Operator : JC\MD  
 Sample : Q2816-02  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 20 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1056-MW-02(23.8)**

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
 TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087520.D  
Acq On : 12 Aug 2025 17:19  
Operator : JC\MD  
Sample : Q2816-02  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 20 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1056-MW-02(23.8)

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

\*\*\*\*\*

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087520.D  
Acq On : 12 Aug 2025 17:19  
Operator : JC\MD  
Sample : Q2816-02  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 20 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1056-MW-02(23.8)

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard---		
					#	RT	Resp



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1057-MW-03A(17)			SDG No.:	Q2816	
Lab Sample ID:	Q2816-05			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087513.D	1	08/12/25 14:46	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	1.00	U	0.22	1.00	ug/L
74-87-3	Chloromethane	1.00	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	1.00	U	0.26	1.00	ug/L
74-83-9	Bromomethane	5.00	U	1.40	5.00	ug/L
75-00-3	Chloroethane	1.00	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	1.00	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	1.00	U	0.23	1.00	ug/L
67-64-1	Acetone	13.6		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	1.00	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	1.00	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	1.00	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	1.00	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	5.90		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	1.00	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	5.00	U	1.50	5.00	ug/L
78-93-3	2-Butanone	5.00	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	1.00	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	70.4		0.19	1.00	ug/L
74-97-5	Bromochloromethane	1.00	U	0.22	1.00	ug/L
67-66-3	Chloroform	1.00	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	1.00	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	1.00	U	0.16	1.00	ug/L
71-43-2	Benzene	1.00	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	1.00	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	120		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	1.00	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	1.00	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	5.00	U	0.68	5.00	ug/L
108-88-3	Toluene	1.00	U	0.14	1.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1057-MW-03A(17)			SDG No.:	Q2816	
Lab Sample ID:	Q2816-05			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087513.D	1	08/12/25 14:46	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	1.00	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.00	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	1.00	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	5.00	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	1.00	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	1.00	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	160	E	0.23	1.00	ug/L
108-90-7	Chlorobenzene	1.00	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	1.00	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	2.00	U	0.24	2.00	ug/L
95-47-6	o-Xylene	1.00	U	0.12	1.00	ug/L
100-42-5	Styrene	1.00	U	0.15	1.00	ug/L
75-25-2	Bromoform	1.00	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	1.00	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	1.00	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	1.00	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	1.00	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	60.6		74 - 125	121%	SPK: 50
1868-53-7	Dibromofluoromethane	49.0		75 - 124	98%	SPK: 50
2037-26-5	Toluene-d8	51.4		86 - 113	103%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.9		77 - 121	104%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	249000	8.206			
540-36-3	1,4-Difluorobenzene	554000	9.083			
3114-55-4	Chlorobenzene-d5	513000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	234000	13.77			



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.	Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144	Date Received:	08/11/25
Client Sample ID:	1057-MW-03A(17)	SDG No.:	Q2816
Lab Sample ID:	Q2816-05	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:		uL	
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087513.D	1	08/12/25 14:46	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087513.D  
 Acq On : 12 Aug 2025 14:46  
 Operator : JC\MD  
 Sample : Q2816-05  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 13 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1057-MW-03A(17)**

Quant Time: Aug 13 03:05:26 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.206	168	248546	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.083	114	554436	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	512804	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	233578	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	255488	60.581	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	121.160%	
35) Dibromofluoromethane	8.153	113	187535	49.035	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	98.080%	
50) Toluene-d8	10.547	98	700794	51.369	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	102.740%	
62) 4-Bromofluorobenzene	12.829	95	261737	51.930	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	103.860%	
<b>Target Compounds</b>						
				Qvalue		
16) Acetone	4.430	43	26946	13.627	ug/l	# 87
21) trans-1,2-Dichloroethene	5.777	96	18909	5.910	ug/l	96
27) cis-1,2-Dichloroethene	7.477	96	259520	70.448	ug/l	93
44) Trichloroethene	9.335	130	450946	116.863	ug/l	88
64) Tetrachloroethene	11.082	164	515186	156.096	ug/l	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087513.D  
Acq On : 12 Aug 2025 14:46  
Operator : JC\MD  
Sample : Q2816-05  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1057-MW-03A(17)


Quant Time: Aug 13 03:05:26 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration








#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 8.206 min Scan# 1  
Delta R.T. -0.006 min  
Lab File: VN087513.D  
Acq: 12 Aug 2025 14:46


Instrument : MSVOA\_N  
ClientSampleId : 1057-MW-03A(17)





Tgt Ion:168 Resp: 248546  
Ion Ratio Lower Upper  
168 100  
99 68.4 47.9 71.9




#16  
Acetone  
Concen: 13.627 ug/l  
RT: 4.430 min Scan# 421  
Delta R.T. 0.006 min  
Lab File: VN087513.D  
Acq: 12 Aug 2025 14:46



Tgt Ion: 43 Resp: 26946  
Ion Ratio Lower Upper  
43 100  
58 34.9 22.3 33.5#







#21  
*trans*-1,2-Dichloroethene  
 Concen: 5.910 ug/l  
 RT: 5.777 min Scan# 6  
 Delta R.T. 0.006 min  
 Lab File: VN087513.D  
 Acq: 12 Aug 2025 14:46


Instrument : MSVOA\_N  
 ClientSampleId : 1057-MW-03A(17)


Tgt Ion: 96 Resp: 18909  
 Ion Ratio Lower Upper  
 96 100  
 61 155.0 122.0 183.0  
 98 54.9 50.0 75.0



#27  
*cis*-1,2-Dichloroethene  
 Concen: 70.448 ug/l  
 RT: 7.477 min Scan# 939  
 Delta R.T. 0.006 min  
 Lab File: VN087513.D  
 Acq: 12 Aug 2025 14:46


Tgt Ion: 96 Resp: 259520  
 Ion Ratio Lower Upper  
 96 100  
 61 138.0 0.0 297.8  
 98 62.8 0.0 132.4








#33  
1,2-Dichloroethane-d4  
Concen: 60.581 ug/l  
RT: 8.565 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087513.D  
Acq: 12 Aug 2025 14:46


Instrument : MSVOA\_N  
ClientSampleId : 1057-MW-03A(17)





Tgt Ion: 65 Resp: 255488  
Ion Ratio Lower Upper  
65 100  
67 49.6 0.0 104.0






#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 9.083 min Scan# 1212  
Delta R.T. 0.001 min  
Lab File: VN087513.D  
Acq: 12 Aug 2025 14:46



Tgt Ion:114 Resp: 554436  
Ion Ratio Lower Upper  
114 100  
63 22.4 0.0 44.6  
88 15.7 0.0 32.8





#35

Dibromofluoromethane

Concen: 49.035 ug/l

RT: 8.153 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087513.D

Acq: 12 Aug 2025 14:46

Instrument:

MSVOA\_N

ClientSampleId :

1057-MW-03A(17)




Tgt Ion:113 Resp: 187535

Ion Ratio Lower Upper

113 100

111 101.7 82.5 123.7

192 16.0 13.7 20.5



#44

Trichloroethene

Concen: 116.863 ug/l

RT: 9.335 min Scan# 1255

Delta R.T. 0.000 min

Lab File: VN087513.D


Acq: 12 Aug 2025 14:46


Tgt Ion:130 Resp: 450946

Ion Ratio Lower Upper


130 100

95 109.1 0.0 195.2





Abundance Scan 1461 (10.547 min): VN087513.D\data.ms



#50

Toluene-d8

Concen: 51.369 ug/l

RT: 10.547 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087513.D

Acq: 12 Aug 2025 14:46

Instrument:

MSVOA\_N

ClientSampleId :





1057-MW-03A(17)

Tgt Ion: 98 Resp: 700794

Ion Ratio Lower Upper

98 100

100 64.5 52.1 78.1



#62

4-Bromofluorobenzene

Concen: 51.930 ug/l

RT: 12.829 min Scan# 1849

Delta R.T. 0.000 min

Lab File: VN087513.D

Acq: 12 Aug 2025 14:46


Tgt Ion: 95 Resp: 261737


Ion Ratio Lower Upper

95 100

174 66.5 0.0 149.4

176 63.7 0.0 141.2







#63  
 Chlorobenzene-d5  
 Concen: 50.000 ug/l  
 RT: 11.847 min Scan# 1  
 Delta R.T. 0.000 min  
 Lab File: VN087513.D  
 Acq: 12 Aug 2025 14:46


Instrument : MSVOA\_N  
 ClientSampleId : 1057-MW-03A(17)


Tgt Ion:117 Resp: 512804  
 Ion Ratio Lower Upper  
 117 100  
 82 57.7 47.4 71.2  
 119 30.7 23.8 35.8



#64  
 Tetrachloroethene  
 Concen: 156.096 ug/l  
 RT: 11.082 min Scan# 1552  
 Delta R.T. -0.006 min  
 Lab File: VN087513.D  
 Acq: 12 Aug 2025 14:46

Tgt Ion:164 Resp: 515186  
 Ion Ratio Lower Upper  
 164 100  
 166 126.9 105.5 158.3  
 129 106.0 77.4 116.2  
 131 97.2 77.3 115.9






#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.770 min Scan# 2  
Delta R.T. 0.000 min  
Lab File: VN087513.D  
Acq: 12 Aug 2025 14:46

Instrument : MSVOA\_N  
ClientSampleId : 1057-MW-03A(17)

Tgt Ion:152 Resp: 233578  
Ion Ratio Lower Upper  
152 100  
115 66.5 31.1 93.5  
150 159.8 0.0 349.0



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087513.D  
 Acq On : 12 Aug 2025 14:46  
 Operator : JC\MD  
 Sample : Q2816-05  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 13 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1057-MW-03A(17)**

Integration Parameters: RTEINT.P

Integrator: RTE  
 Smoothing : ON Filtering: 5  
 Sampling : 1 Min Area: 3 % of largest Peak  
 Start Thrs: 0.2 Max Peaks: 100  
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >  
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Title : SW846 8260

Signal : TIC: VN087513.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	5.771	640	649	661	rVB2	32491	103714	2.25%	0.548%
2	7.471	927	938	958	rVB2	442353	1193552	25.93%	6.309%
3	8.153	1043	1054	1058	rBV	263819	620497	13.48%	3.280%
4	8.206	1058	1063	1078	rVB2	375052	878323	19.08%	4.643%
5	8.565	1111	1124	1136	rBV	310343	706400	15.34%	3.734%
6	9.083	1203	1212	1222	rBV	671839	1399483	30.40%	7.397%
7	9.335	1244	1255	1267	rBV	1361639	2787953	60.56%	14.736%
8	10.547	1452	1461	1471	rBV	1064503	1958949	42.55%	10.354%
9	11.082	1542	1552	1564	rBV	2473340	4603623	100.00%	24.333%
10	11.847	1673	1682	1697	rBV	942982	1734446	37.68%	9.168%
11	12.829	1841	1849	1861	rBV	726788	1299790	28.23%	6.870%
12	13.770	2002	2009	2022	rBV	933963	1632147	35.45%	8.627%




Sum of corrected areas: 18918877

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087513.D  
 Acq On : 12 Aug 2025 14:46  
 Operator : JC\MD  
 Sample : Q2816-05  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 13 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1057-MW-03A(17)**

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
 TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087513.D  
Acq On : 12 Aug 2025 14:46  
Operator : JC\MD  
Sample : Q2816-05  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1057-MW-03A(17)

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

\*\*\*\*\*

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087513.D  
Acq On : 12 Aug 2025 14:46  
Operator : JC\MD  
Sample : Q2816-05  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1057-MW-03A(17)

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard---		
					#	RT	Resp



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1057-MW-03A(17)DL			SDG No.:	Q2816	
Lab Sample ID:	Q2816-05DL			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087531.D	5	08/13/25 13:45	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	5.00	UDQ	1.10	5.00	ug/L
74-87-3	Chloromethane	5.00	UD	1.60	5.00	ug/L
75-01-4	Vinyl Chloride	5.00	UD	1.30	5.00	ug/L
74-83-9	Bromomethane	25.0	UD	7.20	25.0	ug/L
75-00-3	Chloroethane	5.00	UD	2.40	5.00	ug/L
75-69-4	Trichlorofluoromethane	5.00	UD	1.70	5.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	5.00	UD	1.30	5.00	ug/L
75-35-4	1,1-Dichloroethene	5.00	UD	1.20	5.00	ug/L
67-64-1	Acetone	24.3	JD	7.60	25.0	ug/L
75-15-0	Carbon Disulfide	5.00	UD	1.10	5.00	ug/L
1634-04-4	Methyl tert-butyl Ether	5.00	UDQ	0.80	5.00	ug/L
79-20-9	Methyl Acetate	5.00	UD	1.40	5.00	ug/L
75-09-2	Methylene Chloride	5.00	UD	1.40	5.00	ug/L
156-60-5	trans-1,2-Dichloroethene	5.00	UD	1.20	5.00	ug/L
75-34-3	1,1-Dichloroethane	5.00	UD	1.20	5.00	ug/L
110-82-7	Cyclohexane	25.0	UD	7.30	25.0	ug/L
78-93-3	2-Butanone	25.0	UD	4.90	25.0	ug/L
56-23-5	Carbon Tetrachloride	5.00	UD	1.30	5.00	ug/L
156-59-2	cis-1,2-Dichloroethene	66.7	D	0.95	5.00	ug/L
74-97-5	Bromochloromethane	5.00	UDQ	1.10	5.00	ug/L
67-66-3	Chloroform	5.00	UD	1.30	5.00	ug/L
71-55-6	1,1,1-Trichloroethane	5.00	UD	1.00	5.00	ug/L
108-87-2	Methylcyclohexane	5.00	UD	0.80	5.00	ug/L
71-43-2	Benzene	5.00	UD	0.75	5.00	ug/L
107-06-2	1,2-Dichloroethane	5.00	UD	1.10	5.00	ug/L
79-01-6	Trichloroethene	110	D	0.47	5.00	ug/L
78-87-5	1,2-Dichloropropane	5.00	UD	1.00	5.00	ug/L
75-27-4	Bromodichloromethane	5.00	UD	1.10	5.00	ug/L
108-10-1	4-Methyl-2-Pentanone	25.0	UD	3.40	25.0	ug/L
108-88-3	Toluene	5.00	UD	0.70	5.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1057-MW-03A(17)DL			SDG No.:	Q2816	
Lab Sample ID:	Q2816-05DL			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087531.D	5	08/13/25 13:45	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	5.00	UD	0.85	5.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	5.00	UD	0.80	5.00	ug/L
79-00-5	1,1,2-Trichloroethane	5.00	UD	1.10	5.00	ug/L
591-78-6	2-Hexanone	25.0	UD	4.50	25.0	ug/L
124-48-1	Dibromochloromethane	5.00	UD	0.90	5.00	ug/L
106-93-4	1,2-Dibromoethane	5.00	UD	0.75	5.00	ug/L
127-18-4	Tetrachloroethene	160	D	1.20	5.00	ug/L
108-90-7	Chlorobenzene	5.00	UD	0.60	5.00	ug/L
100-41-4	Ethyl Benzene	5.00	UD	0.65	5.00	ug/L
179601-23-1	m/p-Xylenes	10.0	UD	1.20	10.0	ug/L
95-47-6	o-Xylene	5.00	UD	0.60	5.00	ug/L
100-42-5	Styrene	5.00	UD	0.75	5.00	ug/L
75-25-2	Bromoform	5.00	UD	0.95	5.00	ug/L
98-82-8	Isopropylbenzene	5.00	UD	0.60	5.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	5.00	UD	1.30	5.00	ug/L
541-73-1	1,3-Dichlorobenzene	5.00	UD	0.80	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	5.00	UD	0.95	5.00	ug/L
95-50-1	1,2-Dichlorobenzene	5.00	UD	0.80	5.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	5.00	UD	2.70	5.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	5.00	UD	1.00	5.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	5.00	UD	1.00	5.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	62.5		74 - 125	125%	SPK: 50
1868-53-7	Dibromofluoromethane	49.1		75 - 124	98%	SPK: 50
2037-26-5	Toluene-d8	51.2		86 - 113	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.4		77 - 121	99%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	242000	8.212			
540-36-3	1,4-Difluorobenzene	538000	9.088			
3114-55-4	Chlorobenzene-d5	477000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	224000	13.77			



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.	Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144	Date Received:	08/11/25
Client Sample ID:	1057-MW-03A(17)DL	SDG No.:	Q2816
Lab Sample ID:	Q2816-05DL	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:		uL	
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087531.D	5	08/13/25 13:45	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087531.D  
 Acq On : 13 Aug 2025 13:45  
 Operator : JC\MD  
 Sample : Q2816-05DL 5X  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 8 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1057-MW-03A(17)DL**

Quant Time: Aug 14 03:59:49 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	242235	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.088	114	538435	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	477328	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	224016	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	257078	62.546	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	125.100%#	
35) Dibromofluoromethane	8.153	113	182278	49.077	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	98.160%	
50) Toluene-d8	10.547	98	678568	51.218	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	102.440%	
62) 4-Bromofluorobenzene	12.829	95	242040	49.449	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	98.900%	
<b>Target Compounds</b>						
				Qvalue		
16) Acetone	4.442	43	9349	4.851 ug/l #	89	
27) cis-1,2-Dichloroethene	7.477	96	47912	13.345 ug/l	95	
44) Trichloroethene	9.335	130	85704	22.870 ug/l	87	
64) Tetrachloroethene	11.082	164	96136	31.293 ug/l	96	




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087531.D  
Acq On : 13 Aug 2025 13:45  
Operator : JC\MD  
Sample : Q2816-05DL 5X  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 8 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1057-MW-03A(17)DL



Quant Time: Aug 14 03:59:49 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration








#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 8.212 min Scan# 1  
Instrument: MSVOA\_N  
Delta R.T. 0.000 min  
Lab File: VN087531.D  
ClientSampleId : 1057-MW-03A(17)DL  
Acq: 13 Aug 2025 13:45


Tgt Ion:168 Resp: 242235  
Ion Ratio Lower Upper  
168 100  
99 69.6 47.9 71.9



#16  
Acetone  
Concen: 4.851 ug/l  
RT: 4.422 min Scan# 423  
Delta R.T. 0.018 min  
Lab File: VN087531.D  
Acq: 13 Aug 2025 13:45



Tgt Ion: 43 Resp: 9349  
Ion Ratio Lower Upper  
43 100  
58 22.0 22.3 33.5#






#27  
cis-1,2-Dichloroethene  
Concen: 13.345 ug/l  
RT: 7.477 min Scan# 9  
Instrument : MSVOA\_N  
Delta R.T. 0.006 min  
Lab File: VN087531.D  
Acq: 13 Aug 2025 13:45 ClientSampleId : 1057-MW-03A(17)DL







Tgt Ion: 96 Resp: 47912  
Ion Ratio Lower Upper  
96 100  
61 140.6 0.0 297.8  
98 65.4 0.0 132.4



#33  
1,2-Dichloroethane-d4  
Concen: 62.546 ug/l  
RT: 8.565 min Scan# 1124  
Delta R.T. 0.000 min  
Lab File: VN087531.D  
Acq: 13 Aug 2025 13:45

Tgt Ion: 65 Resp: 257078  
Ion Ratio Lower Upper  
65 100  
67 49.4 0.0 104.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.088 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087531.D

Acq: 13 Aug 2025 13:45

Instrument :

MSVOA\_N

ClientSampleId :

1057-MW-03A(17)DL

Tgt Ion:114 Resp: 538435

Ion Ratio Lower Upper


114 100

63 22.1

88 15.9

0.0 44.6

0.0 32.8



#35

Dibromofluoromethane

Concen: 49.077 ug/l

RT: 8.153 min Scan# 1054

Delta R.T. 0.006 min

Lab File: VN087531.D

Acq: 13 Aug 2025 13:45

Tgt Ion:113 Resp: 182278

Ion Ratio Lower Upper


113 100


111 103.4

192 16.5

82.5 123.7


13.7 20.5








#44  
Trichloroethene  
Concen: 22.870 ug/l  
RT: 9.335 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087531.D  
Acq: 13 Aug 2025 13:45


Instrument : MSVOA\_N  
ClientSampleId : 1057-MW-03A(17)DL





Tgt Ion:130 Resp: 85704  
Ion Ratio Lower Upper  
130 100  
95 110.3 0.0 195.2




#50  
Toluene-d8  
Concen: 51.218 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087531.D  
Acq: 13 Aug 2025 13:45





Tgt Ion: 98 Resp: 678568  
Ion Ratio Lower Upper  
98 100  
100 64.4 52.1 78.1






#62  
4-Bromofluorobenzene  
Concen: 49.449 ug/l  
RT: 12.829 min Scan# 1  
Instrument : MSVOA\_N  
Delta R.T. 0.000 min  
Lab File: VN087531.D  
Acq: 13 Aug 2025 13:45 ClientSampleId : 1057-MW-03A(17)DL




Tgt Ion: 95 Resp: 242040  
Ion Ratio Lower Upper  
95 100  
174 67.5 0.0 149.4  
176 63.1 0.0 141.2



#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.847 min Scan# 1682  
Delta R.T. 0.000 min  
Lab File: VN087531.D  
Acq: 13 Aug 2025 13:45

Tgt Ion:117 Resp: 477328  
Ion Ratio Lower Upper  
117 100  
82 61.3 47.4 71.2  
119 32.5 23.8 35.8





#64

Tetrachloroethene

Concen: 31.293 ug/l

RT: 11.082 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087531.D

Acq: 13 Aug 2025 13:45

**Instrument:** MSVOA\_N  
**ClientSampleId :** 1057-MW-03A(17)DL

Tgt Ion:164 Resp: 96136

Ion Ratio Lower Upper





164 100

166 127.2 105.5 158.3

129 103.0 77.4 116.2

131 93.8 77.3 115.9

Abundance



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.770 min Scan# 2009

Delta R.T. 0.000 min

Lab File: VN087531.D

Acq: 13 Aug 2025 13:45

Tgt Ion:152 Resp: 224016


Ion Ratio Lower Upper

152 100

115 64.9 31.1 93.5

150 157.2 0.0 349.0

Abundance





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1058-MW-11(15)			SDG No.:	Q2816	
Lab Sample ID:	Q2816-06			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087514.D	1	08/12/25 15:07	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	1.00	U	0.22	1.00	ug/L
74-87-3	Chloromethane	0.35	J	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	2.10		0.26	1.00	ug/L
74-83-9	Bromomethane	5.00	U	1.40	5.00	ug/L
75-00-3	Chloroethane	1.00	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	1.00	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	1.00	U	0.23	1.00	ug/L
67-64-1	Acetone	17.1		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	1.00	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	1.00	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	1.00	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	1.00	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.55	J	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	1.00	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	5.00	U	1.50	5.00	ug/L
78-93-3	2-Butanone	2.90	J	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	1.00	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	24.4		0.19	1.00	ug/L
74-97-5	Bromochloromethane	1.00	U	0.22	1.00	ug/L
67-66-3	Chloroform	1.00	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	1.00	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	1.00	U	0.16	1.00	ug/L
71-43-2	Benzene	1.00	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	1.00	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	29.1		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	1.00	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	1.00	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	5.00	U	0.68	5.00	ug/L
108-88-3	Toluene	1.00	U	0.14	1.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## **Report of Analysis**

Client: Day Environmental, Inc. Date Collected: 08/07/25  
Project: Andrews St Site - NYSDEC E828144 Date Received: 08/11/25  
Client Sample ID: 1058-MW-11(15) SDG No.: Q2816  
Lab Sample ID: Q2816-06 Matrix: Water  
Analytical Method: 8260D % Solid: 0  
Sample Wt/Vol: 5 Units: mL Final Vol: 5000 uL  
Soil Aliquot Vol: uL Test: VOC-TCLVOA-10  
GC Column: RXI-624 ID : 0.25 Level : LOW  
Prep Method :

File ID/Qc Batch: Dilution: Date Analyzed Prep Batch ID  
VN087514.D 1 08/12/25 15:07 VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	1.00	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.00	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	1.00	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	5.00	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	1.00	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	1.00	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	140		0.23	1.00	ug/L
108-90-7	Chlorobenzene	1.00	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	1.00	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	2.00	U	0.24	2.00	ug/L
95-47-6	o-Xylene	1.00	U	0.12	1.00	ug/L
100-42-5	Styrene	1.00	U	0.15	1.00	ug/L
75-25-2	Bromoform	1.00	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	1.00	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	1.00	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	1.00	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	1.00	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	61.3		74 - 125	123%	SPK: 50
1868-53-7	Dibromofluoromethane	49.9		75 - 124	100%	SPK: 50
2037-26-5	Toluene-d8	52.2		86 - 113	104%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.4		77 - 121	105%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	245000	8.212			
540-36-3	1,4-Difluorobenzene	534000	9.082			
3114-55-4	Chlorobenzene-d5	498000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	234000	13.77			



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.	Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144	Date Received:	08/11/25
Client Sample ID:	1058-MW-11(15)	SDG No.:	Q2816
Lab Sample ID:	Q2816-06	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087514.D	1	08/12/25 15:07	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
000074-93-1	Methanethiol	21.8	J		2.87	ug/L
000075-18-3	Dimethyl sulfide	29.2	J		4.52	ug/L
000624-92-0	Disulfide, dimethyl	12.5	J		10.4	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087514.D  
 Acq On : 12 Aug 2025 15:07  
 Operator : JC\MD  
 Sample : Q2816-06  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 14 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1058-MW-11(15)**

Quant Time: Aug 13 03:05:49 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	245218	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.082	114	533590	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	497794	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	234425	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.565	65	255216	61.338	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	122.680%
35) Dibromofluoromethane	8.153	113	183717	49.914	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	99.820%
50) Toluene-d8	10.547	98	685529	52.213	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	104.420%
62) 4-Bromofluorobenzene	12.829	95	253983	52.360	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	104.720%


Target Compounds					Qvalue	
3) Chloromethane	2.389	50	1146	0.350	ug/l	# 86
4) Vinyl Chloride	2.542	62	6862	2.108	ug/l	96
16) Acetone	4.418	43	33399	17.120	ug/l	99
21) trans-1,2-Dichloroethene	5.777	96	1745	0.553	ug/l	90
25) 2-Butanone	7.483	43	8824	2.927	ug/l	# 82
27) cis-1,2-Dichloroethene	7.477	96	88700	24.405	ug/l	92
44) Trichloroethene	9.335	130	108002	29.082	ug/l	98
51) 4-Methyl-2-Pentanone	10.424	43	3226	0.468	ug/l	# 75
64) Tetrachloroethene	11.082	164	457072	142.664	ug/l	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087514.D  
Acq On : 12 Aug 2025 15:07  
Operator : JC\MD  
Sample : Q2816-06  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1058-MW-11(15)


Quant Time: Aug 13 03:05:49 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration








#1  
 Pentafluorobenzene  
 Concen: 50.000 ug/l  
 RT: 8.212 min Scan# 1  
 Delta R.T. -0.000 min  
 Lab File: VN087514.D  
 Acq: 12 Aug 2025 15:07


Instrument : MSVOA\_N  
 ClientSampleId : 1058-MW-11(15)





Tgt Ion:168 Resp: 245218  
 Ion Ratio Lower Upper  
 168 100  
 99 66.1 47.9 71.9




#3  
 Chloromethane  
 Concen: 0.350 ug/l  
 RT: 2.389 min Scan# 74  
 Delta R.T. 0.006 min  
 Lab File: VN087514.D  
 Acq: 12 Aug 2025 15:07




Tgt Ion: 50 Resp: 1146  
 Ion Ratio Lower Upper  
 50 100  
 52 25.1 26.3 39.5#








#4  
 Vinyl Chloride  
 Concen: 2.108 ug/l  
 RT: 2.542 min Scan# 1  
 Delta R.T. 0.000 min  
 Lab File: VN087514.D  
 Acq: 12 Aug 2025 15:07


Instrument: MSVOA\_N  
 ClientSampleId: 1058-MW-11(15)





Tgt Ion: 62 Resp: 6862  
 Ion Ratio Lower Upper  
 62 100  
 64 35.8 27.0 40.6






#16  
 Acetone  
 Concen: 17.120 ug/l  
 RT: 4.418 min Scan# 419  
 Delta R.T. -0.006 min  
 Lab File: VN087514.D  
 Acq: 12 Aug 2025 15:07



Tgt Ion: 43 Resp: 33399  
 Ion Ratio Lower Upper  
 43 100  
 58 27.3 22.3 33.5





#21

trans-1,2-Dichloroethene

Concen: 0.553 ug/l

RT: 5.777 min Scan# 6

Delta R.T. 0.006 min

Lab File: VN087514.D

Acq: 12 Aug 2025 15:07

Instrument:

MSVOA\_N

ClientSampleId :

1058-MW-11(15)





Tgt Ion: 96 Resp: 1745

Ion Ratio Lower Upper

96 100

61 142.1 122.0 183.0

98 51.1 50.0 75.0



#25

2-Butanone

Concen: 2.927 ug/l

RT: 7.483 min Scan# 940

Delta R.T. 0.012 min

Lab File: VN087514.D


Acq: 12 Aug 2025 15:07


Tgt Ion: 43 Resp: 8824

Ion Ratio Lower Upper

43 100



72 33.6 19.6 29.4#






#27  
cis-1,2-Dichloroethene  
Concen: 24.405 ug/l  
RT: 7.477 min Scan# 9  
Instrument : MSVOA\_N  
Delta R.T. 0.006 min  
Lab File: VN087514.D  
Acq: 12 Aug 2025 15:07 ClientSampleId : 1058-MW-11(15)







Tgt Ion: 96 Resp: 88700  
Ion Ratio Lower Upper  
96 100  
61 136.8 0.0 297.8  
98 62.6 0.0 132.4



#33  
1,2-Dichloroethane-d4  
Concen: 61.338 ug/l  
RT: 8.565 min Scan# 1124  
Delta R.T. 0.000 min  
Lab File: VN087514.D  
Acq: 12 Aug 2025 15:07

Tgt Ion: 65 Resp: 255216  
Ion Ratio Lower Upper  
65 100  
67 50.2 0.0 104.0






#34

1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 9.082 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087514.D  
Acq: 12 Aug 2025 15:07

Instrument : MSVOA\_N  
ClientSampleId : 1058-MW-11(15)


Tgt Ion:114 Resp: 533590  
Ion Ratio Lower Upper  
114 100  
63 23.6 0.0 44.6  
88 16.1 0.0 32.8




#35

Dibromofluoromethane  
Concen: 49.914 ug/l  
RT: 8.153 min Scan# 1054  
Delta R.T. 0.006 min  
Lab File: VN087514.D  
Acq: 12 Aug 2025 15:07


Tgt Ion:113 Resp: 183717  
Ion Ratio Lower Upper  
113 100  
111 105.0 82.5 123.7  
192 16.6 13.7 20.5







#44  
Trichloroethene  
Concen: 29.082 ug/l  
RT: 9.335 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087514.D  
Acq: 12 Aug 2025 15:07


Instrument : MSVOA\_N  
ClientSampleId : 1058-MW-11(15)





Tgt Ion:130 Resp: 108002  
Ion Ratio Lower Upper  
130 100  
95 99.3 0.0 195.2






#50  
Toluene-d8  
Concen: 52.213 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087514.D  
Acq: 12 Aug 2025 15:07



Tgt Ion: 98 Resp: 685529  
Ion Ratio Lower Upper  
98 100  
100 64.0 52.1 78.1





#51

4-Methyl-2-Pentanone

Concen: 0.468 ug/l

RT: 10.424 min Scan# 1

Delta R.T. -0.005 min

Lab File: VN087514.D

Acq: 12 Aug 2025 15:07

Instrument:





MSVOA\_N

ClientSampleId :

1058-MW-11(15)

Tgt Ion: 43 Resp: 3226

Ion Ratio Lower Upper

43 100  
58 23.1 30.8 46.2#

#62

4-Bromofluorobenzene

Concen: 52.360 ug/l

RT: 12.829 min Scan# 1849


Delta R.T. 0.000 min




Lab File: VN087514.D

Acq: 12 Aug 2025 15:07

Tgt Ion: 95 Resp: 253983

Ion Ratio Lower Upper




95 100  
174 66.1 0.0 149.4  
176 64.8 0.0 141.2



#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.847 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087514.D  
Acq: 12 Aug 2025 15:07


Instrument : MSVOA\_N  
ClientSampleId : 1058-MW-11(15)


Tgt Ion:117 Resp: 497794  
Ion Ratio Lower Upper  
117 100  
82 61.8 47.4 71.2  
119 32.2 23.8 35.8



#64  
Tetrachloroethene  
Concen: 142.664 ug/l  
RT: 11.082 min Scan# 1552  
Delta R.T. -0.006 min  
Lab File: VN087514.D  
Acq: 12 Aug 2025 15:07

Tgt Ion:164 Resp: 457072  
Ion Ratio Lower Upper  
164 100  
166 126.6 105.5 158.3  
129 102.4 77.4 116.2  
131 98.0 77.3 115.9






#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.770 min Scan# 2  
Delta R.T. 0.000 min  
Lab File: VN087514.D  
Acq: 12 Aug 2025 15:07

Instrument : MSVOA\_N  
ClientSampleId : 1058-MW-11(15)

Tgt Ion:152 Resp: 234425  
Ion Ratio Lower Upper  
152 100  
115 64.2 31.1 93.5  
150 155.0 0.0 349.0



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087514.D  
 Acq On : 12 Aug 2025 15:07  
 Operator : JC\MD  
 Sample : Q2816-06  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 14 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1058-MW-11(15)**

Integration Parameters: RTEINT.P

Integrator: RTE  
 Smoothing : ON Filtering: 5  
 Sampling : 1 Min Area: 3 % of largest Peak  
 Start Thrs: 0.2 Max Peaks: 100  
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >  
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Title : SW846 8260

Signal : TIC: VN087514.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.865	146	155	164	rBV	151270	353703	8.84%	2.163%
2	4.430	414	421	427	rBV2	15040	42820	1.07%	0.262%
3	4.518	427	436	452	rBV2	153275	473648	11.83%	2.896%
4	4.724	460	471	472	rBV	22065	51936	1.30%	0.318%
5	7.477	926	939	949	rBV3	155499	422239	10.55%	2.582%
6	8.153	1043	1054	1059	rBV	259412	652643	16.31%	3.991%
7	8.206	1059	1063	1074	rVB	364229	810844	20.26%	4.958%
8	8.565	1115	1124	1138	rBV	301945	690358	17.25%	4.221%
9	9.082	1201	1212	1225	rBV	657799	1358657	33.95%	8.307%
10	9.335	1245	1255	1265	rBV	325308	658044	16.44%	4.024%
11	10.365	1421	1430	1447	rBV	146022	340042	8.50%	2.079%
12	10.547	1453	1461	1472	rBV	1027195	1916742	47.89%	11.720%
13	11.082	1540	1552	1562	rBV	2171933	4002146	100.00%	24.471%
14	11.847	1674	1682	1693	rBV	927587	1685623	42.12%	10.307%
15	12.829	1840	1849	1865	rBV	710059	1280416	31.99%	7.829%
16	13.770	2001	2009	2026	rBV	923569	1614985	40.35%	9.875%




Sum of corrected areas: 16354846

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087514.D  
 Acq On : 12 Aug 2025 15:07  
 Operator : JC\MD  
 Sample : Q2816-06  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 14 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1058-MW-11(15)**

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
 TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087514.D  
 Acq On : 12 Aug 2025 15:07  
 Operator : JC\MD  
 Sample : Q2816-06  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 1058-MW-11(15)

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260










TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P

\*\*\*\*\*

Peak Number 1 Methanethiol Concentration Rank 2

R.T.	EstConc	Area	Relative to ISTD	R.T.
2.865	21.81 ug/l	353703	Pentafluorobenzene	8.212
<hr/>				
Hit# of	5	Tentative ID	MW	MolForm
1	Methanethiol	48	CH4S	000074-93-1 91
2	Hydroxylamine, O-methyl-	47	CH5NO	000067-62-9 7
3	Methane, nitroso-	45	CH3NO	000865-40-7 5
4	Ethanol	46	C2H6O	000064-17-5 4
5	Ethane, fluoro-	48	C2H5F	000353-36-6 4



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087514.D  
 Acq On : 12 Aug 2025 15:07  
 Operator : JC\MD  
 Sample : Q2816-06  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 1058-MW-11(15)

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L








TIC Integration Parameters: LSCINT.P

\*\*\*\*\*

Peak Number 2 Dimethyl sulfide Concentration Rank 1

R.T.	EstConc	Area	Relative to ISTD	R.T.
4.518	29.21 ug/l	473648	Pentafluorobenzene	8.212

Hit# of	5	Tentative ID	MW	MolForm	CAS#	Qual
1	Dimethyl sulfide	62	C2H6S		000075-18-3	94
2	Borane-methyl sulfide complex	76	C2H9BS		013292-87-0	78
3	Ethanethiol	62	C2H6S		000075-08-1	72
4	Propanoic acid, 2,3-dichloro-	142	C3H4Cl2O2		000565-64-0	33
5	Acetic acid, mercapto-, methyl e...	106	C3H6O2S		002365-48-2	22



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087514.D  
 Acq On : 12 Aug 2025 15:07  
 Operator : JC\MD  
 Sample : Q2816-06  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 1058-MW-11(15)

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260










TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P

\*\*\*\*\*

Peak Number 3 Disulfide, dimethyl Concentration Rank 3

R.T.	EstConc	Area	Relative to ISTD	R.T.	
10.365	12.51 ug/l	340042	1,4-Difluorobenzene	9.082	
<hr/>					
Hit# of	5	Tentative ID	MW	MolForm	
			CAS#	Qual	
1	Disulfide, dimethyl		94	C2H6S2	000624-92-0 97
2	Dimethyl sulfone		94	C2H6O2S	000067-71-0 72
3	1,2-Ethanedithiol		94	C2H6S2	000540-63-6 37
4	2-Hexen-4-yne, 2-methyl-		94	C7H10	058275-93-7 12
5	Chloroformic acid 2-methoxyethyl...	138	C4H7ClO3	1000431-21-7 9	



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087514.D  
Acq On : 12 Aug 2025 15:07  
Operator : JC\MD  
Sample : Q2816-06  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1058-MW-11(15)

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

TIC Top Hit	Hit name	RT	EstConc	Units	Response	--Internal Standard--			
						#	RT	Resp	Conc
Methanethiol		2.865	21.8	ug/l	353703	1	8.212	810844	50.0
Dimethyl sulfide		4.518	29.2	ug/l	473648	1	8.212	810844	50.0
Disulfide, dime...		10.365	12.5	ug/l	340042	2	9.082	1358660	50.0



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1059-MW-17A(15.5)			SDG No.:	Q2816	
Lab Sample ID:	Q2816-07			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087515.D	1	08/12/25 15:29	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	1.00	U	0.22	1.00	ug/L
74-87-3	Chloromethane	1.00	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	7.00		0.26	1.00	ug/L
74-83-9	Bromomethane	5.00	U	1.40	5.00	ug/L
75-00-3	Chloroethane	1.00	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	1.00	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	1.00	U	0.23	1.00	ug/L
67-64-1	Acetone	14.9		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	1.00	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	1.00	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	1.00	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	1.00	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	7.40		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	1.00	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	5.00	U	1.50	5.00	ug/L
78-93-3	2-Butanone	5.00	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	1.00	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	150		0.19	1.00	ug/L
74-97-5	Bromochloromethane	1.00	U	0.22	1.00	ug/L
67-66-3	Chloroform	1.00	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	1.00	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	1.00	U	0.16	1.00	ug/L
71-43-2	Benzene	1.00	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	1.00	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	26.5		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	1.00	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	1.00	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	5.00	U	0.68	5.00	ug/L
108-88-3	Toluene	1.00	U	0.14	1.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1059-MW-17A(15.5)			SDG No.:	Q2816	
Lab Sample ID:	Q2816-07			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087515.D	1	08/12/25 15:29	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	1.00	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.00	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	1.00	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	5.00	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	1.00	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	1.00	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	5.00		0.23	1.00	ug/L
108-90-7	Chlorobenzene	1.00	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	1.00	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	2.00	U	0.24	2.00	ug/L
95-47-6	o-Xylene	1.00	U	0.12	1.00	ug/L
100-42-5	Styrene	1.00	U	0.15	1.00	ug/L
75-25-2	Bromoform	1.00	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	1.00	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	1.00	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	1.00	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	1.00	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	61.3		74 - 125	123%	SPK: 50
1868-53-7	Dibromofluoromethane	50.2		75 - 124	100%	SPK: 50
2037-26-5	Toluene-d8	50.8		86 - 113	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.7		77 - 121	101%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	246000	8.212			
540-36-3	1,4-Difluorobenzene	544000	9.083			
3114-55-4	Chlorobenzene-d5	499000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	233000	13.77			



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.	Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144	Date Received:	08/11/25
Client Sample ID:	1059-MW-17A(15.5)	SDG No.:	Q2816
Lab Sample ID:	Q2816-07	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087515.D	1	08/12/25 15:29	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087515.D  
 Acq On : 12 Aug 2025 15:29  
 Operator : JC\MD  
 Sample : Q2816-07  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 15 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1059-MW-17A(15.5)**

Quant Time: Aug 13 03:06:13 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	245518	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	9.083	114	544156	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	499181	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	232946	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	255388	61.304	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	= 122.600%		
35) Dibromofluoromethane	8.153	113	188310	50.168	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	= 100.340%		
50) Toluene-d8	10.547	98	680121	50.795	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	= 101.600%		
62) 4-Bromofluorobenzene	12.829	95	251013	50.743	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	= 101.480%		
<b>Target Compounds</b>						
				Qvalue		
4) Vinyl Chloride	2.542	62	22708	6.968	ug/l	98
16) Acetone	4.424	43	29045	14.870	ug/l	100
21) trans-1,2-Dichloroethene	5.783	96	23476	7.427	ug/l	86
27) cis-1,2-Dichloroethene	7.471	96	541413	148.782	ug/l	94
44) Trichloroethene	9.335	130	100249	26.470	ug/l	94
51) 4-Methyl-2-Pentanone	10.424	43	3598	0.512	ug/l	# 76
64) Tetrachloroethene	11.082	164	16057	4.998	ug/l	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087515.D  
Acq On : 12 Aug 2025 15:29  
Operator : JC\MD  
Sample : Q2816-07  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1059-MW-17A(15.5)


Quant Time: Aug 13 03:06:13 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration








#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 8.212 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087515.D  
Acq: 12 Aug 2025 15:29


Instrument : MSVOA\_N  
ClientSampleId : 1059-MW-17A(15.5)





Tgt Ion:168 Resp: 245518  
Ion Ratio Lower Upper  
168 100  
99 73.1 47.9 71.9#









#4  
Vinyl Chloride  
Concen: 6.968 ug/l  
RT: 2.542 min Scan# 100  
Delta R.T. 0.000 min  
Lab File: VN087515.D  
Acq: 12 Aug 2025 15:29



Tgt Ion: 62 Resp: 22708  
Ion Ratio Lower Upper  
62 100  
64 32.5 27.0 40.6





#16

Acetone

Concen: 14.870 ug/l

RT: 4.424 min Scan# 4

Instrument : MSVOA\_N

Delta R.T. 0.000 min

Lab File: VN087515.D

Acq: 12 Aug 2025 15:29 ClientSampleId :


1059-MW-17A(15.5)

Tgt Ion: 43 Resp: 29045

Ion Ratio Lower Upper

43 100

58 28.0 22.3 33.5



#21

trans-1,2-Dichloroethene

Concen: 7.427 ug/l

RT: 5.783 min Scan# 651

Delta R.T. 0.012 min

Lab File: VN087515.D

Acq: 12 Aug 2025 15:29


Tgt Ion: 96 Resp: 23476




Ion Ratio Lower Upper

96 100

61 130.9 122.0 183.0

98 56.0 50.0 75.0









#27  
cis-1,2-Dichloroethene  
Concen: 148.782 ug/l  
RT: 7.471 min Scan# 9


Instrument : MSVOA\_N  
ClientSampleId : 1059-MW-17A(15.5)  
Acq: 12 Aug 2025 15:29


Tgt Ion: 96 Resp: 541413  
Ion Ratio Lower Upper  
96 100  
61 139.6 0.0 297.8  
98 64.3 0.0 132.4



#33  
1,2-Dichloroethane-d4  
Concen: 61.304 ug/l  
RT: 8.565 min Scan# 1124  
Delta R.T. 0.000 min  
Lab File: VN087515.D  
Acq: 12 Aug 2025 15:29

Tgt Ion: 65 Resp: 255388  
Ion Ratio Lower Upper  
65 100  
67 50.7 0.0 104.0







#34  
 1,4-Difluorobenzene  
 Concen: 50.000 ug/l  
 RT: 9.083 min Scan# 1  
 Delta R.T. 0.001 min  
 Lab File: VN087515.D  
 Acq: 12 Aug 2025 15:29


Instrument : MSVOA\_N  
 ClientSampleId : 1059-MW-17A(15.5)


Tgt Ion:114 Resp: 544156  
 Ion Ratio Lower Upper  
 114 100  
 63 23.7 0.0 44.6  
 88 16.3 0.0 32.8



#35  
 Dibromofluoromethane  
 Concen: 50.168 ug/l  
 RT: 8.153 min Scan# 1054  
 Delta R.T. 0.006 min  
 Lab File: VN087515.D  
 Acq: 12 Aug 2025 15:29


Tgt Ion:113 Resp: 188310  
 Ion Ratio Lower Upper  
 113 100  
 111 102.9 82.5 123.7  
 192 15.9 13.7 20.5








#44  
Trichloroethene  
Concen: 26.470 ug/l  
RT: 9.335 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087515.D  
Acq: 12 Aug 2025 15:29


Instrument : MSVOA\_N  
ClientSampleId : 1059-MW-17A(15.5)





Tgt Ion:130 Resp: 100249  
Ion Ratio Lower Upper  
130 100  
95 103.6 0.0 195.2




#50  
Toluene-d8  
Concen: 50.795 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087515.D  
Acq: 12 Aug 2025 15:29




Tgt Ion: 98 Resp: 680121  
Ion Ratio Lower Upper  
98 100  
100 65.2 52.1 78.1






Abundance Scan 1440 (10.424 min): VN087515.D\data.ms



Abundance Scan 1440 (10.424 min): VN087515.D\data.ms (-)



#51

4-Methyl-2-Pentanone

Concen: 0.512 ug/l

RT: 10.424 min Scan# 1

Delta R.T. -0.005 min

Lab File: VN087515.D

Acq: 12 Aug 2025 15:29

Instrument :

MSVOA\_N

ClientSampleId :



1059-MW-17A(15.5)

Tgt Ion: 43 Resp: 3598

Ion Ratio Lower Upper

43 100

58 24.0 30.8 46.2#



#62

4-Bromofluorobenzene

Concen: 50.743 ug/l

RT: 12.829 min Scan# 1849

Delta R.T. 0.000 min

Lab File: VN087515.D

Acq: 12 Aug 2025 15:29




Tgt Ion: 95 Resp: 251013


Ion Ratio Lower Upper

95 100

174 68.3 0.0 149.4

176 64.6 0.0 141.2







#63  
 Chlorobenzene-d5  
 Concen: 50.000 ug/l  
 RT: 11.847 min Scan# 1  
 Delta R.T. 0.000 min  
 Lab File: VN087515.D  
 Acq: 12 Aug 2025 15:29


Instrument : MSVOA\_N  
 ClientSampleId : 1059-MW-17A(15.5)


Tgt Ion:117 Resp: 499181  
 Ion Ratio Lower Upper  
 117 100  
 82 62.3 47.4 71.2  
 119 32.7 23.8 35.8



#64  
 Tetrachloroethene  
 Concen: 4.998 ug/l  
 RT: 11.082 min Scan# 1552  
 Delta R.T. -0.006 min  
 Lab File: VN087515.D  
 Acq: 12 Aug 2025 15:29

Tgt Ion:164 Resp: 16057  
 Ion Ratio Lower Upper  
 164 100  
 166 120.8 105.5 158.3  
 129 99.8 77.4 116.2  
 131 80.7 77.3 115.9





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.770 min Scan# 2

Delta R.T. 0.000 min

Lab File: VN087515.D

Acq: 12 Aug 2025 15:29

Instrument :

MSVOA\_N

ClientSampleId :

1059-MW-17A(15.5)


Tgt Ion:152 Resp: 232946

Ion Ratio Lower Upper

152 100

115 65.6 31.1 93.5

150 157.5 0.0 349.0



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087515.D  
 Acq On : 12 Aug 2025 15:29  
 Operator : JC\MD  
 Sample : Q2816-07  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 15 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1059-MW-17A(15.5)**

Integration Parameters: RTEINT.P  
 Integrator: RTE  
 Smoothing : ON Filtering: 5  
 Sampling : 1 Min Area: 3 % of largest Peak  
 Start Thrs: 0.2 Max Peaks: 100  
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >  
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Title : SW846 8260

Signal : TIC: VN087515.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.542	94	100	107	rVB	24491	40822	1.63%	0.302%
2	4.430	414	421	437	rVB3	22684	82379	3.29%	0.609%
3	5.777	638	650	662	rBV3	36385	118104	4.72%	0.873%
4	7.471	926	938	952	rBV	933373	2501177	100.00%	18.485%
5	8.153	1044	1054	1059	rBV	263667	654264	26.16%	4.835%
6	8.206	1059	1063	1076	rVB	366577	819515	32.77%	6.057%
7	8.565	1113	1124	1136	rBV	299034	703907	28.14%	5.202%
8	9.083	1203	1212	1223	rBV	667088	1384580	55.36%	10.233%
9	9.335	1246	1255	1265	rBV	305203	626125	25.03%	4.627%
10	10.547	1452	1461	1470	rBV	1040570	1907705	76.27%	14.099%
11	11.082	1545	1552	1559	rBV3	73779	132902	5.31%	0.982%
12	11.847	1672	1682	1694	rBV	916586	1695465	67.79%	12.531%
13	12.829	1842	1849	1862	rBV	703256	1262869	50.49%	9.333%
14	13.770	2001	2009	2021	rBV	910360	1600852	64.00%	11.831%




Sum of corrected areas: 13530666

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087515.D  
 Acq On : 12 Aug 2025 15:29  
 Operator : JC\MD  
 Sample : Q2816-07  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 15 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1059-MW-17A(15.5)**

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
 TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087515.D  
Acq On : 12 Aug 2025 15:29  
Operator : JC\MD  
Sample : Q2816-07  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 15 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1059-MW-17A(15.5)**

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

\*\*\*\*\*

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087515.D  
Acq On : 12 Aug 2025 15:29  
Operator : JC\MD  
Sample : Q2816-07  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1059-MW-17A(15.5)

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard---		
					#	RT	Resp



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1060-FB080725			SDG No.:	Q2816	
Lab Sample ID:	Q2816-08			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087533.D	1	08/13/25 14:29	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	1.00	UQ	0.22	1.00	ug/L
74-87-3	Chloromethane	1.00	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	1.00	U	0.26	1.00	ug/L
74-83-9	Bromomethane	5.00	U	1.40	5.00	ug/L
75-00-3	Chloroethane	1.00	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	1.00	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	1.00	U	0.23	1.00	ug/L
67-64-1	Acetone	15.6		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	1.00	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	1.00	UQ	0.16	1.00	ug/L
79-20-9	Methyl Acetate	1.00	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	1.00	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	1.00	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	1.00	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	5.00	U	1.50	5.00	ug/L
78-93-3	2-Butanone	5.00	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	1.00	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	1.00	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	1.00	UQ	0.22	1.00	ug/L
67-66-3	Chloroform	1.00	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	1.00	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	1.00	U	0.16	1.00	ug/L
71-43-2	Benzene	1.00	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	1.00	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	1.00	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	1.00	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	1.00	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	5.00	U	0.68	5.00	ug/L
108-88-3	Toluene	1.00	U	0.14	1.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1060-FB080725			SDG No.:	Q2816	
Lab Sample ID:	Q2816-08			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087533.D	1	08/13/25 14:29	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	1.00	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.00	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	1.00	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	5.00	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	1.00	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	1.00	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	1.00	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	1.00	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	1.00	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	2.00	U	0.24	2.00	ug/L
95-47-6	o-Xylene	1.00	U	0.12	1.00	ug/L
100-42-5	Styrene	1.00	U	0.15	1.00	ug/L
75-25-2	Bromoform	1.00	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	1.00	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	1.00	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	1.00	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	1.00	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	62.2		74 - 125	124%	SPK: 50
1868-53-7	Dibromofluoromethane	49.6		75 - 124	99%	SPK: 50
2037-26-5	Toluene-d8	52.0		86 - 113	104%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.4		77 - 121	101%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	222000	8.212			
540-36-3	1,4-Difluorobenzene	492000	9.082			
3114-55-4	Chlorobenzene-d5	451000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	210000	13.77			



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.	Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144	Date Received:	08/11/25
Client Sample ID:	1060-FB080725	SDG No.:	Q2816
Lab Sample ID:	Q2816-08	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:		uL	
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087533.D	1	08/13/25 14:29	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087533.D  
 Acq On : 13 Aug 2025 14:29  
 Operator : JC\MD  
 Sample : Q2816-08  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 10 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1060-FB080725**

Quant Time: Aug 14 04:00:43 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	221955	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.082	114	492245	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	450681	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	210279	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	234128	62.167	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	124.340%	
35) Dibromofluoromethane	8.153	113	168497	49.624	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	99.240%	
50) Toluene-d8	10.547	98	629280	51.954	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	103.900%	
62) 4-Bromofluorobenzene	12.829	95	225507	50.394	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	100.780%	
<b>Target Compounds</b>						
16) Acetone	4.430	43	27489	15.567	ug/l	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087533.D  
Acq On : 13 Aug 2025 14:29  
Operator : JC\MD  
Sample : Q2816-08  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 10 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1060-FB080725


Quant Time: Aug 14 04:00:43 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration








#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 8.212 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087533.D  
Acq: 13 Aug 2025 14:29


Instrument : MSVOA\_N  
ClientSampleId : 1060-FB080725





Tgt Ion:168 Resp: 221955  
Ion Ratio Lower Upper  
168 100  
99 68.3 47.9 71.9




#16  
Acetone  
Concen: 15.567 ug/l  
RT: 4.430 min Scan# 421  
Delta R.T. 0.006 min  
Lab File: VN087533.D  
Acq: 13 Aug 2025 14:29



Tgt Ion: 43 Resp: 27489  
Ion Ratio Lower Upper  
43 100  
58 26.4 22.3 33.5







#33  
1,2-Dichloroethane-d4  
Concen: 62.167 ug/l  
RT: 8.565 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087533.D  
Acq: 13 Aug 2025 14:29


Instrument : MSVOA\_N  
ClientSampleId : 1060-FB080725


Tgt Ion: 65 Resp: 234128  
Ion Ratio Lower Upper  
65 100  
67 50.5 0.0 104.0



#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 9.082 min Scan# 1212  
Delta R.T. 0.000 min  
Lab File: VN087533.D  
Acq: 13 Aug 2025 14:29

Tgt Ion:114 Resp: 492245  
Ion Ratio Lower Upper  
114 100  
63 24.2 0.0 44.6  
88 16.1 0.0 32.8







#35  
Dibromofluoromethane  
Concen: 49.624 ug/l  
RT: 8.153 min Scan# 1  
Delta R.T. 0.006 min  
Lab File: VN087533.D  
Acq: 13 Aug 2025 14:29


Instrument : MSVOA\_N  
ClientSampleId : 1060-FB080725


Tgt Ion:113 Resp: 168497  
Ion Ratio Lower Upper  
113 100  
111 105.8 82.5 123.7  
192 16.4 13.7 20.5



#50  
Toluene-d8  
Concen: 51.954 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087533.D  
Acq: 13 Aug 2025 14:29



Tgt Ion: 98 Resp: 629280  
Ion Ratio Lower Upper  
98 100  
100 64.4 52.1 78.1






#62  
4-Bromofluorobenzene  
Concen: 50.394 ug/l  
RT: 12.829 min Scan# 1  
Instrument: MSVOA\_N  
Delta R.T. 0.000 min  
Lab File: VN087533.D  
Acq: 13 Aug 2025 14:29 ClientSampleId : 1060-FB080725


Tgt Ion: 95 Resp: 225507  
Ion Ratio Lower Upper  
95 100  
174 66.9 0.0 149.4  
176 64.0 0.0 141.2



#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.847 min Scan# 1682  
Delta R.T. -0.000 min  
Lab File: VN087533.D  
Acq: 13 Aug 2025 14:29

Tgt Ion:117 Resp: 450681  
Ion Ratio Lower Upper  
117 100  
82 61.0 47.4 71.2  
119 33.7 23.8 35.8






#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.770 min Scan# 2  
Delta R.T. 0.000 min  
Lab File: VN087533.D  
Acq: 13 Aug 2025 14:29

Instrument : MSVOA\_N  
ClientSampleId : 1060-FB080725

Tgt Ion:152 Resp: 210279  
Ion Ratio Lower Upper  
152 100  
115 65.9 31.1 93.5  
150 159.1 0.0 349.0



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087533.D  
 Acq On : 13 Aug 2025 14:29  
 Operator : JC\MD  
 Sample : Q2816-08  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 10 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1060-FB080725**

Integration Parameters: RTEINT.P

Integrator: RTE  
 Smoothing : ON Filtering: 5  
 Sampling : 1 Min Area: 3 % of largest Peak  
 Start Thrs: 0.2 Max Peaks: 100  
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >  
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Title : SW846 8260

Signal : TIC: VN087533.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	4.424	412	420	423	rBV2	14224	31531	1.78%	0.342%
2	8.153	1043	1054	1059	rBV2	246555	601635	34.02%	6.526%
3	8.206	1059	1063	1075	rVB	333666	751105	42.47%	8.147%
4	8.565	1115	1124	1135	rBV2	281945	643164	36.36%	6.976%
5	9.082	1204	1212	1225	rBV	600903	1259014	71.19%	13.656%
6	10.547	1452	1461	1469	rBV	960585	1768638	100.00%	19.184%
7	10.606	1469	1471	1478	rVB3	10279	18707	1.06%	0.203%
8	11.847	1673	1682	1697	rBV	845741	1549004	87.58%	16.802%
9	12.829	1842	1849	1861	rBV	637692	1138786	64.39%	12.352%
10	13.770	2002	2009	2023	rBV	841153	1457598	82.41%	15.810%


Sum of corrected areas: 9219182

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087533.D  
Acq On : 13 Aug 2025 14:29  
Operator : JC\MD  
Sample : Q2816-08  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 10 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1060-FB080725

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087533.D  
Acq On : 13 Aug 2025 14:29  
Operator : JC\MD  
Sample : Q2816-08  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 10 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1060-FB080725

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

\*\*\*\*\*

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087533.D  
Acq On : 13 Aug 2025 14:29  
Operator : JC\MD  
Sample : Q2816-08  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 10 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1060-FB080725

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard---		
					#	RT	Resp



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1061-TB080725			SDG No.:	Q2816	
Lab Sample ID:	Q2816-09			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087517.D	1	08/12/25 16:13	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	1.00	U	0.22	1.00	ug/L
74-87-3	Chloromethane	1.00	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	1.00	U	0.26	1.00	ug/L
74-83-9	Bromomethane	5.00	U	1.40	5.00	ug/L
75-00-3	Chloroethane	1.00	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	1.00	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	1.00	U	0.23	1.00	ug/L
67-64-1	Acetone	5.00	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	1.00	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	1.00	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	1.00	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	1.00	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	1.00	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	1.00	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	5.00	U	1.50	5.00	ug/L
78-93-3	2-Butanone	5.00	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	1.00	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	1.00	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	1.00	U	0.22	1.00	ug/L
67-66-3	Chloroform	1.00	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	1.00	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	1.00	U	0.16	1.00	ug/L
71-43-2	Benzene	1.00	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	1.00	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	1.00	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	1.00	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	1.00	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	5.00	U	0.68	5.00	ug/L
108-88-3	Toluene	1.00	U	0.14	1.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1061-TB080725			SDG No.:	Q2816	
Lab Sample ID:	Q2816-09			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087517.D	1	08/12/25 16:13	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	1.00	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.00	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	1.00	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	5.00	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	1.00	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	1.00	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	1.00	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	1.00	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	1.00	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	2.00	U	0.24	2.00	ug/L
95-47-6	o-Xylene	1.00	U	0.12	1.00	ug/L
100-42-5	Styrene	1.00	U	0.15	1.00	ug/L
75-25-2	Bromoform	1.00	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	1.00	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	1.00	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	1.00	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	1.00	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	60.5		74 - 125	121%	SPK: 50
1868-53-7	Dibromofluoromethane	50.2		75 - 124	100%	SPK: 50
2037-26-5	Toluene-d8	51.3		86 - 113	103%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.7		77 - 121	101%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	237000	8.212			
540-36-3	1,4-Difluorobenzene	521000	9.082			
3114-55-4	Chlorobenzene-d5	471000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	215000	13.77			



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.	Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144	Date Received:	08/11/25
Client Sample ID:	1061-TB080725	SDG No.:	Q2816
Lab Sample ID:	Q2816-09	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087517.D	1	08/12/25 16:13	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087517.D  
 Acq On : 12 Aug 2025 16:13  
 Operator : JC\MD  
 Sample : Q2816-09  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 17 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1061-TB080725**

Quant Time: Aug 13 03:06:58 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	236735	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.082	114	521055	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	471277	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	215113	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	242926	60.476	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	120.960%	
35) Dibromofluoromethane	8.153	113	180468	50.210	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	100.420%	
50) Toluene-d8	10.547	98	657992	51.321	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	102.640%	
62) 4-Bromofluorobenzene	12.829	95	240314	50.734	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	101.460%	


Target Compounds	Qvalue
<hr/>	


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087517.D  
Acq On : 12 Aug 2025 16:13  
Operator : JC\MD  
Sample : Q2816-09  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 17 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1061-TB080725


Quant Time: Aug 13 03:06:58 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration








#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 8.212 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087517.D  
Acq: 12 Aug 2025 16:13


Instrument : MSVOA\_N  
ClientSampleId : 1061-TB080725





Tgt Ion:168 Resp: 236735  
Ion Ratio Lower Upper  
168 100  
99 67.7 47.9 71.9




#33  
1,2-Dichloroethane-d4  
Concen: 60.476 ug/l  
RT: 8.565 min Scan# 1124  
Delta R.T. 0.000 min  
Lab File: VN087517.D  
Acq: 12 Aug 2025 16:13



Tgt Ion: 65 Resp: 242926  
Ion Ratio Lower Upper  
65 100  
67 51.3 0.0 104.0







#34  
 1,4-Difluorobenzene  
 Concen: 50.000 ug/l  
 RT: 9.082 min Scan# 1  
 Delta R.T. 0.000 min  
 Lab File: VN087517.D  
 Acq: 12 Aug 2025 16:13


Instrument : MSVOA\_N  
 ClientSampleId : 1061-TB080725


Tgt Ion:114 Resp: 521055  
 Ion Ratio Lower Upper  
 114 100  
 63 23.6 0.0 44.6  
 88 16.4 0.0 32.8



#35  
 Dibromofluoromethane  
 Concen: 50.210 ug/l  
 RT: 8.153 min Scan# 1054  
 Delta R.T. 0.006 min  
 Lab File: VN087517.D  
 Acq: 12 Aug 2025 16:13

Tgt Ion:113 Resp: 180468  
 Ion Ratio Lower Upper  
 113 100  
 111 100.5 82.5 123.7  
 192 15.4 13.7 20.5







#50  
Toluene-d8  
Concen: 51.321 ug/l  
RT: 10.547 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087517.D  
Acq: 12 Aug 2025 16:13


Instrument : MSVOA\_N  
ClientSampleId : 1061-TB080725


Tgt Ion: 98 Resp: 657992  
Ion Ratio Lower Upper  
98 100  
100 64.6 52.1 78.1



#62  
4-Bromofluorobenzene  
Concen: 50.734 ug/l  
RT: 12.829 min Scan# 1849  
Delta R.T. 0.000 min  
Lab File: VN087517.D  
Acq: 12 Aug 2025 16:13

Tgt Ion: 95 Resp: 240314  
Ion Ratio Lower Upper  
95 100  
174 67.1 0.0 149.4  
176 63.5 0.0 141.2







#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.847 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087517.D  
Acq: 12 Aug 2025 16:13


Instrument : MSVOA\_N  
ClientSampleId : 1061-TB080725

Tgt Ion:117 Resp: 471277  
Ion Ratio Lower Upper  
117 100  
82 59.2 47.4 71.2  
119 32.7 23.8 35.8



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.770 min Scan# 2009  
Delta R.T. 0.000 min  
Lab File: VN087517.D  
Acq: 12 Aug 2025 16:13

Tgt Ion:152 Resp: 215113  
Ion Ratio Lower Upper  
152 100  
115 65.1 31.1 93.5  
150 156.5 0.0 349.0



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087517.D  
 Acq On : 12 Aug 2025 16:13  
 Operator : JC\MD  
 Sample : Q2816-09  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 17 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1061-TB080725**

Integration Parameters: RTEINT.P  
 Integrator: RTE  
 Smoothing : ON Filtering: 5  
 Sampling : 1 Min Area: 3 % of largest Peak  
 Start Thrs: 0.2 Max Peaks: 100  
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >  
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Title : SW846 8260

Signal : TIC: VN087517.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	8.153	1044	1054	1058	rBV	246288	586295	31.98%	6.145%
2	8.212	1058	1064	1077	rBV	351482	836106	45.60%	8.764%
3	8.565	1114	1124	1136	rBV	296145	661170	36.06%	6.930%
4	9.082	1202	1212	1228	rBV	624404	1321698	72.09%	13.854%
5	10.547	1452	1461	1471	rBV	987691	1833485	100.00%	19.218%
6	11.847	1673	1682	1695	rBV	876395	1603911	87.48%	16.812%
7	12.829	1839	1849	1862	rBV	675580	1206530	65.81%	12.647%
8	13.770	2001	2009	2019	rBV	866631	1491169	81.33%	15.630%


Sum of corrected areas: 9540364

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087517.D  
Acq On : 12 Aug 2025 16:13  
Operator : JC\MD  
Sample : Q2816-09  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 17 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1061-TB080725

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087517.D  
Acq On : 12 Aug 2025 16:13  
Operator : JC\MD  
Sample : Q2816-09  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 17 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1061-TB080725

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

\*\*\*\*\*

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087517.D  
Acq On : 12 Aug 2025 16:13  
Operator : JC\MD  
Sample : Q2816-09  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 17 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1061-TB080725

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard---		
					#	RT	Resp



# CALIBRATION

# SUMMARY



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name:	Alliance	Contract:	DAYE01
Lab Code:	ACE	SDG No.:	Q2816
Instrument ID:	MSVOA_N	Calibration Date(s):	07/16/2025
Heated Purge:	(Y/N) N	Calibration Time(s):	17:05 18:54
GC Column:	RXI-624	ID:	0.25 (mm)

LAB FILE ID:	RRF001 = VN087328.D	RRF005 = VN087329.D	RRF020 = VN087330.D	RRF050 = VN087331.D	RRF100 = VN087332.D	RRF150 = VN087333.D	RRF	% RSD
COMPOUND	RRF001	RRF005	RRF020	RRF050	RRF100	RRF150		
Dichlorodifluoromethane	0.447	0.443	0.443	0.623	0.606	0.625	0.531	18
Chloromethane	0.714	0.659	0.588	0.690	0.659	0.698	0.668	6.7
Vinyl Chloride	0.554	0.665	0.623	0.728	0.692	0.720	0.664	9.9
Bromomethane		0.328	0.308	0.355	0.356	0.370	0.344	7.2
Chloroethane	0.396	0.485	0.431	0.441	0.415	0.429	0.433	7
Trichlorofluoromethane	0.959	0.975	0.963	1.025	0.960	1.007	0.981	2.8
1,1,2-Trichlorotrifluoroethane	0.463	0.495	0.539	0.525	0.491	0.509	0.504	5.3
1,1-Dichloroethene	0.635	0.641	0.553	0.545	0.514	0.537	0.571	9.4
Acetone	0.455	0.426	0.393	0.387	0.361	0.366	0.398	9.2
Carbon Disulfide	1.686	1.685	1.669	1.733	1.643	1.739	1.693	2.2
Methyl tert-butyl Ether	1.911	2.099	2.106	2.167	2.129	2.213	2.104	4.9
Methyl Acetate	1.007	1.052	0.991	0.991	0.962	0.993	0.999	3
Methylene Chloride	1.107	0.788	0.700	0.672	0.655	0.672	0.766	22.7
trans-1,2-Dichloroethene	0.667	0.669	0.643	0.653	0.618	0.613	0.644	3.7
1,1-Dichloroethane	1.304	1.325	1.254	1.222	1.185	1.212	1.250	4.4
Cyclohexane		1.148	1.039	1.046	0.981	1.002	1.043	6.2
2-Butanone	0.552	0.608	0.650	0.643	0.617	0.618	0.615	5.7
Carbon Tetrachloride	0.453	0.523	0.498	0.517	0.504	0.518	0.502	5.1
cis-1,2-Dichloroethene	0.704	0.737	0.747	0.767	0.740	0.751	0.741	2.8
Bromochloromethane	0.596	0.640	0.578	0.595	0.597	0.584	0.598	3.6
Chloroform	1.181	1.299	1.303	1.279	1.214	1.234	1.251	4
1,1,1-Trichloroethane	1.043	1.146	1.096	1.084	1.049	1.085	1.084	3.4
Methylcyclohexane	0.447	0.442	0.482	0.529	0.519	0.541	0.493	8.6
Benzene	1.370	1.430	1.502	1.553	1.483	1.499	1.473	4.3
1,2-Dichloroethane	0.553	0.565	0.569	0.567	0.544	0.552	0.558	1.8
Trichloroethene	0.373	0.330	0.337	0.356	0.339	0.352	0.348	4.5
1,2-Dichloropropane	0.335	0.367	0.395	0.395	0.376	0.378	0.374	5.9
Bromodichloromethane	0.568	0.572	0.559	0.569	0.553	0.565	0.564	1.2
4-Methyl-2-Pentanone	0.551	0.641	0.685	0.689	0.658	0.652	0.646	7.8
Toluene	0.774	0.849	0.940	0.963	0.916	0.929	0.895	7.9

\* Compounds with required minimum RRF and maximum %RSD values.

All other compounds must meet a minimum RRF of 0.010.

RRF of 1,4-Dioxane = Value should be divide by 1000.



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### VOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name:	Alliance	Contract:	DAYE01
Lab Code:	ACE	SDG No.:	Q2816
Instrument ID:	MSVOA_N	Calibration Date(s):	07/16/2025
Heated Purge:	(Y/N) N	Calibration Time(s):	17:05 18:54
GC Column:	RXI-624	ID:	0.25 (mm)

LAB FILE ID:	RRF001 = VN087328.D	RRF005 = VN087329.D	RRF020 = VN087330.D					
COMPOUND	RRF001	RRF005	RRF020	RRF050	RRF100	RRF150	RRF	% RSD
t-1,3-Dichloropropene	0.459	0.536	0.586	0.621	0.607	0.619	0.571	11.1
cis-1,3-Dichloropropene	0.489	0.564	0.602	0.632	0.620	0.632	0.590	9.4
1,1,2-Trichloroethane	0.367	0.364	0.365	0.367	0.357	0.354	0.362	1.6
2-Hexanone	0.279	0.373	0.465	0.495	0.481	0.479	0.429	19.9
Dibromochloromethane	0.352	0.416	0.425	0.430	0.424	0.433	0.413	7.4
1,2-Dibromoethane	0.367	0.373	0.391	0.385	0.381	0.389	0.381	2.5
Tetrachloroethene	0.329	0.338	0.317	0.320	0.310	0.317	0.322	3.2
Chlorobenzene	1.139	1.131	1.133	1.119	1.092	1.122	1.123	1.5
Ethyl Benzene	1.643	1.738	1.882	1.942	1.905	1.979	1.848	7
m/p-Xylenes	0.541	0.646	0.717	0.758	0.734	0.756	0.692	12.2
o-Xylene	0.491	0.606	0.702	0.723	0.710	0.734	0.661	14.4
Styrene	0.726	1.032	1.186	1.255	1.217	1.257	1.112	18.6
Bromoform	0.246	0.302	0.314	0.328	0.322	0.337	0.308	10.7
Isopropylbenzene	2.524	2.889	3.242	3.396	3.302	3.529	3.147	11.9
1,1,2,2-Tetrachloroethane	1.159	1.181	1.228	1.207	1.156	1.174	1.184	2.4
1,3-Dichlorobenzene	1.448	1.592	1.651	1.658	1.588	1.674	1.602	5.2
1,4-Dichlorobenzene	1.807	1.709	1.742	1.703	1.627	1.677	1.711	3.6
1,2-Dichlorobenzene	1.303	1.534	1.596	1.577	1.510	1.583	1.517	7.2
1,2-Dibromo-3-Chloropropane	0.339	0.325	0.304	0.302	0.290	0.305	0.311	5.8
1,2,4-Trichlorobenzene	0.761	0.860	0.875	0.937	0.921	0.994	0.891	8.9
1,2,3-Trichlorobenzene	0.803	0.844	0.887	0.922	0.917	0.992	0.894	7.4
1,2-Dichloroethane-d4		0.939	0.820	0.802	0.818	0.863	0.848	6.6
Dibromofluoromethane		0.347	0.341	0.332	0.348	0.356	0.345	2.6
Toluene-d8		1.180	1.176	1.224	1.255	1.316	1.230	4.7
4-Bromofluorobenzene		0.405	0.433	0.455	0.476	0.505	0.455	8.5

\* Compounds with required minimum RRF and maximum %RSD values.

All other compounds must meet a minimum RRF of 0.010.

RRF of 1,4-Dioxane = Value should be divide by 1000.

Method Path : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\

Method File : 82N071625W.M

Title : SW846 8260

Last Update : Thu Jul 17 02:56:13 2025

Response Via : Initial Calibration

## Calibration Files

1 =VN087328.D 5 =VN087329.D 20 =VN087330.D 50 =VN087331.D 100 =VN087332.D 150 =VN087333.D

	Compound	1	5	20	50	100	150	Avg	%RSD
<hr/>									
1) I	Pentafluorobenzene	-----	-----	ISTD-----					
2) T	Dichlorodifluo...	0.447	0.443	0.443	0.623	0.606	0.625	0.531	17.98
3) P	Chloromethane	0.714	0.659	0.588	0.690	0.659	0.698	0.668	6.70
4) C	Vinyl Chloride	0.554	0.665	0.623	0.728	0.692	0.720	0.664	9.93#
5) T	Bromomethane	0.328	0.308	0.355	0.356	0.370	0.344		7.22
6) T	Chloroethane	0.396	0.485	0.431	0.441	0.415	0.429	0.433	6.96
7) T	Trichlorofluor...	0.959	0.975	0.963	1.025	0.960	1.007	0.981	2.83
8) T	Diethyl Ether	0.335	0.391	0.399	0.395	0.371	0.393	0.381	6.40
9) T	1,1,2-Trichlor...	0.463	0.495	0.539	0.525	0.491	0.509	0.504	5.34
10) T	Methyl Iodide	0.288	0.360	0.494	0.554	0.564	0.452		27.17
11) T	Tert butyl alc...	0.164	0.155	0.161	0.161	0.164	0.161		2.41
12) CM	1,1-Dichloroet...	0.635	0.641	0.553	0.545	0.514	0.537	0.571	9.41#
13) T	Acrolein	0.140	0.112	0.121	0.130	0.143	0.129		9.85
14) T	Allyl chloride	0.949	0.978	1.134	1.002	0.995	1.141	1.033	8.02
15) T	Acrylonitrile	0.419	0.419	0.455	0.453	0.436	0.440	0.437	3.57
16) T	Acetone	0.455	0.426	0.393	0.387	0.361	0.366	0.398	9.15
17) T	Carbon Disulfide	1.686	1.685	1.669	1.733	1.643	1.739	1.693	2.20
18) T	Methyl Acetate	1.007	1.052	0.991	0.991	0.962	0.993	0.999	2.99
19) T	Methyl tert-bu...	1.911	2.099	2.106	2.167	2.129	2.213	2.104	4.93
20) T	Methylene Chlo...	1.107	0.788	0.700	0.672	0.655	0.672	0.766	22.70
21) T	trans-1,2-Dich...	0.667	0.669	0.643	0.653	0.618	0.613	0.644	3.69
22) T	Diisopropyl ether	1.797	2.199	2.353	2.286	2.165	2.201	2.167	8.94
23) T	Vinyl Acetate	1.421	1.685	2.101	2.114	2.007	2.044	1.895	14.81
24) P	1,1-Dichloroet...	1.304	1.325	1.254	1.222	1.185	1.212	1.250	4.38
25) T	2-Butanone	0.552	0.608	0.650	0.643	0.617	0.618	0.615	5.65
26) T	2,2-Dichloropr...	1.013	0.963	1.001	0.982	0.933	0.941	0.972	3.34
27) T	cis-1,2-Dichlo...	0.704	0.737	0.747	0.767	0.740	0.751	0.741	2.83
28) T	Bromochloromet...	0.596	0.640	0.578	0.595	0.597	0.584	0.598	3.64
29) T	Tetrahydrofuran	0.360	0.397	0.413	0.425	0.400	0.401	0.399	5.52
30) C	Chloroform	1.181	1.299	1.303	1.279	1.214	1.234	1.251	3.97#
31) T	Cyclohexane	1.148	1.039	1.046	0.981	1.002	1.043		6.16
32) T	1,1,1-Trichlor...	1.043	1.146	1.096	1.084	1.049	1.085	1.084	3.42
33) S	1,2-Dichloroet...	0.939	0.820	0.802	0.818	0.863	0.848		6.56
34) I	1,4-Difluorobenzene	-----	-----	ISTD-----					
35) S	Dibromofluorom...	0.347	0.341	0.332	0.348	0.356	0.345		2.55
36) T	1,1-Dichloropr...	0.387	0.437	0.459	0.487	0.477	0.487	0.456	8.47
37) T	Ethyl Acetate	0.587	0.671	0.655	0.706	0.660	0.669	0.658	5.94
38) T	Carbon Tetrach...	0.453	0.523	0.498	0.517	0.504	0.518	0.502	5.10
39) T	Methylcyclohexane	0.447	0.442	0.482	0.529	0.519	0.541	0.493	8.62
40) TM	Benzene	1.370	1.430	1.502	1.553	1.483	1.499	1.473	4.34
41) T	Methacrylonitrile	0.289	0.330	0.362	0.368	0.353	0.363	0.344	8.81
42) TM	1,2-Dichloroet...	0.553	0.565	0.569	0.567	0.544	0.552	0.558	1.78
43) T	Isopropyl Acetate	0.938	0.999	1.029	1.071	1.038	1.055	1.022	4.64
44) TM	Trichloroethene	0.373	0.330	0.337	0.356	0.339	0.352	0.348	4.49
45) C	1,2-Dichloropr...	0.335	0.367	0.395	0.395	0.376	0.378	0.374	5.90#
46) T	Dibromomethane	0.265	0.296	0.279	0.289	0.274	0.278	0.280	3.94
47) T	Bromodichlorom...	0.568	0.572	0.559	0.569	0.553	0.565	0.564	1.21
48) T	Methyl methacr...	0.372	0.412	0.475	0.505	0.493	0.503	0.460	12.06
49) T	1,4-Dioxane	0.006	0.007	0.007	0.008	0.008	0.008	0.007	12.52
50) S	Toluene-d8	1.180	1.176	1.224	1.255	1.316	1.230		4.72
51) T	4-Methyl-2-Pen...	0.551	0.641	0.685	0.689	0.658	0.652	0.646	7.79
52) CM	Toluene	0.774	0.849	0.940	0.963	0.916	0.929	0.895	7.93#
53) T	t-1,3-Dichloro...	0.459	0.536	0.586	0.621	0.607	0.619	0.571	11.08
54) T	cis-1,3-Dichlo...	0.489	0.564	0.602	0.632	0.620	0.632	0.590	9.40
55) T	1,1,2-Trichlor...	0.367	0.364	0.365	0.367	0.357	0.354	0.362	1.57
56) T	Ethyl methacry...	0.348	0.486	0.567	0.627	0.626	0.656	0.552	21.20


Method Path : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\  
 Method File : 82N071625W.M

57) T	1,3-Dichloropr...	0.556	0.621	0.652	0.655	0.636	0.640	0.627	5.82
58) T	2-Chloroethyl ...	0.220	0.273	0.303	0.346	0.310	0.332	0.297	15.20
59) T	2-Hexanone	0.279	0.373	0.465	0.495	0.481	0.479	0.429	19.95
60) T	Dibromochlorom...	0.352	0.416	0.425	0.430	0.424	0.433	0.413	7.39
61) T	1,2-Dibromoethane	0.367	0.373	0.391	0.385	0.381	0.389	0.381	2.49
62) S	4-Bromofluorob...	0.405	0.433	0.455	0.476	0.505	0.455		8.46
63) I	Chlorobenzene-d5	-----ISTD-----							
64) T	Tetrachloroethene	0.329	0.338	0.317	0.320	0.310	0.317	0.322	3.16
65) PM	Chlorobenzene	1.139	1.131	1.133	1.119	1.092	1.122	1.123	1.48
66) T	1,1,1,2-Tetra...	0.324	0.406	0.393	0.393	0.381	0.394	0.382	7.64
67) C	Ethyl Benzene	1.643	1.738	1.882	1.942	1.905	1.979	1.848	7.04#
68) T	m/p-Xylenes	0.541	0.646	0.717	0.758	0.734	0.756	0.692	12.20
69) T	o-Xylene	0.491	0.606	0.702	0.723	0.710	0.734	0.661	14.39
70) T	Styrene	0.726	1.032	1.186	1.255	1.217	1.257	1.112	18.59
71) P	Bromoform	0.246	0.302	0.314	0.328	0.322	0.337	0.308	10.69
72) I	1,4-Dichlorobenzen...	-----ISTD-----							
73) T	Isopropylbenzene	2.524	2.889	3.242	3.396	3.302	3.529	3.147	11.86
74) T	N-amyl acetate	1.309	1.256	1.249	1.138	1.378	1.515	1.307	9.83
75) P	1,1,2,2-Tetra...	1.159	1.181	1.228	1.207	1.156	1.174	1.184	2.37
76) T	1,2,3-Trichlor...	1.208	1.238	1.101	1.191	0.969	1.019	1.121	9.79
77) T	Bromobenzene	0.669	0.791	0.862	0.869	0.830	0.876	0.816	9.63
78) T	n-propylbenzene	3.252	3.716	4.089	4.294	4.109	4.295	3.959	10.25
79) T	2-Chlorotoluene	2.085	2.348	2.535	2.533	2.493	2.605	2.433	7.84
80) T	1,3,5-Trimethyl...	2.069	2.517	2.816	2.928	2.799	2.959	2.681	12.62
81) T	trans-1,4-Dich...	0.327	0.448	0.404	0.417	0.453	0.410		12.30
82) T	4-Chlorotoluene	2.225	2.460	2.618	2.647	2.552	2.699	2.533	6.79
83) T	tert-Butylbenzene	1.781	2.068	2.303	2.423	2.376	2.485	2.239	11.92
84) T	1,2,4-Trimethyl...	2.201	2.411	2.906	3.003	2.872	3.034	2.738	12.64
85) T	sec-Butylbenzene	3.120	3.136	3.460	3.565	3.387	3.570	3.373	5.98
86) T	p-Isopropyltol...	2.081	2.417	2.806	2.991	2.893	3.032	2.703	13.90
87) T	1,3-Dichlorobe...	1.448	1.592	1.651	1.657	1.588	1.674	1.602	5.19
88) T	1,4-Dichlorobe...	1.807	1.709	1.742	1.703	1.627	1.677	1.711	3.56
89) T	n-Butylbenzene	2.278	2.425	2.648	2.761	2.614	2.762	2.581	7.49
90) T	Hexachloroethane	0.593	0.564	0.562	0.576	0.552	0.590	0.573	2.86
91) T	1,2-Dichlorobe...	1.303	1.534	1.596	1.577	1.510	1.583	1.517	7.23
92) T	1,2-Dibromo-3....	0.339	0.325	0.304	0.302	0.290	0.305	0.311	5.76
93) T	1,2,4-Trichlor...	0.761	0.860	0.875	0.937	0.921	0.994	0.891	8.94
94) T	Hexachlorobuta...	0.351	0.337	0.324	0.329	0.316	0.331	0.331	3.57
95) T	Naphthalene	2.486	2.658	3.113	3.441	3.451	3.797	3.158	16.01
96) T	1,2,3-Trichlor...	0.803	0.844	0.887	0.922	0.917	0.992	0.894	7.37

(#) = Out of Range

## Methylene Chloride

Response Ratio



$$\text{Response} = 6.638e-001 * \text{Amt} + 8.611e-003$$

Coef of Det ( $r^2$ ) = 0.999669 Curve Fit: Linear

Method Name: Z:\voasrv\HPCHEM1\MSVOA N\methods\82N071625W.M

Calibration Table Last Updated: Thu Jul 17 02:56:13 2025

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087328.D  
 Acq On : 16 Jul 2025 17:05  
 Operator : JC\MD  
 Sample : VSTDICC001  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 3 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDICC001**

Quant Time: Jul 17 02:16:50 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:09:29 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	166177	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.082	114	312474	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	274838	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	128808	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	0.000	65	0d	0.000	ug/l	
Spiked Amount 50.000	Range 74 - 125		Recovery	=	0.000%#	
35) Dibromofluoromethane	0.000	113	0d	0.000	ug/l	
Spiked Amount 50.000	Range 75 - 124		Recovery	=	0.000%#	
50) Toluene-d8	0.000	98	0d	0.000	ug/l	
Spiked Amount 50.000	Range 86 - 113		Recovery	=	0.000%#	
62) 4-Bromofluorobenzene	0.000	95	0d	0.000	ug/l	
Spiked Amount 50.000	Range 77 - 121		Recovery	=	0.000%#	
<b>Target Compounds</b>						
				<b>Qvalue</b>		
2) Dichlorodifluoromethane	2.142	85	1484	0.841 ug/l	98	
3) Chloromethane	2.389	50	2372	1.069 ug/l	96	
4) Vinyl Chloride	2.542	62	1841	0.835 ug/l #	68	
6) Chloroethane	3.153	64	1316	0.915 ug/l	93	
7) Trichlorofluoromethane	3.506	101	3187	0.977 ug/l	92	
8) Diethyl Ether	3.965	74	1114	0.880 ug/l	79	
9) 1,1,2-Trichlorotrifluo...	4.371	101	1539	0.919 ug/l #	31	
12) 1,1-Dichloroethene	4.347	96	2112	1.113 ug/l #	53	
14) Allyl chloride	5.012	41	3155m	0.919 ug/l		
15) Acrylonitrile	5.712	53	6965	4.794 ug/l #	80	
16) Acetone	4.430	43	7566m	5.660 ug/l		
17) Carbon Disulfide	4.700	76	5602	0.996 ug/l #	71	
18) Methyl Acetate	5.018	43	3347	1.008 ug/l #	74	
19) Methyl tert-butyl Ether	5.789	73	6351m	0.908 ug/l		
20) Methylene Chloride	5.271	84	3679	1.019 ug/l #	74	
21) trans-1,2-Dichloroethene	5.777	96	2216	1.036 ug/l #	53	
22) Diisopropyl ether	6.659	45	5973	0.829 ug/l #	75	
23) Vinyl Acetate	6.600	43	23617	3.749 ug/l #	93	
24) 1,1-Dichloroethane	6.547	63	4333	1.043 ug/l #	83	
25) 2-Butanone	7.477	43	9174	4.491 ug/l	99	
26) 2,2-Dichloropropane	7.471	77	3368	1.043 ug/l #	67	
27) cis-1,2-Dichloroethene	7.471	96	2340	0.950 ug/l	99	
28) Bromochloromethane	7.794	49	1982	0.997 ug/l #	85	
29) Tetrahydrofuran	7.835	42	5981	4.507 ug/l	94	
30) Chloroform	7.953	83	3924	0.943 ug/l #	71	
32) 1,1,1-Trichloroethane	8.165	97	3468	0.963 ug/l #	45	
36) 1,1-Dichloropropene	8.353	75	2421	0.850 ug/l	96	
37) Ethyl Acetate	7.547	43	3670	0.892 ug/l #	82	
38) Carbon Tetrachloride	8.341	117	2833	0.903 ug/l #	83	
39) Methylcyclohexane	9.588	83	2794	0.906 ug/l #	86	
40) Benzene	8.588	78	8561	0.930 ug/l	97	
41) Methacrylonitrile	7.771	41	1805	0.839 ug/l #	87	
42) 1,2-Dichloroethane	8.653	62	3456	0.990 ug/l	89	
43) Isopropyl Acetate	8.677	43	5865	0.919 ug/l #	95	
44) Trichloroethene	9.341	130	2331	1.072 ug/l	70	
45) 1,2-Dichloropropane	9.606	63	2094	0.895 ug/l #	86	

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087328.D  
 Acq On : 16 Jul 2025 17:05  
 Operator : JC\MD  
 Sample : VSTDICC001  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 3 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDICC001**

Quant Time: Jul 17 02:16:50 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:09:29 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
46) Dibromomethane	9.694	93	1657	0.946	ug/l #	87
47) Bromodichloromethane	9.871	83	3549	1.006	ug/l #	91
48) Methyl methacrylate	9.671	41	2322	0.808	ug/l	94
49) 1,4-Dioxane	9.682	88	696	15.810	ug/l #	53
51) 4-Methyl-2-Pentanone	10.429	43	17216	4.263	ug/l	91
52) Toluene	10.612	92	4834	0.864	ug/l	91
53) t-1,3-Dichloropropene	10.818	75	2869	0.804	ug/l #	56
54) cis-1,3-Dichloropropene	10.294	75	3059	0.830	ug/l	94
55) 1,1,2-Trichloroethane	11.000	97	2294	1.013	ug/l #	83
56) Ethyl methacrylate	10.859	69	2173	1.217	ug/l #	90
57) 1,3-Dichloropropane	11.141	76	3477	0.888	ug/l	95
58) 2-Chloroethyl Vinyl ether	10.141	63	6887	3.707	ug/l	96
59) 2-Hexanone	11.182	43	8707	3.250	ug/l	87
60) Dibromochloromethane	11.347	129	2200	0.852	ug/l	82
61) 1,2-Dibromoethane	11.459	107	2291	0.962	ug/l	90
64) Tetrachloroethene	11.088	164	1807	1.022	ug/l #	75
65) Chlorobenzene	11.870	112	6259	1.014	ug/l	98
66) 1,1,1,2-Tetrachloroethane	11.941	131	1783	0.850	ug/l #	50
67) Ethyl Benzene	11.941	91	9031	0.889	ug/l	92
68) m/p-Xylenes	12.053	106	5952	1.565	ug/l	97
69) o-Xylene	12.388	106	2700	0.743	ug/l	91
70) Styrene	12.400	104	3989	0.653	ug/l	91
71) Bromoform	12.559	173	1351	0.797	ug/l #	94
73) Isopropylbenzene	12.682	105	6501	0.802	ug/l	95
74) N-amyl acetate	12.841	43	3372m	1.065	ug/l	
75) 1,1,2,2-Tetrachloroethane	12.917	83	2986	0.979	ug/l #	78
76) 1,2,3-Trichloropropane	12.976	75	3113m	1.089	ug/l	
77) Bromobenzene	12.953	156	1724	0.820	ug/l	79
78) n-propylbenzene	13.017	91	8378	0.821	ug/l	95
79) 2-Chlorotoluene	13.100	91	5372	0.857	ug/l	93
80) 1,3,5-Trimethylbenzene	13.147	105	5329	0.772	ug/l	93
82) 4-Chlorotoluene	13.200	91	5733	0.878	ug/l	96
83) tert-Butylbenzene	13.412	119	4588	0.795	ug/l	90
84) 1,2,4-Trimethylbenzene	13.464	105	5671	0.804	ug/l	87
85) sec-Butylbenzene	13.594	105	8037	0.925	ug/l	97
86) p-Isopropyltoluene	13.712	119	5360	0.770	ug/l	92
87) 1,3-Dichlorobenzene	13.712	146	3731	0.904	ug/l	89
88) 1,4-Dichlorobenzene	13.794	146	4655m	1.056	ug/l	
89) n-Butylbenzene	14.035	91	5869	0.883	ug/l	91
90) Hexachloroethane	14.317	117	1527	1.035	ug/l	87
91) 1,2-Dichlorobenzene	14.088	146	3358	0.859	ug/l	85
92) 1,2-Dibromo-3-Chloropr...	14.711	75	874	1.091	ug/l #	56
93) 1,2,4-Trichlorobenzene	15.376	180	1960	0.854	ug/l	78
94) Hexachlorobutadiene	15.476	225	903	1.058	ug/l	76
95) Naphthalene	15.611	128	6404	0.787	ug/l #	95
96) 1,2,3-Trichlorobenzene	15.806	180	2068	0.898	ug/l	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625  
Data File : VN087328.D  
Acq On : 16 Jul 2025 17:05  
Operator : JC\MD  
Sample : VSTDICC001  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 3 Sample Multiplier: 1

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
VSTDICC001

## Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025





#1  
 Pentafluorobenzene  
 Concen: 50.000 ug/l  
 RT: 8.212 min Scan# 1  
 Delta R.T. -0.000 min  
 Lab File: VN087328.D  
 Acq: 16 Jul 2025 17:05



Instrument : MSVOA\_N  
 ClientSampleId : VSTDICC001




Tgt Ion:168 Resp: 16617  
 Ion Ratio Lower Upper  
 168 100  
 99 63.3 47.9 71.9

**Manual Integrations**  
**APPROVED**



Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025









#2  
 Dichlorodifluoromethane  
 Concen: 0.841 ug/l  
 RT: 2.142 min Scan# 32  
 Delta R.T. 0.000 min  
 Lab File: VN087328.D  
 Acq: 16 Jul 2025 17:05



Tgt Ion: 85 Resp: 1484  
 Ion Ratio Lower Upper  
 85 100  
 87 36.7 17.8 53.3





#3

Chloromethane

Concen: 1.069 ug/l

RT: 2.389 min Scan# 7

Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05


Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#4

Vinyl Chloride

Concen: 0.835 ug/l

RT: 2.542 min Scan# 100

Delta R.T. 0.000 min

Lab File: VN087328.D


Acq: 16 Jul 2025 17:05


Tgt Ion: 62 Resp: 1841

Ion Ratio Lower Upper

62 100


64 51.9 27.0 40.6#





#6  
 Chloroethane  
 Concen: 0.915 ug/l  
 RT: 3.153 min Scan# 21  
 Delta R.T. 0.024 min  
 Lab File: VN087328.D  
 Acq: 16 Jul 2025 17:05




Instrument : MSVOA\_N  
 ClientSampleId : VSTDICC001




Tgt Ion: 64 Resp: 1310  
 Ion Ratio Lower Upper  
 64 100  
 66 34.8 24.6 36.8

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025




#7  
 Trichlorofluoromethane  
 Concen: 0.977 ug/l  
 RT: 3.506 min Scan# 264  
 Delta R.T. 0.000 min  
 Lab File: VN087328.D  
 Acq: 16 Jul 2025 17:05



Tgt Ion:101 Resp: 3187  
 Ion Ratio Lower Upper  
 101 100  
 103 68.4 49.8 74.6





#8

Diethyl Ether

Concen: 0.880 ug/l

RT: 3.965 min Scan# 341

Delta R.T. 0.006 min

Lab File: VN087328.D


Acq: 16 Jul 2025 17:05

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC001



Tgt Ion: 74 Resp: 111.4

Ion Ratio Lower Upper




74 100

45 122.6 50.8 152.5

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#9

1,1,2-Trichlorotrifluoroethane


Concen: 0.919 ug/l

RT: 4.371 min Scan# 411

Delta R.T. 0.012 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05





Tgt Ion:101 Resp: 1539




Ion Ratio Lower Upper

101 100

85 20.5 37.3 55.9#

151 0.0 58.9 88.3#





#12

1,1-Dichloroethene

Concen: 1.113 ug/l

RT: 4.347 min Scan# 407

Delta R.T. 0.018 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Instrument :

MSVOA\_N




ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#14

Allyl chloride

Concen: 0.919 ug/l

RT: 5.012 min Scan# 520

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05



Tgt Ion: 41 Resp: 3155







Ion Ratio Lower Upper

41 100

39 46.1 59.0 88.6#

76 18.6 28.7 43.1#





#15

Acrylonitrile

Concen: 4.794 ug/l

RT: 5.712 min Scan# 6

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05


Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#16

Acetone


Concen: 5.660 ug/l m


RT: 4.430 min Scan# 421

Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

 Tgt Ion: 43 Resp: 7566  
 Ion Ratio Lower Upper  
 43 100  
 58 27.2 22.3 33.5




#17

Carbon Disulfide

Concen: 0.996 ug/l

RT: 4.700 min Scan# 4

Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05



Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#18

Methyl Acetate


Concen: 1.008 ug/l




RT: 5.018 min Scan# 521

Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

 Tgt Ion: 43 Resp: 3347  
 Ion Ratio Lower Upper  
 43 100  
 74 9.5 17.8 26.6#








#19

Methyl tert-butyl Ether  
Concen: 0.908 ug/l m  
RT: 5.789 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC001

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025









#20

Methylene Chloride  
Concen: 1.019 ug/l  
RT: 5.271 min Scan# 564  
Delta R.T. 0.012 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Tgt Ion: 84 Resp: 3679  
Ion Ratio Lower Upper  
84 100  
49 93.3 107.5 161.3#  
51 29.8 30.2 45.2#  
86 50.0 49.3 73.9





#21

trans-1,2-Dichloroethene

Concen: 1.036 ug/l

RT: 5.777 min Scan# 6

Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Instrument :

MSVOA\_N





ClientSampleId :

VSTDICC001

### Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#22

Diisopropyl ether

Concen: 0.829 ug/l

RT: 6.659 min Scan# 800

Delta R.T. -0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Tgt Ion: 45 Resp: 5973


Ion Ratio Lower Upper







45 100

43 77.6 42.8 64.2#

87 20.3 19.8 29.6

59 17.1 8.3 12.5#





#23

**Vinyl Acetate**

Concen: 3.749 ug/l

RT: 6.600 min Scan# 7

Delta R.T. 0.012 min

Lab File: VN087328.D


Acq: 16 Jul 2025 17:05

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

#24

**1,1-Dichloroethane**

Concen: 1.043 ug/l

RT: 6.547 min Scan# 781

Delta R.T. -0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05


Tgt Ion: 63 Resp: 4333







Ion Ratio Lower Upper

63 100

98 0.0 3.3 9.9#

100 0.0 2.5 7.4#





#25

2-Butanone

Concen: 4.491 ug/l

RT: 7.477 min Scan# 9

Instrument :

MSVOA\_N

Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

ClientSampleId :

VSTDICC001

Tgt Ion: 43 Resp: 917

Ion Ratio Lower Upper





43 100

72 24.9 19.6 29.4

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#26

2,2-Dichloropropane

Concen: 1.043 ug/l

RT: 7.471 min Scan# 938

Delta R.T. 0.000 min

Lab File: VN087328.D


Acq: 16 Jul 2025 17:05




Tgt Ion: 77 Resp: 3368

Ion Ratio Lower Upper

77 100

97 6.5 11.1 33.1#









#27  
cis-1,2-Dichloroethene  
Concen: 0.950 ug/l  
RT: 7.471 min Scan# 938  
Delta R.T. 0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC001


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#28  
Bromochloromethane  
Concen: 0.997 ug/l  
RT: 7.794 min Scan# 993  
Delta R.T. -0.006 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Tgt Ion: 49 Resp: 1982  
Ion Ratio Lower Upper  
49 100  
129 0.0 0.0 4.2  
130 58.7 57.3 85.9





#29

Tetrahydrofuran

Concen: 4.507 ug/l

RT: 7.835 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#30

Chloroform


Concen: 0.943 ug/l


RT: 7.953 min Scan# 1020

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

 Tgt Ion: 83 Resp: 3924  
 Ion Ratio Lower Upper  
 83 100  
 85 42.9 52.7 79.1#




#32

1,1,1-Trichloroethane

Concen: 0.963 ug/l

RT: 8.165 min Scan# 1

Delta R.T. 0.012 min

Lab File: VN087328.D


Acq: 16 Jul 2025 17:05

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC001



Tgt Ion: 97 Resp: 3463

Ion Ratio Lower Upper

97 100




99 0.0 51.8 77.8

61 36.3 38.7 58.1

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#33

1,2-Dichloroethane-d4

Concen: 0.000 ug/l

Expected RT: 8.56 min

Lab File: VN087328.D


Acq: 16 Jul 2025 17:05


Tgt Ion: 65

Sig Exp Ratio

65 100

67 52.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.082 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC001

Tgt Ion:114 Resp: 312474

Ion Ratio Lower Upper

114 100



63 22.7 0.0 44.6

88 16.7 0.0 32.8

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#35

Dibromofluoromethane

Concen: 0.000 ug/l

Expected RT: 8.15 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05


Tgt Ion: 113

Sig Exp Ratio

113 100

111 103.1

192 17.1



#36

1,1-Dichloropropene

Concen: 0.850 ug/l

RT: 8.353 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Instrument:

MSVOA\_N



ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#37

Ethyl Acetate

Concen: 0.892 ug/l


RT: 7.547 min Scan# 951


Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Tgt	Ion:	43	Resp:	3670
Ion	Ratio	Lower	Upper	
43	100			
61	3.7	10.9	16.3#	
70	6.5	7.4	11.0#	





#38

Carbon Tetrachloride

Concen: 0.903 ug/l

RT: 8.341 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Instrument:

MSVOA\_N



ClientSampleId :

VSTDICC001

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#39

Methylcyclohexane

Concen: 0.906 ug/l


RT: 9.588 min Scan# 1298


Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05


Tgt	Ion:	83	Resp:	2794
Ion	Ratio	Lower	Upper	
83	100			
55	65.7	61.3	91.9	
98	36.9	37.9	56.9	#





#40  
Benzene  
Concen: 0.930 ug/l  
RT: 8.588 min Scan# 1  
Delta R.T. -0.006 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05




Instrument : MSVOA\_N  
ClientSampleId : VSTDICC001




Tgt Ion: 78 Resp: 856:  
Ion Ratio Lower Upper  
78 100  
77 24.2 18.2 27.2

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#41  
Methacrylonitrile  
Concen: 0.839 ug/l  
RT: 7.771 min Scan# 989  
Delta R.T. 0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05



Tgt Ion: 41 Resp: 1805  
Ion Ratio Lower Upper  
41 100  
39 60.9 43.4 65.0  
67 76.1 55.1 82.7  
52 15.8 24.9 37.3#





#42

1,2-Dichloroethane

Concen: 0.990 ug/l


RT: 8.653 min Scan# 1139

Delta R.T. 0.000 min


Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Abundance Scan 1139 (8.653 min): VN087328.D\data.ms



Abundance Scan 1139 (8.653 min): VN087328.D\data.ms (-1)







Tgt Ion: 62 Resp: 3450


Ion Ratio Lower Upper


62 100

98 5.1 0.0 18.0

**Manual Integrations  
APPROVED**
Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025#43  
Isopropyl Acetate  
Concen: 0.919 ug/l  
RT: 8.677 min Scan# 1143  
Delta R.T. -0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05Tgt Ion: 43 Resp: 5865  
Ion Ratio Lower Upper  
43 100  
61 24.8 19.8 29.8  
87 6.6 9.8 14.6#

Abundance Scan 1143 (8.677 min): VN087328.D\data.ms (-1)





#44

Trichloroethene

Concen: 1.072 ug/l

RT: 9.341 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087328.D


Acq: 16 Jul 2025 17:05

Instrument:

MSVOA\_N

ClientSampleId :




VSTDICC001




Tgt Ion:130 Resp: 233  
Ion Ratio Lower Upper  
130 100  
95 68.2 0.0 195.2

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#45  
1,2-Dichloropropane  
Concen: 0.895 ug/l  
RT: 9.606 min Scan# 1301  
Delta R.T. -0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05



Tgt Ion: 63 Resp: 2094  
Ion Ratio Lower Upper  
63 100  
65 41.9 27.0 40.4#





#46

Dibromomethane

Concen: 0.946 ug/l

RT: 9.694 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087328.D


Acq: 16 Jul 2025 17:05

Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC001



Tgt Ion: 93 Resp: 1651

Ion Ratio Lower Upper

93 100




95 62.2 65.8 98.8

174 84.2 69.9 104.9

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#47

Bromodichloromethane

Concen: 1.006 ug/l

RT: 9.871 min Scan# 1346

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05



Tgt Ion: 83 Resp: 3549


Ion Ratio Lower Upper

83 100

85 68.8 50.4 75.6

127 0.0 5.8 8.8#







#48

Methyl methacrylate  
Concen: 0.808 ug/l  
RT: 9.671 min Scan# 1  
Delta R.T. 0.006 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC001

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025








#49

1,4-Dioxane  
Concen: 15.810 ug/l  
RT: 9.682 min Scan# 1314  
Delta R.T. 0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Tgt Ion: 88 Resp: 696  
Ion Ratio Lower Upper  
88 100  
43 0.0 0.0 0.0  
58 35.9 61.1 91.7#





#50  
Toluene-d8  
Concen: 0.000 ug/l  
Expected RT: 10.55 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICC001


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

Tgt Ion: 98  
Sig Exp Ratio  
98 100  
100 65.1

#51  
4-Methyl-2-Pentanone  
Concen: 4.263 ug/l  
RT: 10.429 min Scan# 1441  
Delta R.T. 0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Tgt Ion: 43 Resp: 17216  
Ion Ratio Lower Upper  
43 100  
58 33.0 30.8 46.2









#52  
Toluene  
Concen: 0.864 ug/l  
RT: 10.612 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICC001


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#53  
t-1,3-Dichloropropene  
Concen: 0.804 ug/l  
RT: 10.818 min Scan# 1507  
Delta R.T. -0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Tgt Ion: 75 Resp: 2869  
Ion Ratio Lower Upper  
75 100  
77 53.0 23.6 35.4#








#54  
cis-1,3-Dichloropropene  
Concen: 0.830 ug/l  
RT: 10.294 min Scan# 1418  
Delta R.T. 0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC001


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#55  
1,1,2-Trichloroethane  
Concen: 1.013 ug/l  
RT: 11.000 min Scan# 1538  
Delta R.T. -0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Tgt Ion: 97 Resp: 2294  
Ion Ratio Lower Upper  
97 100  
83 56.4 72.6 109.0#  
85 58.9 46.7 70.1  
99 62.8 54.1 81.1





#56

Ethyl methacrylate

Concen: 1.217 ug/l

RT: 10.859 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Instrument:

MSVOA\_N





ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#57

1,3-Dichloropropane

Concen: 0.888 ug/l

RT: 11.141 min Scan# 1562

Delta R.T. 0.000 min

Lab File: VN087328.D


Acq: 16 Jul 2025 17:05




Tgt Ion: 76 Resp: 3477

Ion Ratio Lower Upper

76 100

78 29.5 26.0 39.0





#58

2-Chloroethyl Vinyl ether

Concen: 3.707 ug/l

RT: 10.141 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC001

Tgt Ion: 63 Resp: 6881

Ion Ratio Lower Upper





63 100

106 24.9 21.7 32.5

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#59

2-Hexanone

Concen: 3.250 ug/l

RT: 11.182 min Scan# 1569

Delta R.T. 0.000 min

Lab File: VN087328.D


Acq: 16 Jul 2025 17:05




Tgt Ion: 43 Resp: 8707

Ion Ratio Lower Upper

43 100

58 43.8 26.7 80.0





#60

Dibromochloromethane

Concen: 0.852 ug/l

RT: 11.347 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#61

1,2-Dibromoethane

Concen: 0.962 ug/l


RT: 11.459 min Scan# 1616


Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Tgt	Ion	Ion Ratio	Resp:	Lower	Upper
107	100		2291		
109	87.3	77.5	116.3		







#62  
4-Bromofluorobenzene  
Concen: 0.000 ug/l  
Expected RT: 12.83 min  
  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05  
  
Tgt Ion: 95  
Sig Exp Ratio  
95 100  
174 74.7  
176 70.6




Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICC001


**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



Tgt Ion:117 Resp: 274838  
Ion Ratio Lower Upper  
117 100  
82 54.2 47.4 71.2  
119 31.2 23.8 35.8







#64  
Tetrachloroethene  
Concen: 1.022 ug/l  
RT: 11.088 min Scan# 1  
Instrument : MSVOA\_N  
Delta R.T. 0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05  
ClientSampleId : VSTDICC001


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#65  
Chlorobenzene  
Concen: 1.014 ug/l  
RT: 11.870 min Scan# 1686  
Delta R.T. 0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Tgt Ion:112 Resp: 6259  
Ion Ratio Lower Upper  
112 100  
114 34.3 26.5 39.7





#66

1,1,1,2-Tetrachloroethane

Concen: 0.850 ug/l

RT: 11.941 min Scan# 1698

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Instrument:

MSVOA\_N





ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#67

Ethyl Benzene

Concen: 0.889 ug/l

RT: 11.941 min Scan# 1698

Delta R.T. -0.006 min

Lab File: VN087328.D


Acq: 16 Jul 2025 17:05




Tgt Ion: 91 Resp: 9031

Ion Ratio Lower Upper

91 100

106 34.9 24.3 36.5





#68

m/p-Xylenes

Concen: 1.565 ug/l

RT: 12.053 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05





Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#69

o-Xylene


Concen: 0.743 ug/l




RT: 12.388 min Scan# 1774

Delta R.T. 0.012 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

 Tgt Ion:106 Resp: 2700  
 Ion Ratio Lower Upper  
 106 100  
 91 229.8 107.7 323.3




#70

Styrene

Concen: 0.653 ug/l

RT: 12.400 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#71

Bromoform

Concen: 0.797 ug/l

RT: 12.559 min Scan# 1803

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05


Tgt Ion:173 Resp: 1351


Ion Ratio Lower Upper

173 100

175 52.5 24.1 72.3

254 0.0 0.0 0.0







#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.770 min Scan# 2  
Delta R.T. 0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC001


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#73  
Isopropylbenzene  
Concen: 0.802 ug/l  
RT: 12.682 min Scan# 1824  
Delta R.T. 0.006 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Tgt Ion:105 Resp: 6501  
Ion Ratio Lower Upper  
105 100  
120 24.0 13.4 40.1





#74

N-amyl acetate

Concen: 1.065 ug/l m

RT: 12.841 min Scan# 1

Delta R.T. 0.347 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Instrument:

MSVOA\_N




ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#75

1,1,2,2-Tetrachloroethane

Concen: 0.979 ug/l

RT: 12.917 min Scan# 1864

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05


Tgt Ion: 83 Resp: 2986




Ion Ratio Lower Upper

83 100

131 1.8 5.1 15.3#

85 82.1 32.5 97.4





#76

1,2,3-Trichloropropane

Concen: 1.089 ug/l m

RT: 12.976 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Instrument:

MSVOA\_N





ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#77

Bromobenzene

Concen: 0.820 ug/l

RT: 12.953 min Scan# 1870

Delta R.T. -0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05


Tgt Ion:156 Resp: 1724







Ion Ratio Lower Upper

156 100

77 277.2 114.9 344.6

158 99.6 48.5 145.5





#78

n-propylbenzene

Concen: 0.821 ug/l

RT: 13.017 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC001

Tgt Ion: 91 Resp: 8373

Ion Ratio Lower Upper


91 100

120 19.9 11.3 33.8

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#79

2-Chlorotoluene

Concen: 0.857 ug/l

RT: 13.100 min Scan# 1895

Delta R.T. -0.006 min

Lab File: VN087328.D


Acq: 16 Jul 2025 17:05



Tgt Ion: 91 Resp: 5372

Ion Ratio Lower Upper

91 100

126 29.6 16.9 50.6






#80  
1,3,5-Trimethylbenzene  
Concen: 0.772 ug/l  
RT: 13.147 min Scan# 1  
Delta R.T. -0.006 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC001


### Manual Integrations APPROVED







Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#82  
4-Chlorotoluene  
Concen: 0.878 ug/l  
RT: 13.200 min Scan# 1912  
Delta R.T. 0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Tgt Ion: 91 Resp: 5733  
Ion Ratio Lower Upper  
91 100  
126 31.1 16.6 49.7





#83

tert-Butylbenzene

Concen: 0.795 ug/l

RT: 13.412 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05


Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#84

1,2,4-Trimethylbenzene

Concen: 0.804 ug/l

RT: 13.464 min Scan# 1957

Delta R.T. 0.000 min

Lab File: VN087328.D


Acq: 16 Jul 2025 17:05




Tgt Ion:105 Resp: 5671

Ion Ratio Lower Upper

105 100

120 36.8 22.8 68.3





#85

sec-Butylbenzene

Concen: 0.925 ug/l

RT: 13.594 min Scan# 1979

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#86

p-Isopropyltoluene


Concen: 0.770 ug/l


RT: 13.712 min Scan# 1999

Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

 Tgt Ion:119 Resp: 5360  
 Ion Ratio Lower Upper  
 119 100  
 134 34.2 13.5 40.5  
 91 25.4 12.2 36.6




#87

1,3-Dichlorobenzene

Concen: 0.904 ug/l

RT: 13.712 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05



Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#88

1,4-Dichlorobenzene

Concen: 1.056 ug/l


RT: 13.794 min Scan# 2013




Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Tgt	Ion:146	Resp:	4655
Ion	Ratio	Lower	Upper
146	100		
111	29.2	19.6	58.7
148	58.2	31.4	94.0





#89

n-Butylbenzene

Concen: 0.883 ug/l

RT: 14.035 min Scan# 2

Instrument : MSVOA\_N

Delta R.T. 0.000 min





Lab File: VN087328.D ClientSampleId :

Acq: 16 Jul 2025 17:05 VSTDICC001

Tgt	Ion:	91	Resp:	5869
Ion	Ratio	Lower	Upper	
91	100			
92	44.0	26.2	78.6	
134	25.9	12.4	37.2	


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#90  
Hexachloroethane  
Concen: 1.035 ug/l  
RT: 14.317 min Scan# 2102  
Delta R.T. 0.006 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Tgt	Ion:	117	Resp:	1527
Ion	Ratio	Lower	Upper	
117	100			
201	55.1	32.8	98.4	





#91

1,2-Dichlorobenzene

Concen: 0.859 ug/l

RT: 14.088 min Scan# 2

Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC001

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#92

1,2-Dibromo-3-Chloropropane

Concen: 1.091 ug/l

RT: 14.711 min Scan# 2169

Delta R.T. 0.012 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05




Tgt Ion: 75 Resp: 874







Ion Ratio Lower Upper

75 100

155 37.2 37.3 111.8#

157 50.2 46.2 138.6





#93

1,2,4-Trichlorobenzene

Concen: 0.854 ug/l

RT: 15.376 min Scan# 2

Delta R.T. 0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Instrument :

MSVOA\_N


ClientSampleId :

VSTDICC001

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025


Supervised By :Semsettin Yesilyurt 07/17/2025




#94  
Hexachlorobutadiene  
Concen: 1.058 ug/l  
RT: 15.476 min Scan# 2299  
Delta R.T. 0.000 min  
Lab File: VN087328.D  
Acq: 16 Jul 2025 17:05

Tgt Ion:225 Resp: 903  
Ion Ratio Lower Upper  
225 100  
223 42.9 32.1 96.3  
227 46.0 31.3 93.9





Abundance Scan 2322 (15.611 min): VN087328.D\data.ms (-)



#95

Naphthalene

Concen: 0.787 ug/l

RT: 15.611 min Scan# 2322

Delta R.T. -0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05

Instrument :

MSVOA\_N


ClientSampleId :

VSTDICC001


**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



Abundance Scan 2355 (15.806 min): VN087328.D\data.ms (-)



#96

1,2,3-Trichlorobenzene

Concen: 0.898 ug/l

RT: 15.806 min Scan# 2355

Delta R.T. -0.006 min

Lab File: VN087328.D

Acq: 16 Jul 2025 17:05


Tgt Ion:180 Resp: 2068

Ion Ratio Lower Upper

180 100

182 93.6 47.1 141.4

145 34.1 16.9 50.6



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087329.D  
 Acq On : 16 Jul 2025 17:27  
 Operator : JC\MD  
 Sample : VSTDICC005  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 4 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDICC005**

Quant Time: Jul 17 02:17:44 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:09:29 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.206	168	172217	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.088	114	319926	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	285583	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	146494	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	16177	5.536	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	11.080%#	
35) Dibromofluoromethane	8.153	113	11111	5.035	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	10.060%#	
50) Toluene-d8	10.547	98	37751	4.796	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	9.600%#	
62) 4-Bromofluorobenzene	12.829	95	12943	4.450	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	8.900%#	
<b>Target Compounds</b>						
				<b>Qvalue</b>		
2) Dichlorodifluoromethane	2.142	85	7633	4.173 ug/l	90	
3) Chloromethane	2.383	50	11350	4.934 ug/l	96	
4) Vinyl Chloride	2.536	62	11459	5.013 ug/l	98	
5) Bromomethane	2.971	94	5657	4.779 ug/l	87	
6) Chloroethane	3.124	64	8358	5.606 ug/l #	81	
7) Trichlorofluoromethane	3.506	101	16796	4.969 ug/l #	83	
8) Diethyl Ether	3.959	74	6731	5.133 ug/l	91	
9) 1,1,2-Trichlorotrifluo...	4.371	101	8532	4.917 ug/l #	19	
10) Methyl Iodide	4.577	142	4952m	8.093 ug/l		
11) Tert butyl alcohol	5.536	59	14147	25.497 ug/l	98	
12) 1,1-Dichloroethene	4.330	96	11037	5.613 ug/l #	83	
13) Acrolein	4.177	56	12045	27.050 ug/l	96	
14) Allyl chloride	5.006	41	16836	4.731 ug/l	97	
15) Acrylonitrile	5.718	53	36114	23.986 ug/l	92	
16) Acetone	4.430	43	36648	26.455 ug/l	96	
17) Carbon Disulfide	4.695	76	29024	4.979 ug/l	94	
18) Methyl Acetate	5.006	43	18125	5.265 ug/l	99	
19) Methyl tert-butyl Ether	5.800	73	36155	4.989 ug/l	95	
20) Methylene Chloride	5.259	84	13570	5.286 ug/l #	86	
21) trans-1,2-Dichloroethene	5.765	96	11514	5.193 ug/l	81	
22) Diisopropyl ether	6.671	45	37879	5.075 ug/l #	97	
23) Vinyl Acetate	6.594	43	145089	22.225 ug/l #	94	
24) 1,1-Dichloroethane	6.547	63	22819	5.299 ug/l	95	
25) 2-Butanone	7.477	43	52336	24.722 ug/l	95	
26) 2,2-Dichloropropane	7.483	77	16583	4.953 ug/l	100	
27) cis-1,2-Dichloroethene	7.471	96	12690	4.972 ug/l	99	
28) Bromochloromethane	7.789	49	11022	5.348 ug/l #	16	
29) Tetrahydrofuran	7.830	42	34146	24.829 ug/l	99	
30) Chloroform	7.959	83	22369	5.190 ug/l	84	
31) Cyclohexane	8.236	56	19764	5.502 ug/l	87	
32) 1,1,1-Trichloroethane	8.153	97	19739	5.287 ug/l #	51	
36) 1,1-Dichloropropene	8.347	75	13965	4.790 ug/l	98	
37) Ethyl Acetate	7.553	43	21482	5.102 ug/l	97	
38) Carbon Tetrachloride	8.341	117	16718	5.205 ug/l #	89	
39) Methylcyclohexane	9.582	83	14154	4.484 ug/l	86	
40) Benzene	8.583	78	45748	4.855 ug/l	94	

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087329.D  
 Acq On : 16 Jul 2025 17:27  
 Operator : JC\MD  
 Sample : VSTDICC005  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 4 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDICC005**

Quant Time: Jul 17 02:17:44 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:09:29 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.765	41	10551	4.792	ug/1	97
42) 1,2-Dichloroethane	8.653	62	18086	5.061	ug/1	96
43) Isopropyl Acetate	8.677	43	31964	4.890	ug/1	100
44) Trichloroethene	9.335	130	10573	4.748	ug/1	79
45) 1,2-Dichloropropane	9.606	63	11728	4.898	ug/1	95
46) Dibromomethane	9.694	93	9473	5.284	ug/1	96
47) Bromodichloromethane	9.865	83	18300	5.068	ug/1 #	82
48) Methyl methacrylate	9.665	41	13169	4.475	ug/1	95
49) 1,4-Dioxane	9.682	88	4176	92.653	ug/1 #	87
51) 4-Methyl-2-Pentanone	10.430	43	102519	24.797	ug/1	97
52) Toluene	10.612	92	27158	4.742	ug/1	96
53) t-1,3-Dichloropropene	10.824	75	17133	4.688	ug/1 #	87
54) cis-1,3-Dichloropropene	10.294	75	18046	4.780	ug/1	97
55) 1,1,2-Trichloroethane	11.000	97	11643	5.021	ug/1 #	88
56) Ethyl methacrylate	10.859	69	15548	4.693	ug/1	95
57) 1,3-Dichloropropane	11.141	76	19868	4.956	ug/1	99
58) 2-Chloroethyl Vinyl ether	10.147	63	43690	22.968	ug/1	94
59) 2-Hexanone	11.182	43	59736	21.778	ug/1	99
60) Dibromochloromethane	11.335	129	13321	5.037	ug/1	100
61) 1,2-Dibromoethane	11.453	107	11942	4.898	ug/1	89
64) Tetrachloroethene	11.082	164	9660	5.256	ug/1	95
65) Chlorobenzene	11.871	112	32304	5.038	ug/1	96
66) 1,1,1,2-Tetrachloroethane	11.941	131	11581	5.312	ug/1	96
67) Ethyl Benzene	11.947	91	49622	4.701	ug/1	92
68) m/p-Xylenes	12.059	106	36883	9.332	ug/1	98
69) o-Xylene	12.376	106	17293	4.580	ug/1	97
70) Styrene	12.394	104	29462	4.639	ug/1	99
71) Bromoform	12.559	173	8628	4.899	ug/1 #	96
73) Isopropylbenzene	12.676	105	42320	4.590	ug/1	98
74) N-amyl acetate	12.647	43	18405m	5.113	ug/1	
75) 1,1,2,2-Tetrachloroethane	12.918	83	17305	4.988	ug/1	95
76) 1,2,3-Trichloropropane	12.976	75	18135m	5.580	ug/1	
77) Bromobenzene	12.965	156	11589	4.847	ug/1	84
78) n-propylbenzene	13.018	91	54443	4.693	ug/1	99
79) 2-Chlorotoluene	13.106	91	34400	4.825	ug/1	99
80) 1,3,5-Trimethylbenzene	13.153	105	36874	4.694	ug/1	100
81) trans-1,4-Dichloro-2-b...	12.718	75	4795	3.994	ug/1 #	80
82) 4-Chlorotoluene	13.200	91	36031	4.854	ug/1	98
83) tert-Butylbenzene	13.418	119	30293	4.617	ug/1	96
84) 1,2,4-Trimethylbenzene	13.465	105	35326	4.403	ug/1	99
85) sec-Butylbenzene	13.594	105	45947	4.649	ug/1	98
86) p-Isopropyltoluene	13.706	119	35413	4.471	ug/1	97
87) 1,3-Dichlorobenzene	13.718	146	23326	4.970	ug/1	95
88) 1,4-Dichlorobenzene	13.794	146	25031	4.994	ug/1	90
89) n-Butylbenzene	14.035	91	35522	4.697	ug/1	95
90) Hexachloroethane	14.312	117	8261	4.923	ug/1	98
91) 1,2-Dichlorobenzene	14.088	146	22474	5.055	ug/1	99
92) 1,2-Dibromo-3-Chloropr...	14.700	75	4757	5.223	ug/1	87
93) 1,2,4-Trichlorobenzene	15.364	180	12595	4.823	ug/1	97
94) Hexachlorobutadiene	15.476	225	4936	5.087	ug/1	98
95) Naphthalene	15.617	128	38936	4.208	ug/1	99
96) 1,2,3-Trichlorobenzene	15.812	180	12368	4.721	ug/1	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
Data File : VN087329.D  
Acq On : 16 Jul 2025 17:27  
Operator : JC\MD  
Sample : VSTDICC005  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICC005

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

Quant Time: Jul 17 02:17:44 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:09:29 2025  
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

---

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
Data File : VN087329.D  
Acq On : 16 Jul 2025 17:27  
Operator : JC\MD  
Sample : VSTDIICC005  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 4 Sample Multiplier: 1


Quant Time: Jul 17 02:17:44 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:09:29 2025  
Response via : Initial Calibration

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
VSTDICC005

## Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025





#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 8.206 min Scan# 1  
Delta R.T. -0.006 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27



Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005



Tgt Ion:168 Resp: 17221  
Ion Ratio Lower Upper  
168 100  
99 57.7 47.9 71.9






### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#2  
Dichlorodifluoromethane  
Concen: 4.173 ug/l  
RT: 2.142 min Scan# 32  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Tgt Ion: 85 Resp: 7633  
Ion Ratio Lower Upper  
85 100  
87 29.4 17.8 53.3









#3  
 Chloromethane  
 Concen: 4.934 ug/l  
 RT: 2.383 min Scan# 7  
 Delta R.T. 0.000 min  
 Lab File: VN087329.D  
 Acq: 16 Jul 2025 17:27

Instrument : MSVOA\_N  
 ClientSampleId : VSTDICC005


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025



#4  
 Vinyl Chloride  
 Concen: 5.013 ug/l  
 RT: 2.536 min Scan# 99  
 Delta R.T. -0.006 min  
 Lab File: VN087329.D  
 Acq: 16 Jul 2025 17:27

Tgt Ion: 62 Resp: 11459  
 Ion Ratio Lower Upper  
 62 100  
 64 34.7 27.0 40.6








#5  
 Bromomethane  
 Concen: 4.779 ug/l  
 RT: 2.971 min Scan# 1  
 Delta R.T. 0.000 min  
 Lab File: VN087329.D  
 Acq: 16 Jul 2025 17:27

Instrument : MSVOA\_N  
 ClientSampleId : VSTDICC005



**Manual Integrations**  
**APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025



#6  
 Chloroethane  
 Concen: 5.606 ug/l  
 RT: 3.124 min Scan# 199  
 Delta R.T. -0.006 min  
 Lab File: VN087329.D  
 Acq: 16 Jul 2025 17:27


Tgt Ion: 64 Resp: 8358  
 Ion Ratio Lower Upper  
 64 100  
 66 20.2 24.6 36.8#





#7  
Trichlorofluoromethane  
Concen: 4.969 ug/l  
RT: 3.506 min Scan# 2  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27



Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005




Tgt Ion:101 Resp: 16790  
Ion Ratio Lower Upper  
101 100  
103 48.8 49.8 74.6

**Manual Integrations**  
**APPROVED**



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#8  
Diethyl Ether  
Concen: 5.133 ug/l  
RT: 3.959 min Scan# 341  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27



Tgt Ion: 74 Resp: 6731  
Ion Ratio Lower Upper  
74 100  
45 111.0 50.8 152.5







#9  
1,1,2-Trichlorotrifluoroethane  
Concen: 4.917 ug/l  
RT: 4.371 min Scan# 4  
Delta R.T. 0.012 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#10  
Methyl Iodide  
Concen: 8.093 ug/l m  
RT: 4.577 min Scan# 446  
Delta R.T. -0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Tgt Ion:142 Resp: 4952  
Ion Ratio Lower Upper  
142 100  
127 44.4 35.7 53.5  
141 15.6 10.4 15.6#









#11

Tert butyl alcohol  
Concen: 25.497 ug/l  
RT: 5.536 min Scan# 6  
Delta R.T. 0.012 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025









#12

1,1-Dichloroethene  
Concen: 5.613 ug/l  
RT: 4.330 min Scan# 404  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Tgt Ion: 96 Resp: 11037  
Ion Ratio Lower Upper  
96 100  
61 142.2 132.3 198.5  
98 46.1 46.8 70.2#






#13

Acrolein  
Concen: 27.050 ug/l  
RT: 4.177 min Scan# 3  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICC005

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025









#14

Allyl chloride  
Concen: 4.731 ug/l  
RT: 5.006 min Scan# 519  
Delta R.T. -0.006 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Tgt Ion: 41 Resp: 16836  
Ion Ratio Lower Upper  
41 100  
39 71.9 59.0 88.6  
76 38.3 28.7 43.1





#15

Acrylonitrile

Concen: 23.986 ug/l

RT: 5.718 min Scan# 6

Delta R.T. 0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27


Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#16

Acetone

Concen: 26.455 ug/l

RT: 4.430 min Scan# 421


Delta R.T. 0.006 min


Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Tgt Ion: 43 Resp: 36648

Ion	Ratio	Lower	Upper
43	100		
58	30.0	22.3	33.5





#17

Carbon Disulfide

Concen: 4.979 ug/l

RT: 4.695 min Scan# 4

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27


Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC005

**Manual Integrations**  
**APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#18

Methyl Acetate

Concen: 5.265 ug/l

RT: 5.006 min Scan# 519

Delta R.T. -0.006 min

Lab File: VN087329.D


Acq: 16 Jul 2025 17:27


Tgt Ion: 43 Resp: 18125

Ion Ratio Lower Upper

43 100

74 22.8 17.8 26.6







#19

Methyl tert-butyl Ether  
Concen: 4.989 ug/l  
RT: 5.800 min Scan# 6  
Delta R.T. 0.012 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#20

Methylene Chloride  
Concen: 5.286 ug/l  
RT: 5.259 min Scan# 562  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Tgt Ion: 84 Resp: 13570  
Ion Ratio Lower Upper  
84 100  
49 113.7 107.5 161.3  
51 29.3 30.2 45.2#  
86 55.5 49.3 73.9






#21  
 trans-1,2-Dichloroethene  
 Concen: 5.193 ug/l  
 RT: 5.765 min Scan# 6  
 Delta R.T. -0.006 min  
 Lab File: VN087329.D  
 Acq: 16 Jul 2025 17:27

Instrument : MSVOA\_N  
 ClientSampleId : VSTDICC005


**Manual Integrations**  
**APPROVED**







Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025



#22  
 Diisopropyl ether  
 Concen: 5.075 ug/l  
 RT: 6.671 min Scan# 802  
 Delta R.T. 0.006 min  
 Lab File: VN087329.D  
 Acq: 16 Jul 2025 17:27

Tgt Ion: 45 Resp: 37879  
 Ion Ratio Lower Upper  
 45 100  
 43 55.4 42.8 64.2  
 87 23.4 19.8 29.6  
 59 13.5 8.3 12.5#





#23

**Vinyl Acetate**

Concen: 22.225 ug/l

RT: 6.594 min Scan# 789

Delta R.T. 0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC005

Tgt Ion: 43 Resp: 145089

Ion Ratio Lower Upper


43 100

86 11.8 7.7 11.5

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#24

**1,1-Dichloroethane**

Concen: 5.299 ug/l

RT: 6.547 min Scan# 781

Delta R.T. -0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27


Tgt Ion: 63 Resp: 22819







Ion Ratio Lower Upper

63 100

98 5.1 3.3 9.9

100 6.7 2.5 7.4





#25

2-Butanone

Concen: 24.722 ug/l

RT: 7.477 min Scan# 9

Delta R.T. 0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC005

Tgt Ion: 43 Resp: 52330

Ion Ratio Lower Upper


43 100

72 27.0 19.6 29.4

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#26

2,2-Dichloropropane

Concen: 4.953 ug/l

RT: 7.483 min Scan# 940

Delta R.T. 0.012 min

Lab File: VN087329.D


Acq: 16 Jul 2025 17:27







Tgt Ion: 77 Resp: 16583

Ion Ratio Lower Upper

77 100

97 22.2 11.1 33.1





#27

cis-1,2-Dichloroethene

Concen: 4.972 ug/l

RT: 7.471 min Scan# 9

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC005

Tgt Ion: 96 Resp: 12690

Ion Ratio Lower Upper

96 100


61 150.3 0.0 297.8

98 66.8 0.0 132.4

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#28

Bromochloromethane

Concen: 5.348 ug/l

RT: 7.789 min Scan# 992

Delta R.T. -0.012 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27


Tgt Ion: 49 Resp: 11022


Ion Ratio Lower Upper

49 100

129 0.0 0.0 4.2

130 0.0 57.3 85.9#





#29

Tetrahydrofuran

Concen: 24.829 ug/l

RT: 7.830 min Scan# 999

Delta R.T. 0.000 min

Lab File: VN087329.D


Acq: 16 Jul 2025 17:27

Instrument :

MSVOA\_N

ClientSampleId :




VSTDICC005




Tgt Ion:	Ion Ratio	Resp:	Lower	Upper
42	100	34140		
72	42.1	33.4	50.0	
71	37.6	31.2	46.8	

**Manual Integrations  
APPROVED**



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025






#30  
Chloroform  
Concen: 5.190 ug/l  
RT: 7.959 min Scan# 1021  
Delta R.T. 0.006 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27



Tgt Ion:	Ion Ratio	Resp:	Lower	Upper
83	100	22369		
85	53.5	52.7	79.1	





#31

Cyclohexane

Concen: 5.502 ug/l

RT: 8.236 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#32

1,1,1-Trichloroethane

Concen: 5.287 ug/l


RT: 8.153 min Scan# 1054

Delta R.T. 0.000 min


Lab File: VN087329.D







Acq: 16 Jul 2025 17:27

Tgt	Ion	Resp:	19739
Ion	Ratio	Lower	Upper
97	100		
99	0.0	51.8	77.8#
61	45.3	38.7	58.1



Abundance Scan 1054 (8.153 min): VN087329.D\data.ms (-1)





#33

1,2-Dichloroethane-d4

Concen: 5.536 ug/l

RT: 8.565 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.088 min Scan# 1213

Delta R.T. 0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27


Tgt Ion:114 Resp: 319926


Ion Ratio Lower Upper

114 100

63 21.3 0.0 44.6


88 15.3 0.0 32.8





#35  
Dibromofluoromethane  
Concen: 5.035 ug/l  
RT: 8.153 min Scan# 1  
Delta R.T. 0.006 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27




Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005




Tgt Ion:113 Resp: 1111:  
Ion Ratio Lower Upper  
113 100  
111 104.4 82.5 123.7  
192 17.7 13.7 20.5

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025






#36  
1,1-Dichloropropene  
Concen: 4.790 ug/l  
RT: 8.347 min Scan# 1087  
Delta R.T. -0.006 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27



Tgt Ion: 75 Resp: 13965  
Ion Ratio Lower Upper  
75 100  
110 35.8 16.7 50.1  
77 31.2 25.2 37.8





#37

## Ethyl Acetate

Concen: 5.102 ug/l

RT: 7.553 min Scan# 9

Delta R.T. 0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27





Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#38

## Carbon Tetrachloride

Concen: 5.205 ug/l

RT: 8.341 min Scan# 1086

Delta R.T. -0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27


Tgt Ion:117 Resp: 16718


Ion Ratio Lower Upper

117 100

119 109.3 80.2 120.2

121 41.8 25.4 38.2#





#39

Methylcyclohexane



Concen: 4.484 ug/l

RT: 9.582 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27





Tgt Ion: 83 Resp: 14154

Ion Ratio Lower Upper

83 100

55 91.6 61.3 91.9

98 53.8 37.9 56.9

**Manual Integrations  
APPROVED**
Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

#40

Benzene


Concen: 4.855 ug/l

RT: 8.583 min Scan# 1127

Delta R.T. -0.012 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27











Tgt Ion: 78 Resp: 45748

Ion Ratio Lower Upper

78 100

77 25.8 18.2 27.2





#41

Methacrylonitrile

Concen: 4.792 ug/l

RT: 7.765 min Scan# 988

Delta R.T. -0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Instrument:

MSVOA\_N

ClientSampleId :


VSTDICC005

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025

Abundance



#42

1,2-Dichloroethane

Concen: 5.061 ug/l

RT: 8.653 min Scan# 1139

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27


Tgt Ion: 62 Resp: 18086


Ion Ratio Lower Upper

62 100

98 7.7 0.0 18.0

Abundance





#43

Isopropyl Acetate




Concen: 4.890 ug/l

RT: 8.677 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27



#44

Trichloroethene



Concen: 4.748 ug/l

RT: 9.335 min Scan# 1255

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27





Tgt Ion:130 Resp: 10573

Ion Ratio Lower Upper

130 100


95 118.0 0.0 195.2





#45  
1,2-Dichloropropane  
Concen: 4.898 ug/l  
RT: 9.606 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27




Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005




Tgt Ion: 63 Resp: 11723  
Ion Ratio Lower Upper  
63 100  
65 30.7 27.0 40.4

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025









#46  
Dibromomethane  
Concen: 5.284 ug/l  
RT: 9.694 min Scan# 1316  
Delta R.T. 0.006 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27



Tgt Ion: 93 Resp: 9473  
Ion Ratio Lower Upper  
93 100  
95 79.6 65.8 98.8  
174 92.1 69.9 104.9





#47

Bromodichloromethane

Concen: 5.068 ug/l

RT: 9.865 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27





Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#48

Methyl methacrylate

Concen: 4.475 ug/l

RT: 9.665 min Scan# 1311

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27


Tgt Ion: 41 Resp: 13169


Ion Ratio Lower Upper

41 100

69 84.9 64.1 96.1


39 54.4 45.5 68.3





#49  
1,4-Dioxane  
Concen: 92.653 ug/l  
RT: 9.682 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27




Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005




Tgt Ion: 88 Resp: 4170  
Ion Ratio Lower Upper  
88 100  
43 25.3 0.0 0.0  
58 65.4 61.1 91.7

Manual Integrations  
APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#50  
Toluene-d8  
Concen: 4.796 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27




Tgt Ion: 98 Resp: 37751  
Ion Ratio Lower Upper  
98 100  
100 66.6 52.1 78.1






Abundance Scan 1441 (10.430 min): VN087329.D\data.ms



Abundance Scan 1441 (10.430 min): VN087329.D\data.ms (-)



#51

4-Methyl-2-Pentanone

Concen: 24.797 ug/l

RT: 10.430 min Scan# 1441

Delta R.T. 0.001 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC005

Tgt Ion: 43 Resp: 102519

Ion Ratio Lower Upper


43 100

58 36.6 30.8 46.2


### Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025


Supervised By :Semsettin Yesilyurt 07/17/2025



Abundance Scan 1472 (10.612 min): VN087329.D\data.ms



Abundance Scan 1472 (10.612 min): VN087329.D\data.ms (-)



#52

Toluene

Concen: 4.742 ug/l

RT: 10.612 min Scan# 1472

Delta R.T. -0.000 min

Lab File: VN087329.D



Acq: 16 Jul 2025 17:27


Tgt Ion: 92 Resp: 27158

Ion Ratio Lower Upper

92 100

91 174.6 135.1 202.7







#53  
t-1,3-Dichloropropene  
Concen: 4.688 ug/l  
RT: 10.824 min Scan# 1  
Delta R.T. 0.006 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005


**Manual Integrations**  
**APPROVED**




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#54  
cis-1,3-Dichloropropene  
Concen: 4.780 ug/l  
RT: 10.294 min Scan# 1418  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Tgt Ion: 75 Resp: 18046  
Ion Ratio Lower Upper  
75 100  
77 34.0 24.2 36.2  
39 47.8 38.4 57.6





#55

1,1,2-Trichloroethane

Concen: 5.021 ug/l

RT: 11.000 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27




Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#56

Ethyl methacrylate

Concen: 4.693 ug/l

RT: 10.859 min Scan# 1514

Delta R.T. -0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27


Tgt Ion: 69 Resp: 15548




Ion Ratio Lower Upper

69 100

41 67.5 55.1 82.7

39 28.8 27.9 41.9





#57

1,3-Dichloropropane

Concen: 4.956 ug/l

RT: 11.141 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#58

2-Chloroethyl Vinyl ether

Concen: 22.968 ug/l

RT: 10.147 min Scan# 1393

Delta R.T. 0.006 min

Lab File: VN087329.D


Acq: 16 Jul 2025 17:27




Tgt Ion: 63 Resp: 43690

Ion Ratio Lower Upper

63 100

106 30.2 21.7 32.5









#59  
2-Hexanone  
Concen: 21.778 ug/l  
RT: 11.182 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#60  
Dibromochloromethane  
Concen: 5.037 ug/l  
RT: 11.335 min Scan# 1595  
Delta R.T. -0.006 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Tgt Ion:129 Resp: 13321  
Ion Ratio Lower Upper  
129 100  
127 77.9 39.1 117.5









#61  
1,2-Dibromoethane  
Concen: 4.898 ug/l  
RT: 11.453 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005


### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#62  
4-Bromofluorobenzene  
Concen: 4.450 ug/l  
RT: 12.829 min Scan# 1849  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Tgt Ion: 95 Resp: 12943  
Ion Ratio Lower Upper  
95 100  
174 76.6 0.0 149.4  
176 76.1 0.0 141.2







#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.847 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#64  
Tetrachloroethene  
Concen: 5.256 ug/l  
RT: 11.082 min Scan# 1552  
Delta R.T. -0.006 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Tgt Ion:164 Resp: 9660  
Ion Ratio Lower Upper  
164 100  
166 119.2 105.5 158.3  
129 97.5 77.4 116.2  
131 95.3 77.3 115.9





#65

Chlorobenzene

Concen: 5.038 ug/l

RT: 11.871 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27





Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#66

1,1,1,2-Tetrachloroethane

Concen: 5.312 ug/l


RT: 11.941 min Scan# 1698


Delta R.T. 0.000 min

Lab File: VN087329.D


Acq: 16 Jul 2025 17:27

Tgt	Ion:131	Resp:	11581
Ion	Ratio	Lower	Upper
131	100		
133	92.2	47.4	142.3
119	70.7	33.1	99.2





Abundance Scan 1699 (11.947 min): VN087329.D\data.ms (-)



#67

Ethyl Benzene

Concen: 4.701 ug/l

RT: 11.947 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Instrument:

MSVOA\_N



ClientSampleId :

VSTDICC005


**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025


Supervised By :Semsettin Yesilyurt 07/17/2025



Abundance Scan 1718 (12.059 min): VN087329.D\data.ms (-)



Abundance Scan 1718 (12.059 min): VN087329.D\data.ms (-)



#68

m/p-Xylenes

Concen: 9.332 ug/l

RT: 12.059 min Scan# 1718

Delta R.T. 0.006 min

Lab File: VN087329.D


Acq: 16 Jul 2025 17:27




Tgt Ion:106 Resp: 36883

Ion Ratio Lower Upper

106 100

91 205.1 162.0 243.0









#69  
o-Xylene  
Concen: 4.580 ug/l  
RT: 12.376 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#70  
Styrene  
Concen: 4.639 ug/l  
RT: 12.394 min Scan# 1775  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Tgt Ion:104 Resp: 29462  
Ion Ratio Lower Upper  
104 100  
78 50.2 41.0 61.6  
103 55.1 43.9 65.9





#71

Bromoform

Concen: 4.899 ug/l

RT: 12.559 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.770 min Scan# 2009

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27


Tgt Ion:152 Resp: 146494




Ion Ratio Lower Upper

152 100

115 60.1 31.1 93.5

150 152.1 0.0 349.0





#73

Isopropylbenzene

Concen: 4.590 ug/l

RT: 12.676 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Instrument :

MSVOA\_N





ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#74

N-amyl acetate

Concen: 5.113 ug/l m

RT: 12.647 min Scan# 1818

Delta R.T. 0.153 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Tgt Ion: 43 Resp: 18405


Ion Ratio Lower Upper







43 100

70 0.0 37.6 56.4#

55 0.0 19.6 29.4#

61 0.0 20.6 31.0#





#75

1,1,2,2-Tetrachloroethane

Concen: 4.988 ug/l

RT: 12.918 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27


Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#76

1,2,3-Trichloropropane

Concen: 5.580 ug/l

RT: 12.976 min Scan# 1874

Delta R.T. 0.006 min

Lab File: VN087329.D


Acq: 16 Jul 2025 17:27




Tgt Ion: 75 Resp: 18135

Ion Ratio Lower Upper

75 100

77 170.2 94.5 283.6





#77

Bromobenzene

Concen: 4.847 ug/l

RT: 12.965 min Scan# 1872

Delta R.T. 0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Instrument :

MSVOA\_N




ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#78

n-propylbenzene

Concen: 4.693 ug/l

RT: 13.018 min Scan# 1881

Delta R.T. 0.000 min

Lab File: VN087329.D


Acq: 16 Jul 2025 17:27




Tgt Ion: 91 Resp: 54443

Ion Ratio Lower Upper

91 100

120 22.2 11.3 33.8





#79

2-Chlorotoluene

Concen: 4.825 ug/l

RT: 13.106 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Instrument :

MSVOA\_N




ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#80

1,3,5-Trimethylbenzene

Concen: 4.694 ug/l

RT: 13.153 min Scan# 1904

Delta R.T. 0.000 min

Lab File: VN087329.D


Acq: 16 Jul 2025 17:27


Tgt Ion:105 Resp: 36874

Ion Ratio Lower Upper


105 100

120 48.3 24.3 72.8








Abundance Scan 1830 (12.718 min): VN087329.D\data.ms (-)




Abundance Scan 1830 (12.718 min): VN087329.D\data.ms (-)



Abundance Scan 1912 (13.200 min): VN087329.D\data.ms (-)



Abundance Scan 1912 (13.200 min): VN087329.D\data.ms (-)



#81

trans-1,4-Dichloro-2-butene

Concen: 3.994 ug/l

RT: 12.718 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Instrument :

MSVOA\_N


ClientSampleId :

VSTDICC005

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#82

4-Chlorotoluene

Concen: 4.854 ug/l

RT: 13.200 min Scan# 1912

Delta R.T. 0.000 min

Lab File: VN087329.D


Acq: 16 Jul 2025 17:27




Tgt Ion: 91 Resp: 36031

Ion Ratio Lower Upper

91 100

126 34.5 16.6 49.7





#83

tert-Butylbenzene

Concen: 4.617 ug/l

RT: 13.418 min Scan# 1949

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#84

1,2,4-Trimethylbenzene

Concen: 4.403 ug/l

RT: 13.465 min Scan# 1957

Delta R.T. 0.000 min

Lab File: VN087329.D



Acq: 16 Jul 2025 17:27


Tgt Ion:105 Resp: 35326

Ion Ratio Lower Upper

105 100

120 45.9 22.8 68.3







#85  
sec-Butylbenzene  
Concen: 4.649 ug/l  
RT: 13.594 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC005


**Manual Integrations**  
**APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#86  
p-Isopropyltoluene  
Concen: 4.471 ug/l  
RT: 13.706 min Scan# 1998  
Delta R.T. 0.000 min  
Lab File: VN087329.D  
Acq: 16 Jul 2025 17:27

Tgt Ion:119 Resp: 35413  
Ion Ratio Lower Upper  
119 100  
134 27.6 13.5 40.5  
91 26.8 12.2 36.6





#87

1,3-Dichlorobenzene

Concen: 4.970 ug/l

RT: 13.718 min Scan# 2

Delta R.T. 0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27



Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#88

1,4-Dichlorobenzene

Concen: 4.994 ug/l


RT: 13.794 min Scan# 2013




Delta R.T. 0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Tgt	Ion:146	Resp:	25031
Ion	Ratio	Lower	Upper
146	100		
111	48.2	19.6	58.7
148	68.2	31.4	94.0





#89

n-Butylbenzene

Concen: 4.697 ug/l

RT: 14.035 min Scan# 2

Instrument :

Delta R.T. 0.000 min

MSVOA\_N

Lab File: VN087329.D

ClientSampleId :





Acq: 16 Jul 2025 17:27

VSTDICC005

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#90

Hexachloroethane

Concen: 4.923 ug/l


RT: 14.312 min Scan# 2101




Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Tgt	Ion:	117	Resp:	8261
Ion	Ratio	Lower	Upper	
117	100			
201	67.1	32.8	98.4	





#91

1,2-Dichlorobenzene

Concen: 5.055 ug/l

RT: 14.088 min Scan# 2

Delta R.T. 0.006 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Instrument :

MSVOA\_N





ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#92

1,2-Dibromo-3-Chloropropane

Concen: 5.223 ug/l

RT: 14.700 min Scan# 2167

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27


Tgt Ion: 75 Resp: 4757



Ion Ratio Lower Upper




75 100

155 63.8 37.3 111.8

157 79.5 46.2 138.6







#95

Naphthalene

Concen: 4.208 ug/l

RT: 15.617 min Scan# 2323

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Instrument :

MSVOA\_N





ClientSampleId :

VSTDICC005

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#96

1,2,3-Trichlorobenzene

Concen: 4.721 ug/l


RT: 15.812 min Scan# 2356

Delta R.T. 0.000 min

Lab File: VN087329.D

Acq: 16 Jul 2025 17:27

Tgt	Ion:180	Resp:	12368
Ion	Ratio	Lower	Upper
180	100		
182	92.4	47.1	141.4
145	33.5	16.9	50.6



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087330.D  
 Acq On : 16 Jul 2025 17:49  
 Operator : JC\MD  
 Sample : VSTDICC020  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 5 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDICC020**

Quant Time: Jul 17 02:18:38 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:09:29 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	178514	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.088	114	328159	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	297202	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	156249	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	58584	19.341	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	38.680%	#
35) Dibromofluoromethane	8.153	113	44726	19.758	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	39.520%	#
50) Toluene-d8	10.547	98	154381	19.119	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	38.240%	#
62) 4-Bromofluorobenzene	12.829	95	56832	19.051	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	38.100%	#
<b>Target Compounds</b>						
				Qvalue		
2) Dichlorodifluoromethane	2.142	85	31604	16.669	ug/l	86
3) Chloromethane	2.383	50	41982	17.608	ug/l	94
4) Vinyl Chloride	2.542	62	44508	18.784	ug/l	99
5) Bromomethane	2.971	94	22025	17.950	ug/l	98
6) Chloroethane	3.130	64	30785	19.922	ug/l	100
7) Trichlorofluoromethane	3.506	101	68764	19.626	ug/l	97
8) Diethyl Ether	3.959	74	28520	20.984	ug/l	97
9) 1,1,2-Trichlorotrifluo...	4.365	101	38516	21.414	ug/l	95
10) Methyl Iodide	4.577	142	25698	17.955	ug/l	97
11) Tert butyl alcohol	5.530	59	55298	96.147	ug/l	99
12) 1,1-Dichloroethene	4.330	96	39480	19.370	ug/l	96
13) Acrolein	4.177	56	40135	86.954	ug/l	98
14) Allyl chloride	5.006	41	80983	21.955	ug/l	88
15) Acrylonitrile	5.712	53	162325	104.007	ug/l	99
16) Acetone	4.424	43	140161	97.607	ug/l	93
17) Carbon Disulfide	4.700	76	119191	19.725	ug/l	# 93
18) Methyl Acetate	5.012	43	70735	19.824	ug/l	99
19) Methyl tert-butyl Ether	5.794	73	150385	20.018	ug/l	97
20) Methylene Chloride	5.265	84	49951	20.427	ug/l	87
21) trans-1,2-Dichloroethene	5.771	96	45917	19.980	ug/l	90
22) Diisopropyl ether	6.659	45	168043	21.719	ug/l	97
23) Vinyl Acetate	6.594	43	750202	110.863	ug/l	98
24) 1,1-Dichloroethane	6.559	63	89552	20.062	ug/l	95
25) 2-Butanone	7.477	43	231983	105.718	ug/l	96
26) 2,2-Dichloropropane	7.483	77	71478	20.596	ug/l	97
27) cis-1,2-Dichloroethene	7.471	96	53347	20.162	ug/l	98
28) Bromochloromethane	7.794	49	41285	19.325	ug/l	100
29) Tetrahydrofuran	7.830	42	147436	103.426	ug/l	99
30) Chloroform	7.953	83	93018	20.819	ug/l	100
31) Cyclohexane	8.241	56	74161	19.915	ug/l	98
32) 1,1,1-Trichloroethane	8.153	97	78235	20.217	ug/l	97
36) 1,1-Dichloropropene	8.359	75	60302	20.163	ug/l	98
37) Ethyl Acetate	7.553	43	85921	19.893	ug/l	98
38) Carbon Tetrachloride	8.347	117	65336	19.832	ug/l	95
39) Methylcyclohexane	9.588	83	63264	19.539	ug/l	95
40) Benzene	8.588	78	197187	20.400	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087330.D  
 Acq On : 16 Jul 2025 17:49  
 Operator : JC\MD  
 Sample : VSTDICC020  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 5 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDICC020**

Quant Time: Jul 17 02:18:38 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:09:29 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.771	41	47550	21.054	ug/l	97
42) 1,2-Dichloroethane	8.659	62	74680	20.374	ug/l	99
43) Isopropyl Acetate	8.677	43	135010	20.136	ug/l	99
44) Trichloroethene	9.335	130	44202	19.354	ug/l	98
45) 1,2-Dichloropropane	9.606	63	51786	21.086	ug/l	97
46) Dibromomethane	9.688	93	36673	19.943	ug/l	96
47) Bromodichloromethane	9.871	83	73409	19.819	ug/l	93
48) Methyl methacrylate	9.665	41	62316	20.645	ug/l	99
49) 1,4-Dioxane	9.682	88	18509	400.357	ug/l #	100
51) 4-Methyl-2-Pentanone	10.429	43	449710	106.046	ug/l	99
52) Toluene	10.612	92	123391	21.002	ug/l	98
53) t-1,3-Dichloropropene	10.818	75	76959	20.530	ug/l	92
54) cis-1,3-Dichloropropene	10.294	75	79019	20.407	ug/l	96
55) 1,1,2-Trichloroethane	11.000	97	47960	20.164	ug/l	94
56) Ethyl methacrylate	10.859	69	74408	19.384	ug/l	99
57) 1,3-Dichloropropane	11.147	76	85537	20.800	ug/l	99
58) 2-Chloroethyl Vinyl ether	10.141	63	198704	101.839	ug/l	100
59) 2-Hexanone	11.182	43	305342	108.526	ug/l	99
60) Dibromochloromethane	11.341	129	55783	20.564	ug/l	98
61) 1,2-Dibromoethane	11.447	107	51292	20.509	ug/l	97
64) Tetrachloroethene	11.082	164	37655	19.686	ug/l	93
65) Chlorobenzene	11.871	112	134668	20.183	ug/l	95
66) 1,1,1,2-Tetrachloroethane	11.941	131	46671	20.570	ug/l	98
67) Ethyl Benzene	11.947	91	223715	20.367	ug/l	100
68) m/p-Xylenes	12.053	106	170590	41.473	ug/l	98
69) o-Xylene	12.376	106	83415	21.230	ug/l	98
70) Styrene	12.388	104	140937	21.323	ug/l	100
71) Bromoform	12.559	173	37362	20.383	ug/l #	99
73) Isopropylbenzene	12.676	105	202595	20.601	ug/l	100
74) N-amyl acetate	12.512	43	78074m	20.334	ug/l	
75) 1,1,2,2-Tetrachloroethane	12.918	83	76720	20.733	ug/l	98
76) 1,2,3-Trichloropropane	12.976	75	68839m	19.858	ug/l	
77) Bromobenzene	12.959	156	53881	21.127	ug/l	97
78) n-propylbenzene	13.017	91	255577	20.656	ug/l	99
79) 2-Chlorotoluene	13.106	91	158436	20.836	ug/l	96
80) 1,3,5-Trimethylbenzene	13.153	105	176006	21.006	ug/l	99
81) trans-1,4-Dichloro-2-b...	12.717	75	27975	21.846	ug/l	90
82) 4-Chlorotoluene	13.200	91	163615	20.667	ug/l	99
83) tert-Butylbenzene	13.417	119	143954	20.571	ug/l	98
84) 1,2,4-Trimethylbenzene	13.465	105	181623	21.226	ug/l	100
85) sec-Butylbenzene	13.594	105	216256	20.516	ug/l	99
86) p-Isopropyltoluene	13.706	119	175352	20.758	ug/l	99
87) 1,3-Dichlorobenzene	13.712	146	103157	20.609	ug/l	99
88) 1,4-Dichlorobenzene	13.788	146	108898	20.370	ug/l	98
89) n-Butylbenzene	14.035	91	165484	20.516	ug/l	99
90) Hexachloroethane	14.312	117	35108	19.615	ug/l	96
91) 1,2-Dichlorobenzene	14.088	146	99750	21.036	ug/l	97
92) 1,2-Dibromo-3-Chloropr...	14.700	75	19015	19.573	ug/l	98
93) 1,2,4-Trichlorobenzene	15.370	180	54714	19.643	ug/l	99
94) Hexachlorobutadiene	15.476	225	20248	19.563	ug/l	96
95) Naphthalene	15.617	128	194574	19.718	ug/l	100
96) 1,2,3-Trichlorobenzene	15.811	180	55463	19.850	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
Data File : VN087330.D  
Acq On : 16 Jul 2025 17:49  
Operator : JC\MD  
Sample : VSTDICC020  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 5 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICC020

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

Quant Time: Jul 17 02:18:38 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:09:29 2025  
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

---

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087330.D  
 Acq On : 16 Jul 2025 17:49  
 Operator : JC\MD  
 Sample : VSTDICC020  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 5 Sample Multiplier: 1


Quant Time: Jul 17 02:18:38 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:09:29 2025  
 Response via : Initial Calibration

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDICC020**

**Manual Integrations**  
**APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025





#1  
 Pentafluorobenzene  
 Concen: 50.000 ug/l  
 RT: 8.212 min Scan# 1  
 Delta R.T. -0.000 min  
 Lab File: VN087330.D  
 Acq: 16 Jul 2025 17:49




Instrument : MSVOA\_N  
 ClientSampleId : VSTDICC020




Tgt Ion:168 Resp: 17851  
 Ion Ratio Lower Upper  
 168 100  
 99 61.7 47.9 71.9

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025









#2  
 Dichlorodifluoromethane  
 Concen: 16.669 ug/l  
 RT: 2.142 min Scan# 32  
 Delta R.T. 0.000 min  
 Lab File: VN087330.D  
 Acq: 16 Jul 2025 17:49



Tgt Ion: 85 Resp: 31604  
 Ion Ratio Lower Upper  
 85 100  
 87 27.2 17.8 53.3





#3

Chloromethane

Concen: 17.608 ug/l

RT: 2.383 min Scan# 7

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#4

Vinyl Chloride

Concen: 18.784 ug/l

RT: 2.542 min Scan# 100

Delta R.T. 0.000 min

Lab File: VN087330.D


Acq: 16 Jul 2025 17:49


Tgt Ion: 62 Resp: 44508

Ion Ratio Lower Upper

62 100


64 34.1 27.0 40.6





#5  
Bromomethane  
Concen: 17.950 ug/l  
RT: 2.971 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49




Instrument : MSVOA\_N  
ClientSampleId : VSTDICC020




Tgt Ion: 94 Resp: 2202  
Ion Ratio Lower Upper  
94 100  
96 93.6 73.4 110.2

**Manual Integrations**  
**APPROVED**



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025






#6  
Chloroethane  
Concen: 19.922 ug/l  
RT: 3.130 min Scan# 200  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49



Tgt Ion: 64 Resp: 30785  
Ion Ratio Lower Upper  
64 100  
66 30.6 24.6 36.8









#7

Trichlorofluoromethane  
Concen: 19.626 ug/l  
RT: 3.506 min Scan# 2  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC020

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#8

Diethyl Ether  
Concen: 20.984 ug/l  
RT: 3.959 min Scan# 341  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49

Tgt Ion: 74 Resp: 28520  
Ion Ratio Lower Upper  
74 100  
45 98.3 50.8 152.5







#9  
 1,1,2-Trichlorotrifluoroethane  
 Concen: 21.414 ug/l  
 RT: 4.365 min Scan# 4  
 Delta R.T. 0.006 min  
 Lab File: VN087330.D  
 Acq: 16 Jul 2025 17:49

Instrument : MSVOA\_N  
 ClientSampleId : VSTDICC020


### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025




#10  
 Methyl Iodide  
 Concen: 17.955 ug/l  
 RT: 4.577 min Scan# 446  
 Delta R.T. -0.000 min  
 Lab File: VN087330.D  
 Acq: 16 Jul 2025 17:49

Tgt Ion:142 Resp: 25698  
 Ion Ratio Lower Upper  
 142 100  
 127 46.4 35.7 53.5  
 141 13.7 10.4 15.6








Abundance Scan 608 (5.530 min): VN087330.D\data.ms




Abundance Scan 608 (5.530 min): VN087330.D\data.ms (-55)



Abundance Scan 404 (4.330 min): VN087330.D\data.ms



Abundance Scan 404 (4.330 min): VN087330.D\data.ms (-35)



#11

Tert butyl alcohol

Concen: 96.147 ug/l

RT: 5.530 min Scan# 6

Delta R.T. 0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

Tgt Ion: 59 Resp: 5529

Ion Ratio Lower Upper

59 100


57 10.1 8.3 12.5

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#12

1,1-Dichloroethene

Concen: 19.370 ug/l

RT: 4.330 min Scan# 404

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Tgt Ion: 96 Resp: 39480




Ion Ratio Lower Upper

96 100

61 170.8 132.3 198.5

98 55.6 46.8 70.2





#13

Acrolein

Concen: 86.954 ug/l

RT: 4.177 min Scan# 3

Instrument :

MSVOA\_N

Delta R.T. 0.000 min




ClientSampleId :

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#14

Allyl chloride


Concen: 21.955 ug/l







RT: 5.006 min Scan# 519

Delta R.T. -0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

 Tgt Ion: 41 Resp: 80983  
 Ion Ratio Lower Upper  
 41 100  
 39 62.3 59.0 88.6  
 76 31.0 28.7 43.1




#15

Acrylonitrile

Concen: 104.007 ug/l

RT: 5.712 min Scan# 6

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#16

Acetone

Concen: 97.607 ug/l

RT: 4.424 min Scan# 420

Delta R.T. 0.000 min

Lab File: VN087330.D


Acq: 16 Jul 2025 17:49


Tgt Ion: 43 Resp: 140161

Ion Ratio Lower Upper


43 100

58 31.8 22.3 33.5







Abundance Scan 467 (4.700 min): VN087330.D\data.ms




Abundance Scan 467 (4.700 min): VN087330.D\data.ms (-41)




Abundance Scan 520 (5.012 min): VN087331.D\data.ms (-50)



Abundance Scan 520 (5.012 min): VN087330.D\data.ms



Abundance Scan 520 (5.012 min): VN087330.D\data.ms (-46)



#17

Carbon Disulfide

Concen: 19.725 ug/l

RT: 4.700 min Scan# 4

Delta R.T. 0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N


ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025


Supervised By :Semsettin Yesilyurt 07/17/2025





#18  
Methyl Acetate  
Concen: 19.824 ug/l  
RT: 5.012 min Scan# 520  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49

Tgt Ion: 43 Resp: 70735  
Ion Ratio Lower Upper  
43 100  
74 21.6 17.8 26.6






Abundance Scan 653 (5.794 min): VN087330.D\data.ms



Abundance Scan 563 (5.265 min): VN087330.D\data.ms



#19

Methyl tert-butyl Ether

Concen: 20.018 ug/l

RT: 5.794 min Scan# 6

Delta R.T. 0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument:


MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#20

Methylene Chloride

Concen: 20.427 ug/l

RT: 5.265 min Scan# 563

Delta R.T. 0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Tgt Ion: 84 Resp: 49951


Ion Ratio Lower Upper


84 100

49 112.6 107.5 161.3

51 33.4 30.2 45.2


86 57.5 49.3 73.9





#21  
trans-1,2-Dichloroethene  
Concen: 19.980 ug/l  
RT: 5.771 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49



Instrument : MSVOA\_N  
ClientSampleId : VSTDICC020




Tgt Ion: 96 Resp: 4591  
Ion Ratio Lower Upper  
96 100  
61 135.4 122.0 183.0  
98 62.3 50.0 75.0

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#22  
Diisopropyl ether  
Concen: 21.719 ug/l  
RT: 6.659 min Scan# 800  
Delta R.T. -0.006 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49




Tgt Ion: 45 Resp: 168043  
Ion Ratio Lower Upper  
45 100  
43 56.8 42.8 64.2  
87 24.3 19.8 29.6  
59 11.5 8.3 12.5







Abundance Scan 789 (6.594 min): VN087330.D\data.ms




Abundance Scan 789 (6.594 min): VN087330.D\data.ms (-73)




Abundance Scan 782 (6.553 min): VN087331.D\data.ms (-76)



Abundance Scan 783 (6.559 min): VN087330.D\data.ms



Abundance Scan 783 (6.559 min): VN087330.D\data.ms (-73)



#23

Vinyl Acetate

Concen: 110.863 ug/l

RT: 6.594 min Scan# 7

Delta R.T. 0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#24

1,1-Dichloroethane

Concen: 20.062 ug/l

RT: 6.559 min Scan# 783

Delta R.T. 0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Tgt Ion: 63 Resp: 89552







Ion Ratio Lower Upper

63 100

98 8.6 3.3 9.9

100 3.4 2.5 7.4





#25

2-Butanone

Concen: 105.718 ug/l

RT: 7.477 min Scan# 9

Delta R.T. 0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

Tgt Ion: 43 Resp: 23198

Ion Ratio Lower Upper

43 100


72 26.6 19.6 29.4

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#26

2,2-Dichloropropane

Concen: 20.596 ug/l

RT: 7.483 min Scan# 940

Delta R.T. 0.012 min

Lab File: VN087330.D


Acq: 16 Jul 2025 17:49


Tgt Ion: 77 Resp: 71478

Ion Ratio Lower Upper

77 100

97 20.5 11.1 33.1







#27  
cis-1,2-Dichloroethene  
Concen: 20.162 ug/l  
RT: 7.471 min Scan# 938  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC020


**Manual Integrations**  
**APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#28  
Bromochloromethane  
Concen: 19.325 ug/l  
RT: 7.794 min Scan# 993  
Delta R.T. -0.006 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49

Tgt Ion: 49 Resp: 41285  
Ion Ratio Lower Upper  
49 100  
129 2.7 0.0 4.2  
130 71.2 57.3 85.9





#29

Tetrahydrofuran

Concen: 103.426 ug/l

RT: 7.830 min Scan# 999

Delta R.T. 0.000 min

Lab File: VN087330.D


Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020









Tgt Ion: 42 Resp: 147430


Ion Ratio Lower Upper

42 100

72 43.1 33.4 50.0

71 39.0 31.2 46.8

**Manual Integrations  
APPROVED**
Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025#30  
Chloroform  
Concen: 20.819 ug/l  
RT: 7.953 min Scan# 1020  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49Tgt Ion: 83 Resp: 93018  
Ion Ratio Lower Upper  
83 100  
85 66.0 52.7 79.1



#31

Cyclohexane

Concen: 19.915 ug/l

RT: 8.241 min Scan# 1069

Delta R.T. 0.000 min

Lab File: VN087330.D



Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020



Tgt Ion: 56 Resp: 74161

Ion Ratio Lower Upper

56 100



69 29.6 22.7 34.1

84 83.3 65.8 98.6

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#32

1,1,1-Trichloroethane

Concen: 20.217 ug/l

RT: 8.153 min Scan# 1054

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49




Tgt Ion: 97 Resp: 78235







Ion Ratio Lower Upper

97 100

99 62.3 51.8 77.8

61 49.8 38.7 58.1





#33

1,2-Dichloroethane-d4

Concen: 19.341 ug/l

RT: 8.565 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.088 min Scan# 1213

Delta R.T. 0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Tgt Ion:114 Resp: 328159

Ion Ratio Lower Upper


114 100


63 21.5

88 14.5

0.0 44.6

0.0 32.8





#35

Dibromofluoromethane

Concen: 19.758 ug/l

RT: 8.153 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087330.D


Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N

ClientSampleId :




VSTDICC020




Tgt	Ion:113	Resp:	44720
Ion	Ratio	Lower	Upper
113	100		
111	97.7	82.5	123.7
192	17.8	13.7	20.5

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025









#36  
1,1-Dichloropropene  
Concen: 20.163 ug/l  
RT: 8.359 min Scan# 1089  
Delta R.T. 0.006 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49



Tgt	Ion: 75	Resp:	60302
Ion	Ratio	Lower	Upper
75	100		
110	34.9	16.7	50.1
77	31.9	25.2	37.8





#37

Ethyl Acetate

Concen: 19.893 ug/l

RT: 7.553 min Scan# 9

Delta R.T. 0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument:

MSVOA\_N





ClientSampleId :

VSTDICC020

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#38

Carbon Tetrachloride

Concen: 19.832 ug/l

RT: 8.347 min Scan# 1087

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Tgt Ion:117 Resp: 65336


Ion Ratio Lower Upper

117 100

119 95.3 80.2 120.2

121 34.1 25.4 38.2





#39

Methylcyclohexane

Concen: 19.539 ug/l

RT: 9.588 min Scan# 1


Delta R.T. 0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument : MSVOA\_N

ClientSampleId : VSTDICC020






Tgt Ion: 83 Resp: 63264

Ion Ratio Lower Upper


Tgt Ion	Ion Ratio	Lower	Upper
83	100		
55	71.5	61.3	91.9
98	50.0	37.9	56.9

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025






#40  
Benzene  
Concen: 20.400 ug/l  
RT: 8.588 min Scan# 1128  
Delta R.T. -0.006 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49



Tgt Ion: 78 Resp: 197187  
Ion Ratio Lower Upper  
78 100  
77 23.9 18.2 27.2





#41

Methacrylonitrile

Concen: 21.054 ug/l

RT: 7.771 min Scan# 9

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#42

1,2-Dichloroethane

Concen: 20.374 ug/l

RT: 8.659 min Scan# 1140

Delta R.T. 0.006 min

Lab File: VN087330.D


Acq: 16 Jul 2025 17:49


Tgt Ion: 62 Resp: 74680

Ion Ratio Lower Upper

62 100

98 8.7 0.0 18.0





#43

Isopropyl Acetate

Concen: 20.136 ug/l

RT: 8.677 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087330.D


Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020





Tgt Ion: 43 Resp: 135010

Ion Ratio Lower Upper

43 100

61 25.0 19.8 29.8

87 13.2 9.8 14.6


**Manual Integrations  
APPROVED**
Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025


Tgt Ion:130 Resp: 44202

Ion Ratio Lower Upper

130 100

95 95.4 0.0 195.2





#45

1,2-Dichloropropane

Concen: 21.086 ug/l

RT: 9.606 min Scan# 1301

Delta R.T. -0.000 min

Lab File: VN087330.D


Acq: 16 Jul 2025 17:49

Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC020



Tgt Ion: 63 Resp: 51780

Ion Ratio Lower Upper




63 100

65 32.3 27.0 40.4


**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025



Supervised By :Semsettin Yesilyurt 07/17/2025




#46  
Dibromomethane  
Concen: 19.943 ug/l  
RT: 9.688 min Scan# 1315  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49



Tgt Ion: 93 Resp: 36673  
Ion Ratio Lower Upper  
93 100  
95 83.3 65.8 98.8  
174 93.5 69.9 104.9





#47

Bromodichloromethane

Concen: 19.819 ug/l

RT: 9.871 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument:

MSVOA\_N



ClientSampleId :

VSTDICC020

Tgt	Ion	Ion Ratio	Resp:	73409
			Lower	Upper
83	100			
85	69.3	50.4	75.6	
127	8.0	5.8	8.8	

### Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#48

Methyl methacrylate

Concen: 20.645 ug/l


RT: 9.665 min Scan# 1311


Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Tgt	Ion	Ion Ratio	Resp:	62316
			Lower	Upper
41	100			
69	78.3	64.1	96.1	
39	57.4	45.5	68.3	





#49  
1,4-Dioxane  
Concen: 400.357 ug/l  
RT: 9.682 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49




Instrument : MSVOA\_N  
ClientSampleId : VSTDICC020




Tgt Ion: 88 Resp: 18509  
Ion Ratio Lower Upper  
88 100  
43 28.0 0.0 0.0  
58 76.8 61.1 91.7

Manual Integrations  
APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#50  
Toluene-d8  
Concen: 19.119 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49




Tgt Ion: 98 Resp: 154381  
Ion Ratio Lower Upper  
98 100  
100 66.1 52.1 78.1






Abundance Scan 1441 (10.429 min): VN087330.D\data.ms (-)



Abundance Scan 1441 (10.429 min): VN087330.D\data.ms (-)



#51

4-Methyl-2-Pentanone

Concen: 106.046 ug/l

RT: 10.429 min Scan# 1441

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N


ClientSampleId :

VSTDICC020


**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



Abundance Scan 1472 (10.612 min): VN087330.D\data.ms (-)



Abundance Scan 1472 (10.612 min): VN087330.D\data.ms (-)

#52

Toluene

Concen: 21.002 ug/l

RT: 10.612 min Scan# 1472

Delta R.T. -0.000 min

Lab File: VN087330.D


Acq: 16 Jul 2025 17:49

Tgt Ion: 92 Resp: 123391

Ion Ratio Lower Upper

92 100

91 166.7 135.1 202.7





#53  
t-1,3-Dichloropropene  
Concen: 20.530 ug/l  
RT: 10.818 min Scan# 1507  
Delta R.T. -0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC020


**Manual Integrations**  
**APPROVED**




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#54  
cis-1,3-Dichloropropene  
Concen: 20.407 ug/l  
RT: 10.294 min Scan# 1418  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49

Tgt Ion: 75 Resp: 79019  
Ion Ratio Lower Upper  
75 100  
77 33.3 24.2 36.2  
39 50.3 38.4 57.6





#55

1,1,2-Trichloroethane

Concen: 20.164 ug/l

RT: 11.000 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49




Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#56

Ethyl methacrylate

Concen: 19.384 ug/l

RT: 10.859 min Scan# 1514

Delta R.T. -0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Tgt Ion: 69 Resp: 74408




Ion Ratio Lower Upper

69 100

41 68.1 55.1 82.7

39 36.2 27.9 41.9





#57

1,3-Dichloropropane

Concen: 20.800 ug/l

RT: 11.147 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#58

2-Chloroethyl Vinyl ether

Concen: 101.839 ug/l

RT: 10.141 min Scan# 1392

Delta R.T. 0.000 min

Lab File: VN087330.D


Acq: 16 Jul 2025 17:49







Tgt Ion: 63 Resp: 198704

Ion Ratio Lower Upper

63 100

106 27.1 21.7 32.5





#59

2-Hexanone

Concen: 108.526 ug/l

RT: 11.182 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

Tgt Ion: 43 Resp: 30534

Ion Ratio Lower Upper


43 100

58 52.8 26.7 80.0

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025




#60  
Dibromochloromethane  
Concen: 20.564 ug/l  
RT: 11.341 min Scan# 1596  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49




Tgt Ion:129 Resp: 55783

Ion Ratio Lower Upper

129 100

127 76.4 39.1 117.5





#61

1,2-Dibromoethane

Concen: 20.509 ug/l

RT: 11.447 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49





Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#62

4-Bromofluorobenzene

Concen: 19.051 ug/l

RT: 12.829 min Scan# 1849

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Tgt Ion: 95 Resp: 56832


Ion Ratio Lower Upper

95 100

174 75.9 0.0 149.4

176 70.0 0.0 141.2







#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.847 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC020

**Manual Integrations**  
**APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025






#64  
Tetrachloroethene  
Concen: 19.686 ug/l  
RT: 11.082 min Scan# 1552  
Delta R.T. -0.006 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49

Tgt Ion:164 Resp: 37655  
Ion Ratio Lower Upper

Tgt	Ion	Ratio	Lower	Upper
164	100			
166	127.2	105.5	158.3	
129	112.0	77.4	116.2	
131	94.0	77.3	115.9	





Abundance Scan 1698 (11.941 min): VN087330.D\data.ms (-)

#65

Chlorobenzene

Concen: 20.183 ug/l

RT: 11.871 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Instrument :

MSVOA\_N

ClientSampleId :


VSTDICC020


**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#66  
 1,1,1,2-Tetrachloroethane  
 Concen: 20.570 ug/l  
 RT: 11.941 min Scan# 1698  
 Delta R.T. 0.000 min  
 Lab File: VN087330.D  
 Acq: 16 Jul 2025 17:49

Tgt Ion:131 Resp: 46671  
 Ion Ratio Lower Upper  
 131 100  
 133 94.6 47.4 142.3  
 119 68.8 33.1 99.2





#67

Ethyl Benzene

Concen: 20.367 ug/l

RT: 11.947 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument:

MSVOA\_N



ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#68

m/p-Xylenes

Concen: 41.473 ug/l


RT: 12.053 min Scan# 1717


Delta R.T. 0.000 min

Lab File: VN087330.D


Acq: 16 Jul 2025 17:49

Tgt Ion:106 Resp: 170590  
Ion Ratio Lower Upper  
106 100  
91 205.1 162.0 243.0








Abundance Scan 1772 (12.376 min): VN087330.D\data.ms




Abundance Scan 1772 (12.376 min): VN087330.D\data.ms (-)



Abundance Scan 1774 (12.388 min): VN087330.D\data.ms



Abundance Scan 1774 (12.388 min): VN087330.D\data.ms (-)



#69

o-Xylene

Concen: 21.230 ug/l

RT: 12.376 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

Tgt Ion:106 Resp: 8341

Ion Ratio Lower Upper


106 100

91 212.7 107.7 323.3

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#70

Styrene

Concen: 21.323 ug/l

RT: 12.388 min Scan# 1774

Delta R.T. -0.006 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Tgt Ion:104 Resp: 140937




Ion Ratio Lower Upper

104 100

78 51.6 41.0 61.6

103 54.8 43.9 65.9





#71

Bromoform

Concen: 20.383 ug/l

RT: 12.559 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.770 min Scan# 2009

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Tgt Ion:152 Resp: 156249



Ion Ratio Lower Upper

152 100

115 61.9 31.1 93.5

150 162.0 0.0 349.0





#73

Isopropylbenzene

Concen: 20.601 ug/l

RT: 12.676 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087330.D


Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**
Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

#74

N-amyl acetate

Concen: 20.334 ug/l m

RT: 12.512 min Scan# 1795

Delta R.T. 0.018 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Tgt Ion: 43 Resp: 78074


Ion Ratio Lower Upper




43 100

70 17.4 37.6 56.4#

55 12.3 19.6 29.4#

61 7.9 20.6 31.0#








#75  
1,1,2,2-Tetrachloroethane  
Concen: 20.733 ug/l  
RT: 12.918 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC020


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#76  
1,2,3-Trichloropropane  
Concen: 19.858 ug/l  
RT: 12.976 min Scan# 1874  
Delta R.T. 0.006 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49

Tgt Ion: 75 Resp: 68839  
Ion Ratio Lower Upper  
75 100  
77 176.6 94.5 283.6





#77

Bromobenzene

Concen: 21.127 ug/l

RT: 12.959 min Scan# 1871

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#78

n-propylbenzene


Concen: 20.656 ug/l


RT: 13.017 min Scan# 1881

Delta R.T. 0.000 min


Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


 Tgt Ion: 91 Resp: 255577  
 Ion Ratio Lower Upper  
 91 100  
 120 22.7 11.3 33.8




Abundance Scan 1896 (13.106 min): VN087330.D\data.ms (-)



Abundance Scan 1896 (13.106 min): VN087330.D\data.ms (-)



#79

2-Chlorotoluene

Concen: 20.836 ug/l

RT: 13.106 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N


ClientSampleId :

VSTDICC020


**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025


Supervised By :Semsettin Yesilyurt 07/17/2025



Abundance Scan 1904 (13.153 min): VN087330.D\data.ms (-)



Abundance Scan 1904 (13.153 min): VN087330.D\data.ms (-)



#80

1,3,5-Trimethylbenzene

Concen: 21.006 ug/l

RT: 13.153 min Scan# 1904

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Tgt Ion:105 Resp: 176006


Ion Ratio Lower Upper

105 100



120 48.1 24.3 72.8

Abundance Scan 1904 (13.153 min): VN087330.D\data.ms (-)






Abundance Scan 1830 (12.717 min): VN087330.D\data.ms (-)



Abundance Scan 1912 (13.200 min): VN087330.D\data.ms (-)



Abundance Scan 1912 (13.200 min): VN087330.D\data.ms (-)

#81

trans-1,4-Dichloro-2-butene

Concen: 21.846 ug/l

RT: 12.717 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

Tgt Ion: 75 Resp: 2797

Ion Ratio Lower Upper

75 100


53 93.5 83.5 125.3

89 42.7 38.4 57.6

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#82

4-Chlorotoluene

Concen: 20.667 ug/l

RT: 13.200 min Scan# 1912

Delta R.T. 0.000 min

Lab File: VN087330.D


Acq: 16 Jul 2025 17:49




Tgt Ion: 91 Resp: 163615

Ion Ratio Lower Upper

91 100

126 33.7 16.6 49.7





#83

tert-Butylbenzene

Concen: 20.571 ug/l

RT: 13.417 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#84

1,2,4-Trimethylbenzene


Concen: 21.226 ug/l


RT: 13.465 min Scan# 1957

Delta R.T. 0.000 min



Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


 Tgt Ion:105 Resp: 181623  
 Ion Ratio Lower Upper  
 105 100  
 120 45.6 22.8 68.3




Abundance Scan 1979 (13.594 min): VN087330.D\data.ms (-)



Abundance Scan 1998 (13.706 min): VN087330.D\data.ms (-)



Abundance Scan 1998 (13.706 min): VN087330.D\data.ms (-)

#85

sec-Butylbenzene

Concen: 20.516 ug/l

RT: 13.594 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument :


MSVOA\_N

ClientSampleId :

VSTDICC020

### Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#86

p-Isopropyltoluene

Concen: 20.758 ug/l

RT: 13.706 min Scan# 1998

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Tgt Ion:119 Resp: 175352


Ion Ratio Lower Upper

119 100

134 26.2 13.5 40.5

91 25.0 12.2 36.6





#87

1,3-Dichlorobenzene

Concen: 20.609 ug/l

RT: 13.712 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49



Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#88

1,4-Dichlorobenzene

Concen: 20.370 ug/l

RT: 13.788 min Scan# 2012

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Tgt Ion:146 Resp: 108898

Ion Ratio Lower Upper

146 100

111 40.3 19.6 58.7

148 63.9 31.4 94.0



#89

n-Butylbenzene

Concen: 20.516 ug/l

RT: 14.035 min Scan# 2

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC020

Tgt Ion: 91 Resp: 165484

Ion Ratio Lower Upper

91 100

92 51.8 26.2 78.6

134 24.5 12.4 37.2

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025

Abundance

Scan 2054 (14.035 min): VN087330.D\data.ms (-)

91.0

134.1

207.1

m/z--&gt;

39.0 65.0

m/z--&gt;

40 60 80 100 120 140 160 180 200

m/z--&gt;

140 160 180 200

Time--&gt;

14.00 14.10

14.035

Abundance

Scan 2054 (14.035 min): VN087330.D\data.ms (-)

91.0

134.1

207.1

m/z--&gt;

39.0 65.0

m/z--&gt;

40 60 80 100 120 140 160 180 200

m/z--&gt;

140 160 180 200

Time--&gt;

14.00 14.10

14.035

Abundance

Scan 2101 (14.311 min): VN087331.D\data.ms (-)

116.9

200.8

165.9

165.9

47.0

93.9

116.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.311

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10

14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8

165.9

165.9

47.0

93.9

118.9

200.8

m/z--&gt;

40 60 80 100 120 140 160 180 200

Time--&gt;

14.00 14.10




14.312

Abundance

Scan 2101 (14.312 min): VN087330.D\data.ms (-)

118.9

200.8



#91

1,2-Dichlorobenzene

Concen: 21.036 ug/l

RT: 14.088 min Scan# 2

Instrument :

MSVOA\_N

Delta R.T. 0.006 min




ClientSampleId :

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

VSTDICC020

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#92

1,2-Dibromo-3-Chloropropane

Concen: 19.573 ug/l

RT: 14.700 min Scan# 2167

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Tgt Ion: 75 Resp: 19015

Ion Ratio Lower Upper

75 100

155 74.2 37.3 111.8

157 89.0 46.2 138.6




Tgt Ion: 75 Resp: 19015

Ion Ratio Lower Upper

75 100

155 74.2 37.3 111.8

157 89.0 46.2 138.6





#93  
1,2,4-Trichlorobenzene  
Concen: 19.643 ug/l  
RT: 15.370 min Scan# 2  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC020


### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#94  
Hexachlorobutadiene  
Concen: 19.563 ug/l  
RT: 15.476 min Scan# 2299  
Delta R.T. 0.000 min  
Lab File: VN087330.D  
Acq: 16 Jul 2025 17:49

Tgt Ion:225 Resp: 20248  
Ion Ratio Lower Upper  
225 100  
223 62.9 32.1 96.3  
227 68.0 31.3 93.9






Abundance Scan 2323 (15.617 min): VN087330.D\data.ms (-)



Abundance Scan 2323 (15.617 min): VN087330.D\data.ms (-)



#95

Naphthalene

Concen: 19.718 ug/l

RT: 15.617 min Scan# 2323

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49

Instrument :

MSVOA\_N



ClientSampleId :

VSTDICC020


**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025


Supervised By :Semsettin Yesilyurt 07/17/2025



Abundance Scan 2356 (15.811 min): VN087330.D\data.ms (-)



Abundance Scan 2356 (15.811 min): VN087330.D\data.ms (-)



#96

1,2,3-Trichlorobenzene

Concen: 19.850 ug/l

RT: 15.811 min Scan# 2356

Delta R.T. 0.000 min

Lab File: VN087330.D

Acq: 16 Jul 2025 17:49


Tgt Ion:180 Resp: 55463

Ion Ratio Lower Upper

180 100

182 96.4 47.1 141.4

145 34.8 16.9 50.6



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087331.D  
 Acq On : 16 Jul 2025 18:11  
 Operator : JC\MD  
 Sample : VSTDICCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 6 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDICCC050**

Quant Time: Jul 17 02:19:33 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:09:29 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	182792	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.082	114	325711	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	300150	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	158477	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	146559	47.253	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	94.500%	
35) Dibromofluoromethane	8.147	113	108271	48.190	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	96.380%	
50) Toluene-d8	10.547	98	398776	49.757	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	99.520%	
62) 4-Bromofluorobenzene	12.829	95	148158	50.037	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	100.080%	
<b>Target Compounds</b>						
				Qvalue		
2) Dichlorodifluoromethane	2.142	85	113853	58.643	ug/l	100
3) Chloromethane	2.383	50	126054	51.631	ug/l	100
4) Vinyl Chloride	2.542	62	132985	54.810	ug/l	100
5) Bromomethane	2.971	94	64982	51.719	ug/l	100
6) Chloroethane	3.130	64	80606	50.942	ug/l	100
7) Trichlorofluoromethane	3.506	101	187302	52.206	ug/l	100
8) Diethyl Ether	3.959	74	72151	51.843	ug/l	100
9) 1,1,2-Trichlorotrifluo...	4.359	101	95895	52.068	ug/l	100
10) Methyl Iodide	4.577	142	90277	47.912	ug/l	100
11) Tert butyl alcohol	5.524	59	146939	249.504	ug/l	100
12) 1,1-Dichloroethene	4.330	96	99569	47.708	ug/l	100
13) Acrolein	4.177	56	110711	234.247	ug/l	100
14) Allyl chloride	5.012	41	183089	48.475	ug/l	100
15) Acrylonitrile	5.712	53	414273	259.227	ug/l	100
16) Acetone	4.424	43	353373	240.328	ug/l	100
17) Carbon Disulfide	4.694	76	316833	51.205	ug/l	100
18) Methyl Acetate	5.012	43	181199	49.594	ug/l	100
19) Methyl tert-butyl Ether	5.788	73	396133	51.495	ug/l	100
20) Methylene Chloride	5.259	84	122921	50.001	ug/l	100
21) trans-1,2-Dichloroethene	5.771	96	119278	50.687	ug/l	100
22) Diisopropyl ether	6.665	45	417843	52.740	ug/l	100
23) Vinyl Acetate	6.588	43	1931809	278.796	ug/l	100
24) 1,1-Dichloroethane	6.553	63	223298	48.853	ug/l	100
25) 2-Butanone	7.471	43	588032	261.702	ug/l	100
26) 2,2-Dichloropropane	7.471	77	179431	50.492	ug/l	100
27) cis-1,2-Dichloroethene	7.471	96	140194	51.746	ug/l	100
28) Bromochloromethane	7.800	49	108748	49.713	ug/l	100
29) Tetrahydrofuran	7.829	42	388704	266.294	ug/l	100
30) Chloroform	7.953	83	233747	51.092	ug/l	100
31) Cyclohexane	8.241	56	191116	50.122	ug/l	100
32) 1,1,1-Trichloroethane	8.153	97	198135	50.002	ug/l	100
36) 1,1-Dichloropropene	8.353	75	158563	53.418	ug/l	100
37) Ethyl Acetate	7.547	43	230005	53.652	ug/l	100
38) Carbon Tetrachloride	8.347	117	168403	51.501	ug/l	100
39) Methylcyclohexane	9.582	83	172297	53.614	ug/l	100
40) Benzene	8.594	78	505723	52.714	ug/l	100

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087331.D  
 Acq On : 16 Jul 2025 18:11  
 Operator : JC\MD  
 Sample : VSTDICCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 6 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDICCC050**

Quant Time: Jul 17 02:19:33 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:09:29 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.771	41	119895	53.486	ug/l	100
42) 1,2-Dichloroethane	8.653	62	184670	50.759	ug/l	100
43) Isopropyl Acetate	8.677	43	348709	52.399	ug/l	100
44) Trichloroethene	9.335	130	115974	51.160	ug/l	100
45) 1,2-Dichloropropane	9.606	63	128530	52.726	ug/l	100
46) Dibromomethane	9.688	93	94179	51.601	ug/l	100
47) Bromodichloromethane	9.871	83	185222	50.382	ug/l	100
48) Methyl methacrylate	9.665	41	164476	54.899	ug/l	100
49) 1,4-Dioxane	9.682	88	52072	1134.802	ug/l	#
51) 4-Methyl-2-Pentanone	10.429	43	1122857	266.771	ug/l	100
52) Toluene	10.612	92	313806	53.814	ug/l	100
53) t-1,3-Dichloropropene	10.818	75	202129	54.327	ug/l	100
54) cis-1,3-Dichloropropene	10.294	75	205720	53.529	ug/l	100
55) 1,1,2-Trichloroethane	11.000	97	119612	50.666	ug/l	100
56) Ethyl methacrylate	10.859	69	204376	51.427	ug/l	100
57) 1,3-Dichloropropane	11.141	76	213343	52.267	ug/l	100
58) 2-Chloroethyl Vinyl ether	10.141	63	562790	290.607	ug/l	100
59) 2-Hexanone	11.182	43	806824	288.920	ug/l	100
60) Dibromochloromethane	11.341	129	139955	51.982	ug/l	100
61) 1,2-Dibromoethane	11.453	107	125416	50.525	ug/l	100
64) Tetrachloroethene	11.088	164	96176	49.786	ug/l	100
65) Chlorobenzene	11.870	112	335833	49.837	ug/l	100
66) 1,1,1,2-Tetrachloroethane	11.941	131	117833	51.425	ug/l	100
67) Ethyl Benzene	11.947	91	582851	52.540	ug/l	100
68) m/p-Xylenes	12.053	106	455017	109.536	ug/l	100
69) o-Xylene	12.376	106	217121	54.717	ug/l	100
70) Styrene	12.394	104	376745	56.440	ug/l	100
71) Bromoform	12.559	173	98549	53.237	ug/l	#
73) Isopropylbenzene	12.676	105	538245	53.964	ug/l	100
74) N-amyl acetate	12.494	43	180343m	46.310	ug/l	
75) 1,1,2,2-Tetrachloroethane	12.917	83	191273	50.964	ug/l	100
76) 1,2,3-Trichloropropane	12.970	75	188824m	53.705	ug/l	
77) Bromobenzene	12.959	156	137669	53.221	ug/l	100
78) n-propylbenzene	13.017	91	680506	54.227	ug/l	100
79) 2-Chlorotoluene	13.106	91	401444	52.051	ug/l	100
80) 1,3,5-Trimethylbenzene	13.153	105	464063	54.607	ug/l	100
81) trans-1,4-Dichloro-2-b...	12.717	75	63993	49.271	ug/l	100
82) 4-Chlorotoluene	13.200	91	419474	52.240	ug/l	100
83) tert-Butylbenzene	13.417	119	383986	54.099	ug/l	100
84) 1,2,4-Trimethylbenzene	13.464	105	475982	54.846	ug/l	100
85) sec-Butylbenzene	13.594	105	565038	52.851	ug/l	100
86) p-Isopropyltoluene	13.706	119	473942	55.316	ug/l	100
87) 1,3-Dichlorobenzene	13.711	146	262675	51.740	ug/l	100
88) 1,4-Dichlorobenzene	13.788	146	269881	49.773	ug/l	100
89) n-Butylbenzene	14.035	91	437514	53.478	ug/l	100
90) Hexachloroethane	14.311	117	91313	50.301	ug/l	100
91) 1,2-Dichlorobenzene	14.082	146	249988	51.977	ug/l	100
92) 1,2-Dibromo-3-Chloropr...	14.700	75	47931	48.643	ug/l	100
93) 1,2,4-Trichlorobenzene	15.370	180	148472	52.553	ug/l	100
94) Hexachlorobutadiene	15.476	225	52130	49.659	ug/l	100
95) Naphthalene	15.617	128	545367	54.490	ug/l	100
96) 1,2,3-Trichlorobenzene	15.811	180	146080	51.547	ug/l	100

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
Data File : VN087331.D  
Acq On : 16 Jul 2025 18:11  
Operator : JC\MD  
Sample : VSTDICCC050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 6 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICCC050

Quant Time: Jul 17 02:19:33 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:09:29 2025  
Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

---


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
Data File : VN087331.D  
Acq On : 16 Jul 2025 18:11  
Operator : JC\MD  
Sample : VSTDICCC050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 6 Sample Multiplier: 1

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
VSTDICCC050

## Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025





#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 8.212 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11




Instrument : MSVOA\_N  
ClientSampleId : VSTDICCC050




Tgt Ion:168 Resp: 18279  
Ion Ratio Lower Upper  
168 100  
99 59.9 47.9 71.9

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025









#2  
Dichlorodifluoromethane  
Concen: 58.643 ug/l  
RT: 2.142 min Scan# 32  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11



Tgt Ion: 85 Resp: 113853  
Ion Ratio Lower Upper  
85 100  
87 35.5 17.8 53.3





#3

Chloromethane

Concen: 51.631 ug/l

RT: 2.383 min Scan# 7

Delta R.T. 0.000 min

Lab File: VN087331.D


Acq: 16 Jul 2025 18:11

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**
Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

#4

Vinyl Chloride


Concen: 54.810 ug/l


RT: 2.542 min Scan# 100

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

Tgt Ion: 62 Resp: 132985  
Ion Ratio Lower Upper  
62 100  
64 33.8 27.0 40.6





#5  
Bromomethane  
Concen: 51.719 ug/l  
RT: 2.971 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Instrument : MSVOA\_N  
ClientSampleId : VSTDICCC050


**Manual Integrations**  
**APPROVED**




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#6  
Chloroethane  
Concen: 50.942 ug/l  
RT: 3.130 min Scan# 200  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Tgt Ion: 64 Resp: 80606  
Ion Ratio Lower Upper  
64 100  
66 30.7 24.6 36.8





#7

Trichlorofluoromethane

Concen: 52.206 ug/l

RT: 3.506 min Scan# 2

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#8

Diethyl Ether


Concen: 51.843 ug/l


RT: 3.959 min Scan# 341

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

 Tgt Ion: 74 Resp: 72151  
 Ion Ratio Lower Upper  
 74 100  
 45 101.7 50.8 152.5






#9  
 1,1,2-Trichlorotrifluoroethane  
 Concen: 52.068 ug/l  
 RT: 4.359 min Scan# 409  
 Delta R.T. 0.000 min  
 Lab File: VN087331.D  
 Acq: 16 Jul 2025 18:11

Instrument : MSVOA\_N  
 ClientSampleId : VSTDICCC050


**Manual Integrations**  
**APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025



#10  
 Methyl Iodide  
 Concen: 47.912 ug/l  
 RT: 4.577 min Scan# 446  
 Delta R.T. -0.000 min  
 Lab File: VN087331.D  
 Acq: 16 Jul 2025 18:11

Tgt Ion:142 Resp: 90277  
 Ion Ratio Lower Upper  
 142 100  
 127 44.6 35.7 53.5  
 141 13.0 10.4 15.6







#11

Tert butyl alcohol  
Concen: 249.504 ug/l  
RT: 5.524 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Instrument : MSVOA\_N  
ClientSampleId : VSTDICCC050

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025









#12

1,1-Dichloroethene  
Concen: 47.708 ug/l  
RT: 4.330 min Scan# 404  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Tgt Ion: 96 Resp: 99569  
Ion Ratio Lower Upper  
96 100  
61 165.4 132.3 198.5  
98 58.5 46.8 70.2





#13

Acrolein

Concen: 234.247 ug/l

RT: 4.177 min Scan# 3

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

Instrument :

MSVOA\_N


ClientSampleId :

VSTDICCC050

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#14

Allyl chloride

Concen: 48.475 ug/l

RT: 5.012 min Scan# 520

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11


Tgt Ion: 41 Resp: 183089







Ion Ratio Lower Upper

41 100

39 73.8 59.0 88.6

76 35.9 28.7 43.1





#15

Acrylonitrile

Concen: 259.227 ug/l

RT: 5.712 min Scan# 6

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11


Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#16

Acetone


Concen: 240.328 ug/l




RT: 4.424 min Scan# 420

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

 Tgt Ion: 43 Resp: 353373  
 Ion Ratio Lower Upper  
 43 100  
 58 27.9 22.3 33.5




#17

Carbon Disulfide

Concen: 51.205 ug/l

RT: 4.694 min Scan# 4

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11





Instrument:

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#18

Methyl Acetate


Concen: 49.594 ug/l


RT: 5.012 min Scan# 520

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

 Tgt Ion: 43 Resp: 181199  
 Ion Ratio Lower Upper  
 43 100  
 74 22.2 17.8 26.6






#19

Methyl tert-butyl Ether  
Concen: 51.495 ug/l  
RT: 5.788 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Instrument : MSVOA\_N  
ClientSampleId : VSTDICCC050

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025






#20

Methylene Chloride  
Concen: 50.001 ug/l  
RT: 5.259 min Scan# 562  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Tgt Ion: 84 Resp: 122921  
Ion Ratio Lower Upper  
84 100  
49 134.4 107.5 161.3  
51 37.7 30.2 45.2  
86 61.6 49.3 73.9





#21

trans-1,2-Dichloroethene

Concen: 50.687 ug/l

RT: 5.771 min Scan# 6

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11




Instrument : MSVOA\_N

ClientSampleId : VSTDICCC050

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#22

Diisopropyl ether

Concen: 52.740 ug/l

RT: 6.665 min Scan# 801

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

Tgt Ion: 45 Resp: 417843


Ion Ratio Lower Upper


45 100

43 53.5 42.8 64.2


87 24.7 19.8 29.6

59 10.4 8.3 12.5







Abundance Scan 788 (6.588 min): VN087331.D\data.ms




Abundance Scan 788 (6.588 min): VN087331.D\data.ms (-73)




Abundance Scan 782 (6.553 min): VN087331.D\data.ms (-76)



Abundance Scan 782 (6.553 min): VN087331.D\data.ms



Abundance Scan 782 (6.553 min): VN087331.D\data.ms (-73)



#23

Vinyl Acetate

Concen: 278.796 ug/l

RT: 6.588 min Scan# 7

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11


Instrument:

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#24

1,1-Dichloroethane

Concen: 48.853 ug/l

RT: 6.553 min Scan# 782

Delta R.T. 0.000 min


Lab File: VN087331.D







Acq: 16 Jul 2025 18:11

Tgt Ion: 63 Resp: 223298

Ion Ratio Lower Upper

63	100		
98	6.6	3.3	9.9
100	4.9	2.5	7.4





#25

2-Butanone

Concen: 261.702 ug/l

RT: 7.471 min Scan# 9

Instrument :

MSVOA\_N

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

ClientSampleId :

VSTDICCC050

Tgt Ion: 43 Resp: 58803

Ion Ratio Lower Upper


43 100

72 24.5 19.6 29.4

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#26

2,2-Dichloropropane

Concen: 50.492 ug/l

RT: 7.471 min Scan# 938

Delta R.T. 0.000 min

Lab File: VN087331.D


Acq: 16 Jul 2025 18:11




Tgt Ion: 77 Resp: 179431

Ion Ratio Lower Upper

77 100

97 22.1 11.1 33.1









#27  
cis-1,2-Dichloroethene  
Concen: 51.746 ug/l  
RT: 7.471 min Scan# 9

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICCC050

Tgt Ion: 96 Resp: 140194  
Ion Ratio Lower Upper  
96 100  
61 148.9 0.0 297.8  
98 66.2 0.0 132.4


### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#28  
Bromochloromethane  
Concen: 49.713 ug/l  
RT: 7.800 min Scan# 994  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Tgt Ion: 49 Resp: 108748  
Ion Ratio Lower Upper  
49 100  
129 2.1 0.0 4.2  
130 71.6 57.3 85.9





#29

Tetrahydrofuran



Concen: 266.294 ug/l

RT: 7.829 min Scan# 999

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11



Tgt Ion: 42 Resp: 38870

Ion Ratio Lower Upper

42 100



72 41.7 33.4 50.0

71 39.0 31.2 46.8

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#30

Chloroform


Concen: 51.092 ug/l

RT: 7.953 min Scan# 1020

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11








Tgt Ion: 83 Resp: 233747

Ion Ratio Lower Upper

83 100

85 65.9 52.7 79.1





#31

Cyclohexane

Concen: 50.122 ug/l

RT: 8.241 min Scan# 1069

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11





Instrument:

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#32

1,1,1-Trichloroethane


Concen: 50.002 ug/l







RT: 8.153 min Scan# 1054

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

 Tgt Ion: 97 Resp: 198135  
 Ion Ratio Lower Upper  
 97 100  
 99 64.8 51.8 77.8  
 61 48.4 38.7 58.1





#33

1,2-Dichloroethane-d4  
Concen: 47.253 ug/l  
RT: 8.565 min Scan# 1124  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Instrument : MSVOA\_N  
ClientSampleId : VSTDICCC050

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#34

1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 9.082 min Scan# 1212  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Tgt Ion:114 Resp: 325711  
Ion Ratio Lower Upper  
114 100  
63 22.3 0.0 44.6  
88 16.4 0.0 32.8





#35

Dibromofluoromethane

Concen: 48.190 ug/l

RT: 8.147 min Scan# 10827

Delta R.T. 0.000 min

Lab File: VN087331.D





Acq: 16 Jul 2025 18:11

Instrument :


MSVOA\_N

ClientSampleId :



VSTDICCC050






#36  
1,1-Dichloropropene  
Concen: 53.418 ug/l  
RT: 8.353 min Scan# 1088  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11



Tgt Ion: 75 Resp: 158563  
Ion Ratio Lower Upper  
75 100  
110 33.4 16.7 50.1  
77 31.5 25.2 37.8





#37

**Ethyl Acetate**

Concen: 53.652 ug/l

RT: 7.547 min Scan# 9

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

Instrument :

MSVOA\_N





ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#38

**Carbon Tetrachloride**

Concen: 51.501 ug/l

RT: 8.347 min Scan# 1087

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11


Tgt Ion:117 Resp: 168403




Ion Ratio Lower Upper

117 100

119 100.2 80.2 120.2

121 31.8 25.4 38.2





#39

Methylcyclohexane

Concen: 53.614 ug/l

RT: 9.582 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#40

Benzene


Concen: 52.714 ug/l







RT: 8.594 min Scan# 1129

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

 Tgt Ion: 78 Resp: 505723  
 Ion Ratio Lower Upper  
 78 100  
 77 22.7 18.2 27.2




#41

Methacrylonitrile

Concen: 53.486 ug/l

RT: 7.771 min Scan# 9

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

Instrument :

MSVOA\_N


ClientSampleId :

VSTDICCC050

### Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#42

1,2-Dichloroethane

Concen: 50.759 ug/l

RT: 8.653 min Scan# 1139

Delta R.T. 0.000 min

Lab File: VN087331.D


Acq: 16 Jul 2025 18:11


Tgt Ion: 62 Resp: 184670

Ion Ratio Lower Upper

62 100

98 9.0 0.0 18.0





#43

Isopropyl Acetate

Concen: 52.399 ug/l

RT: 8.677 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087331.D


Acq: 16 Jul 2025 18:11

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050



Tgt Ion: 43 Resp: 348709

Ion Ratio Lower Upper

43 100



61 24.8 19.8 29.8

87 12.2 9.8 14.6

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#44

Trichloroethene

Concen: 51.160 ug/l

RT: 9.335 min Scan# 1255

Delta R.T. 0.000 min

Lab File: VN087331.D


Acq: 16 Jul 2025 18:11


Tgt Ion:130 Resp: 115974

Ion Ratio Lower Upper

130 100

95 97.6 0.0 195.2





#45

1,2-Dichloropropane



Concen: 52.726 ug/l

RT: 9.606 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11





Tgt Ion: 63 Resp: 128530

Ion Ratio Lower Upper

63 100

65 33.7 27.0 40.4

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025


#46

Dibromomethane

Concen: 51.601 ug/l

RT: 9.688 min Scan# 1315

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11




Tgt Ion: 93 Resp: 94179




Ion Ratio Lower Upper

93 100

95 82.3 65.8 98.8

174 87.4 69.9 104.9





#47

Bromodichloromethane

Concen: 50.382 ug/l

RT: 9.871 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#48

Methyl methacrylate

Concen: 54.899 ug/l

RT: 9.665 min Scan# 1311

Delta R.T. 0.000 min


Lab File: VN087331.D


Acq: 16 Jul 2025 18:11

Tgt Ion: 41 Resp: 164476

Ion Ratio Lower Upper


	100		
41	100		
69	80.1	64.1	96.1
39	56.9	45.5	68.3





#49  
1,4-Dioxane  
Concen: 1134.802 ug/l  
RT: 9.682 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11




Instrument : MSVOA\_N  
ClientSampleId : VSTDICCC050




Tgt Ion: 88 Resp: 5207:  
Ion Ratio Lower Upper  
88 100  
43 0.0 0.0 0.0  
58 76.4 61.1 91.7

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025






#50  
Toluene-d8  
Concen: 49.757 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. -0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11



Tgt Ion: 98 Resp: 398776  
Ion Ratio Lower Upper  
98 100  
100 65.1 52.1 78.1





#51

4-Methyl-2-Pentanone

Concen: 266.771 ug/l

RT: 10.429 min Scan# 1441

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#52

Toluene

Concen: 53.814 ug/l

RT: 10.612 min Scan# 1472

Delta R.T. -0.000 min

Lab File: VN087331.D


Acq: 16 Jul 2025 18:11




Tgt Ion: 92 Resp: 313806

Ion Ratio Lower Upper

92 100

91 168.9 135.1 202.7









#53  
t-1,3-Dichloropropene  
Concen: 54.327 ug/l  
RT: 10.818 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Instrument : MSVOA\_N  
ClientSampleId : VSTDICCC050


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#54  
cis-1,3-Dichloropropene  
Concen: 53.529 ug/l  
RT: 10.294 min Scan# 1418  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Tgt Ion: 75 Resp: 205720  
Ion Ratio Lower Upper  
75 100  
77 30.2 24.2 36.2  
39 48.0 38.4 57.6








#55

1,1,2-Trichloroethane  
Concen: 50.666 ug/l  
RT: 11.000 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Instrument : MSVOA\_N  
ClientSampleId : VSTDICCC050

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025






#56

Ethyl methacrylate  
Concen: 51.427 ug/l  
RT: 10.859 min Scan# 1514  
Delta R.T. -0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Tgt Ion: 69 Resp: 204376  
Ion Ratio Lower Upper  
69 100  
41 68.9 55.1 82.7  
39 34.9 27.9 41.9





#57

1,3-Dichloropropane

Concen: 52.267 ug/l

RT: 11.141 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#58

2-Chloroethyl Vinyl ether

Concen: 290.607 ug/l

RT: 10.141 min Scan# 1392

Delta R.T. 0.000 min

Lab File: VN087331.D


Acq: 16 Jul 2025 18:11


Tgt Ion: 63 Resp: 562790

Ion Ratio Lower Upper


63 100

106 27.1 21.7 32.5








Abundance Scan 1569 (11.182 min): VN087331.D\data.ms




Abundance Scan 1569 (11.182 min): VN087331.D\data.ms (-)



Abundance Scan 1596 (11.341 min): VN087331.D\data.ms



Abundance Scan 1596 (11.341 min): VN087331.D\data.ms (-)



#59

2-Hexanone

Concen: 288.920 ug/l

RT: 11.182 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

Tgt Ion: 43 Resp: 80682

Ion Ratio Lower Upper


43 100

58 53.3 26.7 80.0

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#60

Dibromochloromethane

Concen: 51.982 ug/l

RT: 11.341 min Scan# 1596

Delta R.T. 0.000 min

Lab File: VN087331.D


Acq: 16 Jul 2025 18:11




Tgt Ion:129 Resp: 139955

Ion Ratio Lower Upper

129 100

127 78.3 39.1 117.5





#61

1,2-Dibromoethane

Concen: 50.525 ug/l

RT: 11.453 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

Instrument:

MSVOA\_N




ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#62

4-Bromofluorobenzene

Concen: 50.037 ug/l

RT: 12.829 min Scan# 1849

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11


Tgt Ion: 95 Resp: 148158

Ion Ratio Lower Upper

95 100

174 74.7 0.0 149.4


176 70.6 0.0 141.2




Abundance

11.453

11.40 11.50



12.80 12.90





#63  
 Chlorobenzene-d5  
 Concen: 50.000 ug/l  
 RT: 11.847 min Scan# 1  
 Delta R.T. -0.000 min  
 Lab File: VN087331.D  
 Acq: 16 Jul 2025 18:11

Instrument : MSVOA\_N  
 ClientSampleId : VSTDICCC050


**Manual Integrations**  
**APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025



#64  
 Tetrachloroethene  
 Concen: 49.786 ug/l  
 RT: 11.088 min Scan# 1553  
 Delta R.T. 0.000 min  
 Lab File: VN087331.D  
 Acq: 16 Jul 2025 18:11

Tgt Ion:164 Resp: 96176  
 Ion Ratio Lower Upper  
 164 100  
 166 131.9 105.5 158.3  
 129 96.8 77.4 116.2  
 131 96.6 77.3 115.9







#65  
Chlorobenzene  
Concen: 49.837 ug/l  
RT: 11.870 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Instrument : MSVOA\_N  
ClientSampleId : VSTDICCC050


**Manual Integrations**  
**APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025





#66  
1,1,1,2-Tetrachloroethane  
Concen: 51.425 ug/l  
RT: 11.941 min Scan# 1698  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Tgt Ion:131 Resp: 117833  
Ion Ratio Lower Upper  
131 100  
133 94.9 47.4 142.3  
119 66.1 33.1 99.2







Abundance Scan 1699 (11.947 min): VN087331.D\data.ms (-)



Abundance Scan 1717 (12.053 min): VN087331.D\data.ms (-)



#67

Ethyl Benzene

Concen: 52.540 ug/l

RT: 11.947 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

Instrument:

MSVOA\_N

ClientSampleId :

VSTDICCC050

Tgt Ion: 91 Resp: 58285

Ion Ratio Lower Upper


91 100

106 30.4 24.3 36.5

### Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#68

m/p-Xylenes

Concen: 109.536 ug/l

RT: 12.053 min Scan# 1717

Delta R.T. 0.000 min

Lab File: VN087331.D


Acq: 16 Jul 2025 18:11


Tgt Ion:106 Resp: 455017

Ion Ratio Lower Upper


106 100

91 202.5 162.0 243.0








Abundance Scan 1772 (12.376 min): VN087331.D\data.ms




Abundance Scan 1772 (12.376 min): VN087331.D\data.ms



Abundance Scan 1775 (12.394 min): VN087331.D\data.ms



Abundance Scan 1775 (12.394 min): VN087331.D\data.ms



#69

o-Xylene

Concen: 54.717 ug/l

RT: 12.376 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

Tgt Ion:106 Resp: 21712:

Ion Ratio Lower Upper


106 100

91 215.5 107.7 323.3

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#70

Styrene

Concen: 56.440 ug/l

RT: 12.394 min Scan# 1775

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11


Tgt Ion:104 Resp: 376745




Ion Ratio Lower Upper

104 100




78 51.3 41.0 61.6

103 54.9 43.9 65.9










#71

Bromoform  
Concen: 53.237 ug/lRT: 12.559 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICCC050**Manual Integrations  
APPROVED**Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

#72

1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.770 min Scan# 2009  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11Tgt Ion:152 Resp: 158477  
Ion Ratio Lower Upper  
152 100  
115 62.3 31.1 93.5  
150 174.5 0.0 349.0



#73

Isopropylbenzene

Concen: 53.964 ug/l

RT: 12.676 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087331.D




Acq: 16 Jul 2025 18:11

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**
Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

#74

N-amyl acetate

Concen: 46.310 ug/l

RT: 12.494 min Scan# 1792

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

Tgt Ion: 43 Resp: 180343


Ion Ratio Lower Upper




43 100

70 42.5 37.6 56.4

55 22.2 19.6 29.4

61 23.4 20.6 31.0









#75  
1,1,2,2-Tetrachloroethane  
Concen: 50.964 ug/l  
RT: 12.917 min Scan# 1864  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Instrument : MSVOA\_N  
ClientSampleId : VSTDICCC050


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#76  
1,2,3-Trichloropropane  
Concen: 53.705 ug/l  
RT: 12.970 min Scan# 1873  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Tgt Ion: 75 Resp: 188824  
Ion Ratio Lower Upper  
75 100  
77 167.4 94.5 283.6





#77

Bromobenzene

Concen: 53.221 ug/l

RT: 12.959 min Scan# 1871

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#78

n-propylbenzene

Concen: 54.227 ug/l

RT: 13.017 min Scan# 1881

Delta R.T. 0.000 min

Lab File: VN087331.D


Acq: 16 Jul 2025 18:11




Tgt Ion: 91 Resp: 680506

Ion Ratio Lower Upper

91 100

120 22.5 11.3 33.8





#79

2-Chlorotoluene

Concen: 52.051 ug/l

RT: 13.106 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

Instrument :

MSVOA\_N




ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#80

1,3,5-Trimethylbenzene

Concen: 54.607 ug/l

RT: 13.153 min Scan# 1904

Delta R.T. 0.000 min

Lab File: VN087331.D


Acq: 16 Jul 2025 18:11




Tgt Ion:105 Resp: 464063

Ion Ratio Lower Upper

105 100

120 48.5 24.3 72.8





#81

trans-1,4-Dichloro-2-butene

Concen: 49.271 ug/l

RT: 12.717 min Scan# 1830

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#82

4-Chlorotoluene

Concen: 52.240 ug/l

RT: 13.200 min Scan# 1912

Delta R.T. 0.000 min




Lab File: VN087331.D




Acq: 16 Jul 2025 18:11

Tgt Ion: 91 Resp: 419474

Ion Ratio Lower Upper

91	100		
126	33.1	16.6	49.7





#83

tert-Butylbenzene

Concen: 54.099 ug/l

RT: 13.417 min Scan# 1949

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#84

1,2,4-Trimethylbenzene

Concen: 54.846 ug/l

RT: 13.464 min Scan# 1957

Delta R.T. 0.000 min

Lab File: VN087331.D


Acq: 16 Jul 2025 18:11




Tgt Ion:105 Resp: 475982

Ion Ratio Lower Upper

105 100

120 45.5 22.8 68.3





#85

sec-Butylbenzene

Concen: 52.851 ug/l

RT: 13.594 min Scan# 1979

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#86

p-Isopropyltoluene

Concen: 55.316 ug/l

RT: 13.706 min Scan# 1998

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11


Tgt Ion:119 Resp: 473942




Ion Ratio Lower Upper

119 100

134 27.0 13.5 40.5

91 24.4 12.2 36.6





#87

1,3-Dichlorobenzene

Concen: 51.740 ug/l

RT: 13.711 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

Tgt Ion:146 Resp: 262671

Ion Ratio Lower Upper

146 100





111 42.9 21.4 64.3

148 63.3 31.6 95.0

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#88

1,4-Dichlorobenzene

Concen: 49.773 ug/l

RT: 13.788 min Scan# 2012

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11


Tgt Ion:146 Resp: 269881




Ion Ratio Lower Upper

146 100

111 39.1 19.6 58.7

148 62.7 31.4 94.0





#89

n-Butylbenzene

Concen: 53.478 ug/l

RT: 14.035 min Scan# 2

Instrument :

Delta R.T. 0.000 min

MSVOA\_N

Lab File: VN087331.D

ClientSampleId :

Acq: 16 Jul 2025 18:11

VSTDICCC050

Tgt Ion: 91 Resp: 43751

Ion Ratio Lower Upper

91 100

92 52.4 26.2 78.6


134 24.8 12.4 37.2

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#90

Hexachloroethane

Concen: 50.301 ug/l

RT: 14.311 min Scan# 2101

Delta R.T. 0.000 min

Lab File: VN087331.D


Acq: 16 Jul 2025 18:11


Tgt Ion: 117 Resp: 91313

Ion Ratio Lower Upper

117 100

201 65.6 32.8 98.4





#91

1,2-Dichlorobenzene

Concen: 51.977 ug/l

RT: 14.082 min Scan# 2

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11



Instrument :

MSVOA\_N

ClientSampleId :

VSTDICCC050

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#92

1,2-Dibromo-3-Chloropropane


Concen: 48.643 ug/l




RT: 14.700 min Scan# 2167

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:11

 Tgt Ion: 75 Resp: 47931  
 Ion Ratio Lower Upper  
 75 100  
 155 74.5 37.3 111.8  
 157 92.4 46.2 138.6








#93

1,2,4-Trichlorobenzene  
Concen: 52.553 ug/l  
RT: 15.370 min Scan# 2281  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Instrument : MSVOA\_N  
ClientSampleId : VSTDICCC050

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025






#94

Hexachlorobutadiene  
Concen: 49.659 ug/l  
RT: 15.476 min Scan# 2299  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Tgt Ion:225 Resp: 52130  
Ion Ratio Lower Upper  
225 100  
223 64.2 32.1 96.3  
227 62.6 31.3 93.9









#95  
Naphthalene  
Concen: 54.490 ug/l  
RT: 15.617 min Scan# 2323  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Instrument : MSVOA\_N  
ClientSampleId : VSTDICCC050


### Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#96  
1,2,3-Trichlorobenzene  
Concen: 51.547 ug/l  
RT: 15.811 min Scan# 2356  
Delta R.T. 0.000 min  
Lab File: VN087331.D  
Acq: 16 Jul 2025 18:11

Tgt Ion:180 Resp: 146080  
Ion Ratio Lower Upper  
180 100  
182 94.3 47.1 141.4  
145 33.7 16.9 50.6



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087332.D  
 Acq On : 16 Jul 2025 18:32  
 Operator : JC\MD  
 Sample : VSTDICC100  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 7 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDICC100**

Quant Time: Jul 17 02:20:26 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:09:29 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	192275	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.088	114	339591	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	314849	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	168489	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.559	65	314416	96.373	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	= 192.740%	#	
35) Dibromofluoromethane	8.153	113	236468	100.947	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	= 201.900%	#	
50) Toluene-d8	10.547	98	852301	101.999	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	= 204.000%	#	
62) 4-Bromofluorobenzene	12.829	95	323070	104.650	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	= 209.300%	#	
<b>Target Compounds</b>						
				Qvalue		
2) Dichlorodifluoromethane	2.142	85	233197	114.190	ug/l	92
3) Chloromethane	2.383	50	253369	98.660	ug/l	98
4) Vinyl Chloride	2.542	62	266221	104.312	ug/l	94
5) Bromomethane	2.959	94	136793	103.503	ug/l	96
6) Chloroethane	3.124	64	159422	95.783	ug/l	92
7) Trichlorofluoromethane	3.501	101	369032	97.786	ug/l	98
8) Diethyl Ether	3.959	74	142652	97.445	ug/l	97
9) 1,1,2-Trichlorotrifluo...	4.353	101	188841	97.477	ug/l	100
10) Methyl Iodide	4.571	142	213127	100.524	ug/l	99
11) Tert butyl alcohol	5.536	59	309615	499.800	ug/l	99
12) 1,1-Dichloroethene	4.336	96	197760	90.083	ug/l	95
13) Acrolein	4.177	56	250115	503.102	ug/l	99
14) Allyl chloride	5.006	41	382812	96.355	ug/l	100
15) Acrylonitrile	5.706	53	839080	499.150	ug/l	100
16) Acetone	4.424	43	693485	448.375	ug/l	96
17) Carbon Disulfide	4.695	76	631695	97.056	ug/l	95
18) Methyl Acetate	5.012	43	369894	96.247	ug/l	99
19) Methyl tert-butyl Ether	5.789	73	818763	101.186	ug/l	98
20) Methylene Chloride	5.259	84	251830	98.001	ug/l	97
21) trans-1,2-Dichloroethene	5.771	96	237704	96.030	ug/l	94
22) Diisopropyl ether	6.659	45	832709	99.921	ug/l	96
23) Vinyl Acetate	6.594	43	3859420	529.516	ug/l	97
24) 1,1-Dichloroethane	6.553	63	455820	94.807	ug/l	100
25) 2-Butanone	7.471	43	1185700	501.667	ug/l	98
26) 2,2-Dichloropropane	7.477	77	358596	95.932	ug/l	99
27) cis-1,2-Dichloroethene	7.477	96	284578	99.858	ug/l	98
28) Bromochloromethane	7.800	49	229544	99.757	ug/l	100
29) Tetrahydrofuran	7.830	42	768521	500.532	ug/l	98
30) Chloroform	7.953	83	466838	97.008	ug/l	99
31) Cyclohexane	8.241	56	377159	94.035	ug/l	95
32) 1,1,1-Trichloroethane	8.153	97	403445	96.794	ug/l	97
36) 1,1-Dichloropropene	8.353	75	324047	104.705	ug/l	99
37) Ethyl Acetate	7.547	43	448428	100.326	ug/l	99
38) Carbon Tetrachloride	8.347	117	342043	100.328	ug/l	99
39) Methylcyclohexane	9.582	83	352211	105.118	ug/l	96
40) Benzene	8.588	78	1007257	100.700	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087332.D  
 Acq On : 16 Jul 2025 18:32  
 Operator : JC\MD  
 Sample : VSTDICC100  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 7 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDICC100**

Quant Time: Jul 17 02:20:26 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:09:29 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.765	41	239659	102.544	ug/l	99
42) 1,2-Dichloroethane	8.653	62	369731	97.472	ug/l	99
43) Isopropyl Acetate	8.677	43	704936	101.598	ug/l	99
44) Trichloroethene	9.335	130	230373	97.472	ug/l	93
45) 1,2-Dichloropropane	9.606	63	255369	100.478	ug/l	96
46) Dibromomethane	9.694	93	185908	97.696	ug/l	98
47) Bromodichloromethane	9.871	83	375910	98.072	ug/l	97
48) Methyl methacrylate	9.665	41	334941	107.228	ug/l	97
49) 1,4-Dioxane	9.688	88	102159	2135.348	ug/l	#
51) 4-Methyl-2-Pentanone	10.429	43	2234274	509.127	ug/l	100
52) Toluene	10.612	92	622259	102.349	ug/l	97
53) t-1,3-Dichloropropene	10.818	75	412142	106.245	ug/l	100
54) cis-1,3-Dichloropropene	10.294	75	421386	105.164	ug/l	98
55) 1,1,2-Trichloroethane	11.000	97	242683	98.595	ug/l	97
56) Ethyl methacrylate	10.859	69	425458	98.980	ug/l	98
57) 1,3-Dichloropropane	11.147	76	431753	101.453	ug/l	100
58) 2-Chloroethyl Vinyl ether	10.141	63	1052628	521.327	ug/l	99
59) 2-Hexanone	11.176	43	1631949	560.508	ug/l	99
60) Dibromochloromethane	11.341	129	287682	102.484	ug/l	99
61) 1,2-Dibromoethane	11.453	107	258936	100.051	ug/l	98
64) Tetrachloroethene	11.082	164	195044	96.252	ug/l	97
65) Chlorobenzene	11.871	112	687696	97.289	ug/l	97
66) 1,1,1,2-Tetrachloroethane	11.941	131	239722	99.736	ug/l	99
67) Ethyl Benzene	11.947	91	1199510	103.080	ug/l	99
68) m/p-Xylenes	12.053	106	924069	212.065	ug/l	99
69) o-Xylene	12.376	106	447092	107.413	ug/l	100
70) Styrene	12.394	104	766471	109.464	ug/l	98
71) Bromoform	12.559	173	202915	104.498	ug/l	#
73) Isopropylbenzene	12.676	105	1112821	104.940	ug/l	100
74) N-amyl acetate	12.482	43	464246	112.129	ug/l	94
75) 1,1,2,2-Tetrachloroethane	12.918	83	389392	97.587	ug/l	98
76) 1,2,3-Trichloropropane	12.970	75	326434m	87.327	ug/l	
77) Bromobenzene	12.959	156	279589	101.662	ug/l	100
78) n-propylbenzene	13.018	91	1384517	103.771	ug/l	99
79) 2-Chlorotoluene	13.106	91	840073	102.452	ug/l	98
80) 1,3,5-Trimethylbenzene	13.153	105	943119	104.383	ug/l	100
81) trans-1,4-Dichloro-2-b...	12.718	75	140673	101.874	ug/l	96
82) 4-Chlorotoluene	13.200	91	859965	100.734	ug/l	99
83) tert-Butylbenzene	13.418	119	800700	106.106	ug/l	99
84) 1,2,4-Trimethylbenzene	13.459	105	967878	104.898	ug/l	100
85) sec-Butylbenzene	13.594	105	1141320	100.410	ug/l	98
86) p-Isopropyltoluene	13.706	119	975014	107.037	ug/l	99
87) 1,3-Dichlorobenzene	13.712	146	535172	99.151	ug/l	100
88) 1,4-Dichlorobenzene	13.788	146	548212	95.097	ug/l	99
89) n-Butylbenzene	14.035	91	880763	101.260	ug/l	99
90) Hexachloroethane	14.312	117	185973	96.358	ug/l	98
91) 1,2-Dichlorobenzene	14.082	146	508902	99.523	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.700	75	97572	93.137	ug/l	94
93) 1,2,4-Trichlorobenzene	15.364	180	310448	103.357	ug/l	99
94) Hexachlorobutadiene	15.476	225	106429	95.360	ug/l	98
95) Naphthalene	15.611	128	1162930	109.289	ug/l	99
96) 1,2,3-Trichlorobenzene	15.811	180	308888	102.519	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
Data File : VN087332.D  
Acq On : 16 Jul 2025 18:32  
Operator : JC\MD  
Sample : VSTDICC100  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 7 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICC100

Quant Time: Jul 17 02:20:26 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:09:29 2025  
Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

---

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
Data File : VN087332.D  
Acq On : 16 Jul 2025 18:32  
Operator : JC\MD  
Sample : VSTDIICC100  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 7 Sample Multiplier: 1


Quant Time: Jul 17 02:20:26 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:09:29 2025  
Response via : Initial Calibration

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
VSTRICC100

## Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025





#1  
 Pentafluorobenzene  
 Concen: 50.000 ug/l  
 RT: 8.212 min Scan# 1  
 Delta R.T. -0.000 min  
 Lab File: VN087332.D  
 Acq: 16 Jul 2025 18:32




Instrument : MSVOA\_N  
 ClientSampleId : VSTDICC100




Tgt Ion:168 Resp: 19227  
 Ion Ratio Lower Upper  
 168 100  
 99 66.5 47.9 71.9

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025






#2  
 Dichlorodifluoromethane  
 Concen: 114.190 ug/l  
 RT: 2.142 min Scan# 32  
 Delta R.T. 0.000 min  
 Lab File: VN087332.D  
 Acq: 16 Jul 2025 18:32



Tgt Ion: 85 Resp: 233197  
 Ion Ratio Lower Upper  
 85 100  
 87 30.7 17.8 53.3









#3  
Chloromethane  
Concen: 98.660 ug/l  
RT: 2.383 min Scan# 7  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC100


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#4  
Vinyl Chloride  
Concen: 104.312 ug/l  
RT: 2.542 min Scan# 100  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Tgt Ion: 62 Resp: 266221  
Ion Ratio Lower Upper  
62 100  
64 30.2 27.0 40.6





#5

Bromomethane

Concen: 103.503 ug/l

RT: 2.959 min Scan# 1

Delta R.T. -0.012 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32





Instrument:

MSVOA\_N


ClientSampleId :


VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025



#6  
Chloroethane  
Concen: 95.783 ug/l  
RT: 3.124 min Scan# 199  
Delta R.T. -0.006 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

 Tgt Ion: 64 Resp: 159422  
 Ion Ratio Lower Upper  
 64 100  
 66 35.0 24.6 36.8




#7  
Trichlorofluoromethane  
Concen: 97.786 ug/l  
RT: 3.501 min Scan# 2  
Delta R.T. -0.006 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32



Instrument : MSVOA\_N  
ClientSampleId : VSTDICC100




Tgt Ion:101 Resp: 36903  
Ion Ratio Lower Upper  
101 100  
103 63.6 49.8 74.6

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#8  
Diethyl Ether  
Concen: 97.445 ug/l  
RT: 3.959 min Scan# 341  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32



Tgt Ion: 74 Resp: 142652  
Ion Ratio Lower Upper  
74 100  
45 104.3 50.8 152.5







#9  
 1,1,2-Trichlorotrifluoroethane  
 Concen: 97.477 ug/l  
 RT: 4.353 min Scan# 409  
 Delta R.T. -0.006 min  
 Lab File: VN087332.D  
 Acq: 16 Jul 2025 18:32

Instrument : MSVOA\_N  
 ClientSampleId : VSTDICC100


**Manual Integrations**  
**APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025



#10  
 Methyl Iodide  
 Concen: 100.524 ug/l  
 RT: 4.571 min Scan# 445  
 Delta R.T. -0.006 min  
 Lab File: VN087332.D  
 Acq: 16 Jul 2025 18:32

Tgt Ion:142 Resp: 213127  
 Ion Ratio Lower Upper  
 142 100  
 127 45.8 35.7 53.5  
 141 13.1 10.4 15.6







#11

Tert butyl alcohol  
Concen: 499.800 ug/l  
RT: 5.536 min Scan# 6  
Delta R.T. 0.012 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC100

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025









#12

1,1-Dichloroethene  
Concen: 90.083 ug/l  
RT: 4.336 min Scan# 405  
Delta R.T. 0.006 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Tgt Ion: 96 Resp: 197760  
Ion Ratio Lower Upper  
96 100  
61 170.8 132.3 198.5  
98 63.3 46.8 70.2





#13

Acrolein

Concen: 503.102 ug/l

RT: 4.177 min Scan# 3

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

Tgt Ion: 56 Resp: 25011:

Ion Ratio Lower Upper


56 100

55 71.3 56.2 84.4

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#14

Allyl chloride

Concen: 96.355 ug/l

RT: 5.006 min Scan# 519

Delta R.T. -0.006 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32


Tgt Ion: 41 Resp: 382812







Ion Ratio Lower Upper

41 100

39 73.3 59.0 88.6

76 35.9 28.7 43.1





#15

Acrylonitrile

Concen: 499.150 ug/l

RT: 5.706 min Scan# 6

Delta R.T. -0.006 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32


Instrument:

MSVOA\_N

ClientSampleId :


VSTDICC100







**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#16  
Acetone  
Concen: 448.375 ug/l  
RT: 4.424 min Scan# 420  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Tgt Ion: 43 Resp: 693485  
Ion Ratio Lower Upper  
43 100  
58 30.0 22.3 33.5





#17

Carbon Disulfide

Concen: 97.056 ug/l

RT: 4.695 min Scan# 4

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32


Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#18

Methyl Acetate

Concen: 96.247 ug/l

RT: 5.012 min Scan# 520

Delta R.T. 0.000 min

Lab File: VN087332.D


Acq: 16 Jul 2025 18:32




Tgt Ion: 43 Resp: 369894

Ion Ratio Lower Upper

43 100

74 22.5 17.8 26.6





Abundance Scan 562 (5.259 min): VN087332.D\data.ms (-51)

Sub

m/z-->

#19

Methyl tert-butyl Ether

Concen: 101.186 ug/l

RT: 5.789 min Scan# 6

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32


Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#20

Methylene Chloride

Concen: 98.001 ug/l

RT: 5.259 min Scan# 562

Delta R.T. 0.000 min


Lab File: VN087332.D




Acq: 16 Jul 2025 18:32

Tgt Ion: 84 Resp: 251830

Ion Ratio Lower Upper

84	100		
49	131.0	107.5	161.3
51	41.0	30.2	45.2
86	62.7	49.3	73.9








#21

trans-1,2-Dichloroethene  
Concen: 96.030 ug/l  
RT: 5.771 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC100

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#22



Diisopropyl ether  
Concen: 99.921 ug/l  
RT: 6.659 min Scan# 800  
Delta R.T. -0.006 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Tgt Ion: 45 Resp: 832709  
Ion Ratio Lower Upper  
45 100  
43 56.9 42.8 64.2  
87 25.7 19.8 29.6  
59 11.2 8.3 12.5







Abundance Scan 789 (6.594 min): VN087332.D\data.ms



Abundance Scan 782 (6.553 min): VN087332.D\data.ms



Abundance Scan 782 (6.553 min): VN087332.D\data.ms (-7)



#23

Vinyl Acetate

Concen: 529.516 ug/l

RT: 6.594 min Scan# 7

Delta R.T. 0.006 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Instrument:

MSVOA\_N


ClientSampleId :

VSTDICC100

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#24

1,1-Dichloroethane

Concen: 94.807 ug/l

RT: 6.553 min Scan# 782

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32


Tgt Ion: 63 Resp: 455820







Ion Ratio Lower Upper

63 100

98 6.5 3.3 9.9

100 4.7 2.5 7.4





#25

2-Butanone

Concen: 501.667 ug/l

RT: 7.471 min Scan# 9

Instrument :

MSVOA\_N

Delta R.T. 0.000 min

ClientSampleId :

Lab File: VN087332.D


Acq: 16 Jul 2025 18:32

VSTDICC100

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#26

2,2-Dichloropropane

Concen: 95.932 ug/l

RT: 7.477 min Scan# 939

Delta R.T. 0.006 min

Lab File: VN087332.D


Acq: 16 Jul 2025 18:32







Tgt Ion: 77 Resp: 358596

Ion Ratio Lower Upper

77 100

97 21.9 11.1 33.1





#27

cis-1,2-Dichloroethene

Concen: 99.858 ug/l

RT: 7.477 min Scan# 9

Delta R.T. 0.006 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

Tgt Ion: 96 Resp: 284573

Ion Ratio Lower Upper

96 100


61 147.5 0.0 297.8

98 63.9 0.0 132.4

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#28

Bromochloromethane

Concen: 99.757 ug/l

RT: 7.800 min Scan# 994

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32


Tgt Ion: 49 Resp: 229544




Ion Ratio Lower Upper

49 100

129 2.0 0.0 4.2

130 71.8 57.3 85.9





#29

Tetrahydrofuran

Concen: 500.532 ug/l

RT: 7.830 min Scan# 999

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

Tgt Ion: 42 Resp: 76852

Ion Ratio Lower Upper

42 100



72 42.4 33.4 50.0

71 40.2 31.2 46.8

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#30

Chloroform

Concen: 97.008 ug/l

RT: 7.953 min Scan# 1020

Delta R.T. 0.000 min

Lab File: VN087332.D




Acq: 16 Jul 2025 18:32


Tgt Ion: 83 Resp: 466838

Ion Ratio Lower Upper

83 100

85 65.3 52.7 79.1





#31

Cyclohexane

Concen: 94.035 ug/l

RT: 8.241 min Scan# 1069

Delta R.T. 0.000 min

Lab File: VN087332.D




Acq: 16 Jul 2025 18:32

Instrument :

MSVOA\_N


ClientSampleId :

VSTDICC100




### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#32  
1,1,1-Trichloroethane  
Concen: 96.794 ug/l  
RT: 8.153 min Scan# 1054  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32





Tgt Ion: 97 Resp: 403445  
Ion Ratio Lower Upper  
97 100  
99 62.9 51.8 77.8  
61 46.4 38.7 58.1







#33  
1,2-Dichloroethane-d4  
Concen: 96.373 ug/l  
RT: 8.559 min Scan# 1  
Delta R.T. -0.006 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32




Tgt Ion: 65 Resp: 314410  
Ion Ratio Lower Upper  
65 100  
67 51.7 0.0 104.0

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 9.088 min Scan# 1213  
Delta R.T. 0.006 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32



Tgt Ion:114 Resp: 339591  
Ion Ratio Lower Upper  
114 100  
63 22.2 0.0 44.6  
88 16.1 0.0 32.8





#35

Dibromofluoromethane

Concen: 100.947 ug/l

RT: 8.153 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087332.D


Acq: 16 Jul 2025 18:32

Instrument :

MSVOA\_N

ClientSampleId :



VSTDICC100




Tgt	Ion:	113	Resp:	236463
	Ion Ratio	100	Lower	Upper
113	100	100		
111	100.2	82.5	123.7	
192	17.5	13.7	20.5	

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025






#36  
1,1-Dichloropropene  
Concen: 104.705 ug/l  
RT: 8.353 min Scan# 1088  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32



Tgt	Ion:	75	Resp:	324047
	Ion Ratio	100	Lower	Upper
75	100	100		
110	32.9	16.7	50.1	
77	30.9	25.2	37.8	





#37

Ethyl Acetate

Concen: 100.326 ug/l

RT: 7.547 min Scan# 9

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Instrument:

MSVOA\_N





ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#38

Carbon Tetrachloride

Concen: 100.328 ug/l

RT: 8.347 min Scan# 1087


Delta R.T. 0.000 min


Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Tgt Ion:117 Resp: 342043

Ion	Ratio	Lower	Upper
117	100		
119	99.6	80.2	120.2
121	31.0	25.4	38.2





#39

Methylcyclohexane



Concen: 105.118 ug/l

RT: 9.582 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32



Tgt Ion: 83 Resp: 35221



Ion Ratio Lower Upper

Tgt Ion	Ion Ratio	Lower	Upper
83	100		
55	80.6	61.3	91.9
98	50.1	37.9	56.9

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#40

Benzene


Concen: 100.700 ug/l

RT: 8.588 min Scan# 1128

Delta R.T. -0.006 min

Lab File: VN087332.D



Acq: 16 Jul 2025 18:32









Tgt Ion: 78 Resp: 1007257

Ion Ratio Lower Upper

Tgt Ion	Ion Ratio	Lower	Upper
78	100		
77	23.2	18.2	27.2





#41

Methacrylonitrile

Concen: 102.544 ug/l

RT: 7.765 min Scan# 9

Delta R.T. -0.006 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Instrument:

MSVOA\_N

ClientSampleId :


VSTDICC100

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025

Abundance



#42

1,2-Dichloroethane

Concen: 97.472 ug/l

RT: 8.653 min Scan# 1139

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32


Tgt Ion: 62 Resp: 369731


Ion Ratio Lower Upper

62 100

98 8.6 0.0 18.0

Abundance





#43

Isopropyl Acetate

Concen: 101.598 ug/l

RT: 8.677 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087332.D



Acq: 16 Jul 2025 18:32

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100



Tgt Ion: 43 Resp: 704930

Ion Ratio Lower Upper

43 100




61 24.8 19.8 29.8

87 12.8 9.8 14.6

**Manual Integrations****APPROVED**



Reviewed By :Mahesh Dadoda 07/17/2025


Supervised By :Semsettin Yesilyurt 07/17/2025

#44  
Trichloroethene  
Concen: 97.472 ug/l  
RT: 9.335 min Scan# 1255  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32Tgt Ion:130 Resp: 230373  
Ion Ratio Lower Upper

130 100

95 104.4 0.0 195.2





#45

1,2-Dichloropropane

Concen: 100.478 ug/l

RT: 9.606 min Scan# 1301



Delta R.T. -0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Instrument : MSVOA\_N

ClientSampleId : VSTDICC100



Tgt Ion: 63 Resp: 255369

Ion Ratio Lower Upper



63 100

65 31.4 27.0 40.4

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#46

Dibromomethane

Concen: 97.696 ug/l

RT: 9.694 min Scan# 1316

Delta R.T. 0.006 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32




Tgt Ion: 93 Resp: 185908




Ion Ratio Lower Upper

93 100

95 83.5 65.8 98.8

174 90.3 69.9 104.9





Abundance Scan 1311 (9.665 min): VN087332.D\data.ms (-1)

#47

Bromodichloromethane

Concen: 98.072 ug/l

RT: 9.871 min Scan# 1346

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32



Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#48

Methyl methacrylate

Concen: 107.228 ug/l

RT: 9.665 min Scan# 1311


Delta R.T. 0.000 min


Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Tgt Ion: 41 Resp: 334941


Ion	Ratio	Lower	Upper
41	100		
69	83.2	64.1	96.1
39	58.3	45.5	68.3





#49  
1,4-Dioxane  
Concen: 2135.348 ug/l  
RT: 9.688 min Scan# 1  
Delta R.T. 0.006 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32




Instrument : MSVOA\_N  
ClientSampleId : VSTDICC100




Tgt Ion: 88 Resp: 102159  
Ion Ratio Lower Upper  
88 100  
43 0.0 0.0 0.0  
58 72.4 61.1 91.7

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#50  
Toluene-d8  
Concen: 101.999 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32




Tgt Ion: 98 Resp: 852301  
Ion Ratio Lower Upper  
98 100  
100 66.6 52.1 78.1






Abundance Scan 1441 (10.429 min): VN087332.D\data.ms (-)



Abundance Scan 1441 (10.429 min): VN087332.D\data.ms (-)



#51

4-Methyl-2-Pentanone

Concen: 509.127 ug/l

RT: 10.429 min Scan# 1441

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Instrument :

MSVOA\_N


ClientSampleId :

VSTDICC100


**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025


Supervised By :Semsettin Yesilyurt 07/17/2025



Abundance Scan 1472 (10.612 min): VN087332.D\data.ms (-)



Abundance Scan 1472 (10.612 min): VN087332.D\data.ms (-)



#52

Toluene

Concen: 102.349 ug/l

RT: 10.612 min Scan# 1472

Delta R.T. -0.000 min

Lab File: VN087332.D


Acq: 16 Jul 2025 18:32

Tgt Ion: 92 Resp: 622259


Ion Ratio Lower Upper

92 100




91 172.5 135.1 202.7



Abundance Scan 1472 (10.612 min): VN087332.D\data.ms (-)



Abundance Scan 1472 (10.612 min): VN087332.D\data.ms (-)







#53  
t-1,3-Dichloropropene  
Concen: 106.245 ug/l  
RT: 10.818 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC100


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#54  
cis-1,3-Dichloropropene  
Concen: 105.164 ug/l  
RT: 10.294 min Scan# 1418  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Tgt Ion: 75 Resp: 421386  
Ion Ratio Lower Upper  
75 100  
77 30.9 24.2 36.2  
39 49.1 38.4 57.6








#55

1,1,2-Trichloroethane  
Concen: 98.595 ug/l  
RT: 11.000 min Scan# 1538  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC100

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025






#56

Ethyl methacrylate  
Concen: 98.980 ug/l  
RT: 10.859 min Scan# 1514  
Delta R.T. -0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Tgt Ion: 69 Resp: 425458  
Ion Ratio Lower Upper  
69 100  
41 69.0 55.1 82.7  
39 38.9 27.9 41.9





#57

1,3-Dichloropropane

Concen: 101.453 ug/l

RT: 11.147 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#58

2-Chloroethyl Vinyl ether

Concen: 521.327 ug/l

RT: 10.141 min Scan# 1392

Delta R.T. 0.000 min

Lab File: VN087332.D


Acq: 16 Jul 2025 18:32


Tgt Ion: 63 Resp: 1052628

Ion Ratio Lower Upper




63 100

106 27.5 21.7 32.5





Abundance Scan 1568 (11.176 min): VN087332.D\data.ms (-)



#59

2-Hexanone

Concen: 560.508 ug/l

RT: 11.176 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

Tgt Ion: 43 Resp: 1631949

Ion Ratio Lower Upper


43 100

58 54.1 26.7 80.0

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#60

Dibromochloromethane

Concen: 102.484 ug/l

RT: 11.341 min Scan# 1596

Delta R.T. 0.000 min

Lab File: VN087332.D


Acq: 16 Jul 2025 18:32




Tgt Ion:129 Resp: 287682

Ion Ratio Lower Upper

129 100

127 77.3 39.1 117.5





#61

1,2-Dibromoethane

Concen: 100.051 ug/l

RT: 11.453 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Instrument:

MSVOA\_N




ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#62

4-Bromofluorobenzene

Concen: 104.650 ug/l


RT: 12.829 min Scan# 1849




Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Tgt	Ion	Ion Ratio	Resp:	Lower	Upper
95	100		323070		
174	75.5	0.0	149.4		
176	72.2	0.0	141.2		





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.847 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#64

Tetrachloroethene


Concen: 96.252 ug/l


RT: 11.082 min Scan# 1552

Delta R.T. -0.006 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32







#65  
Chlorobenzene  
Concen: 97.289 ug/l  
RT: 11.871 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC100


**Manual Integrations**  
**APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#66  
1,1,1,2-Tetrachloroethane  
Concen: 99.736 ug/l  
RT: 11.941 min Scan# 1698  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Tgt Ion:131 Resp: 239722  
Ion Ratio Lower Upper  
131 100  
133 95.7 47.4 142.3  
119 66.2 33.1 99.2





#67

Ethyl Benzene

Concen: 103.080 ug/l

RT: 11.947 min Scan# 1

Instrument:

Delta R.T. 0.000 min

MSVOA\_N

Lab File: VN087332.D

ClientSampleId :



Acq: 16 Jul 2025 18:32

VSTDICC100

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#68

m/p-Xylenes

Concen: 212.065 ug/l


RT: 12.053 min Scan# 1717


Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32


Tgt Ion:106 Resp: 924069  
Ion Ratio Lower Upper  
106 100  
91 204.6 162.0 243.0







Ref 50

Abundance Scan 1772 (12.376 min): VN087332.D\data.ms (-)




Abundance Scan 1772 (12.376 min): VN087332.D\data.ms (-)




Ref 50

Abundance Scan 1775 (12.394 min): VN087332.D\data.ms (-)



Abundance Scan 1775 (12.394 min): VN087332.D\data.ms (-)



#69

o-Xylene

Concen: 107.413 ug/l

RT: 12.376 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

Tgt Ion:106 Resp: 44709:

Ion Ratio Lower Upper


106 100

91 216.0 107.7 323.3

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#70

Styrene

Concen: 109.464 ug/l

RT: 12.394 min Scan# 1775

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32


Tgt Ion:104 Resp: 766471




Ion Ratio Lower Upper

104 100

78 53.0 41.0 61.6

103 54.0 43.9 65.9





#71

Bromoform

Concen: 104.498 ug/l

RT: 12.559 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.770 min Scan# 2009

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32


Tgt Ion:152 Resp: 168489




Ion Ratio Lower Upper

152 100

115 59.2 31.1 93.5

150 186.3 0.0 349.0





#73

Isopropylbenzene

Concen: 104.940 ug/l

RT: 12.676 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#74

N-amyl acetate

Concen: 112.129 ug/l

RT: 12.482 min Scan# 1790

Delta R.T. -0.012 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Tgt Ion: 43 Resp: 464246


Ion Ratio Lower Upper




43 100

70 41.1 37.6 56.4

55 23.5 19.6 29.4

61 22.9 20.6 31.0









#75  
1,1,2,2-Tetrachloroethane  
Concen: 97.587 ug/l  
RT: 12.918 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC100


### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#76  
1,2,3-Trichloropropane  
Concen: 87.327 ug/l  
RT: 12.970 min Scan# 1873  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Tgt Ion: 75 Resp: 326434  
Ion Ratio Lower Upper  
75 100  
77 196.5 94.5 283.6





#77

Bromobenzene

Concen: 101.662 ug/l

RT: 12.959 min Scan# 1871

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32



Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#78

n-propylbenzene


Concen: 103.771 ug/l




RT: 13.018 min Scan# 1881

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

 Tgt Ion: 91 Resp: 1384517  
 Ion Ratio Lower Upper  
 91 100  
 120 22.7 11.3 33.8




#79

2-Chlorotoluene

Concen: 102.452 ug/l

RT: 13.106 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Instrument :

MSVOA\_N




ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#80

1,3,5-Trimethylbenzene

Concen: 104.383 ug/l

RT: 13.153 min Scan# 1904

Delta R.T. 0.000 min

Lab File: VN087332.D


Acq: 16 Jul 2025 18:32




Tgt Ion:105 Resp: 943119

Ion Ratio Lower Upper

105 100

120 48.7 24.3 72.8









#81  
trans-1,4-Dichloro-2-butene  
Concen: 101.874 ug/l  
RT: 12.718 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC100


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#82  
4-Chlorotoluene  
Concen: 100.734 ug/l  
RT: 13.200 min Scan# 1912  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Tgt Ion: 91 Resp: 859965  
Ion Ratio Lower Upper  
91 100  
126 33.8 16.6 49.7





#83

tert-Butylbenzene

Concen: 106.106 ug/l

RT: 13.418 min Scan# 1949

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#84

1,2,4-Trimethylbenzene

Concen: 104.898 ug/l

RT: 13.459 min Scan# 1956

Delta R.T. -0.006 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32


Tgt Ion:105 Resp: 967878




Ion Ratio Lower Upper

105 100

120 45.5 22.8 68.3

Abundance





#85

sec-Butylbenzene

Concen: 100.410 ug/l

RT: 13.594 min Scan# 1979

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#86

p-Isopropyltoluene

Concen: 107.037 ug/l

RT: 13.706 min Scan# 1998

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32


Tgt Ion:119 Resp: 975014


Ion Ratio Lower Upper

119 100

134 26.0 13.5 40.5

91 24.5 12.2 36.6





#87

1,3-Dichlorobenzene

Concen: 99.151 ug/l

RT: 13.712 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32



Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#88

1,4-Dichlorobenzene


Concen: 95.097 ug/l


RT: 13.788 min Scan# 2012

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

 Tgt Ion:146 Resp: 548212  
 Ion Ratio Lower Upper  
 146 100  
 111 40.6 19.6 58.7  
 148 62.7 31.4 94.0






#89  
n-Butylbenzene  
Concen: 101.260 ug/l  
RT: 14.035 min Scan# 2  
Instrument : MSVOA\_N  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

ClientSampleId : VSTDICC100


**Manual Integrations**  
**APPROVED**




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#90  
Hexachloroethane  
Concen: 96.358 ug/l  
RT: 14.312 min Scan# 2101  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Tgt Ion:117 Resp: 185973  
Ion Ratio Lower Upper  
117 100  
201 67.5 32.8 98.4





#91

1,2-Dichlorobenzene

Concen: 99.523 ug/l

RT: 14.082 min Scan# 2

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#92

1,2-Dibromo-3-Chloropropane

Concen: 93.137 ug/l


RT: 14.700 min Scan# 2167




Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32

Tgt	Ion	Ion Ratio	Resp:	Lower	Upper
75	100		97572		
155	78.0	37.3	111.8		
157	99.6	46.2	138.6		









#93

1,2,4-Trichlorobenzene  
Concen: 103.357 ug/l  
RT: 15.364 min Scan# 2  
Delta R.T. -0.006 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICC100

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025






#94

Hexachlorobutadiene  
Concen: 95.360 ug/l  
RT: 15.476 min Scan# 2299  
Delta R.T. 0.000 min  
Lab File: VN087332.D  
Acq: 16 Jul 2025 18:32

Tgt Ion:225 Resp: 106429  
Ion Ratio Lower Upper  
225 100  
223 61.0 32.1 96.3  
227 62.4 31.3 93.9





#95

Naphthalene

Concen: 109.289 ug/l

RT: 15.611 min Scan# 2

Delta R.T. -0.006 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC100

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#96

1,2,3-Trichlorobenzene

Concen: 102.519 ug/l

RT: 15.811 min Scan# 2356

Delta R.T. 0.000 min

Lab File: VN087332.D

Acq: 16 Jul 2025 18:32


Tgt Ion:180 Resp: 308888

Ion Ratio Lower Upper

180 100

182 96.2 47.1 141.4

145 34.2 16.9 50.6



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087333.D  
 Acq On : 16 Jul 2025 18:54  
 Operator : JC\MD  
 Sample : VSTDICC150  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 8 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDICC150**

Quant Time: Jul 17 02:21:25 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:09:29 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.206	168	193853	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.083	114	344966	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	317026	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.771	152	165077	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	501760	152.545	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	= 305.080%	#	
35) Dibromofluoromethane	8.153	113	368306	154.778	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	= 309.560%	#	
50) Toluene-d8	10.547	98	1362098	160.469	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	= 320.940%	#	
62) 4-Bromofluorobenzene	12.829	95	522221	166.525	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	= 333.040%	#	
<b>Target Compounds</b>						
				Qvalue		
2) Dichlorodifluoromethane	2.142	85	363327	176.463	ug/l	95
3) Chloromethane	2.383	50	405800	156.728	ug/l	99
4) Vinyl Chloride	2.542	62	418507	162.646	ug/l	94
5) Bromomethane	2.942	94	215335	161.604	ug/l	95
6) Chloroethane	3.118	64	249466	148.663	ug/l	100
7) Trichlorofluoromethane	3.501	101	585457	153.872	ug/l	97
8) Diethyl Ether	3.959	74	228544	154.847	ug/l	99
9) 1,1,2-Trichlorotrifluo...	4.353	101	296076	151.587	ug/l	99
10) Methyl Iodide	4.571	142	328079	150.516	ug/l	99
11) Tert butyl alcohol	5.536	59	478279	765.784	ug/l	100
12) 1,1-Dichloroethene	4.330	96	312325	141.111	ug/l	97
13) Acrolein	4.177	56	415488	828.945	ug/l	100
14) Allyl chloride	5.006	41	663403	165.621	ug/l	91
15) Acrylonitrile	5.706	53	1279363	754.869	ug/l	100
16) Acetone	4.424	43	1064061	682.373	ug/l	96
17) Carbon Disulfide	4.695	76	1011315	154.118	ug/l	95
18) Methyl Acetate	5.012	43	577536	149.052	ug/l	99
19) Methyl tert-butyl Ether	5.789	73	1286728	157.724	ug/l	95
20) Methylene Chloride	5.259	84	390988	151.266	ug/l	94
21) trans-1,2-Dichloroethene	5.765	96	356549	142.870	ug/l	96
22) Diisopropyl ether	6.659	45	1280267	152.375	ug/l	99
23) Vinyl Acetate	6.589	43	5943020	808.750	ug/l	98
24) 1,1-Dichloroethane	6.553	63	704727	145.384	ug/l	98
25) 2-Butanone	7.477	43	1797146	754.179	ug/l	98
26) 2,2-Dichloropropane	7.477	77	547190	145.193	ug/l	100
27) cis-1,2-Dichloroethene	7.471	96	437021	152.102	ug/l	99
28) Bromochloromethane	7.800	49	339529	146.355	ug/l	100
29) Tetrahydrofuran	7.830	42	1166702	753.679	ug/l	98
30) Chloroform	7.953	83	717424	147.865	ug/l	98
31) Cyclohexane	8.241	56	582988	144.170	ug/l	94
32) 1,1,1-Trichloroethane	8.153	97	630986	150.152	ug/l	98
36) 1,1-Dichloropropene	8.353	75	503793	160.248	ug/l	99
37) Ethyl Acetate	7.553	43	692256	152.464	ug/l	98
38) Carbon Tetrachloride	8.347	117	535575	154.647	ug/l	98
39) Methylcyclohexane	9.583	83	559851	164.485	ug/l	98
40) Benzene	8.588	78	1550984	152.642	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087333.D  
 Acq On : 16 Jul 2025 18:54  
 Operator : JC\MD  
 Sample : VSTDICC150  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 8 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDICC150**

Quant Time: Jul 17 02:21:25 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:09:29 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.765	41	375482	158.156	ug/l	99
42) 1,2-Dichloroethane	8.653	62	571634	148.352	ug/l	100
43) Isopropyl Acetate	8.677	43	1091736	154.893	ug/l	99
44) Trichloroethene	9.335	130	364760	151.927	ug/l	96
45) 1,2-Dichloropropane	9.606	63	391676	151.708	ug/l	97
46) Dibromomethane	9.694	93	287252	148.602	ug/l	98
47) Bromodichloromethane	9.871	83	584546	150.128	ug/l	99
48) Methyl methacrylate	9.665	41	520990	164.191	ug/l	99
49) 1,4-Dioxane	9.688	88	157400	3238.745	ug/l #	93
51) 4-Methyl-2-Pentanone	10.430	43	3375607	757.219	ug/l	99
52) Toluene	10.612	92	961314	155.654	ug/l	99
53) t-1,3-Dichloropropene	10.818	75	640188	162.462	ug/l	94
54) cis-1,3-Dichloropropene	10.294	75	654301	160.747	ug/l	96
55) 1,1,2-Trichloroethane	11.000	97	365858	146.322	ug/l	99
56) Ethyl methacrylate	10.859	69	679202	150.296	ug/l	96
57) 1,3-Dichloropropane	11.147	76	662154	153.168	ug/l	99
58) 2-Chloroethyl Vinyl ether	10.141	63	1717427	837.324	ug/l	100
59) 2-Hexanone	11.177	43	2477578	837.689	ug/l	98
60) Dibromochloromethane	11.341	129	448307	157.217	ug/l	99
61) 1,2-Dibromoethane	11.453	107	402978	153.282	ug/l	97
64) Tetrachloroethene	11.082	164	301404	147.718	ug/l	97
65) Chlorobenzene	11.871	112	1066757	149.878	ug/l	97
66) 1,1,1,2-Tetrachloroethane	11.941	131	375162	155.013	ug/l	98
67) Ethyl Benzene	11.941	91	1881920	160.613	ug/l	99
68) m/p-Xylenes	12.053	106	1437290	327.579	ug/l	98
69) o-Xylene	12.376	106	698363	166.628	ug/l	98
70) Styrene	12.394	104	1195068	169.502	ug/l	99
71) Bromoform	12.559	173	320960	164.154	ug/l #	99
73) Isopropylbenzene	12.676	105	1747567	168.203	ug/l	100
74) N-amyl acetate	12.482	43	750104	184.917	ug/l	91
75) 1,1,2,2-Tetrachloroethane	12.918	83	581568	148.761	ug/l	100
76) 1,2,3-Trichloropropane	12.971	75	504791m	137.832	ug/l	
77) Bromobenzene	12.959	156	433814	161.001	ug/l	99
78) n-propylbenzene	13.018	91	2127215	162.733	ug/l	100
79) 2-Chlorotoluene	13.106	91	1290205	160.600	ug/l	98
80) 1,3,5-Trimethylbenzene	13.153	105	1465159	165.514	ug/l	100
81) trans-1,4-Dichloro-2-b...	12.718	75	224191	165.713	ug/l	95
82) 4-Chlorotoluene	13.200	91	1336462	159.785	ug/l	100
83) tert-Butylbenzene	13.418	119	1230683	166.457	ug/l	98
84) 1,2,4-Trimethylbenzene	13.459	105	1502651	166.222	ug/l	100
85) sec-Butylbenzene	13.594	105	1767949	158.754	ug/l	99
86) p-Isopropyltoluene	13.706	119	1501303	168.219	ug/l	98
87) 1,3-Dichlorobenzene	13.712	146	828885	156.742	ug/l	99
88) 1,4-Dichlorobenzene	13.788	146	830255	147.000	ug/l	99
89) n-Butylbenzene	14.035	91	1367813	160.505	ug/l	98
90) Hexachloroethane	14.312	117	292183	154.518	ug/l	97
91) 1,2-Dichlorobenzene	14.082	146	784106	156.513	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.694	75	151090	147.203	ug/l	93
93) 1,2,4-Trichlorobenzene	15.370	180	492237	167.266	ug/l	99
94) Hexachlorobutadiene	15.476	225	163922	149.909	ug/l	99
95) Naphthalene	15.612	128	1880423	180.370	ug/l	99
96) 1,2,3-Trichlorobenzene	15.812	180	491195	166.396	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
Data File : VN087333.D  
Acq On : 16 Jul 2025 18:54  
Operator : JC\MD  
Sample : VSTDICC150  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 8 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICC150

Quant Time: Jul 17 02:21:25 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:09:29 2025  
Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

---

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
Data File : VN087333.D  
Acq On : 16 Jul 2025 18:54  
Operator : JC\MD  
Sample : VSTDIICC150  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 8 Sample Multiplier: 1


Quant Time: Jul 17 02:21:25 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:09:29 2025  
Response via : Initial Calibration

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
VSTDICC150

## Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025





#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 8.206 min Scan# 1  
Delta R.T. -0.006 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54




Instrument : MSVOA\_N  
ClientSampleId : VSTDICC150




Tgt Ion:168 Resp: 193851  
Ion Ratio Lower Upper  
168 100  
99 61.8 47.9 71.9

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025









#2  
Dichlorodifluoromethane  
Concen: 176.463 ug/l  
RT: 2.142 min Scan# 32  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54



Tgt Ion: 85 Resp: 363327  
Ion Ratio Lower Upper  
85 100  
87 32.9 17.8 53.3





#3

Chloromethane

Concen: 156.728 ug/l

RT: 2.383 min Scan# 7

Delta R.T. 0.000 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**
Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

#4

Vinyl Chloride

Concen: 162.646 ug/l

RT: 2.542 min Scan# 100


Delta R.T. 0.000 min




Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Tgt Ion: 62 Resp: 418507

Ion	Ratio	Lower	Upper
62	100		
64	30.6	27.0	40.6





#5

Bromomethane

Concen: 161.604 ug/l

RT: 2.942 min Scan# 1

Delta R.T. -0.029 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:54




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#6

Chloroethane

Concen: 148.663 ug/l

RT: 3.118 min Scan# 198

Delta R.T. -0.012 min

Lab File: VN087331.D



Acq: 16 Jul 2025 18:54


Tgt Ion: 64 Resp: 249466

Ion Ratio Lower Upper

64 100


66 30.7 24.6 36.8





#7  
Trichlorofluoromethane  
Concen: 153.872 ug/l  
RT: 3.501 min Scan# 2  
Delta R.T. -0.006 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54



Instrument : MSVOA\_N  
ClientSampleId : VSTDICC150



Tgt Ion:101 Resp: 58545  
Ion Ratio Lower Upper  
101 100  
103 64.5 49.8 74.6



### Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#8  
Diethyl Ether  
Concen: 154.847 ug/l  
RT: 3.959 min Scan# 341  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54


Tgt Ion: 74 Resp: 228544  
Ion Ratio Lower Upper  
74 100  
45 100.7 50.8 152.5



59.0



59.0





#9  
1,1,2-Trichlorotrifluoroethane  
Concen: 151.587 ug/l  
RT: 4.353 min Scan# 409  
Delta R.T. -0.006 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC150


### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#10  
Methyl Iodide  
Concen: 150.516 ug/l  
RT: 4.571 min Scan# 445  
Delta R.T. -0.006 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Tgt Ion:142 Resp: 328079  
Ion Ratio Lower Upper  
142 100  
127 44.0 35.7 53.5  
141 14.1 10.4 15.6







#11

Tert butyl alcohol  
Concen: 765.784 ug/l  
RT: 5.536 min Scan# 6  
Delta R.T. 0.012 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC150

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025









#12

1,1-Dichloroethene  
Concen: 141.111 ug/l  
RT: 4.330 min Scan# 404  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Tgt Ion: 96 Resp: 312325  
Ion Ratio Lower Upper  
96 100  
61 168.2 132.3 198.5  
98 63.0 46.8 70.2





#13

Acrolein

Concen: 828.945 ug/l

RT: 4.177 min Scan# 3

Delta R.T. 0.000 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:54

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150

Tgt Ion: 56 Resp: 415488

Ion Ratio Lower Upper

56 100


55 70.4 56.2 84.4

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#14

Allyl chloride

Concen: 165.621 ug/l

RT: 5.006 min Scan# 519

Delta R.T. -0.006 min

Lab File: VN087331.D

Acq: 16 Jul 2025 18:54


Tgt Ion: 41 Resp: 663403







Ion Ratio Lower Upper

41 100

39 64.9 59.0 88.6

76 32.4 28.7 43.1





#15

Acrylonitrile

Concen: 754.869 ug/l

RT: 5.706 min Scan# 6

Delta R.T. -0.006 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#16

Acetone


Concen: 682.373 ug/l




RT: 4.424 min Scan# 420

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

 Tgt Ion: 43 Resp: 1064061  
 Ion Ratio Lower Upper  
 43 100  
 58 29.9 22.3 33.5




#17

Carbon Disulfide

Concen: 154.118 ug/l

RT: 4.695 min Scan# 4

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54





Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#18

Methyl Acetate


Concen: 149.052 ug/l


RT: 5.012 min Scan# 520

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

 Tgt Ion: 43 Resp: 577536  
 Ion Ratio Lower Upper  
 43 100  
 74 22.7 17.8 26.6






#19

Methyl tert-butyl Ether  
Concen: 157.724 ug/l  
RT: 5.789 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC150


### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#20

Methylene Chloride  
Concen: 151.266 ug/l  
RT: 5.259 min Scan# 562  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54







#21  
trans-1,2-Dichloroethene  
Concen: 142.870 ug/l  
RT: 5.765 min Scan# 6  
Delta R.T. -0.006 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC150


### Manual Integrations APPROVED





Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#22  
Diisopropyl ether  
Concen: 152.375 ug/l  
RT: 6.659 min Scan# 800  
Delta R.T. -0.006 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Tgt Ion: 45 Resp: 1280267  
Ion Ratio Lower Upper  
45 100  
43 53.9 42.8 64.2  
87 25.9 19.8 29.6  
59 11.2 8.3 12.5





#23

Vinyl Acetate

Concen: 808.750 ug/l

RT: 6.589 min Scan# 7

Delta R.T. 0.001 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#24

1,1-Dichloroethane

Concen: 145.384 ug/l

RT: 6.553 min Scan# 782

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


Tgt Ion: 63 Resp: 704727




Ion Ratio Lower Upper

63 100

98 7.0 3.3 9.9

100 4.2 2.5 7.4





#25

2-Butanone

Concen: 754.179 ug/l

RT: 7.477 min Scan# 9

Instrument :

Delta R.T. 0.006 min

MSVOA\_N





Lab File: VN087333.D

ClientSampleId :

Acq: 16 Jul 2025 18:54

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#26

2,2-Dichloropropane

Concen: 145.193 ug/l

RT: 7.477 min Scan# 939

Delta R.T. 0.006 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54







Tgt Ion: 77 Resp: 547190

Ion Ratio Lower Upper

77 100

97 22.2 11.1 33.1





#27

cis-1,2-Dichloroethene

Concen: 152.102 ug/l

RT: 7.471 min Scan# 9

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Instrument :

MSVOA\_N


ClientSampleId :

VSTDICC150

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#28

Bromochloromethane

Concen: 146.355 ug/l

RT: 7.800 min Scan# 994

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


Tgt Ion: 49 Resp: 339529




Ion Ratio Lower Upper

49 100

129 2.0 0.0 4.2

130 71.9 57.3 85.9





#29

Tetrahydrofuran

Concen: 753.679 ug/l

RT: 7.830 min Scan# 999

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#30

Chloroform


Concen: 147.865 ug/l




RT: 7.953 min Scan# 1020

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

 Tgt Ion: 83 Resp: 717424  
 Ion Ratio Lower Upper  
 83 100  
 85 64.4 52.7 79.1




#31

Cyclohexane

Concen: 144.170 ug/l

RT: 8.241 min Scan# 1069

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54





Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#32

1,1,1-Trichloroethane


Concen: 150.152 ug/l


RT: 8.153 min Scan# 1054

Delta R.T. 0.000 min



Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


 Tgt Ion: 97 Resp: 630986  
 Ion Ratio Lower Upper  
 97 100  
 99 64.9 51.8 77.8  
 61 45.0 38.7 58.1




Abundance Scan 1124 (8.565 min): VN087333.D\data.ms



Abundance Scan 1212 (9.083 min): VN087333.D\data.ms



Abundance Scan 1212 (9.083 min): VN087333.D\data.ms (-1)

#33

1,2-Dichloroethane-d4

Concen: 152.545 ug/l

RT: 8.565 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Instrument :


MSVOA\_N

ClientSampleId :

VSTDICC150

### Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.083 min Scan# 1212

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


Tgt Ion:114 Resp: 344966


Ion Ratio Lower Upper

114 100

63 20.5 0.0 44.6

88 15.2 0.0 32.8





#35

Dibromofluoromethane



Concen: 154.778 ug/l

RT: 8.153 min Scan# 1053

Delta R.T. 0.006 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54








Tgt Ion: 113 Resp: 368300


Ion Ratio Lower Upper

113 100


111 103.8 82.5 123.7

192 17.8 13.7 20.5





**Manual Integrations  
APPROVED**
Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025#36  
1,1-Dichloropropene  
Concen: 160.248 ug/l  
RT: 8.353 min Scan# 1088  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54Tgt Ion: 75 Resp: 503793  
Ion Ratio Lower Upper  
75 100  
110 33.1 16.7 50.1  
77 30.9 25.2 37.8



Abundance Scan 952 (7.553 min): VN087333.D\data.ms



Abundance Scan 952 (7.553 min): VN087333.D\data.ms (-90)



#37

Ethyl Acetate

Concen: 152.464 ug/l

RT: 7.553 min Scan# 9

Delta R.T. 0.006 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Instrument:

MSVOA\_N





ClientSampleId :

VSTDICC150

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#38

Carbon Tetrachloride

Concen: 154.647 ug/l

RT: 8.347 min Scan# 1087

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


Tgt Ion:117 Resp: 535575


Ion Ratio Lower Upper

117 100

119 98.0 80.2 120.2

121 30.7 25.4 38.2





#39

Methylcyclohexane



Concen: 164.485 ug/l

RT: 9.583 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54





Tgt Ion: 83 Resp: 559851

Ion Ratio Lower Upper

83 100

55 77.8 61.3 91.9

98 48.6 37.9 56.9

**Manual Integrations  
APPROVED**
Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

#40

Benzene


Concen: 152.642 ug/l

RT: 8.588 min Scan# 1128

Delta R.T. -0.006 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54











Tgt Ion: 78 Resp: 1550984

Ion Ratio Lower Upper

78 100

77 23.5 18.2 27.2





#41

Methacrylonitrile

Concen: 158.156 ug/l

RT: 7.765 min Scan# 9

Delta R.T. -0.006 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Instrument:

MSVOA\_N


ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Abundance



#42

1,2-Dichloroethane

Concen: 148.352 ug/l

RT: 8.653 min Scan# 1139

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


Tgt Ion: 62 Resp: 571634


Ion Ratio Lower Upper

62 100

98 9.0 0.0 18.0

Abundance





#43

Isopropyl Acetate

Concen: 154.893 ug/l

RT: 8.677 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150



Tgt Ion: 43 Resp: 1091730

Ion Ratio Lower Upper

43 100



61 24.8 19.8 29.8

87 12.8 9.8 14.6

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#44

Trichloroethene

Concen: 151.927 ug/l

RT: 9.335 min Scan# 1255

Delta R.T. 0.000 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54


Tgt Ion:130 Resp: 364760

Ion Ratio Lower Upper

130 100

95 101.7 0.0 195.2





#45

1,2-Dichloropropane



Concen: 151.708 ug/l

RT: 9.606 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54



Tgt Ion: 63 Resp: 391670

Ion Ratio Lower Upper



63 100

65 31.9 27.0 40.4

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#46

Dibromomethane


Concen: 148.602 ug/l

RT: 9.694 min Scan# 1316

Delta R.T. 0.006 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54





Tgt Ion: 93 Resp: 287252

Ion Ratio Lower Upper

93 100


95 83.3 65.8 98.8

174 89.7 69.9 104.9



Instrument : MSVOA\_N

ClientSampleId : VSTDICC150



#47

Bromodichloromethane

Concen: 150.128 ug/l

RT: 9.871 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54



Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#48

Methyl methacrylate


Concen: 164.191 ug/l


RT: 9.665 min Scan# 1311

Delta R.T. 0.000 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54

 Tgt Ion: 41 Resp: 520990  
 Ion Ratio Lower Upper  
 41 100  
 69 81.7 64.1 96.1  
 39 57.0 45.5 68.3




#49  
1,4-Dioxane  
Concen: 3238.745 ug/l  
RT: 9.688 min Scan# 1  
Delta R.T. 0.006 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54




Instrument : MSVOA\_N  
ClientSampleId : VSTDICC150




Tgt Ion: 88 Resp: 157400  
Ion Ratio Lower Upper  
88 100  
43 0.0 0.0 0.0  
58 70.5 61.1 91.7

### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#50  
Toluene-d8  
Concen: 160.469 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54




Tgt Ion: 98 Resp: 1362098  
Ion Ratio Lower Upper  
98 100  
100 66.2 52.1 78.1






Abundance Scan 1441 (10.430 min): VN087333.D\data.ms (-)



Abundance Scan 1441 (10.430 min): VN087333.D\data.ms (-)



#51

4-Methyl-2-Pentanone

Concen: 757.219 ug/l

RT: 10.430 min Scan# 1441

Delta R.T. 0.001 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Instrument :


MSVOA\_N

ClientSampleId :


VSTDICC150

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



Abundance Scan 1472 (10.612 min): VN087333.D\data.ms (-)



Abundance Scan 1472 (10.612 min): VN087333.D\data.ms (-)



#52

Toluene

Concen: 155.654 ug/l

RT: 10.612 min Scan# 1472

Delta R.T. -0.000 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54




Tgt Ion: 92 Resp: 961314

Ion Ratio Lower Upper

92 100

91 170.6 135.1 202.7









#53  
t-1,3-Dichloropropene  
Concen: 162.462 ug/l  
RT: 10.818 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICC150


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#54  
cis-1,3-Dichloropropene  
Concen: 160.747 ug/l  
RT: 10.294 min Scan# 1418  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Tgt Ion: 75 Resp: 654301  
Ion Ratio Lower Upper  
75 100  
77 32.0 24.2 36.2  
39 51.0 38.4 57.6





#55

1,1,2-Trichloroethane

Concen: 146.322 ug/l

RT: 11.000 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Instrument :

MSVOA\_N




ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#56

Ethyl methacrylate

Concen: 150.296 ug/l

RT: 10.859 min Scan# 1514

Delta R.T. -0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


Tgt Ion: 69 Resp: 679202




Ion Ratio Lower Upper

69 100

41 66.4 55.1 82.7

39 37.8 27.9 41.9





#57

1,3-Dichloropropane

Concen: 153.168 ug/l

RT: 11.147 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#58

2-Chloroethyl Vinyl ether

Concen: 837.324 ug/l

RT: 10.141 min Scan# 1392

Delta R.T. 0.000 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54


Tgt Ion: 63 Resp: 1717427

Ion Ratio Lower Upper



63 100

106 27.4 21.7 32.5







Abundance Scan 1568 (11.177 min): VN087333.D\data.ms



Abundance Scan 1596 (11.341 min): VN087333.D\data.ms



#59

2-Hexanone

Concen: 837.689 ug/l

RT: 11.177 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Instrument:

MSVOA\_N


ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#60

Dibromochloromethane

Concen: 157.217 ug/l

RT: 11.341 min Scan# 1596

Delta R.T. 0.000 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54




Tgt Ion:129 Resp: 448307

Ion Ratio Lower Upper

129 100

127 77.8 39.1 117.5









#61  
1,2-Dibromoethane  
Concen: 153.282 ug/l  
RT: 11.453 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDICC150


### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#62  
4-Bromofluorobenzene  
Concen: 166.525 ug/l  
RT: 12.829 min Scan# 1849  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Tgt Ion: 95 Resp: 522221  
Ion Ratio Lower Upper  
95 100  
174 74.8 0.0 149.4  
176 71.2 0.0 141.2







#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.847 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC150


**Manual Integrations**  
**APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#64  
Tetrachloroethene  
Concen: 147.718 ug/l  
RT: 11.082 min Scan# 1552  
Delta R.T. -0.006 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Tgt Ion:164 Resp: 301404  
Ion Ratio Lower Upper  
164 100  
166 124.4 105.5 158.3  
129 99.0 77.4 116.2  
131 95.9 77.3 115.9







#65  
Chlorobenzene  
Concen: 149.878 ug/l  
RT: 11.871 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC150


### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#66  
1,1,1,2-Tetrachloroethane  
Concen: 155.013 ug/l  
RT: 11.941 min Scan# 1698  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Tgt Ion:131 Resp: 375162  
Ion Ratio Lower Upper  
131 100  
133 93.5 47.4 142.3  
119 64.4 33.1 99.2





#67

Ethyl Benzene

Concen: 160.613 ug/l

RT: 11.941 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Instrument:

MSVOA\_N



ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#68

m/p-Xylenes

Concen: 327.579 ug/l

RT: 12.053 min Scan# 1717

Delta R.T. 0.000 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54


Tgt Ion:106 Resp: 1437290

Ion Ratio Lower Upper

106 100

91 206.0 162.0 243.0










#69  
o-Xylene  
Concen: 166.628 ug/l  
RT: 12.376 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC150

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025





#71

Bromoform

Concen: 164.154 ug/l

RT: 12.559 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54





Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l


RT: 13.771 min Scan# 2009


Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Tgt	Ion	Ion	Resp:	165077
		Ratio	Lower	Upper
152	100			
115	62.1	31.1	93.5	
150	205.0	0.0	349.0	





#73

Isopropylbenzene

Concen: 168.203 ug/l

RT: 12.676 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Instrument :

MSVOA\_N



ClientSampleId :

VSTDICC150

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#74

N-amyl acetate

Concen: 184.917 ug/l


RT: 12.482 min Scan# 1790


Delta R.T. -0.012 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Tgt	Ion:	43	Resp:	750104
Ion	Ratio	Lower	Upper	
43	100			
70	38.7	37.6	56.4	
55	21.4	19.6	29.4	
61	23.2	20.6	31.0	







#75  
1,1,2,2-Tetrachloroethane  
Concen: 148.761 ug/l  
RT: 12.918 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC150


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#76  
1,2,3-Trichloropropane  
Concen: 137.832 ug/l  
RT: 12.971 min Scan# 1873  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Tgt Ion: 75 Resp: 504791  
Ion Ratio Lower Upper  
75 100  
77 195.6 94.5 283.6





#77

Bromobenzene

Concen: 161.001 ug/l

RT: 12.959 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#78

n-propylbenzene

Concen: 162.733 ug/l

RT: 13.018 min Scan# 1881

Delta R.T. 0.000 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54

Tgt Ion: 91 Resp: 2127215

Ion Ratio Lower Upper

91 100

120 22.7 11.3 33.8



#79

2-Chlorotoluene

Concen: 160.600 ug/l

RT: 13.106 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54

Instrument :



MSVOA\_N

ClientSampleId :



VSTDICC150



Abundance Scan 1896 (13.106 min): VN087333.D\data.ms



Abundance Scan 1904 (13.153 min): VN087333.D\data.ms



Tgt Ion: 91 Resp: 129020

Ion Ratio Lower Upper


91 100

126 32.6 16.9 50.6

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#80

1,3,5-Trimethylbenzene

Concen: 165.514 ug/l

RT: 13.153 min Scan# 1904

Delta R.T. 0.000 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54


Tgt Ion:105 Resp: 1465159

Ion Ratio Lower Upper

105 100

120 48.8 24.3 72.8







#81  
trans-1,4-Dichloro-2-butene  
Concen: 165.713 ug/l  
RT: 12.718 min Scan# 1830  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Instrument : MSVOA\_N  
ClientSampleId : VSTDICC150


**Manual Integrations**  
**APPROVED**




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#82  
4-Chlorotoluene  
Concen: 159.785 ug/l  
RT: 13.200 min Scan# 1912  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Tgt Ion: 91 Resp: 1336462  
Ion Ratio Lower Upper  
91 100  
126 33.1 16.6 49.7





#83

tert-Butylbenzene

Concen: 166.457 ug/l

RT: 13.418 min Scan# 1949

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#84

1,2,4-Trimethylbenzene

Concen: 166.222 ug/l

RT: 13.459 min Scan# 1956

Delta R.T. -0.006 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54




Tgt Ion:105 Resp: 1502651

Ion Ratio Lower Upper

105 100

120 45.2 22.8 68.3





#85

sec-Butylbenzene

Concen: 158.754 ug/l

RT: 13.594 min Scan# 1979

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Instrument :

MSVOA\_N




ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025


Supervised By :Semsettin Yesilyurt 07/17/2025



#86  
p-Isopropyltoluene  
Concen: 168.219 ug/l  
RT: 13.706 min Scan# 1998  
Delta R.T. 0.000 min  
Lab File: VN087333.D  
Acq: 16 Jul 2025 18:54

Tgt Ion:119 Resp: 1501303  
Ion Ratio Lower Upper  
119 100  
134 25.8 13.5 40.5  
91 25.0 12.2 36.6





#87

1,3-Dichlorobenzene

Concen: 156.742 ug/l

RT: 13.712 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54

Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150

Tgt Ion:146 Resp: 828889

Ion Ratio Lower Upper

146 100


111 42.0 21.4 64.3

148 62.5 31.6 95.0

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#88

1,4-Dichlorobenzene

Concen: 147.000 ug/l

RT: 13.788 min Scan# 2012

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


Tgt Ion:146 Resp: 830255




Ion Ratio Lower Upper

146 100

111 40.5 19.6 58.7

148 63.1 31.4 94.0





#89

n-Butylbenzene

Concen: 160.505 ug/l

RT: 14.035 min Scan# 2

Instrument :

Delta R.T. 0.000 min




MSVOA\_N

Lab File: VN087333.D

ClientSampleId : VSTDICC150

Acq: 16 Jul 2025 18:54

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#90

Hexachloroethane

Concen: 154.518 ug/l

RT: 14.312 min Scan# 2101

Delta R.T. 0.000 min

Lab File: VN087333.D


Acq: 16 Jul 2025 18:54


Tgt Ion:117 Resp: 292183

Ion Ratio Lower Upper

117 100

201 68.0 32.8 98.4





#91

1,2-Dichlorobenzene

Concen: 156.513 ug/l

RT: 14.082 min Scan# 2

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54



Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#92

1,2-Dibromo-3-Chloropropane

Concen: 147.203 ug/l

RT: 14.694 min Scan# 2166

Delta R.T. -0.006 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


Tgt Ion: 75 Resp: 151090




Ion Ratio Lower Upper

75 100

155 78.4 37.3 111.8

157 101.0 46.2 138.6





#93

1,2,4-Trichlorobenzene

Concen: 167.266 ug/l

RT: 15.370 min Scan# 2281

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54




Instrument :

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#94

Hexachlorobutadiene

Concen: 149.909 ug/l

RT: 15.476 min Scan# 2299

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


Tgt Ion:225 Resp: 163922


Ion Ratio Lower Upper

225 100



223 65.1 32.1 96.3

227 63.1 31.3 93.9







Abundance Scan 2322 (15.612 min): VN087333.D\data.ms (-)



Abundance Scan 2356 (15.812 min): VN087333.D\data.ms (-)



#95

Naphthalene

Concen: 180.370 ug/l

RT: 15.612 min Scan# 2

Delta R.T. -0.006 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


Instrument:

MSVOA\_N

ClientSampleId :

VSTDICC150

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#96

1,2,3-Trichlorobenzene

Concen: 166.396 ug/l

RT: 15.812 min Scan# 2356

Delta R.T. 0.000 min

Lab File: VN087333.D

Acq: 16 Jul 2025 18:54


Tgt Ion:180 Resp: 491195

Ion Ratio Lower Upper

180 100

182 95.2 47.1 141.4

145 34.2 16.9 50.6



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087335.D  
 Acq On : 16 Jul 2025 19:59  
 Operator : JC\MD  
 Sample : VSTDICV050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 11 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**ICVVN071625**

Quant Time: Jul 17 03:00:24 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	198299	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.082	114	343165	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	319692	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	166959	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	162194	48.204	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	96.400%	
35) Dibromofluoromethane	8.153	113	118201	49.934	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	99.860%	
50) Toluene-d8	10.547	98	435474	51.573	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	103.140%	
62) 4-Bromofluorobenzene	12.829	95	165160	52.942	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	105.880%	
<b>Target Compounds</b>						
				Qvalue		
2) Dichlorodifluoromethane	2.142	85	122218	58.029	ug/l	94
3) Chloromethane	2.383	50	135040	50.986	ug/l	99
4) Vinyl Chloride	2.542	62	141054	53.589	ug/l	93
5) Bromomethane	2.971	94	79496	58.322	ug/l	100
6) Chloroethane	3.130	64	84406	49.172	ug/l	97
7) Trichlorofluoromethane	3.506	101	192022	49.336	ug/l	93
8) Diethyl Ether	3.959	74	76789	50.861	ug/l	98
9) 1,1,2-Trichlorotrifluo...	4.365	101	98940	49.520	ug/l	99
10) Methyl Iodide	4.577	142	103627	50.369	ug/l	98
11) Tert butyl alcohol	5.530	59	167953	262.884	ug/l	99
12) 1,1-Dichloroethene	4.330	96	102861	45.432	ug/l	97
13) Acrolein	4.171	56	142098	277.145	ug/l	97
14) Allyl chloride	5.006	41	200790	49.004	ug/l	99
15) Acrylonitrile	5.706	53	437956	252.616	ug/l	99
16) Acetone	4.424	43	375335	237.913	ug/l	100
17) Carbon Disulfide	4.700	76	335264	49.947	ug/l	96
18) Methyl Acetate	5.018	43	194657	49.111	ug/l	99
19) Methyl tert-butyl Ether	5.789	73	425099	50.939	ug/l	94
20) Methylene Chloride	5.265	84	131885	49.445	ug/l	93
21) trans-1,2-Dichloroethene	5.771	96	120707	47.283	ug/l	97
22) Diisopropyl ether	6.659	45	439978	51.191	ug/l	97
23) Vinyl Acetate	6.594	43	2052885	273.101	ug/l	98
24) 1,1-Dichloroethane	6.553	63	238854	48.170	ug/l	99
25) 2-Butanone	7.477	43	622581	255.411	ug/l	98
26) 2,2-Dichloropropane	7.477	77	176180	45.700	ug/l	100
27) cis-1,2-Dichloroethene	7.471	96	148552	50.543	ug/l	96
28) Bromochloromethane	7.800	49	116494	49.089	ug/l	98
29) Tetrahydrofuran	7.830	42	412353	260.404	ug/l	100
30) Chloroform	7.947	83	239752	48.306	ug/l	100
31) Cyclohexane	8.241	56	202863	49.042	ug/l	96
32) 1,1,1-Trichloroethane	8.153	97	212405	49.412	ug/l	99
36) 1,1-Dichloropropene	8.353	75	167912	53.690	ug/l	99
37) Ethyl Acetate	7.553	43	241759	53.525	ug/l	99
38) Carbon Tetrachloride	8.347	117	181974	52.821	ug/l	90
39) Methylcyclohexane	9.582	83	179820	53.109	ug/l	96
40) Benzene	8.588	78	529446	52.380	ug/l	96

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087335.D  
 Acq On : 16 Jul 2025 19:59  
 Operator : JC\MD  
 Sample : VSTDICV050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 11 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**ICVVN071625**

Quant Time: Jul 17 03:00:24 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.765	41	127286	53.895	ug/l	98
42) 1,2-Dichloroethane	8.653	62	194804	50.821	ug/l	98
43) Isopropyl Acetate	8.677	43	374957	53.477	ug/l	100
44) Trichloroethene	9.335	130	118775	49.731	ug/l	95
45) 1,2-Dichloropropane	9.606	63	135864	52.900	ug/l	99
46) Dibromomethane	9.688	93	98534	51.241	ug/l	98
47) Bromodichloromethane	9.871	83	200236	51.696	ug/l	97
48) Methyl methacrylate	9.665	41	177068	56.096	ug/l	99
49) 1,4-Dioxane	9.682	88	56917	1177.300	ug/l	#
51) 4-Methyl-2-Pentanone	10.429	43	1192765	268.966	ug/l	99
52) Toluene	10.612	92	320922	52.236	ug/l	97
53) t-1,3-Dichloropropene	10.818	75	214141	54.628	ug/l	97
54) cis-1,3-Dichloropropene	10.294	75	216023	53.351	ug/l	96
55) 1,1,2-Trichloroethane	11.000	97	124090	49.889	ug/l	97
56) Ethyl methacrylate	10.859	69	222410	53.042	ug/l	98
57) 1,3-Dichloropropane	11.147	76	224493	52.202	ug/l	99
58) 2-Chloroethyl Vinyl ether	10.141	63	581689	285.088	ug/l	99
59) 2-Hexanone	11.176	43	849057	288.579	ug/l	100
60) Dibromochloromethane	11.341	129	149449	52.685	ug/l	100
61) 1,2-Dibromoethane	11.447	107	135330	51.746	ug/l	94
64) Tetrachloroethene	11.082	164	98391	47.819	ug/l	97
65) Chlorobenzene	11.870	112	347934	48.477	ug/l	98
66) 1,1,1,2-Tetrachloroethane	11.941	131	123321	50.530	ug/l	99
67) Ethyl Benzene	11.947	91	608779	51.523	ug/l	99
68) m/p-Xylenes	12.053	106	465762	105.269	ug/l	97
69) o-Xylene	12.376	106	224934	53.221	ug/l	99
70) Styrene	12.394	104	387319	54.477	ug/l	98
71) Bromoform	12.559	173	102502	51.987	ug/l	#
73) Isopropylbenzene	12.676	105	573938	54.619	ug/l	100
74) N-amyl acetate	12.494	43	218170m	49.972	ug/l	
75) 1,1,2,2-Tetrachloroethane	12.917	83	203947	51.580	ug/l	98
76) 1,2,3-Trichloropropane	12.976	75	175797m	46.955	ug/l	
77) Bromobenzene	12.959	156	142714	52.368	ug/l	99
78) n-propylbenzene	13.012	91	709437	53.661	ug/l	99
79) 2-Chlorotoluene	13.106	91	426373	52.475	ug/l	99
80) 1,3,5-Trimethylbenzene	13.153	105	484100	54.071	ug/l	99
81) trans-1,4-Dichloro-2-b...	12.717	75	69894	51.080	ug/l	97
82) 4-Chlorotoluene	13.200	91	443817	52.464	ug/l	99
83) tert-Butylbenzene	13.417	119	413882	55.349	ug/l	98
84) 1,2,4-Trimethylbenzene	13.459	105	500792	54.773	ug/l	99
85) sec-Butylbenzene	13.594	105	594712	52.800	ug/l	98
86) p-Isopropyltoluene	13.706	119	496291	54.982	ug/l	99
87) 1,3-Dichlorobenzene	13.712	146	277102	51.809	ug/l	99
88) 1,4-Dichlorobenzene	13.788	146	282084	49.381	ug/l	99
89) n-Butylbenzene	14.035	91	458964	53.250	ug/l	99
90) Hexachloroethane	14.312	117	93464	48.870	ug/l	95
91) 1,2-Dichlorobenzene	14.088	146	260874	51.485	ug/l	99
92) 1,2-Dibromo-3-Chloropr...	14.700	75	50904	49.035	ug/l	97
93) 1,2,4-Trichlorobenzene	15.370	180	155818	52.351	ug/l	99
94) Hexachlorobutadiene	15.476	225	55599	50.273	ug/l	98
95) Naphthalene	15.617	128	586097	55.585	ug/l	98
96) 1,2,3-Trichlorobenzene	15.811	180	157909	52.890	ug/l	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
Data File : VN087335.D  
Acq On : 16 Jul 2025 19:59  
Operator : JC\MD  
Sample : VSTDICV050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 11 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
ICVVN071625

Quant Time: Jul 17 03:00:24 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

---

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625  
Data File : VN087335.D  
Acq On : 16 Jul 2025 19:59  
Operator : JC\MD  
Sample : VSTDICV050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 11 Sample Multiplier: 1




Quant Time: Jul 17 03:00:24 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
ICVVN071625

## Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 8.212 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59





Instrument:

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#2

Dichlorodifluoromethane


Concen: 58.029 ug/l




RT: 2.142 min Scan# 32

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

 Tgt Ion: 85 Resp: 122218  
 Ion Ratio Lower Upper  
 85 100  
 87 32.0 17.8 53.3








#3  
Chloromethane  
Concen: 50.986 ug/l  
RT: 2.383 min Scan# 7  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N  
ClientSampleId : ICVVN071625


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#4  
Vinyl Chloride  
Concen: 53.589 ug/l  
RT: 2.542 min Scan# 100  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Tgt Ion: 62 Resp: 141054  
Ion Ratio Lower Upper  
62 100  
64 30.0 27.0 40.6





#5

Bromomethane

Concen: 58.322 ug/l

RT: 2.971 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59





Instrument:

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#6

Chloroethane

Concen: 49.172 ug/l

RT: 3.130 min Scan# 200


Delta R.T. 0.000 min




Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Tgt Ion: 64 Resp: 84406

Ion Ratio	Lower	Upper
64	100	
66	32.5	24.6
		36.8









#7

Trichlorofluoromethane  
Concen: 49.336 ug/l  
RT: 3.506 min Scan# 2  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N  
ClientSampleId : ICVVN071625

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#8

Diethyl Ether  
Concen: 50.861 ug/l  
RT: 3.959 min Scan# 341  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Tgt Ion: 74 Resp: 76789  
Ion Ratio Lower Upper  
74 100  
45 99.6 50.8 152.5






#9  
1,1,2-Trichlorotrifluoroethane  
Concen: 49.520 ug/l  
RT: 4.365 min Scan# 4  
Delta R.T. 0.006 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N  
ClientSampleId : ICVVN071625


### Manual Integrations APPROVED



Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#10  
Methyl Iodide  
Concen: 50.369 ug/l  
RT: 4.577 min Scan# 446  
Delta R.T. -0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Tgt Ion:142 Resp: 103627  
Ion Ratio Lower Upper  
142 100  
127 46.5 35.7 53.5  
141 12.6 10.4 15.6






#11

Tert butyl alcohol  
Concen: 262.884 ug/l  
RT: 5.530 min Scan# 6  
Delta R.T. 0.006 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N  
ClientSampleId : ICVVN071625

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025









#12

1,1-Dichloroethene  
Concen: 45.432 ug/l  
RT: 4.330 min Scan# 404  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Tgt Ion: 96 Resp: 102861  
Ion Ratio Lower Upper  
96 100  
61 165.3 132.3 198.5  
98 66.1 46.8 70.2





#13

Acrolein

Concen: 277.145 ug/l

RT: 4.171 min Scan# 3

Delta R.T. -0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59


Instrument:

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#14

Allyl chloride

Concen: 49.004 ug/l

RT: 5.006 min Scan# 519

Delta R.T. -0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59


Tgt Ion: 41 Resp: 200790







Ion Ratio Lower Upper

41 100

39 72.4 59.0 88.6

76 35.6 28.7 43.1





#15

Acrylonitrile

Concen: 252.616 ug/l

RT: 5.706 min Scan# 6

Delta R.T. -0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59


Instrument:

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#16

Acetone

Concen: 237.913 ug/l

RT: 4.424 min Scan# 420

Delta R.T. 0.000 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59




Tgt Ion: 43 Resp: 375335

Ion Ratio Lower Upper

43 100

58 28.1 22.3 33.5





#17

Carbon Disulfide

Concen: 49.947 ug/l

RT: 4.700 min Scan# 4

Delta R.T. 0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59


Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#18

Methyl Acetate

Concen: 49.111 ug/l

RT: 5.018 min Scan# 521

Delta R.T. 0.006 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59




Tgt Ion: 43 Resp: 194657

Ion Ratio Lower Upper

43 100

74 22.5 17.8 26.6








#19

Methyl tert-butyl Ether  
Concen: 50.939 ug/l  
RT: 5.789 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N  
ClientSampleId : ICVVN071625

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#20

Methylene Chloride  
Concen: 49.445 ug/l  
RT: 5.265 min Scan# 563  
Delta R.T. 0.006 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Tgt Ion: 84 Resp: 131885  
Ion Ratio Lower Upper  
84 100  
49 124.5 107.5 161.3  
51 41.3 30.2 45.2  
86 59.3 49.3 73.9






#21  
 trans-1,2-Dichloroethene  
 Concen: 47.283 ug/l  
 RT: 5.771 min Scan# 6  
 Delta R.T. -0.000 min  
 Lab File: VN087335.D  
 Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N  
 ClientSampleId : ICVVN071625


**Manual Integrations**  
**APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025




#22  
 Diisopropyl ether  
 Concen: 51.191 ug/l  
 RT: 6.659 min Scan# 800  
 Delta R.T. -0.006 min  
 Lab File: VN087335.D  
 Acq: 16 Jul 2025 19:59

Tgt Ion: 45 Resp: 439978  
 Ion Ratio Lower Upper  
 45 100  
 43 55.2 42.8 64.2  
 87 26.3 19.8 29.6  
 59 12.3 8.3 12.5








Abundance Scan 789 (6.594 min): VN087335.D\data.ms




Abundance Scan 789 (6.594 min): VN087335.D\data.ms (-73)



Abundance Scan 782 (6.553 min): VN087335.D\data.ms



Abundance Scan 782 (6.553 min): VN087335.D\data.ms (-73)



#23

Vinyl Acetate

Concen: 273.101 ug/l

RT: 6.594 min Scan# 7

Delta R.T. 0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument:

MSVOA\_N


ClientSampleId :

ICVVN071625

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#24

1,1-Dichloroethane



Concen: 48.170 ug/l




RT: 6.553 min Scan# 782

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59





#25

2-Butanone

Concen: 255.411 ug/l

RT: 7.477 min Scan# 938

Delta R.T. 0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument :

MSVOA\_N





ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#26

2,2-Dichloropropane

Concen: 45.700 ug/l

RT: 7.477 min Scan# 939

Delta R.T. 0.006 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59




Tgt Ion: 77 Resp: 176180

Ion Ratio Lower Upper

77 100

97 22.2 11.1 33.1









#27  
cis-1,2-Dichloroethene  
Concen: 50.543 ug/l  
RT: 7.471 min Scan# 9

Instrument :  
MSVOA\_N  
ClientSampleId :  
ICVVN071625


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#28  
Bromochloromethane  
Concen: 49.089 ug/l  
RT: 7.800 min Scan# 994  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Tgt Ion: 49 Resp: 116494  
Ion Ratio Lower Upper  
49 100  
129 2.0 0.0 4.2  
130 69.6 57.3 85.9





#29

Tetrahydrofuran

Concen: 260.404 ug/l

RT: 7.830 min Scan# 999

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59




Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#30

Chloroform

Concen: 48.306 ug/l

RT: 7.947 min Scan# 1019

Delta R.T. -0.006 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59


Tgt Ion: 83 Resp: 239752

Ion Ratio Lower Upper

83 100

85 65.9 52.7 79.1





#31

Cyclohexane

Concen: 49.042 ug/l

RT: 8.241 min Scan# 1069

Delta R.T. 0.000 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59

Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625



Tgt Ion: 56 Resp: 202861

Ion Ratio Lower Upper

56 100



69 30.0 22.7 34.1

84 85.9 65.8 98.6

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#32

1,1,1-Trichloroethane

Concen: 49.412 ug/l

RT: 8.153 min Scan# 1054

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59


Tgt Ion: 97 Resp: 212405


Ion Ratio Lower Upper

97 100



99 64.8 51.8 77.8

61 46.8 38.7 58.1






Abundance Scan 1124 (8.565 min): VN087335.D\data.ms



Abundance Scan 1212 (9.082 min): VN087335.D\data.ms



#33

1,2-Dichloroethane-d4

Concen: 48.204 ug/l

RT: 8.565 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument :

MSVOA\_N


ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.082 min Scan# 1212

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59


Tgt Ion:114 Resp: 343165


Ion Ratio Lower Upper

114 100

63 22.6 0.0 44.6

88 15.4 0.0 32.8







#35  
Dibromofluoromethane  
Concen: 49.934 ug/l  
RT: 8.153 min Scan# 1  
Delta R.T. 0.006 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N  
ClientSampleId : ICVVN071625


**Manual Integrations**  
**APPROVED**




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#36  
1,1-Dichloropropene  
Concen: 53.690 ug/l  
RT: 8.353 min Scan# 1088  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Tgt Ion: 75 Resp: 167912  
Ion Ratio Lower Upper  
75 100  
110 32.7 16.7 50.1  
77 30.7 25.2 37.8





#37

**Ethyl Acetate**

Concen: 53.525 ug/l

RT: 7.553 min Scan# 9

Delta R.T. 0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument:

MSVOA\_N

ClientSampleId :

ICVVN071625

Tgt Ion: 43 Resp: 241759

Ion Ratio Lower Upper

43 100




61 12.9 10.9 16.3

70 9.6 7.4 11.0

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#38

**Carbon Tetrachloride**

Concen: 52.821 ug/l

RT: 8.347 min Scan# 1087

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59


Tgt Ion:117 Resp: 181974




Ion Ratio Lower Upper

117 100

119 90.1 80.2 120.2

121 27.5 25.4 38.2





#39

Methylcyclohexane

Concen: 53.109 ug/l

RT: 9.582 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59




Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#40

Benzene



Concen: 52.380 ug/l







RT: 8.588 min Scan# 1128

Delta R.T. -0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

 Tgt Ion: 78 Resp: 529446  
 Ion Ratio Lower Upper  
 78 100  
 77 24.4 18.2 27.2




#41

Methacrylonitrile

Concen: 53.895 ug/l

RT: 7.765 min Scan# 988

Delta R.T. -0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument:


MSVOA\_N

ClientSampleId :

ICVVN071625

### Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#42

1,2-Dichloroethane

Concen: 50.821 ug/l

RT: 8.653 min Scan# 1139

Delta R.T. 0.000 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59


Tgt Ion: 62 Resp: 194804

Ion Ratio Lower Upper

62 100

98 8.2 0.0 18.0





#43

Isopropyl Acetate

Concen: 53.477 ug/l

RT: 8.677 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N

ClientSampleId :

ICVVN071625

Abundance Scan 1143 (8.677 min): VN087335.D\data.ms



Tgt Ion: 43 Resp: 37495

Ion Ratio Lower Upper

43 100




61 24.9 19.8 29.8

87 12.1 9.8 14.6

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#44  
Trichloroethene  
Concen: 49.731 ug/l  
RT: 9.335 min Scan# 1255  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59


Tgt Ion:130 Resp: 118775

Ion Ratio Lower Upper

130 100

95 102.8 0.0 195.2





#45

1,2-Dichloropropane

Concen: 52.900 ug/l

RT: 9.606 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087335.D



Acq: 16 Jul 2025 19:59

Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625



Tgt Ion: 63 Resp: 13586

Ion Ratio Lower Upper



63 100

65 34.0 27.0 40.4

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#46

Dibromomethane

Concen: 51.241 ug/l

RT: 9.688 min Scan# 1315

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59




Tgt Ion: 93 Resp: 98534


Ion Ratio Lower Upper

93 100

95 79.2 65.8 98.8

174 86.5 69.9 104.9





#47

Bromodichloromethane

Concen: 51.696 ug/l

RT: 9.871 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59



Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#48

Methyl methacrylate


Concen: 56.096 ug/l


RT: 9.665 min Scan# 1311

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

 Tgt Ion: 41 Resp: 177068  
 Ion Ratio Lower Upper  
 41 100  
 69 79.9 64.1 96.1  
 39 56.0 45.5 68.3




#49

1,4-Dioxane

Concen: 1177.300 ug/l

RT: 9.682 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59

Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625



Tgt Ion: 88 Resp: 5691

Ion Ratio Lower Upper

88 100







43 0.0


58 73.7

**Manual Integrations****APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025


#50  
Toluene-d8  
Concen: 51.573 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59Tgt Ion: 98 Resp: 435474  
Ion Ratio Lower Upper  
98 100  
100 68.2 52.1 78.1



Abundance Scan 1441 (10.429 min): VN087335.D\data.ms (-)



Abundance Scan 1441 (10.429 min): VN087335.D\data.ms (-)



#51

4-Methyl-2-Pentanone

Concen: 268.966 ug/l

RT: 10.429 min Scan# 1441

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument :

MSVOA\_N


ClientSampleId :

ICVVN071625


**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025


Supervised By :Semsettin Yesilyurt 07/17/2025



Abundance Scan 1472 (10.612 min): VN087335.D\data.ms (-)



Abundance Scan 1472 (10.612 min): VN087335.D\data.ms (-)



#52

Toluene

Concen: 52.236 ug/l

RT: 10.612 min Scan# 1472

Delta R.T. -0.000 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59

Tgt Ion: 92 Resp: 320922


Ion Ratio Lower Upper

92 100

91 173.1 135.1 202.7






Abundance Scan 1472 (10.612 min): VN087335.D\data.ms (-)



Abundance

&lt;/







#53  
t-1,3-Dichloropropene  
Concen: 54.628 ug/l  
RT: 10.818 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N  
ClientSampleId : ICVVN071625


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#54  
cis-1,3-Dichloropropene  
Concen: 53.351 ug/l  
RT: 10.294 min Scan# 1418  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Tgt Ion: 75 Resp: 216023  
Ion Ratio Lower Upper  
75 100  
77 33.0 24.2 36.2  
39 50.8 38.4 57.6





#55

1,1,2-Trichloroethane

Concen: 49.889 ug/l

RT: 11.000 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59




Instrument:

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#56

Ethyl methacrylate

Concen: 53.042 ug/l

RT: 10.859 min Scan# 1514

Delta R.T. -0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59


Tgt Ion: 69 Resp: 222410




Ion Ratio Lower Upper

69 100

41 67.6 55.1 82.7

39 34.0 27.9 41.9





#57

1,3-Dichloropropane

Concen: 52.202 ug/l

RT: 11.147 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59





Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#58

2-Chloroethyl Vinyl ether

Concen: 285.088 ug/l

RT: 10.141 min Scan# 1392

Delta R.T. 0.000 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59


Tgt Ion: 63 Resp: 581689

Ion Ratio Lower Upper


63 100

106 27.5 21.7 32.5








Abundance Scan 1568 (11.176 min): VN087335.D\data.ms (-)




Abundance Scan 1568 (11.176 min): VN087335.D\data.ms (-)



Abundance Scan 1596 (11.341 min): VN087335.D\data.ms (-)



Abundance Scan 1596 (11.341 min): VN087335.D\data.ms (-)



#59

2-Hexanone

Concen: 288.579 ug/l

RT: 11.176 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625

Tgt Ion: 43 Resp: 84905

Ion Ratio Lower Upper


43 100

58 53.4 26.7 80.0

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#60

Dibromochloromethane

Concen: 52.685 ug/l

RT: 11.341 min Scan# 1596

Delta R.T. 0.000 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59




Tgt Ion:129 Resp: 149449

Ion Ratio Lower Upper

129 100

127 78.0 39.1 117.5





#61

1,2-Dibromoethane

Concen: 51.746 ug/l

RT: 11.447 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument:

MSVOA\_N





ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#62

4-Bromofluorobenzene

Concen: 52.942 ug/l

RT: 12.829 min Scan# 1849

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59


Tgt Ion: 95 Resp: 165160




Ion Ratio Lower Upper

95 100

174 71.8 0.0 149.4

176 70.6 0.0 141.2





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.847 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59





Instrument:

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#64

Tetrachloroethene

Concen: 47.819 ug/l


RT: 11.082 min Scan# 1552


Delta R.T. -0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Tgt	Ion:164	Resp:	98391
Ion	Ratio	Lower	Upper
164	100		
166	127.0	105.5	158.3
129	99.0	77.4	116.2
131	93.7	77.3	115.9







#65  
Chlorobenzene  
Concen: 48.477 ug/l  
RT: 11.870 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N  
ClientSampleId : ICVVN071625


**Manual Integrations**  
**APPROVED**


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#66  
1,1,1,2-Tetrachloroethane  
Concen: 50.530 ug/l  
RT: 11.941 min Scan# 1698  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Tgt Ion:131 Resp: 123321  
Ion Ratio Lower Upper  
131 100  
133 95.5 47.4 142.3  
119 65.0 33.1 99.2








Abundance Scan 1699 (11.947 min): VN087335.D\data.ms (-)




Abundance Scan 1699 (11.947 min): VN087335.D\data.ms (-)



Abundance Scan 1717 (12.053 min): VN087335.D\data.ms (-)



Abundance Scan 1717 (12.053 min): VN087335.D\data.ms (-)



#67

Ethyl Benzene

Concen: 51.523 ug/l

RT: 11.947 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument:

MSVOA\_N


ClientSampleId :

ICVVN071625

### Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#68

m/p-Xylenes

Concen: 105.269 ug/l

RT: 12.053 min Scan# 1717

Delta R.T. 0.000 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59


Tgt Ion:106 Resp: 465762

Ion Ratio Lower Upper

106 100


91 206.7 162.0 243.0







Ref 50

Abundance Scan 1772 (12.376 min): VN087335.D\data.ms (-)




Abundance Scan 1772 (12.376 min): VN087335.D\data.ms (-)




Ref 50

Abundance Scan 1775 (12.394 min): VN087335.D\data.ms (-)



Abundance Scan 1775 (12.394 min): VN087335.D\data.ms (-)



#69

o-Xylene

Concen: 53.221 ug/l

RT: 12.376 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625

Tgt Ion:106 Resp: 224934

Ion Ratio Lower Upper


106 100

91 217.3 107.7 323.3

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#70

Styrene

Concen: 54.477 ug/l

RT: 12.394 min Scan# 1775

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59


Tgt Ion:104 Resp: 387319




Ion Ratio Lower Upper

104 100

78 53.1 41.0 61.6

103 54.5 43.9 65.9





#71

Bromoform

Concen: 51.987 ug/l

RT: 12.559 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59




Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.770 min Scan# 2009

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59


Tgt Ion:152 Resp: 166959


Ion Ratio Lower Upper

152 100


115 60.2 31.1 93.5

150 174.4 0.0 349.0





Abundance Scan 1823 (12.676 min): VN087335.D\data.ms (-)



#73

Isopropylbenzene

Concen: 54.619 ug/l

RT: 12.676 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument :

MSVOA\_N



ClientSampleId :

ICVVN071625


**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



Abundance Scan 1792 (12.494 min): VN087335.D\data.ms (-)



#74

N-amyl acetate

Concen: 49.972 ug/l m

RT: 12.494 min Scan# 1792

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Tgt Ion: 43 Resp: 218170


Ion Ratio Lower Upper




43 100

70 37.9 37.6 56.4

55 19.4 19.6 29.4#

61 21.6 20.6 31.0









#75  
1,1,2,2-Tetrachloroethane  
Concen: 51.580 ug/l  
RT: 12.917 min Scan# 1864  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N  
ClientSampleId : ICVN071625


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#76  
1,2,3-Trichloropropane  
Concen: 46.955 ug/l  
RT: 12.976 min Scan# 1874  
Delta R.T. 0.006 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Tgt Ion: 75 Resp: 175797  
Ion Ratio Lower Upper  
75 100  
77 187.3 94.5 283.6





#77

Bromobenzene

Concen: 52.368 ug/l

RT: 12.959 min Scan# 1871

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59




Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#78

n-propylbenzene

Concen: 53.661 ug/l

RT: 13.012 min Scan# 1880

Delta R.T. -0.006 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59




Tgt Ion: 91 Resp: 709437

Ion Ratio Lower Upper

91 100

120 21.9 11.3 33.8





#79

2-Chlorotoluene

Concen: 52.475 ug/l

RT: 13.106 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument:

MSVOA\_N





ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#80

1,3,5-Trimethylbenzene

Concen: 54.071 ug/l


RT: 13.153 min Scan# 1904


Delta R.T. 0.000 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59

Tgt Ion:105 Resp: 484100  
 Ion Ratio Lower Upper  
 105 100  
 120 49.5 24.3 72.8







Abundance Scan 1830 (12.717 min): VN087335.D\data.ms (-)




Abundance Scan 1830 (12.717 min): VN087335.D\data.ms (-)




Abundance Scan 1912 (13.200 min): VN087331.D\data.ms (-)



Abundance Scan 1912 (13.200 min): VN087335.D\data.ms (-)



Abundance Scan 1912 (13.200 min): VN087335.D\data.ms (-)



#81

trans-1,4-Dichloro-2-butene

Concen: 51.080 ug/l

RT: 12.717 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument :


MSVOA\_N

ClientSampleId :

ICVVN071625

### Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



Abundance Scan 1912 (13.200 min): VN087331.D\data.ms (-)

#82

4-Chlorotoluene

Concen: 52.464 ug/l

RT: 13.200 min Scan# 1912

Delta R.T. 0.000 min

Lab File: VN087335.D


Acq: 16 Jul 2025 19:59




Tgt Ion: 91 Resp: 443817

Ion Ratio Lower Upper

91 100

126 32.4 16.6 49.7





#83

tert-Butylbenzene

Concen: 55.349 ug/l

RT: 13.417 min Scan# 1949

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59




Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#84

1,2,4-Trimethylbenzene

Concen: 54.773 ug/l

RT: 13.459 min Scan# 1956

Delta R.T. -0.006 min

Lab File: VN087335.D



Acq: 16 Jul 2025 19:59




Tgt Ion:105 Resp: 500792

Ion Ratio Lower Upper

105 100

120 46.0 22.8 68.3









#85  
sec-Butylbenzene  
Concen: 52.800 ug/l  
RT: 13.594 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N  
ClientSampleId : ICVVN071625


### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#86  
p-Isopropyltoluene  
Concen: 54.982 ug/l  
RT: 13.706 min Scan# 1998  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Tgt Ion:119 Resp: 496291  
Ion Ratio Lower Upper  
119 100  
134 26.5 13.5 40.5  
91 24.6 12.2 36.6







#87  
1,3-Dichlorobenzene  
Concen: 51.809 ug/l  
RT: 13.712 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N  
ClientSampleId : ICVN071625


### Manual Integrations APPROVED




Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025



#88  
1,4-Dichlorobenzene  
Concen: 49.381 ug/l  
RT: 13.788 min Scan# 2012  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Tgt Ion:146 Resp: 282084  
Ion Ratio Lower Upper  
146 100  
111 40.5 19.6 58.7  
148 63.2 31.4 94.0





#89

n-Butylbenzene

Concen: 53.250 ug/l

RT: 14.035 min Scan# 2

Instrument :

Delta R.T. 0.000 min

MSVOA\_N

Lab File: VN087335.D

ClientSampleId :

Acq: 16 Jul 2025 19:59

ICVVN071625

Tgt Ion: 91 Resp: 458964

Ion Ratio Lower Upper

91 100




92 53.0 26.2 78.6

134 25.7 12.4 37.2

**Manual Integrations****APPROVED**

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025




#90  
Hexachloroethane  
Concen: 48.870 ug/l  
RT: 14.312 min Scan# 2101  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59


Tgt Ion:117 Resp: 93464

Ion Ratio Lower Upper

117 100

201 69.6 32.8 98.4





#91

1,2-Dichlorobenzene

Concen: 51.485 ug/l

RT: 14.088 min Scan# 2

Delta R.T. 0.006 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59



Instrument :

MSVOA\_N

ClientSampleId :

ICVVN071625

**Manual Integrations  
APPROVED**

 Reviewed By :Mahesh Dadoda 07/17/2025  
 Supervised By :Semsettin Yesilyurt 07/17/2025


#92

1,2-Dibromo-3-Chloropropane


Concen: 49.035 ug/l




RT: 14.700 min Scan# 2167

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

 Tgt Ion: 75 Resp: 50904  
 Ion Ratio Lower Upper  
 75 100  
 155 72.3 37.3 111.8  
 157 95.1 46.2 138.6








#93

1,2,4-Trichlorobenzene  
Concen: 52.351 ug/l  
RT: 15.370 min Scan# 2281  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Instrument : MSVOA\_N  
ClientSampleId : ICVVN071625

### Manual Integrations APPROVED


Reviewed By :Mahesh Dadoda 07/17/2025  
Supervised By :Semsettin Yesilyurt 07/17/2025




#94


Hexachlorobutadiene  
Concen: 50.273 ug/l  
RT: 15.476 min Scan# 2299  
Delta R.T. 0.000 min  
Lab File: VN087335.D  
Acq: 16 Jul 2025 19:59

Tgt Ion:225 Resp: 55599  
Ion Ratio Lower Upper  
225 100  
223 62.7 32.1 96.3  
227 64.6 31.3 93.9








Abundance Scan 2323 (15.617 min): VN087335.D\data.ms (-)




Abundance Scan 2323 (15.617 min): VN087335.D\data.ms (-)



Abundance Scan 2356 (15.811 min): VN087335.D\data.ms (-)



Abundance Scan 2356 (15.811 min): VN087335.D\data.ms (-)



#95

Naphthalene

Concen: 55.585 ug/l

RT: 15.617 min Scan# 2

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59

Instrument :

MSVOA\_N


ClientSampleId :

ICVVN071625

### Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 07/17/2025

Supervised By :Semsettin Yesilyurt 07/17/2025



#96

1,2,3-Trichlorobenzene

Concen: 52.890 ug/l

RT: 15.811 min Scan# 2356

Delta R.T. 0.000 min

Lab File: VN087335.D

Acq: 16 Jul 2025 19:59


Tgt Ion:180 Resp: 157909

Ion Ratio Lower Upper

180 100

182 94.8 47.1 141.4

145 34.2 16.9 50.6



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087335.D  
 Acq On : 16 Jul 2025 19:59  
 Operator : JC\MD  
 Sample : VSTDICV050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 11 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**ICVVN071625**

Quant Time: Jul 17 03:00:24 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	108	0.00
2 T	Dichlorodifluoromethane	0.531	0.616	-16.0	107	0.00
3 P	Chloromethane	0.668	0.681	-1.9	107	0.00
4 C	Vinyl Chloride	0.664	0.711	-7.1#	106	0.00
5 T	Bromomethane	0.344	0.401	-16.6	122	0.00
6 T	Chloroethane	0.433	0.426	1.6	105	0.00
7 T	Trichlorofluoromethane	0.981	0.968	1.3	103	0.00
8 T	Diethyl Ether	0.381	0.387	-1.6	106	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.504	0.499	1.0	103	0.00
10 T	Methyl Iodide	0.452	0.523	-15.7	115	0.00
11 T	Tert butyl alcohol	0.161	0.169	-5.0	114	0.00
12 CM	1,1-Dichloroethene	0.571	0.519	9.1#	103	0.00
13 T	Acrolein	0.129	0.143	-10.9	128	0.00
14 T	Allyl chloride	1.033	1.013	1.9	110	0.00
15 T	Acrylonitrile	0.437	0.442	-1.1	106	0.00
16 T	Acetone	0.398	0.379	4.8	106	0.00
17 T	Carbon Disulfide	1.693	1.691	0.1	106	0.00
18 T	Methyl Acetate	0.999	0.982	1.7	107	0.00
19 T	Methyl tert-butyl Ether	2.104	2.144	-1.9	107	0.00
20 T	Methylene Chloride	0.766	0.665	13.2	107	0.00
21 T	trans-1,2-Dichloroethene	0.644	0.609	5.4	101	0.00
22 T	Diisopropyl ether	2.167	2.219	-2.4	105	0.00
23 T	Vinyl Acetate	1.895	2.070	-9.2	106	0.00
24 P	1,1-Dichloroethane	1.250	1.205	3.6	107	0.00
25 T	2-Butanone	0.615	0.628	-2.1	106	0.00
26 T	2,2-Dichloropropane	0.972	0.888	8.6	98	0.00
27 T	cis-1,2-Dichloroethene	0.741	0.749	-1.1	106	0.00
28 T	Bromochloromethane	0.598	0.587	1.8	107	0.00
29 T	Tetrahydrofuran	0.399	0.416	-4.3	106	0.00
30 C	Chloroform	1.251	1.209	3.4#	103	0.00
31 T	Cyclohexane	1.043	1.023	1.9	106	0.00
32 T	1,1,1-Trichloroethane	1.084	1.071	1.2	107	0.00
33 S	1,2-Dichloroethane-d4	0.848	0.818	3.5	111	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	105	0.00
35 S	Dibromofluoromethane	0.345	0.344	0.3	109	0.00
36 T	1,1-Dichloropropene	0.456	0.489	-7.2	106	0.00
37 T	Ethyl Acetate	0.658	0.704	-7.0	105	0.00
38 T	Carbon Tetrachloride	0.502	0.530	-5.6	108	0.00
39 T	Methylcyclohexane	0.493	0.524	-6.3	104	0.00
40 TM	Benzene	1.473	1.543	-4.8	105	0.00
41 T	Methacrylonitrile	0.344	0.371	-7.8	106	0.00
42 TM	1,2-Dichloroethane	0.558	0.568	-1.8	105	0.00
43 T	Isopropyl Acetate	1.022	1.093	-6.9	108	0.00
44 TM	Trichloroethene	0.348	0.346	0.6	102	0.00
45 C	1,2-Dichloropropane	0.374	0.396	-5.9#	106	0.00
46 T	Dibromomethane	0.280	0.287	-2.5	105	0.00
47 T	Bromodichloromethane	0.564	0.583	-3.4	108	0.00
48 T	Methyl methacrylate	0.460	0.516	-12.2	108	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087335.D  
 Acq On : 16 Jul 2025 19:59  
 Operator : JC\MD  
 Sample : VSTDICV050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 11 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**ICVVN071625**

Quant Time: Jul 17 03:00:24 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.007	0.008	-14.3	109	0.00
50 S	Toluene-d8	1.230	1.269	-3.2	109	0.00
51 T	4-Methyl-2-Pentanone	0.646	0.695	-7.6	106	0.00
52 CM	Toluene	0.895	0.935	-4.5#	102	0.00
53 T	t-1,3-Dichloropropene	0.571	0.624	-9.3	106	0.00
54 T	cis-1,3-Dichloropropene	0.590	0.630	-6.8	105	0.00
55 T	1,1,2-Trichloroethane	0.362	0.362	0.0	104	0.00
56 T	Ethyl methacrylate	0.552	0.648	-17.4	109	0.00
57 T	1,3-Dichloropropane	0.627	0.654	-4.3	105	0.00
58 T	2-Chloroethyl Vinyl ether	0.297	0.339	-14.1	103	0.00
59 T	2-Hexanone	0.429	0.495	-15.4	105	0.00
60 T	Dibromochloromethane	0.413	0.436	-5.6	107	0.00
61 T	1,2-Dibromoethane	0.381	0.394	-3.4	108	0.00
62 S	4-Bromofluorobenzene	0.455	0.481	-5.7	111	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	107	0.00
64 T	Tetrachloroethene	0.322	0.308	4.3	102	0.00
65 PM	Chlorobenzene	1.123	1.088	3.1	104	0.00
66 T	1,1,1,2-Tetrachloroethane	0.382	0.386	-1.0	105	0.00
67 C	Ethyl Benzene	1.848	1.904	-3.0#	104	0.00
68 T	m/p-Xylenes	0.692	0.728	-5.2	102	0.00
69 T	o-Xylene	0.661	0.704	-6.5	104	0.00
70 T	Styrene	1.112	1.212	-9.0	103	0.00
71 P	Bromoform	0.308	0.321	-4.2	104	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	105	0.00
73 T	Isopropylbenzene	3.147	3.438	-9.2	107	0.00
74 T	N-amyl acetate	1.307	1.307	0.0	121	0.00
75 P	1,1,2,2-Tetrachloroethane	1.184	1.222	-3.2	107	0.00
76 T	1,2,3-Trichloropropane	1.121	1.053	6.1	93	0.00
77 T	Bromobenzene	0.816	0.855	-4.8	104	0.00
78 T	n-propylbenzene	3.959	4.249	-7.3	104	0.00
79 T	2-Chlorotoluene	2.433	2.554	-5.0	106	0.00
80 T	1,3,5-Trimethylbenzene	2.681	2.900	-8.2	104	0.00
81 T	trans-1,4-Dichloro-2-butene	0.410	0.419	-2.2	109	0.00
82 T	4-Chlorotoluene	2.533	2.658	-4.9	106	0.00
83 T	tert-Butylbenzene	2.239	2.479	-10.7	108	0.00
84 T	1,2,4-Trimethylbenzene	2.738	2.999	-9.5	105	0.00
85 T	sec-Butylbenzene	3.373	3.562	-5.6	105	0.00
86 T	p-Isopropyltoluene	2.703	2.973	-10.0	105	0.00
87 T	1,3-Dichlorobenzene	1.602	1.660	-3.6	105	0.00
88 T	1,4-Dichlorobenzene	1.711	1.690	1.2	105	0.00
89 T	n-Butylbenzene	2.581	2.749	-6.5	105	0.00
90 T	Hexachloroethane	0.573	0.560	2.3	102	0.00
91 T	1,2-Dichlorobenzene	1.517	1.563	-3.0	104	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.311	0.305	1.9	106	0.00
93 T	1,2,4-Trichlorobenzene	0.891	0.933	-4.7	105	0.00
94 T	Hexachlorobutadiene	0.331	0.333	-0.6	107	0.00
95 T	Naphthalene	3.158	3.510	-11.1	107	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
Data File : VN087335.D  
Acq On : 16 Jul 2025 19:59  
Operator : JC\MD  
Sample : VSTDICV050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 11 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
ICVVN071625

Quant Time: Jul 17 03:00:24 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T 1,2,3-Trichlorobenzene	0.894	0.946	-5.8	108	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087335.D  
 Acq On : 16 Jul 2025 19:59  
 Operator : JC\MD  
 Sample : VSTDICV050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 11 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**ICVVN071625**

Quant Time: Jul 17 03:00:24 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	108	0.00
2 T	Dichlorodifluoromethane	50.000	58.029	-16.1	107	0.00
3 P	Chloromethane	50.000	50.986	-2.0	107	0.00
4 C	Vinyl Chloride	50.000	53.589	-7.2#	106	0.00
5 T	Bromomethane	50.000	58.322	-16.6	122	0.00
6 T	Chloroethane	50.000	49.172	1.7	105	0.00
7 T	Trichlorofluoromethane	50.000	49.336	1.3	103	0.00
8 T	Diethyl Ether	50.000	50.861	-1.7	106	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	49.520	1.0	103	0.00
10 T	Methyl Iodide	50.000	50.369	-0.7	115	0.00
11 T	Tert butyl alcohol	250.000	262.884	-5.2	114	0.00
12 CM	1,1-Dichloroethene	50.000	45.432	9.1#	103	0.00
13 T	Acrolein	250.000	277.145	-10.9	128	0.00
14 T	Allyl chloride	50.000	49.004	2.0	110	0.00
15 T	Acrylonitrile	250.000	252.616	-1.0	106	0.00
16 T	Acetone	250.000	237.913	4.8	106	0.00
17 T	Carbon Disulfide	50.000	49.947	0.1	106	0.00
18 T	Methyl Acetate	50.000	49.111	1.8	107	0.00
19 T	Methyl tert-butyl Ether	50.000	50.939	-1.9	107	0.00
20 T	Methylene Chloride	50.000	49.445	1.1	107	0.00
21 T	trans-1,2-Dichloroethene	50.000	47.283	5.4	101	0.00
22 T	Diisopropyl ether	50.000	51.191	-2.4	105	0.00
23 T	Vinyl Acetate	250.000	273.101	-9.2	106	0.00
24 P	1,1-Dichloroethane	50.000	48.170	3.7	107	0.00
25 T	2-Butanone	250.000	255.411	-2.2	106	0.00
26 T	2,2-Dichloropropane	50.000	45.700	8.6	98	0.00
27 T	cis-1,2-Dichloroethene	50.000	50.543	-1.1	106	0.00
28 T	Bromochloromethane	50.000	49.089	1.8	107	0.00
29 T	Tetrahydrofuran	250.000	260.404	-4.2	106	0.00
30 C	Chloroform	50.000	48.306	3.4#	103	0.00
31 T	Cyclohexane	50.000	49.042	1.9	106	0.00
32 T	1,1,1-Trichloroethane	50.000	49.412	1.2	107	0.00
33 S	1,2-Dichloroethane-d4	50.000	48.204	3.6	111	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	105	0.00
35 S	Dibromofluoromethane	50.000	49.934	0.1	109	0.00
36 T	1,1-Dichloropropene	50.000	53.690	-7.4	106	0.00
37 T	Ethyl Acetate	50.000	53.525	-7.0	105	0.00
38 T	Carbon Tetrachloride	50.000	52.821	-5.6	108	0.00
39 T	Methylcyclohexane	50.000	53.109	-6.2	104	0.00
40 TM	Benzene	50.000	52.380	-4.8	105	0.00
41 T	Methacrylonitrile	50.000	53.895	-7.8	106	0.00
42 TM	1,2-Dichloroethane	50.000	50.821	-1.6	105	0.00
43 T	Isopropyl Acetate	50.000	53.477	-7.0	108	0.00
44 TM	Trichloroethene	50.000	49.731	0.5	102	0.00
45 C	1,2-Dichloropropane	50.000	52.900	-5.8#	106	0.00
46 T	Dibromomethane	50.000	51.241	-2.5	105	0.00
47 T	Bromodichloromethane	50.000	51.696	-3.4	108	0.00
48 T	Methyl methacrylate	50.000	56.096	-12.2	108	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087335.D  
 Acq On : 16 Jul 2025 19:59  
 Operator : JC\MD  
 Sample : VSTDICV050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 11 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**ICVVN071625**

Quant Time: Jul 17 03:00:24 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1177.300	-17.7	109	0.00
50 S	Toluene-d8	50.000	51.573	-3.1	109	0.00
51 T	4-Methyl-2-Pentanone	250.000	268.966	-7.6	106	0.00
52 CM	Toluene	50.000	52.236	-4.5#	102	0.00
53 T	t-1,3-Dichloropropene	50.000	54.628	-9.3	106	0.00
54 T	cis-1,3-Dichloropropene	50.000	53.351	-6.7	105	0.00
55 T	1,1,2-Trichloroethane	50.000	49.889	0.2	104	0.00
56 T	Ethyl methacrylate	50.000	53.042	-6.1	109	0.00
57 T	1,3-Dichloropropane	50.000	52.202	-4.4	105	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	285.088	-14.0	103	0.00
59 T	2-Hexanone	250.000	288.579	-15.4	105	0.00
60 T	Dibromochloromethane	50.000	52.685	-5.4	107	0.00
61 T	1,2-Dibromoethane	50.000	51.746	-3.5	108	0.00
62 S	4-Bromofluorobenzene	50.000	52.942	-5.9	111	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	107	0.00
64 T	Tetrachloroethene	50.000	47.819	4.4	102	0.00
65 PM	Chlorobenzene	50.000	48.477	3.0	104	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	50.530	-1.1	105	0.00
67 C	Ethyl Benzene	50.000	51.523	-3.0#	104	0.00
68 T	m/p-Xylenes	100.000	105.269	-5.3	102	0.00
69 T	o-Xylene	50.000	53.221	-6.4	104	0.00
70 T	Styrene	50.000	54.477	-9.0	103	0.00
71 P	Bromoform	50.000	51.987	-4.0	104	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	105	0.00
73 T	Isopropylbenzene	50.000	54.619	-9.2	107	0.00
74 T	N-amyl acetate	50.000	49.972	0.1	121	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	51.580	-3.2	107	0.00
76 T	1,2,3-Trichloropropane	50.000	46.955	6.1	93	0.00
77 T	Bromobenzene	50.000	52.368	-4.7	104	0.00
78 T	n-propylbenzene	50.000	53.661	-7.3	104	0.00
79 T	2-Chlorotoluene	50.000	52.475	-5.0	106	0.00
80 T	1,3,5-Trimethylbenzene	50.000	54.071	-8.1	104	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	51.080	-2.2	109	0.00
82 T	4-Chlorotoluene	50.000	52.464	-4.9	106	0.00
83 T	tert-Butylbenzene	50.000	55.349	-10.7	108	0.00
84 T	1,2,4-Trimethylbenzene	50.000	54.773	-9.5	105	0.00
85 T	sec-Butylbenzene	50.000	52.800	-5.6	105	0.00
86 T	p-Isopropyltoluene	50.000	54.982	-10.0	105	0.00
87 T	1,3-Dichlorobenzene	50.000	51.809	-3.6	105	0.00
88 T	1,4-Dichlorobenzene	50.000	49.381	1.2	105	0.00
89 T	n-Butylbenzene	50.000	53.250	-6.5	105	0.00
90 T	Hexachloroethane	50.000	48.870	2.3	102	0.00
91 T	1,2-Dichlorobenzene	50.000	51.485	-3.0	104	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	49.035	1.9	106	0.00
93 T	1,2,4-Trichlorobenzene	50.000	52.351	-4.7	105	0.00
94 T	Hexachlorobutadiene	50.000	50.273	-0.5	107	0.00
95 T	Naphthalene	50.000	55.585	-11.2	107	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
Data File : VN087335.D  
Acq On : 16 Jul 2025 19:59  
Operator : JC\MD  
Sample : VSTDICV050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 11 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
ICVVN071625

Quant Time: Jul 17 03:00:24 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T 1,2,3-Trichlorobenzene	50.000	52.890	-5.8	108	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name:	Alliance	Contract:	DAYE01
Lab Code:	ACE	SDG No.:	Q2816
Instrument ID:	MSVOA_N	Calibration Date/Time:	08/12/2025 10:24
Lab File ID:	VN087502.D	Init. Calib. Date(s):	07/16/2025 07/16/2025
Heated Purge: (Y/N)	N	Init. Calib. Time(s):	17:05 18:54
GC Column:	RXI-624	ID:	0.25 (mm)

COMPOUND	RRF	RRF050	MIN RRF	%D	MAX%D
Dichlorodifluoromethane	0.531	0.639		20.34	20
Chloromethane	0.668	0.654	0.1	-2.1	20
Vinyl Chloride	0.664	0.733		10.39	20
Bromomethane	0.344	0.404		17.44	20
Chloroethane	0.433	0.480		10.85	20
Trichlorofluoromethane	0.981	1.038		5.81	20
1,1,2-Trichlorotrifluoroethane	0.504	0.554		9.92	20
1,1-Dichloroethene	0.571	0.573		0.35	20
Acetone	0.398	0.470		18.09	20
Carbon Disulfide	1.693	1.707		0.83	20
Methyl tert-butyl Ether	2.104	2.549		21.15	20
Methyl Acetate	0.999	1.151		15.22	20
Methylene Chloride	0.766	0.719		-6.14	20
trans-1,2-Dichloroethene	0.644	0.660		2.48	20
1,1-Dichloroethane	1.250	1.361	0.1	8.88	20
Cyclohexane	1.043	1.110		6.42	20
2-Butanone	0.615	0.671		9.11	20
Carbon Tetrachloride	0.502	0.510		1.59	20
cis-1,2-Dichloroethene	0.741	0.825		11.34	20
Bromochloromethane	0.598	0.624		4.35	20
Chloroform	1.251	1.408		12.55	20
1,1,1-Trichloroethane	1.084	1.184		9.23	20
Methylcyclohexane	0.493	0.524		6.29	20
Benzene	1.473	1.523		3.39	20
1,2-Dichloroethane	0.558	0.594		6.45	20
Trichloroethene	0.348	0.339		-2.59	20
1,2-Dichloropropane	0.374	0.386		3.21	20
Bromodichloromethane	0.564	0.596		5.67	20
4-Methyl-2-Pentanone	0.646	0.681		5.42	20
Toluene	0.895	0.942		5.25	20
t-1,3-Dichloropropene	0.571	0.656		14.89	20
cis-1,3-Dichloropropene	0.590	0.659		11.69	20
1,1,2-Trichloroethane	0.362	0.374		3.32	20
2-Hexanone	0.429	0.474		10.49	20
Dibromochloromethane	0.413	0.436		5.57	20
1,2-Dibromoethane	0.381	0.392		2.89	20
Tetrachloroethene	0.322	0.291		-9.63	20
Chlorobenzene	1.123	1.120	0.3	-0.27	20

All other compounds must meet a minimum RRF of 0.010.

RRF of 1,4-Dioxane = Value should be divide by 1000.



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name:	Alliance	Contract:	DAYE01
Lab Code:	ACE	SDG No.:	Q2816
Instrument ID:	MSVOA_N	Calibration Date/Time:	08/12/2025 10:24
Lab File ID:	VN087502.D	Init. Calib. Date(s):	07/16/2025 07/16/2025
Heated Purge: (Y/N)	N	Init. Calib. Time(s):	17:05 18:54
GC Column:	RXI-624	ID:	0.25 (mm)

COMPOUND	RRF	RRF050	MIN RRF	%D	MAX%D
Ethyl Benzene	1.848	2.004		8.44	20
m/p-Xylenes	0.692	0.741		7.08	20
o-Xylene	0.661	0.730		10.44	20
Styrene	1.112	1.270		14.21	20
Bromoform	0.308	0.318	0.1	3.25	20
Isopropylbenzene	3.147	3.777		20.02	20
1,1,2,2-Tetrachloroethane	1.184	1.273	0.3	7.52	20
1,3-Dichlorobenzene	1.602	1.706		6.49	20
1,4-Dichlorobenzene	1.711	1.726		0.88	20
1,2-Dichlorobenzene	1.517	1.659		9.36	20
1,2-Dibromo-3-Chloropropane	0.311	0.323		3.86	20
1,2,4-Trichlorobenzene	0.891	1.000		12.23	20
1,2,3-Trichlorobenzene	0.894	0.984		10.07	20
1,2-Dichloroethane-d4	0.848	0.900		6.13	20
Dibromofluoromethane	0.345	0.326		-5.51	20
Toluene-d8	1.230	1.195		-2.85	20
4-Bromofluorobenzene	0.455	0.463		1.76	20

All other compounds must meet a minimum RRF of 0.010.  
 RRF of 1,4-Dioxane = Value should be divide by 1000.

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087502.D  
 Acq On : 12 Aug 2025 10:24  
 Operator : JC\MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 2 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDCCC050**

Quant Time: Aug 13 02:58:53 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	330662	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.082	114	639180	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	587049	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	291692	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	297500	53.024	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	= 106.040%		
35) Dibromofluoromethane	8.153	113	208126	47.204	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	= 94.400%		
50) Toluene-d8	10.547	98	763783	48.563	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	= 97.120%		
62) 4-Bromofluorobenzene	12.829	95	295656	50.882	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	= 101.760%		
<b>Target Compounds</b>						
				Qvalue		
2) Dichlorodifluoromethane	2.142	85	211220	60.142	ug/l	95
3) Chloromethane	2.383	50	216269	48.969	ug/l	94
4) Vinyl Chloride	2.536	62	242275	55.200	ug/l	95
5) Bromomethane	2.971	94	133458	58.718	ug/l	96
6) Chloroethane	3.136	64	158680	55.437	ug/l	100
7) Trichlorofluoromethane	3.506	101	343225	52.885	ug/l	99
8) Diethyl Ether	3.965	74	149057	59.207	ug/l	98
9) 1,1,2-Trichlorotrifluo...	4.371	101	183251	55.004	ug/l	96
10) Methyl Iodide	4.583	142	137060	41.116	ug/l	93
11) Tert butyl alcohol	5.524	59	303122	284.532	ug/l	99
12) 1,1-Dichloroethene	4.336	96	189402	50.168	ug/l	94
13) Acrolein	4.177	56	261207	305.520	ug/l	99
14) Allyl chloride	5.012	41	372445	54.511	ug/l	92
15) Acrylonitrile	5.706	53	762586	263.788	ug/l	100
16) Acetone	4.424	43	777558	295.575	ug/l	98
17) Carbon Disulfide	4.700	76	564468	50.431	ug/l #	93
18) Methyl Acetate	5.018	43	380435	57.561	ug/l	99
19) Methyl tert-butyl Ether	5.788	73	842980	60.578	ug/l	98
20) Methylene Chloride	5.265	84	237685	53.492	ug/l	98
21) trans-1,2-Dichloroethene	5.777	96	218270	51.275	ug/l	98
22) Diisopropyl ether	6.659	45	853871	59.579	ug/l	93
23) Vinyl Acetate	6.594	43	3942297	314.517	ug/l	99
24) 1,1-Dichloroethane	6.553	63	450092	54.436	ug/l	100
25) 2-Butanone	7.471	43	1108664	272.759	ug/l	96
26) 2,2-Dichloropropane	7.477	77	401418	62.444	ug/l	98
27) cis-1,2-Dichloroethene	7.471	96	272679	55.638	ug/l	95
28) Bromochloromethane	7.800	49	206493	52.182	ug/l	95
29) Tetrahydrofuran	7.829	42	724045	274.208	ug/l	100
30) Chloroform	7.953	83	465493	56.246	ug/l	98
31) Cyclohexane	8.241	56	367045	53.214	ug/l	97
32) 1,1,1-Trichloroethane	8.153	97	391648	54.638	ug/l	98
36) 1,1-Dichloropropene	8.353	75	298749	51.286	ug/l	99
37) Ethyl Acetate	7.547	43	430984	51.229	ug/l	99
38) Carbon Tetrachloride	8.341	117	326189	50.833	ug/l	92
39) Methylcyclohexane	9.582	83	334615	53.058	ug/l	96
40) Benzene	8.588	78	973729	51.720	ug/l	97

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087502.D  
 Acq On : 12 Aug 2025 10:24  
 Operator : JC\MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VSTDCCC050

Quant Time: Aug 13 02:58:53 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations  
APPROVED**

Reviewed By :John Carlane 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.765	41	250885	57.033	ug/1	96
42) 1,2-Dichloroethane	8.653	62	379576	53.165	ug/1	98
43) Isopropyl Acetate	8.677	43	712456	54.554	ug/1	98
44) Trichloroethene	9.335	130	216430	48.652	ug/1	91
45) 1,2-Dichloropropane	9.606	63	246730	51.577	ug/1	94
46) Dibromomethane	9.688	93	183110	51.124	ug/1	97
47) Bromodichloromethane	9.871	83	380818	52.785	ug/1	99
48) Methyl methacrylate	9.665	41	342785	58.304	ug/1	94
49) 1,4-Dioxane	9.682	88	94453	1048.916	ug/1 #	98
51) 4-Methyl-2-Pentanone	10.429	43	2176445	263.494	ug/1	98
52) Toluene	10.612	92	601880	52.597	ug/1	98
53) t-1,3-Dichloropropene	10.818	75	419058	57.395	ug/1	96
54) cis-1,3-Dichloropropene	10.294	75	421265	55.857	ug/1 #	89
55) 1,1,2-Trichloroethane	10.994	97	239225	51.637	ug/1	93
56) Ethyl methacrylate	10.859	69	421434	53.919	ug/1 #	94
57) 1,3-Dichloropropane	11.141	76	422100	52.696	ug/1	100
58) 2-Chloroethyl Vinyl ether	10.141	63	1112387	292.701	ug/1	99
59) 2-Hexanone	11.176	43	1516088	276.651	ug/1	99
60) Dibromochloromethane	11.341	129	278616	52.733	ug/1	99
61) 1,2-Dibromoethane	11.453	107	250244	51.372	ug/1	99
64) Tetrachloroethene	11.082	164	170810	45.208	ug/1	96
65) Chlorobenzene	11.870	112	657775	49.908	ug/1	98
66) 1,1,1,2-Tetrachloroethane	11.941	131	233230	52.042	ug/1	98
67) Ethyl Benzene	11.941	91	1176241	54.212	ug/1	100
68) m/p-Xylenes	12.053	106	869964	107.076	ug/1	94
69) o-Xylene	12.376	106	428823	55.254	ug/1	95
70) Styrene	12.394	104	745658	57.114	ug/1	98
71) Bromoform	12.559	173	186678	51.560	ug/1 #	98
73) Isopropylbenzene	12.676	105	1101854	60.019	ug/1	98
74) N-amyl acetate	12.500	43	382429	50.138	ug/1 #	86
75) 1,1,2,2-Tetrachloroethane	12.917	83	371197	53.735	ug/1	98
76) 1,2,3-Trichloropropane	12.976	75	323967m	49.529	ug/1	
77) Bromobenzene	12.959	156	258139	54.217	ug/1	93
78) n-propylbenzene	13.017	91	1372237	59.409	ug/1	97
79) 2-Chlorotoluene	13.106	91	822996	57.976	ug/1	95
80) 1,3,5-Trimethylbenzene	13.153	105	937941	59.964	ug/1	98
81) trans-1,4-Dichloro-2-b...	12.717	75	134709	56.350	ug/1	97
82) 4-Chlorotoluene	13.200	91	851446	57.610	ug/1	98
83) tert-Butylbenzene	13.417	119	793245	60.719	ug/1	97
84) 1,2,4-Trimethylbenzene	13.459	105	963459	60.315	ug/1	96
85) sec-Butylbenzene	13.594	105	1170651	59.490	ug/1	100
86) p-Isopropyltoluene	13.706	119	975420	61.853	ug/1	96
87) 1,3-Dichlorobenzene	13.711	146	497546	53.246	ug/1	98
88) 1,4-Dichlorobenzene	13.788	146	503587	50.459	ug/1	96
89) n-Butylbenzene	14.035	91	952157	63.231	ug/1	100
90) Hexachloroethane	14.311	117	185894	55.635	ug/1	96
91) 1,2-Dichlorobenzene	14.082	146	483934	54.667	ug/1	99
92) 1,2-Dibromo-3-Chloropr...	14.700	75	94271	51.978	ug/1	96
93) 1,2,4-Trichlorobenzene	15.370	180	291601	56.077	ug/1	98
94) Hexachlorobutadiene	15.476	225	107072	55.415	ug/1	98
95) Naphthalene	15.617	128	1074791	58.344	ug/1	100
96) 1,2,3-Trichlorobenzene	15.817	180	287140	55.049	ug/1	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087502.D  
Acq On : 12 Aug 2025 10:24  
Operator : JC\MD  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDCCC050

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carbone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

Quant Time: Aug 13 02:58:53 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

---

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087502.D  
Acq On : 12 Aug 2025 10:24  
Operator : JC\MD  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 2 Sample Multiplier: 1


Quant Time: Aug 13 02:58:53 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
VSTDCCC050

## Manual Integrations APPROVED


Reviewed By :John Carbone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025








#1  
 Pentafluorobenzene  
 Concen: 50.000 ug/l  
 RT: 8.212 min Scan# 1  
 Delta R.T. -0.000 min  
 Lab File: VN087502.D  
 Acq: 12 Aug 2025 10:24

Instrument : MSVOA\_N  
 ClientSampleId : VSTDCCC050




Manual Integrations  
**APPROVED**



Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025




#2  
 Dichlorodifluoromethane  
 Concen: 60.142 ug/l  
 RT: 2.142 min Scan# 32  
 Delta R.T. 0.000 min  
 Lab File: VN087502.D  
 Acq: 12 Aug 2025 10:24




Tgt Ion: 85 Resp: 211220  
 Ion Ratio Lower Upper  
 85 100  
 87 32.5 17.8 53.3





#3  
Chloromethane  
Concen: 48.969 ug/l  
RT: 2.383 min Scan# 7  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24




Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050




Tgt Ion: 50 Resp: 216269  
Ion Ratio Lower Upper  
50 100  
52 29.8 26.3 39.5

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#4  
Vinyl Chloride  
Concen: 55.200 ug/l  
RT: 2.536 min Scan# 99  
Delta R.T. -0.006 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24




Tgt Ion: 62 Resp: 242275  
Ion Ratio Lower Upper  
62 100  
64 30.7 27.0 40.6





#5  
Bromomethane  
Concen: 58.718 ug/l  
RT: 2.971 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24




Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050




Tgt Ion: 94 Resp: 133458  
Ion Ratio Lower Upper  
94 100  
96 88.3 73.4 110.2

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#6  
Chloroethane  
Concen: 55.437 ug/l  
RT: 3.136 min Scan# 201  
Delta R.T. 0.006 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24




Tgt Ion: 64 Resp: 158680  
Ion Ratio Lower Upper  
64 100  
66 30.7 24.6 36.8





#7  
Trichlorofluoromethane  
Concen: 52.885 ug/l  
RT: 3.506 min Scan# 2  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24




Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050




Tgt Ion:101 Resp: 34322  
Ion Ratio Lower Upper  
101 100  
103 61.2 49.8 74.6

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#8  
Diethyl Ether  
Concen: 59.207 ug/l  
RT: 3.965 min Scan# 342  
Delta R.T. 0.006 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24




Tgt Ion: 74 Resp: 149057  
Ion Ratio Lower Upper  
74 100  
45 99.2 50.8 152.5








#9  
1,1,2-Trichlorotrifluoroethane  
Concen: 55.004 ug/l  
RT: 4.371 min Scan# 4  
Instrument : MSVOA\_N  
Delta R.T. 0.012 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24




Tgt Ion:101 Resp: 18325  
Ion Ratio Lower Upper  
101 100  
85 45.8 37.3 55.9  
151 68.2 58.9 88.3

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#10  
Methyl Iodide  
Concen: 41.116 ug/l  
RT: 4.583 min Scan# 447  
Delta R.T. 0.006 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24



Tgt Ion:142 Resp: 137060  
Ion Ratio Lower Upper  
142 100  
127 50.3 35.7 53.5  
141 13.9 10.4 15.6








#11

Tert butyl alcohol  
Concen: 284.532 ug/l  
RT: 5.524 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050



### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#12  
1,1-Dichloroethene  
Concen: 50.168 ug/l  
RT: 4.336 min Scan# 405  
Delta R.T. 0.006 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24


Tgt Ion: 96 Resp: 189402  
Ion Ratio Lower Upper  
96 100  
61 174.0 132.3 198.5  
98 61.7 46.8 70.2





#13  
Acrolein  
Concen: 305.520 ug/l  
RT: 4.177 min Scan# 3  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24




Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050




Tgt Ion: 56 Resp: 26120  
Ion Ratio Lower Upper  
56 100  
55 71.0 56.2 84.4

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025









#14  
Allyl chloride  
Concen: 54.511 ug/l  
RT: 5.012 min Scan# 520  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24



Tgt Ion: 41 Resp: 372445  
Ion Ratio Lower Upper  
41 100  
39 83.4 59.0 88.6  
76 36.1 28.7 43.1





#15

Acrylonitrile

Concen: 263.788 ug/l

RT: 5.706 min Scan# 6

Delta R.T. -0.006 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion: 53 Resp: 762580

Ion Ratio Lower Upper

53 100


52 81.9 65.5 98.3

51 36.7 28.7 43.1

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#16

Acetone

Concen: 295.575 ug/l

RT: 4.424 min Scan# 420

Delta R.T. 0.000 min

Lab File: VN087502.D


Acq: 12 Aug 2025 10:24







Tgt Ion: 43 Resp: 777558

Ion Ratio Lower Upper

43 100

58 27.0 22.3 33.5





#17

Carbon Disulfide

Concen: 50.431 ug/l

RT: 4.700 min Scan# 4

Delta R.T. 0.006 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion: 76 Resp: 564463

Ion Ratio Lower Upper

76 100


78 8.1 8.6 13.0

Manual Integrations

APPROVED

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#18

Methyl Acetate

Concen: 57.561 ug/l

RT: 5.018 min Scan# 521

Delta R.T. 0.006 min

Lab File: VN087502.D


Acq: 12 Aug 2025 10:24







Tgt Ion: 43 Resp: 380435

Ion Ratio Lower Upper

43 100

74 22.5 17.8 26.6






#19

Methyl tert-butyl Ether  
Concen: 60.578 ug/l  
RT: 5.788 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050


### Manual Integrations APPROVED







Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#20

Methylene Chloride  
Concen: 53.492 ug/l  
RT: 5.265 min Scan# 563  
Delta R.T. 0.006 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24





#21

trans-1,2-Dichloroethene

Concen: 51.275 ug/l

RT: 5.777 min Scan# 6

Delta R.T. 0.006 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24

Instrument :

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion: 96 Resp: 218270

Ion Ratio Lower Upper

96 100


61 151.0 122.0 183.0

98 64.9 50.0 75.0

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#22

Diisopropyl ether

Concen: 59.579 ug/l

RT: 6.659 min Scan# 800

Delta R.T. -0.006 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24

Tgt Ion: 45 Resp: 853871


Ion Ratio Lower Upper


45 100

43 60.1 42.8 64.2

87 26.2 19.8 29.6

59 11.4 8.3 12.5





#23

Vinyl Acetate

Concen: 314.517 ug/l

RT: 6.594 min Scan# 7

Delta R.T. 0.006 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Abundance Scan 789 (6.594 min): VN087502.D\data.ms


**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#24

1,1-Dichloroethane





Concen: 54.436 ug/l




RT: 6.553 min Scan# 782

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24





#25

2-Butanone

Concen: 272.759 ug/l

RT: 7.471 min Scan# 9

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#26

2,2-Dichloropropane

Concen: 62.444 ug/l

RT: 7.477 min Scan# 939

Delta R.T. 0.006 min

Lab File: VN087502.D


Acq: 12 Aug 2025 10:24


Tgt Ion: 77 Resp: 401418

Ion Ratio Lower Upper

77 100


97 21.1 11.1 33.1





#27  
cis-1,2-Dichloroethene  
Concen: 55.638 ug/l  
RT: 7.471 min Scan# 938  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24




Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050




Tgt Ion: 96 Resp: 272679  
Ion Ratio Lower Upper  
96 100  
61 156.7 0.0 297.8  
98 63.7 0.0 132.4

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#28  
Bromochloromethane  
Concen: 52.182 ug/l  
RT: 7.800 min Scan# 994  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24



Tgt Ion: 49 Resp: 206493  
Ion Ratio Lower Upper  
49 100  
129 1.9 0.0 4.2  
130 67.3 57.3 85.9





#29

Tetrahydrofuran

Concen: 274.208 ug/l

RT: 7.829 min Scan# 999

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24





Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#30

Chloroform


Concen: 56.246 ug/l




RT: 7.953 min Scan# 1020

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24

 Tgt Ion: 83 Resp: 465493  
 Ion Ratio Lower Upper  
 83 100  
 85 64.1 52.7 79.1




#31

Cyclohexane

Concen: 53.214 ug/l

RT: 8.241 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#32

1,1,1-Trichloroethane

Concen: 54.638 ug/l


RT: 8.153 min Scan# 1054


Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24



Tgt	Ion	Resp:	391648
Ion	Ratio	Lower	Upper
97	100		
99	65.4	51.8	77.8
61	50.6	38.7	58.1





#33  
1,2-Dichloroethane-d4  
Concen: 53.024 ug/l  
RT: 8.565 min Scan# 1212  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24



Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050




Tgt Ion: 65 Resp: 297500  
Ion Ratio Lower Upper  
65 100  
67 51.3 0.0 104.0

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 9.082 min Scan# 1212  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24



Tgt Ion:114 Resp: 639180  
Ion Ratio Lower Upper  
114 100  
63 23.0 0.0 44.6  
88 15.8 0.0 32.8





#35

Dibromofluoromethane



Concen: 47.204 ug/l

RT: 8.153 min Scan# 1088

Delta R.T. 0.006 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24








Tgt Ion: 113 Resp: 208120







Ion Ratio Lower Upper

113 100

111 103.3 82.5 123.7

192 15.7 13.7 20.5

**Manual Integrations  
APPROVED**
Reviewed By :John Carbone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025#36  
1,1-Dichloropropene  
Concen: 51.286 ug/l  
RT: 8.353 min Scan# 1088  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24Tgt Ion: 75 Resp: 298749  
Ion Ratio Lower Upper  
75 100  
110 33.0 16.7 50.1  
77 31.2 25.2 37.8



#37

Ethyl Acetate

Concen: 51.229 ug/l

RT: 7.547 min Scan# 9

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion: 43 Resp: 430984

Ion Ratio Lower Upper

43 100

61 13.1 10.9 16.3


70 9.6 7.4 11.0

Manual Integrations

APPROVED

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#38

Carbon Tetrachloride

Concen: 50.833 ug/l

RT: 8.341 min Scan# 1086

Delta R.T. -0.006 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24


Tgt Ion:117 Resp: 326189


Ion Ratio Lower Upper

117 100

119 91.0 80.2 120.2

121 29.6 25.4 38.2





#39

Methylcyclohexane



Concen: 53.058 ug/l

RT: 9.582 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24



Tgt Ion: 83 Resp: 33461

Ion Ratio Lower Upper

83 100



55 81.6 61.3 91.9

98 47.6 37.9 56.9

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#40

Benzene


Concen: 51.720 ug/l

RT: 8.588 min Scan# 1128

Delta R.T. -0.006 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24











Tgt Ion: 78 Resp: 973729

Ion Ratio Lower Upper

78 100

77 24.1 18.2 27.2





#41

Methacrylonitrile

Concen: 57.033 ug/l

RT: 7.765 min Scan# 9

Delta R.T. -0.006 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion: 41 Resp: 25088

Ion Ratio Lower Upper

41 100

39 56.0 43.4 65.0


67 65.3 55.1 82.7

52 28.7 24.9 37.3

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#42

1,2-Dichloroethane

Concen: 53.165 ug/l

RT: 8.653 min Scan# 1139

Delta R.T. 0.000 min

Lab File: VN087502.D


Acq: 12 Aug 2025 10:24


Tgt Ion: 62 Resp: 379576

Ion Ratio Lower Upper

62 100


98 8.3 0.0 18.0





#43  
Isopropyl Acetate  
Concen: 54.554 ug/l  
RT: 8.677 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24




Instrument : MSVOA\_N  
ClientSampleId : VSTDCCCC050




Tgt Ion: 43 Resp: 712450  
Ion Ratio Lower Upper  
43 100  
61 23.7 19.8 29.8  
87 12.0 9.8 14.6

### Manual Integrations APPROVED


Reviewed By :John Carbone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025









#44  
Trichloroethene  
Concen: 48.652 ug/l  
RT: 9.335 min Scan# 1255  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24



Tgt Ion:130 Resp: 216430  
Ion Ratio Lower Upper  
130 100  
95 106.8 0.0 195.2





#45

1,2-Dichloropropane

Concen: 51.577 ug/l

RT: 9.606 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24

Instrument: MSVOA\_N

ClientSampleId: VSTDCCC050

Tgt Ion: 63 Resp: 246730

Ion Ratio Lower Upper


63 100

65 30.4 27.0 40.4

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#46

Dibromomethane

Concen: 51.124 ug/l

RT: 9.688 min Scan# 1315

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24


Tgt Ion: 93 Resp: 183110




Ion Ratio Lower Upper

93 100

95 81.6 65.8 98.8

174 82.4 69.9 104.9









#47

Bromodichloromethane  
Concen: 52.785 ug/l  
RT: 9.871 min Scan# 1346  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#48

Methyl methacrylate  
Concen: 58.304 ug/l  
RT: 9.665 min Scan# 1311  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Tgt Ion: 41 Resp: 342785  
Ion Ratio Lower Upper  
41 100  
69 77.0 64.1 96.1  
39 64.0 45.5 68.3





#49

1,4-Dioxane

Concen: 1048.916 ug/l

RT: 9.682 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087502.D


Acq: 12 Aug 2025 10:24

Instrument :

MSVOA\_N

ClientSampleId :

VSTDCCC050



Tgt Ion: 88 Resp: 94451

Ion Ratio Lower Upper

88 100







43 0.0




58 74.5

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025

#50  
Toluene-d8  
Concen: 48.563 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. -0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24Tgt Ion: 98 Resp: 763783  
Ion Ratio Lower Upper  
98 100  
100 64.4 52.1 78.1



#51

4-Methyl-2-Pentanone

Concen: 263.494 ug/l

RT: 10.429 min Scan# 1441

Delta R.T. 0.000 min

Lab File: VN087502.D





Acq: 12 Aug 2025 10:24

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#52

Toluene

Concen: 52.597 ug/l

RT: 10.612 min Scan# 1472

Delta R.T. -0.000 min

Lab File: VN087502.D


Acq: 12 Aug 2025 10:24




Tgt Ion: 92 Resp: 601880

Ion Ratio Lower Upper

92 100

91 172.0 135.1 202.7









#53  
t-1,3-Dichloropropene  
Concen: 57.395 ug/l  
RT: 10.818 min Scan# 1507  
Delta R.T. -0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#54  
cis-1,3-Dichloropropene  
Concen: 55.857 ug/l  
RT: 10.294 min Scan# 1418  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Tgt Ion: 75 Resp: 421265  
Ion Ratio Lower Upper  
75 100  
77 29.0 24.2 36.2  
39 59.4 38.4 57.6#








#55

1,1,2-Trichloroethane  
Concen: 51.637 ug/l  
RT: 10.994 min Scan# 1  
Delta R.T. -0.006 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Instrument: MSVOA\_N  
ClientSampleId: VSTDCCCC050

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#56

Ethyl methacrylate  
Concen: 53.919 ug/l  
RT: 10.859 min Scan# 1514  
Delta R.T. -0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Tgt Ion: 69 Resp: 421434  
Ion Ratio Lower Upper  
69 100  
41 70.9 55.1 82.7  
39 42.3 27.9 41.9#





#57

1,3-Dichloropropane

Concen: 52.696 ug/l

RT: 11.141 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24





Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#58

2-Chloroethyl Vinyl ether

Concen: 292.701 ug/l

RT: 10.141 min Scan# 1392

Delta R.T. 0.000 min

Lab File: VN087502.D


Acq: 12 Aug 2025 10:24


Tgt Ion: 63 Resp: 1112387

Ion Ratio Lower Upper


63 100

106 26.7 21.7 32.5








Abundance Scan 1568 (11.176 min): VN087502.D\data.ms (-)




Abundance Scan 1568 (11.176 min): VN087502.D\data.ms (-)



Abundance Scan 1596 (11.341 min): VN087502.D\data.ms (-)



Abundance Scan 1596 (11.341 min): VN087502.D\data.ms (-)



#59

2-Hexanone

Concen: 276.651 ug/l

RT: 11.176 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion: 43 Resp: 1516088

Ion Ratio Lower Upper


43 100

58 52.3 26.7 80.0

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#60

Dibromochloromethane

Concen: 52.733 ug/l

RT: 11.341 min Scan# 1596

Delta R.T. 0.000 min

Lab File: VN087502.D


Acq: 12 Aug 2025 10:24




Tgt Ion:129 Resp: 278616

Ion Ratio Lower Upper

129 100

127 77.7 39.1 117.5





#61

1,2-Dibromoethane

Concen: 51.372 ug/l

RT: 11.453 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24





Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#62

4-Bromofluorobenzene

Concen: 50.882 ug/l


RT: 12.829 min Scan# 1849




Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24

Tgt	Ion:	95	Resp:	295656
Ion	Ratio	Lower	Upper	
95	100			
174	68.7	0.0	149.4	
176	66.6	0.0	141.2	





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.847 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#64

Tetrachloroethene

Concen: 45.208 ug/l

RT: 11.082 min Scan# 1552

Delta R.T. -0.006 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24

Tgt Ion:164 Resp: 170810


Ion Ratio Lower Upper




164 100

166 124.6 105.5 158.3

129 101.9 77.4 116.2

131 96.2 77.3 115.9





#65

Chlorobenzene

Concen: 49.908 ug/l

RT: 11.870 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24





Instrument :

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#66

1,1,1,2-Tetrachloroethane

Concen: 52.042 ug/l

RT: 11.941 min Scan# 1698

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24


Tgt Ion:131 Resp: 233230




Ion Ratio Lower Upper

131 100

133 95.4 47.4 142.3

119 63.6 33.1 99.2





#67

Ethyl Benzene

Concen: 54.212 ug/l

RT: 11.941 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#68

m/p-Xylenes

Concen: 107.076 ug/l

RT: 12.053 min Scan# 1717

Delta R.T. 0.000 min

Lab File: VN087502.D


Acq: 12 Aug 2025 10:24




Tgt Ion:106 Resp: 869964

Ion Ratio Lower Upper

106 100

91 212.1 162.0 243.0









#69  
o-Xylene  
Concen: 55.254 ug/l  
RT: 12.376 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDCCCC050


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#70  
Styrene  
Concen: 57.114 ug/l  
RT: 12.394 min Scan# 1775  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Tgt Ion:104 Resp: 745658  
Ion Ratio Lower Upper  
104 100  
78 53.7 41.0 61.6  
103 54.5 43.9 65.9





#71

Bromoform

Concen: 51.560 ug/l

RT: 12.559 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.770 min Scan# 2009

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24


Tgt Ion:152 Resp: 291692







Ion Ratio Lower Upper

152 100

115 63.6 31.1 93.5

150 174.1 0.0 349.0





#73

Isopropylbenzene

Concen: 60.019 ug/l

RT: 12.676 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCCC050

Tgt Ion:105 Resp: 1101854

Ion Ratio Lower Upper


105 100

120 25.8 13.4 40.1

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#74  
N-amyl acetate  
Concen: 50.138 ug/l  
RT: 12.500 min Scan# 1793  
Delta R.T. 0.006 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Tgt Ion: 43 Resp: 382429


Ion Ratio Lower Upper




43 100

70 38.8 37.6 56.4

55 16.8 19.6 29.4#

61 17.2 20.6 31.0#









#75  
1,1,2,2-Tetrachloroethane  
Concen: 53.735 ug/l  
RT: 12.917 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050


**Manual Integrations**  
**APPROVED**




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#76  
1,2,3-Trichloropropane  
Concen: 49.529 ug/l  
RT: 12.976 min Scan# 1874  
Delta R.T. 0.006 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Tgt Ion: 75 Resp: 323967  
Ion Ratio Lower Upper  
75 100  
77 195.4 94.5 283.6





#77

Bromobenzene

Concen: 54.217 ug/l

RT: 12.959 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#78

n-propylbenzene

Concen: 59.409 ug/l

RT: 13.017 min Scan# 1881

Delta R.T. 0.000 min



Lab File: VN087502.D

Acq: 12 Aug 2025 10:24

Tgt Ion: 91 Resp: 1372237


Ion Ratio Lower Upper




91	100		
120	21.2	11.3	33.8



Abundance

Time--&gt;





#79

2-Chlorotoluene

Concen: 57.976 ug/l

RT: 13.106 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#80

1,3,5-Trimethylbenzene

Concen: 59.964 ug/l

RT: 13.153 min Scan# 1904

Delta R.T. 0.000 min

Lab File: VN087502.D


Acq: 12 Aug 2025 10:24


Tgt Ion:105 Resp: 937941

Ion Ratio Lower Upper

105 100

120 47.2 24.3 72.8







#81  
trans-1,4-Dichloro-2-butene  
Concen: 56.350 ug/l  
RT: 12.717 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#82  
4-Chlorotoluene  
Concen: 57.610 ug/l  
RT: 13.200 min Scan# 1912  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Tgt Ion: 91 Resp: 851446  
Ion Ratio Lower Upper  
91 100  
126 31.9 16.6 49.7





#83

tert-Butylbenzene

Concen: 60.719 ug/l

RT: 13.417 min Scan# 1949

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#84

1,2,4-Trimethylbenzene

Concen: 60.315 ug/l

RT: 13.459 min Scan# 1956

Delta R.T. -0.006 min

Lab File: VN087502.D


Acq: 12 Aug 2025 10:24




Tgt Ion:105 Resp: 963459

Ion Ratio Lower Upper

105 100

120 43.1 22.8 68.3





#85

sec-Butylbenzene

Concen: 59.490 ug/l

RT: 13.594 min Scan# 1979

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24





Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#86

p-Isopropyltoluene

Concen: 61.853 ug/l

RT: 13.706 min Scan# 1998

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24


Tgt Ion:119 Resp: 975420




Ion Ratio Lower Upper

119 100

134 25.3 13.5 40.5

91 26.3 12.2 36.6









#87

1,3-Dichlorobenzene  
Concen: 53.246 ug/l  
RT: 13.711 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025









#88

1,4-Dichlorobenzene  
Concen: 50.459 ug/l  
RT: 13.788 min Scan# 2012  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Tgt Ion:146 Resp: 503587  
Ion Ratio Lower Upper  
146 100  
111 42.8 19.6 58.7  
148 64.9 31.4 94.0





#89

n-Butylbenzene

Concen: 63.231 ug/l

RT: 14.035 min Scan# 2

Instrument:

Delta R.T. 0.000 min

MSVOA\_N

Lab File: VN087502.D

ClientSampleId :

Acq: 12 Aug 2025 10:24

VSTDCCC050

Tgt Ion: 91 Resp: 95215

Ion Ratio Lower Upper

91 100


92 52.5 26.2 78.6

134 24.4 12.4 37.2

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#90

Hexachloroethane

Concen: 55.635 ug/l

RT: 14.311 min Scan# 2101

Delta R.T. 0.000 min

Lab File: VN087502.D


Acq: 12 Aug 2025 10:24




Tgt Ion:117 Resp: 185894

Ion Ratio Lower Upper

117 100

201 62.3 32.8 98.4





#91

1,2-Dichlorobenzene

Concen: 54.667 ug/l

RT: 14.082 min Scan# 2

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#92

1,2-Dibromo-3-Chloropropane

Concen: 51.978 ug/l

RT: 14.700 min Scan# 2167

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24


Tgt Ion: 75 Resp: 94271




Ion Ratio Lower Upper

75 100

155 70.2 37.3 111.8

157 89.2 46.2 138.6








#93

1,2,4-Trichlorobenzene  
Concen: 56.077 ug/l  
RT: 15.370 min Scan# 2281  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#94

Hexachlorobutadiene  
Concen: 55.415 ug/l  
RT: 15.476 min Scan# 2299  
Delta R.T. 0.000 min  
Lab File: VN087502.D  
Acq: 12 Aug 2025 10:24

Tgt Ion:225 Resp: 107072  
Ion Ratio Lower Upper  
225 100  
223 63.3 32.1 96.3  
227 64.0 31.3 93.9





#95

Naphthalene

Concen: 58.344 ug/l

RT: 15.617 min Scan# 2323

Delta R.T. 0.000 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24





Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#96

1,2,3-Trichlorobenzene

Concen: 55.049 ug/l

RT: 15.817 min Scan# 2357

Delta R.T. 0.006 min

Lab File: VN087502.D

Acq: 12 Aug 2025 10:24


Tgt Ion:180 Resp: 287140

Ion Ratio Lower Upper

180 100

182 92.7 47.1 141.4

145 35.5 16.9 50.6



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087502.D  
 Acq On : 12 Aug 2025 10:24  
 Operator : JC\MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 LabSampleId :  
 VSTDCCC050

Quant Time: Aug 13 02:58:53 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	181#	0.00
2 T	Dichlorodifluoromethane	0.531	0.639	-20.3	186#	0.00
3 P	Chloromethane	0.668	0.654	2.1	172#	0.00
4 C	Vinyl Chloride	0.664	0.733	-10.4#	182#	0.00
5 T	Bromomethane	0.344	0.404	-17.4	205#	0.00
6 T	Chloroethane	0.433	0.480	-10.9	197#	0.00
7 T	Trichlorofluoromethane	0.981	1.038	-5.8	183#	0.00
8 T	Diethyl Ether	0.381	0.451	-18.4	207#	0.00
9 T	1,1,2-Trichlorotrifluoroethane	0.504	0.554	-9.9	191#	0.01
10 T	Methyl Iodide	0.452	0.415	8.2	152#	0.00
11 T	Tert butyl alcohol	0.161	0.183	-13.7	206#	0.00
12 CM	1,1-Dichloroethene	0.571	0.573	-0.4#	190#	0.00
13 T	Acrolein	0.129	0.158	-22.5	236#	0.00
14 T	Allyl chloride	1.033	1.126	-9.0	203#	0.00
15 T	Acrylonitrile	0.437	0.461	-5.5	184#	0.00
16 T	Acetone	0.398	0.470	-18.1	220#	0.00
17 T	Carbon Disulfide	1.693	1.707	-0.8	178#	0.00
18 T	Methyl Acetate	0.999	1.151	-15.2	210#	0.00
19 T	Methyl tert-butyl Ether	2.104	2.549	-21.2	213#	0.00
20 T	Methylene Chloride	0.766	0.719	6.1	193#	0.00
21 T	trans-1,2-Dichloroethene	0.644	0.660	-2.5	183#	0.00
22 T	Diisopropyl ether	2.167	2.582	-19.2	204#	0.00
23 T	Vinyl Acetate	1.895	2.384	-25.8#	204#	0.00
24 P	1,1-Dichloroethane	1.250	1.361	-8.9	202#	0.00
25 T	2-Butanone	0.615	0.671	-9.1	189#	0.00
26 T	2,2-Dichloropropane	0.972	1.214	-24.9	224#	0.00
27 T	cis-1,2-Dichloroethene	0.741	0.825	-11.3	195#	0.00
28 T	Bromochloromethane	0.598	0.624	-4.3	190#	0.00
29 T	Tetrahydrofuran	0.399	0.438	-9.8	186#	0.00
30 C	Chloroform	1.251	1.408	-12.5#	199#	0.00
31 T	Cyclohexane	1.043	1.110	-6.4	192#	0.00
32 T	1,1,1-Trichloroethane	1.084	1.184	-9.2	198#	0.00
33 S	1,2-Dichloroethane-d4	0.848	0.900	-6.1	203#	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	196#	0.00
35 S	Dibromofluoromethane	0.345	0.326	5.5	192#	0.00
36 T	1,1-Dichloropropene	0.456	0.467	-2.4	188#	0.00
37 T	Ethyl Acetate	0.658	0.674	-2.4	187#	0.00
38 T	Carbon Tetrachloride	0.502	0.510	-1.6	194#	0.00
39 T	Methylcyclohexane	0.493	0.524	-6.3	194#	0.00
40 TM	Benzene	1.473	1.523	-3.4	193#	0.00
41 T	Methacrylonitrile	0.344	0.393	-14.2	209#	0.00
42 TM	1,2-Dichloroethane	0.558	0.594	-6.5	206#	0.00
43 T	Isopropyl Acetate	1.022	1.115	-9.1	204#	0.00
44 TM	Trichloroethene	0.348	0.339	2.6	187#	0.00
45 C	1,2-Dichloropropane	0.374	0.386	-3.2#	192#	0.00
46 T	Dibromomethane	0.280	0.286	-2.1	194#	0.00
47 T	Bromodichloromethane	0.564	0.596	-5.7	206#	0.00
48 T	Methyl methacrylate	0.460	0.536	-16.5	208#	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087502.D  
 Acq On : 12 Aug 2025 10:24  
 Operator : JC\MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 2 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**LabSampleId :**  
**VSTDCCC050**

Quant Time: Aug 13 02:58:53 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.007	0.007	0.0	181#	0.00
50 S	Toluene-d8	1.230	1.195	2.8	192#	0.00
51 T	4-Methyl-2-Pentanone	0.646	0.681	-5.4	194#	0.00
52 CM	Toluene	0.895	0.942	-5.3#	192#	0.00
53 T	t-1,3-Dichloropropene	0.571	0.656	-14.9	207#	0.00
54 T	cis-1,3-Dichloropropene	0.590	0.659	-11.7	205#	0.00
55 T	1,1,2-Trichloroethane	0.362	0.374	-3.3	200#	0.00
56 T	Ethyl methacrylate	0.552	0.659	-19.4	206#	0.00
57 T	1,3-Dichloropropane	0.627	0.660	-5.3	198#	0.00
58 T	2-Chloroethyl Vinyl ether	0.297	0.348	-17.2	198#	0.00
59 T	2-Hexanone	0.429	0.474	-10.5	188#	0.00
60 T	Dibromochloromethane	0.413	0.436	-5.6	199#	0.00
61 T	1,2-Dibromoethane	0.381	0.392	-2.9	200#	0.00
62 S	4-Bromofluorobenzene	0.455	0.463	-1.8	200#	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	196#	0.00
64 T	Tetrachloroethene	0.322	0.291	9.6	178#	0.00
65 PM	Chlorobenzene	1.123	1.120	0.3	196#	0.00
66 T	1,1,1,2-Tetrachloroethane	0.382	0.397	-3.9	198#	0.00
67 C	Ethyl Benzene	1.848	2.004	-8.4#	202#	0.00
68 T	m/p-Xylenes	0.692	0.741	-7.1	191#	0.00
69 T	o-Xylene	0.661	0.730	-10.4	198#	0.00
70 T	Styrene	1.112	1.270	-14.2	198#	0.00
71 P	Bromoform	0.308	0.318	-3.2	189#	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	184#	0.00
73 T	Isopropylbenzene	3.147	3.777	-20.0	205#	0.00
74 T	N-amyl acetate	1.307	1.311	-0.3	212#	0.00
75 P	1,1,2,2-Tetrachloroethane	1.184	1.273	-7.5	194#	0.00
76 T	1,2,3-Trichloropropane	1.121	1.111	0.9	172#	0.00
77 T	Bromobenzene	0.816	0.885	-8.5	188#	0.00
78 T	n-propylbenzene	3.959	4.704	-18.8	202#	0.00
79 T	2-Chlorotoluene	2.433	2.821	-15.9	205#	0.00
80 T	1,3,5-Trimethylbenzene	2.681	3.216	-20.0	202#	0.00
81 T	trans-1,4-Dichloro-2-butene	0.410	0.462	-12.7	211#	0.00
82 T	4-Chlorotoluene	2.533	2.919	-15.2	203#	0.00
83 T	tert-Butylbenzene	2.239	2.719	-21.4	207#	0.00
84 T	1,2,4-Trimethylbenzene	2.738	3.303	-20.6	202#	0.00
85 T	sec-Butylbenzene	3.373	4.013	-19.0	207#	0.00
86 T	p-Isopropyltoluene	2.703	3.344	-23.7	206#	0.00
87 T	1,3-Dichlorobenzene	1.602	1.706	-6.5	189#	0.00
88 T	1,4-Dichlorobenzene	1.711	1.726	-0.9	187#	0.00
89 T	n-Butylbenzene	2.581	3.264	-26.5#	218#	0.00
90 T	Hexachloroethane	0.573	0.637	-11.2	204#	0.00
91 T	1,2-Dichlorobenzene	1.517	1.659	-9.4	194#	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.311	0.323	-3.9	197#	0.00
93 T	1,2,4-Trichlorobenzene	0.891	1.000	-12.2	196#	0.00
94 T	Hexachlorobutadiene	0.331	0.367	-10.9	205#	0.00
95 T	Naphthalene	3.158	3.685	-16.7	197#	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087502.D  
Acq On : 12 Aug 2025 10:24  
Operator : JC\MD  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
LabSampleId :  
VSTDCCC050

Quant Time: Aug 13 02:58:53 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T 1,2,3-Trichlorobenzene	0.894	0.984	-10.1	197#	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087502.D  
 Acq On : 12 Aug 2025 10:24  
 Operator : JC\MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 LabSampleId :  
 VSTDCCC050

Quant Time: Aug 13 02:58:53 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	181	0.00
2 T	Dichlorodifluoromethane	50.000	60.142	-20.3	186	0.00
3 P	Chloromethane	50.000	48.969	2.1	172	0.00
4 C	Vinyl Chloride	50.000	55.200	-10.4#	182	0.00
5 T	Bromomethane	50.000	58.718	-17.4	205	0.00
6 T	Chloroethane	50.000	55.437	-10.9	197	0.00
7 T	Trichlorofluoromethane	50.000	52.885	-5.8	183	0.00
8 T	Diethyl Ether	50.000	59.207	-18.4	207	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	55.004	-10.0	191	0.01
10 T	Methyl Iodide	50.000	41.116	17.8	152	0.00
11 T	Tert butyl alcohol	250.000	284.532	-13.8	206	0.00
12 CM	1,1-Dichloroethene	50.000	50.168	-0.3#	190	0.00
13 T	Acrolein	250.000	305.520	-22.2	236	0.00
14 T	Allyl chloride	50.000	54.511	-9.0	203	0.00
15 T	Acrylonitrile	250.000	263.788	-5.5	184	0.00
16 T	Acetone	250.000	295.575	-18.2	220	0.00
17 T	Carbon Disulfide	50.000	50.431	-0.9	178	0.00
18 T	Methyl Acetate	50.000	57.561	-15.1	210	0.00
19 T	Methyl tert-butyl Ether	50.000	60.578	-21.2	213	0.00
20 T	Methylene Chloride	50.000	53.492	-7.0	193	0.00
21 T	trans-1,2-Dichloroethene	50.000	51.275	-2.5	183	0.00
22 T	Diisopropyl ether	50.000	59.579	-19.2	204	0.00
23 T	Vinyl Acetate	250.000	314.517	-25.8#	204	0.00
24 P	1,1-Dichloroethane	50.000	54.436	-8.9	202	0.00
25 T	2-Butanone	250.000	272.759	-9.1	189	0.00
26 T	2,2-Dichloropropane	50.000	62.444	-24.9	224	0.00
27 T	cis-1,2-Dichloroethene	50.000	55.638	-11.3	195	0.00
28 T	Bromochloromethane	50.000	52.182	-4.4	190	0.00
29 T	Tetrahydrofuran	250.000	274.208	-9.7	186	0.00
30 C	Chloroform	50.000	56.246	-12.5#	199	0.00
31 T	Cyclohexane	50.000	53.214	-6.4	192	0.00
32 T	1,1,1-Trichloroethane	50.000	54.638	-9.3	198	0.00
33 S	1,2-Dichloroethane-d4	50.000	53.024	-6.0	203	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	196	0.00
35 S	Dibromofluoromethane	50.000	47.204	5.6	192	0.00
36 T	1,1-Dichloropropene	50.000	51.286	-2.6	188	0.00
37 T	Ethyl Acetate	50.000	51.229	-2.5	187	0.00
38 T	Carbon Tetrachloride	50.000	50.833	-1.7	194	0.00
39 T	Methylcyclohexane	50.000	53.058	-6.1	194	0.00
40 TM	Benzene	50.000	51.720	-3.4	193	0.00
41 T	Methacrylonitrile	50.000	57.033	-14.1	209	0.00
42 TM	1,2-Dichloroethane	50.000	53.165	-6.3	206	0.00
43 T	Isopropyl Acetate	50.000	54.554	-9.1	204	0.00
44 TM	Trichloroethene	50.000	48.652	2.7	187	0.00
45 C	1,2-Dichloropropane	50.000	51.577	-3.2#	192	0.00
46 T	Dibromomethane	50.000	51.124	-2.2	194	0.00
47 T	Bromodichloromethane	50.000	52.785	-5.6	206	0.00
48 T	Methyl methacrylate	50.000	58.304	-16.6	208	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087502.D  
 Acq On : 12 Aug 2025 10:24  
 Operator : JC\MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 LabSampleId :  
 VSTDCCC050

Quant Time: Aug 13 02:58:53 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1048.916	-4.9	181	0.00
50 S	Toluene-d8	50.000	48.563	2.9	192	0.00
51 T	4-Methyl-2-Pentanone	250.000	263.494	-5.4	194	0.00
52 CM	Toluene	50.000	52.597	-5.2#	192	0.00
53 T	t-1,3-Dichloropropene	50.000	57.395	-14.8	207	0.00
54 T	cis-1,3-Dichloropropene	50.000	55.857	-11.7	205	0.00
55 T	1,1,2-Trichloroethane	50.000	51.637	-3.3	200	0.00
56 T	Ethyl methacrylate	50.000	53.919	-7.8	206	0.00
57 T	1,3-Dichloropropane	50.000	52.696	-5.4	198	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	292.701	-17.1	198	0.00
59 T	2-Hexanone	250.000	276.651	-10.7	188	0.00
60 T	Dibromochloromethane	50.000	52.733	-5.5	199	0.00
61 T	1,2-Dibromoethane	50.000	51.372	-2.7	200	0.00
62 S	4-Bromofluorobenzene	50.000	50.882	-1.8	200	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	196	0.00
64 T	Tetrachloroethene	50.000	45.208	9.6	178	0.00
65 PM	Chlorobenzene	50.000	49.908	0.2	196	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	52.042	-4.1	198	0.00
67 C	Ethyl Benzene	50.000	54.212	-8.4#	202	0.00
68 T	m/p-Xylenes	100.000	107.076	-7.1	191	0.00
69 T	o-Xylene	50.000	55.254	-10.5	198	0.00
70 T	Styrene	50.000	57.114	-14.2	198	0.00
71 P	Bromoform	50.000	51.560	-3.1	189	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	184	0.00
73 T	Isopropylbenzene	50.000	60.019	-20.0	205	0.00
74 T	N-amyl acetate	50.000	50.138	-0.3	212	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	53.735	-7.5	194	0.00
76 T	1,2,3-Trichloropropane	50.000	49.529	0.9	172	0.00
77 T	Bromobenzene	50.000	54.217	-8.4	188	0.00
78 T	n-propylbenzene	50.000	59.409	-18.8	202	0.00
79 T	2-Chlorotoluene	50.000	57.976	-16.0	205	0.00
80 T	1,3,5-Trimethylbenzene	50.000	59.964	-19.9	202	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	56.350	-12.7	211	0.00
82 T	4-Chlorotoluene	50.000	57.610	-15.2	203	0.00
83 T	tert-Butylbenzene	50.000	60.719	-21.4	207	0.00
84 T	1,2,4-Trimethylbenzene	50.000	60.315	-20.6	202	0.00
85 T	sec-Butylbenzene	50.000	59.490	-19.0	207	0.00
86 T	p-Isopropyltoluene	50.000	61.853	-23.7	206	0.00
87 T	1,3-Dichlorobenzene	50.000	53.246	-6.5	189	0.00
88 T	1,4-Dichlorobenzene	50.000	50.459	-0.9	187	0.00
89 T	n-Butylbenzene	50.000	63.231	-26.5#	218	0.00
90 T	Hexachloroethane	50.000	55.635	-11.3	204	0.00
91 T	1,2-Dichlorobenzene	50.000	54.667	-9.3	194	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	51.978	-4.0	197	0.00
93 T	1,2,4-Trichlorobenzene	50.000	56.077	-12.2	196	0.00
94 T	Hexachlorobutadiene	50.000	55.415	-10.8	205	0.00
95 T	Naphthalene	50.000	58.344	-16.7	197	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087502.D  
Acq On : 12 Aug 2025 10:24  
Operator : JC\MD  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
LabSampleId :  
VSTDCCC050

Quant Time: Aug 13 02:58:53 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area	Dev(min)
96 T 1,2,3-Trichlorobenzene	50.000	55.049	-10.1	197	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name:	Alliance	Contract:	DAYE01
Lab Code:	ACE	SDG No.:	Q2816
Instrument ID:	MSVOA_N	Calibration Date/Time:	08/13/2025 10:57
Lab File ID:	VN087525.D	Init. Calib. Date(s):	07/16/2025 07/16/2025
Heated Purge: (Y/N)	N	Init. Calib. Time(s):	17:05 18:54
GC Column:	RXI-624	ID:	0.25 (mm)

COMPOUND	RRF	RRF050	MIN RRF	%D	MAX%D
Dichlorodifluoromethane	0.531	0.658		23.92	20
Chloromethane	0.668	0.624	0.1	-6.59	20
Vinyl Chloride	0.664	0.717		7.98	20
Bromomethane	0.344	0.393		14.24	20
Chloroethane	0.433	0.469		8.31	20
Trichlorofluoromethane	0.981	1.056		7.64	20
1,1,2-Trichlorotrifluoroethane	0.504	0.582		15.48	20
1,1-Dichloroethene	0.571	0.567		-0.7	20
Acetone	0.398	0.442		11.06	20
Carbon Disulfide	1.693	1.611		-4.84	20
Methyl tert-butyl Ether	2.104	2.478		17.78	20
Methyl Acetate	0.999	1.175		17.62	20
Methylene Chloride	0.766	0.697		-9.01	20
trans-1,2-Dichloroethene	0.644	0.640		-0.62	20
1,1-Dichloroethane	1.250	1.290	0.1	3.2	20
Cyclohexane	1.043	1.135		8.82	20
2-Butanone	0.615	0.665		8.13	20
Carbon Tetrachloride	0.502	0.519		3.39	20
cis-1,2-Dichloroethene	0.741	0.798		7.69	20
Bromochloromethane	0.598	0.631		5.52	20
Chloroform	1.251	1.367		9.27	20
1,1,1-Trichloroethane	1.084	1.177		8.58	20
Methylcyclohexane	0.493	0.590		19.67	20
Benzene	1.473	1.499		1.76	20
1,2-Dichloroethane	0.558	0.597		6.99	20
Trichloroethene	0.348	0.342		-1.72	20
1,2-Dichloropropane	0.374	0.384		2.67	20
Bromodichloromethane	0.564	0.602		6.74	20
4-Methyl-2-Pentanone	0.646	0.703		8.82	20
Toluene	0.895	0.934		4.36	20
t-1,3-Dichloropropene	0.571	0.649		13.66	20
cis-1,3-Dichloropropene	0.590	0.658		11.52	20
1,1,2-Trichloroethane	0.362	0.378		4.42	20
2-Hexanone	0.429	0.483		12.59	20
Dibromochloromethane	0.413	0.441		6.78	20
1,2-Dibromoethane	0.381	0.403		5.77	20
Tetrachloroethene	0.322	0.306		-4.97	20
Chlorobenzene	1.123	1.142	0.3	1.69	20

All other compounds must meet a minimum RRF of 0.010.

RRF of 1,4-Dioxane = Value should be divide by 1000.



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name:	Alliance	Contract:	DAYE01
Lab Code:	ACE	SDG No.:	Q2816
Instrument ID:	MSVOA_N	Calibration Date/Time:	08/13/2025 10:57
Lab File ID:	VN087525.D	Init. Calib. Date(s):	07/16/2025 07/16/2025
Heated Purge: (Y/N)	N	Init. Calib. Time(s):	17:05 18:54
GC Column:	RXI-624	ID:	0.25 (mm)

COMPOUND	RRF	RRF050	MIN RRF	%D	MAX%D
Ethyl Benzene	1.848	2.026		9.63	20
m/p-Xylenes	0.692	0.755		9.1	20
o-Xylene	0.661	0.736		11.35	20
Styrene	1.112	1.278		14.93	20
Bromoform	0.308	0.318	0.1	3.25	20
Isopropylbenzene	3.147	3.734		18.65	20
1,1,2,2-Tetrachloroethane	1.184	1.291	0.3	9.04	20
1,3-Dichlorobenzene	1.602	1.685		5.18	20
1,4-Dichlorobenzene	1.711	1.706		-0.29	20
1,2-Dichlorobenzene	1.517	1.645		8.44	20
1,2-Dibromo-3-Chloropropane	0.311	0.312		0.32	20
1,2,4-Trichlorobenzene	0.891	1.001		12.35	20
1,2,3-Trichlorobenzene	0.894	0.937		4.81	20
1,2-Dichloroethane-d4	0.848	0.898		5.9	20
Dibromofluoromethane	0.345	0.337		-2.32	20
Toluene-d8	1.230	1.204		-2.11	20
4-Bromofluorobenzene	0.455	0.470		3.3	20

All other compounds must meet a minimum RRF of 0.010.  
 RRF of 1,4-Dioxane = Value should be divide by 1000.

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087525.D  
 Acq On : 13 Aug 2025 10:57  
 Operator : JC\MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 2 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDCCC050**

Quant Time: Aug 14 03:55:27 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.206	168	297883	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.088	114	560249	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	506486	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	261423	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.559	65	267380	52.900	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	105.800%	
35) Dibromofluoromethane	8.147	113	189080	48.926	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	97.860%	
50) Toluene-d8	10.547	98	674538	48.931	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	97.860%	
62) 4-Bromofluorobenzene	12.829	95	263490	51.735	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	103.460%	
<b>Target Compounds</b>						
				Qvalue		
2) Dichlorodifluoromethane	2.142	85	195888	61.914	ug/l	97
3) Chloromethane	2.383	50	185962	46.740	ug/l	98
4) Vinyl Chloride	2.542	62	213602	54.022	ug/l	92
5) Bromomethane	2.971	94	117088	57.184	ug/l	92
6) Chloroethane	3.136	64	139750	54.196	ug/l	98
7) Trichlorofluoromethane	3.506	101	314439	53.781	ug/l	96
8) Diethyl Ether	3.965	74	136962	60.389	ug/l	96
9) 1,1,2-Trichlorotrifluo...	4.365	101	173237	57.720	ug/l	98
10) Methyl Iodide	4.583	142	122401	40.808	ug/l	92
11) Tert butyl alcohol	5.524	59	274825	286.357	ug/l	99
12) 1,1-Dichloroethene	4.330	96	168930	49.669	ug/l	99
13) Acrolein	4.183	56	215817	280.207	ug/l	98
14) Allyl chloride	5.012	41	324998	52.801	ug/l	93
15) Acrylonitrile	5.706	53	673928	258.773	ug/l	97
16) Acetone	4.424	43	657929	277.621	ug/l	99
17) Carbon Disulfide	4.700	76	479745	47.578	ug/l	97
18) Methyl Acetate	5.018	43	349876	58.763	ug/l	100
19) Methyl tert-butyl Ether	5.788	73	738183	58.885	ug/l	97
20) Methylene Chloride	5.265	84	207585	51.839	ug/l	93
21) trans-1,2-Dichloroethene	5.777	96	190605	49.703	ug/l	92
22) Diisopropyl ether	6.659	45	754528	58.441	ug/l	96
23) Vinyl Acetate	6.588	43	3464754	306.836	ug/l	100
24) 1,1-Dichloroethane	6.553	63	384250	51.586	ug/l	99
25) 2-Butanone	7.471	43	990545	270.516	ug/l	99
26) 2,2-Dichloropropane	7.477	77	347122	59.940	ug/l	97
27) cis-1,2-Dichloroethene	7.471	96	237567	53.808	ug/l	94
28) Bromochloromethane	7.800	49	188052	52.751	ug/l	94
29) Tetrahydrofuran	7.830	42	650285	273.374	ug/l	99
30) Chloroform	7.953	83	407119	54.606	ug/l	99
31) Cyclohexane	8.241	56	338060	54.405	ug/l	98
32) 1,1,1-Trichloroethane	8.153	97	350752	54.317	ug/l	98
36) 1,1-Dichloropropene	8.353	75	269096	52.704	ug/l	98
37) Ethyl Acetate	7.553	43	382507	51.872	ug/l	97
38) Carbon Tetrachloride	8.347	117	290669	51.679	ug/l	93
39) Methylcyclohexane	9.582	83	330567	59.801	ug/l	97
40) Benzene	8.588	78	839732	50.887	ug/l	97

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087525.D  
 Acq On : 13 Aug 2025 10:57  
 Operator : JC\MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 2 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VSTDCCC050**

Quant Time: Aug 14 03:55:27 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlane 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.765	41	217375	56.377	ug/1	98
42) 1,2-Dichloroethane	8.653	62	334446	53.444	ug/1	97
43) Isopropyl Acetate	8.677	43	642790	56.154	ug/1	98
44) Trichloroethene	9.335	130	191822	49.195	ug/1	88
45) 1,2-Dichloropropane	9.606	63	215179	51.319	ug/1	95
46) Dibromomethane	9.694	93	163459	52.067	ug/1	96
47) Bromodichloromethane	9.871	83	337184	53.322	ug/1	100
48) Methyl methacrylate	9.665	41	313471	60.829	ug/1	92
49) 1,4-Dioxane	9.682	88	86769	1099.339	ug/1	#
51) 4-Methyl-2-Pentanone	10.429	43	1970484	272.168	ug/1	98
52) Toluene	10.612	92	523201	52.162	ug/1	95
53) t-1,3-Dichloropropene	10.818	75	363863	56.856	ug/1	96
54) cis-1,3-Dichloropropene	10.294	75	368848	55.797	ug/1	#
55) 1,1,2-Trichloroethane	11.000	97	212009	52.209	ug/1	95
56) Ethyl methacrylate	10.859	69	371269	54.181	ug/1	#
57) 1,3-Dichloropropane	11.147	76	369791	52.670	ug/1	100
58) 2-Chloroethyl Vinyl ether	10.141	63	1026550	308.170	ug/1	99
59) 2-Hexanone	11.176	43	1351630	281.390	ug/1	98
60) Dibromochloromethane	11.341	129	246950	53.325	ug/1	97
61) 1,2-Dibromoethane	11.453	107	225893	52.906	ug/1	97
64) Tetrachloroethene	11.082	164	155159	47.598	ug/1	95
65) Chlorobenzene	11.870	112	578310	50.858	ug/1	98
66) 1,1,1,2-Tetrachloroethane	11.941	131	201612	52.143	ug/1	98
67) Ethyl Benzene	11.947	91	1026282	54.824	ug/1	99
68) m/p-Xylenes	12.053	106	764924	109.123	ug/1	93
69) o-Xylene	12.376	106	372969	55.701	ug/1	93
70) Styrene	12.394	104	647435	57.479	ug/1	98
71) Bromoform	12.559	173	161255	51.623	ug/1	#
73) Isopropylbenzene	12.676	105	976275	59.336	ug/1	98
74) N-amyl acetate	12.506	43	317125	46.390	ug/1	#
75) 1,1,2,2-Tetrachloroethane	12.917	83	337465	54.508	ug/1	99
76) 1,2,3-Trichloropropane	12.976	75	286863m	48.934	ug/1	
77) Bromobenzene	12.959	156	227618	53.342	ug/1	94
78) n-propylbenzene	13.017	91	1231036	59.467	ug/1	97
79) 2-Chlorotoluene	13.106	91	725577	57.031	ug/1	95
80) 1,3,5-Trimethylbenzene	13.153	105	838061	59.782	ug/1	98
81) trans-1,4-Dichloro-2-b...	12.717	75	110240	51.454	ug/1	91
82) 4-Chlorotoluene	13.200	91	748122	56.480	ug/1	97
83) tert-Butylbenzene	13.417	119	715212	61.085	ug/1	97
84) 1,2,4-Trimethylbenzene	13.459	105	860772	60.126	ug/1	94
85) sec-Butylbenzene	13.594	105	1066866	60.493	ug/1	99
86) p-Isopropyltoluene	13.706	119	877004	62.051	ug/1	97
87) 1,3-Dichlorobenzene	13.711	146	440423	52.590	ug/1	99
88) 1,4-Dichlorobenzene	13.794	146	445992	49.863	ug/1	96
89) n-Butylbenzene	14.035	91	885464	65.611	ug/1	99
90) Hexachloroethane	14.311	117	167399	55.901	ug/1	94
91) 1,2-Dichlorobenzene	14.088	146	429970	54.195	ug/1	98
92) 1,2-Dibromo-3-Chloropr...	14.700	75	81622	50.215	ug/1	99
93) 1,2,4-Trichlorobenzene	15.370	180	261731	56.161	ug/1	98
94) Hexachlorobutadiene	15.476	225	99026	57.185	ug/1	99
95) Naphthalene	15.617	128	964411	58.414	ug/1	100
96) 1,2,3-Trichlorobenzene	15.817	180	245014	52.411	ug/1	96

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087525.D  
Acq On : 13 Aug 2025 10:57  
Operator : JC\MD  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDCCC050

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carbone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

Quant Time: Aug 14 03:55:27 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087525.D  
Acq On : 13 Aug 2025 10:57  
Operator : JC\MD  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 2 Sample Multiplier: 1


Quant Time: Aug 14 03:55:27 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
VSTDCCC050

## Manual Integrations APPROVED


Reviewed By :John Carbone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025





#1  
 Pentafluorobenzene  
 Concen: 50.000 ug/l  
 RT: 8.206 min Scan# 1  
 Delta R.T. -0.006 min  
 Lab File: VN087525.D  
 Acq: 13 Aug 2025 10:57




Instrument : MSVOA\_N  
 ClientSampleId : VSTDCCC050




Tgt Ion:168 Resp: 29788  
 Ion Ratio Lower Upper  
 168 100  
 99 70.6 47.9 71.9

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025






#2  
 Dichlorodifluoromethane  
 Concen: 61.914 ug/l  
 RT: 2.142 min Scan# 32  
 Delta R.T. 0.000 min  
 Lab File: VN087525.D  
 Acq: 13 Aug 2025 10:57



Tgt Ion: 85 Resp: 195888  
 Ion Ratio Lower Upper  
 85 100  
 87 33.8 17.8 53.3









#3  
Chloromethane  
Concen: 46.740 ug/l  
RT: 2.383 min Scan# 7  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050


**Manual Integrations**  
**APPROVED**


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#4  
Vinyl Chloride  
Concen: 54.022 ug/l  
RT: 2.542 min Scan# 100  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57


Tgt Ion: 62 Resp: 213602  
Ion Ratio Lower Upper  
62 100  
64 29.2 27.0 40.6





#5  
Bromomethane  
Concen: 57.184 ug/l  
RT: 2.971 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57




Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050




Tgt Ion: 94 Resp: 117088  
Ion Ratio Lower Upper  
94 100  
96 84.6 73.4 110.2

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025




#6  
Chloroethane  
Concen: 54.196 ug/l  
RT: 3.136 min Scan# 201  
Delta R.T. 0.006 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57




Tgt Ion: 64 Resp: 139750  
Ion Ratio Lower Upper  
64 100  
66 31.6 24.6 36.8





#7  
Trichlorofluoromethane  
Concen: 53.781 ug/l  
RT: 3.506 min Scan# 2  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57




Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050




Tgt Ion:101 Resp: 314439  
Ion Ratio Lower Upper  
101 100  
103 65.2 49.8 74.6

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025





#8  
Diethyl Ether  
Concen: 60.389 ug/l  
RT: 3.965 min Scan# 342  
Delta R.T. 0.006 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57



Tgt Ion: 74 Resp: 136962  
Ion Ratio Lower Upper  
74 100  
45 98.2 50.8 152.5





#9

1,1,2-Trichlorotrifluoroethane

Concen: 57.720 ug/l

RT: 4.365 min Scan# 4

Delta R.T. 0.006 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion:101 Resp: 17323

Ion Ratio Lower Upper

101 100


85 47.0 37.3 55.9

151 70.7 58.9 88.3

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#10

Methyl Iodide

Concen: 40.808 ug/l

RT: 4.583 min Scan# 447

Delta R.T. 0.006 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57


Tgt Ion:142 Resp: 122401







Ion Ratio Lower Upper

142 100

127 50.4 35.7 53.5

141 14.6 10.4 15.6









#11

Tert butyl alcohol  
Concen: 286.357 ug/l  
RT: 5.524 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025




#12

1,1-Dichloroethene  
Concen: 49.669 ug/l  
RT: 4.330 min Scan# 404  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57


Tgt Ion: 96 Resp: 168930  
Ion Ratio Lower Upper  
96 100  
61 163.3 132.3 198.5  
98 58.3 46.8 70.2





#13  
Acrolein  
Concen: 280.207 ug/l  
RT: 4.183 min Scan# 3  
Delta R.T. 0.006 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57



Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050



Tgt Ion: 56 Resp: 21581  
Ion Ratio Lower Upper  
56 100  
55 69.0 56.2 84.4






### Manual Integrations APPROVED







Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#14  
Allyl chloride  
Concen: 52.801 ug/l  
RT: 5.012 min Scan# 520  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Tgt Ion: 41 Resp: 324998  
Ion Ratio Lower Upper  
41 100  
39 81.8 59.0 88.6  
76 35.5 28.7 43.1





#15

Acrylonitrile

Concen: 258.773 ug/l

RT: 5.706 min Scan# 6

Delta R.T. -0.006 min

Lab File: VN087525.D


Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

#16

Acetone


Concen: 277.621 ug/l




RT: 4.424 min Scan# 420

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Tgt Ion: 43 Resp: 657929  
Ion Ratio Lower Upper  
43 100  
58 28.2 22.3 33.5



#17

Carbon Disulfide

Concen: 47.578 ug/l

RT: 4.700 min Scan# 4

Delta R.T. 0.006 min

Lab File: VN087525.D




Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

#18

Methyl Acetate

Concen: 58.763 ug/l

RT: 5.018 min Scan# 521

Delta R.T. 0.006 min

Lab File: VN087525.D


Acq: 13 Aug 2025 10:57




Tgt Ion: 43 Resp: 349876

Ion Ratio Lower Upper

43 100

74 22.3 17.8 26.6









#19

Methyl tert-butyl Ether  
Concen: 58.885 ug/l  
RT: 5.788 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025









#20

Methylene Chloride  
Concen: 51.839 ug/l  
RT: 5.265 min Scan# 563  
Delta R.T. 0.006 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Tgt Ion: 84 Resp: 207585  
Ion Ratio Lower Upper  
84 100  
49 124.5 107.5 161.3  
51 40.8 30.2 45.2  
86 64.4 49.3 73.9






#21

trans-1,2-Dichloroethene  
Concen: 49.703 ug/l  
RT: 5.777 min Scan# 6  
Delta R.T. 0.006 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDCCC050

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025




#22


Diisopropyl ether  
Concen: 58.441 ug/l  
RT: 6.659 min Scan# 800  
Delta R.T. -0.006 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Tgt Ion: 45 Resp: 754528  
Ion Ratio Lower Upper  
45 100  
43 57.0 42.8 64.2  
87 25.7 19.8 29.6  
59 11.1 8.3 12.5








Abundance Scan 788 (6.588 min): VN087525.D\data.ms



Abundance Scan 788 (6.588 min): VN087525.D\data.ms (-73)



Abundance Scan 782 (6.553 min): VN087525.D\data.ms



Abundance Scan 782 (6.553 min): VN087525.D\data.ms (-73)

#23

## Vinyl Acetate

Concen: 306.836 ug/l

RT: 6.588 min Scan# 7

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion: 43 Resp: 3464754

Ion Ratio Lower Upper

43 100

86 9.6

7.7


11.5

## Manual Integrations

APPROVED

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#24

## 1,1-Dichloroethane

Concen: 51.586 ug/l

RT: 6.553 min Scan# 782

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Tgt Ion: 63 Resp: 384250

Ion Ratio Lower Upper

63 100

98 7.1


3.3




9.9

100 4.8

2.5

7.4









#25  
2-Butanone  
Concen: 270.516 ug/l  
RT: 7.471 min Scan# 938  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDCCC050


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#26  
2,2-Dichloropropane  
Concen: 59.940 ug/l  
RT: 7.477 min Scan# 939  
Delta R.T. 0.006 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Tgt Ion: 77 Resp: 347122  
Ion Ratio Lower Upper  
77 100  
97 20.5 11.1 33.1









#27  
cis-1,2-Dichloroethene  
Concen: 53.808 ug/l  
RT: 7.471 min Scan# 938  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#28  
Bromochloromethane  
Concen: 52.751 ug/l  
RT: 7.800 min Scan# 994  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Tgt Ion: 49 Resp: 188052  
Ion Ratio Lower Upper  
49 100  
129 2.2 0.0 4.2  
130 66.7 57.3 85.9





#29

Tetrahydrofuran

Concen: 273.374 ug/l

RT: 7.830 min Scan# 999

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#30

Chloroform

Concen: 54.606 ug/l

RT: 7.953 min Scan# 1020

Delta R.T. 0.000 min

Lab File: VN087525.D




Acq: 13 Aug 2025 10:57




Tgt Ion: 83 Resp: 407119

Ion Ratio Lower Upper

83 100

85 67.0 52.7 79.1





#31

Cyclohexane

Concen: 54.405 ug/l

RT: 8.241 min Scan# 1069

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57





Instrument:







MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025

 #32  
 1,1,1-Trichloroethane  
 Concen: 54.317 ug/l  
 RT: 8.153 min Scan# 1054  
 Delta R.T. 0.000 min  
 Lab File: VN087525.D  
 Acq: 13 Aug 2025 10:57

 Tgt Ion: 97 Resp: 350752  
 Ion Ratio Lower Upper  
 97 100  
 99 65.1 51.8 77.8  
 61 51.6 38.7 58.1




#33

1,2-Dichloroethane-d4

Concen: 52.900 ug/l

RT: 8.559 min Scan# 1

Delta R.T. -0.006 min


Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Instrument : MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.088 min Scan# 1213

Delta R.T. 0.006 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57


Tgt Ion:114 Resp: 560249







Ion Ratio Lower Upper

114 100


63 23.3 0.0 44.6

88 16.3 0.0 32.8







#35


Dibromofluoromethane  
Concen: 48.926 ug/lRT: 8.147 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDCCC050**Manual Integrations  
APPROVED**Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

#36





1,1-Dichloropropene  
Concen: 52.704 ug/l  
RT: 8.353 min Scan# 1088  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57Tgt Ion: 75 Resp: 269096  
Ion Ratio Lower Upper  
75 100  
110 32.4 16.7 50.1  
77 30.7 25.2 37.8



Abundance Scan 952 (7.553 min): VN087525.D\data.ms



Abundance Scan 952 (7.553 min): VN087525.D\data.ms (-90)



#37

**Ethyl Acetate**

Concen: 51.872 ug/l

RT: 7.553 min Scan# 9

Delta R.T. 0.006 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion: 43 Resp: 38250

Ion Ratio Lower Upper

43 100





61 12.1 10.9 16.3

70 9.7 7.4 11.0

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#38

**Carbon Tetrachloride**

Concen: 51.679 ug/l

RT: 8.347 min Scan# 1087

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57


Tgt Ion: 117 Resp: 290669




Ion Ratio Lower Upper

117 100

119 93.1 80.2 120.2

121 29.3 25.4 38.2





#39

Methylcyclohexane

Concen: 59.801 ug/l

RT: 9.582 min Scan# 1




Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Instrument: MSVOA\_N

ClientSampleId: VSTDCCC050

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

#40

Benzene


Concen: 50.887 ug/l







RT: 8.588 min Scan# 1128

Delta R.T. -0.006 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Tgt Ion: 78 Resp: 839732  
Ion Ratio Lower Upper  
78 100  
77 23.9 18.2 27.2



#41

Methacrylonitrile

Concen: 56.377 ug/l

RT: 7.765 min Scan# 9

Delta R.T. -0.006 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion: 41 Resp: 21737

Ion Ratio Lower Upper

41 100

39 56.0 43.4 65.0


67 67.0 55.1 82.7

52 30.3 24.9 37.3

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#42

1,2-Dichloroethane

Concen: 53.444 ug/l

RT: 8.653 min Scan# 1139

Delta R.T. 0.000 min

Lab File: VN087525.D


Acq: 13 Aug 2025 10:57


Tgt Ion: 62 Resp: 334446

Ion Ratio Lower Upper

62 100

98 7.9 0.0 18.0





#43

Isopropyl Acetate

Concen: 56.154 ug/l

RT: 8.677 min Scan# 1


Delta R.T. -0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Instrument: MSVOA\_N

ClientSampleId: VSTDCCC050



Tgt Ion: 43 Resp: 642790

Ion Ratio Lower Upper

43 100



61 23.8 19.8 29.8

87 11.8 9.8 14.6

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#44

Trichloroethene

Concen: 49.195 ug/l

RT: 9.335 min Scan# 1255

Delta R.T. 0.000 min

Lab File: VN087525.D


Acq: 13 Aug 2025 10:57


Tgt Ion:130 Resp: 191822

Ion Ratio Lower Upper

130 100


95 109.8 0.0 195.2





#45  
1,2-Dichloropropane  
Concen: 51.319 ug/l  
RT: 9.606 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57



Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050




Tgt Ion: 63 Resp: 215179  
Ion Ratio Lower Upper  
63 100  
65 30.6 27.0 40.4

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025









#46  
Dibromomethane  
Concen: 52.067 ug/l  
RT: 9.694 min Scan# 1316  
Delta R.T. 0.006 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57



Tgt Ion: 93 Resp: 163459  
Ion Ratio Lower Upper  
93 100  
95 82.9 65.8 98.8  
174 80.5 69.9 104.9





#47

Bromodichloromethane

Concen: 53.322 ug/l

RT: 9.871 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion: 83 Resp: 337184

Ion Ratio Lower Upper

83 100


85 63.2 50.4 75.6

127 7.4 5.8 8.8

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#48

Methyl methacrylate

Concen: 60.829 ug/l

RT: 9.665 min Scan# 1311

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57


Tgt Ion: 41 Resp: 313471


Ion Ratio Lower Upper

41 100

69 74.8 64.1 96.1


39 65.0 45.5 68.3





#49  
1,4-Dioxane  
Concen: 1099.339 ug/l  
RT: 9.682 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57




Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050




Tgt Ion: 88 Resp: 86769  
Ion Ratio Lower Upper  
88 100  
43 0.0 0.0 0.0  
58 75.4 61.1 91.7

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025






#50  
Toluene-d8  
Concen: 48.931 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57



Tgt Ion: 98 Resp: 674538  
Ion Ratio Lower Upper  
98 100  
100 64.2 52.1 78.1





#51

4-Methyl-2-Pentanone

Concen: 272.168 ug/l

RT: 10.429 min Scan# 1441

Delta R.T. 0.000 min

Lab File: VN087525.D





Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

#52

Toluene


Concen: 52.162 ug/l




RT: 10.612 min Scan# 1472

Delta R.T. -0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Tgt Ion: 92 Resp: 523201  
Ion Ratio Lower Upper  
92 100  
91 175.4 135.1 202.7







#53  
t-1,3-Dichloropropene  
Concen: 56.856 ug/l  
RT: 10.818 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#54  
cis-1,3-Dichloropropene  
Concen: 55.797 ug/l  
RT: 10.294 min Scan# 1418  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Tgt Ion: 75 Resp: 368848  
Ion Ratio Lower Upper  
75 100  
77 31.0 24.2 36.2  
39 59.1 38.4 57.6#





#55

1,1,2-Trichloroethane

Concen: 52.209 ug/l

RT: 11.000 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N




ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#56

Ethyl methacrylate

Concen: 54.181 ug/l

RT: 10.859 min Scan# 1514

Delta R.T. -0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57


Tgt Ion: 69 Resp: 371269


Ion Ratio Lower Upper

69 100



41 71.7 55.1 82.7

39 42.5 27.9 41.9#







Abundance Scan 1563 (11.147 min): VN087525.D\data.ms (-)



Abundance Scan 1392 (10.141 min): VN087525.D\data.ms (-)



Abundance Scan 1392 (10.141 min): VN087525.D\data.ms (-)



#57

1,3-Dichloropropane

Concen: 52.670 ug/l

RT: 11.147 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion: 76 Resp: 36979

Ion Ratio Lower Upper


76 100

78 32.5 26.0 39.0

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#58

2-Chloroethyl Vinyl ether

Concen: 308.170 ug/l

RT: 10.141 min Scan# 1392

Delta R.T. 0.000 min

Lab File: VN087525.D


Acq: 13 Aug 2025 10:57


Tgt Ion: 63 Resp: 1026550

Ion Ratio Lower Upper


63 100

106 26.7 21.7 32.5









Abundance Scan 1568 (11.176 min): VN087525.D\data.ms



Abundance Scan 1568 (11.176 min): VN087525.D\data.ms (-)



#59

2-Hexanone

Concen: 281.390 ug/l

RT: 11.176 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion: 43 Resp: 1351630

Ion Ratio Lower Upper


43 100

58 51.9 26.7 80.0

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#60

Dibromochloromethane

Concen: 53.325 ug/l

RT: 11.341 min Scan# 1596

Delta R.T. 0.000 min

Lab File: VN087525.D


Acq: 13 Aug 2025 10:57




Tgt Ion:129 Resp: 246950

Ion Ratio Lower Upper

129 100

127 75.7 39.1 117.5









#61  
1,2-Dibromoethane  
Concen: 52.906 ug/l  
RT: 11.453 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument :  
MSVOA\_N  
ClientSampleId :  
VSTDCCC050


### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#62  
4-Bromofluorobenzene  
Concen: 51.735 ug/l  
RT: 12.829 min Scan# 1849  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Tgt Ion: 95 Resp: 263490  
Ion Ratio Lower Upper  
95 100  
174 68.5 0.0 149.4  
176 66.0 0.0 141.2







#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.847 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050


### Manual Integrations APPROVED


Reviewed By :John Carbone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#64  
Tetrachloroethene  
Concen: 47.598 ug/l  
RT: 11.082 min Scan# 1552  
Delta R.T. -0.006 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Tgt Ion:164 Resp: 155159  
Ion Ratio Lower Upper  
164 100  
166 121.1 105.5 158.3  
129 95.7 77.4 116.2  
131 93.3 77.3 115.9







#65  
Chlorobenzene  
Concen: 50.858 ug/l  
RT: 11.870 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#66  
1,1,1,2-Tetrachloroethane  
Concen: 52.143 ug/l  
RT: 11.941 min Scan# 1698  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Tgt Ion:131 Resp: 201612  
Ion Ratio Lower Upper  
131 100  
133 94.8 47.4 142.3  
119 63.2 33.1 99.2





#67

Ethyl Benzene

Concen: 54.824 ug/l

RT: 11.947 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087525.D





Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

#68

m/p-Xylenes

Concen: 109.123 ug/l

RT: 12.053 min Scan# 1717

Delta R.T. 0.000 min

Lab File: VN087525.D


Acq: 13 Aug 2025 10:57




Tgt Ion:106 Resp: 764924

Ion Ratio Lower Upper

106 100

91 212.8 162.0 243.0









#69  
o-Xylene  
Concen: 55.701 ug/l  
RT: 12.376 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#70  
Styrene  
Concen: 57.479 ug/l  
RT: 12.394 min Scan# 1775  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Tgt Ion:104 Resp: 647435  
Ion Ratio Lower Upper  
104 100  
78 53.7 41.0 61.6  
103 55.3 43.9 65.9





#71

Bromoform

Concen: 51.623 ug/l

RT: 12.559 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#72

1,4-Dichlorobenzene-d4


Concen: 50.000 ug/l




RT: 13.770 min Scan# 2009

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

 Tgt Ion:152 Resp: 261423  
 Ion Ratio Lower Upper  
 152 100  
 115 62.3 31.1 93.5  
 150 175.2 0.0 349.0




#73

Isopropylbenzene

Concen: 59.336 ug/l

RT: 12.676 min Scan# 1823

Delta R.T. 0.000 min

Lab File: VN087525.D





Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

#74

N-amyl acetate

Concen: 46.390 ug/l

RT: 12.506 min Scan# 1794

Delta R.T. 0.012 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Tgt Ion: 43 Resp: 317125


Ion Ratio Lower Upper




43 100

70 32.3 37.6 56.4#

55 18.2 19.6 29.4#

61 16.7 20.6 31.0#









#75  
1,1,2,2-Tetrachloroethane  
Concen: 54.508 ug/l  
RT: 12.917 min Scan# 1864  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#76  
1,2,3-Trichloropropane  
Concen: 48.934 ug/l  
RT: 12.976 min Scan# 1874  
Delta R.T. 0.006 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Tgt Ion: 75 Resp: 286863  
Ion Ratio Lower Upper  
75 100  
77 192.1 94.5 283.6





#77

Bromobenzene

Concen: 53.342 ug/l

RT: 12.959 min Scan# 1871

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#78

n-propylbenzene

Concen: 59.467 ug/l

RT: 13.017 min Scan# 1881

Delta R.T. 0.000 min

Lab File: VN087525.D


Acq: 13 Aug 2025 10:57




Tgt Ion: 91 Resp: 1231036

Ion Ratio Lower Upper

91 100

120 21.0 11.3 33.8





#79

2-Chlorotoluene

Concen: 57.031 ug/l

RT: 13.106 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087525.D




Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

#80

1,3,5-Trimethylbenzene

Concen: 59.782 ug/l

RT: 13.153 min Scan# 1904

Delta R.T. 0.000 min

Lab File: VN087525.D


Acq: 13 Aug 2025 10:57


Tgt Ion:105 Resp: 838061

Ion Ratio Lower Upper

105 100

120 47.2 24.3 72.8







#81  
trans-1,4-Dichloro-2-butene  
Concen: 51.454 ug/l  
RT: 12.717 min Scan# 1830  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#82  
4-Chlorotoluene  
Concen: 56.480 ug/l  
RT: 13.200 min Scan# 1912  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Tgt Ion: 91 Resp: 748122  
Ion Ratio Lower Upper  
91 100  
126 31.2 16.6 49.7





#83

tert-Butylbenzene

Concen: 61.085 ug/l

RT: 13.417 min Scan# 1949

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#84

1,2,4-Trimethylbenzene


Concen: 60.126 ug/l




RT: 13.459 min Scan# 1956

Delta R.T. -0.006 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

 Tgt Ion:105 Resp: 860772  
 Ion Ratio Lower Upper  
 105 100  
 120 41.9 22.8 68.3




#85

sec-Butylbenzene

Concen: 60.493 ug/l

RT: 13.594 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#86

p-Isopropyltoluene

Concen: 62.051 ug/l

RT: 13.706 min Scan# 1998

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57


Tgt Ion:119 Resp: 877004




Ion Ratio Lower Upper

119 100

134 25.5 13.5 40.5

91 25.8 12.2 36.6





#87

1,3-Dichlorobenzene

Concen: 52.590 ug/l

RT: 13.711 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#88

1,4-Dichlorobenzene

Concen: 49.863 ug/l

RT: 13.794 min Scan# 2013

Delta R.T. 0.006 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57


Tgt Ion:146 Resp: 445992




Ion Ratio Lower Upper

146 100

111 43.1 19.6 58.7

148 64.5 31.4 94.0





#89

n-Butylbenzene

Concen: 65.611 ug/l

RT: 14.035 min Scan# 2

Instrument:

Delta R.T. 0.000 min

MSVOA\_N





Lab File: VN087525.D

ClientSampleId :

Acq: 13 Aug 2025 10:57

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#90

Hexachloroethane


Concen: 55.901 ug/l




RT: 14.311 min Scan# 2101

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

 Tgt Ion:117 Resp: 167399  
 Ion Ratio Lower Upper  
 117 100  
 201 60.7 32.8 98.4




#91

1,2-Dichlorobenzene

Concen: 54.195 ug/l

RT: 14.088 min Scan# 2

Delta R.T. 0.006 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57




Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#92

1,2-Dibromo-3-Chloropropane

Concen: 50.215 ug/l

RT: 14.700 min Scan# 2167

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57



Tgt Ion: 75 Resp: 81622




Ion Ratio Lower Upper

75 100

155 73.0 37.3 111.8

157 93.0 46.2 138.6








#93

1,2,4-Trichlorobenzene  
Concen: 56.161 ug/l  
RT: 15.370 min Scan# 2281  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Instrument : MSVOA\_N  
ClientSampleId : VSTDCCC050

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025






#94

Hexachlorobutadiene  
Concen: 57.185 ug/l  
RT: 15.476 min Scan# 2299  
Delta R.T. 0.000 min  
Lab File: VN087525.D  
Acq: 13 Aug 2025 10:57

Tgt Ion:225 Resp: 99026  
Ion Ratio Lower Upper  
225 100  
223 64.0 32.1 96.3  
227 63.9 31.3 93.9





#95

Naphthalene

Concen: 58.414 ug/l

RT: 15.617 min Scan# 2323

Delta R.T. 0.000 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57

Instrument:

MSVOA\_N

ClientSampleId :

VSTDCCC050

Tgt Ion:128 Resp: 96441

Ion Ratio Lower Upper

128 100




127 13.0 10.5 15.7

129 10.6 8.4 12.6

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#96

1,2,3-Trichlorobenzene

Concen: 52.411 ug/l

RT: 15.817 min Scan# 2357

Delta R.T. 0.006 min

Lab File: VN087525.D

Acq: 13 Aug 2025 10:57


Tgt Ion:180 Resp: 245014

Ion Ratio Lower Upper

180 100

182 98.0 47.1 141.4

145 36.3 16.9 50.6



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087525.D  
 Acq On : 13 Aug 2025 10:57  
 Operator : JC\MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 LabSampleId :  
 VSTDCCC050

Quant Time: Aug 14 03:55:27 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	163#	0.00
2 T	Dichlorodifluoromethane	0.531	0.658	-23.9	172#	0.00
3 P	Chloromethane	0.668	0.624	6.6	148	0.00
4 C	Vinyl Chloride	0.664	0.717	-8.0#	161#	0.00
5 T	Bromomethane	0.344	0.393	-14.2	180#	0.00
6 T	Chloroethane	0.433	0.469	-8.3	173#	0.00
7 T	Trichlorofluoromethane	0.981	1.056	-7.6	168#	0.00
8 T	Diethyl Ether	0.381	0.460	-20.7	190#	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.504	0.582	-15.5	181#	0.00
10 T	Methyl Iodide	0.452	0.411	9.1	136	0.00
11 T	Tert butyl alcohol	0.161	0.185	-14.9	187#	0.00
12 CM	1,1-Dichloroethene	0.571	0.567	0.7#	170#	0.00
13 T	Acrolein	0.129	0.145	-12.4	195#	0.00
14 T	Allyl chloride	1.033	1.091	-5.6	178#	0.00
15 T	Acrylonitrile	0.437	0.452	-3.4	163#	0.00
16 T	Acetone	0.398	0.442	-11.1	186#	0.00
17 T	Carbon Disulfide	1.693	1.611	4.8	151#	0.00
18 T	Methyl Acetate	0.999	1.175	-17.6	193#	0.00
19 T	Methyl tert-butyl Ether	2.104	2.478	-17.8	186#	0.00
20 T	Methylene Chloride	0.766	0.697	9.0	169#	0.00
21 T	trans-1,2-Dichloroethene	0.644	0.640	0.6	160#	0.00
22 T	Diisopropyl ether	2.167	2.533	-16.9	181#	0.00
23 T	Vinyl Acetate	1.895	2.326	-22.7	179#	0.00
24 P	1,1-Dichloroethane	1.250	1.290	-3.2	172#	0.00
25 T	2-Butanone	0.615	0.665	-8.1	168#	0.00
26 T	2,2-Dichloropropane	0.972	1.165	-19.9	193#	0.00
27 T	cis-1,2-Dichloroethene	0.741	0.798	-7.7	169#	0.00
28 T	Bromochloromethane	0.598	0.631	-5.5	173#	0.00
29 T	Tetrahydrofuran	0.399	0.437	-9.5	167#	0.00
30 C	Chloroform	1.251	1.367	-9.3#	174#	0.00
31 T	Cyclohexane	1.043	1.135	-8.8	177#	0.00
32 T	1,1,1-Trichloroethane	1.084	1.177	-8.6	177#	0.00
33 S	1,2-Dichloroethane-d4	0.848	0.898	-5.9	182#	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	172#	0.00
35 S	Dibromofluoromethane	0.345	0.337	2.3	175#	0.00
36 T	1,1-Dichloropropene	0.456	0.480	-5.3	170#	0.00
37 T	Ethyl Acetate	0.658	0.683	-3.8	166#	0.00
38 T	Carbon Tetrachloride	0.502	0.519	-3.4	173#	0.00
39 T	Methylcyclohexane	0.493	0.590	-19.7	192#	0.00
40 TM	Benzene	1.473	1.499	-1.8	166#	0.00
41 T	Methacrylonitrile	0.344	0.388	-12.8	181#	0.00
42 TM	1,2-Dichloroethane	0.558	0.597	-7.0	181#	0.00
43 T	Isopropyl Acetate	1.022	1.147	-12.2	184#	0.00
44 TM	Trichloroethene	0.348	0.342	1.7	165#	0.00
45 C	1,2-Dichloropropane	0.374	0.384	-2.7#	167#	0.00
46 T	Dibromomethane	0.280	0.292	-4.3	174#	0.00
47 T	Bromodichloromethane	0.564	0.602	-6.7	182#	0.00
48 T	Methyl methacrylate	0.460	0.560	-21.7	191#	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087525.D  
 Acq On : 13 Aug 2025 10:57  
 Operator : JC\MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 2 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**LabSampleId :**  
**VSTDCCC050**

Quant Time: Aug 14 03:55:27 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.007	0.008	-14.3	167#	0.00
50 S	Toluene-d8	1.230	1.204	2.1	169#	0.00
51 T	4-Methyl-2-Pentanone	0.646	0.703	-8.8	175#	0.00
52 CM	Toluene	0.895	0.934	-4.4#	167#	0.00
53 T	t-1,3-Dichloropropene	0.571	0.649	-13.7	180#	0.00
54 T	cis-1,3-Dichloropropene	0.590	0.658	-11.5	179#	0.00
55 T	1,1,2-Trichloroethane	0.362	0.378	-4.4	177#	0.00
56 T	Ethyl methacrylate	0.552	0.663	-20.1	182#	0.00
57 T	1,3-Dichloropropane	0.627	0.660	-5.3	173#	0.00
58 T	2-Chloroethyl Vinyl ether	0.297	0.366	-23.2	182#	0.00
59 T	2-Hexanone	0.429	0.483	-12.6	168#	0.00
60 T	Dibromochloromethane	0.413	0.441	-6.8	176#	0.00
61 T	1,2-Dibromoethane	0.381	0.403	-5.8	180#	0.00
62 S	4-Bromofluorobenzene	0.455	0.470	-3.3	178#	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	169#	0.00
64 T	Tetrachloroethene	0.322	0.306	5.0	161#	0.00
65 PM	Chlorobenzene	1.123	1.142	-1.7	172#	0.00
66 T	1,1,1,2-Tetrachloroethane	0.382	0.398	-4.2	171#	0.00
67 C	Ethyl Benzene	1.848	2.026	-9.6#	176#	0.00
68 T	m/p-Xylenes	0.692	0.755	-9.1	168#	0.00
69 T	o-Xylene	0.661	0.736	-11.3	172#	0.00
70 T	Styrene	1.112	1.278	-14.9	172#	0.00
71 P	Bromoform	0.308	0.318	-3.2	164#	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	165#	0.00
73 T	Isopropylbenzene	3.147	3.734	-18.7	181#	0.00
74 T	N-amyl acetate	1.307	1.213	7.2	176#	0.01
75 P	1,1,2,2-Tetrachloroethane	1.184	1.291	-9.0	176#	0.00
76 T	1,2,3-Trichloropropane	1.121	1.097	2.1	152#	0.00
77 T	Bromobenzene	0.816	0.871	-6.7	165#	0.00
78 T	n-propylbenzene	3.959	4.709	-18.9	181#	0.00
79 T	2-Chlorotoluene	2.433	2.775	-14.1	181#	0.00
80 T	1,3,5-Trimethylbenzene	2.681	3.206	-19.6	181#	0.00
81 T	trans-1,4-Dichloro-2-butene	0.410	0.422	-2.9	172#	0.00
82 T	4-Chlorotoluene	2.533	2.862	-13.0	178#	0.00
83 T	tert-Butylbenzene	2.239	2.736	-22.2	186#	0.00
84 T	1,2,4-Trimethylbenzene	2.738	3.293	-20.3	181#	0.00
85 T	sec-Butylbenzene	3.373	4.081	-21.0	189#	0.00
86 T	p-Isopropyltoluene	2.703	3.355	-24.1	185#	0.00
87 T	1,3-Dichlorobenzene	1.602	1.685	-5.2	168#	0.00
88 T	1,4-Dichlorobenzene	1.711	1.706	0.3	165#	0.00
89 T	n-Butylbenzene	2.581	3.387	-31.2#	202#	0.00
90 T	Hexachloroethane	0.573	0.640	-11.7	183#	0.00
91 T	1,2-Dichlorobenzene	1.517	1.645	-8.4	172#	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.311	0.312	-0.3	170#	0.00
93 T	1,2,4-Trichlorobenzene	0.891	1.001	-12.3	176#	0.00
94 T	Hexachlorobutadiene	0.331	0.379	-14.5	190#	0.00
95 T	Naphthalene	3.158	3.689	-16.8	177#	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087525.D  
Acq On : 13 Aug 2025 10:57  
Operator : JC\MD  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
LabSampleId :  
VSTDCCC050

Quant Time: Aug 14 03:55:27 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area	Dev(min)
96 T 1,2,3-Trichlorobenzene	0.894	0.937	-4.8	168#	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087525.D  
 Acq On : 13 Aug 2025 10:57  
 Operator : JC\MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 LabSampleId :  
 VSTDCCC050

Quant Time: Aug 14 03:55:27 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	163	0.00
2 T	Dichlorodifluoromethane	50.000	61.914	-23.8	172	0.00
3 P	Chloromethane	50.000	46.740	6.5	148	0.00
4 C	Vinyl Chloride	50.000	54.022	-8.0#	161	0.00
5 T	Bromomethane	50.000	57.184	-14.4	180	0.00
6 T	Chloroethane	50.000	54.196	-8.4	173	0.00
7 T	Trichlorofluoromethane	50.000	53.781	-7.6	168	0.00
8 T	Diethyl Ether	50.000	60.389	-20.8	190	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	57.720	-15.4	181	0.00
10 T	Methyl Iodide	50.000	40.808	18.4	136	0.00
11 T	Tert butyl alcohol	250.000	286.357	-14.5	187	0.00
12 CM	1,1-Dichloroethene	50.000	49.669	0.7#	170	0.00
13 T	Acrolein	250.000	280.207	-12.1	195	0.00
14 T	Allyl chloride	50.000	52.801	-5.6	178	0.00
15 T	Acrylonitrile	250.000	258.773	-3.5	163	0.00
16 T	Acetone	250.000	277.621	-11.0	186	0.00
17 T	Carbon Disulfide	50.000	47.578	4.8	151	0.00
18 T	Methyl Acetate	50.000	58.763	-17.5	193	0.00
19 T	Methyl tert-butyl Ether	50.000	58.885	-17.8	186	0.00
20 T	Methylene Chloride	50.000	51.839	-3.7	169	0.00
21 T	trans-1,2-Dichloroethene	50.000	49.703	0.6	160	0.00
22 T	Diisopropyl ether	50.000	58.441	-16.9	181	0.00
23 T	Vinyl Acetate	250.000	306.836	-22.7	179	0.00
24 P	1,1-Dichloroethane	50.000	51.586	-3.2	172	0.00
25 T	2-Butanone	250.000	270.516	-8.2	168	0.00
26 T	2,2-Dichloropropane	50.000	59.940	-19.9	193	0.00
27 T	cis-1,2-Dichloroethene	50.000	53.808	-7.6	169	0.00
28 T	Bromochloromethane	50.000	52.751	-5.5	173	0.00
29 T	Tetrahydrofuran	250.000	273.374	-9.3	167	0.00
30 C	Chloroform	50.000	54.606	-9.2#	174	0.00
31 T	Cyclohexane	50.000	54.405	-8.8	177	0.00
32 T	1,1,1-Trichloroethane	50.000	54.317	-8.6	177	0.00
33 S	1,2-Dichloroethane-d4	50.000	52.900	-5.8	182	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	172	0.00
35 S	Dibromofluoromethane	50.000	48.926	2.1	175	0.00
36 T	1,1-Dichloropropene	50.000	52.704	-5.4	170	0.00
37 T	Ethyl Acetate	50.000	51.872	-3.7	166	0.00
38 T	Carbon Tetrachloride	50.000	51.679	-3.4	173	0.00
39 T	Methylcyclohexane	50.000	59.801	-19.6	192	0.00
40 TM	Benzene	50.000	50.887	-1.8	166	0.00
41 T	Methacrylonitrile	50.000	56.377	-12.8	181	0.00
42 TM	1,2-Dichloroethane	50.000	53.444	-6.9	181	0.00
43 T	Isopropyl Acetate	50.000	56.154	-12.3	184	0.00
44 TM	Trichloroethene	50.000	49.195	1.6	165	0.00
45 C	1,2-Dichloropropane	50.000	51.319	-2.6#	167	0.00
46 T	Dibromomethane	50.000	52.067	-4.1	174	0.00
47 T	Bromodichloromethane	50.000	53.322	-6.6	182	0.00
48 T	Methyl methacrylate	50.000	60.829	-21.7	191	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087525.D  
 Acq On : 13 Aug 2025 10:57  
 Operator : JC\MD  
 Sample : VSTDCCC050  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 LabSampleId :  
 VSTDCCC050

Quant Time: Aug 14 03:55:27 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1099.339	-9.9	167	0.00
50 S	Toluene-d8	50.000	48.931	2.1	169	0.00
51 T	4-Methyl-2-Pentanone	250.000	272.168	-8.9	175	0.00
52 CM	Toluene	50.000	52.162	-4.3#	167	0.00
53 T	t-1,3-Dichloropropene	50.000	56.856	-13.7	180	0.00
54 T	cis-1,3-Dichloropropene	50.000	55.797	-11.6	179	0.00
55 T	1,1,2-Trichloroethane	50.000	52.209	-4.4	177	0.00
56 T	Ethyl methacrylate	50.000	54.181	-8.4	182	0.00
57 T	1,3-Dichloropropane	50.000	52.670	-5.3	173	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	308.170	-23.3	182	0.00
59 T	2-Hexanone	250.000	281.390	-12.6	168	0.00
60 T	Dibromochloromethane	50.000	53.325	-6.7	176	0.00
61 T	1,2-Dibromoethane	50.000	52.906	-5.8	180	0.00
62 S	4-Bromofluorobenzene	50.000	51.735	-3.5	178	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	169	0.00
64 T	Tetrachloroethene	50.000	47.598	4.8	161	0.00
65 PM	Chlorobenzene	50.000	50.858	-1.7	172	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	52.143	-4.3	171	0.00
67 C	Ethyl Benzene	50.000	54.824	-9.6#	176	0.00
68 T	m/p-Xylenes	100.000	109.123	-9.1	168	0.00
69 T	o-Xylene	50.000	55.701	-11.4	172	0.00
70 T	Styrene	50.000	57.479	-15.0	172	0.00
71 P	Bromoform	50.000	51.623	-3.2	164	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	165	0.00
73 T	Isopropylbenzene	50.000	59.336	-18.7	181	0.00
74 T	N-amyl acetate	50.000	46.390	7.2	176	0.01
75 P	1,1,2,2-Tetrachloroethane	50.000	54.508	-9.0	176	0.00
76 T	1,2,3-Trichloropropane	50.000	48.934	2.1	152	0.00
77 T	Bromobenzene	50.000	53.342	-6.7	165	0.00
78 T	n-propylbenzene	50.000	59.467	-18.9	181	0.00
79 T	2-Chlorotoluene	50.000	57.031	-14.1	181	0.00
80 T	1,3,5-Trimethylbenzene	50.000	59.782	-19.6	181	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	51.454	-2.9	172	0.00
82 T	4-Chlorotoluene	50.000	56.480	-13.0	178	0.00
83 T	tert-Butylbenzene	50.000	61.085	-22.2	186	0.00
84 T	1,2,4-Trimethylbenzene	50.000	60.126	-20.3	181	0.00
85 T	sec-Butylbenzene	50.000	60.493	-21.0	189	0.00
86 T	p-Isopropyltoluene	50.000	62.051	-24.1	185	0.00
87 T	1,3-Dichlorobenzene	50.000	52.590	-5.2	168	0.00
88 T	1,4-Dichlorobenzene	50.000	49.863	0.3	165	0.00
89 T	n-Butylbenzene	50.000	65.611	-31.2#	202	0.00
90 T	Hexachloroethane	50.000	55.901	-11.8	183	0.00
91 T	1,2-Dichlorobenzene	50.000	54.195	-8.4	172	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	50.215	-0.4	170	0.00
93 T	1,2,4-Trichlorobenzene	50.000	56.161	-12.3	176	0.00
94 T	Hexachlorobutadiene	50.000	57.185	-14.4	190	0.00
95 T	Naphthalene	50.000	58.414	-16.8	177	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087525.D  
Acq On : 13 Aug 2025 10:57  
Operator : JC\MD  
Sample : VSTDCCC050  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
LabSampleId :  
VSTDCCC050

Quant Time: Aug 14 03:55:27 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area	Dev(min)
96 T 1,2,3-Trichlorobenzene	50.000	52.411	-4.8	168	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6



# QC SAMPLE


# DATA

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN071625\  
 Data File : VN087327.D  
 Acq On : 16 Jul 2025 16:10  
 Operator : JC\MD  
 Sample : BFB  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 BFB

Integration File: RTEINT.P

Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Title : SW846 8260  
 Last Update : Thu Jul 17 02:56:13 2025



AutoFind: Scans 1848, 1849, 1850; Background Corrected with Scan 1839


Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	19.8	8426	PASS
75	95	30	60	50.8	21643	PASS
95	95	100	100	100.0	42640	PASS
96	95	5	9	6.1	2612	PASS
173	174	0.00	2	0.8	255	PASS
174	95	50	100	70.9	30229	PASS
175	174	5	9	5.1	1538	PASS
176	174	95	101	96.9	29285	PASS
177	176	5	9	7.0	2046	PASS

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087501.D  
 Acq On : 12 Aug 2025 07:57  
 Operator : JC\MD  
 Sample : BFB  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 BFB

Integration File: RTEINT.P

Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Title : SW846 8260  
 Last Update : Thu Jul 17 02:56:13 2025



AutoFind: Scans 1848, 1849, 1850; Background Corrected with Scan 1839


Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	23.4	23109	PASS
75	95	30	60	55.3	54557	PASS
95	95	100	100	100.0	98707	PASS
96	95	5	9	6.6	65558	PASS
173	174	0.00	2	0.9	578	PASS
174	95	50	100	66.6	65784	PASS
175	174	5	9	7.5	4946	PASS
176	174	95	101	96.7	63619	PASS
177	176	5	9	7.9	5043	PASS

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087524.D  
 Acq On : 13 Aug 2025 09:04  
 Operator : JC\MD  
 Sample : BFB  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 BFB

Integration File: RTEINT.P

Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Title : SW846 8260  
 Last Update : Thu Jul 17 02:56:13 2025



AutoFind: Scans 1848, 1849, 1850; Background Corrected with Scan 1840

Target Mass	Rel. to Mass	Lower Limit%	Upper Limit%	Rel. Abn%	Raw Abn	Result Pass/Fail
50	95	15	40	23.3	15951	PASS
75	95	30	60	57.0	38971	PASS
95	95	100	100	100.0	68368	PASS
96	95	5	9	7.3	5004	PASS
173	174	0.00	2	1.6	725	PASS
174	95	50	100	66.0	45131	PASS
175	174	5	9	8.0	3631	PASS
176	174	95	101	96.8	43667	PASS
177	176	5	9	6.0	2620	PASS



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:
Project:	Andrews St Site - NYSDEC E828144			Date Received:
Client Sample ID:	VN0812WBL01		SDG No.:	Q2816
Lab Sample ID:	VN0812WBL01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL		Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087504.D	1	08/12/25 11:07	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	1.00	U	0.22	1.00	ug/L
74-87-3	Chloromethane	1.00	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	1.00	U	0.26	1.00	ug/L
74-83-9	Bromomethane	5.00	U	1.40	5.00	ug/L
75-00-3	Chloroethane	1.00	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	1.00	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	1.00	U	0.23	1.00	ug/L
67-64-1	Acetone	5.00	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	1.00	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	1.00	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	1.00	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	1.00	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	1.00	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	1.00	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	5.00	U	1.50	5.00	ug/L
78-93-3	2-Butanone	5.00	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	1.00	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	1.00	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	1.00	U	0.22	1.00	ug/L
67-66-3	Chloroform	1.00	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	1.00	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	1.00	U	0.16	1.00	ug/L
71-43-2	Benzene	1.00	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	1.00	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	1.00	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	1.00	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	1.00	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	5.00	U	0.68	5.00	ug/L
108-88-3	Toluene	1.00	U	0.14	1.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:
Project:	Andrews St Site - NYSDEC E828144			Date Received:
Client Sample ID:	VN0812WBL01		SDG No.:	Q2816
Lab Sample ID:	VN0812WBL01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL		Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087504.D	1	08/12/25 11:07	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	1.00	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.00	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	1.00	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	5.00	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	1.00	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	1.00	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	1.00	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	1.00	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	1.00	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	2.00	U	0.24	2.00	ug/L
95-47-6	o-Xylene	1.00	U	0.12	1.00	ug/L
100-42-5	Styrene	1.00	U	0.15	1.00	ug/L
75-25-2	Bromoform	1.00	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	1.00	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	1.00	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	1.00	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	1.00	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	58.4		74 - 125	117%	SPK: 50
1868-53-7	Dibromofluoromethane	50.3		75 - 124	101%	SPK: 50
2037-26-5	Toluene-d8	51.3		86 - 113	103%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.1		77 - 121	100%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	271000	8.212			
540-36-3	1,4-Difluorobenzene	578000	9.083			
3114-55-4	Chlorobenzene-d5	522000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	242000	13.77			



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:
Project:	Andrews St Site - NYSDEC E828144			Date Received:
Client Sample ID:	VN0812WBL01		SDG No.:	Q2816
Lab Sample ID:	VN0812WBL01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087504.D	1	08/12/25 11:07	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087504.D  
 Acq On : 12 Aug 2025 11:07  
 Operator : JC\MD  
 Sample : VN0812WBL01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 4 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VN0812WBL01**

Quant Time: Aug 13 03:00:25 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	271221	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.083	114	578160	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	521832	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	242445	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	268632	58.372	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	116.740%	
35) Dibromofluoromethane	8.153	113	200423	50.255	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	100.500%	
50) Toluene-d8	10.547	98	730025	51.316	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	102.640%	
62) 4-Bromofluorobenzene	12.829	95	263428	50.120	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	100.240%	


Target Compounds	Qvalue
<hr/>	


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087504.D  
Acq On : 12 Aug 2025 11:07  
Operator : JC\MD  
Sample : VN0812WBL01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0812WBL01


Quant Time: Aug 13 03:00:25 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration








#1  
 Pentafluorobenzene  
 Concen: 50.000 ug/l  
 RT: 8.212 min Scan# 1  
 Delta R.T. -0.000 min  
 Lab File: VN087504.D  
 Acq: 12 Aug 2025 11:07


Instrument : MSVOA\_N  
 ClientSampleId : VN0812WBL01





Tgt Ion:168 Resp: 271221  
 Ion Ratio Lower Upper  
 168 100  
 99 66.6 47.9 71.9






#33  
 1,2-Dichloroethane-d4  
 Concen: 58.372 ug/l  
 RT: 8.565 min Scan# 1124  
 Delta R.T. 0.000 min  
 Lab File: VN087504.D  
 Acq: 12 Aug 2025 11:07



Tgt Ion: 65 Resp: 268632  
 Ion Ratio Lower Upper  
 65 100  
 67 50.6 0.0 104.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.083 min Scan# 1

Delta R.T. 0.001 min

Lab File: VN087504.D

Acq: 12 Aug 2025 11:07

Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBL01




Tgt Ion:114 Resp: 578160

Ion Ratio Lower Upper

114 100

63 23.2 0.0 44.6

88 15.6 0.0 32.8



#35

Dibromofluoromethane

Concen: 50.255 ug/l

RT: 8.153 min Scan# 1054

Delta R.T. 0.006 min

Lab File: VN087504.D

Acq: 12 Aug 2025 11:07



Tgt Ion:113 Resp: 200423


Ion Ratio Lower Upper

113 100

111 101.9 82.5 123.7

192 16.2 13.7 20.5







#50  
Toluene-d8  
Concen: 51.316 ug/l  
RT: 10.547 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087504.D  
Acq: 12 Aug 2025 11:07


Instrument : MSVOA\_N  
ClientSampleId : VN0812WBL01


Tgt Ion: 98 Resp: 730025  
Ion Ratio Lower Upper  
98 100  
100 64.7 52.1 78.1



#62  
4-Bromofluorobenzene  
Concen: 50.120 ug/l  
RT: 12.829 min Scan# 1849  
Delta R.T. 0.000 min  
Lab File: VN087504.D  
Acq: 12 Aug 2025 11:07

Tgt Ion: 95 Resp: 263428  
Ion Ratio Lower Upper  
95 100  
174 66.9 0.0 149.4  
176 64.7 0.0 141.2







#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.847 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087504.D  
Acq: 12 Aug 2025 11:07


Instrument : MSVOA\_N  
ClientSampleId : VN0812WBL01

Tgt Ion:117 Resp: 521832  
Ion Ratio Lower Upper  
117 100  
82 59.0 47.4 71.2  
119 31.9 23.8 35.8



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.770 min Scan# 2009  
Delta R.T. 0.000 min  
Lab File: VN087504.D  
Acq: 12 Aug 2025 11:07

Tgt Ion:152 Resp: 242445  
Ion Ratio Lower Upper  
152 100  
115 66.0 31.1 93.5  
150 156.6 0.0 349.0



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087504.D  
 Acq On : 12 Aug 2025 11:07  
 Operator : JC\MD  
 Sample : VN0812WBL01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 4 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VN0812WBL01**

Integration Parameters: RTEINT.P  
 Integrator: RTE  
 Smoothing : ON Filtering: 5  
 Sampling : 1 Min Area: 3 % of largest Peak  
 Start Thrs: 0.2 Max Peaks: 100  
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >  
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Title : SW846 8260

Signal : TIC: VN087504.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	8.153	1043	1054	1058	rBV	280625	654831	32.27%	6.211%
2	8.206	1058	1063	1074	rVB	405461	918158	45.25%	8.708%
3	8.565	1114	1124	1134	rBV	319803	728104	35.88%	6.906%
4	9.083	1202	1212	1227	rBV	708749	1459675	71.93%	13.844%
5	10.547	1453	1461	1472	rBV	1112883	2029213	100.00%	19.246%
6	11.847	1673	1682	1695	rBV	976620	1773724	87.41%	16.823%
7	12.829	1840	1849	1862	rBV	725584	1327120	65.40%	12.587%
8	13.770	2002	2009	2023	rBV	959454	1652927	81.46%	15.677%


Sum of corrected areas: 10543752

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087504.D  
 Acq On : 12 Aug 2025 11:07  
 Operator : JC\MD  
 Sample : VN0812WBL01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 4 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VN0812WBL01**

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
 TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087504.D  
Acq On : 12 Aug 2025 11:07  
Operator : JC\MD  
Sample : VN0812WBL01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0812WBL01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

\*\*\*\*\*

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087504.D  
Acq On : 12 Aug 2025 11:07  
Operator : JC\MD  
Sample : VN0812WBL01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0812WBL01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard---		
					#	RT	Resp



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:
Project:	Andrews St Site - NYSDEC E828144			Date Received:
Client Sample ID:	VN0813WBL01		SDG No.:	Q2816
Lab Sample ID:	VN0813WBL01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL		Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087527.D	1	08/13/25 11:41	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	1.00	U	0.22	1.00	ug/L
74-87-3	Chloromethane	1.00	U	0.32	1.00	ug/L
75-01-4	Vinyl Chloride	1.00	U	0.26	1.00	ug/L
74-83-9	Bromomethane	5.00	U	1.40	5.00	ug/L
75-00-3	Chloroethane	1.00	U	0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	1.00	U	0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	1.00	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	1.00	U	0.23	1.00	ug/L
67-64-1	Acetone	5.00	U	1.50	5.00	ug/L
75-15-0	Carbon Disulfide	1.00	U	0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	1.00	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	1.00	U	0.27	1.00	ug/L
75-09-2	Methylene Chloride	1.00	U	0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	1.00	U	0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	1.00	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	5.00	U	1.50	5.00	ug/L
78-93-3	2-Butanone	5.00	U	0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	1.00	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	1.00	U	0.19	1.00	ug/L
74-97-5	Bromochloromethane	1.00	U	0.22	1.00	ug/L
67-66-3	Chloroform	1.00	U	0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	1.00	U	0.20	1.00	ug/L
108-87-2	Methylcyclohexane	1.00	U	0.16	1.00	ug/L
71-43-2	Benzene	1.00	U	0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	1.00	U	0.22	1.00	ug/L
79-01-6	Trichloroethene	1.00	U	0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	1.00	U	0.20	1.00	ug/L
75-27-4	Bromodichloromethane	1.00	U	0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	5.00	U	0.68	5.00	ug/L
108-88-3	Toluene	1.00	U	0.14	1.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:
Project:	Andrews St Site - NYSDEC E828144			Date Received:
Client Sample ID:	VN0813WBL01		SDG No.:	Q2816
Lab Sample ID:	VN0813WBL01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL		Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087527.D	1	08/13/25 11:41	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	1.00	U	0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.00	U	0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	1.00	U	0.21	1.00	ug/L
591-78-6	2-Hexanone	5.00	U	0.89	5.00	ug/L
124-48-1	Dibromochloromethane	1.00	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	1.00	U	0.15	1.00	ug/L
127-18-4	Tetrachloroethene	1.00	U	0.23	1.00	ug/L
108-90-7	Chlorobenzene	1.00	U	0.12	1.00	ug/L
100-41-4	Ethyl Benzene	1.00	U	0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	2.00	U	0.24	2.00	ug/L
95-47-6	o-Xylene	1.00	U	0.12	1.00	ug/L
100-42-5	Styrene	1.00	U	0.15	1.00	ug/L
75-25-2	Bromoform	1.00	U	0.19	1.00	ug/L
98-82-8	Isopropylbenzene	1.00	U	0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	1.00	U	0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	1.00	U	0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	1.00	U	0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	1.00	U	0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	1.00	U	0.20	1.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	59.6		74 - 125	119%	SPK: 50
1868-53-7	Dibromofluoromethane	49.7		75 - 124	99%	SPK: 50
2037-26-5	Toluene-d8	52.0		86 - 113	104%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.2		77 - 121	100%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	241000	8.212			
540-36-3	1,4-Difluorobenzene	517000	9.088			
3114-55-4	Chlorobenzene-d5	473000	11.847			
3855-82-1	1,4-Dichlorobenzene-d4	218000	13.77			



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:
Project:	Andrews St Site - NYSDEC E828144			Date Received:
Client Sample ID:	VN0813WBL01		SDG No.:	Q2816
Lab Sample ID:	VN0813WBL01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087527.D	1	08/13/25 11:41	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087527.D  
 Acq On : 13 Aug 2025 11:41  
 Operator : JC\MD  
 Sample : VN0813WBL01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 4 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VN0813WBL01**

Quant Time: Aug 14 03:57:00 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	240605	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.088	114	517097	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	472576	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	217582	50.000	ug/l	0.00


System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.565	65	243187	59.567	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	=	119.140%
35) Dibromofluoromethane	8.153	113	177183	49.674	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	99.340%
50) Toluene-d8	10.547	98	661503	51.990	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	=	103.980%
62) 4-Bromofluorobenzene	12.829	95	235890	50.181	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	=	100.360%


Target Compounds	Qvalue
(#= qualifier out of range (m) = manual integration (+) = signals summed	

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087527.D  
Acq On : 13 Aug 2025 11:41  
Operator : JC\MD  
Sample : VN0813WBL01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 4 Sample Multiplier: 1


Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0813WBL01

Quant Time: Aug 14 03:57:00 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 8.212 min Scan# 1  
Instrument : MSVOA\_N  
Delta R.T. 0.000 min  
Lab File: VN087527.D  
ClientSampleId : VN0813WBL01  
Acq: 13 Aug 2025 11:41





Tgt Ion:168 Resp: 240605  
Ion Ratio Lower Upper  
168 100  
99 67.4 47.9 71.9




#33  
1,2-Dichloroethane-d4  
Concen: 59.567 ug/l  
RT: 8.565 min Scan# 1124  
Delta R.T. 0.000 min  
Lab File: VN087527.D  
Acq: 13 Aug 2025 11:41



Tgt Ion: 65 Resp: 243187  
Ion Ratio Lower Upper  
65 100  
67 51.2 0.0 104.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l


RT: 9.088 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087527.D

Acq: 13 Aug 2025 11:41

Instrument : MSVOA\_N  
 ClientSampleId : VN0813WBL01






Tgt Ion:114 Resp: 517097

Ion Ratio Lower Upper

114 100

63 20.9 0.0 44.6

88 15.5 0.0 32.8



#35

Dibromofluoromethane

Concen: 49.674 ug/l

RT: 8.153 min Scan# 1054

Delta R.T. 0.006 min

Lab File: VN087527.D

Acq: 13 Aug 2025 11:41



Tgt Ion:113 Resp: 177183




Ion Ratio Lower Upper

113 100

111 105.4 82.5 123.7

192 15.8 13.7 20.5






#50  
Toluene-d8  
Concen: 51.990 ug/l  
RT: 10.547 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087527.D  
Acq: 13 Aug 2025 11:41


Instrument : MSVOA\_N  
ClientSampleId : VN0813WBL01


Tgt Ion: 98 Resp: 661503  
Ion Ratio Lower Upper  
98 100  
100 63.8 52.1 78.1



#62  
4-Bromofluorobenzene  
Concen: 50.181 ug/l  
RT: 12.829 min Scan# 1849  
Delta R.T. 0.000 min  
Lab File: VN087527.D  
Acq: 13 Aug 2025 11:41

Tgt Ion: 95 Resp: 235890  
Ion Ratio Lower Upper  
95 100  
174 69.0 0.0 149.4  
176 65.4 0.0 141.2







#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.847 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087527.D  
Acq: 13 Aug 2025 11:41


Instrument : MSVOA\_N  
ClientSampleId : VN0813WBL01

Tgt Ion:117 Resp: 472576  
Ion Ratio Lower Upper  
117 100  
82 60.1 47.4 71.2  
119 32.5 23.8 35.8



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.770 min Scan# 2009  
Delta R.T. 0.000 min  
Lab File: VN087527.D  
Acq: 13 Aug 2025 11:41

Tgt Ion:152 Resp: 217582  
Ion Ratio Lower Upper  
152 100  
115 66.2 31.1 93.5  
150 157.7 0.0 349.0



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087527.D  
 Acq On : 13 Aug 2025 11:41  
 Operator : JC\MD  
 Sample : VN0813WBL01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 4 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**VN0813WBL01**

Integration Parameters: RTEINT.P  
 Integrator: RTE  
 Smoothing : ON Filtering: 5  
 Sampling : 1 Min Area: 3 % of largest Peak  
 Start Thrs: 0.2 Max Peaks: 100  
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >  
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Title : SW846 8260

Signal : TIC: VN087527.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	8.153	1044	1054	1059	rBV2	245609	632518	34.29%	6.615%
2	8.212	1059	1064	1075	rVB	360237	792247	42.95%	8.286%
3	8.565	1114	1124	1134	rBV	291119	667094	36.17%	6.977%
4	9.083	1203	1212	1222	rBV	627525	1313806	71.23%	13.741%
5	10.547	1451	1461	1472	rBV	1011196	1844378	100.00%	19.290%
6	11.847	1672	1682	1696	rBV	879222	1610887	87.34%	16.848%
7	12.829	1841	1849	1863	rBV	649288	1206225	65.40%	12.616%
8	13.770	2002	2009	2020	rVV	849038	1494049	81.01%	15.626%




Sum of corrected areas: 9561204

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087527.D  
Acq On : 13 Aug 2025 11:41  
Operator : JC\MD  
Sample : VN0813WBL01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0813WBL01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087527.D  
Acq On : 13 Aug 2025 11:41  
Operator : JC\MD  
Sample : VN0813WBL01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0813WBL01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

\*\*\*\*\*

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087527.D  
Acq On : 13 Aug 2025 11:41  
Operator : JC\MD  
Sample : VN0813WBL01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0813WBL01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard---		
					#	RT	Resp



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:
Project:	Andrews St Site - NYSDEC E828144			Date Received:
Client Sample ID:	VN0812WBS01		SDG No.:	Q2816
Lab Sample ID:	VN0812WBS01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL		Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087505.D	1	08/12/25 11:42	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	22.2		0.22	1.00	ug/L
74-87-3	Chloromethane	18.1		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	19.3		0.26	1.00	ug/L
74-83-9	Bromomethane	19.8		1.40	5.00	ug/L
75-00-3	Chloroethane	20.3		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	19.5		0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	19.5		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	18.6		0.23	1.00	ug/L
67-64-1	Acetone	110		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	18.3		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	21.8		0.16	1.00	ug/L
79-20-9	Methyl Acetate	21.4		0.27	1.00	ug/L
75-09-2	Methylene Chloride	19.2		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	19.1		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	20.1		0.23	1.00	ug/L
110-82-7	Cyclohexane	19.6		1.50	5.00	ug/L
78-93-3	2-Butanone	98.5		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	17.6		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	20.6		0.19	1.00	ug/L
74-97-5	Bromochloromethane	19.4		0.22	1.00	ug/L
67-66-3	Chloroform	20.7		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	20.3		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	19.4		0.16	1.00	ug/L
71-43-2	Benzene	18.3		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	19.9		0.22	1.00	ug/L
79-01-6	Trichloroethene	17.1		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	19.3		0.20	1.00	ug/L
75-27-4	Bromodichloromethane	18.8		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	93.9		0.68	5.00	ug/L
108-88-3	Toluene	18.8		0.14	1.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:
Project:	Andrews St Site - NYSDEC E828144			Date Received:
Client Sample ID:	VN0812WBS01		SDG No.:	Q2816
Lab Sample ID:	VN0812WBS01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL		Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087505.D	1	08/12/25 11:42	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	20.2		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	19.9		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	18.5		0.21	1.00	ug/L
591-78-6	2-Hexanone	92.3		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	18.7		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	19.0		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	16.2		0.23	1.00	ug/L
108-90-7	Chlorobenzene	17.8		0.12	1.00	ug/L
100-41-4	Ethyl Benzene	19.4		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	37.5		0.24	2.00	ug/L
95-47-6	o-Xylene	19.6		0.12	1.00	ug/L
100-42-5	Styrene	19.1		0.15	1.00	ug/L
75-25-2	Bromoform	17.1		0.19	1.00	ug/L
98-82-8	Isopropylbenzene	21.4		0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	19.8		0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	18.6		0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	18.6		0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	19.8		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	18.5		0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	20.7		0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	19.0		0.20	1.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	53.3		74 - 125	107%	SPK: 50
1868-53-7	Dibromofluoromethane	44.8		75 - 124	90%	SPK: 50
2037-26-5	Toluene-d8	46.2		86 - 113	92%	SPK: 50
460-00-4	4-Bromofluorobenzene	48.7		77 - 121	97%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	293000		8.206		
540-36-3	1,4-Difluorobenzene	577000		9.082		
3114-55-4	Chlorobenzene-d5	523000		11.847		
3855-82-1	1,4-Dichlorobenzene-d4	257000		13.77		



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.	Date Collected:	
Project:	Andrews St Site - NYSDEC E828144	Date Received:	
Client Sample ID:	VN0812WBS01	SDG No.:	Q2816
Lab Sample ID:	VN0812WBS01	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5      Units: mL	Final Vol:	5000      uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624      ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087505.D	1	08/12/25 11:42	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087505.D  
 Acq On : 12 Aug 2025 11:42  
 Operator : JC\MD  
 Sample : VN0812WBS01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0812WBS01

Quant Time: Aug 13 03:00:50 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations  
APPROVED**

Reviewed By :John Carlane 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.206	168	292778	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.082	114	576676	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	523240	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	256652	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	264919	53.327	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	106.660%	
35) Dibromofluoromethane	8.153	113	178267	44.814	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	89.620%	
50) Toluene-d8	10.547	98	655005	46.161	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	92.320%	
62) 4-Bromofluorobenzene	12.829	95	255516	48.740	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	97.480%	
<b>Target Compounds</b>						
				Qvalue		
2) Dichlorodifluoromethane	2.142	85	68991	22.186	ug/l	87
3) Chloromethane	2.389	50	70909	18.133	ug/l	93
4) Vinyl Chloride	2.542	62	75107	19.327	ug/l	91
5) Bromomethane	2.977	94	39856	19.805	ug/l	95
6) Chloroethane	3.142	64	51562	20.345	ug/l	94
7) Trichlorofluoromethane	3.512	101	111797	19.455	ug/l	100
8) Diethyl Ether	3.959	74	49528	22.219	ug/l	98
9) 1,1,2-Trichlorotrifluo...	4.371	101	57454	19.477	ug/l	95
10) Methyl Iodide	4.583	142	30990	14.693	ug/l	# 88
11) Tert butyl alcohol	5.518	59	96731	102.547	ug/l	97
12) 1,1-Dichloroethene	4.342	96	62167	18.597	ug/l	99
13) Acrolein	4.177	56	99159	130.989	ug/l	100
14) Allyl chloride	5.012	41	122600	20.266	ug/l	93
15) Acrylonitrile	5.712	53	247530	96.703	ug/l	99
16) Acetone	4.430	43	249332	107.043	ug/l	95
17) Carbon Disulfide	4.706	76	181331	18.297	ug/l	# 90
18) Methyl Acetate	5.018	43	125027	21.365	ug/l	98
19) Methyl tert-butyl Ether	5.788	73	268531	21.794	ug/l	99
20) Methylene Chloride	5.265	84	77076	19.180	ug/l	97
21) trans-1,2-Dichloroethene	5.777	96	72010	19.105	ug/l	94
22) Diisopropyl ether	6.659	45	271606	21.404	ug/l	95
23) Vinyl Acetate	6.594	43	1258088	113.358	ug/l	98
24) 1,1-Dichloroethane	6.559	63	147450	20.141	ug/l	99
25) 2-Butanone	7.471	43	354546	98.514	ug/l	97
26) 2,2-Dichloropropane	7.471	77	130032	22.845	ug/l	97
27) cis-1,2-Dichloroethene	7.471	96	89561	20.639	ug/l	93
28) Bromochloromethane	7.800	49	68027	19.415	ug/l	93
29) Tetrahydrofuran	7.830	42	238378	101.959	ug/l	97
30) Chloroform	7.953	83	151851	20.722	ug/l	96
31) Cyclohexane	8.241	56	119834	19.621	ug/l	97
32) 1,1,1-Trichloroethane	8.153	97	128806	20.295	ug/l	98
36) 1,1-Dichloropropene	8.359	75	100577	19.137	ug/l	98
37) Ethyl Acetate	7.547	43	140369	18.493	ug/l	98
38) Carbon Tetrachloride	8.347	117	102118	17.639	ug/l	97
39) Methylcyclohexane	9.582	83	110560	19.431	ug/l	98
40) Benzene	8.588	78	310818	18.299	ug/l	96

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087505.D  
 Acq On : 12 Aug 2025 11:42  
 Operator : JC\MD  
 Sample : VN0812WBS01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0812WBS01

Quant Time: Aug 13 03:00:50 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations  
APPROVED**

Reviewed By :John Carlane 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.765	41	78542	19.790	ug/1	96
42) 1,2-Dichloroethane	8.653	62	128218	19.905	ug/1	98
43) Isopropyl Acetate	8.677	43	233840	19.846	ug/1	98
44) Trichloroethene	9.335	130	68578	17.087	ug/1	98
45) 1,2-Dichloropropane	9.606	63	83164	19.269	ug/1	100
46) Dibromomethane	9.688	93	58870	18.218	ug/1	95
47) Bromodichloromethane	9.871	83	122095	18.758	ug/1	94
48) Methyl methacrylate	9.665	41	109579	20.658	ug/1	92
49) 1,4-Dioxane	9.682	88	29359	361.375	ug/1 #	99
51) 4-Methyl-2-Pentanone	10.429	43	699710	93.893	ug/1	97
52) Toluene	10.612	92	193918	18.783	ug/1	96
53) t-1,3-Dichloropropene	10.818	75	133370	20.246	ug/1	96
54) cis-1,3-Dichloropropene	10.294	75	135073	19.851	ug/1	91
55) 1,1,2-Trichloroethane	10.994	97	77374	18.511	ug/1	98
56) Ethyl methacrylate	10.859	69	134186	19.869	ug/1	96
57) 1,3-Dichloropropane	11.147	76	135824	18.794	ug/1	100
58) 2-Chloroethyl Vinyl ether	10.141	63	374162	109.124	ug/1	98
59) 2-Hexanone	11.182	43	456112	92.251	ug/1	99
60) Dibromochloromethane	11.341	129	88960	18.662	ug/1	96
61) 1,2-Dibromoethane	11.453	107	83456	18.989	ug/1	92
64) Tetrachloroethene	11.082	164	54713	16.247	ug/1	94
65) Chlorobenzene	11.870	112	209568	17.840	ug/1	100
66) 1,1,1,2-Tetrachloroethane	11.941	131	72668	18.192	ug/1	98
67) Ethyl Benzene	11.947	91	375225	19.403	ug/1	100
68) m/p-Xylenes	12.053	106	271778	37.530	ug/1	92
69) o-Xylene	12.376	106	135420	19.577	ug/1	94
70) Styrene	12.394	104	221910	19.070	ug/1	94
71) Bromoform	12.559	173	55211	17.109	ug/1 #	99
73) Isopropylbenzene	12.676	105	345641	21.398	ug/1	96
74) N-amyl acetate	12.529	43	115014m	17.137	ug/1	
75) 1,1,2,2-Tetrachloroethane	12.917	83	120145	19.767	ug/1	98
76) 1,2,3-Trichloropropane	12.970	75	122446m	21.276	ug/1	
77) Bromobenzene	12.964	156	82729	19.748	ug/1	91
78) n-propylbenzene	13.017	91	425221	20.923	ug/1	97
79) 2-Chlorotoluene	13.106	91	253436	20.291	ug/1	99
80) 1,3,5-Trimethylbenzene	13.153	105	295518	21.472	ug/1	97
81) trans-1,4-Dichloro-2-b...	12.717	75	37270	17.719	ug/1	93
82) 4-Chlorotoluene	13.200	91	273495	21.032	ug/1	96
83) tert-Butylbenzene	13.417	119	246210	21.419	ug/1	97
84) 1,2,4-Trimethylbenzene	13.459	105	303556	21.598	ug/1	94
85) sec-Butylbenzene	13.594	105	360000	20.792	ug/1	99
86) p-Isopropyltoluene	13.711	119	302007	21.765	ug/1	97
87) 1,3-Dichlorobenzene	13.711	146	153160	18.628	ug/1	99
88) 1,4-Dichlorobenzene	13.794	146	162894	18.550	ug/1	96
89) n-Butylbenzene	14.035	91	296535	22.381	ug/1	98
90) Hexachloroethane	14.311	117	56479	19.211	ug/1	94
91) 1,2-Dichlorobenzene	14.088	146	154034	19.776	ug/1	97
92) 1,2-Dibromo-3-Chloropr...	14.700	75	29553	18.519	ug/1	95
93) 1,2,4-Trichlorobenzene	15.370	180	94568	20.669	ug/1	98
94) Hexachlorobutadiene	15.476	225	33941	19.964	ug/1	97
95) Naphthalene	15.617	128	323641	19.967	ug/1	99
96) 1,2,3-Trichlorobenzene	15.817	180	87388	19.041	ug/1	99

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087505.D  
Acq On : 12 Aug 2025 11:42  
Operator : JC\MD  
Sample : VN0812WBS01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 5 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0812WBS01

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carbone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

Quant Time: Aug 13 03:00:50 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

---

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225  
Data File : VN087505.D  
Acq On : 12 Aug 2025 11:42  
Operator : JC\MD  
Sample : VN0812WBS01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 5 Sample Multiplier: 1


Quant Time: Aug 13 03:00:50 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
VN0812WBS01

## Manual Integrations APPROVED


Reviewed By :John Caralone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025





#1  
 Pentafluorobenzene  
 Concen: 50.000 ug/l  
 RT: 8.206 min Scan# 1  
 Delta R.T. -0.006 min  
 Lab File: VN087505.D  
 Acq: 12 Aug 2025 11:42




Instrument : MSVOA\_N  
 ClientSampleId : VN0812WBS01




Tgt Ion:168 Resp: 292773  
 Ion Ratio Lower Upper  
 168 100  
 99 70.0 47.9 71.9

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025




#2  
 Dichlorodifluoromethane  
 Concen: 22.186 ug/l  
 RT: 2.142 min Scan# 32  
 Delta R.T. 0.000 min  
 Lab File: VN087505.D  
 Acq: 12 Aug 2025 11:42




Tgt Ion: 85 Resp: 68991  
 Ion Ratio Lower Upper  
 85 100  
 87 28.2 17.8 53.3





#3  
Chloromethane  
Concen: 18.133 ug/l  
RT: 2.389 min Scan# 7  
Delta R.T. 0.006 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42




Instrument : MSVOA\_N  
ClientSampleId : VN0812WBS01




Tgt Ion: 50 Resp: 70909  
Ion Ratio Lower Upper  
50 100  
52 28.8 26.3 39.5

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#4  
Vinyl Chloride  
Concen: 19.327 ug/l  
RT: 2.542 min Scan# 100  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42




Tgt Ion: 62 Resp: 75107  
Ion Ratio Lower Upper  
62 100  
64 28.6 27.0 40.6





#5  
Bromomethane  
Concen: 19.805 ug/l  
RT: 2.977 min Scan# 1  
Delta R.T. 0.006 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42




Instrument : MSVOA\_N  
ClientSampleId : VN0812WBS01




Tgt Ion: 94 Resp: 39850  
Ion Ratio Lower Upper  
94 100  
96 86.6 73.4 110.2

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#6  
Chloroethane  
Concen: 20.345 ug/l  
RT: 3.142 min Scan# 202  
Delta R.T. 0.012 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42




Tgt Ion: 64 Resp: 51562  
Ion Ratio Lower Upper  
64 100  
66 33.9 24.6 36.8





#7  
Trichlorofluoromethane  
Concen: 19.455 ug/l  
RT: 3.512 min Scan# 2  
Delta R.T. 0.006 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42




Instrument : MSVOA\_N  
ClientSampleId : VN0812WBS01




Tgt Ion:101 Resp: 11179  
Ion Ratio Lower Upper  
101 100  
103 61.9 49.8 74.6

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#8  
Diethyl Ether  
Concen: 22.219 ug/l  
RT: 3.959 min Scan# 341  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42




Tgt Ion: 74 Resp: 49528  
Ion Ratio Lower Upper  
74 100  
45 99.5 50.8 152.5





#9  
1,1,2-Trichlorotrifluoroethane  
Concen: 19.477 ug/l  
RT: 4.371 min Scan# 4  
Delta R.T. 0.012 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42



Instrument : MSVOA\_N  
ClientSampleId : VN0812WBS01



Tgt	Ion:101	Resp:	57454
	Ion Ratio	Lower	Upper
101	100		
85	51.0	37.3	55.9
151	70.4	58.9	88.3


### Manual Integrations APPROVED







Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#10  
Methyl Iodide  
Concen: 14.693 ug/l  
RT: 4.583 min Scan# 447  
Delta R.T. 0.006 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Tgt	Ion:142	Resp:	30990
	Ion Ratio	Lower	Upper
142	100		
127	54.0	35.7	53.5
141	12.4	10.4	15.6






#11

Tert butyl alcohol  
Concen: 102.547 ug/l  
RT: 5.518 min Scan# 6  
Delta R.T. -0.006 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Instrument : MSVOA\_N  
ClientSampleId : VN0812WBS01


### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#12  
1,1-Dichloroethene  
Concen: 18.597 ug/l  
RT: 4.342 min Scan# 406  
Delta R.T. 0.012 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42


Tgt Ion: 96 Resp: 62167  
Ion Ratio Lower Upper  
96 100  
61 166.4 132.3 198.5  
98 59.7 46.8 70.2





#13  
Acrolein  
Concen: 130.989 ug/l  
RT: 4.177 min Scan# 3  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42




Instrument : MSVOA\_N  
ClientSampleId : VN0812WBS01




Tgt Ion: 56 Resp: 99159  
Ion Ratio Lower Upper  
56 100  
55 70.4 56.2 84.4

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025









#14  
Allyl chloride  
Concen: 20.266 ug/l  
RT: 5.012 min Scan# 520  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42



Tgt Ion: 41 Resp: 122600  
Ion Ratio Lower Upper  
41 100  
39 81.7 59.0 88.6  
76 34.8 28.7 43.1





#15

Acrylonitrile

Concen: 96.703 ug/l

RT: 5.712 min Scan# 6

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01

Tgt Ion: 53 Resp: 247530

Ion Ratio Lower Upper

53 100


52 82.0 65.5 98.3

51 37.4 28.7 43.1

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025




#16  
Acetone  
Concen: 107.043 ug/l  
RT: 4.430 min Scan# 421  
Delta R.T. 0.006 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42




Tgt Ion: 43 Resp: 249332

Ion Ratio Lower Upper

43 100

58 25.0 22.3 33.5





#17

Carbon Disulfide

Concen: 18.297 ug/l

RT: 4.706 min Scan# 4

Delta R.T. 0.012 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42




Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#18

Methyl Acetate

Concen: 21.365 ug/l

RT: 5.018 min Scan# 521

Delta R.T. 0.006 min

Lab File: VN087505.D


Acq: 12 Aug 2025 11:42


Tgt Ion: 43 Resp: 125027

Ion Ratio Lower Upper





43 100

74 21.3 17.8 26.6





Abundance Scan 652 (5.788 min): VN087505.D\data.ms



#19

Methyl tert-butyl Ether

Concen: 21.794 ug/l

RT: 5.788 min Scan# 6

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Instrument :

MSVOA\_N

ClientSampleId :

VN0812WBS01

Tgt Ion: 73 Resp: 26853

Ion Ratio Lower Upper


73 100

57 22.5 18.6 27.8

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#20

Methylene Chloride

Concen: 19.180 ug/l

RT: 5.265 min Scan# 563

Delta R.T. 0.006 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Tgt Ion: 84 Resp: 77076


Ion Ratio Lower Upper







84 100

49 136.6 107.5 161.3

51 42.9 30.2 45.2

86 62.3 49.3 73.9






#21

trans-1,2-Dichloroethene  
Concen: 19.105 ug/l  
RT: 5.777 min Scan# 6  
Delta R.T. 0.006 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0812WBS01

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#22

Diisopropyl ether  
Concen: 21.404 ug/l  
RT: 6.659 min Scan# 800  
Delta R.T. -0.006 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Tgt Ion: 45 Resp: 271606  
Ion Ratio Lower Upper  
45 100  
43 58.1 42.8 64.2  
87 22.7 19.8 29.6  
59 10.3 8.3 12.5





#23

Vinyl Acetate

Concen: 113.358 ug/l

RT: 6.594 min Scan# 7

Delta R.T. 0.006 min

Lab File: VN087505.D


Acq: 12 Aug 2025 11:42

Instrument :

MSVOA\_N

ClientSampleId :

VN0812WBS01



Tgt Ion: 43 Resp: 125808

Ion Ratio Lower Upper







43 100




86 10.3 7.7 11.5

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025

#24  
1,1-Dichloroethane  
Concen: 20.141 ug/l  
RT: 6.559 min Scan# 783  
Delta R.T. 0.006 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42Tgt Ion: 63 Resp: 147450  
Ion Ratio Lower Upper  
63 100  
98 6.9 3.3 9.9  
100 4.6 2.5 7.4







#25  
2-Butanone  
Concen: 98.514 ug/l  
RT: 7.471 min Scan# 938  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Instrument : MSVOA\_N  
ClientSampleId : VN0812WBS01


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#26  
2,2-Dichloropropane  
Concen: 22.845 ug/l  
RT: 7.471 min Scan# 938  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Tgt Ion: 77 Resp: 130032  
Ion Ratio Lower Upper  
77 100  
97 20.7 11.1 33.1









#27

cis-1,2-Dichloroethene  
Concen: 20.639 ug/l  
RT: 7.471 min Scan# 938  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0812WBS01

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#28

Bromochloromethane  
Concen: 19.415 ug/l  
RT: 7.800 min Scan# 994  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Tgt Ion: 49 Resp: 68027  
Ion Ratio Lower Upper  
49 100  
129 1.6 0.0 4.2  
130 65.5 57.3 85.9





#29

Tetrahydrofuran

Concen: 101.959 ug/l

RT: 7.830 min Scan# 999

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42





Instrument :

MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#30

Chloroform

Concen: 20.722 ug/l

RT: 7.953 min Scan# 1020

Delta R.T. 0.000 min

Lab File: VN087505.D


Acq: 12 Aug 2025 11:42




Tgt Ion: 83 Resp: 151851

Ion Ratio Lower Upper

83 100

85 62.7 52.7 79.1





#31

Cyclohexane

Concen: 19.621 ug/l

RT: 8.241 min Scan# 1069

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42





Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#32

1,1,1-Trichloroethane


Concen: 20.295 ug/l







RT: 8.153 min Scan# 1054

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

 Tgt Ion: 97 Resp: 128806  
 Ion Ratio Lower Upper  
 97 100  
 99 63.4 51.8 77.8  
 61 46.6 38.7 58.1




#33

1,2-Dichloroethane-d4

Concen: 53.327 ug/l

RT: 8.565 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087505.D


Acq: 12 Aug 2025 11:42

Instrument :

MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.082 min Scan# 1212

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42


Tgt Ion:114 Resp: 576676


Ion Ratio Lower Upper

114 100

63 23.8 0.0 44.6

88 16.5 0.0 32.8





#35

Dibromofluoromethane



Concen: 44.814 ug/l

RT: 8.153 min Scan# 1053

Delta R.T. 0.006 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42








Instrument :


MSVOA\_N

ClientSampleId :



VN0812WBS01

**Manual Integrations  
APPROVED**



 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025

 #36  
 1,1-Dichloropropene  
 Concen: 19.137 ug/l  
 RT: 8.359 min Scan# 1089  
 Delta R.T. 0.006 min  
 Lab File: VN087505.D  
 Acq: 12 Aug 2025 11:42

 Tgt Ion: 75 Resp: 100577  
 Ion Ratio Lower Upper  
 75 100  
 110 32.2 16.7 50.1  
 77 31.0 25.2 37.8




Abundance Scan 951 (7.547 min): VN087505.D\data.ms



Abundance Scan 1087 (8.347 min): VN087505.D\data.ms



#37

## Ethyl Acetate

Concen: 18.493 ug/l

RT: 7.547 min Scan# 9

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01

Tgt Ion: 43 Resp: 140369

Ion Ratio Lower Upper

43 100

61 12.4 10.9 16.3



70 9.2 7.4 11.0

## Manual Integrations



## APPROVED

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



Abundance Scan 1087 (8.347 min): VN087505.D\data.ms



#38

## Carbon Tetrachloride

Concen: 17.639 ug/l

RT: 8.347 min Scan# 1087

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42


Tgt Ion:117 Resp: 102118




Ion Ratio Lower Upper

117 100

119 103.5 80.2 120.2

121 32.4 25.4 38.2





#39

Methylcyclohexane

Concen: 19.431 ug/l

RT: 9.582 min Scan# 110560

Delta R.T. 0.000 min

Lab File: VN087505.D





Acq: 12 Aug 2025 11:42

Instrument : MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#40

Benzene


Concen: 18.299 ug/l







RT: 8.588 min Scan# 1128

Delta R.T. -0.006 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

 Tgt Ion: 78 Resp: 310818  
 Ion Ratio Lower Upper  
 78 100  
 77 24.7 18.2 27.2




#41

Methacrylonitrile

Concen: 19.790 ug/l

RT: 7.765 min Scan# 9

Delta R.T. -0.006 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Instrument:

MSVOA\_N





ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#42

1,2-Dichloroethane

Concen: 19.905 ug/l

RT: 8.653 min Scan# 1139

Delta R.T. 0.000 min

Lab File: VN087505.D


Acq: 12 Aug 2025 11:42


Tgt Ion: 62 Resp: 128218

Ion Ratio Lower Upper

62 100

98 8.2 0.0 18.0





#43

Isopropyl Acetate

Concen: 19.846 ug/l

RT: 8.677 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42


Instrument :

MSVOA\_N

ClientSampleId :

VN0812WBS01

Abundance Scan 1143 (8.677 min): VN087505.D\data.ms



Tgt Ion: 43 Resp: 233840

Ion Ratio Lower Upper

43 100



61 23.9 19.8 29.8

87 11.6 9.8 14.6

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#44

Trichloroethene


Concen: 17.087 ug/l

RT: 9.335 min Scan# 1255

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42










Tgt Ion:130 Resp: 68578

Ion Ratio Lower Upper

130 100

95 99.4 0.0 195.2





#45

1,2-Dichloropropane

Concen: 19.269 ug/l

RT: 9.606 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01


Tgt Ion: 63 Resp: 83164

Ion Ratio Lower Upper

63 100

65 33.5 27.0 40.4

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#46

Dibromomethane

Concen: 18.218 ug/l

RT: 9.688 min Scan# 1315

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42


Tgt Ion: 93 Resp: 58870




Ion Ratio Lower Upper

93 100

95 84.6 65.8 98.8

174 80.8 69.9 104.9





#47

Bromodichloromethane

Concen: 18.758 ug/l

RT: 9.871 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087505.D




Acq: 12 Aug 2025 11:42

Instrument : MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#48

Methyl methacrylate

Concen: 20.658 ug/l

RT: 9.665 min Scan# 1311


Delta R.T. 0.000 min


Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Tgt Ion: 41 Resp: 109579


Ion Ratio	Lower	Upper
41	100	
69	75.6	64.1
39	66.4	45.5





#49  
1,4-Dioxane  
Concen: 361.375 ug/l  
RT: 9.682 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42




Instrument : MSVOA\_N  
ClientSampleId : VN0812WBS01




Tgt Ion: 88 Resp: 29359  
Ion Ratio Lower Upper  
88 100  
43 0.0 0.0 0.0  
58 77.7 61.1 91.7

Manual Integrations  
APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#50  
Toluene-d8  
Concen: 46.161 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42







Tgt Ion: 98 Resp: 655005  
Ion Ratio Lower Upper  
98 100  
100 65.3 52.1 78.1





Abundance Scan 1441 (10.429 min): VN087505.D\data.ms



#51

4-Methyl-2-Pentanone

Concen: 93.893 ug/l

RT: 10.429 min Scan# 1441

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01

Tgt Ion: 43 Resp: 699710

Ion Ratio Lower Upper


43 100

58 36.5 30.8 46.2

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025




#52  
Toluene  
Concen: 18.783 ug/l  
RT: 10.612 min Scan# 1472  
Delta R.T. -0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42




Tgt Ion: 92 Resp: 193918

Ion Ratio Lower Upper

92 100

91 174.4 135.1 202.7









#53  
t-1,3-Dichloropropene  
Concen: 20.246 ug/l  
RT: 10.818 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0812WBS01


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#54  
cis-1,3-Dichloropropene  
Concen: 19.851 ug/l  
RT: 10.294 min Scan# 1418  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Tgt Ion: 75 Resp: 135073  
Ion Ratio Lower Upper  
75 100  
77 31.9 24.2 36.2  
39 56.6 38.4 57.6





#55

1,1,2-Trichloroethane

Concen: 18.511 ug/l

RT: 10.994 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087505.D




Acq: 12 Aug 2025 11:42

Instrument :

MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#56

Ethyl methacrylate

Concen: 19.869 ug/l

RT: 10.859 min Scan# 1514

Delta R.T. -0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42


Tgt Ion: 69 Resp: 134186


Ion Ratio Lower Upper

69 100



41 70.0 55.1 82.7

39 40.3 27.9 41.9







Abundance Scan 1563 (11.147 min): VN087505.D\data.ms (-)



Abundance Scan 1392 (10.141 min): VN087505.D\data.ms (-)



Abundance Scan 1392 (10.141 min): VN087505.D\data.ms (-)



#57

1,3-Dichloropropane

Concen: 18.794 ug/l

RT: 11.147 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Instrument :

MSVOA\_N

ClientSampleId :

VN0812WBS01

Tgt Ion: 76 Resp: 13582

Ion Ratio Lower Upper


76 100

78 32.4 26.0 39.0

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#58

2-Chloroethyl Vinyl ether

Concen: 109.124 ug/l

RT: 10.141 min Scan# 1392

Delta R.T. 0.000 min

Lab File: VN087505.D


Acq: 12 Aug 2025 11:42


Tgt Ion: 63 Resp: 374162

Ion Ratio Lower Upper



63 100

106 26.2 21.7 32.5







Abundance Scan 1569 (11.182 min): VN087505.D\data.ms



Abundance Scan 1596 (11.341 min): VN087505.D\data.ms



#59

2-Hexanone

Concen: 92.251 ug/l

RT: 11.182 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01

Tgt Ion: 43 Resp: 45611

Ion Ratio Lower Upper


43 100

58 52.3 26.7 80.0

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#60

Dibromochloromethane

Concen: 18.662 ug/l

RT: 11.341 min Scan# 1596

Delta R.T. 0.000 min

Lab File: VN087505.D


Acq: 12 Aug 2025 11:42




Tgt Ion:129 Resp: 88960

Ion Ratio Lower Upper

129 100

127 75.2 39.1 117.5









#61  
1,2-Dibromoethane  
Concen: 18.989 ug/l  
RT: 11.453 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0812WBS01


### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#62  
4-Bromofluorobenzene  
Concen: 48.740 ug/l  
RT: 12.829 min Scan# 1849  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Tgt Ion: 95 Resp: 255516  
Ion Ratio Lower Upper  
95 100  
174 65.5 0.0 149.4  
176 64.8 0.0 141.2







#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.847 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0812WBS01


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#64  
Tetrachloroethene  
Concen: 16.247 ug/l  
RT: 11.082 min Scan# 1552  
Delta R.T. -0.006 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Tgt Ion:164 Resp: 54713  
Ion Ratio Lower Upper  
164 100  
166 126.7 105.5 158.3  
129 104.3 77.4 116.2  
131 104.5 77.3 115.9





#65

Chlorobenzene

Concen: 17.840 ug/l

RT: 11.870 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087505.D





Acq: 12 Aug 2025 11:42

Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#66

1,1,1,2-Tetrachloroethane

Concen: 18.192 ug/l


RT: 11.941 min Scan# 1698




Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Tgt	Ion:131	Resp:	72668
Ion	Ratio	Lower	Upper
131	100		
133	97.9	47.4	142.3
119	67.4	33.1	99.2





#67

Ethyl Benzene

Concen: 19.403 ug/l

RT: 11.947 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087505.D





Acq: 12 Aug 2025 11:42

Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#68

m/p-Xylenes


Concen: 37.530 ug/l




RT: 12.053 min Scan# 1717

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Tgt Ion:106 Resp: 271778  
Ion Ratio Lower Upper  
106 100  
91 215.0 162.0 243.0







#69  
o-Xylene  
Concen: 19.577 ug/l  
RT: 12.376 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Instrument : MSVOA\_N  
ClientSampleId : VN0812WBS01


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#70  
Styrene  
Concen: 19.070 ug/l  
RT: 12.394 min Scan# 1775  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Tgt Ion:104 Resp: 221910  
Ion Ratio Lower Upper  
104 100  
78 56.9 41.0 61.6  
103 57.5 43.9 65.9





#71

Bromoform

Concen: 17.109 ug/l

RT: 12.559 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087505.D




Acq: 12 Aug 2025 11:42

Instrument : MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.770 min Scan# 2009

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42


Tgt Ion:152 Resp: 256652







Ion Ratio Lower Upper

152 100

115 63.0 31.1 93.5

150 165.2 0.0 349.0





#73

Isopropylbenzene

Concen: 21.398 ug/l

RT: 12.676 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087505.D


Acq: 12 Aug 2025 11:42

Instrument :

MSVOA\_N


ClientSampleId :




VN0812WBS01

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#74  
N-amyl acetate  
Concen: 17.137 ug/l m  
RT: 12.529 min Scan# 1798  
Delta R.T. 0.035 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Tgt Ion: 43 Resp: 115014  
Ion Ratio Lower Upper  
43 100  
70 5.3 37.6 56.4#  
55 0.0 19.6 29.4#  
61 4.5 20.6 31.0#









#75  
1,1,2,2-Tetrachloroethane  
Concen: 19.767 ug/l  
RT: 12.917 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Instrument : MSVOA\_N  
ClientSampleId : VN0812WBS01


### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#76  
1,2,3-Trichloropropane  
Concen: 21.276 ug/l  
RT: 12.970 min Scan# 1873  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Tgt Ion: 75 Resp: 122446  
Ion Ratio Lower Upper  
75 100  
77 167.9 94.5 283.6









Abundance Scan 1872 (12.964 min): VN087505.D\data.ms (-)



Abundance Scan 1872 (12.964 min): VN087505.D\data.ms (-)



#77

Bromobenzene

Concen: 19.748 ug/l

RT: 12.964 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01

Tgt Ion:156 Resp: 82729

Ion Ratio Lower Upper

156 100


77 248.5 114.9 344.6

158 92.9 48.5 145.5

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#78

n-propylbenzene

Concen: 20.923 ug/l

RT: 13.017 min Scan# 1881

Delta R.T. 0.000 min

Lab File: VN087505.D


Acq: 12 Aug 2025 11:42




Tgt Ion: 91 Resp: 425221

Ion Ratio Lower Upper

91 100

120 21.1 11.3 33.8





#79

2-Chlorotoluene

Concen: 20.291 ug/l

RT: 13.106 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087505.D




Acq: 12 Aug 2025 11:42

Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#80

1,3,5-Trimethylbenzene

Concen: 21.472 ug/l

RT: 13.153 min Scan# 1904

Delta R.T. 0.000 min

Lab File: VN087505.D



Acq: 12 Aug 2025 11:42




Tgt Ion:105 Resp: 295518

Ion Ratio Lower Upper

105 100

120 46.7 24.3 72.8









#81  
trans-1,4-Dichloro-2-butene  
Concen: 17.719 ug/l  
RT: 12.717 min Scan# 1

Instrument : MSVOA\_N  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#82  
4-Chlorotoluene  
Concen: 21.032 ug/l  
RT: 13.200 min Scan# 1912  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Tgt Ion: 91 Resp: 273495  
Ion Ratio Lower Upper  
91 100  
126 31.1 16.6 49.7





#83

tert-Butylbenzene

Concen: 21.419 ug/l

RT: 13.417 min Scan# 1949

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42




Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#84

1,2,4-Trimethylbenzene


Concen: 21.598 ug/l




RT: 13.459 min Scan# 1956

Delta R.T. -0.006 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

 Tgt Ion:105 Resp: 303556  
 Ion Ratio Lower Upper  
 105 100  
 120 41.7 22.8 68.3




#85

sec-Butylbenzene

Concen: 20.792 ug/l

RT: 13.594 min Scan# 1979

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42




Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#86

p-Isopropyltoluene

Concen: 21.765 ug/l

RT: 13.711 min Scan# 1999

Delta R.T. 0.006 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42


Tgt Ion:119 Resp: 302007




Ion Ratio Lower Upper

119 100

134 25.0 13.5 40.5

91 25.8 12.2 36.6





#87





1,3-Dichlorobenzene  
Concen: 18.628 ug/l  
RT: 13.711 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0812WBS01

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025


Tgt	Ion	Ion Ratio	Resp:	Lower	Upper
	146	100	153160		
	111	44.1	21.4	64.3	
	148	63.6	31.6	95.0	






#88

1,4-Dichlorobenzene  
Concen: 18.550 ug/l  
RT: 13.794 min Scan# 2013  
Delta R.T. 0.006 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Tgt	Ion	Ion Ratio	Resp:	Lower	Upper
	146	100	162894		
	111	43.1	19.6	58.7	
	148	64.5	31.4	94.0	





#89

n-Butylbenzene

Concen: 22.381 ug/l

RT: 14.035 min Scan# 2

Instrument:

Delta R.T. 0.000 min

MSVOA\_N




Lab File: VN087505.D

ClientSampleId :

Acq: 12 Aug 2025 11:42

VN0812WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#90

Hexachloroethane


Concen: 19.211 ug/l




RT: 14.311 min Scan# 2101

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

 Tgt Ion:117 Resp: 56479  
 Ion Ratio Lower Upper  
 117 100  
 201 61.1 32.8 98.4








#91

1,2-Dichlorobenzene  
Concen: 19.776 ug/l  
RT: 14.088 min Scan# 2167  
Delta R.T. 0.006 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Instrument : MSVOA\_N  
ClientSampleId : VN0812WBS01

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#92

1,2-Dibromo-3-Chloropropane  
Concen: 18.519 ug/l  
RT: 14.700 min Scan# 2167  
Delta R.T. 0.000 min  
Lab File: VN087505.D  
Acq: 12 Aug 2025 11:42

Tgt Ion: 75 Resp: 29553  
Ion Ratio Lower Upper  
75 100  
155 69.6 37.3 111.8  
157 87.6 46.2 138.6





#93

1,2,4-Trichlorobenzene

Concen: 20.669 ug/l

RT: 15.370 min Scan# 2281

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42




Instrument:

MSVOA\_N

ClientSampleId :

VN0812WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#94

Hexachlorobutadiene

Concen: 19.964 ug/l


RT: 15.476 min Scan# 2299







Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Tgt	Ion:225	Resp:	33941
Ion	Ratio	Lower	Upper
225	100		
223	69.4	32.1	96.3
227	62.5	31.3	93.9





#95

Naphthalene

Concen: 19.967 ug/l

RT: 15.617 min Scan# 2

Delta R.T. 0.000 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42

Instrument :

MSVOA\_N

ClientSampleId :

VN0812WBS01

Tgt Ion:128 Resp: 32364

Ion Ratio Lower Upper

128 100


127 12.9 10.5 15.7

129 10.8 8.4 12.6

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#96

1,2,3-Trichlorobenzene

Concen: 19.041 ug/l

RT: 15.817 min Scan# 2357

Delta R.T. 0.006 min

Lab File: VN087505.D

Acq: 12 Aug 2025 11:42


Tgt Ion:180 Resp: 87388

Ion Ratio Lower Upper

180 100

182 95.8 47.1 141.4

145 34.3 16.9 50.6





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:
Project:	Andrews St Site - NYSDEC E828144			Date Received:
Client Sample ID:	VN0813WBS01		SDG No.:	Q2816
Lab Sample ID:	VN0813WBS01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL		Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087528.D	1	08/13/25 12:39	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	23.3		0.22	1.00	ug/L
74-87-3	Chloromethane	18.4		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	20.8		0.26	1.00	ug/L
74-83-9	Bromomethane	21.9		1.40	5.00	ug/L
75-00-3	Chloroethane	20.7		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	20.9		0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	21.4		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	19.2		0.23	1.00	ug/L
67-64-1	Acetone	120		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	18.1		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	22.9		0.16	1.00	ug/L
79-20-9	Methyl Acetate	22.7		0.27	1.00	ug/L
75-09-2	Methylene Chloride	20.0		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	19.0		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	21.1		0.23	1.00	ug/L
110-82-7	Cyclohexane	20.8		1.50	5.00	ug/L
78-93-3	2-Butanone	110		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	18.5		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	21.2		0.19	1.00	ug/L
74-97-5	Bromochloromethane	26.6		0.22	1.00	ug/L
67-66-3	Chloroform	21.8		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	20.7		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	20.0		0.16	1.00	ug/L
71-43-2	Benzene	19.2		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	20.8		0.22	1.00	ug/L
79-01-6	Trichloroethene	17.5		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	19.2		0.20	1.00	ug/L
75-27-4	Bromodichloromethane	19.7		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	99.2		0.68	5.00	ug/L
108-88-3	Toluene	19.3		0.14	1.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:
Project:	Andrews St Site - NYSDEC E828144			Date Received:
Client Sample ID:	VN0813WBS01		SDG No.:	Q2816
Lab Sample ID:	VN0813WBS01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL		Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087528.D	1	08/13/25 12:39	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	20.8		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	20.3		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	19.5		0.21	1.00	ug/L
591-78-6	2-Hexanone	98.5		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	18.9		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	18.9		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	17.0		0.23	1.00	ug/L
108-90-7	Chlorobenzene	18.8		0.12	1.00	ug/L
100-41-4	Ethyl Benzene	19.6		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	38.5		0.24	2.00	ug/L
95-47-6	o-Xylene	19.8		0.12	1.00	ug/L
100-42-5	Styrene	20.2		0.15	1.00	ug/L
75-25-2	Bromoform	17.3		0.19	1.00	ug/L
98-82-8	Isopropylbenzene	21.3		0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	20.3		0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	19.0		0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	18.8		0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	19.6		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	18.6		0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	20.2		0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	18.9		0.20	1.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	58.5		74 - 125	117%	SPK: 50
1868-53-7	Dibromofluoromethane	49.9		75 - 124	100%	SPK: 50
2037-26-5	Toluene-d8	51.1		86 - 113	102%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.4		77 - 121	105%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	271000		8.212		
540-36-3	1,4-Difluorobenzene	532000		9.088		
3114-55-4	Chlorobenzene-d5	484000		11.847		
3855-82-1	1,4-Dichlorobenzene-d4	246000		13.77		



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:
Project:	Andrews St Site - NYSDEC E828144			Date Received:
Client Sample ID:	VN0813WBS01		SDG No.:	Q2816
Lab Sample ID:	VN0813WBS01		Matrix:	Water
Analytical Method:	8260D		% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087528.D	1	08/13/25 12:39	VN081325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087528.D  
 Acq On : 13 Aug 2025 12:39  
 Operator : JC\MD  
 Sample : VN0813WBS01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0813WBS01

Quant Time: Aug 14 03:57:27 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations  
APPROVED**

Reviewed By :John Carlane 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	271136	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.088	114	532074	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	483502	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	246357	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	269348	58.546	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	= 117.100%		
35) Dibromofluoromethane	8.153	113	183322	49.948	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	= 99.900%		
50) Toluene-d8	10.547	98	668561	51.066	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	= 102.140%		
62) 4-Bromofluorobenzene	12.829	95	253521	52.413	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	= 104.820%		
<b>Target Compounds</b>						
				Qvalue		
2) Dichlorodifluoromethane	2.142	85	67174	23.326	ug/l	90
3) Chloromethane	2.389	50	66776	18.439	ug/l	92
4) Vinyl Chloride	2.542	62	74754	20.771	ug/l	96
5) Bromomethane	2.983	94	40764	21.873	ug/l	96
6) Chloroethane	3.136	64	48629	20.719	ug/l	96
7) Trichlorofluoromethane	3.512	101	111233	20.902	ug/l	99
8) Diethyl Ether	3.965	74	48291	23.393	ug/l	100
9) 1,1,2-Trichlorotrifluo...	4.365	101	58540	21.429	ug/l	95
10) Methyl Iodide	4.583	142	35025	16.690	ug/l	# 80
11) Tert butyl alcohol	5.524	59	97141	111.202	ug/l	99
12) 1,1-Dichloroethene	4.342	96	59582	19.247	ug/l	91
13) Acrolein	4.177	56	67486	96.264	ug/l	95
14) Allyl chloride	5.012	41	114422	20.424	ug/l	93
15) Acrylonitrile	5.712	53	232694	98.163	ug/l	97
16) Acetone	4.424	43	264610	122.670	ug/l	95
17) Carbon Disulfide	4.706	76	166545	18.146	ug/l	# 94
18) Methyl Acetate	5.018	43	123131	22.720	ug/l	98
19) Methyl tert-butyl Ether	5.789	73	260864	22.862	ug/l	98
20) Methylene Chloride	5.265	84	74231	19.972	ug/l	95
21) trans-1,2-Dichloroethene	5.771	96	66300	18.994	ug/l	93
22) Diisopropyl ether	6.659	45	255940	21.779	ug/l	94
23) Vinyl Acetate	6.589	43	1200447	116.798	ug/l	100
24) 1,1-Dichloroethane	6.559	63	142998	21.092	ug/l	98
25) 2-Butanone	7.477	43	352074	105.636	ug/l	98
26) 2,2-Dichloropropane	7.483	77	122382	23.217	ug/l	100
27) cis-1,2-Dichloroethene	7.477	96	85349	21.238	ug/l	98
28) Bromochloromethane	7.800	49	86255	26.583	ug/l	94
29) Tetrahydrofuran	7.830	42	226869	104.782	ug/l	98
30) Chloroform	7.953	83	147959	21.803	ug/l	100
31) Cyclohexane	8.247	56	117459	20.768	ug/l	93
32) 1,1,1-Trichloroethane	8.153	97	121717	20.709	ug/l	92
36) 1,1-Dichloropropene	8.353	75	93953	19.376	ug/l	97
37) Ethyl Acetate	7.547	43	140045	19.997	ug/l	99
38) Carbon Tetrachloride	8.347	117	98608	18.460	ug/l	99
39) Methylcyclohexane	9.582	83	104990	19.999	ug/l	95
40) Benzene	8.588	78	300280	19.160	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
 Data File : VN087528.D  
 Acq On : 13 Aug 2025 12:39  
 Operator : JC\MD  
 Sample : VN0813WBS01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0813WBS01

Quant Time: Aug 14 03:57:27 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlane 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.771	41	72592	19.824	ug/1	97
42) 1,2-Dichloroethane	8.659	62	123364	20.757	ug/1	98
43) Isopropyl Acetate	8.677	43	226277	20.814	ug/1	97
44) Trichloroethene	9.335	130	64984	17.548	ug/1	80
45) 1,2-Dichloropropane	9.606	63	76438	19.195	ug/1	95
46) Dibromomethane	9.694	93	58121	19.494	ug/1	94
47) Bromodichloromethane	9.871	83	118437	19.721	ug/1 #	99
48) Methyl methacrylate	9.665	41	101733	20.787	ug/1	93
49) 1,4-Dioxane	9.682	88	30716	409.771	ug/1 #	99
51) 4-Methyl-2-Pentanone	10.429	43	682146	99.209	ug/1	98
52) Toluene	10.612	92	184134	19.330	ug/1	95
53) t-1,3-Dichloropropene	10.818	75	126655	20.839	ug/1	97
54) cis-1,3-Dichloropropene	10.294	75	127653	20.333	ug/1 #	82
55) 1,1,2-Trichloroethane	11.000	97	75351	19.538	ug/1	93
56) Ethyl methacrylate	10.859	69	124909	20.038	ug/1 #	94
57) 1,3-Dichloropropane	11.147	76	133523	20.025	ug/1	99
58) 2-Chloroethyl Vinyl ether	10.141	63	357207	112.912	ug/1	100
59) 2-Hexanone	11.182	43	449566	98.549	ug/1	99
60) Dibromochloromethane	11.341	129	83142	18.904	ug/1	98
61) 1,2-Dibromoethane	11.453	107	76462	18.856	ug/1	97
64) Tetrachloroethene	11.088	164	52809	16.970	ug/1	94
65) Chlorobenzene	11.871	112	204381	18.828	ug/1	99
66) 1,1,1,2-Tetrachloroethane	11.941	131	70375	19.066	ug/1	100
67) Ethyl Benzene	11.947	91	350836	19.633	ug/1	98
68) m/p-Xylenes	12.053	106	257573	38.492	ug/1	87
69) o-Xylene	12.382	106	126743	19.828	ug/1	92
70) Styrene	12.394	104	217628	20.239	ug/1	95
71) Bromoform	12.559	173	51553	17.288	ug/1 #	100
73) Isopropylbenzene	12.676	105	329550	21.254	ug/1	98
74) N-amyl acetate	12.529	43	117589m	18.253	ug/1	
75) 1,1,2,2-Tetrachloroethane	12.918	83	118693	20.344	ug/1	99
76) 1,2,3-Trichloropropane	12.976	75	104369m	18.893	ug/1	
77) Bromobenzene	12.965	156	79368	19.737	ug/1	94
78) n-propylbenzene	13.018	91	406345	20.830	ug/1	97
79) 2-Chlorotoluene	13.106	91	249430	20.804	ug/1	95
80) 1,3,5-Trimethylbenzene	13.153	105	279232	21.137	ug/1	100
81) trans-1,4-Dichloro-2-b...	12.718	75	35665	17.665	ug/1	91
82) 4-Chlorotoluene	13.206	91	259571	20.795	ug/1	96
83) tert-Butylbenzene	13.418	119	235302	21.326	ug/1	97
84) 1,2,4-Trimethylbenzene	13.465	105	293504	21.755	ug/1	95
85) sec-Butylbenzene	13.594	105	350703	21.102	ug/1	98
86) p-Isopropyltoluene	13.712	119	289012	21.699	ug/1	97
87) 1,3-Dichlorobenzene	13.717	146	150068	19.015	ug/1	99
88) 1,4-Dichlorobenzene	13.794	146	158514	18.806	ug/1	98
89) n-Butylbenzene	14.035	91	289625	22.773	ug/1	99
90) Hexachloroethane	14.312	117	54681	19.377	ug/1	94
91) 1,2-Dichlorobenzene	14.088	146	146430	19.585	ug/1	98
92) 1,2-Dibromo-3-Chloropr...	14.700	75	28461	18.580	ug/1	92
93) 1,2,4-Trichlorobenzene	15.370	180	88514	20.154	ug/1	98
94) Hexachlorobutadiene	15.476	225	32512	19.923	ug/1	99
95) Naphthalene	15.611	128	315158	20.256	ug/1	99
96) 1,2,3-Trichlorobenzene	15.817	180	83466	18.946	ug/1	96

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087528.D  
Acq On : 13 Aug 2025 12:39  
Operator : JC\MD  
Sample : VN0813WBS01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 5 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0813WBS01

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carbone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

Quant Time: Aug 14 03:57:27 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

---

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081325\  
Data File : VN087528.D  
Acq On : 13 Aug 2025 12:39  
Operator : JC\MD  
Sample : VN0813WBS01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 5 Sample Multiplier: 1




Quant Time: Aug 14 03:57:27 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
VN0813WBS01

## Manual Integrations APPROVED

Reviewed By :John Caralone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 8.212 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39




Instrument:

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#2

Dichlorodifluoromethane

Concen: 23.326 ug/l

RT: 2.142 min Scan# 32

Delta R.T. 0.000 min

Lab File: VN087528.D


Acq: 13 Aug 2025 12:39




Tgt Ion: 85 Resp: 67174

Ion Ratio Lower Upper

85 100

87 29.7 17.8 53.3








#3 Chloromethane Concen: 18.439 ug/l RT: 2.389 min Scan# 7

Instrument : MSVOA\_N  
Delta R.T. 0.006 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0813WBS01

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025




#4 Vinyl Chloride Concen: 20.771 ug/l RT: 2.542 min Scan# 100

Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39


Tgt Ion: 62 Resp: 74754  
Ion Ratio Lower Upper  
62 100  
64 31.6 27.0 40.6





#5  
Bromomethane  
Concen: 21.873 ug/l  
RT: 2.983 min Scan# 1  
Delta R.T. 0.012 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39




Instrument : MSVOA\_N  
ClientSampleId : VN0813WBS01




Tgt Ion: 94 Resp: 40764  
Ion Ratio Lower Upper  
94 100  
96 88.0 73.4 110.2

**Manual Integrations**  
**APPROVED**



Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025









#6  
Chloroethane  
Concen: 20.719 ug/l  
RT: 3.136 min Scan# 201  
Delta R.T. 0.006 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39



Tgt Ion: 64 Resp: 48629  
Ion Ratio Lower Upper  
64 100  
66 32.7 24.6 36.8






#7

Trichlorofluoromethane  
Concen: 20.902 ug/l  
RT: 3.512 min Scan# 2  
Delta R.T. 0.006 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0813WBS01


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#8  
Diethyl Ether  
Concen: 23.393 ug/l  
RT: 3.965 min Scan# 342  
Delta R.T. 0.006 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion: 74 Resp: 48291  
Ion Ratio Lower Upper  
74 100  
45 101.8 50.8 152.5





#9

1,1,2-Trichlorotrifluoroethane

Concen: 21.429 ug/l

RT: 4.365 min Scan# 4

Delta R.T. 0.006 min

Lab File: VN087528.D




Acq: 13 Aug 2025 12:39

Instrument:

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

#10

Methyl Iodide


Concen: 16.690 ug/l







RT: 4.583 min Scan# 447

Delta R.T. 0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Tgt Ion:142 Resp: 35025  
Ion Ratio Lower Upper  
142 100  
127 58.9 35.7 53.5#  
141 17.7 10.4 15.6#




#11

Tert butyl alcohol  
Concen: 111.202 ug/l  
RT: 5.524 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0813WBS01

### Manual Integrations APPROVED


Reviewed By :John Carbone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025









#12

1,1-Dichloroethene  
Concen: 19.247 ug/l  
RT: 4.342 min Scan# 406  
Delta R.T. 0.012 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion: 96 Resp: 59582  
Ion Ratio Lower Upper  
96 100  
61 174.8 132.3 198.5  
98 69.3 46.8 70.2





#13

Acrolein

Concen: 96.264 ug/l

RT: 4.177 min Scan# 3

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Instrument :

MSVOA\_N


ClientSampleId :

VN0813WBS01

Tgt Ion: 56 Resp: 67480  
 Ion Ratio Lower Upper  
 56 100  
 55 74.6 56.2 84.4


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025



#14  
 Allyl chloride  
 Concen: 20.424 ug/l  
 RT: 5.012 min Scan# 520  
 Delta R.T. 0.000 min  
 Lab File: VN087528.D  
 Acq: 13 Aug 2025 12:39

Tgt Ion: 41 Resp: 114422  
 Ion Ratio Lower Upper  
 41 100  
 39 82.2 59.0 88.6  
 76 34.5 28.7 43.1





#15

Acrylonitrile

Concen: 98.163 ug/l

RT: 5.712 min Scan# 6

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39





Instrument :

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#16

Acetone

Concen: 122.670 ug/l

RT: 4.424 min Scan# 420

Delta R.T. 0.000 min

Lab File: VN087528.D


Acq: 13 Aug 2025 12:39







Tgt Ion: 43 Resp: 264610

Ion Ratio Lower Upper

43 100

58 30.8 22.3 33.5





#17

Carbon Disulfide

Concen: 18.146 ug/l

RT: 4.706 min Scan# 4

Delta R.T. 0.012 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Instrument :

MSVOA\_N

ClientSampleId :

VN0813WBS01

Tgt Ion: 76 Resp: 16654

Ion Ratio Lower Upper

76 100

78 8.4


8.6 13.0

Manual Integrations

APPROVED

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#18

Methyl Acetate

Concen: 22.720 ug/l

RT: 5.018 min Scan# 521

Delta R.T. 0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39


Tgt Ion: 43 Resp: 123131


Ion Ratio Lower Upper

43 100


74 23.1

17.8 26.6







Abundance Scan 652 (5.789 min): VN087528.D\data.ms




Abundance Scan 652 (5.789 min): VN087528.D\data.ms (-60)




Abundance Scan 562 (5.259 min): VN087331.D\data.ms (-54)



Abundance Scan 563 (5.265 min): VN087528.D\data.ms



Abundance Scan 563 (5.265 min): VN087528.D\data.ms (-51)



#19

Methyl tert-butyl Ether

Concen: 22.862 ug/l

RT: 5.789 min Scan# 6

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39


Instrument :

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#20

Methylene Chloride

Concen: 19.972 ug/l

RT: 5.265 min Scan# 563

Delta R.T. 0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Tgt Ion: 84 Resp: 74231


Ion Ratio Lower Upper




84 100

49 128.8 107.5 161.3

51 38.9 30.2 45.2

86 67.3 49.3 73.9





#21





trans-1,2-Dichloroethene  
Concen: 18.994 ug/l  
RT: 5.771 min Scan# 6  
Delta R.T. -0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument : MSVOA\_N  
ClientSampleId : VN0813WBS01

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025


Tgt Ion:	Ion Ratio	Lower	Upper
96	100		
61	143.4	122.0	183.0
98	66.4	50.0	75.0




#22

Diisopropyl ether  
Concen: 21.779 ug/l  
RT: 6.659 min Scan# 800  
Delta R.T. -0.006 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion:	Ion Ratio	Lower	Upper
45	100		
43	59.8	42.8	64.2
87	25.3	19.8	29.6
59	9.9	8.3	12.5





#23

## Vinyl Acetate

Concen: 116.798 ug/l

RT: 6.589 min Scan# 788

Delta R.T. 0.001 min

Lab File: VN087528.D


Acq: 13 Aug 2025 12:39

Instrument : MSVOA\_N

ClientSampleId :

VN0813WBS01

Abundance Scan 788 (6.589 min): VN087528.D\data.ms



Tgt Ion: 43 Resp: 120044

Ion Ratio Lower Upper

43 100






86 9.4 7.7 11.5




## Manual Integrations

APPROVED

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025

#24  
1,1-Dichloroethane  
Concen: 21.092 ug/l  
RT: 6.559 min Scan# 783  
Delta R.T. 0.006 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39Tgt Ion: 63 Resp: 142998  
Ion Ratio Lower Upper  
63 100  
98 7.4 3.3 9.9  
100 4.1 2.5 7.4



#25

2-Butanone

Concen: 105.636 ug/l

RT: 7.477 min Scan# 9

Delta R.T. 0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Instrument :

MSVOA\_N

ClientSampleId :

VN0813WBS01

Tgt Ion: 43 Resp: 352074

Ion Ratio Lower Upper




43 100

72 23.5 19.6 29.4

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#26

2,2-Dichloropropane

Concen: 23.217 ug/l

RT: 7.483 min Scan# 940

Delta R.T. 0.012 min

Lab File: VN087528.D


Acq: 13 Aug 2025 12:39







Tgt Ion: 77 Resp: 122382

Ion Ratio Lower Upper

77 100

97 22.1 11.1 33.1





#27

cis-1,2-Dichloroethene

Concen: 21.238 ug/l

RT: 7.477 min Scan# 9

Delta R.T. 0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39


Instrument :

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#28

Bromochloromethane

Concen: 26.583 ug/l

RT: 7.800 min Scan# 994


Delta R.T. 0.000 min




Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Tgt Ion: 49 Resp: 86255

Ion	Ratio	Lower	Upper
49	100		
129	0.8	0.0	4.2
130	66.8	57.3	85.9





#29

Tetrahydrofuran

Concen: 104.782 ug/l

RT: 7.830 min Scan# 999

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39





Instrument :

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#30

Chloroform


Concen: 21.803 ug/l




RT: 7.953 min Scan# 1020

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

 Tgt Ion: 83 Resp: 147959  
 Ion Ratio Lower Upper  
 83 100  
 85 65.7 52.7 79.1




#31

Cyclohexane

Concen: 20.768 ug/l

RT: 8.247 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39





Instrument:

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#32

1,1,1-Trichloroethane

Concen: 20.709 ug/l

RT: 8.153 min Scan# 1054

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39


Tgt Ion: 97 Resp: 121717


Ion Ratio Lower Upper

97 100


99 55.0 51.8 77.8

61 49.9 38.7 58.1








#33  
1,2-Dichloroethane-d4  
Concen: 58.546 ug/l  
RT: 8.565 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39




Tgt Ion: 65 Resp: 269348  
Ion Ratio Lower Upper  
65 100  
67 49.1 0.0 104.0

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025




#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 9.088 min Scan# 1213  
Delta R.T. 0.006 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39



Tgt Ion:114 Resp: 532074  
Ion Ratio Lower Upper  
114 100  
63 23.3 0.0 44.6  
88 15.6 0.0 32.8





#35

Dibromofluoromethane



Concen: 49.948 ug/l

RT: 8.153 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39








Instrument :




MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025

 #36  
 1,1-Dichloropropene  
 Concen: 19.376 ug/l  
 RT: 8.353 min Scan# 1088  
 Delta R.T. 0.000 min  
 Lab File: VN087528.D  
 Acq: 13 Aug 2025 12:39

 Tgt Ion: 75 Resp: 93953  
 Ion Ratio Lower Upper  
 75 100  
 110 31.3 16.7 50.1  
 77 30.0 25.2 37.8




#37

**Ethyl Acetate**

Concen: 19.997 ug/l

RT: 7.547 min Scan# 9

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Instrument:

MSVOA\_N

ClientSampleId :

VN0813WBS01

Tgt Ion: 43 Resp: 140049

Ion Ratio Lower Upper

43 100




61 12.7 10.9 16.3

70 9.1 7.4 11.0

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#38

**Carbon Tetrachloride**

Concen: 18.460 ug/l

RT: 8.347 min Scan# 1087

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39


Tgt Ion:117 Resp: 98608


Ion Ratio Lower Upper

117 100

119 99.4 80.2 120.2

121 30.0 25.4 38.2





#39

Methylcyclohexane

Concen: 19.999 ug/l

RT: 9.582 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Instrument:

MSVOA\_N

ClientSampleId :

VN0813WBS01

Tgt Ion: 83 Resp: 104990

Ion Ratio Lower Upper

83 100

55 71.8

98 45.2

61.3

37.9



91.9

56.9

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#40

Benzene

Concen: 19.160 ug/l

RT: 8.588 min Scan# 1128

Delta R.T. -0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Tgt Ion: 78 Resp: 300280


Ion Ratio Lower Upper







78 100

77 23.8

18.2

27.2





#41

Methacrylonitrile

Concen: 19.824 ug/l

RT: 7.771 min Scan# 9

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39


Instrument :

MSVOA\_N

ClientSampleId :

VN0813WBS01

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

#42

1,2-Dichloroethane

Concen: 20.757 ug/l

RT: 8.659 min Scan# 1140

Delta R.T. 0.006 min

Lab File: VN087528.D


Acq: 13 Aug 2025 12:39


Tgt Ion: 62 Resp: 123364

Ion Ratio Lower Upper

62 100

98 8.3 0.0 18.0





#43

Isopropyl Acetate

Concen: 20.814 ug/l

RT: 8.677 min Scan# 1

Delta R.T. -0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39


Instrument:

MSVOA\_N

ClientSampleId :

VN0813WBS01

Abundance Scan 1143 (8.677 min): VN087528.D\data.ms



Tgt Ion: 43 Resp: 22627

Ion Ratio Lower Upper

43 100



61 22.4 19.8 29.8

87 12.2 9.8 14.6

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#44

Trichloroethene


Concen: 17.548 ug/l

RT: 9.335 min Scan# 1255

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39




Tgt Ion:130 Resp: 64984


Ion Ratio Lower Upper




130 100

95 117.2 0.0 195.2



Abundance Scan 1255 (9.335 min): VN087528.D\data.ms (-1)





#45

1,2-Dichloropropane

Concen: 19.195 ug/l

RT: 9.606 min Scan# 1315

Delta R.T. -0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Instrument : MSVOA\_N

ClientSampleId :

VN0813WBS01

Tgt Ion: 63 Resp: 76438

Ion Ratio Lower Upper




63 100

65 30.6 27.0 40.4

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#46

Dibromomethane

Concen: 19.494 ug/l

RT: 9.694 min Scan# 1316

Delta R.T. 0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39


Tgt Ion: 93 Resp: 58121




Ion Ratio Lower Upper

93 100

95 79.5 65.8 98.8

174 79.5 69.9 104.9









#47

Bromodichloromethane  
Concen: 19.721 ug/l  
RT: 9.871 min Scan# 1346  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument : MSVOA\_N  
ClientSampleId : VN0813WBS01

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025




#48

Methyl methacrylate  
Concen: 20.787 ug/l  
RT: 9.665 min Scan# 1311  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion: 41 Resp: 101733  
Ion Ratio Lower Upper  
41 100  
69 77.7 64.1 96.1  
39 67.0 45.5 68.3





#49

1,4-Dioxane

Concen: 409.771 ug/l

RT: 9.682 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087528.D


Acq: 13 Aug 2025 12:39

Instrument :

MSVOA\_N

ClientSampleId :

VN0813WBS01



Tgt Ion: 88 Resp: 30710

Ion Ratio Lower Upper

88 100







43 0.0


58 75.4

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/14/2025


Supervised By :Mahesh Dadoda 08/18/2025

#50  
Toluene-d8  
Concen: 51.066 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39Tgt Ion: 98 Resp: 668561  
Ion Ratio Lower Upper  
98 100  
100 63.9 52.1 78.1



#51  
4-Methyl-2-Pentanone  
Concen: 99.209 ug/l  
RT: 10.429 min Scan# 1441  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39



Instrument : MSVOA\_N  
ClientSampleId : VN0813WBS01




Tgt Ion: 43 Resp: 682140  
Ion Ratio Lower Upper  
43 100  
58 37.0 30.8 46.2

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025






#52  
Toluene  
Concen: 19.330 ug/l  
RT: 10.612 min Scan# 1472  
Delta R.T. -0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39



Tgt Ion: 92 Resp: 184134  
Ion Ratio Lower Upper  
92 100  
91 175.9 135.1 202.7









#53  
t-1,3-Dichloropropene  
Concen: 20.839 ug/l  
RT: 10.818 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0813WBS01


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#54  
cis-1,3-Dichloropropene  
Concen: 20.333 ug/l  
RT: 10.294 min Scan# 1418  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion: 75 Resp: 127653  
Ion Ratio Lower Upper  
75 100  
77 34.0 24.2 36.2  
39 64.3 38.4 57.6#








#55

1,1,2-Trichloroethane  
Concen: 19.538 ug/l  
RT: 11.000 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument : MSVOA\_N  
ClientSampleId : VN0813WBS01

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025




#56



Ethyl methacrylate  
Concen: 20.038 ug/l  
RT: 10.859 min Scan# 1514  
Delta R.T. -0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion: 69 Resp: 124909  
Ion Ratio Lower Upper  
69 100  
41 71.0 55.1 82.7  
39 42.8 27.9 41.9#







Abundance Scan 1563 (11.147 min): VN087528.D\data.ms (-)



Abundance Scan 1392 (10.141 min): VN087528.D\data.ms (-)



Abundance Scan 1392 (10.141 min): VN087528.D\data.ms (-)



#57

1,3-Dichloropropane

Concen: 20.025 ug/l

RT: 11.147 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Instrument :

MSVOA\_N

ClientSampleId :

VN0813WBS01

Tgt Ion: 76 Resp: 13352

Ion Ratio Lower Upper


76 100

78 32.1 26.0 39.0

**Manual Integrations****APPROVED**

Reviewed By :John Carbone 08/14/2025

Supervised By :Mahesh Dadoda 08/18/2025



#58

2-Chloroethyl Vinyl ether

Concen: 112.912 ug/l

RT: 10.141 min Scan# 1392

Delta R.T. 0.000 min

Lab File: VN087528.D


Acq: 13 Aug 2025 12:39




Tgt Ion: 63 Resp: 357207

Ion Ratio Lower Upper

63 100

106 27.0 21.7 32.5





#59

2-Hexanone

Concen: 98.549 ug/l

RT: 11.182 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39





Instrument :

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#60

Dibromochloromethane

Concen: 18.904 ug/l

RT: 11.341 min Scan# 1596

Delta R.T. 0.000 min

Lab File: VN087528.D


Acq: 13 Aug 2025 12:39


Tgt Ion:129 Resp: 83142

Ion Ratio Lower Upper

129 100

127 76.2 39.1 117.5







#61  
1,2-Dibromoethane  
Concen: 18.856 ug/l  
RT: 11.453 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument : MSVOA\_N  
ClientSampleId : VN0813WBS01


**Manual Integrations**  
**APPROVED**




Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#62  
4-Bromofluorobenzene  
Concen: 52.413 ug/l  
RT: 12.829 min Scan# 1849  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion: 95 Resp: 253521  
Ion Ratio Lower Upper  
95 100  
174 67.2 0.0 149.4  
176 65.6 0.0 141.2





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.847 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39





Instrument:

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#64

Tetrachloroethene

Concen: 16.970 ug/l


RT: 11.088 min Scan# 1553


Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Tgt	Ion:164	Resp:	52809
Ion	Ratio	Lower	Upper
164	100		
166	117.3	105.5	158.3
129	94.1	77.4	116.2
131	95.0	77.3	115.9







#65  
Chlorobenzene  
Concen: 18.828 ug/l  
RT: 11.871 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument : MSVOA\_N  
ClientSampleId : VN0813WBS01


### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025




#66  
1,1,1,2-Tetrachloroethane  
Concen: 19.066 ug/l  
RT: 11.941 min Scan# 1698  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion:131 Resp: 70375  
Ion Ratio Lower Upper  
131 100  
133 95.5 47.4 142.3  
119 65.9 33.1 99.2






Abundance Scan 1699 (11.947 min): VN087528.D\data.ms (-)



Abundance Scan 1699 (11.947 min): VN087528.D\data.ms (-)



#67

Ethyl Benzene

Concen: 19.633 ug/l

RT: 11.947 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39


Instrument:

MSVOA\_N


ClientSampleId :

VN0813WBS01


**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


Abundance Scan 1717 (12.053 min): VN087528.D\data.ms (-)



Abundance Scan 1717 (12.053 min): VN087528.D\data.ms (-)



#68

m/p-Xylenes

Concen: 38.492 ug/l

RT: 12.053 min Scan# 1717

Delta R.T. 0.000 min

Lab File: VN087528.D


Acq: 13 Aug 2025 12:39




Tgt Ion:106 Resp: 257573

Ion Ratio Lower Upper

106 100

91 222.1 162.0 243.0









#69  
o-Xylene  
Concen: 19.828 ug/l  
RT: 12.382 min Scan# 1  
Delta R.T. 0.006 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0813WBS01


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#70  
Styrene  
Concen: 20.239 ug/l  
RT: 12.394 min Scan# 1775  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion:104 Resp: 217628  
Ion Ratio Lower Upper  
104 100  
78 56.7 41.0 61.6  
103 56.1 43.9 65.9





#71

Bromoform

Concen: 17.288 ug/l

RT: 12.559 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39




Instrument:

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.770 min Scan# 2009

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39


Tgt Ion:152 Resp: 246357




Ion Ratio Lower Upper

152 100

115 63.8 31.1 93.5

150 160.2 0.0 349.0





#73

Isopropylbenzene

Concen: 21.254 ug/l

RT: 12.676 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39




Instrument:

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#74

N-amyl acetate

Concen: 18.253 ug/l m

RT: 12.529 min Scan# 1798


Delta R.T. 0.035 min




Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Tgt Ion: 43 Resp: 117589

Ion Ratio Lower Upper









#75  
1,1,2,2-Tetrachloroethane  
Concen: 20.344 ug/l  
RT: 12.918 min Scan# 1864  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument : MSVOA\_N  
ClientSampleId : VN0813WBS01


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#76  
1,2,3-Trichloropropane  
Concen: 18.893 ug/l  
RT: 12.976 min Scan# 1874  
Delta R.T. 0.006 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion: 75 Resp: 104369  
Ion Ratio Lower Upper  
75 100  
77 184.5 94.5 283.6





#77

Bromobenzene

Concen: 19.737 ug/l

RT: 12.965 min Scan# 1872

Delta R.T. 0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39




Instrument :

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#78

n-propylbenzene

Concen: 20.830 ug/l

RT: 13.018 min Scan# 1881

Delta R.T. 0.000 min

Lab File: VN087528.D


Acq: 13 Aug 2025 12:39




Tgt Ion: 91 Resp: 406345

Ion Ratio Lower Upper

91 100

120 21.1 11.3 33.8





#79

2-Chlorotoluene

Concen: 20.804 ug/l

RT: 13.106 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087528.D





Acq: 13 Aug 2025 12:39

Instrument:

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025

#80

1,3,5-Trimethylbenzene


Concen: 21.137 ug/l


RT: 13.153 min Scan# 1904

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Tgt Ion:105 Resp: 279232  
Ion Ratio Lower Upper  
105 100  
120 48.6 24.3 72.8





#81  
trans-1,4-Dichloro-2-butene  
Concen: 17.665 ug/l  
RT: 12.718 min Scan# 1830  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument : MSVOA\_N  
ClientSampleId : VN0813WBS01


### Manual Integrations APPROVED







Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#82  
4-Chlorotoluene  
Concen: 20.795 ug/l  
RT: 13.206 min Scan# 1913  
Delta R.T. 0.006 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion: 91 Resp: 259571  
Ion Ratio Lower Upper  
91 100  
126 30.6 16.6 49.7





#83

tert-Butylbenzene

Concen: 21.326 ug/l

RT: 13.418 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39


Instrument:

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#84

1,2,4-Trimethylbenzene


Concen: 21.755 ug/l




RT: 13.465 min Scan# 1957

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

 Tgt Ion:105 Resp: 293504  
 Ion Ratio Lower Upper  
 105 100  
 120 42.3 22.8 68.3




#85

sec-Butylbenzene

Concen: 21.102 ug/l

RT: 13.594 min Scan# 1979

Delta R.T. 0.000 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39




Instrument:

MSVOA\_N

ClientSampleId :

VN0813WBS01

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/14/2025  
 Supervised By :Mahesh Dadoda 08/18/2025


#86

p-Isopropyltoluene

Concen: 21.699 ug/l

RT: 13.712 min Scan# 1999

Delta R.T. 0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39


Tgt Ion:119 Resp: 289012


Ion Ratio Lower Upper

119 100

134 25.6 13.5 40.5

91 26.2 12.2 36.6







#87  
1,3-Dichlorobenzene  
Concen: 19.015 ug/l  
RT: 13.717 min Scan# 2  
Delta R.T. 0.006 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument : MSVOA\_N  
ClientSampleId : VN0813WBS01


### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#88  
1,4-Dichlorobenzene  
Concen: 18.806 ug/l  
RT: 13.794 min Scan# 2013  
Delta R.T. 0.006 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion:146 Resp: 158514  
Ion Ratio Lower Upper  
146 100  
111 42.5 19.6 58.7  
148 62.9 31.4 94.0









#89  
n-Butylbenzene  
Concen: 22.773 ug/l  
RT: 14.035 min Scan# 2  
Instrument : MSVOA\_N  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion: 91 Resp: 28962  
Ion Ratio Lower Upper  
91 100  
92 52.0 26.2 78.6  
134 23.9 12.4 37.2




### Manual Integrations APPROVED




Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#90  
Hexachloroethane  
Concen: 19.377 ug/l  
RT: 14.312 min Scan# 2101  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion:117 Resp: 54681  
Ion Ratio Lower Upper  
117 100  
201 61.2 32.8 98.4









#91

1,2-Dichlorobenzene  
Concen: 19.585 ug/l  
RT: 14.088 min Scan# 2167  
Delta R.T. 0.006 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0813WBS01

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025






#92

1,2-Dibromo-3-Chloropropane  
Concen: 18.580 ug/l  
RT: 14.700 min Scan# 2167  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion: 75 Resp: 28461  
Ion Ratio Lower Upper  
75 100  
155 67.3 37.3 111.8  
157 84.7 46.2 138.6









#93

1,2,4-Trichlorobenzene  
Concen: 20.154 ug/l  
RT: 15.370 min Scan# 2281  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Instrument: MSVOA\_N  
ClientSampleId: VN0813WBS01

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025






#94

Hexachlorobutadiene  
Concen: 19.923 ug/l  
RT: 15.476 min Scan# 2299  
Delta R.T. 0.000 min  
Lab File: VN087528.D  
Acq: 13 Aug 2025 12:39

Tgt Ion:225 Resp: 32512  
Ion Ratio Lower Upper  
225 100  
223 65.1 32.1 96.3  
227 63.0 31.3 93.9





#95

Naphthalene

Concen: 20.256 ug/l

RT: 15.611 min Scan# 2323

Delta R.T. -0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Instrument:

MSVOA\_N





ClientSampleId :

VN0813WBS01

Tgt	Ion:128	Resp:	315153
Ion	Ratio	Lower	Upper
128	100		
127	12.8	10.5	15.7
129	10.9	8.4	12.6

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/14/2025  
Supervised By :Mahesh Dadoda 08/18/2025



#96

1,2,3-Trichlorobenzene

Concen: 18.946 ug/l


RT: 15.817 min Scan# 2357

Delta R.T. 0.006 min

Lab File: VN087528.D

Acq: 13 Aug 2025 12:39

Tgt	Ion:180	Resp:	83466
Ion	Ratio	Lower	Upper
180	100		
182	97.4	47.1	141.4
145	36.2	16.9	50.6





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.	Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144	Date Received:	08/11/25
Client Sample ID:	1056-MW-02(23.8)MS	SDG No.:	Q2816
Lab Sample ID:	Q2816-03MS	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087521.D	1	08/12/25 17:41	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	54.0		0.22	1.00	ug/L
74-87-3	Chloromethane	45.7		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	52.8		0.26	1.00	ug/L
74-83-9	Bromomethane	46.1		1.40	5.00	ug/L
75-00-3	Chloroethane	51.8		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	47.6		0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	48.8		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	47.3		0.23	1.00	ug/L
67-64-1	Acetone	250		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	44.4		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	55.2		0.16	1.00	ug/L
79-20-9	Methyl Acetate	50.7		0.27	1.00	ug/L
75-09-2	Methylene Chloride	49.4		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	47.7		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	49.4		0.23	1.00	ug/L
110-82-7	Cyclohexane	48.0		1.50	5.00	ug/L
78-93-3	2-Butanone	250		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	44.2		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	81.4		0.19	1.00	ug/L
74-97-5	Bromochloromethane	55.6		0.22	1.00	ug/L
67-66-3	Chloroform	51.9		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	50.0		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	47.0		0.16	1.00	ug/L
71-43-2	Benzene	45.9		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	47.5		0.22	1.00	ug/L
79-01-6	Trichloroethene	72.7		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	46.2		0.20	1.00	ug/L
75-27-4	Bromodichloromethane	47.7		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	240		0.68	5.00	ug/L
108-88-3	Toluene	46.8		0.14	1.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25
Client Sample ID:	1056-MW-02(23.8)MS			SDG No.:	Q2816
Lab Sample ID:	Q2816-03MS			Matrix:	Water
Analytical Method:	8260D			% Solid:	0
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000 uL
Soil Aliquot Vol:			uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID :	0.25	Level :	LOW
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087521.D	1	08/12/25 17:41	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	48.1		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	47.4		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	45.8		0.21	1.00	ug/L
591-78-6	2-Hexanone	240		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	46.2		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	47.1		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	99.2		0.23	1.00	ug/L
108-90-7	Chlorobenzene	44.2		0.12	1.00	ug/L
100-41-4	Ethyl Benzene	47.9		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	95.5		0.24	2.00	ug/L
95-47-6	o-Xylene	49.9		0.12	1.00	ug/L
100-42-5	Styrene	51.6		0.15	1.00	ug/L
75-25-2	Bromoform	44.5		0.19	1.00	ug/L
98-82-8	Isopropylbenzene	50.4		0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	47.7		0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	45.9		0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	43.8		0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	46.9		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	44.0		0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	46.4		0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	44.7		0.20	1.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	50.2		74 - 125	100%	SPK: 50
1868-53-7	Dibromofluoromethane	44.3		75 - 124	89%	SPK: 50
2037-26-5	Toluene-d8	43.5		86 - 113	87%	SPK: 50
460-00-4	4-Bromofluorobenzene	46.8		77 - 121	94%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	258000		8.212		
540-36-3	1,4-Difluorobenzene	516000		9.088		
3114-55-4	Chlorobenzene-d5	470000		11.847		
3855-82-1	1,4-Dichlorobenzene-d4	243000		13.77		



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.	Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144	Date Received:	08/11/25
Client Sample ID:	1056-MW-02(23.8)MS	SDG No.:	Q2816
Lab Sample ID:	Q2816-03MS	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:		uL	
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087521.D	1	08/12/25 17:41	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087521.D  
 Acq On : 12 Aug 2025 17:41  
 Operator : JC\MD  
 Sample : Q2816-03MS  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 21 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1056-MW-02(23.8)MS**

Quant Time: Aug 13 03:08:36 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlane 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.212	168	257892	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.088	114	515665	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	470061	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	243472	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	219872	50.246	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	100.500%	
35) Dibromofluoromethane	8.153	113	157411	44.253	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	88.500%	
50) Toluene-d8	10.547	98	552415	43.537	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	87.080%	
62) 4-Bromofluorobenzene	12.829	95	219296	46.780	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	93.560%	
<b>Target Compounds</b>						
				Qvalue		
2) Dichlorodifluoromethane	2.142	85	147929	54.006	ug/l	90
3) Chloromethane	2.383	50	157306	45.668	ug/l	99
4) Vinyl Chloride	2.542	62	180619	52.764	ug/l	100
5) Bromomethane	2.971	94	81746	46.115	ug/l	96
6) Chloroethane	3.136	64	115666	51.812	ug/l	97
7) Trichlorofluoromethane	3.512	101	241152	47.642	ug/l	97
8) Diethyl Ether	3.965	74	106049	54.010	ug/l	100
9) 1,1,2-Trichlorotrifluo...	4.371	101	126766	48.786	ug/l	96
10) Methyl Iodide	4.577	142	69414	28.674	ug/l	91
11) Tert butyl alcohol	5.524	59	214158	257.747	ug/l	98
12) 1,1-Dichloroethene	4.342	96	139190	47.271	ug/l	97
13) Acrolein	4.177	56	120315	180.435	ug/l	98
14) Allyl chloride	5.012	41	266551	50.021	ug/l	93
15) Acrylonitrile	5.712	53	545712	242.034	ug/l	97
16) Acetone	4.424	43	519643	253.271	ug/l	96
17) Carbon Disulfide	4.700	76	388029	44.449	ug/l #	94
18) Methyl Acetate	5.018	43	261529	50.736	ug/l	99
19) Methyl tert-butyl Ether	5.789	73	598622	55.157	ug/l	97
20) Methylene Chloride	5.265	84	171336	49.392	ug/l	96
21) trans-1,2-Dichloroethene	5.777	96	158234	47.660	ug/l	97
22) Diisopropyl ether	6.665	45	611013	54.664	ug/l	95
23) Vinyl Acetate	6.594	43	2668301	272.946	ug/l	100
24) 1,1-Dichloroethane	6.553	63	318357	49.368	ug/l	98
25) 2-Butanone	7.477	43	802359	253.101	ug/l	98
26) 2,2-Dichloropropane	7.477	77	239599	47.789	ug/l	98
27) cis-1,2-Dichloroethene	7.471	96	311131	81.397	ug/l	98
28) Bromochloromethane	7.800	49	171725	55.641	ug/l	92
29) Tetrahydrofuran	7.830	42	530913	257.801	ug/l	99
30) Chloroform	7.953	83	335044	51.907	ug/l	98
31) Cyclohexane	8.241	56	258290	48.013	ug/l	99
32) 1,1,1-Trichloroethane	8.153	97	279380	49.974	ug/l	98
36) 1,1-Dichloropropene	8.359	75	219152	46.633	ug/l	96
37) Ethyl Acetate	7.553	43	300702	44.304	ug/l	98
38) Carbon Tetrachloride	8.347	117	228827	44.202	ug/l	98
39) Methylcyclohexane	9.582	83	239075	46.989	ug/l	94
40) Benzene	8.588	78	696992	45.888	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087521.D  
 Acq On : 12 Aug 2025 17:41  
 Operator : JC\MD  
 Sample : Q2816-03MS  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 21 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1056-MW-02(23.8)MS**

Quant Time: Aug 13 03:08:36 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlane 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.771	41	175292	49.393	ug/l	96
42) 1,2-Dichloroethane	8.653	62	273737	47.524	ug/l	99
43) Isopropyl Acetate	8.677	43	508214	48.236	ug/l	98
44) Trichloroethene	9.335	130	261025	72.731	ug/l	90
45) 1,2-Dichloropropane	9.606	63	178276	46.194	ug/l	92
46) Dibromomethane	9.694	93	134756	46.636	ug/l	95
47) Bromodichloromethane	9.871	83	277810	47.731	ug/l	99
48) Methyl methacrylate	9.665	41	245961	51.855	ug/l	94
49) 1,4-Dioxane	9.682	88	69517	956.911	ug/l #	97
51) 4-Methyl-2-Pentanone	10.430	43	1581420	237.315	ug/l	98
52) Toluene	10.612	92	432409	46.838	ug/l	96
53) t-1,3-Dichloropropene	10.818	75	283567	48.140	ug/l	95
54) cis-1,3-Dichloropropene	10.294	75	288552	47.424	ug/l #	88
55) 1,1,2-Trichloroethane	11.000	97	171109	45.780	ug/l	97
56) Ethyl methacrylate	10.859	69	299086	47.700	ug/l #	93
57) 1,3-Dichloropropane	11.141	76	306258	47.392	ug/l	100
59) 2-Hexanone	11.177	43	1083026	244.964	ug/l	98
60) Dibromochloromethane	11.341	129	196818	46.174	ug/l	99
61) 1,2-Dibromoethane	11.453	107	185271	47.144	ug/l	97
64) Tetrachloroethene	11.088	164	300174	99.220	ug/l	95
65) Chlorobenzene	11.871	112	466009	44.158	ug/l	99
66) 1,1,1,2-Tetrachloroethane	11.941	131	165254	46.051	ug/l	99
67) Ethyl Benzene	11.947	91	831992	47.889	ug/l	100
68) m/p-Xylenes	12.053	106	621545	95.540	ug/l	94
69) o-Xylene	12.376	106	309926	49.873	ug/l	95
70) Styrene	12.394	104	538906	51.551	ug/l	98
71) Bromoform	12.559	173	128872	44.453	ug/l #	98
73) Isopropylbenzene	12.676	105	771901	50.373	ug/l	98
74) N-amyl acetate	12.512	43	288374m	45.295	ug/l	
75) 1,1,2,2-Tetrachloroethane	12.918	83	274813	47.661	ug/l	97
76) 1,2,3-Trichloropropane	12.971	75	273199m	50.040	ug/l	
77) Bromobenzene	12.959	156	184531	46.433	ug/l	95
78) n-propylbenzene	13.018	91	954687	49.518	ug/l	99
79) 2-Chlorotoluene	13.106	91	589561	49.757	ug/l	95
80) 1,3,5-Trimethylbenzene	13.153	105	668040	51.167	ug/l	97
81) trans-1,4-Dichloro-2-b...	12.718	75	81781	40.985	ug/l	92
82) 4-Chlorotoluene	13.200	91	616286	49.957	ug/l	97
83) tert-Butylbenzene	13.418	119	555680	50.959	ug/l	97
84) 1,2,4-Trimethylbenzene	13.459	105	689515	51.715	ug/l	96
85) sec-Butylbenzene	13.594	105	811282	49.393	ug/l	99
86) p-Isopropyltoluene	13.706	119	679809	51.645	ug/l	97
87) 1,3-Dichlorobenzene	13.712	146	358227	45.929	ug/l	99
88) 1,4-Dichlorobenzene	13.788	146	364849	43.798	ug/l	96
89) n-Butylbenzene	14.035	91	658845	52.418	ug/l	99
90) Hexachloroethane	14.312	117	128564	46.098	ug/l	94
91) 1,2-Dichlorobenzene	14.082	146	346446	46.887	ug/l	98
92) 1,2-Dibromo-3-Chloropr...	14.700	75	66573	43.976	ug/l	95
93) 1,2,4-Trichlorobenzene	15.364	180	201492	46.423	ug/l	98
94) Hexachlorobutadiene	15.476	225	70670	43.819	ug/l	97
95) Naphthalene	15.612	128	761537	49.527	ug/l	99
96) 1,2,3-Trichlorobenzene	15.817	180	194607	44.698	ug/l	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087521.D  
Acq On : 12 Aug 2025 17:41  
Operator : JC\MD  
Sample : Q2816-03MS  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 21 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1056-MW-02(23.8)MS

Quant Time: Aug 13 03:08:36 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carbone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087521.D  
Acq On : 12 Aug 2025 17:41  
Operator : JC\MD  
Sample : Q2816-03MS  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 21 Sample Multiplier: 1




Quant Time: Aug 13 03:08:36 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
1056-MW-02(23.8)MS

## Manual Integrations APPROVED

Reviewed By :John Carbone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 8.212 min Scan# 1

Delta R.T. 0.000 min




Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MS

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#2

Dichlorodifluoromethane

Concen: 54.006 ug/l

RT: 2.142 min Scan# 32

Delta R.T. 0.000 min

Lab File: VN087521.D


Acq: 12 Aug 2025 17:41




Tgt Ion: 85 Resp: 147929

Ion Ratio Lower Upper

85 100

87 29.7 17.8 53.3









#3  
Chloromethane  
Concen: 45.668 ug/l  
RT: 2.383 min Scan# 7  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS


### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#4  
Vinyl Chloride  
Concen: 52.764 ug/l  
RT: 2.542 min Scan# 100  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41


Tgt Ion: 62 Resp: 180619  
Ion Ratio Lower Upper  
62 100  
64 33.9 27.0 40.6





#5  
Bromomethane  
Concen: 46.115 ug/l  
RT: 2.971 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41




Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS




Tgt Ion: 94 Resp: 81740  
Ion Ratio Lower Upper  
94 100  
96 87.8 73.4 110.2

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#6  
Chloroethane  
Concen: 51.812 ug/l  
RT: 3.136 min Scan# 201  
Delta R.T. 0.006 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41



Tgt Ion: 64 Resp: 115666  
Ion Ratio Lower Upper  
64 100  
66 28.9 24.6 36.8








#7  
Trichlorofluoromethane  
Concen: 47.642 ug/l  
RT: 3.512 min Scan# 2  
Delta R.T. 0.006 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS


### Manual Integrations APPROVED







Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#8  
Diethyl Ether  
Concen: 54.010 ug/l  
RT: 3.965 min Scan# 342  
Delta R.T. 0.006 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Tgt Ion: 74 Resp: 106049  
Ion Ratio Lower Upper  
74 100  
45 101.9 50.8 152.5





#9

1,1,2-Trichlorotrifluoroethane

Concen: 48.786 ug/l

RT: 4.371 min Scan# 4

Delta R.T. 0.012 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41


Instrument:

MSVOA\_N

ClientSampleId :


1056-MW-02(23.8)MS


**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025




#10  
Methyl Iodide  
Concen: 28.674 ug/l  
RT: 4.577 min Scan# 446  
Delta R.T. -0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Tgt Ion:142 Resp: 69414  
Ion Ratio Lower Upper  
142 100  
127 52.2 35.7 53.5  
141 13.2 10.4 15.6






Abundance Scan 607 (5.524 min): VN087521.D\data.ms



Abundance Scan 406 (4.342 min): VN087521.D\data.ms



Abundance Scan 406 (4.342 min): VN087521.D\data.ms (-35)

#11

Tert butyl alcohol

Concen: 257.747 ug/l

RT: 5.524 min Scan# 6

Delta R.T. 0.000 min

Lab File: VN087521.D


Acq: 12 Aug 2025 17:41

Instrument :

MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#12

1,1-Dichloroethene

Concen: 47.271 ug/l

RT: 4.342 min Scan# 406

Delta R.T. 0.012 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41


Tgt Ion: 96 Resp: 139190




Ion Ratio Lower Upper

96 100

61 168.1 132.3 198.5

98 62.7 46.8 70.2





#13

Acrolein

Concen: 180.435 ug/l

RT: 4.177 min Scan# 3

Instrument :

Delta R.T. 0.000 min

MSVOA\_N

Lab File: VN087521.D

ClientSampleId :

Acq: 12 Aug 2025 17:41

1056-MW-02(23.8)MS

Tgt Ion: 56 Resp: 12031

Ion Ratio Lower Upper




56 100

55 68.6 56.2 84.4

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#14

Allyl chloride

Concen: 50.021 ug/l

RT: 5.012 min Scan# 520

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41


Tgt Ion: 41 Resp: 266551







Ion Ratio Lower Upper

41 100

39 81.2 59.0 88.6

76 34.4 28.7 43.1





#15

Acrylonitrile

Concen: 242.034 ug/l

RT: 5.712 min Scan# 6

Delta R.T. 0.000 min


Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#16

Acetone


Concen: 253.271 ug/l


RT: 4.424 min Scan# 420

Delta R.T. 0.000 min


Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Tgt Ion: 43 Resp: 519643  
Ion Ratio Lower Upper  
43 100  
58 29.9 22.3 33.5



Abundance Scan 467 (4.700 min): VN087521.D\data.ms



#17

Carbon Disulfide

Concen: 44.449 ug/l

RT: 4.700 min Scan# 4

Delta R.T. 0.006 min

Lab File: VN087521.D



Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N


ClientSampleId :

1056-MW-02(23.8)MS


**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


Abundance Scan 521 (5.018 min): VN087521.D\data.ms



Abundance Scan 521 (5.018 min): VN087521.D\data.ms (-46)



#18

Methyl Acetate

Concen: 50.736 ug/l

RT: 5.018 min Scan# 521

Delta R.T. 0.006 min

Lab File: VN087521.D


Acq: 12 Aug 2025 17:41





Tgt Ion: 43 Resp: 261529

Ion Ratio Lower Upper

43 100

74 21.8 17.8 26.6






#19

Methyl tert-butyl Ether  
Concen: 55.157 ug/l  
RT: 5.789 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS


### Manual Integrations APPROVED







Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#20  
Methylene Chloride  
Concen: 49.392 ug/l  
RT: 5.265 min Scan# 563  
Delta R.T. 0.006 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Tgt Ion: 84 Resp: 171336  
Ion Ratio Lower Upper  
84 100  
49 138.5 107.5 161.3  
51 42.9 30.2 45.2  
86 63.6 49.3 73.9






#21

trans-1,2-Dichloroethene  
Concen: 47.660 ug/l  
RT: 5.777 min Scan# 6  
Delta R.T. 0.006 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025









#22

Diisopropyl ether  
Concen: 54.664 ug/l  
RT: 6.665 min Scan# 801  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Tgt Ion: 45 Resp: 611013  
Ion Ratio Lower Upper  
45 100  
43 58.3 42.8 64.2  
87 25.7 19.8 29.6  
59 10.4 8.3 12.5





#23

**Vinyl Acetate**

Concen: 272.946 ug/l

RT: 6.594 min Scan# 7


Delta R.T. 0.006 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

**Instrument :**  
 MSVOA\_N  
**ClientSampleId :**  
 1056-MW-02(23.8)MS

**Manual Integrations**  
**APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#24

**1,1-Dichloroethane**

Concen: 49.368 ug/l

RT: 6.553 min Scan# 782


Delta R.T. 0.000 min







Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Tgt Ion: 63 Resp: 318357

Ion	Ratio	Lower	Upper
63	100		
98	6.6	3.3	9.9
100	3.7	2.5	7.4





#25

2-Butanone

Concen: 253.101 ug/l

RT: 7.477 min Scan# 9

Delta R.T. 0.006 min

Lab File: VN087521.D


Acq: 12 Aug 2025 17:41

Instrument :

MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#26

2,2-Dichloropropane

Concen: 47.789 ug/l

RT: 7.477 min Scan# 939

Delta R.T. 0.006 min

Lab File: VN087521.D


Acq: 12 Aug 2025 17:41




Tgt Ion: 77 Resp: 239599

Ion Ratio Lower Upper

77 100

97 23.3 11.1 33.1









#27

cis-1,2-Dichloroethene  
Concen: 81.397 ug/l  
RT: 7.471 min Scan# 938  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#28

Bromochloromethane  
Concen: 55.641 ug/l  
RT: 7.800 min Scan# 994  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Tgt Ion: 49 Resp: 171725  
Ion Ratio Lower Upper  
49 100  
129 1.9 0.0 4.2  
130 64.5 57.3 85.9





#29

Tetrahydrofuran

Concen: 257.801 ug/l

RT: 7.830 min Scan# 999

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41





Instrument :

MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#30

Chloroform


Concen: 51.907 ug/l




RT: 7.953 min Scan# 1020

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

 Tgt Ion: 83 Resp: 335044  
 Ion Ratio Lower Upper  
 83 100  
 85 64.5 52.7 79.1




#31

Cyclohexane

Concen: 48.013 ug/l

RT: 8.241 min Scan# 1069

Delta R.T. 0.000 min





Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#32

1,1,1-Trichloroethane

Concen: 49.974 ug/l

RT: 8.153 min Scan# 1054

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41


Tgt Ion: 97 Resp: 279380




Ion Ratio Lower Upper

97 100

99 65.5 51.8 77.8

61 51.0 38.7 58.1





#33

1,2-Dichloroethane-d4

Concen: 50.246 ug/l

RT: 8.565 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41




Instrument :

MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.088 min Scan# 1213

Delta R.T. 0.006 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41


Tgt Ion:114 Resp: 515665



Ion Ratio Lower Upper

114 100

63 22.5 0.0 44.6

88 16.5 0.0 32.8





#35

Dibromofluoromethane

Concen: 44.253 ug/l

RT: 8.153 min Scan# 1

Delta R.T. 0.006 min


Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MS

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#36

1,1-Dichloropropene

Concen: 46.633 ug/l


RT: 8.359 min Scan# 1089




Delta R.T. 0.006 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Tgt Ion: 75 Resp: 219152  
 Ion Ratio Lower Upper  
 75 100  
 110 31.3 16.7 50.1  
 77 29.5 25.2 37.8





#37

**Ethyl Acetate**

Concen: 44.304 ug/l

RT: 7.553 min Scan# 9

Delta R.T. 0.006 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

Tgt Ion: 43 Resp: 30070

Ion Ratio Lower Upper

43 100




61 12.4 10.9 16.3

70 9.3 7.4 11.0

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#38

**Carbon Tetrachloride**

Concen: 44.202 ug/l

RT: 8.347 min Scan# 1087

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41


Tgt Ion:117 Resp: 228827




Ion Ratio Lower Upper

117 100

119 99.0 80.2 120.2

121 29.6 25.4 38.2





#39

Methylcyclohexane

Concen: 46.989 ug/l

RT: 9.582 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087521.D





Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#40

Benzene


Concen: 45.888 ug/l




RT: 8.588 min Scan# 1128

Delta R.T. -0.006 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

 Tgt Ion: 78 Resp: 696992  
 Ion Ratio Lower Upper  
 78 100  
 77 23.6 18.2 27.2




#41

Methacrylonitrile

Concen: 49.393 ug/l

RT: 7.771 min Scan# 9

Delta R.T. 0.000 min




Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument :  
MSVOA\_N  
ClientSampleId :  
1056-MW-02(23.8)MS

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#42

1,2-Dichloroethane

Concen: 47.524 ug/l

RT: 8.653 min Scan# 1139

Delta R.T. 0.000 min

Lab File: VN087521.D


Acq: 12 Aug 2025 17:41


Tgt Ion: 62 Resp: 273737

Ion Ratio Lower Upper

62 100

98 8.6 0.0 18.0





#43

Isopropyl Acetate

Concen: 48.236 ug/l

RT: 8.677 min Scan# 1


Delta R.T. -0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

**Instrument :** MSVOA\_N  
**ClientSampleId :** 1056-MW-02(23.8)MS

Abundance Scan 1143 (8.677 min): VN087521.D\data.ms






Tgt Ion: 43 Resp: 50821

Ion Ratio Lower Upper

43 100

61 23.3 19.8 29.8

87 12.0 9.8 14.6



**Manual Integrations**  
**APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025
**#44**  
Trichloroethene  
Concen: 72.731 ug/l  
RT: 9.335 min Scan# 1255  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41





Tgt Ion:130 Resp: 261025

Ion Ratio Lower Upper

130 100

95 107.0 0.0 195.2





#45

1,2-Dichloropropane

Concen: 46.194 ug/l

RT: 9.606 min Scan# 1301

Delta R.T. 0.000 min




Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#46

Dibromomethane

Concen: 46.636 ug/l

RT: 9.694 min Scan# 1316

Delta R.T. 0.006 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41


Tgt Ion: 93 Resp: 134756




Ion Ratio Lower Upper

93 100

95 83.7 65.8 98.8

174 80.5 69.9 104.9





#47

Bromodichloromethane

Concen: 47.731 ug/l

RT: 9.871 min Scan# 1346

Delta R.T. 0.000 min




Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MS

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#48

Methyl methacrylate

Concen: 51.855 ug/l

RT: 9.665 min Scan# 1311

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41


Tgt Ion: 41 Resp: 245961


Ion Ratio Lower Upper

41 100

69 78.0 64.1 96.1

39 65.3 45.5 68.3





#49

1,4-Dioxane

Concen: 956.911 ug/l

RT: 9.682 min Scan# 1

Delta R.T. 0.000 min


Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS



Tgt Ion: 88 Resp: 6951

Ion Ratio Lower Upper

88 100







43 0.0 0.0 0.0




58 73.5 61.1 91.7

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025

#50  
Toluene-d8  
Concen: 43.537 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41Tgt Ion: 98 Resp: 552415  
Ion Ratio Lower Upper  
98 100  
100 64.0 52.1 78.1






#51

4-Methyl-2-Pentanone  
Concen: 237.315 ug/l  
RT: 10.430 min Scan# 1441  
Delta R.T. 0.001 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#52

Toluene  
Concen: 46.838 ug/l  
RT: 10.612 min Scan# 1472  
Delta R.T. -0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Tgt Ion: 92 Resp: 432409  
Ion Ratio Lower Upper  
92 100  
91 174.8 135.1 202.7









#53  
t-1,3-Dichloropropene  
Concen: 48.140 ug/l  
RT: 10.818 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#54  
cis-1,3-Dichloropropene  
Concen: 47.424 ug/l  
RT: 10.294 min Scan# 1418  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Tgt Ion: 75 Resp: 288552  
Ion Ratio Lower Upper  
75 100  
77 30.8 24.2 36.2  
39 60.9 38.4 57.6#





#55

1,1,2-Trichloroethane

Concen: 45.780 ug/l

RT: 11.000 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087521.D




Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#56

Ethyl methacrylate

Concen: 47.700 ug/l

RT: 10.859 min Scan# 1514

Delta R.T. -0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41


Tgt Ion: 69 Resp: 299086




Ion Ratio Lower Upper

69 100

41 72.1 55.1 82.7

39 42.6 27.9 41.9#





#57

1,3-Dichloropropane

Concen: 47.392 ug/l

RT: 11.141 min Scan# 1

Delta R.T. 0.000 min





Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#59

2-Hexanone

Concen: 244.964 ug/l

RT: 11.177 min Scan# 1568

Delta R.T. -0.006 min

Lab File: VN087521.D


Acq: 12 Aug 2025 17:41




Tgt Ion: 43 Resp: 1083026

Ion Ratio Lower Upper

43 100

58 52.0 26.7 80.0





#60

Dibromochloromethane

Concen: 46.174 ug/l

RT: 11.341 min Scan# 1

Delta R.T. 0.000 min




Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#61

1,2-Dibromoethane


Concen: 47.144 ug/l




RT: 11.453 min Scan# 1615

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Tgt Ion:107 Resp: 185271  
Ion Ratio Lower Upper  
107 100  
109 93.5 77.5 116.3



#62

4-Bromofluorobenzene

Concen: 46.780 ug/l

RT: 12.829 min Scan# 1

Delta R.T. 0.000 min




Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MS

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.847 min Scan# 1682

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41


Tgt Ion:117 Resp: 470061




Ion Ratio Lower Upper

117 100

82 63.1 47.4 71.2

119 34.0 23.8 35.8





#64

Tetrachloroethene

Concen: 99.220 ug/l

RT: 11.088 min Scan# 1

Delta R.T. 0.000 min




Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#65

Chlorobenzene

Concen: 44.158 ug/l

RT: 11.871 min Scan# 1686

Delta R.T. 0.000 min

Lab File: VN087521.D


Acq: 12 Aug 2025 17:41




Tgt Ion:112 Resp: 466009

Ion Ratio Lower Upper

112 100

114 32.7 26.5 39.7





#66

1,1,1,2-Tetrachloroethane

Concen: 46.051 ug/l

RT: 11.941 min Scan# 1698

Delta R.T. 0.000 min





Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#67

Ethyl Benzene

Concen: 47.889 ug/l

RT: 11.947 min Scan# 1699


Delta R.T. 0.000 min




Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Tgt Ion: 91 Resp: 831992

Ion Ratio Lower Upper

91 100  
106 30.3 24.3 36.5







#68  
m/p-Xylenes  
Concen: 95.540 ug/l  
RT: 12.053 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#69  
o-Xylene  
Concen: 49.873 ug/l  
RT: 12.376 min Scan# 1772  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Tgt Ion:106 Resp: 309926  
Ion Ratio Lower Upper  
106 100  
91 223.0 107.7 323.3





#70

Styrene

Concen: 51.551 ug/l

RT: 12.394 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087521.D





Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#71

Bromoform

Concen: 44.453 ug/l


RT: 12.559 min Scan# 1803




Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Tgt	Ion:173	Resp:	128872
Ion	Ratio	Lower	Upper
173	100		
175	46.8	24.1	72.3
254	0.0	0.0	0.0





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.770 min Scan# 2

Delta R.T. 0.000 min





Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#73

Isopropylbenzene

Concen: 50.373 ug/l


RT: 12.676 min Scan# 1823




Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Tgt Ion:105 Resp: 771901  
Ion Ratio Lower Upper  
105 100  
120 25.4 13.4 40.1





#74

N-amyl acetate

Concen: 45.295 ug/l m

RT: 12.512 min Scan# 1

Delta R.T. 0.018 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41




Instrument:

MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#75

1,1,2,2-Tetrachloroethane

Concen: 47.661 ug/l

RT: 12.918 min Scan# 1864

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41



Tgt Ion: 83 Resp: 274813




Ion Ratio Lower Upper

83 100

131 9.3 5.1 15.3

85 62.8 32.5 97.4









#76  
1,2,3-Trichloropropane  
Concen: 50.040 ug/l m  
RT: 12.971 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#77  
Bromobenzene  
Concen: 46.433 ug/l  
RT: 12.959 min Scan# 1871  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Tgt Ion:156 Resp: 184531  
Ion Ratio Lower Upper  
156 100  
77 241.5 114.9 344.6  
158 97.7 48.5 145.5





#78

n-propylbenzene

Concen: 49.518 ug/l

RT: 13.018 min Scan# 1881

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41





Instrument :

MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#79

2-Chlorotoluene


Concen: 49.757 ug/l




RT: 13.106 min Scan# 1896

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

 Tgt Ion: 91 Resp: 589561  
 Ion Ratio Lower Upper  
 91 100  
 126 31.0 16.9 50.6








#80

1,3,5-Trimethylbenzene  
Concen: 51.167 ug/l  
RT: 13.153 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#81

trans-1,4-Dichloro-2-butene  
Concen: 40.985 ug/l  
RT: 12.718 min Scan# 1830  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Tgt Ion: 75 Resp: 81781  
Ion Ratio Lower Upper  
75 100  
53 114.7 83.5 125.3  
89 46.6 38.4 57.6





#82

4-Chlorotoluene

Concen: 49.957 ug/l

RT: 13.200 min Scan# 1912

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41




Instrument :

MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#83

tert-Butylbenzene

Concen: 50.959 ug/l

RT: 13.418 min Scan# 1949

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41



Tgt Ion:119 Resp: 555680


Ion Ratio Lower Upper

119 100


91 73.0 35.0 105.1

134 24.3 12.6 37.6






Abundance Scan 1956 (13.459 min): VN087521.D\data.ms (-)



Abundance Scan 1956 (13.459 min): VN087521.D\data.ms (-)




#84

1,2,4-Trimethylbenzene  
Concen: 51.715 ug/l  
RT: 13.459 min Scan# 1  
Delta R.T. -0.006 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41


Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



Abundance Scan 1979 (13.594 min): VN087521.D\data.ms (-)




Abundance Scan 1979 (13.594 min): VN087521.D\data.ms (-)






#85

sec-Butylbenzene  
Concen: 49.393 ug/l  
RT: 13.594 min Scan# 1979  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Tgt Ion:105 Resp: 811282  
Ion Ratio Lower Upper  
105 100  
134 19.1 9.8 29.4





#86

p-Isopropyltoluene

Concen: 51.645 ug/l

RT: 13.706 min Scan# 1998

Delta R.T. 0.000 min

Lab File: VN087521.D





Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#87

1,3-Dichlorobenzene

Concen: 45.929 ug/l

RT: 13.712 min Scan# 1999

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41


Tgt Ion:146 Resp: 358227




Ion Ratio Lower Upper

146 100

111 44.2 21.4 64.3

148 63.0 31.6 95.0





#88

1,4-Dichlorobenzene

Concen: 43.798 ug/l

RT: 13.788 min Scan# 2054

Delta R.T. 0.000 min

Lab File: VN087521.D




Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#89

n-Butylbenzene

Concen: 52.418 ug/l

RT: 14.035 min Scan# 2054

Delta R.T. 0.000 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Tgt Ion: 91 Resp: 658845




Ion Ratio Lower Upper

91 100

92 52.6 26.2 78.6

134 23.7 12.4 37.2








#90  
Hexachloroethane  
Concen: 46.098 ug/l  
RT: 14.312 min Scan# 2  
Instrument: MSVOA\_N  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

ClientSampleId :  
1056-MW-02(23.8)MS


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#91  
1,2-Dichlorobenzene  
Concen: 46.887 ug/l  
RT: 14.082 min Scan# 2062  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Tgt Ion:146 Resp: 346446  
Ion Ratio Lower Upper  
146 100  
111 45.4 22.0 66.0  
148 64.0 32.7 98.1









#92  
1,2-Dibromo-3-Chloropropane  
Concen: 43.976 ug/l  
RT: 14.700 min Scan# 2167  
Delta R.T. 0.000 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#93  
1,2,4-Trichlorobenzene  
Concen: 46.423 ug/l  
RT: 15.364 min Scan# 2280  
Delta R.T. -0.006 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Tgt Ion:180 Resp: 201492  
Ion Ratio Lower Upper  
180 100  
182 95.3 47.3 141.8  
145 33.9 15.4 46.4





#94

Hexachlorobutadiene

Concen: 43.819 ug/l

RT: 15.476 min Scan# 2

Delta R.T. 0.000 min





Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MS

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#95

Naphthalene

Concen: 49.527 ug/l


RT: 15.612 min Scan# 2322


Delta R.T. -0.006 min

Lab File: VN087521.D

Acq: 12 Aug 2025 17:41

Tgt	Ion:128	Resp:	761537
Ion	Ratio	Lower	Upper
128	100		
127	12.6	10.5	15.7
129	10.7	8.4	12.6






#96  
1,2,3-Trichlorobenzene  
Concen: 44.698 ug/l  
RT: 15.817 min Scan# 2  
Delta R.T. 0.006 min  
Lab File: VN087521.D  
Acq: 12 Aug 2025 17:41

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MS

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25	
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25	
Client Sample ID:	1056-MW-02(23.8)MSD			SDG No.:	Q2816	
Lab Sample ID:	Q2816-04MSD			Matrix:	Water	
Analytical Method:	8260D			% Solid:	0	
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000	uL
Soil Aliquot Vol:	uL			Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID :	0.25	Level :	LOW	
Prep Method :						

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087522.D	1	08/12/25 18:02	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
75-71-8	Dichlorodifluoromethane	60.2		0.22	1.00	ug/L
74-87-3	Chloromethane	50.6		0.32	1.00	ug/L
75-01-4	Vinyl Chloride	58.9		0.26	1.00	ug/L
74-83-9	Bromomethane	58.2		1.40	5.00	ug/L
75-00-3	Chloroethane	57.0		0.47	1.00	ug/L
75-69-4	Trichlorofluoromethane	53.7		0.33	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	53.6		0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	52.7		0.23	1.00	ug/L
67-64-1	Acetone	290		1.50	5.00	ug/L
75-15-0	Carbon Disulfide	50.1		0.21	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	63.0		0.16	1.00	ug/L
79-20-9	Methyl Acetate	57.1		0.27	1.00	ug/L
75-09-2	Methylene Chloride	56.6		0.28	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	53.3		0.23	1.00	ug/L
75-34-3	1,1-Dichloroethane	55.8		0.23	1.00	ug/L
110-82-7	Cyclohexane	51.7		1.50	5.00	ug/L
78-93-3	2-Butanone	290		0.98	5.00	ug/L
56-23-5	Carbon Tetrachloride	49.8		0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	86.3		0.19	1.00	ug/L
74-97-5	Bromochloromethane	56.4		0.22	1.00	ug/L
67-66-3	Chloroform	58.6		0.25	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	56.9		0.20	1.00	ug/L
108-87-2	Methylcyclohexane	53.2		0.16	1.00	ug/L
71-43-2	Benzene	51.8		0.15	1.00	ug/L
107-06-2	1,2-Dichloroethane	55.4		0.22	1.00	ug/L
79-01-6	Trichloroethene	76.4		0.090	1.00	ug/L
78-87-5	1,2-Dichloropropane	52.1		0.20	1.00	ug/L
75-27-4	Bromodichloromethane	53.5		0.22	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	280		0.68	5.00	ug/L
108-88-3	Toluene	53.2		0.14	1.00	ug/L



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.			Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144			Date Received:	08/11/25
Client Sample ID:	1056-MW-02(23.8)MSD			SDG No.:	Q2816
Lab Sample ID:	Q2816-04MSD			Matrix:	Water
Analytical Method:	8260D			% Solid:	0
Sample Wt/Vol:	5	Units:	mL	Final Vol:	5000 uL
Soil Aliquot Vol:			uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624	ID :	0.25	Level :	LOW
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087522.D	1	08/12/25 18:02	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	56.3		0.17	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	54.8		0.16	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	53.5		0.21	1.00	ug/L
591-78-6	2-Hexanone	290		0.89	5.00	ug/L
124-48-1	Dibromochloromethane	52.5		0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	54.2		0.15	1.00	ug/L
127-18-4	Tetrachloroethene	100		0.23	1.00	ug/L
108-90-7	Chlorobenzene	50.1		0.12	1.00	ug/L
100-41-4	Ethyl Benzene	54.7		0.13	1.00	ug/L
179601-23-1	m/p-Xylenes	110		0.24	2.00	ug/L
95-47-6	o-Xylene	55.5		0.12	1.00	ug/L
100-42-5	Styrene	57.4		0.15	1.00	ug/L
75-25-2	Bromoform	49.7		0.19	1.00	ug/L
98-82-8	Isopropylbenzene	58.9		0.12	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	54.7		0.26	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	52.7		0.16	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	50.7		0.19	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	53.9		0.16	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	52.6		0.53	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	55.4		0.20	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	53.0		0.20	1.00	ug/L
<b>SURROGATES</b>						
17060-07-0	1,2-Dichloroethane-d4	53.3		74 - 125	107%	SPK: 50
1868-53-7	Dibromofluoromethane	44.8		75 - 124	90%	SPK: 50
2037-26-5	Toluene-d8	46.0		86 - 113	92%	SPK: 50
460-00-4	4-Bromofluorobenzene	48.5		77 - 121	97%	SPK: 50
<b>INTERNAL STANDARDS</b>						
363-72-4	Pentafluorobenzene	272000		8.206		
540-36-3	1,4-Difluorobenzene	541000		9.082		
3114-55-4	Chlorobenzene-d5	499000		11.847		
3855-82-1	1,4-Dichlorobenzene-d4	251000		13.77		



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## Report of Analysis

Client:	Day Environmental, Inc.	Date Collected:	08/07/25
Project:	Andrews St Site - NYSDEC E828144	Date Received:	08/11/25
Client Sample ID:	1056-MW-02(23.8)MSD	SDG No.:	Q2816
Lab Sample ID:	Q2816-04MSD	Matrix:	Water
Analytical Method:	8260D	% Solid:	0
Sample Wt/Vol:	5	Units: mL	Final Vol: 5000 uL
Soil Aliquot Vol:		uL	Test: VOC-TCLVOA-10
GC Column:	RXI-624	ID : 0.25	Level : LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VN087522.D	1	08/12/25 18:02	VN081225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

( ) = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087522.D  
 Acq On : 12 Aug 2025 18:02  
 Operator : JC\MD  
 Sample : Q2816-04MSD  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 22 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1056-MW-02(23.8)MSD**

Quant Time: Aug 13 03:09:24 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlane 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
<b>Internal Standards</b>						
1) Pentafluorobenzene	8.206	168	271903	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.082	114	540888	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.847	117	499161	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.770	152	251240	50.000	ug/l	0.00
<b>System Monitoring Compounds</b>						
33) 1,2-Dichloroethane-d4	8.565	65	245947	53.309	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery	=	106.620%	
35) Dibromofluoromethane	8.153	113	167175	44.806	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery	=	89.620%	
50) Toluene-d8	10.547	98	612676	46.034	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery	=	92.060%	
62) 4-Bromofluorobenzene	12.829	95	238589	48.523	ug/l	0.00
Spiked Amount 50.000	Range 77 - 121		Recovery	=	97.040%	
<b>Target Compounds</b>						
				Qvalue		
2) Dichlorodifluoromethane	2.142	85	173733	60.158	ug/l	95
3) Chloromethane	2.383	50	183773	50.603	ug/l	96
4) Vinyl Chloride	2.542	62	212398	58.850	ug/l	98
5) Bromomethane	2.971	94	108791	58.209	ug/l	99
6) Chloroethane	3.130	64	134104	56.976	ug/l	97
7) Trichlorofluoromethane	3.512	101	286462	53.677	ug/l	100
8) Diethyl Ether	3.959	74	129108	62.366	ug/l	99
9) 1,1,2-Trichlorotrifluo...	4.365	101	146830	53.596	ug/l	97
10) Methyl Iodide	4.583	142	115601	42.028	ug/l	92
11) Tert butyl alcohol	5.524	59	263973	301.330	ug/l	99
12) 1,1-Dichloroethene	4.336	96	163756	52.749	ug/l	90
13) Acrolein	4.177	56	182533	259.637	ug/l	100
14) Allyl chloride	5.012	41	308640	54.935	ug/l	91
15) Acrylonitrile	5.712	53	654692	275.406	ug/l	97
16) Acetone	4.424	43	628645	290.610	ug/l	99
17) Carbon Disulfide	4.700	76	461128	50.101	ug/l #	94
18) Methyl Acetate	5.018	43	310449	57.123	ug/l	100
19) Methyl tert-butyl Ether	5.794	73	720986	63.008	ug/l	95
20) Methylene Chloride	5.271	84	206485	56.550	ug/l	97
21) trans-1,2-Dichloroethene	5.771	96	186699	53.336	ug/l	98
22) Diisopropyl ether	6.665	45	728197	61.790	ug/l	98
23) Vinyl Acetate	6.594	43	2851108	276.617	ug/l	99
24) 1,1-Dichloroethane	6.553	63	379298	55.787	ug/l	97
25) 2-Butanone	7.477	43	967327	289.416	ug/l	98
26) 2,2-Dichloropropane	7.477	77	277411	52.479	ug/l	97
27) cis-1,2-Dichloroethene	7.477	96	347600	86.252	ug/l	99
28) Bromochloromethane	7.794	49	183551	56.409	ug/l	93
29) Tetrahydrofuran	7.830	42	639413	294.487	ug/l	99
30) Chloroform	7.953	83	398704	58.587	ug/l	100
31) Cyclohexane	8.241	56	293225	51.698	ug/l	100
32) 1,1,1-Trichloroethane	8.153	97	335384	56.900	ug/l	98
36) 1,1-Dichloropropene	8.359	75	254821	51.695	ug/l	98
37) Ethyl Acetate	7.553	43	359453	50.491	ug/l	99
38) Carbon Tetrachloride	8.347	117	270552	49.824	ug/l	95
39) Methylcyclohexane	9.582	83	283837	53.185	ug/l	96
40) Benzene	8.588	78	825674	51.826	ug/l	96

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
 Data File : VN087522.D  
 Acq On : 12 Aug 2025 18:02  
 Operator : JC\MD  
 Sample : Q2816-04MSD  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 22 Sample Multiplier: 1

**Instrument :**  
**MSVOA\_N**  
**ClientSampleId :**  
**1056-MW-02(23.8)MSD**

Quant Time: Aug 13 03:09:24 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Jul 17 02:56:13 2025  
 Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlane 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
41) Methacrylonitrile	7.765	41	212559	57.101	ug/1	96
42) 1,2-Dichloroethane	8.653	62	334621	55.386	ug/1	98
43) Isopropyl Acetate	8.677	43	610974	55.285	ug/1	99
44) Trichloroethene	9.335	130	287786	76.448	ug/1	89
45) 1,2-Dichloropropane	9.606	63	210953	52.112	ug/1	89
46) Dibromomethane	9.694	93	160220	52.862	ug/1	96
47) Bromodichloromethane	9.871	83	326905	53.547	ug/1	98
48) Methyl methacrylate	9.665	41	297061	59.708	ug/1	93
49) 1,4-Dioxane	9.682	88	81036	1063.455	ug/1	#
51) 4-Methyl-2-Pentanone	10.429	43	1930608	276.206	ug/1	98
52) Toluene	10.612	92	514896	53.172	ug/1	95
53) t-1,3-Dichloropropene	10.818	75	347935	56.313	ug/1	97
54) cis-1,3-Dichloropropene	10.294	75	350017	54.843	ug/1	#
55) 1,1,2-Trichloroethane	11.000	97	209842	53.525	ug/1	94
56) Ethyl methacrylate	10.859	69	364520	55.058	ug/1	#
57) 1,3-Dichloropropane	11.147	76	369714	54.544	ug/1	97
59) 2-Hexanone	11.176	43	1345334	290.104	ug/1	98
60) Dibromochloromethane	11.341	129	234854	52.528	ug/1	99
61) 1,2-Dibromoethane	11.447	107	223407	54.197	ug/1	95
64) Tetrachloroethene	11.082	164	322091	100.258	ug/1	93
65) Chlorobenzene	11.870	112	560976	50.058	ug/1	95
66) 1,1,1,2-Tetrachloroethane	11.941	131	193390	50.750	ug/1	98
67) Ethyl Benzene	11.941	91	1008847	54.684	ug/1	97
68) m/p-Xylenes	12.053	106	748369	108.328	ug/1	94
69) o-Xylene	12.376	106	366073	55.474	ug/1	93
70) Styrene	12.394	104	637007	57.383	ug/1	98
71) Bromoform	12.559	173	153058	49.718	ug/1	#
73) Isopropylbenzene	12.676	105	930692	58.858	ug/1	97
74) N-amyl acetate	12.506	43	350874m	53.408	ug/1	
75) 1,1,2,2-Tetrachloroethane	12.917	83	325703	54.740	ug/1	100
76) 1,2,3-Trichloropropane	12.970	75	286203m	50.801	ug/1	
77) Bromobenzene	12.959	156	222709	54.307	ug/1	95
78) n-propylbenzene	13.017	91	1152341	57.922	ug/1	99
79) 2-Chlorotoluene	13.106	91	705606	57.709	ug/1	95
80) 1,3,5-Trimethylbenzene	13.153	105	808785	60.032	ug/1	97
81) trans-1,4-Dichloro-2-b...	12.717	75	97113	47.164	ug/1	90
82) 4-Chlorotoluene	13.200	91	728948	57.263	ug/1	99
83) tert-Butylbenzene	13.417	119	672878	59.799	ug/1	97
84) 1,2,4-Trimethylbenzene	13.459	105	821538	59.711	ug/1	96
85) sec-Butylbenzene	13.594	105	982242	57.952	ug/1	98
86) p-Isopropyltoluene	13.706	119	816922	60.143	ug/1	97
87) 1,3-Dichlorobenzene	13.712	146	424046	52.687	ug/1	99
88) 1,4-Dichlorobenzene	13.788	146	435622	50.677	ug/1	96
89) n-Butylbenzene	14.035	91	791466	61.023	ug/1	99
90) Hexachloroethane	14.311	117	152855	53.113	ug/1	94
91) 1,2-Dichlorobenzene	14.088	146	411268	53.938	ug/1	99
92) 1,2-Dibromo-3-Chloropr...	14.700	75	82138	52.580	ug/1	96
93) 1,2,4-Trichlorobenzene	15.364	180	248025	55.377	ug/1	99
94) Hexachlorobutadiene	15.476	225	85594	51.432	ug/1	98
95) Naphthalene	15.617	128	916636	57.770	ug/1	99
96) 1,2,3-Trichlorobenzene	15.811	180	238151	53.008	ug/1	98

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087522.D  
Acq On : 12 Aug 2025 18:02  
Operator : JC\MD  
Sample : Q2816-04MSD  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 22 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
1056-MW-02(23.8)MSD

Quant Time: Aug 13 03:09:24 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carbone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
----------	------	------	----------	------	-------	----------

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN081225\  
Data File : VN087522.D  
Acq On : 12 Aug 2025 18:02  
Operator : JC\MD  
Sample : Q2816-04MSD  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 22 Sample Multiplier: 1




Quant Time: Aug 13 03:09:24 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N071625W.M  
Quant Title : SW846 8260  
QLast Update : Thu Jul 17 02:56:13 2025  
Response via : Initial Calibration

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
1056-MW-02(23.8)MSD

## Manual Integrations APPROVED

Reviewed By :John Carbone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 8.206 min Scan# 1

Delta R.T. -0.006 min

Lab File: VN087522.D




Acq: 12 Aug 2025 18:02

Instrument:

MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MSD

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#2

Dichlorodifluoromethane

Concen: 60.158 ug/l

RT: 2.142 min Scan# 32

Delta R.T. 0.000 min

Lab File: VN087522.D


Acq: 12 Aug 2025 18:02




Tgt Ion: 85 Resp: 173733

Ion Ratio Lower Upper

85 100

87 32.7 17.8 53.3





#3

Chloromethane

Concen: 50.603 ug/l

RT: 2.383 min Scan# 7

Delta R.T. 0.000 min





Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#4

Vinyl Chloride

Concen: 58.850 ug/l


RT: 2.542 min Scan# 100


Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02


Tgt Ion: 62 Resp: 212398  
 Ion Ratio Lower Upper  
 62 100  
 64 32.8 27.0 40.6





#5  
Bromomethane  
Concen: 58.209 ug/l  
RT: 2.971 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02




Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MSD




Tgt Ion: 94 Resp: 108791  
Ion Ratio Lower Upper  
94 100  
96 91.1 73.4 110.2

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#6  
Chloroethane  
Concen: 56.976 ug/l  
RT: 3.130 min Scan# 200  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02




Tgt Ion: 64 Resp: 134104  
Ion Ratio Lower Upper  
64 100  
66 29.3 24.6 36.8





#7  
Trichlorofluoromethane  
Concen: 53.677 ug/l  
RT: 3.512 min Scan# 2  
Delta R.T. 0.006 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02




Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MSD




Tgt Ion:101 Resp: 286462  
Ion Ratio Lower Upper  
101 100  
103 61.9 49.8 74.6

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025









#8  
Diethyl Ether  
Concen: 62.366 ug/l  
RT: 3.959 min Scan# 341  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02



Tgt Ion: 74 Resp: 129108  
Ion Ratio Lower Upper  
74 100  
45 101.0 50.8 152.5





#9

1,1,2-Trichlorotrifluoroethane

Concen: 53.596 ug/l

RT: 4.365 min Scan# 4

Delta R.T. 0.006 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02


Instrument:

MSVOA\_N

ClientSampleId :


1056-MW-02(23.8)MSD




**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#10  
 Methyl Iodide  
 Concen: 42.028 ug/l  
 RT: 4.583 min Scan# 447  
 Delta R.T. 0.006 min  
 Lab File: VN087522.D  
 Acq: 12 Aug 2025 18:02

Tgt Ion:142 Resp: 115601  
 Ion Ratio Lower Upper  
 142 100  
 127 50.8 35.7 53.5  
 141 12.8 10.4 15.6








#11

Tert butyl alcohol  
Concen: 301.330 ug/l  
RT: 5.524 min Scan# 6  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#12

1,1-Dichloroethene  
Concen: 52.749 ug/l  
RT: 4.336 min Scan# 405  
Delta R.T. 0.006 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Tgt Ion: 96 Resp: 163756  
Ion Ratio Lower Upper  
96 100  
61 181.2 132.3 198.5  
98 61.3 46.8 70.2







#13

Acrolein  
Concen: 259.637 ug/l  
RT: 4.177 min Scan# 3  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02



Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MSD




Tgt Ion: 56 Resp: 18253  
Ion Ratio Lower Upper  
56 100  
55 70.2 56.2 84.4

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025









#14  
Allyl chloride  
Concen: 54.935 ug/l  
RT: 5.012 min Scan# 520  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02



Tgt Ion: 41 Resp: 308640  
Ion Ratio Lower Upper  
41 100  
39 84.7 59.0 88.6  
76 34.5 28.7 43.1





#15

Acrylonitrile

Concen: 275.406 ug/l

RT: 5.712 min Scan# 6

Delta R.T. 0.000 min


Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD


### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025





#16  
 Acetone  
 Concen: 290.610 ug/l  
 RT: 4.424 min Scan# 420  
 Delta R.T. 0.000 min  
 Lab File: VN087522.D  
 Acq: 12 Aug 2025 18:02

Tgt Ion: 43 Resp: 628645  
 Ion Ratio Lower Upper  
 43 100  
 58 28.5 22.3 33.5






Abundance Scan 467 (4.700 min): VN087522.D\data.ms



Abundance Scan 521 (5.018 min): VN087522.D\data.ms



#17

Carbon Disulfide

Concen: 50.101 ug/l

RT: 4.700 min Scan# 4

Delta R.T. 0.006 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

Tgt Ion: 76 Resp: 461123


Ion Ratio Lower Upper

76 100

78 8.4 8.6 13.0

Manual Integrations  
**APPROVED**

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#18

Methyl Acetate

Concen: 57.123 ug/l

RT: 5.018 min Scan# 521

Delta R.T. 0.006 min

Lab File: VN087522.D


Acq: 12 Aug 2025 18:02







Tgt Ion: 43 Resp: 310449

Ion Ratio Lower Upper

43 100

74 22.4 17.8 26.6






#19

Methyl tert-butyl Ether  
Concen: 63.008 ug/l  
RT: 5.794 min Scan# 6  
Delta R.T. 0.006 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#20

Methylene Chloride  
Concen: 56.550 ug/l  
RT: 5.271 min Scan# 564  
Delta R.T. 0.012 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Tgt Ion: 84 Resp: 206485  
Ion Ratio Lower Upper  
84 100  
49 132.0 107.5 161.3  
51 40.3 30.2 45.2  
86 63.9 49.3 73.9








#21

trans-1,2-Dichloroethene  
Concen: 53.336 ug/l  
RT: 5.771 min Scan# 6

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MSD  
Acq: 12 Aug 2025 18:02

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025




#22

Diisopropyl ether  
Concen: 61.790 ug/l  
RT: 6.665 min Scan# 801  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Tgt Ion: 45 Resp: 728197  
Ion Ratio Lower Upper  
45 100  
43 55.5 42.8 64.2  
87 25.4 19.8 29.6  
59 10.5 8.3 12.5





#23

## Vinyl Acetate

Concen: 276.617 ug/l


RT: 6.594 min Scan# 788

Delta R.T. 0.006 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD



Tgt Ion: 43 Resp: 2851108


Ion Ratio Lower Upper

43 100

86 9.9 7.7 11.5

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#24

## 1,1-Dichloroethane

Concen: 55.787 ug/l

RT: 6.553 min Scan# 782

Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02


Tgt Ion: 63 Resp: 379298




Ion Ratio Lower Upper

63 100

98 5.8 3.3 9.9

100 3.9 2.5 7.4





#25

2-Butanone

Concen: 289.416 ug/l

RT: 7.477 min Scan# 939

Delta R.T. 0.006 min




Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument :  
MSVOA\_N  
ClientSampleId :  
1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#26

2,2-Dichloropropane

Concen: 52.479 ug/l

RT: 7.477 min Scan# 939

Delta R.T. 0.006 min

Lab File: VN087522.D


Acq: 12 Aug 2025 18:02




Tgt Ion: 77 Resp: 277411

Ion Ratio Lower Upper

77 100

97 23.6 11.1 33.1









#27  
cis-1,2-Dichloroethene  
Concen: 86.252 ug/l  
RT: 7.477 min Scan# 938  
Delta R.T. 0.006 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MSD


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#28  
Bromochloromethane  
Concen: 56.409 ug/l  
RT: 7.794 min Scan# 993  
Delta R.T. -0.006 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Tgt Ion: 49 Resp: 183551  
Ion Ratio Lower Upper  
49 100  
129 1.8 0.0 4.2  
130 65.9 57.3 85.9





#29

Tetrahydrofuran

Concen: 294.487 ug/l

RT: 7.830 min Scan# 999

Delta R.T. 0.000 min





Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#30

Chloroform

Concen: 58.587 ug/l


RT: 7.953 min Scan# 1020




Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Tgt Ion: 83 Resp: 398704  
 Ion Ratio Lower Upper  
 83 100  
 85 66.1 52.7 79.1





#31

Cyclohexane

Concen: 51.698 ug/l

RT: 8.241 min Scan# 1069

Delta R.T. 0.000 min





Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument: MSVOA\_N  
ClientSampleId: 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#32

1,1,1-Trichloroethane

Concen: 56.900 ug/l


RT: 8.153 min Scan# 1054


Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Tgt Ion: 97 Resp: 335384  
Ion Ratio Lower Upper  
97 100  
99 63.8 51.8 77.8  
61 49.8 38.7 58.1







#33

1,2-Dichloroethane-d4  
Concen: 53.309 ug/l  
RT: 8.565 min Scan# 1212  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02



Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MSD




Tgt Ion: 65 Resp: 24594  
Ion Ratio Lower Upper  
65 100  
67 50.2 0.0 104.0

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025









#34  
1,4-Difluorobenzene  
Concen: 50.000 ug/l  
RT: 9.082 min Scan# 1212  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02




Tgt Ion:114 Resp: 540888  
Ion Ratio Lower Upper  
114 100  
63 23.8 0.0 44.6  
88 16.8 0.0 32.8









#35

Dibromofluoromethane  
Concen: 44.806 ug/lRT: 8.153 min Scan# 1  
Delta R.T. 0.006 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MSD**Manual Integrations  
APPROVED**Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#36

1,1-Dichloropropene  
Concen: 51.695 ug/l  
RT: 8.359 min Scan# 1089  
Delta R.T. 0.006 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02Tgt Ion: 75 Resp: 254821  
Ion Ratio Lower Upper  
75 100  
110 32.4 16.7 50.1  
77 30.4 25.2 37.8



#37

**Ethyl Acetate**

Concen: 50.491 ug/l

RT: 7.553 min Scan# 9




Delta R.T. 0.006 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

**Instrument:** MSVOA\_N  
**ClientSampleId :** 1056-MW-02(23.8)MSD

Tgt Ion:	Ion Ratio	Resp:	35945
43	100	Lower	
61	13.3	10.9	16.3
70	9.4	7.4	11.0

**Manual Integrations  
APPROVED**Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#38

**Carbon Tetrachloride**

Concen: 49.824 ug/l


RT: 8.347 min Scan# 1087




Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Tgt Ion:	Ion Ratio	Resp:	270552
117	100	Lower	
119	93.7	80.2	120.2
121	30.7	25.4	38.2





#39

Methylcyclohexane

Concen: 53.185 ug/l

RT: 9.582 min Scan# 1

Delta R.T. 0.000 min





Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument: MSVOA\_N  
ClientSampleId: 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#40

Benzene

Concen: 51.826 ug/l


RT: 8.588 min Scan# 1128







Delta R.T. -0.006 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Tgt Ion: 78 Resp: 825674  
Ion Ratio Lower Upper  
78 100  
77 24.5 18.2 27.2





#41

Methacrylonitrile

Concen: 57.101 ug/l

RT: 7.765 min Scan# 9

Delta R.T. -0.006 min


Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#42

1,2-Dichloroethane

Concen: 55.386 ug/l


RT: 8.653 min Scan# 1139


Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Tgt Ion: 62 Resp: 334621  
 Ion Ratio Lower Upper  
 62 100  
 98 8.3 0.0 18.0





#43

Isopropyl Acetate

Concen: 55.285 ug/l

RT: 8.677 min Scan# 1


Delta R.T. -0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

Abundance Scan 1143 (8.677 min): VN087522.D\data.ms



Tgt Ion: 43 Resp: 610974

Ion Ratio Lower Upper



43 100

61 24.0 19.8 29.8

87 12.2 9.8 14.6

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#44

Trichloroethene


Concen: 76.448 ug/l

RT: 9.335 min Scan# 1255

Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02




Tgt Ion:130 Resp: 287786


Ion Ratio Lower Upper




130 100

95 108.5 0.0 195.2



Abundance Scan 1255 (9.335 min): VN087522.D\data.ms (-1)





#45

1,2-Dichloropropane

Concen: 52.112 ug/l

RT: 9.606 min Scan# 1

Delta R.T. -0.000 min




Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument: MSVOA\_N  
ClientSampleId: 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#46

Dibromomethane

Concen: 52.862 ug/l

RT: 9.694 min Scan# 1316

Delta R.T. 0.006 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02


Tgt Ion: 93 Resp: 160220




Ion Ratio Lower Upper

93 100

95 83.8 65.8 98.8

174 82.0 69.9 104.9





#47

Bromodichloromethane

Concen: 53.547 ug/l

RT: 9.871 min Scan# 1346

Delta R.T. 0.000 min




Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#48

Methyl methacrylate

Concen: 59.708 ug/l

RT: 9.665 min Scan# 1311

Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02


Tgt Ion: 41 Resp: 297061


Ion Ratio Lower Upper

41 100

69 77.4 64.1 96.1


39 66.8 45.5 68.3





#49  
1,4-Dioxane  
Concen: 1063.455 ug/l  
RT: 9.682 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02




Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MSD




Tgt Ion: 88 Resp: 81030  
Ion Ratio Lower Upper  
88 100  
43 0.0 0.0 0.0  
58 77.0 61.1 91.7

Manual Integrations  
APPROVED



Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#50  
Toluene-d8  
Concen: 46.034 ug/l  
RT: 10.547 min Scan# 1461  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02



Tgt Ion: 98 Resp: 612676  
Ion Ratio Lower Upper  
98 100  
100 65.0 52.1 78.1





#51

4-Methyl-2-Pentanone

Concen: 276.206 ug/l

RT: 10.429 min Scan# 1441

Delta R.T. 0.000 min





Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#52

Toluene

Concen: 53.172 ug/l


RT: 10.612 min Scan# 1472




Delta R.T. -0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Tgt Ion: 92 Resp: 514896  
 Ion Ratio Lower Upper  
 92 100  
 91 175.8 135.1 202.7









#53

t-1,3-Dichloropropene  
Concen: 56.313 ug/l  
RT: 10.818 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#54

cis-1,3-Dichloropropene  
Concen: 54.843 ug/l  
RT: 10.294 min Scan# 1418  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Tgt Ion: 75 Resp: 350017  
Ion Ratio Lower Upper  
75 100  
77 33.3 24.2 36.2  
39 58.0 38.4 57.6#








#55

1,1,2-Trichloroethane  
Concen: 53.525 ug/l  
RT: 11.000 min Scan# 1  
Delta R.T. -0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Instrument: MSVOA\_N  
ClientSampleId: 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






#56

Ethyl methacrylate  
Concen: 55.058 ug/l  
RT: 10.859 min Scan# 1514  
Delta R.T. -0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Tgt Ion: 69 Resp: 364520  
Ion Ratio Lower Upper  
69 100  
41 71.0 55.1 82.7  
39 46.6 27.9 41.9#





#57

1,3-Dichloropropane

Concen: 54.544 ug/l

RT: 11.147 min Scan# 1

Delta R.T. 0.006 min

Lab File: VN087522.D





Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MSD

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#59

2-Hexanone

Concen: 290.104 ug/l

RT: 11.176 min Scan# 1568

Delta R.T. -0.006 min

Lab File: VN087522.D


Acq: 12 Aug 2025 18:02




Tgt Ion: 43 Resp: 1345334

Ion Ratio Lower Upper

43 100

58 51.5 26.7 80.0





#60

Dibromochloromethane

Concen: 52.528 ug/l

RT: 11.341 min Scan# 1

Delta R.T. 0.000 min




Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#61

1,2-Dibromoethane

Concen: 54.197 ug/l


RT: 11.447 min Scan# 1614




Delta R.T. -0.006 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Tgt Ion:107 Resp: 223407  
 Ion Ratio Lower Upper  
 107 100  
 109 91.8 77.5 116.3





#62

4-Bromofluorobenzene

Concen: 48.523 ug/l

RT: 12.829 min Scan# 1

Delta R.T. 0.000 min





Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#63

Chlorobenzene-d5

Concen: 50.000 ug/l


RT: 11.847 min Scan# 1682




Delta R.T. -0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Tgt Ion:117 Resp: 499161  
 Ion Ratio Lower Upper  
 117 100  
 82 58.8 47.4 71.2  
 119 31.9 23.8 35.8





#64

Tetrachloroethene

Concen: 100.258 ug/l

RT: 11.082 min Scan# 1

Delta R.T. -0.006 min




Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument: MSVOA\_N  
 ClientSampleId: 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#65

Chlorobenzene

Concen: 50.058 ug/l


RT: 11.870 min Scan# 1686


Delta R.T. 0.000 min

Lab File: VN087522.D


Acq: 12 Aug 2025 18:02

Tgt Ion:112 Resp: 560976  
 Ion Ratio Lower Upper  
 112 100  
 114 30.5 26.5 39.7








Abundance Scan 1698 (11.941 min): VN087522.D\data.ms (-)




Abundance Scan 1698 (11.941 min): VN087522.D\data.ms (-)



Abundance Scan 1698 (11.941 min): VN087522.D\data.ms (-)



Abundance Scan 1698 (11.941 min): VN087522.D\data.ms (-)



#66

1,1,1,2-Tetrachloroethane

Concen: 50.750 ug/l

RT: 11.941 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N


ClientSampleId :

1056-MW-02(23.8)MSD

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025






Tgt Ion:131 Resp: 193390  
Ion Ratio Lower Upper  
131 100  
133 97.1 47.4 142.3  
119 67.1 33.1 99.2



#67  
Ethyl Benzene  
Concen: 54.684 ug/l  
RT: 11.941 min Scan# 1698  
Delta R.T. -0.006 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Tgt Ion: 91 Resp: 1008847  
Ion Ratio Lower Upper  
91 100  
106 28.8 24.3 36.5





#68

m/p-Xylenes

Concen: 108.328 ug/l

RT: 12.053 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087522.D


Acq: 12 Aug 2025 18:02

Instrument :

MSVOA\_N


ClientSampleId :




1056-MW-02(23.8)MSD

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#69  
o-Xylene  
Concen: 55.474 ug/l  
RT: 12.376 min Scan# 1772  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Tgt Ion:106 Resp: 366073  
Ion Ratio Lower Upper  
106 100  
91 226.5 107.7 323.3





#70

Styrene

Concen: 57.383 ug/l

RT: 12.394 min Scan# 1

Delta R.T. 0.000 min





Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#71

Bromoform

Concen: 49.718 ug/l


RT: 12.559 min Scan# 1803




Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Tgt Ion:173 Resp: 153058  
 Ion Ratio Lower Upper  
 173 100  
 175 49.9 24.1 72.3  
 254 0.0 0.0 0.0#





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.770 min Scan# 2

Delta R.T. 0.000 min





Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
1056-MW-02(23.8)MSD

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#73

Isopropylbenzene

Concen: 58.858 ug/l


RT: 12.676 min Scan# 1823




Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Tgt Ion:105 Resp: 930692  
Ion Ratio Lower Upper  
105 100  
120 25.1 13.4 40.1





#74

N-amyl acetate

Concen: 53.408 ug/l m

RT: 12.506 min Scan# 1

Delta R.T. 0.012 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument :  
MSVOA\_N  
ClientSampleId :  
1056-MW-02(23.8)MSD

Tgt Ion: 43 Resp: 350874

Ion Ratio Lower Upper

43 100

70 24.8 37.6 56.4




55 12.3 19.6 29.4

61 14.3 20.6 31.0#

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#75

1,1,2,2-Tetrachloroethane

Concen: 54.740 ug/l

RT: 12.917 min Scan# 1864

Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02


Tgt Ion: 83 Resp: 325703







Ion Ratio Lower Upper

83 100

131 10.1 5.1 15.3

85 65.2 32.5 97.4





#76

1,2,3-Trichloropropane

Concen: 50.801 ug/l m

RT: 12.970 min Scan# 1

Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02


Instrument:

MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MSD

**Manual Integrations  
APPROVED**

 Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025


#77

Bromobenzene

Concen: 54.307 ug/l

RT: 12.959 min Scan# 1871

Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02


Tgt Ion:156 Resp: 222709




Ion Ratio Lower Upper

156 100

77 242.1 114.9 344.6

158 96.9 48.5 145.5





#78

n-propylbenzene

Concen: 57.922 ug/l

RT: 13.017 min Scan# 1

Delta R.T. 0.000 min





Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#79

2-Chlorotoluene

Concen: 57.709 ug/l


RT: 13.106 min Scan# 1896




Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Tgt Ion: 91 Resp: 705606  
 Ion Ratio Lower Upper  
 91 100  
 126 30.9 16.9 50.6









#80

1,3,5-Trimethylbenzene  
Concen: 60.032 ug/l  
RT: 13.153 min Scan# 1  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED


Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#81

trans-1,4-Dichloro-2-butene  
Concen: 47.164 ug/l  
RT: 12.717 min Scan# 1830  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Tgt Ion: 75 Resp: 97113  
Ion Ratio Lower Upper  
75 100  
53 119.1 83.5 125.3  
89 48.4 38.4 57.6



#82

4-Chlorotoluene

Concen: 57.263 ug/l

RT: 13.200 min Scan# 1

Delta R.T. 0.000 min



Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N

ClientSampleId :

1056-MW-02(23.8)MSD



Tgt Ion: 91 Resp: 72894

Ion Ratio Lower Upper




91 100

126 32.6 16.6 49.7

**Manual Integrations****APPROVED**

Reviewed By :John Carlone 08/13/2025

Supervised By :Mahesh Dadoda 08/14/2025



#83

tert-Butylbenzene

Concen: 59.799 ug/l

RT: 13.417 min Scan# 1949

Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02



Tgt Ion:119 Resp: 672878

Ion Ratio Lower Upper

119 100

91 72.1 35.0 105.1

134 26.8 12.6 37.6



#84



1,2,4-Trimethylbenzene  
 Concen: 59.711 ug/l  
 RT: 13.459 min Scan# 1  
 Delta R.T. -0.006 min  
 Lab File: VN087522.D  
 Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

Tgt Ion:105 Resp: 821538  
 Ion Ratio Lower Upper  
 105 100  
 120 43.1 22.8 68.3

### Manual Integrations APPROVED



Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025






#85

sec-Butylbenzene  
 Concen: 57.952 ug/l  
 RT: 13.594 min Scan# 1979  
 Delta R.T. 0.000 min  
 Lab File: VN087522.D  
 Acq: 12 Aug 2025 18:02

Tgt Ion:105 Resp: 982242  
 Ion Ratio Lower Upper  
 105 100  
 134 18.8 9.8 29.4





#86

p-Isopropyltoluene

Concen: 60.143 ug/l

RT: 13.706 min Scan# 1998

Delta R.T. 0.000 min





Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#87

1,3-Dichlorobenzene

Concen: 52.687 ug/l

RT: 13.712 min Scan# 1999

Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02


Tgt Ion:146 Resp: 424046




Ion Ratio Lower Upper

146 100

111 43.4 21.4 64.3

148 63.6 31.6 95.0





#88

1,4-Dichlorobenzene

Concen: 50.677 ug/l

RT: 13.788 min Scan# 2012

Delta R.T. 0.000 min




Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

**Instrument :**  
MSVOA\_N  
**ClientSampleId :**  
1056-MW-02(23.8)MSD

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#89

n-Butylbenzene

Concen: 61.023 ug/l

RT: 14.035 min Scan# 2054

Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Tgt Ion: 91 Resp: 791466




Ion Ratio Lower Upper

91 100

92 53.2 26.2 78.6

134 23.9 12.4 37.2








#90  
Hexachloroethane  
Concen: 53.113 ug/l  
RT: 14.311 min Scan# 2  
Instrument: MSVOA\_N  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

ClientSampleId :  
1056-MW-02(23.8)MSD


### Manual Integrations APPROVED




Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025



#91  
1,2-Dichlorobenzene  
Concen: 53.938 ug/l  
RT: 14.088 min Scan# 2063  
Delta R.T. 0.006 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Tgt Ion:146 Resp: 411268  
Ion Ratio Lower Upper  
146 100  
111 45.8 22.0 66.0  
148 64.9 32.7 98.1





#92

1,2-Dibromo-3-Chloropropane

Concen: 52.580 ug/l

RT: 14.700 min Scan# 2167




Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N

ClientSampleId : 1056-MW-02(23.8)MSD

**Manual Integrations  
APPROVED**
Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025

#93

1,2,4-Trichlorobenzene

Concen: 55.377 ug/l

RT: 15.364 min Scan# 2280

Delta R.T. -0.006 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02



Tgt Ion:180 Resp: 248025




Ion Ratio Lower Upper

180 100

182 94.4 47.3 141.8

145 33.9 15.4 46.4





#94

Hexachlorobutadiene

Concen: 51.432 ug/l

RT: 15.476 min Scan# 2

Delta R.T. 0.000 min




Lab File: VN087522.D

Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
 ClientSampleId : 1056-MW-02(23.8)MSD

### Manual Integrations APPROVED

Reviewed By :John Carlone 08/13/2025  
 Supervised By :Mahesh Dadoda 08/14/2025



#95

Naphthalene

Concen: 57.770 ug/l

RT: 15.617 min Scan# 2323

Delta R.T. 0.000 min

Lab File: VN087522.D

Acq: 12 Aug 2025 18:02



Tgt Ion:128 Resp: 916636


Ion Ratio Lower Upper

128 100

127 13.2 10.5 15.7

129 10.9 8.4 12.6






#96  
1,2,3-Trichlorobenzene  
Concen: 53.008 ug/l  
RT: 15.811 min Scan# 2  
Delta R.T. 0.000 min  
Lab File: VN087522.D  
Acq: 12 Aug 2025 18:02

Instrument : MSVOA\_N  
ClientSampleId : 1056-MW-02(23.8)MSD

**Manual Integrations**  
**APPROVED**

Reviewed By :John Carlone 08/13/2025  
Supervised By :Mahesh Dadoda 08/14/2025





284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## Manual Integration Report

Sequence:	VN071625	Instrument	MSVOA_n
-----------	----------	------------	---------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDICC001	VN087328.D	1,2,3-Trichloropropane	MMDadod a	7/17/2025 8:19:52 AM	Sam	7/17/2025 8:24:59 AM	Peak Integrated by Software
VSTDICC001	VN087328.D	1,4-Dichlorobenzene	MMDadod a	7/17/2025 8:19:52 AM	Sam	7/17/2025 8:24:59 AM	Peak Integrated by Software
VSTDICC001	VN087328.D	Acetone	MMDadod a	7/17/2025 8:19:52 AM	Sam	7/17/2025 8:24:59 AM	Peak Integrated by Software
VSTDICC001	VN087328.D	Allyl chloride	MMDadod a	7/17/2025 8:19:52 AM	Sam	7/17/2025 8:24:59 AM	Peak Integrated by Software
VSTDICC001	VN087328.D	Methyl tert-butyl Ether	MMDadod a	7/17/2025 8:19:52 AM	Sam	7/17/2025 8:24:59 AM	Peak Integrated by Software
VSTDICC001	VN087328.D	N-amyl acetate	MMDadod a	7/17/2025 8:19:52 AM	Sam	7/17/2025 8:24:59 AM	Peak Integrated by Software
VSTDICC005	VN087329.D	1,2,3-Trichloropropane	MMDadod a	7/17/2025 8:19:53 AM	Sam	7/17/2025 8:24:55 AM	Peak Integrated by Software
VSTDICC005	VN087329.D	Methyl Iodide	MMDadod a	7/17/2025 8:19:53 AM	Sam	7/17/2025 8:24:55 AM	Peak Integrated by Software
VSTDICC005	VN087329.D	N-amyl acetate	MMDadod a	7/17/2025 8:19:53 AM	Sam	7/17/2025 8:24:55 AM	Peak Integrated by Software
VSTDICC020	VN087330.D	1,2,3-Trichloropropane	MMDadod a	7/17/2025 8:19:54 AM	Sam	7/17/2025 8:24:56 AM	Peak Integrated by Software
VSTDICC020	VN087330.D	N-amyl acetate	MMDadod a	7/17/2025 8:19:54 AM	Sam	7/17/2025 8:24:56 AM	Peak Integrated by Software
VSTDICCC050	VN087331.D	1,2,3-Trichloropropane	MMDadod a	7/17/2025 8:19:56 AM	Sam	7/17/2025 8:25:01 AM	Peak Integrated by Software
VSTDICCC050	VN087331.D	N-amyl acetate	MMDadod a	7/17/2025 8:19:56 AM	Sam	7/17/2025 8:25:01 AM	Peak Integrated by Software



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## Manual Integration Report

Sequence:	VN071625	Instrument	MSVOA_n
-----------	----------	------------	---------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDICC100	VN087332.D	1,2,3-Trichloropropane	MMDadod a	7/17/2025 8:19:58 AM	Sam	7/17/2025 8:25:00 AM	Peak Integrated by Software
VSTDICC150	VN087333.D	1,2,3-Trichloropropane	MMDadod a	7/17/2025 8:19:59 AM	Sam	7/17/2025 8:25:02 AM	Peak Integrated by Software
VSTDICV050	VN087335.D	1,2,3-Trichloropropane	MMDadod a	7/17/2025 8:20:01 AM	Sam	7/17/2025 8:25:03 AM	Peak Integrated by Software
VSTDICV050	VN087335.D	N-amyl acetate	MMDadod a	7/17/2025 8:20:01 AM	Sam	7/17/2025 8:25:03 AM	Peak Integrated by Software



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## Manual Integration Report

Sequence:	vn081225	Instrument	MSVOA_n
-----------	----------	------------	---------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDCCC050	VN087502.D	1,2,3-Trichloropropane	JOHN	8/13/2025 8:54:54 AM	MMDadoda	8/14/2025 7:34:45 PM	Peak Integrated by Software
VN0812WBS01	VN087505.D	1,2,3-Trichloropropane	JOHN	8/13/2025 8:55:00 AM	MMDadoda	8/14/2025 7:34:45 PM	Peak Integrated by Software
VN0812WBS01	VN087505.D	N-amyl acetate	JOHN	8/13/2025 8:55:00 AM	MMDadoda	8/14/2025 7:34:45 PM	Peak Integrated by Software
Q2816-03MS	VN087521.D	1,2,3-Trichloropropane	JOHN	8/13/2025 8:56:28 AM	MMDadoda	8/14/2025 7:34:52 PM	Peak Integrated by Software
Q2816-03MS	VN087521.D	N-amyl acetate	JOHN	8/13/2025 8:56:28 AM	MMDadoda	8/14/2025 7:34:52 PM	Peak Integrated by Software
Q2816-04MSD	VN087522.D	1,2,3-Trichloropropane	JOHN	8/13/2025 8:56:34 AM	MMDadoda	8/14/2025 7:34:54 PM	Peak Integrated by Software
Q2816-04MSD	VN087522.D	N-amyl acetate	JOHN	8/13/2025 8:56:34 AM	MMDadoda	8/14/2025 7:34:54 PM	Peak Integrated by Software
VSTDCCC050	VN087523.D	1,2,3-Trichloropropane	JOHN	8/13/2025 8:56:38 AM	MMDadoda	8/14/2025 7:34:56 PM	Peak Integrated by Software
VSTDCCC050	VN087523.D	N-amyl acetate	JOHN	8/13/2025 8:56:38 AM	MMDadoda	8/14/2025 7:34:56 PM	Peak Integrated by Software



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## Manual Integration Report

Sequence:	vn081325	Instrument	MSVOA_n
-----------	----------	------------	---------

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDCCC050	VN087525.D	1,2,3-Trichloropropane	JOHN	8/14/2025 8:56:09 AM	MMDadoda	8/18/2025 8:47:04 AM	Peak Integrated by Software
VN0813WBS01	VN087528.D	1,2,3-Trichloropropane	JOHN	8/14/2025 8:56:15 AM	MMDadoda	8/18/2025 8:47:06 AM	Peak Integrated by Software
VN0813WBS01	VN087528.D	N-amyl acetate	JOHN	8/14/2025 8:56:15 AM	MMDadoda	8/18/2025 8:47:06 AM	Peak Integrated by Software
VSTDCCC050	VN087550.D	1,2,3-Trichloropropane	JOHN	8/14/2025 8:56:57 AM	MMDadoda	8/18/2025 8:47:58 AM	Peak Integrated by Software



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Instrument ID: MSVOA\_N

**Daily Analysis Runlog For Sequence/QCBatch ID # VN071625**

Review By	Mahesh Dadoda	Review On	7/17/2025 8:20:05 AM
Supervise By	Semsettin Yesilyurt	Supervise On	7/17/2025 8:25:10 AM
SubDirectory	VN071625	HP Acquire Method	HP Processing Method 82N071625W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds  CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP134794 VP134795,VP134796,VP134797,VP134798,VP134799,VP134800  VP134801		

Sr #	SampleId	Data File Name	Date-Time	Operator	Status
1	BFB	VN087327.D	16 Jul 2025 16:10	JC\MD	Ok
2	VSTDICCC001	VN087328.D	16 Jul 2025 17:05	JC\MD	Ok,M
3	VSTDICCC005	VN087329.D	16 Jul 2025 17:27	JC\MD	Ok,M
4	VSTDICCC020	VN087330.D	16 Jul 2025 17:49	JC\MD	Ok,M
5	VSTDICCC050	VN087331.D	16 Jul 2025 18:11	JC\MD	Ok,M
6	VSTDICCC100	VN087332.D	16 Jul 2025 18:32	JC\MD	Ok,M
7	VSTDICCC150	VN087333.D	16 Jul 2025 18:54	JC\MD	Ok,M
8	IBLK	VN087334.D	16 Jul 2025 19:16	JC\MD	Ok
9	VSTDICCV050	VN087335.D	16 Jul 2025 19:59	JC\MD	Ok,M

M : Manual Integration

Instrument ID: MSVOA\_N

**Daily Analysis Runlog For Sequence/QCBatch ID # VN081225**

Review By	John Carlone	Review On	8/13/2025 9:02:08 AM
Supervise By	Mahesh Dadoda	Supervise On	8/14/2025 7:35:02 PM
SubDirectory	VN081225	HP Acquire Method	HP Processing Method 82N071625W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	VP135094		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP135095,VP135096		

Sr #	SampleId	Data File Name	Date-Time	Operator	Status
1	BFB	VN087501.D	12 Aug 2025 07:57	JC\MD	Ok
2	VSTDCCC050	VN087502.D	12 Aug 2025 10:24	JC\MD	Ok,M
3	VN0812MBL01	VN087503.D	12 Aug 2025 10:45	JC\MD	Ok
4	VN0812WBL01	VN087504.D	12 Aug 2025 11:07	JC\MD	Ok
5	VN0812WBS01	VN087505.D	12 Aug 2025 11:42	JC\MD	Ok,M
6	VN0812WBSD01	VN087506.D	12 Aug 2025 12:15	JC\MD	Ok,M
7	PB169201TB	VN087507.D	12 Aug 2025 12:37	JC\MD	Ok
8	Q2808-04	VN087508.D	12 Aug 2025 12:58	JC\MD	ReRun
9	Q2827-04	VN087509.D	12 Aug 2025 13:19	JC\MD	ReRun
10	Q2831-03	VN087510.D	12 Aug 2025 13:41	JC\MD	Ok
11	Q2827-08	VN087511.D	12 Aug 2025 14:02	JC\MD	Ok,M
12	Q2816-01	VN087512.D	12 Aug 2025 14:24	JC\MD	Dilution
13	Q2816-05	VN087513.D	12 Aug 2025 14:46	JC\MD	Dilution
14	Q2816-06	VN087514.D	12 Aug 2025 15:07	JC\MD	Ok
15	Q2816-07	VN087515.D	12 Aug 2025 15:29	JC\MD	Ok
16	Q2816-08	VN087516.D	12 Aug 2025 15:51	JC\MD	ReRun
17	Q2816-09	VN087517.D	12 Aug 2025 16:13	JC\MD	Ok
18	Q2825-01	VN087518.D	12 Aug 2025 16:35	JC\MD	ReRun
19	Q2825-02	VN087519.D	12 Aug 2025 16:57	JC\MD	Ok
20	Q2816-02	VN087520.D	12 Aug 2025 17:19	JC\MD	Ok
21	Q2816-03MS	VN087521.D	12 Aug 2025 17:41	JC\MD	Ok,M



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Instrument ID: MSVOA\_N

**Daily Analysis Runlog For Sequence/QCBatch ID # VN081225**

Review By	John Carfone	Review On	8/13/2025 9:02:08 AM
Supervise By	Mahesh Dadoda	Supervise On	8/14/2025 7:35:02 PM
SubDirectory	VN081225	HP Acquire Method	HP Processing Method 82N071625W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	VP135094		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP135095,VP135096		

22	Q2816-04MSD	VN087522.D	12 Aug 2025 18:02	JC\MD	Ok,M
23	VSTDCCC050	VN087523.D	12 Aug 2025 18:24	JC\MD	Ok,M

M : Manual Integration



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Instrument ID: MSVOA\_N

**Daily Analysis Runlog For Sequence/QCBatch ID # VN081325**

Review By	John Caralone	Review On	8/14/2025 9:03:57 AM
Supervise By	Mahesh Dadoda	Supervise On	8/18/2025 8:55:14 AM
SubDirectory	VN081325	HP Acquire Method	HP Processing Method 82N071625W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	VP135108		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP135109,VP135110		

Sr #	SampleId	Data File Name	Date-Time	Operator	Status
1	BFB	VN087524.D	13 Aug 2025 09:04	JC\MD	Ok
2	VSTDCCC050	VN087525.D	13 Aug 2025 10:57	JC\MD	Ok,M
3	VN0813MBL01	VN087526.D	13 Aug 2025 11:19	JC\MD	Ok
4	VN0813WBL01	VN087527.D	13 Aug 2025 11:41	JC\MD	Ok
5	VN0813WBS01	VN087528.D	13 Aug 2025 12:39	JC\MD	Ok,M
6	PB169213TB	VN087529.D	13 Aug 2025 13:01	JC\MD	Ok
7	VN0813WBSD01	VN087530.D	13 Aug 2025 13:23	JC\MD	Ok,M
8	Q2816-05DL	VN087531.D	13 Aug 2025 13:45	JC\MD	Ok
9	Q2816-01DL	VN087532.D	13 Aug 2025 14:07	JC\MD	Ok
10	Q2816-08	VN087533.D	13 Aug 2025 14:29	JC\MD	Ok
11	Q2825-02RE	VN087534.D	13 Aug 2025 14:51	JC\MD	Not Ok
12	Q2825-01	VN087535.D	13 Aug 2025 15:14	JC\MD	Ok,M
13	Q2808-04RE	VN087536.D	13 Aug 2025 15:36	JC\MD	Confirms
14	Q2827-04RE	VN087537.D	13 Aug 2025 15:58	JC\MD	Confirms
15	Q2732-01	VN087538.D	13 Aug 2025 16:21	JC\MD	Ok
16	Q2832-02	VN087539.D	13 Aug 2025 16:43	JC\MD	ReRun
17	Q2832-04	VN087540.D	13 Aug 2025 17:05	JC\MD	ReRun
18	Q2832-06	VN087541.D	13 Aug 2025 17:27	JC\MD	Ok
19	Q2832-08	VN087542.D	13 Aug 2025 17:50	JC\MD	Ok
20	Q2832-10	VN087543.D	13 Aug 2025 18:12	JC\MD	Ok
21	Q2836-01	VN087544.D	13 Aug 2025 18:34	JC\MD	ReRun



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Instrument ID: MSVOA\_N

**Daily Analysis Runlog For Sequence/QCBatch ID # VN081325**

Review By	John Caralone	Review On	8/14/2025 9:03:57 AM
Supervise By	Mahesh Dadoda	Supervise On	8/18/2025 8:55:14 AM
SubDirectory	VN081325	HP Acquire Method	HP Processing Method 82N071625W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	VP135108		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP135109,VP135110		

22	Q2836-05	VN087545.D	13 Aug 2025 18:56	JC\MD	ReRun
23	Q2836-09	VN087546.D	13 Aug 2025 19:18	JC\MD	ReRun
24	Q2836-13	VN087547.D	13 Aug 2025 19:40	JC\MD	ReRun
25	Q2838-04	VN087548.D	13 Aug 2025 20:02	JC\MD	ReRun
26	Q2838-08	VN087549.D	13 Aug 2025 20:24	JC\MD	ReRun
27	VSTDCCC050	VN087550.D	13 Aug 2025 20:46	JC\MD	Ok,M

M : Manual Integration



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Instrument ID: MSVOA\_N

**Daily Analysis Runlog For Sequence/QCBatch ID # VN071625**

Review By	Mahesh Dadoda	Review On	7/17/2025 8:20:05 AM
Supervise By	Semsettin Yesilyurt	Supervise On	7/17/2025 8:25:10 AM
SubDirectory	VN071625	HP Acquire Method	HP Processing Method 82N071625W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	VP134794 VP134795,VP134796,VP134797,VP134798,VP134799,VP134800		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP134801		

Sr #	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	BFB	BFB	VN087327.D	16 Jul 2025 16:10		JC\MD	Ok
2	VSTDICCC001	VSTDICCC001	VN087328.D	16 Jul 2025 17:05		JC\MD	Ok,M
3	VSTDICCC005	VSTDICCC005	VN087329.D	16 Jul 2025 17:27	% d fail for com.#10 in 5 ppb	JC\MD	Ok,M
4	VSTDICCC020	VSTDICCC020	VN087330.D	16 Jul 2025 17:49	LR- 10,20	JC\MD	Ok,M
5	VSTDICCC050	VSTDICCC050	VN087331.D	16 Jul 2025 18:11	QR- 56	JC\MD	Ok,M
6	VSTDICCC100	VSTDICCC100	VN087332.D	16 Jul 2025 18:32		JC\MD	Ok,M
7	VSTDICCC150	VSTDICCC150	VN087333.D	16 Jul 2025 18:54		JC\MD	Ok,M
8	IBLK	IBLK	VN087334.D	16 Jul 2025 19:16		JC\MD	Ok
9	VSTDICCV050	ICVVN071625	VN087335.D	16 Jul 2025 19:59		JC\MD	Ok,M

M : Manual Integration



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Instrument ID: MSVOA\_N

**Daily Analysis Runlog For Sequence/QCBatch ID # VN081225**

Review By	John Caralone	Review On	8/13/2025 9:02:08 AM
Supervise By	Mahesh Dadoda	Supervise On	8/14/2025 7:35:02 PM
SubDirectory	VN081225	HP Acquire Method	HP Processing Method 82N071625W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	VP135094		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP135095,VP135096		

Sr #	SampleId	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	BFB	BFB	VN087501.D	12 Aug 2025 07:57		JC\MD	Ok
2	VSTDCCC050	VSTDCCC050	VN087502.D	12 Aug 2025 10:24	pH#Lot#V12668	JC\MD	Ok,M
3	VN0812MBL01	VN0812MBL01	VN087503.D	12 Aug 2025 10:45		JC\MD	Ok
4	VN0812WBL01	VN0812WBL01	VN087504.D	12 Aug 2025 11:07		JC\MD	Ok
5	VN0812WBS01	VN0812WBS01	VN087505.D	12 Aug 2025 11:42		JC\MD	Ok,M
6	VN0812WBSD01	VN0812WBSD01	VN087506.D	12 Aug 2025 12:15		JC\MD	Ok,M
7	PB169201TB	PB169201TB	VN087507.D	12 Aug 2025 12:37		JC\MD	Ok
8	Q2808-04	TP-7	VN087508.D	12 Aug 2025 12:58	vial A pH#5.0 Surrogate Fail	JC\MD	ReRun
9	Q2827-04	TP-8	VN087509.D	12 Aug 2025 13:19	vial A pH#5.0 Surrogate Fail	JC\MD	ReRun
10	Q2831-03	VNJ-238	VN087510.D	12 Aug 2025 13:41	vial A pH#5.0	JC\MD	Ok
11	Q2827-08	TP-9	VN087511.D	12 Aug 2025 14:02	vial A pH#5.0	JC\MD	Ok,M
12	Q2816-01	1055-MW-01(23)	VN087512.D	12 Aug 2025 14:24	vial A pH<2 Need 20X	JC\MD	Dilution
13	Q2816-05	1057-MW-03A(17)	VN087513.D	12 Aug 2025 14:46	vial A pH<2 Need 5X	JC\MD	Dilution
14	Q2816-06	1058-MW-11(15)	VN087514.D	12 Aug 2025 15:07	vial A pH<2	JC\MD	Ok
15	Q2816-07	1059-MW-17A(15.5)	VN087515.D	12 Aug 2025 15:29	vial A pH<2	JC\MD	Ok
16	Q2816-08	1060-FB080725	VN087516.D	12 Aug 2025 15:51	vial A pH<2 FB;Hit of Com.#16	JC\MD	ReRun
17	Q2816-09	1061-TB080725	VN087517.D	12 Aug 2025 16:13	vial A pH<2 TB	JC\MD	Ok
18	Q2825-01	TW1	VN087518.D	12 Aug 2025 16:35	vial A pH<2 Surrogate Fail	JC\MD	ReRun



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Instrument ID: MSVOA\_N

**Daily Analysis Runlog For Sequence/QCBatch ID # VN081225**

Review By	John Carlone	Review On	8/13/2025 9:02:08 AM
Supervise By	Mahesh Dadoda	Supervise On	8/14/2025 7:35:02 PM
SubDirectory	VN081225	HP Acquire Method	HP Processing Method 82N071625W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds  CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP135094  VP135095,VP135096		

19	Q2825-02	FB	VN087519.D	12 Aug 2025 16:57	vial A pH<2 FB	JC\MD	Ok
20	Q2816-02	1056-MW-02(23.8)	VN087520.D	12 Aug 2025 17:19	vial A pH<2	JC\MD	Ok
21	Q2816-03MS	1056-MW-02(23.8)MS	VN087521.D	12 Aug 2025 17:41	vial A pH<2	JC\MD	Ok,M
22	Q2816-04MSD	1056-MW-02(23.8)MSD	VN087522.D	12 Aug 2025 18:02	vial A pH<2	JC\MD	Ok,M
23	VSTDCCC050	VSTDCCC050EC	VN087523.D	12 Aug 2025 18:24		JC\MD	Ok,M

M : Manual Integration



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Instrument ID: MSVOA\_N

**Daily Analysis Runlog For Sequence/QCBatch ID # VN081325**

Review By	John Carlone	Review On	8/14/2025 9:03:57 AM
Supervise By	Mahesh Dadoda	Supervise On	8/18/2025 8:55:14 AM
SubDirectory	VN081325	HP Acquire Method	HP Processing Method 82N071625W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	VP135108		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP135109,VP135110		

Sr #	SampleID	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	BFB	BFB	VN087524.D	13 Aug 2025 09:04		JC\MD	Ok
2	VSTDCCC050	VSTDCCC050	VN087525.D	13 Aug 2025 10:57	pH#Lot#V12668	JC\MD	Ok,M
3	VN0813MBL01	VN0813MBL01	VN087526.D	13 Aug 2025 11:19		JC\MD	Ok
4	VN0813WBL01	VN0813WBL01	VN087527.D	13 Aug 2025 11:41		JC\MD	Ok
5	VN0813WBS01	VN0813WBS01	VN087528.D	13 Aug 2025 12:39		JC\MD	Ok,M
6	PB169213TB	PB169213TB	VN087529.D	13 Aug 2025 13:01		JC\MD	Ok
7	VN0813WBSD01	VN0813WBSD01	VN087530.D	13 Aug 2025 13:23		JC\MD	Ok,M
8	Q2816-05DL	1057-MW-03A(17)DL	VN087531.D	13 Aug 2025 13:45	vial B pH<2	JC\MD	Ok
9	Q2816-01DL	1055-MW-01(23)DL	VN087532.D	13 Aug 2025 14:07	vial B pH<2	JC\MD	Ok
10	Q2816-08	1060-FB080725	VN087533.D	13 Aug 2025 14:29	vial B pH<2 FB	JC\MD	Ok
11	Q2825-02RE	FBRE	VN087534.D	13 Aug 2025 14:51	FB;For Confirmation	JC\MD	Not Ok
12	Q2825-01	TW1	VN087535.D	13 Aug 2025 15:14	vial B pH<2	JC\MD	Ok,M
13	Q2808-04RE	TP-7RE	VN087536.D	13 Aug 2025 15:36	vial B pH#5.0 Surrogate fail	JC\MD	Confirms
14	Q2827-04RE	TP-8RE	VN087537.D	13 Aug 2025 15:58	vial B pH#5.0 Surrogate fail	JC\MD	Confirms
15	Q2732-01	WC-A7-01-G	VN087538.D	13 Aug 2025 16:21	vial A pH#5.0	JC\MD	Ok
16	Q2832-02	TG-S01	VN087539.D	13 Aug 2025 16:43	vial A pH#5.0 Surrogate fail	JC\MD	ReRun
17	Q2832-04	TG-S02	VN087540.D	13 Aug 2025 17:05	vial A pH#5.0 Surrogate fail	JC\MD	ReRun
18	Q2832-06	TG-S03	VN087541.D	13 Aug 2025 17:27	vial A pH#5.0	JC\MD	Ok



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Instrument ID: MSVOA\_N

**Daily Analysis Runlog For Sequence/QCBatch ID # VN081325**

Review By	John Carbone	Review On	8/14/2025 9:03:57 AM
Supervise By	Mahesh Dadoda	Supervise On	8/18/2025 8:55:14 AM
SubDirectory	VN081325	HP Acquire Method	HP Processing Method 82N071625W.M
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds  CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	VP135108  VP135109,VP135110		

19	Q2832-08	TG-S04	VN087542.D	13 Aug 2025 17:50	vial A pH#5.0	JC\MD	Ok
20	Q2832-10	TG-S05	VN087543.D	13 Aug 2025 18:12	vial A pH#5.0	JC\MD	Ok
21	Q2836-01	WC-A2-15-G	VN087544.D	13 Aug 2025 18:34	vial A pH#5.0 Surrogate fail	JC\MD	ReRun
22	Q2836-05	WC-A2-16-G	VN087545.D	13 Aug 2025 18:56	vial A pH#5.0 Surrogate fail	JC\MD	ReRun
23	Q2836-09	WC-A2-17-G	VN087546.D	13 Aug 2025 19:18	vial A pH#5.0 Surrogate fail	JC\MD	ReRun
24	Q2836-13	WC-A5-02-G	VN087547.D	13 Aug 2025 19:40	vial A pH#5.0 Surrogate fail	JC\MD	ReRun
25	Q2838-04	TP-11	VN087548.D	13 Aug 2025 20:02	vial A pH#5.0 Surrogate fail	JC\MD	ReRun
26	Q2838-08	TP-10	VN087549.D	13 Aug 2025 20:24	vial A pH#5.0 Surrogate fail	JC\MD	ReRun
27	VSTDCCC050	VSTDCCC050EC	VN087550.D	13 Aug 2025 20:46		JC\MD	Ok,M

M : Manual Integration



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

## Prep Standard - Chemical Standard Summary

**Order ID :** Q2816

**Test :** VOC-TCLVOA-10

**Prepbatch ID :**

**Sequence ID/Qc Batch ID:** vn081225,vn081325,

**Standard ID :**

VP134142,VP134149,VP134810,VP134933,VP134956,VP134957,VP135059,VP135094,VP135095,VP135096,VP135108,VP135109,VP135110,

**Chemical ID :**

V13391,V14290,V14444,V14446,V14507,V14508,V14529,V14530,V14625,V14626,V14629,V14636,V14637,V14638,V14639,V14668,V14671,V14673,V14675,V14702,V14705,V14716,V14745,V14751,V14806,V14807,V14843,V14906,V14929,V15050,V15051,V15052,W3112,



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## VOC STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
719	8260 Working STD (BCM)-First source, 400PPM	<a href="#">VP134142</a>	06/06/2025	12/06/2025	Semsettin Yesilyurt	None	None	Mahesh Dadoda 06/10/2025

**FROM** 1.00000ml of V14668 + 1.00000ml of V14671 + 1.00000ml of V14673 + 1.00000ml of V14675 + 16.00000ml of V14929 = Final  
Quantity: 20.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
1810	8260 Working Std(2-CVE)-800ppm	<a href="#">VP134149</a>	06/06/2025	12/06/2025	Semsettin Yesilyurt	None	None	Mahesh Dadoda 06/10/2025

**FROM** 1.00000ml of V14636 + 1.00000ml of V14637 + 1.00000ml of V14638 + 1.00000ml of V14639 + 46.00000ml of V14929 = Final  
Quantity: 50.000 ml



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## VOC STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
51	8260 Working STD (Acrolein) -first source, 800PPM	<a href="#">VP134810</a>	07/18/2025	08/16/2025	Semsettin Yesilyurt	None	None	Mahesh Dadoda 07/23/2025

FROM 1.00000ml of V15052 + 1.50000ml of V15050 + 1.50000ml of V15051 + 21.00000ml of V14629 = Final Quantity: 25.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
617	8260 Surrogate, 400PPM	<a href="#">VP134933</a>	07/29/2025	01/29/2026	Semsettin Yesilyurt	None	None	Mahesh Dadoda 08/19/2025

FROM 0.40000ml of V14906 + 24.60000ml of V14625 = Final Quantity: 25.000 ml

## VOC STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
247	8260 Internal Standard, 250PPM	<a href="#">VP134956</a>	08/01/2025	11/09/2025	Semsettin Yesilyurt	None	None	Mahesh Dadoda 08/06/2025

FROM 0.25000ml of V14290 + 24.75000ml of V14626 = Final Quantity: 25.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
218	BFB, 25PPM	<a href="#">VP134957</a>	08/01/2025	11/22/2025	Semsettin Yesilyurt	None	None	Mahesh Dadoda 08/06/2025

FROM 0.50000ml of V13391 + 49.50000ml of V14625 = Final Quantity: 50.000 ml



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

# VOC STANDARD PREPARATION LOG

**FROM** 0.40000ml of V14843 + 1.00000ml of V14444 + 1.00000ml of V14446 + 1.00000ml of V14507 + 1.00000ml of V14508 + 1.00000ml of V14529 + 1.00000ml of V14530 + 1.00000ml of V14705 + 1.00000ml of V14745 + 1.00000ml of V14751 + 1.00000ml of V14806 + 1.00000ml of V14807 + 1.50000ml of V14702 + 1.50000ml of V14716 + 10.60000ml of V14625 = Final Quantity: 25.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
589	BFB TUNE CHECK	<a href="#">VP135094</a>	08/12/2025	08/13/2025	John Carlone	None	None	Mahesh Dadoda 08/19/2025

**FROM** 39.98400ml of W3112 + 0.01600ml of VP134957 = Final Quantity: 40.000 ml



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## VOC STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
620	50 PPB CCC, 8260-Water	<a href="#">VP135095</a>	08/12/2025	08/13/2025	John Carlone	None	None	Mahesh Dadoda 08/19/2025

FROM 39.94450ml of W3112 + 0.00500ml of VP134142 + 0.00500ml of VP134933 + 0.00800ml of VP134956 + 0.01250ml of VP134149 + 0.01250ml of VP134810 + 0.01250ml of VP135059 = Final Quantity: 40.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
620	50 PPB CCC, 8260-Water	<a href="#">VP135096</a>	08/12/2025	08/13/2025	John Carlone	None	None	Mahesh Dadoda 08/19/2025

FROM 39.94450ml of W3112 + 0.00500ml of VP134142 + 0.00500ml of VP134933 + 0.00800ml of VP134956 + 0.01250ml of VP134149 + 0.01250ml of VP134810 + 0.01250ml of VP135059 = Final Quantity: 40.000 ml



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## VOC STANDARD PREPARATION LOG

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
589	BFB TUNE CHECK	<a href="#">VP135108</a>	08/13/2025	08/14/2025	John Carlone	None	None	Mahesh Dadoda 08/19/2025

FROM 39.98400ml of W3112 + 0.01600ml of VP134957 = Final Quantity: 40.000 ml

<u>Recipe ID</u>	<u>NAME</u>	<u>NO.</u>	<u>Prep Date</u>	<u>Expiration Date</u>	<u>Prepared By</u>	<u>ScaleID</u>	<u>PipetteID</u>	<u>Supervised By</u>
620	50 PPB CCC, 8260-Water	<a href="#">VP135109</a>	08/13/2025	08/14/2025	John Carlone	None	None	Mahesh Dadoda 08/19/2025

FROM 39.94450ml of W3112 + 0.00500ml of VP134142 + 0.00500ml of VP134933 + 0.00800ml of VP134956 + 0.01250ml of VP134149 + 0.01250ml of VP134810 + 0.01250ml of VP135059 = Final Quantity: 40.000 ml



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

## VOC STANDARD PREPARATION LOG

### CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	30067 / BFB tuneing solution	A0191805	11/22/2025	11/22/2024 / SAM	01/13/2023 / SAM	V13391
Restek	555581 / Custom Standard, 8260 Internal Std [CS 5179-1]	A0210184	12/12/2025	12/12/2024 / SAM	04/15/2024 / SAM	V14290
Restek	30489 / VOA Mix, 8260B Acetates Mix, P&TM, 1mL	A0209618	09/30/2025	08/08/2025 / SAM	08/15/2024 / SAM	V14444
Restek	30489 / VOA Mix, 8260B Acetates Mix, P&TM, 1mL	A0209618	09/30/2025	08/08/2025 / SAM	08/15/2024 / SAM	V14446
Absolute Standards, Inc.	95317 / Universal VOA Mega Mix (Min order = 5)	021624	02/08/2026	08/08/2025 / SAM	09/17/2024 / SAM	V14507
Absolute Standards, Inc.	95317 / Universal VOA Mega Mix (Min order = 5)	021624	02/08/2026	08/08/2025 / SAM	09/17/2024 / SAM	V14508



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	95319 / Revised Additions Mix (Min = 5)	091724	02/08/2026	08/08/2025 / SAM	09/18/2024 / SAM	V14529
Absolute Standards, Inc.	95319 / Revised Additions Mix (Min = 5)	091724	02/08/2026	08/08/2025 / SAM	09/18/2024 / SAM	V14530
Seidler Chemical	BA9077-02 / Methanol, Purge/Trap (cs=6x1L)	23I0762004	01/29/2026	07/29/2025 / SAM	11/26/2024 / SAM	V14625
Seidler Chemical	BA9077-02 / Methanol, Purge/Trap (cs=6x1L)	23I0762004	11/09/2025	05/09/2025 / SAM	11/26/2024 / SAM	V14626
Seidler Chemical	BA9077-02 / Methanol, Purge/Trap (cs=6x1L)	23I0762004	01/09/2026	07/07/2025 / SAM	11/26/2024 / SAM	V14629
Absolute Standards, Inc.	/ 2-Chloroethyl vinyl ether	120524	12/06/2025	06/06/2025 / SAM	12/06/2024 / SAM	V14636



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	/ 2-Chloroethyl vinyl ether	120524	12/06/2025	06/06/2025 / SAM	12/06/2024 / SAM	V14637
Absolute Standards, Inc.	/ 2-Chloroethyl vinyl ether	120524	12/06/2025	06/06/2025 / SAM	12/06/2024 / SAM	V14638
Absolute Standards, Inc.	/ 2-Chloroethyl vinyl ether	120524	12/06/2025	06/06/2025 / SAM	12/06/2024 / SAM	V14639
Restek	30225 / VOA Mix, bromochloromethane, 2000ug/mL, P&TM, 1mL/ampul	A0214960	12/06/2025	06/06/2025 / SAM	12/09/2024 / SAM	V14668
Restek	30225 / VOA Mix, bromochloromethane, 2000ug/mL, P&TM, 1mL/ampul	A0214960	12/06/2025	06/06/2025 / SAM	12/09/2024 / SAM	V14671
Restek	30225 / VOA Mix, bromochloromethane, 2000ug/mL, P&TM, 1mL/ampul	A0214960	12/06/2025	06/06/2025 / SAM	12/09/2024 / SAM	V14673



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	30225 / VOA Mix, bromochloromethane, 2000ug/mL, P&TM, 1mL/ampul	A0214960	12/06/2025	06/06/2025 / SAM	12/09/2024 / SAM	V14675
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	30006 / VOA Mix, CLP method Calibration Std #1 ketones 5000uq/ml, PTM, 1ml	A02110618	02/08/2026	08/08/2025 / SAM	12/17/2024 / SAM	V14702
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	30006 / VOA Mix, CLP method Calibration Std #1 ketones 5000uq/ml, PTM, 1ml	A02110618	02/08/2026	08/08/2025 / SAM	12/17/2024 / SAM	V14705
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	30006 / VOA Mix, CLP method Calibration Std #1 ketones 5000uq/ml, PTM, 1ml	A02110618	02/08/2026	08/08/2025 / SAM	12/17/2024 / SAM	V14716
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	30042 / VOA Mix,500 series method 502.2 Calibration Std #1 gases, 2000uq/ml, PTM, 1ml	A0216826	02/08/2026	08/08/2025 / SAM	12/17/2024 / SAM	V14745
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	30042 / VOA Mix,500 series method 502.2 Calibration Std #1 gases, 2000uq/ml, PTM, 1ml	A0216826	02/08/2026	08/08/2025 / SAM	12/17/2024 / SAM	V14751

### CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555408 / Custom Standard, Vinyl Acetate Standard w/ Grav [CS 5066-6] TWO SEPARATE	A0220471	02/08/2026	08/08/2025 / SAM	01/08/2025 / SAM	V14806
LOTS						
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
LOTS						
Restek	555408 / Custom Standard, Vinyl Acetate Standard w/ Grav [CS 5066-6] TWO SEPARATE	A0220471	02/08/2026	08/08/2025 / SAM	01/08/2025 / SAM	V14807
LOTS						
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	30470 / VOA Stock Solution, tert-butanol std, 1mL, P&TM	A0217535	11/12/2025	05/12/2025 / SAM	01/21/2025 / SAM	V14843
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Restek	555582 / Custom Mixture, 8260 A/B Surrogate Mix [CS 5179-2]	A0223904	07/29/2026	07/29/2025 / SAM	03/24/2025 / SAM	V14906
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA9077-02 / Methanol, Purge/Trap (cs=6x1L)	24G0262002	12/06/2025	06/06/2025 / SAM	05/09/2025 / SAM	V14929
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	91980 / Acrolin Std (Min = 5)	071625	08/16/2025	07/17/2025 / SAM	07/17/2025 / SAM	V15050



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

### CHEMICAL RECEIPT LOG BOOK

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Absolute Standards, Inc.	91980 / Acrolin Std (Min = 5)	071625	08/16/2025	07/17/2025 / SAM	07/17/2025 / SAM	V15051
Absolute Standards, Inc.	91980 / Acrolin Std (Min = 5)	071625	08/16/2025	07/17/2025 / SAM	07/17/2025 / SAM	V15052
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / Iwona	07/03/2024 / Iwona	W3112

Methanol  
ULTRA RESI-ANALYZED  
For Purge and Trap Analysis



Material No.: 9077-02  
Batch No.: 23I0762004  
Manufactured Date: 2023-08-11  
Expiration Date: 2026-08-10  
Revision No.: 0

## Certificate of Analysis

Test	Specification	Result
Assay (CH <sub>3</sub> OH) (by GC, corrected for water)	≥ 99.9 %	100.0 %
Residue after Evaporation	≤ 1.0 ppm	0.5 ppm
Titrable Acid (μeq/g)	≤ 0.3	0.2
Titrable Base (μeq/g)	≤ 0.10	0.01
Water (by KF, coulometric)	≤ 0.08 %	< 0.01 %
Volatile Organic Trace Analysis – Below EPA 8260B CRQL	Conforms	Conforms

For Laboratory, Research, or Manufacturing Use  
Performance Tested for Use in EPA Methods  
500 Series for Drinking Water  
600 Series for Wastewater  
846 for Solid Waste

Country of Origin: USA  
Packaging Site: Phillipsburg Mfg Ctr & DC

A handwritten signature in black ink.

Ken Koehnlein  
Sr. Manager, Quality Assurance

Methanol  
ULTRA RESI-ANALYZED  
For Purge and Trap Analysis



Material No.: 9077-02  
Batch No.: 23I0762004  
Manufactured Date: 2023-08-11  
Expiration Date: 2026-08-10  
Revision No.: 0

## Certificate of Analysis

Test	Specification	Result
Assay (CH <sub>3</sub> OH) (by GC, corrected for water)	≥ 99.9 %	100.0 %
Residue after Evaporation	≤ 1.0 ppm	0.5 ppm
Titrable Acid (μeq/g)	≤ 0.3	0.2
Titrable Base (μeq/g)	≤ 0.10	0.01
Water (by KF, coulometric)	≤ 0.08 %	< 0.01 %
Volatile Organic Trace Analysis – Below EPA 8260B CRQL	Conforms	Conforms

For Laboratory, Research, or Manufacturing Use  
Performance Tested for Use in EPA Methods  
500 Series for Drinking Water  
600 Series for Wastewater  
846 for Solid Waste

Country of Origin: USA  
Packaging Site: Phillipsburg Mfg Ctr & DC

A handwritten signature in black ink.

Ken Koehnlein  
Sr. Manager, Quality Assurance

Methanol  
ULTRA RESI-ANALYZED  
For Purge and Trap Analysis



Material No.: 9077-02  
Batch No.: 23I0762004  
Manufactured Date: 2023-08-11  
Expiration Date: 2026-08-10  
Revision No.: 0

## Certificate of Analysis

Test	Specification	Result
Assay (CH <sub>3</sub> OH) (by GC, corrected for water)	≥ 99.9 %	100.0 %
Residue after Evaporation	≤ 1.0 ppm	0.5 ppm
Titrable Acid (μeq/g)	≤ 0.3	0.2
Titrable Base (μeq/g)	≤ 0.10	0.01
Water (by KF, coulometric)	≤ 0.08 %	< 0.01 %
Volatile Organic Trace Analysis – Below EPA 8260B CRQL	Conforms	Conforms

For Laboratory, Research, or Manufacturing Use  
Performance Tested for Use in EPA Methods  
500 Series for Drinking Water  
600 Series for Wastewater  
846 for Solid Waste

Country of Origin: USA  
Packaging Site: Phillipsburg Mfg Ctr & DC

A handwritten signature in black ink.

Ken Koehnlein  
Sr. Manager, Quality Assurance

Ree 09/17/24

## CERTIFIED WEIGHT REPORT

Part Number: 95317  
 Lot Number: 021624  
 Description: Universal VOA Megamix  
 69 components

Solvent(s): Lot#  
 Methanol EG359-USQ12

Expiration Date: 02/16/27  
 Recommended Storage: Freeze (0 °C)

Nominal Concentration (ug/mL): 2000NIST Test ID#: 8UTBWeight(s) shown below were combined and diluted to (mL): 100.0

5E-05 Balance Uncertainty

Flask Uncertainty

<i>P. Shrestha</i>	021624
Formulated By:	Prashant Chauhan
Reviewed By:	Pedro L. Rentas

Compound	(RM#)	Lot Number	Dil. Factor	Initial Vol. (mL)	Initial Conc. (ug/mL)	Nominal Conc. (ug/mL)	Purity (%)	Purity Uncertainty	Uncertainty Pipette (mL)	Target Weight(g)	Actual Weight(g)	Actual Conc. (ug/mL)	Actual (+/-) (ug/mL)	Expanded Uncertainty	SDS Information		
															CAS#	OSHA PEL (TWA)	LD50
1. Acetonitrile	(0324)	021644	NA	NA	NA	2000	99.99	0.2	NA	0.20007	0.20020	2001.3	8.1	75-05-8	40 ppm (70mg/m <sup>3</sup> /BH)	orl-rat 2400mg/kg	
2. Allyl chloride (3-Chloropropene)	(0325)	102398	NA	NA	NA	2000	99	0.2	NA	0.20207	0.20221	2001.4	8.2	107-05-1	1 ppm (3mg/m <sup>3</sup> /BH)	orl-rat 700mg/kg	
3. Carbon disulfide	(0600)	MKCR8581	NA	NA	NA	2000	99.99	0.2	NA	0.20007	0.20023	2001.8	8.1	75-15-0	4 ppm (12mg/m <sup>3</sup> ) (skin)	orl-rat 1200mg/kg	
4. cis-1,4-Dichloro-2-butene	(1198)	14718EF	NA	NA	NA	2000	95	0.2	NA	0.21058	0.21069	2001.1	8.5	1478-11-6	N/A	N/A	
5. trans-1,4-Dichloro-2-butene	(0486)	MKBP6041V	NA	NA	NA	2000	96.5	0.2	NA	0.20731	0.20748	2001.7	8.4	110-57-6	N/A	N/A	
6. Diethyl ether	(0153)	K18CA500K	NA	NA	NA	2000	99.9	0.2	NA	0.20025	0.20040	2001.5	8.1	60-29-7	N/A	N/A	
7. Ethyl methacrylate	(0381)	06128PX	NA	NA	NA	2000	99	0.2	NA	0.20207	0.20230	2002.3	8.2	97-63-2	N/A	orl-rat 14800mg/kg	
8. Iodomethane	(0489)	SHBF8718V	NA	NA	NA	2000	99.5	0.2	NA	0.20108	0.20121	2001.5	8.2	74-88-4	5 ppm (28mg/m <sup>3</sup> /BH) (skin)	orl-rat 76mg/kg	
9. 2-Methyl-1-propanol	(0445)	18241EB	NA	NA	NA	2000	99.5	0.2	NA	0.20108	0.20120	2001.4	8.1	78-83-1	50 ppm (150mg/m <sup>3</sup> /BH)	orl-rat 240mg/kg	
10. Methylacrylonitrile	(0442)	0042ET	NA	NA	NA	2000	99	0.2	NA	0.20207	0.20221	2001.4	8.2	126-98-7	1 ppm (3mg/m <sup>3</sup> /BH) (skin)	orl-rat 120mg/kg	
11. Methyl acrylate	(1075)	SHBK0679	NA	NA	NA	2000	99.9	0.2	NA	0.20025	0.20040	2001.5	8.1	96-33-3	10 ppm (35mg/m <sup>3</sup> /BH) (skin)	orl-rat 277mg/kg	
12. Methyl methacrylate	(0404)	MKBW6137V	NA	NA	NA	2000	99.9	0.2	NA	0.20025	0.20041	2001.6	8.1	80-82-6	100 ppm (410mg/m <sup>3</sup> /BH)	orl-rat 787mg/kg	
13. Nitrobenzene	(0228)	01213TV	NA	NA	NA	2000	99	0.2	NA	0.20207	0.20220	2001.3	8.2	98-85-3	1 ppm (3mg/m <sup>3</sup> /BH) (skin)	orl-rat 780mg/kg	
14. 2-Nitropropane	(0481)	14002JK	NA	NA	NA	2000	97.3	0.2	NA	0.20560	0.20577	2001.6	8.3	79-48-9	10 ppm (35mg/m <sup>3</sup> /BH)	orl-rat 720mg/kg	
15. Pentachloroethane	(0450)	HGA01	NA	NA	NA	2000	98	0.2	NA	0.20413	0.20430	2001.6	8.3	78-01-7	N/A	N/A	
16. 1,1,2-Trichlorotrifluoroethane	(0474)	18590	NA	NA	NA	2000	99	0.2	NA	0.20207	0.20225	2001.8	8.2	76-13-1	1000 ppm (7600mg/m <sup>3</sup> /BH)	orl-rat 45mg/kg	
17. Bromodichloromethane	35171	101623	0.05	5.00	40001.7	2000	NA	NA	0.017	NA	NA	1988.6	22.9	75-27-4	N/A	orl-rat 916mg/kg	
18. Dibromochloromethane	35171	101623	0.05	5.00	40002.1	2000	NA	NA	0.017	NA	NA	1999.6	23.0	124-48-1	N/A	orl-rat 848mg/kg	
19. cis-1,2-Dichloroethene	35171	101623	0.05	5.00	40003.1	2000	NA	NA	0.017	NA	NA	1999.7	22.9	156-59-2	N/A	N/A	
20. trans-1,2-Dichloroethene	35171	101623	0.05	5.00	40002.4	2000	NA	NA	0.017	NA	NA	1999.6	23.0	156-60-5	N/A	orl-rat 1235mg/kg	
21. Methylene chloride	35171	101623	0.05	5.00	40002.8	2000	NA	NA	0.017	NA	NA	1999.5	22.9	75-09-2	500 ppm	orl-rat 820mg/kg	
22. 1,1-Dichloroethene	32251	102023	0.10	10.00	20001.6	2000	NA	NA	0.042	NA	NA	1999.7	20.4	75-35-4	1 ppm (4mg/m <sup>3</sup> /BH)	orl-rat 200mg/kg	
23. Bromoform	95321	020724	0.10	10.00	20003.2	2000	NA	NA	0.042	NA	NA	1999.8	20.5	75-25-2	0.5 ppm (5mg/m <sup>3</sup> /BH) (skin)	orl-rat 933mg/kg	
24. Carbon tetrachloride	95321	020724	0.10	10.00	20003.4	2000	NA	NA	0.042	NA	NA	1999.8	20.5	22-23-5	2 ppm (12mg/m <sup>3</sup> /BH)	orl-rat 235mg/kg	
25. Chloroform	95321	020724	0.10	10.00	20024.0	2000	NA	NA	0.042	NA	NA	1999.8	20.4	56-23-5	100 ppm (410mg/m <sup>3</sup> /BH)	orl-rat 90mg/kg	
26. Dibromomethane	95321	020724	0.10	10.00	20002.9	2000	NA	NA	0.042	NA	NA	2001.9	20.5	67-88-3	60 ppm (240mg/m <sup>3</sup> ) (CL)	orl-rat 908mg/kg	
27. 1,1-Dichloroethane	95321	020724	0.10	10.00	20003.4	2000	NA	NA	0.042	NA	NA	1999.8	20.5	74-85-3	N/A	orl-rat 108mg/kg	
28. 2,2-Dichloropropane	95321	020724	0.10	10.00	20003.4	2000	NA	NA	0.042	NA	NA	1999.8	20.5	75-34-3	100 ppm	orl-rat 725mg/kg	
29. Tetrachloroethene	95321	020724	0.10	10.00	20201.1	2000	NA	NA	0.042	NA	NA	1999.8	20.4	59-20-7	N/A	N/A	
30. 1,1,1-Trichloroethane	95321	020724	0.10	10.00	20003.0	2000	NA	NA	0.042	NA	NA	1999.8	20.8	127-18-4	25 ppm (170mg/m <sup>3</sup> /BH)(final)	orl-rat 2620mg/kg	
31. 1,2-Dibromo-3-chloropropane	35161	112322	0.05	5.00	40018.5	2000	NA	NA	0.017	NA	NA	1999.8	20.5	71-55-6	350 ppm (1900mg/m <sup>3</sup> /BH)	orl-rat 10300mg/kg	
32. 1,2-Dibromopentane	35161	112322	0.05	5.00	40024.8	2000	NA	NA	0.017	NA	NA	2000.3	22.9	98-12-8	0.001 ppm	orl-rat 170mg/kg	
33. 1,2-Dichloroethane	35161	112322	0.05	5.00	40018.0	2000	NA	NA	0.017	NA	NA	2000.7	22.9	106-03-4	20 ppm (BH)	orl-rat 108mg/kg	
34. 1,2-Dichloropropane	35161	112322	0.05	5.00	40051.0	2000	NA	NA	0.017	NA	NA	2000.4	22.9	107-06-2	50 ppm (BH)	orl-rat 670mg/kg	
35. 1,2-Dichloropropane	35161	112322	0.05	5.00	40005.9	2000	NA	NA	0.017	NA	NA	2002.0	22.9	78-87-5	75 ppm (350mg/m <sup>3</sup> /BH)	orl-rat 1847mg/kg	
36. 1,1-Dichloropropane	35161	112322	0.05	5.00	40012.1	2000	NA	NA	0.017	NA	NA	1999.8	22.9	142-29-9	N/A	im-mus 3600mg/kg	
37. cis-1,3-Dichloropropene	35161	112322	0.05	5.00	40010.0	2000	NA	NA	0.017	NA	NA	2000.1	28.7	583-58-6	N/A	N/A	
38. trans-1,3-Dichloropropene	35161	112322	0.05	5.00	40017.6	2000	NA	NA	0.017	NA	NA	2000.0	23.0	10081-01-5	N/A	N/A	
39. Hexachloro-1,3-butadiene	35161	112322	0.05	5.00	40021.9	2000	NA	NA	0.017	NA	NA	2000.4	23.0	10061-02-6	N/A	N/A	
40. 1,1,1,2-Tetrachloroethane	35161	112322	0.05	5.00	40011.9	2000	NA	NA	0.017	NA	NA	2000.6	29.7	87-08-3	0.02 ppm (0.24mg/m <sup>3</sup> /BH)	orl-rat 82mg/kg	
41. 1,1,2,2-Tetrachloroethane	35161	112322	0.05	5.00	40007.5	2000	NA	NA	0.017	NA	NA	2000.1	22.9	830-20-6	N/A	orl-rat 670mg/kg	
42. 1,1,2-Tetrachloroethane	35161	112322	0.05	5.00	40006.6	2000	NA	NA	0.017	NA	NA	1999.9	22.9	78-34-5	5 ppm (35mg/m <sup>3</sup> /BH) (skin)	orl-rat 600mg/kg	
43. Trichloroethene	35161	112322	0.05	5.00	40029.0	2000	NA	NA	0.017	NA	NA	1999.8	23.0	78-00-5	10 ppm (45mg/m <sup>3</sup> /BH) (skin)	orl-rat 835mg/kg	
44. 1,2,2-Trichloropropane	35161	112322	0.05	5.00	40007.5	2000	NA	NA	0.017	NA	NA	2000.9	22.9	78-01-6	50 ppm (270mg/m <sup>3</sup> /BH)	orl-mus 240mg/kg	
45. Benzene	35162	050823	0.05	5.00	40005.0	2000	NA	NA	0.017	NA	NA	1999.9	22.9	98-18-4	10 ppm (60mg/m <sup>3</sup> /BH)	orl-rat 149.6mg/kg	
46. Bromobenzene	35162	050823	0.05	5.00	40006.9	2000	NA	NA	0.017	NA	NA	1999.7	22.9	71-43-2	1 ppm	orl-rat 4804mg/kg	
47. n-Butyl benzene	35162	050823	0.05	5.00	40003.8	2000	NA	NA	0.017	NA	NA	1999.8	22.9	108-88-1	N/A	orl-rat 269mg/kg	
48. Ethyl benzene	35162	050823	0.05	5.00	40004.8	2000	NA	NA	0.017	NA	NA	1999.7	22.9	104-51-8	N/A	N/A	
49. p-Isopropyl tolue	35162	050823	0.05	5.00	40005.8	2000	NA	NA	0.017	NA	NA	1999.7	22.9	100-41-4	100 ppm (435mg/m <sup>3</sup> /BH)	orl-rat >2000mg/kg	
50. Naphthalene	35162	050823	0.05	5.00	40006.2	2000	NA	NA	0.017	NA	NA	1999.8	22.9	99-57-6	N/A	orl-rat 475mg/kg	
51. Styrene	35162	050823	0.05	5.00	40004.8	2000	NA	NA	0.017	NA	NA	1999.8	22.9	91-20-3	10 ppm (50mg/m <sup>3</sup> /BH)	orl-rat 490mg/kg	
52. Toluene	35162	050823	0.05	5.00	40008.2	2000	NA	NA	0.017	NA	NA	1999.7	22.9	100-42-5	100 ppm	orl-rat 5000mg/kg	
53. 1,2,3-Trichlorobenzene	35162	050823	0.05	5.00	40003.1	2000	NA	NA	0.017	NA	NA	1999.8	22.9	108-88-3	200 ppm	orl-rat 5000mg/kg	
54. 1,2,4-Trichlorobenzene	35162	050823	0.05	5.00	40006.8	2000	NA	NA	0.017	NA	NA	1999.8	22.9	87-81-6	N/A	im-mus 1300mg/kg	
55. 1,2,5-Trimethylbenzene	35162	050823	0.05	5.00	40006.7	2000	NA	NA	0.								



Run 16, "P95317 L021624 [2000µg/mL in MeOH]"

Run Length: 60.00 min, 35998 points at 10 points/second.

Created: Sat, Feb 17, 2024 at 8:56:46 AM.

Sampled: Sequence "021624-GC5-M1", Method "GC5-M1".

Analyzed using Method "GC5-M1".

#### Comments

GC5-M1 Analysis by Candice Warren

Column ID SPB-Vocel 105 meter X 0.53mm X 3.0µm film thickness

Flow rates: Total flow=290mL/min., Helium (carrier)=10mL/min.,


Helium(make-up)=10mL/min., Hydrogen(make-up)=40mL/min., Air(make-up)=230mL/min.

Oven Profile: Temp. 1=35°C (Time 1=10 min.), Temp 2=200°C (Time 2=8.75 min.).

Rate = 4°C/min., Total run time=60 min. Injector temp.=200°C, FID Temp.=200°C.

FID Signal = Edaq Channel 1

Standard injection = 0.5µL, Range=3





Boiling Point	65°C	Specific Gravity (H <sub>2</sub> O = 1)	0.79
Vapor Pressure (mm Hg)	96	Melting Point	-98°C
Vapor Density (AIR = 1)	1.11	Evaporation rate (Butyl Acetate = 1)	4.6
Solubility in Water	COMPLETE		
Appearance and Odor	CLEAR, COLORLESS LIQUID WITH CHARACTERISTIC PUNGENT ODOR.		

**Section X. STABILITY AND REACTIVITY**

Chemical stability: Stable under recommended storage conditions.  
 Possibility of hazardous reactions: Vapours may form explosive mixture with air.  
 Conditions to avoid: Heat, flames, sparks, extreme temperature and sunlight.  
 Materials to avoid: Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids  
 Hazardous decomposition products formed under fire conditions. - Carbon oxides

**Section XI. TOXICOLOGICAL INFORMATION**

LD50 Oral - rat - 5,628 mg/kg  
 LC50 Inhalation - rat - 4 h - 64000 ppm  
 LD50 Dermal - rabbit - 15,800 mg/kg  
 Toxic if absorbed through skin. Causes skin irritation.  
 Eye damage/eye irritation  
 Toxic if inhaled. Causes respiratory tract irritation.  
 Toxic if swallowed.

**Section XII. ECOLOGICAL INFORMATION FOR REPORTABLE QUANTITY OF 5000 lbs.**

LC50 15,400 mg/l - 96 h  
 EC50 24,500.00 mg/l - 48 h  
 EC100 10,000.00 mg/l - 24 h

**Section XIII. DISPOSAL CONSIDERATIONS**

Dispose with normal Laboratory Solvent Waste.

**Section XIV. TRANSPORT INFORMATION**

DOT (US)  
 UN number: 1230 Class: 3 Packing group: II  
 Proper shipping name: Methanol

IATA  
 UN number: 1230 Class: 3 Packing group: II  
 Proper shipping name: Methanol

**Section XV. REGULATORY INFORMATION**

OSHA Hazards Flammable liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption, Irritant  
 SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**Section XVI. Misc. INFORMATION**

The information in this Material Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) and Global Harmonized System (GHS). This document is intended only as a guide to the appropriate precautionary handling of the material by trained personnel, or supervised by a person trained in chemical handling. The user is responsible for determining the precautions and dangers of this chemical for his or her particular application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, ABSOLUTE STANDARDS INC. cannot warn of all the potential dangers of use or interaction with other chemicals or substances. ABSOLUTE STANDARDS INC. warrants that the chemical meets the specifications set forth on the label. ABSOLUTE STANDARDS INC DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR APPLICATION. The user should recognize that this product can cause severe injury or death, especially if improperly handled or the known dangers of use are not heeded. READ ALL PRECAUTIONARY INFORMATION. As new documented general safety information becomes available, Absolute Standards Inc. will periodically revise this Safety Data Sheet. If you have any questions, please call Technical Service at 1-203-281-2917 for assistance.

Ree 09/17/24

## CERTIFIED WEIGHT REPORT

Part Number: 95317  
 Lot Number: 021624  
 Description: Universal VOA Megamix  
 69 components

Solvent(s): Lot#  
 Methanol EG359-USQ12

Expiration Date: 02/16/27  
 Recommended Storage: Freeze (0 °C)

Nominal Concentration (ug/mL): 2000NIST Test ID#: 8UTBWeight(s) shown below were combined and diluted to (mL): 100.0 0.021 Flask Uncertainty

5E-05 Balance Uncertainty

Compound	(RM#)	Lot Number	Dil. Factor	Initial Vol. (mL)	Initial Conc.(ug/mL)	Nominal Conc. (ug/mL)	Purity (%)	Purity Uncertainty	Uncertainty Pipette (mL)	Target Weight(g)	Actual Weight(g)	Actual Conc.(ug/mL)	Actual Conc.(ug/mL) (+/-) (ug/mL)	SDS Information		
														CAS#	OSHA PEL (TWA)	LD50
1. Acetonitrile	(0324)	021644	NA	NA	NA	2000	99.99	0.2	NA	0.20007	0.20020	2001.3	8.1	75-05-8	40 ppm (70mg/m <sup>3</sup> /BH)	orl-rat 2400mg/kg
2. Allyl chloride (3-Chloropropene)	(0325)	102398	NA	NA	NA	2000	99	0.2	NA	0.20207	0.20221	2001.4	8.2	107-05-1	1 ppm (3mg/m <sup>3</sup> /BH)	orl-rat 700mg/kg
3. Carbon disulfide	(0600)	MKCR8581	NA	NA	NA	2000	99.99	0.2	NA	0.20007	0.20023	2001.8	8.1	75-15-0	4 ppm (12mg/m <sup>3</sup> ) (skin)	orl-rat 1200mg/kg
4. cis-1,4-Dichloro-2-butene	(1198)	14718EF	NA	NA	NA	2000	95	0.2	NA	0.21058	0.21069	2001.1	8.5	1478-11-6	N/A	N/A
5. trans-1,4-Dichloro-2-butene	(0486)	MKBPE041V	NA	NA	NA	2000	96.5	0.2	NA	0.20731	0.20748	2001.7	8.4	110-57-6	N/A	N/A
6. Diethyl ether	(0153)	K18CA500K	NA	NA	NA	2000	99.9	0.2	NA	0.20025	0.20040	2001.5	8.1	60-29-7	N/A	N/A
7. Ethyl methacrylate	(0381)	06128PX	NA	NA	NA	2000	99	0.2	NA	0.20207	0.20230	2002.3	8.2	97-63-2	N/A	orl-rat 14800mg/kg
8. Iodomethane	(0489)	SHBF8718V	NA	NA	NA	2000	99.5	0.2	NA	0.20108	0.20121	2001.5	8.2	74-88-4	5 ppm (28mg/m <sup>3</sup> /BH) (skin)	orl-rat 76mg/kg
9. 2-Methyl-1-propanol	(0445)	18241EB	NA	NA	NA	2000	99.5	0.2	NA	0.20108	0.20120	2001.4	8.1	78-83-1	50 ppm (150mg/m <sup>3</sup> /BH)	orl-rat 240mg/kg
10. Methylacrylonitrile	(0442)	0042ET	NA	NA	NA	2000	99	0.2	NA	0.20207	0.20221	2001.4	8.2	126-98-7	1 ppm (3mg/m <sup>3</sup> /BH) (skin)	orl-rat 120mg/kg
11. Methyl acrylate	(1075)	SHBK0679	NA	NA	NA	2000	99.9	0.2	NA	0.20025	0.20040	2001.5	8.1	96-33-3	10 ppm (35mg/m <sup>3</sup> /BH) (skin)	orl-rat 277mg/kg
12. Methyl methacrylate	(0404)	MKBW5137V	NA	NA	NA	2000	99.9	0.2	NA	0.20025	0.20041	2001.6	8.1	80-82-6	100 ppm (410mg/m <sup>3</sup> /BH)	orl-rat 787mg/kg
13. Nitrobenzene	(0228)	01213TV	NA	NA	NA	2000	99	0.2	NA	0.20207	0.20220	2001.3	8.2	98-85-3	1 ppm (3mg/m <sup>3</sup> /BH) (skin)	orl-rat 780mg/kg
14. 2-Nitropropane	(0481)	14002JK	NA	NA	NA	2000	97.3	0.2	NA	0.20560	0.20577	2001.6	8.3	79-48-9	10 ppm (35mg/m <sup>3</sup> /BH)	orl-rat 720mg/kg
15. Pentachloroethane	(0450)	HGA01	NA	NA	NA	2000	98	0.2	NA	0.20413	0.20430	2001.6	8.3	78-01-7	N/A	N/A
16. 1,1,2-Trichlorotrifluoroethane	(0474)	18930	NA	NA	NA	2000	99	0.2	NA	0.20207	0.20225	2001.8	8.2	76-13-1	1000 ppm (7600mg/m <sup>3</sup> /BH)	orl-rat 45mg/kg
17. Bromodichloromethane	35171	101623	0.05	5.00	40001.7	2000	NA	NA	0.017	NA	NA	1988.6	22.9	75-27-4	N/A	orl-rat 916mg/kg
18. Dibromochloromethane	35171	101623	0.05	5.00	40002.1	2000	NA	NA	0.017	NA	NA	1999.6	23.0	124-48-1	N/A	orl-rat 848mg/kg
19. cis-1,2-Dichloroethene	35171	101623	0.05	5.00	40003.1	2000	NA	NA	0.017	NA	NA	1999.7	22.9	156-59-2	N/A	N/A
20. trans-1,2-Dichloroethene	35171	101623	0.05	5.00	40002.4	2000	NA	NA	0.017	NA	NA	1999.6	23.0	156-60-5	N/A	orl-rat 1235mg/kg
21. Methylene chloride	35171	101623	0.05	5.00	40002.8	2000	NA	NA	0.017	NA	NA	1999.5	22.9	75-09-2	500 ppm	orl-rat 820mg/kg
22. 1,1-Dichloroethene	32251	102023	0.10	10.00	20001.6	2000	NA	NA	0.042	NA	NA	1999.7	20.4	75-35-4	1 ppm (4mg/m <sup>3</sup> /BH)	orl-rat 200mg/kg
23. Bromoform	95321	020724	0.10	10.00	20003.2	2000	NA	NA	0.042	NA	NA	1999.8	20.5	75-25-2	0.5 ppm (5mg/m <sup>3</sup> /BH) (skin)	orl-rat 933mg/kg
24. Carbon tetrachloride	95321	020724	0.10	10.00	20003.4	2000	NA	NA	0.042	NA	NA	1999.8	20.4	56-23-5	2 ppm (12.8mg/m <sup>3</sup> /BH)	orl-rat 235mg/kg
25. Chloroform	95321	020724	0.10	10.00	20024.0	2000	NA	NA	0.042	NA	NA	1999.8	20.4	67-88-3	60 ppm (240mg/m <sup>3</sup> ) (CL)	orl-rat 908mg/kg
26. Dibromomethane	95321	020724	0.10	10.00	20002.9	2000	NA	NA	0.042	NA	NA	1999.8	20.5	74-95-3	N/A	orl-rat 108mg/kg
27. 1,1-Dichloroethane	95321	020724	0.10	10.00	20003.4	2000	NA	NA	0.042	NA	NA	1999.8	20.5	75-34-3	100 ppm	orl-rat 725mg/kg
28. 2,2-Dichloropropane	95321	020724	0.10	10.00	20003.4	2000	NA	NA	0.042	NA	NA	1999.8	20.5	77-87-5	75 ppm (350mg/m <sup>3</sup> /BH)	orl-rat 1847mg/kg
29. Tetrachloroethene	95321	020724	0.10	10.00	20201.1	2000	NA	NA	0.042	NA	NA	1999.8	20.8	127-18-4	25 ppm (170mg/m <sup>3</sup> /BH)(final)	orl-rat 2620mg/kg
30. 1,1,1-Trichloroethane	95321	020724	0.10	10.00	20003.0	2000	NA	NA	0.042	NA	NA	1999.8	20.5	71-55-6	350 ppm (1900mg/m <sup>3</sup> /BH)	orl-rat 10300mg/kg
31. 1,2-Dibromo-3-chloropropane	35161	112322	0.05	5.00	40018.5	2000	NA	NA	0.017	NA	NA	2000.3	22.9	98-12-8	0.001 ppm	orl-rat 170mg/kg
32. 1,2-Dibromopentane	35161	112322	0.05	5.00	40024.8	2000	NA	NA	0.017	NA	NA	2001.9	20.5	79-01-6	50 ppm (270mg/m <sup>3</sup> /BH)	orl-mus 240mg/kg
33. 1,2-Dichloroethane	35161	112322	0.05	5.00	40018.0	2000	NA	NA	0.017	NA	NA	2000.7	22.9	106-03-4	20 ppm (BH)	orl-rat 108mg/kg
34. 1,2-Dichloropropane	35161	112322	0.05	5.00	40051.0	2000	NA	NA	0.017	NA	NA	2000.4	22.9	107-06-2	50 ppm (BH)	orl-rat 670mg/kg
35. 1,2-Dichloropropane	35161	112322	0.05	5.00	40005.9	2000	NA	NA	0.017	NA	NA	2002.0	22.9	78-87-5	75 ppm (350mg/m <sup>3</sup> /BH)	orl-mus 360mg/kg
36. 1,1-Dichloropropane	35161	112322	0.05	5.00	40012.1	2000	NA	NA	0.017	NA	NA	2000.1	20.7	583-56-6	N/A	orl-mus 3600mg/kg
37. cis-1,3-Dichloropropene	35161	112322	0.05	5.00	40010.0	2000	NA	NA	0.017	NA	NA	2000.0	23.0	10081-01-5	N/A	N/A
38. trans-1,3-Dichloropropene	35161	112322	0.05	5.00	40017.6	2000	NA	NA	0.017	NA	NA	2000.4	23.0	10061-02-6	N/A	N/A
39. Hexachloro-1,3-butadiene	35161	112322	0.05	5.00	40021.9	2000	NA	NA	0.017	NA	NA	2000.6	29.7	87-08-3	0.02 ppm (0.24mg/m <sup>3</sup> /BH)	orl-rat 82mg/kg
40. 1,1,2-Tetrachloroethane	35161	112322	0.05	5.00	40011.9	2000	NA	NA	0.017	NA	NA	2000.1	22.9	830-20-6	N/A	orl-rat 670mg/kg
41. 1,1,2,2-Tetrachloroethane	35161	112322	0.05	5.00	40007.5	2000	NA	NA	0.017	NA	NA	1999.9	22.9	79-34-5	5 ppm (55mg/m <sup>3</sup> /BH) (skin)	orl-rat 800mg/kg
42. 1,1,2-Tetrafluoroethane	35161	112322	0.05	5.00	40006.6	2000	NA	NA	0.017	NA	NA	1999.8	23.0	78-00-5	10 ppm (45mg/m <sup>3</sup> /BH) (skin)	orl-rat 836mg/kg
43. Trichloroethene	35161	112322	0.05	5.00	40029.0	2000	NA	NA	0.017	NA	NA	1999.8	23.0	78-01-6	50 ppm (270mg/m <sup>3</sup> /BH)	orl-mus 240mg/kg
44. 1,2,2-Trichloropropane	35161	112322	0.05	5.00	40007.5	2000	NA	NA	0.017	NA	NA	1999.9	22.9	98-18-4	10 ppm (60mg/m <sup>3</sup> /BH)	orl-rat 149.8mg/kg
45. Benzene	35162	050823	0.05	5.00	40005.0	2000	NA	NA	0.017	NA	NA	1999.7	22.9	100-42-5	100 ppm	orl-rat 5000mg/kg
46. Bromobenzene	35162	050823	0.05	5.00	40006.9	2000	NA	NA	0.017	NA	NA	1999.7	22.9	108-88-3	200 ppm	orl-rat 5000mg/kg
47. n-Butyl benzene	35162	050823	0.05	5.00	40003.8	2000	NA	NA	0.017	NA	NA	1999.8	22.9	108-88-1	N/A	orl-rat 269mg/kg
48. Ethyl benzene	35162	050823	0.05	5.00	40004.8	2000	NA	NA	0.017	NA	NA	1999.7	22.9	104-51-8	N/A	N/A
49. p-Isopropyl tolue	35162	050823	0.05	5.00	40005.8	2000	NA	NA	0.017	NA	NA	1999.7	22.9	100-41-4	100 ppm (435mg/m <sup>3</sup> /BH)	orl-rat >2000mg/kg
50. Naphthalene	35162	050823	0.05	5.00	40006.2	2000	NA	NA	0.017	NA	NA	1999.8	22.9	99-57-6	N/A	orl-rat 475mg/kg
51. Styrene	35162	050823	0.05	5.00	40004.8	2000	NA	NA	0.017	NA	NA	1999.8	22.9	91-20-3	10 ppm (50mg/m <sup>3</sup> /BH)	orl-rat 490mg/kg
52. Toluene	35162	050823	0.05	5.00	40008.2	2000	NA	NA	0.017	NA	NA	1999.7	22.9	100-42-5	100 ppm	orl-rat 5000mg/kg
53. 1,2,3-Trichlorobenzene	35162	050823	0.05	5.00	40003.1	2000	NA	NA	0.017	NA	NA	1999.7	22.9	135-98-8	N/A	orl-rat 220mg/kg
54. 1,2,4-Trichlorobenzene	35162	050823	0.05	5.00	40006.8	2000	NA	NA	0.017	NA	NA	1999.8	22.9	120-82-1	5 ppm (CL) (40mg/m <sup>3</sup> )	orl-rat 756mg/kg
55. 1,3,5-Trimethylbenzene	35162	050823	0.05	5.00	40006.7	2000	NA	NA	0.017	NA	NA	1999.6	23.0	95-63-6	N/A	orl-rat 5g/kg
56. m-Xylene	35162	050823	0.05	5.00	40005.8	2000	NA	NA	0.017	NA	NA	1999.8	22.9	108-87-8	N/A	orl-rat 5000mg/kg
57. <i>t&lt;/i</i>																



Run 16, "P95317 L021624 [2000µg/mL in MeOH]"

Run Length: 60.00 min, 35998 points at 10 points/second.

Created: Sat, Feb 17, 2024 at 8:56:46 AM.

Sampled: Sequence "021624-GC5M1", Method "GC5-M1".

Analyzed using Method "GC5-M1".

#### Comments

GC5-M1 Analysis by Candice Warren

Column ID SPB-Vocel 105 meter X 0.53mm X 3.0µm film thickness

Flow rates: Total flow=290mL/min., Helium (carrier)=10mL/min.,


Helium(make-up)=10mL/min., Hydrogen(make-up)=40mL/min., Air(make-up)=230mL/min.

Oven Profile: Temp. 1=35°C (Time 1=10 min.), Temp 2=200°C (Time 2=8.75 min.).

Rate = 4°C/min., Total run time=60 min. Injector temp.=200°C, FID Temp.=200°C.

FID Signal = Edaq Channel 1

Standard injection = 0.5µL, Range=3





Boiling Point	65°C	Specific Gravity (H <sub>2</sub> O = 1)	0.79
Vapor Pressure (mm Hg)	96	Melting Point	-98°C
Vapor Density (AIR = 1)	1.11	Evaporation rate (Butyl Acetate = 1)	4.6
Solubility in Water	COMPLETE		
Appearance and Odor	CLEAR, COLORLESS LIQUID WITH CHARACTERISTIC PUNGENT ODOR.		

**Section X. STABILITY AND REACTIVITY**

Chemical stability: Stable under recommended storage conditions.  
 Possibility of hazardous reactions: Vapours may form explosive mixture with air.  
 Conditions to avoid: Heat, flames, sparks, extreme temperature and sunlight.  
 Materials to avoid: Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids  
 Hazardous decomposition products formed under fire conditions. - Carbon oxides

**Section XI. TOXICOLOGICAL INFORMATION**

LD50 Oral - rat - 5,628 mg/kg  
 LC50 Inhalation - rat - 4 h - 64000 ppm  
 LD50 Dermal - rabbit - 15,800 mg/kg  
 Toxic if absorbed through skin. Causes skin irritation.  
 Eye damage/eye irritation  
 Toxic if inhaled. Causes respiratory tract irritation.  
 Toxic if swallowed.

**Section XII. ECOLOGICAL INFORMATION FOR REPORTABLE QUANTITY OF 5000 lbs.**

LC50 15,400 mg/l - 96 h  
 EC50 24,500.00 mg/l - 48 h  
 EC100 10,000.00 mg/l - 24 h

**Section XIII. DISPOSAL CONSIDERATIONS**

Dispose with normal Laboratory Solvent Waste.

**Section XIV. TRANSPORT INFORMATION**

DOT (US)  
 UN number: 1230 Class: 3 Packing group: II  
 Proper shipping name: Methanol

IATA  
 UN number: 1230 Class: 3 Packing group: II  
 Proper shipping name: Methanol

**Section XV. REGULATORY INFORMATION**

OSHA Hazards Flammable liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption, Irritant  
 SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**Section XVI. Misc. INFORMATION**

The information in this Material Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) and Global Harmonized System (GHS). This document is intended only as a guide to the appropriate precautionary handling of the material by trained personnel, or supervised by a person trained in chemical handling. The user is responsible for determining the precautions and dangers of this chemical for his or her particular application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, ABSOLUTE STANDARDS INC. cannot warn of all the potential dangers of use or interaction with other chemicals or substances. ABSOLUTE STANDARDS INC. warrants that the chemical meets the specifications set forth on the label. ABSOLUTE STANDARDS INC DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR APPLICATION. The user should recognize that this product can cause severe injury or death, especially if improperly handled or the known dangers of use are not heeded. READ ALL PRECAUTIONARY INFORMATION. As new documented general safety information becomes available, Absolute Standards Inc. will periodically revise this Safety Data Sheet. If you have any questions, please call Technical Service at 1-203-281-2917 for assistance.



Dec 09/17/24

2 Uvof


## CERTIFIED WEIGHT REPORT

Part Number: 91980  
 Lot Number: 091424  
 Description: Acrolein  
  
 Expiration Date: 101424  
 Recommended Storage: Refrigerate (4 °C)  
 Nominal Concentration ( $\mu\text{g/mL}$ ): 5000  
 NIST Test ID#: 6UTB  
 Weight(s) shown below were combined and diluted to (mL): 10.0      5E-05 Balance Uncertainty  
     0.001 Flask Uncertainty

		091424
Formulated By:	Justin Dippold	DATE
		091424
Reviewed By:	Pedro L. Rentas	DATE

Compound	RM#	Lot Number	Nominal Conc ( $\mu\text{g/mL}$ )	Purity (%)	Uncertainty Purity	Target Weight(g)	Actual Weight(g)	Actual Conc ( $\mu\text{g/mL}$ )	Expanded Uncertainty (+/-) ( $\mu\text{g/mL}$ )	SDS Information		
										(Solvent Safety Info. On Attached pg.)	CAS#	OSHA PEL (TWA)
1. Acrolein	5	103755V10F	5000	97	0.5	0.05166	0.05175	5008.9	52.5	107-02-8	0.1 ppm	orl-rat 46mg/kg

Method: GC6MSD-1. Detector: Mass Selective Detector (Scan mode). Column: Vocol (60m X 0.25mm ID X 1.5 $\mu\text{m}$  film thickness). Oven Profile: Temp. 1 = 35°C (Time 1 = 10min.), Temp. 2=200°C ( Time 2 = 8.75 min.). Rate = 4°C/min., Injector Temp. = 200°C, Detector Temp. = 220°C. Analyst: Pedro Rentas. NOTE: Due to the instability of acrolein in solution, all solutions of acrolein, and any dilutions thereof, should be used immediately Long term storage is not recommended. Please contact our technical department if further information is required.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified (+/-) 0.5 % of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).



Dec 09/17/24

2 Uvof


## CERTIFIED WEIGHT REPORT

Part Number: 91980  
 Lot Number: 091424  
 Description: Acrolein  
  
 Expiration Date: 101424  
 Recommended Storage: Refrigerate (4 °C)  
 Nominal Concentration ( $\mu\text{g/mL}$ ): 5000  
 NIST Test ID#: 6UTB  
 Weight(s) shown below were combined and diluted to (mL): 10.0      5E-05 Balance Uncertainty  
     0.001 Flask Uncertainty

		091424
Formulated By:	Justin Dippold	DATE
		091424
Reviewed By:	Pedro L. Rentas	DATE

Compound	RM#	Lot Number	Nominal Conc ( $\mu\text{g/mL}$ )	Purity (%)	Uncertainty Purity	Target Weight(g)	Actual Weight(g)	Actual Conc ( $\mu\text{g/mL}$ )	Expanded Uncertainty (+/-) ( $\mu\text{g/mL}$ )	SDS Information		
										(Solvent Safety Info. On Attached pg.)	CAS#	OSHA PEL (TWA)
1. Acrolein	5	103755V10F	5000	97	0.5	0.05166	0.05175	5008.9	52.5	107-02-8	0.1 ppm	orl-rat 46mg/kg

Method: GC6MSD-1. Detector: Mass Selective Detector (Scan mode). Column: Vocol (60m X 0.25mm ID X 1.5 $\mu\text{m}$  film thickness). Oven Profile: Temp. 1 = 35°C (Time 1 = 10min.), Temp. 2=200°C ( Time 2 = 8.75 min.). Rate = 4°C/min., Injector Temp. = 200°C, Detector Temp. = 220°C. Analyst: Pedro Rentas. NOTE: Due to the instability of acrolein in solution, all solutions of acrolein, and any dilutions thereof, should be used immediately Long term storage is not recommended. Please contact our technical department if further information is required.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified (+/-) 0.5 % of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).



Rec 12/16/24



CERTIFIED WEIGHT REPORT

Part Number: 95318  
Lot Number: 120524  
Description: 2-Chloroethyl vinyl ether

Solvent(s): Lot#  
Methanol EJ143-US

Expiration Date: 120527  
Recommended Storage: Refrigerate (4 °C)  
Nominal Concentration ( $\mu\text{g/mL}$ ): 10000  
NIST Test ID#: 6UTB




V14630 to  
V14649

Weight(s) shown below were combined and diluted to (mL): 50.0 Balance Uncertainty: 5E-05  
Flask Uncertainty: 0.001

<i>Prashant Chauhan</i>	120524
Formulated By:	Prashant Chauhan
<i>Pedro L. Rentas</i>	120524
Reviewed By:	Pedro L. Rentas

Compound	RM#	Lot Number	Nominal Conc ( $\mu\text{g/mL}$ )	Purity (%)	Uncertainty Purity	Target Weight (g)	Actual Weight (g)	Actual Conc( $\mu\text{g/mL}$ )	Expanded Uncertainty (+/-) ( $\mu\text{g/mL}$ )	SDS Information			
										CAS#	Solvent Safety Info. On Attached pg.)	OSHA PEL (TWA)	LD50
1. 2-Chloroethyl vinyl ether	74	MKCD0033	10000	99	0.2	0.50536	0.50550	10002.9	40.5	110-75-8	N/A	oral-rat 250mg/kg	

Method: GC6MSD-1.M. Detector: MSD. Column: (60m X 0.25mm X 1.5  $\mu\text{m}$ ). Oven Profile: Temp 1 = 35°C (Time 1=10min.), Temp 2 = 200°C (Time 2=8.75 min.), Rate = 4°C/min.,  
Injector B Temp.= 200°C, Detector B Temp. = 220°C. Analyst: Candice Warren.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified ( $\pm$ ) 0.5% of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

## Safety Data Sheet (SDS) GHS/OSHA Compliant

## **Section I Product and Company Identification**

**IDENTITY ANALYTICAL STANDARD DISSOLVED IN METHANOL**

Manufacturer's Name	ABSOLUTE STANDARDS INC	Emergency Telephone USA & CANADA	<b>1-800-535-5053</b>
Address	44 Rossotto Dr. Hamden CT, 06514	Emergency Telephone International Date Prepared/Revised	<b>1-352-323-3500</b> January 1, 2024

## **Section II - Hazards Identification**

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

H225	Highly Flammable Liquid and Vapor	H301, 311, 331	Toxic if swallowed, skin contact, inhaled
H370	Cause damage to organs	H351	Suspected of causing cancer
P271	Use in ventilated area	P280	Use gloves, eye protection/face shield
P302,332	If on skin, wash with soap and water	P305,351,338	If in eyes, remove contacts, rinse with water



## **Signal Word: DANGER**

### **Section III - Composition**

CAS#: 67-56-1

% (optional)  
    > 97

**See Certified Weight Report For Other Analytes Present At Trace Quantities.**

**INTENDED USE: REFERENCE MATERIAL**

#### **Section IV. FIRST AID MEASURES**

<b>General advice</b>	Consult a physician. Show this safety data sheet to the doctor in attendance. Move to safe area.
<b>If inhaled</b>	If inhaled, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
<b>In case of skin contact</b>	Wash with soap and water. Consult a physician.
<b>In case of eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>If swallowed</b>	Do NOT induce vomiting. Rinse mouth with water. Consult a physician.

## **Section V. FIREFIGHTING MEASURES**

**Flammability** Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.  
**Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
**Protective equipment for fire** Wear self contained breathing apparatus for fire fighting if necessary.

## **Section VI. ACCIDENTAL RELEASE MEASURES**

Personal precautions	Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Vapours accumulate to form explosive concentrations.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Clean up	Contain spillage, and then collect and place in container for disposal according to local regulations (see section 13).

## **Section VII. HANDLING AND STORAGE**

Precautions for safe handling	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use ventilation Keep away from sources of ignition. No smoking. Prevent the build up of electrostatic charge.
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## **Section VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Methanol** 67-56-1 TWA 200 ppm  
**Skin notation** TWA 200 ppm  
Potential for skin absorption, ingestion and inhalation.  
Personal protective equipment Respiratory protection Handle with gloves. Gloves must be inspected prior to use. Eye protection. Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling the product.

## **Section IX - Physical/Chemical Characteristics**

Boiling Point		Specific Gravity (H <sub>2</sub> O = 1)	
Vapor Pressure (mm Hg)	65°C	Melting Point	0.79
Vapor Density (AIR = 1)	96	Evaporation rate (Butyl Acetate = 1)	-98°C
Solubility in Water	1.11		4.6
Solubility in Water	COMPLETE		
Appearance and Odor	CLEAR, COLORLESS LIQUID WITH CHARACTERISTIC PUNGENT ODOR.		

**Section X. STABILITY AND REACTIVITY**

Chemical stability: Stable under recommended storage conditions.  
 Possibility of hazardous reactions: Vapours may form explosive mixture with air.  
 Conditions to avoid: Heat, flames, sparks, extreme temperature and sunlight.  
 Materials to avoid: Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids  
 Hazardous decomposition products formed under fire conditions. - Carbon oxides

**Section XI. TOXICOLOGICAL INFORMATION**

LD50 Oral - rat - 5,628 mg/kg  
 LC50 Inhalation - rat - 4 h - 64000 ppm  
 LD50 Dermal - rabbit - 15,800 mg/kg  
 Toxic if absorbed through skin. Causes skin irritation.  
 Eye damage/eye irritation  
 Toxic if inhaled. Causes respiratory tract irritation.  
 Toxic if swallowed.

**Section XII. ECOLOGICAL INFORMATION FOR REPORTABLE QUANTITY OF 5000 lbs.**

LC50 15,400 mg/l - 96 h  
 EC50 24,500.00 mg/l - 48 h  
 EC100 10,000.00 mg/l - 24 h

**Section XIII. DISPOSAL CONSIDERATIONS**

Dispose with normal Laboratory Solvent Waste.

**Section XIV. TRANSPORT INFORMATION**

DOT (US) IATA  
 UN number: 1230 Class: 3 Packing group: II  
 Proper shipping name: Methanol  
 UN number: 1230 Class: 3 Packing group: II  
 Proper shipping name: Methanol

**Section XV. REGULATORY INFORMATION**

OSHA Hazards Flammable liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption, Irritant  
 SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**Section XVI. Misc. INFORMATION**

The information in this Material Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) and Global Harmonized System (GHS). This document is intended only as a guide to the appropriate precautionary handling of the material by trained personnel, or supervised by a person trained in chemical handling. The user is responsible for determining the precautions and dangers of this chemical for his or her particular application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, ABSOLUTE STANDARDS INC. cannot warn of all the potential dangers of use or interaction with other chemicals or substances. ABSOLUTE STANDARDS INC. warrants that the chemical meets the specifications set forth on the label. ABSOLUTE STANDARDS INC DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR APPLICATION. The user should recognize that this product can cause severe injury or death, especially if improperly handled or the known dangers of use are not heeded. READ ALL PRECAUTIONARY INFORMATION. As new documented general safety information becomes available, Absolute Standards Inc. will periodically revise this Safety Data Sheet. If you have any questions, please call Technical Service at 1-203-281-2917 for assistance.



Rec 12/16/24

20 vial



## CERTIFIED WEIGHT REPORT

Part Number: 95318  
 Lot Number: 120524  
 Description: 2-Chloroethyl vinyl ether

Solvent(s): Methanol  
 Lot# EJ143-US

Expiration Date: 120527  
 Recommended Storage: Refrigerate (4 °C)  
 Nominal Concentration ( $\mu\text{g/mL}$ ): 10000  
 NIST Test ID#: 6UTB




V14630 to  
V14649

Weight(s) shown below were combined and diluted to (mL): 50.0 Balance Uncertainty 5E-05  
 Flask Uncertainty 0.001

<i>Prashant Chauhan</i>	120524
Formulated By:	Prashant Chauhan
<i>Pedro L. Rentas</i>	120524
Reviewed By:	Pedro L. Rentas

Compound	RM#	Lot Number	Nominal Conc ( $\mu\text{g/mL}$ )	Purity (%)	Uncertainty Purity	Target Weight (g)	Actual Weight (g)	Actual Conc( $\mu\text{g/mL}$ )	Expanded Uncertainty (+/-) ( $\mu\text{g/mL}$ )	SDS Information			
										CAS#	Solvent Safety Info. On Attached pg.)	OSHA PEL (TWA)	LD50
1. 2-Chloroethyl vinyl ether	74	MKCD0033	10000	99	0.2	0.50536	0.50550	10002.9	40.5	110-75-8	N/A	oral-rat 250mg/kg	

**Method:** GC6MSD-1.M. **Detector:** MSD. **Column:** (60m X 0.25mm X 1.5  $\mu\text{m}$ ). **Oven Profile:** Temp 1 = 35°C (Time 1=10min.), Temp 2 = 200°C (Time 2=8.75 min.), Rate = 4°C/min., Injector B Temp.= 200°C, Detector B Temp. = 220°C. **Analyst:** Candice Warren.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified ( $\pm 0.5\%$  of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

Safety Data Sheet (SDS) GHS/OSHA Compliant

## **Section I Product and Company Identification**

**IDENTITY ANALYTICAL STANDARD DISSOLVED IN METHANOL**

Manufacturer's Name	ABSOLUTE STANDARDS INC	Emergency Telephone USA & CANADA	<b>1-800-535-5053</b>
Address	44 Rossotto Dr. Hamden CT, 06514	Emergency Telephone International Date Prepared/Revised	<b>1-352-323-3500</b> January 1, 2024

## **Section II - Hazards Identification**

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

H225	Highly Flammable Liquid and Vapor	H301, 311, 331	Toxic if swallowed, skin contact, inhaled
H370	Cause damage to organs	H351	Suspected of causing cancer
P271	Use in ventilated area	P280	Use gloves, eye protection/face shield
P302,332	If on skin, wash with soap and water	P305,351,338	If in eyes, remove contacts, rinse with water



## **Signal Word: DANGER**

### **Section III - Composition**

**Components (Specific Chemical Identity; Common Name(s))**  
Methanol                    METHYL ALCOHOL

CAS#: 67-56-1

% (optional)  
    > 97

**See Certified Weight Report For Other Analytes Present At Trace Quantities.**

**INTENDED USE: REFERENCE MATERIAL**

#### **Section IV. FIRST AID MEASURES**

**General advice** Consult a physician. Show this safety data sheet to the doctor in attendance. Move to safe area.  
**If inhaled** If inhaled, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.  
**In case of skin contact** Wash with soap and water. Consult a physician.  
**In case of eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.  
**If swallowed** Do NOT induce vomiting. Rinse mouth with water. Consult a physician.

## **Section V. FIREFIGHTING MEASURES**

**Flammability** Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.  
**Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
**Protective equipment for fire** Wear self contained breathing apparatus for fire fighting if necessary.

## **Section VI. ACCIDENTAL RELEASE MEASURES**

Personal precautions	Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Vapours accumulate to form explosive concentrations.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Clean up	Contain spillage, and then collect and place in container for disposal according to local regulations (see section 13).

## **Section VII. HANDLING AND STORAGE**

Precautions for safe handling	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use ventilation Keep away from sources of ignition. No smoking. Prevent the build up of electrostatic charge.
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## **Section VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Methanol** 67-56-1 TWA 200 ppm  
**Skin notation** TWA 200 ppm  
Potential for skin absorption , ingestion and inhalation.  
Personal protective equipment   Respiratory protection   Handle with gloves. Gloves must be inspected prior to use.   Eye protection.  
Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling the product.

#### **Section IX - Physical/Chemical Characteristics**

Boiling Point		Specific Gravity (H <sub>2</sub> O = 1)	
Vapor Pressure (mm Hg)	65°C	Melting Point	0.79
Vapor Density (AIR = 1)	96	Evaporation rate (Butyl Acetate = 1)	-98°C
Solubility in Water	1.11		4.6
Solubility in Water	COMPLETE		
Appearance and Odor	CLEAR, COLORLESS LIQUID WITH CHARACTERISTIC PUNGENT ODOR.		

**Section X. STABILITY AND REACTIVITY**

Chemical stability Stable under recommended storage conditions.  
 Possibility of hazardous reactions Vapours may form explosive mixture with air.  
 Conditions to avoid Heat, flames, sparks, extreme temperature and sunlight.  
 Materials to avoid Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids  
 Hazardous decomposition products formed under fire conditions. - Carbon oxides

**Section XI. TOXICOLOGICAL INFORMATION**

LD50 Oral - rat - 5,628 mg/kg  
 LC50 Inhalation - rat - 4 h - 64000 ppm  
 LD50 Dermal - rabbit - 15,800 mg/kg  
 Toxic if absorbed through skin. Causes skin irritation.  
 Eye damage/eye irritation  
 Toxic if inhaled. Causes respiratory tract irritation.  
 Toxic if swallowed.

**Section XII. ECOLOGICAL INFORMATION FOR REPORTABLE QUANTITY OF 5000 lbs.**

LC50 15,400 mg/l - 96 h  
 EC50 24,500.00 mg/l - 48 h  
 EC100 10,000.00 mg/l - 24 h

**Section XIII. DISPOSAL CONSIDERATIONS**

Dispose with normal Laboratory Solvent Waste.

**Section XIV. TRANSPORT INFORMATION**

DOT (US) IATA  
 UN number: 1230 Class: 3 Packing group: II  
 Proper shipping name: Methanol  
 UN number: 1230 Class: 3 Packing group: II  
 Proper shipping name: Methanol

**Section XV. REGULATORY INFORMATION**

OSHA Hazards Flammable liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption, Irritant  
 SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**Section XVI. Misc. INFORMATION**

The information in this Material Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) and Global Harmonized System (GHS). This document is intended only as a guide to the appropriate precautionary handling of the material by trained personnel, or supervised by a person trained in chemical handling. The user is responsible for determining the precautions and dangers of this chemical for his or her particular application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, ABSOLUTE STANDARDS INC. cannot warn of all the potential dangers of use or interaction with other chemicals or substances. ABSOLUTE STANDARDS INC. warrants that the chemical meets the specifications set forth on the label. ABSOLUTE STANDARDS INC DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR APPLICATION. The user should recognize that this product can cause severe injury or death, especially if improperly handled or the known dangers of use are not heeded. READ ALL PRECAUTIONARY INFORMATION. As new documented general safety information becomes available, Absolute Standards Inc. will periodically revise this Safety Data Sheet. If you have any questions, please call Technical Service at 1-203-281-2917 for assistance.



Rec 12/16/24

20 vial



## CERTIFIED WEIGHT REPORT

Part Number: 95318  
 Lot Number: 120524  
 Description: 2-Chloroethyl vinyl ether

Solvent(s): Methanol Lot# EJ143-US

Expiration Date: 120527  
 Recommended Storage: Refrigerate (4 °C)  
 Nominal Concentration ( $\mu\text{g/mL}$ ): 10000  
 NIST Test ID#: 6UTB




V14630 to  
V14649

Weight(s) shown below were combined and diluted to (mL): 50.0 Balance Uncertainty 5E-05  
 Flask Uncertainty 0.001

<i>Prashant Chauhan</i>	120524
Formulated By:	Prashant Chauhan
<i>Pedro L. Rentas</i>	120524
Reviewed By:	Pedro L. Rentas

Compound	RM#	Lot Number	Nominal Conc ( $\mu\text{g/mL}$ )	Purity (%)	Uncertainty Purity	Target Weight (g)	Actual Weight (g)	Actual Conc( $\mu\text{g/mL}$ )	Expanded Uncertainty (+/-) ( $\mu\text{g/mL}$ )	SDS Information			
										CAS#	Solvent Safety Info. On Attached pg.)	OSHA PEL (TWA)	LD50
1. 2-Chloroethyl vinyl ether	74	MKCD0033	10000	99	0.2	0.50536	0.50550	10002.9	40.5	110-75-8	N/A	oral-rat 250mg/kg	

**Method:** GC6MSD-1.M. **Detector:** MSD. **Column:** (60m X 0.25mm X 1.5  $\mu\text{m}$ ). **Oven Profile:** Temp 1 = 35°C (Time 1=10min.), Temp 2 = 200°C (Time 2=8.75 min.), Rate = 4°C/min., Injector B Temp.= 200°C, Detector B Temp. = 220°C. **Analyst:** Candice Warren.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified ( $\pm 0.5\%$  of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

## Safety Data Sheet (SDS) GHS/OSHA Compliant

## **Section I Product and Company Identification**

**IDENTITY ANALYTICAL STANDARD DISSOLVED IN METHANOL**

Manufacturer's Name	ABSOLUTE STANDARDS INC	Emergency Telephone USA & CANADA	<b>1-800-535-5053</b>
Address	44 Rossotto Dr. Hamden CT, 06514	Emergency Telephone International Date Prepared/Revised	<b>1-352-323-3500</b> January 1, 2024

## **Section II - Hazards Identification**

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

H225	Highly Flammable Liquid and Vapor	H301, 311, 331	Toxic if swallowed, skin contact, inhaled
H370	Cause damage to organs	H351	Suspected of causing cancer
P271	Use in ventilated area	P280	Use gloves, eye protection/face shield
P302,332	If on skin, wash with soap and water	P305,351,338	If in eyes, remove contacts, rinse with water



## **Signal Word: DANGER**

### **Section III - Composition**

CAS#: 67-56-1

% (optional)  
    > 97

**See Certified Weight Report For Other Analytes Present At Trace Quantities.**

**INTENDED USE: REFERENCE MATERIAL**

#### **Section IV. FIRST AID MEASURES**

**General advice** Consult a physician. Show this safety data sheet to the doctor in attendance. Move to safe area.  
**If inhaled** If inhaled, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.  
**In case of skin contact** Wash with soap and water. Consult a physician.  
**In case of eye contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.  
**If swallowed** Do NOT induce vomiting. Rinse mouth with water. Consult a physician.

## **Section V. FIREFIGHTING MEASURES**

<b>Flammability</b>	Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.
<b>Suitable extinguishing media</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Protective equipment for fire</b>	Wear self contained breathing apparatus for fire fighting if necessary.

## **Section VI. ACCIDENTAL RELEASE MEASURES**

Personal precautions	Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Vapours accumulate to form explosive concentrations.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Clean up	Contain spillage, and then collect and place in container for disposal according to local regulations (see section 13).

## **Section VII. HANDLING AND STORAGE**

Precautions for safe handling	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use ventilation Keep away from sources of ignition. No smoking. Prevent the build up of electrostatic charge.
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## **Section VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Methanol** 67-56-1 TWA 200 ppm  
**Skin notation** TWA 200 ppm  
Potential for skin absorption, ingestion and inhalation.  
Personal protective equipment Respiratory protection Handle with gloves. Gloves must be inspected prior to use. Eye protection. Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling the product.

## **Section IX - Physical/Chemical Characteristics**

Boiling Point		Specific Gravity (H <sub>2</sub> O = 1)	
Vapor Pressure (mm Hg)	65°C	Melting Point	0.79
Vapor Density (AIR = 1)	96	Evaporation rate (Butyl Acetate = 1)	-98°C
Solubility in Water	1.11		4.6
Solubility in Water	COMPLETE		
Appearance and Odor	CLEAR, COLORLESS LIQUID WITH CHARACTERISTIC PUNGENT ODOR.		

**Section X. STABILITY AND REACTIVITY**

Chemical stability: Stable under recommended storage conditions.  
 Possibility of hazardous reactions: Vapours may form explosive mixture with air.  
 Conditions to avoid: Heat, flames, sparks, extreme temperature and sunlight.  
 Materials to avoid: Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids  
 Hazardous decomposition products formed under fire conditions. - Carbon oxides

**Section XI. TOXICOLOGICAL INFORMATION**

LD50 Oral - rat - 5,628 mg/kg  
 LC50 Inhalation - rat - 4 h - 64000 ppm  
 LD50 Dermal - rabbit - 15,800 mg/kg  
 Toxic if absorbed through skin. Causes skin irritation.  
 Eye damage/eye irritation  
 Toxic if inhaled. Causes respiratory tract irritation.  
 Toxic if swallowed.

**Section XII. ECOLOGICAL INFORMATION FOR REPORTABLE QUANTITY OF 5000 lbs.**

LC50 15,400 mg/l - 96 h  
 EC50 24,500.00 mg/l - 48 h  
 EC100 10,000.00 mg/l - 24 h

**Section XIII. DISPOSAL CONSIDERATIONS**

Dispose with normal Laboratory Solvent Waste.

**Section XIV. TRANSPORT INFORMATION**

DOT (US) IATA  
 UN number: 1230 Class: 3 Packing group: II  
 Proper shipping name: Methanol  
 UN number: 1230 Class: 3 Packing group: II  
 Proper shipping name: Methanol

**Section XV. REGULATORY INFORMATION**

OSHA Hazards Flammable liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption, Irritant  
 SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**Section XVI. Misc. INFORMATION**

The information in this Material Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) and Global Harmonized System (GHS). This document is intended only as a guide to the appropriate precautionary handling of the material by trained personnel, or supervised by a person trained in chemical handling. The user is responsible for determining the precautions and dangers of this chemical for his or her particular application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, ABSOLUTE STANDARDS INC. cannot warn of all the potential dangers of use or interaction with other chemicals or substances. ABSOLUTE STANDARDS INC. warrants that the chemical meets the specifications set forth on the label. ABSOLUTE STANDARDS INC DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR APPLICATION. The user should recognize that this product can cause severe injury or death, especially if improperly handled or the known dangers of use are not heeded. READ ALL PRECAUTIONARY INFORMATION. As new documented general safety information becomes available, Absolute Standards Inc. will periodically revise this Safety Data Sheet. If you have any questions, please call Technical Service at 1-203-281-2917 for assistance.



Rec 12/16/24

20 vial



## CERTIFIED WEIGHT REPORT

Part Number: 95318  
 Lot Number: 120524  
 Description: 2-Chloroethyl vinyl ether

Solvent(s): Methanol  
 Lot# EJ143-US

Expiration Date: 120527  
 Recommended Storage: Refrigerate (4 °C)  
 Nominal Concentration ( $\mu\text{g/mL}$ ): 10000  
 NIST Test ID#: 6UTB




V14630 to  
V14649

Weight(s) shown below were combined and diluted to (mL): 50.0 Balance Uncertainty 5E-05  
 Flask Uncertainty 0.001

<i>Prashant Chauhan</i>	120524
Formulated By:	Prashant Chauhan
<i>Pedro L. Rentas</i>	120524
Reviewed By:	Pedro L. Rentas

Compound	RM#	Lot Number	Nominal Conc ( $\mu\text{g/mL}$ )	Purity (%)	Uncertainty Purity	Target Weight (g)	Actual Weight (g)	Actual Conc( $\mu\text{g/mL}$ )	Expanded Uncertainty (+/-) ( $\mu\text{g/mL}$ )	SDS Information			
										CAS#	Solvent Safety Info. On Attached pg.)	OSHA PEL (TWA)	LD50
1. 2-Chloroethyl vinyl ether	74	MKCD0033	10000	99	0.2	0.50536	0.50550	10002.9	40.5	110-75-8	N/A	oral-rat 250mg/kg	

**Method:** GC6MSD-1.M. **Detector:** MSD. **Column:** (60m X 0.25mm X 1.5  $\mu\text{m}$ ). **Oven Profile:** Temp 1 = 35°C (Time 1=10min.), Temp 2 = 200°C (Time 2=8.75 min.), Rate = 4°C/min., Injector B Temp.= 200°C, Detector B Temp. = 220°C. **Analyst:** Candice Warren.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
- Standards are prepared gravimetrically using balances that are calibrated with weights traceable to NIST (see above).
- Standards are certified ( $\pm 0.5\%$  of the stated value, unless otherwise stated.
- All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
- Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).

## Safety Data Sheet (SDS) GHS/OSHA Compliant

## **Section I Product and Company Identification**

**IDENTITY ANALYTICAL STANDARD DISSOLVED IN METHANOL**

Manufacturer's Name	ABSOLUTE STANDARDS INC	Emergency Telephone USA & CANADA	<b>1-800-535-5053</b>
Address	44 Rossotto Dr. Hamden CT, 06514	Emergency Telephone International Date Prepared/Revised	<b>1-352-323-3500</b> January 1, 2024

## **Section II - Hazards Identification**

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

H225	Highly Flammable Liquid and Vapor	H301, 311, 331	Toxic if swallowed, skin contact, inhaled
H370	Cause damage to organs	H351	Suspected of causing cancer
P271	Use in ventilated area	P280	Use gloves, eye protection/face shield
P302,332	If on skin, wash with soap and water	P305,351,338	If in eyes, remove contacts, rinse with water



## **Signal Word: DANGER**

### **Section III - Composition**

CAS#: 67-56-1

% (optional)  
    > 97

**See Certified Weight Report For Other Analytes Present At Trace Quantities.**

**INTENDED USE: REFERENCE MATERIAL**

## **Section IV. FIRST AID MEASURES**

<b>General advice</b>	Consult a physician. Show this safety data sheet to the doctor in attendance. Move to safe area.
<b>If inhaled</b>	If inhaled, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
<b>In case of skin contact</b>	Wash with soap and water. Consult a physician.
<b>In case of eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>If swallowed</b>	Do NOT induce vomiting. Rinse mouth with water. Consult a physician.

## **Section V. FIREFIGHTING MEASURES**

**Flammability** Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.  
**Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
**Protective equipment for fire** Wear self contained breathing apparatus for fire fighting if necessary.

## **Section VI. ACCIDENTAL RELEASE MEASURES**

Personal precautions	Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Vapours accumulate to form explosive concentrations.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
Clean up	Contain spillage, and then collect and place in container for disposal according to local regulations (see section 13).

## **Section VII. HANDLING AND STORAGE**

Precautions for safe handling	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use ventilation Keep away from sources of ignition. No smoking. Prevent the build up of electrostatic charge.
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### **Section VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Methanol** 67-56-1 TWA 200 ppm  
**Skin notation** TWA 200 ppm  
Potential for skin absorption, ingestion and inhalation.  
Personal protective equipment Respiratory protection Handle with gloves. Gloves must be inspected prior to use. Eye protection. Avoid contact with skin, eyes and clothing. Wash hands thoroughly after handling the product.

## **Section IX - Physical/Chemical Characteristics**

Boiling Point		Specific Gravity (H <sub>2</sub> O = 1)	
Vapor Pressure (mm Hg)	65°C	Melting Point	0.79
Vapor Density (AIR = 1)	96	Evaporation rate (Butyl Acetate = 1)	-98°C
Solubility in Water	1.11		4.6
Solubility in Water	COMPLETE		
Appearance and Odor	CLEAR, COLORLESS LIQUID WITH CHARACTERISTIC PUNGENT ODOR.		

**Section X. STABILITY AND REACTIVITY**

Chemical stability: Stable under recommended storage conditions.  
 Possibility of hazardous reactions: Vapours may form explosive mixture with air.  
 Conditions to avoid: Heat, flames, sparks, extreme temperature and sunlight.  
 Materials to avoid: Acid chlorides, Acid anhydrides, Oxidizing agents, Alkali metals, Reducing agents, Acids  
 Hazardous decomposition products formed under fire conditions. - Carbon oxides

**Section XI. TOXICOLOGICAL INFORMATION**

LD50 Oral - rat - 5,628 mg/kg  
 LC50 Inhalation - rat - 4 h - 64000 ppm  
 LD50 Dermal - rabbit - 15,800 mg/kg  
 Toxic if absorbed through skin. Causes skin irritation.  
 Eye damage/eye irritation  
 Toxic if inhaled. Causes respiratory tract irritation.  
 Toxic if swallowed.

**Section XII. ECOLOGICAL INFORMATION FOR REPORTABLE QUANTITY OF 5000 lbs.**

LC50 15,400 mg/l - 96 h  
 EC50 24,500.00 mg/l - 48 h  
 EC100 10,000.00 mg/l - 24 h

**Section XIII. DISPOSAL CONSIDERATIONS**

Dispose with normal Laboratory Solvent Waste.

**Section XIV. TRANSPORT INFORMATION**

DOT (US) IATA  
 UN number: 1230 Class: 3 Packing group: II  
 Proper shipping name: Methanol  
 UN number: 1230 Class: 3 Packing group: II  
 Proper shipping name: Methanol

**Section XV. REGULATORY INFORMATION**

OSHA Hazards Flammable liquid, Target Organ Effect, Toxic by inhalation., Toxic by ingestion, Toxic by skin absorption, Irritant  
 SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**Section XVI. Misc. INFORMATION**

The information in this Material Safety Data Sheet meets the requirements of the United States Occupational Safety and Health Act and regulations promulgated thereunder (29 CFR 1910.1200 et. seq.) and Global Harmonized System (GHS). This document is intended only as a guide to the appropriate precautionary handling of the material by trained personnel, or supervised by a person trained in chemical handling. The user is responsible for determining the precautions and dangers of this chemical for his or her particular application. Depending on usage, protective clothing including eye and face guards and respirators must be used to avoid contact with material or breathing chemical vapors/fumes. Exposure to this product may have serious adverse health effects. This chemical may interact with other substances. Since the potential uses are so varied, ABSOLUTE STANDARDS INC. cannot warn of all the potential dangers of use or interaction with other chemicals or substances. ABSOLUTE STANDARDS INC. warrants that the chemical meets the specifications set forth on the label. ABSOLUTE STANDARDS INC DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR APPLICATION. The user should recognize that this product can cause severe injury or death, especially if improperly handled or the known dangers of use are not heeded. READ ALL PRECAUTIONARY INFORMATION. As new documented general safety information becomes available, Absolute Standards Inc. will periodically revise this Safety Data Sheet. If you have any questions, please call Technical Service at 1-203-281-2917 for assistance.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL



ILAC-MRA  
ACCREDITED  
ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



ILAC-MRA  
ACCREDITED  
ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

## Certificate of Analysis *chromatographic plus*

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 30067

**Lot No.:** A0191805

**Description :** 4-Bromofluorobenzene Standard

4-Bromofluorobenzene Standard 2,500 $\mu$ g/mL, P&T Methanol,  
1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** November 30, 2027

**Storage:** 0°C or colder

**Ship:** Ambient

### C E R T I F I E D   V A L U E S

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1-Bromo-4-fluorobenzene (BFB)	460-00-4	184975	99%	2,483.9 $\mu$ g/mL	+/- 139.5488

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** P&T Methanol  
**CAS #** 67-56-1  
**Purity** 99%

# Quality Confirmation Test

**Column:**

105m x 0.53mm x 3.0 $\mu$ m  
Rtx-502.2 (cat.#10910)

**Carrier Gas:**

hydrogen-constant pressure 11.0 psi.

**Temp. Program:**

40°C (hold 2 min.) to 240°C  
@ 8°C/min. (hold 5 min.)

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


FID

**Split Vent:**


40 ml/min

**Inj. Vol**

1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

  
Alicia Leathers - Operation Technician I

Date Mixed: 17-Nov-2022      Balance Serial #: B251644995

  
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 21-Nov-2022

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

## General Certified Reference Material Notes

### Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

### Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/pECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

### Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

### Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

### Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

*chromatographic plus*



**21**  
ACCREDITED  
ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



**21**  
ACCREDITED  
ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 30489

**Lot No.:** A0209618

**Description :** 8260B Acetates Mix

8260B Acetates Mix 2,000 µg/mL, P&T Methanol, 1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** September 30, 2025

**Storage:** -20°C or colder

**Handling:** This product is photosensitive.

**Ship:** On Ice

### C E R T I F I E D V A L U E S

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)
1	Methyl acetate	79-20-9	SHBP3100	99%	2,019.3 µg/mL	+/- 69.7974
2	Vinyl acetate	108-05-4	RP231030CTH	98%	2,016.8 µg/mL	+/- 69.7112
3	Ethyl acetate	141-78-6	SHBQ9682	99%	2,010.7 µg/mL	+/- 69.4979
4	Isopropyl acetate	108-21-4	BCCG7069	99%	2,016.0 µg/mL	+/- 69.6822
5	Propyl acetate	109-60-4	P8XLN	99%	2,008.0 µg/mL	+/- 69.4057
6	Butyl acetate	123-86-4	SHBP6314	99%	2,007.3 µg/mL	+/- 69.3826
7	Amyl acetate	628-63-7	41325/1	97%	2,004.7 µg/mL	+/- 69.2905

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** P&T Methanol  
**CAS #** 67-56-1  
**Purity** 99%

### Tech Tips:

Vinyl acetate is a volatile organic ester included in the target lists of several US EPA and other methods. Under acidic conditions, esters react with alcohols to form new esters (transesterification). Methanol-based mixes containing halogenated compounds are slightly acidic, so it is important to minimize exposure of vinyl acetate to mixes of halogenated compounds in methanol. For this

reason, we offer vinyl acetate in individual solution, and suggest that it be introduced into the working level calibration solution immediately before use. This will minimize problems and ensure more consistent results.

## Quality Confirmation Test

**Column:**

105m x 0.53mm x 3.0 $\mu$ m  
Rtx-502.2 (cat.#10910)

**Carrier Gas:**

hydrogen-constant pressure 11.0 psi.

**Temp. Program:**

40°C (hold 2 min.) to 240°C  
@ 8°C/min. (hold 5 min.)

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


FID

**Split Vent:**

40 ml/min

**Inj. Vol**

1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

*Samuel Moodier*  
Sam Moodier - Operations Tech I

Date Mixed: 28-Mar-2024      Balance Serial #: B707717271

*Dillan Murphy*  
Dillan Murphy - Operations Technician |

Date Passed: 01-Apr-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

$k$  is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

*chromatographic plus*



**21**  
ACCREDITED  
ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



**21**  
ACCREDITED  
ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 30489

**Lot No.:** A0209618

**Description :** 8260B Acetates Mix

8260B Acetates Mix 2,000 µg/mL, P&T Methanol, 1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** September 30, 2025

**Storage:** -20°C or colder

**Handling:** This product is photosensitive.

**Ship:** On Ice

### C E R T I F I E D V A L U E S

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty (95% C.L.; K=2)
1	Methyl acetate	79-20-9	SHBP3100	99%	2,019.3 µg/mL	+/- 69.7974
2	Vinyl acetate	108-05-4	RP231030CTH	98%	2,016.8 µg/mL	+/- 69.7112
3	Ethyl acetate	141-78-6	SHBQ9682	99%	2,010.7 µg/mL	+/- 69.4979
4	Isopropyl acetate	108-21-4	BCCG7069	99%	2,016.0 µg/mL	+/- 69.6822
5	Propyl acetate	109-60-4	P8XLN	99%	2,008.0 µg/mL	+/- 69.4057
6	Butyl acetate	123-86-4	SHBP6314	99%	2,007.3 µg/mL	+/- 69.3826
7	Amyl acetate	628-63-7	41325/1	97%	2,004.7 µg/mL	+/- 69.2905

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** P&T Methanol  
**CAS #** 67-56-1  
**Purity** 99%

### Tech Tips:

Vinyl acetate is a volatile organic ester included in the target lists of several US EPA and other methods. Under acidic conditions, esters react with alcohols to form new esters (transesterification). Methanol-based mixes containing halogenated compounds are slightly acidic, so it is important to minimize exposure of vinyl acetate to mixes of halogenated compounds in methanol. For this

reason, we offer vinyl acetate in individual solution, and suggest that it be introduced into the working level calibration solution immediately before use. This will minimize problems and ensure more consistent results.

## Quality Confirmation Test

**Column:**

105m x 0.53mm x 3.0 $\mu$ m  
Rtx-502.2 (cat.#10910)

**Carrier Gas:**

hydrogen-constant pressure 11.0 psi.

**Temp. Program:**

40°C (hold 2 min.) to 240°C  
@ 8°C/min. (hold 5 min.)

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


FID

**Split Vent:**

40 ml/min

**Inj. Vol**

1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

*Samuel Moodier*  
Sam Moodier - Operations Tech I

Date Mixed: 28-Mar-2024 Balance Serial #: B707717271

*Dillan Murphy*  
Dillan Murphy - Operations Technician |

Date Passed: 01-Apr-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

$k$  is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

### Certificate of Analysis *gravimetric*



#### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No.:** 555581

**Lot No.:** A0210184

**Description :** Custom 8260 Internal Standard Mix

Custom 8260 Internal Standard Mix 25,000 $\mu$ g/mL, P&T Methanol,  
1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** April 30, 2027


**Storage:** 10°C or colder

**Ship:** Ambient

#### C E R T I F I E D   V A L U E S

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,4-Dichlorobenzene-d4	3855-82-1	PR-30447	99%	25,212.0 $\mu$ g/mL	+/- 1,427.8857
2	1,4-Difluorobenzene	540-36-3	MKCS8657	99%	25,220.0 $\mu$ g/mL	+/- 1,428.3388
3	Chlorobenzene-d5	3114-55-4	PR-31132	99%	25,116.0 $\mu$ g/mL	+/- 1,422.4487
4	Pentafluorobenzene	363-72-4	MKCR9383	99%	25,180.0 $\mu$ g/mL	+/- 1,426.0734

**Solvent:** P&T Methanol  
**CAS #** 67-56-1  
**Purity** 99%

  
John Friedline - Operations Technician I

Date Mixed: 11-Apr-2024

Balance: 1127510105

APPROVED  
By Analyst Name: [Redacted] Date: [Redacted]

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

## General Certified Reference Material Notes

### Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

### Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

### Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

### Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

### Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

Dec 12 (17) 24

30 v14

# Certificate of Analysis

*chromatographic plus*

V14697-to-14726



ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 30006

**Lot No.:** A0210618

**Description :** VOA Calibration Mix #1

VOA Calibration Mix #1 5,000 $\mu$ g/mL, P&T Methanol/Water(90:10),  
1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** July 31, 2027

**Storage:** 0°C or colder

**Ship:** Ambient

### C E R T I F I E D V A L U E S

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty* (95% C.L.; K=2)
1	Acetone	67-64-1	SHBQ8504	99%	5,014.8 $\mu$ g/mL	+/- 173.2883
2	2-Butanone (MEK)	78-93-3	SHBQ4704	99%	5,012.4 $\mu$ g/mL	+/- 173.2054
3	4-Methyl-2-pentanone (MIBK)	108-10-1	SHBP9200	99%	5,011.6 $\mu$ g/mL	+/- 173.1777
4	2-Hexanone	591-78-6	MKCQ6663	99%	5,013.0 $\mu$ g/mL	+/- 173.2261

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** P&T Methanol/Water (90:10)

**CAS #** 67-56-1/7732-18-5

**Purity** 99%

# Quality Confirmation Test

**Column:**

105m x 0.53mm x 3.0 $\mu$ m  
Rtx-502.2 (cat.#10910)

**Carrier Gas:**

hydrogen-constant pressure 11.0 psi.

**Temp. Program:**

40°C (hold 2 min.) to 240°C  
@ 8°C/min. (hold 5 min.)

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


FID

**Split Vent:**

40 ml/min

**Inj. Vol**


1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

  
Dakota Parson - Operations Technician I.

Date Mixed: 22-Apr-2024      Balance Serial #: B707717271

  
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 24-Apr-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

Dec 12 (17) 24

30 v14

# Certificate of Analysis

*chromatographic plus*

V14697-to-14726



ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 30006

**Lot No.:** A0210618

**Description :** VOA Calibration Mix #1

VOA Calibration Mix #1 5,000 $\mu$ g/mL, P&T Methanol/Water(90:10),  
1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** July 31, 2027

**Storage:** 0°C or colder

**Ship:** Ambient

### C E R T I F I E D V A L U E S

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty* (95% C.L.; K=2)
1	Acetone	67-64-1	SHBQ8504	99%	5,014.8 $\mu$ g/mL	+/- 173.2883
2	2-Butanone (MEK)	78-93-3	SHBQ4704	99%	5,012.4 $\mu$ g/mL	+/- 173.2054
3	4-Methyl-2-pentanone (MIBK)	108-10-1	SHBP9200	99%	5,011.6 $\mu$ g/mL	+/- 173.1777
4	2-Hexanone	591-78-6	MKCQ6663	99%	5,013.0 $\mu$ g/mL	+/- 173.2261

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** P&T Methanol/Water (90:10)

**CAS #** 67-56-1/7732-18-5

**Purity** 99%

# Quality Confirmation Test

**Column:**

105m x 0.53mm x 3.0 $\mu$ m  
Rtx-502.2 (cat.#10910)

**Carrier Gas:**

hydrogen-constant pressure 11.0 psi.

**Temp. Program:**

40°C (hold 2 min.) to 240°C  
@ 8°C/min. (hold 5 min.)

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


FID

**Split Vent:**

40 ml/min

**Inj. Vol**


1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

 Dakota Parson - Operations Technician I.

Date Mixed: 22-Apr-2024      Balance Serial #: B707717271

 Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 24-Apr-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

Dec 12 (17) 24

30 v14

# Certificate of Analysis

*chromatographic plus*

V14697-to-14726



ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 30006

**Lot No.:** A0210618

**Description :** VOA Calibration Mix #1

VOA Calibration Mix #1 5,000 $\mu$ g/mL, P&T Methanol/Water(90:10),  
1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** July 31, 2027

**Storage:** 0°C or colder

**Ship:** Ambient

### C E R T I F I E D V A L U E S

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty* (95% C.L.; K=2)
1	Acetone	67-64-1	SHBQ8504	99%	5,014.8 $\mu$ g/mL	+/- 173.2883
2	2-Butanone (MEK)	78-93-3	SHBQ4704	99%	5,012.4 $\mu$ g/mL	+/- 173.2054
3	4-Methyl-2-pentanone (MIBK)	108-10-1	SHBP9200	99%	5,011.6 $\mu$ g/mL	+/- 173.1777
4	2-Hexanone	591-78-6	MKCQ6663	99%	5,013.0 $\mu$ g/mL	+/- 173.2261

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** P&T Methanol/Water (90:10)

**CAS #** 67-56-1/7732-18-5

**Purity** 99%

# Quality Confirmation Test

**Column:**

105m x 0.53mm x 3.0 $\mu$ m  
Rtx-502.2 (cat.#10910)

**Carrier Gas:**

hydrogen-constant pressure 11.0 psi.

**Temp. Program:**

40°C (hold 2 min.) to 240°C  
@ 8°C/min. (hold 5 min.)

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


FID

**Split Vent:**

40 ml/min

**Inj. Vol**


1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

 Dakota Parson - Operations Technician I.

Date Mixed: 22-Apr-2024      Balance Serial #: B707717271

 Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 24-Apr-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

www.restek.com

10 vial.  
**CERTIFIED REFERENCE MATERIAL**

Dec: 12/09/24

**Certificate of Analysis**

*chromatographic plus*

V14667+  
V14676



ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 30225

**Lot No.:** A0214960

**Description :** Bromochloromethane Standard

Bromochloromethane 2000µg/mL, P&T Methanol, 1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** August 31, 2029

**Storage:** 0°C or colder

**Ship:** Ambient

**C E R T I F I E D   V A L U E S**

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty* (95% C.L.; K=2)
1	Bromochloromethane	74-97-5	SYN240416CTH	99%	2,012.0 µg/mL	+/- 113.0519

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** P&T Methanol

**CAS #** 67-56-1

**Purity** 99%

# Quality Confirmation Test

**Column:**

105m x 0.53mm x 3.0 $\mu$ m  
Rtx-502.2 (cat.#10910)

**Carrier Gas:**

hydrogen-constant pressure 11.0 psi.

**Temp. Program:**

40°C (hold 2 min.) to 240°C  
@ 8°C/min. (hold 5 min.)

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


FID

**Split Vent:**


40 ml/min

**Inj. Vol**

1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

  
Stacey Wanner - Operations Technician |

Date Mixed: 08-Aug-2024      Balance Serial #: 1127510105

  
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 14-Aug-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

$k$  is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

See: 12/09/24

## Certificate of Analysis

chromatographic plus

V14667+  
V14676



ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30225

Lot No.: A0214960

Description : Bromochloromethane Standard

Bromochloromethane 2000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL

Pkg Amt: > 1 mL

Expiration Date : August 31, 2029

Storage: 0°C or colder

Ship: Ambient

### C E R T I F I E D V A L U E S

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty* (95% C.L.; K=2)
1	Bromochloromethane	74-97-5	SYN240416CTH	99%	2,012.0 µg/mL	+/- 113.0519

\* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol

CAS # 67-56-1

Purity 99%

# Quality Confirmation Test

**Column:**

105m x 0.53mm x 3.0 $\mu$ m  
Rtx-502.2 (cat.#10910)

**Carrier Gas:**

hydrogen-constant pressure 11.0 psi.

**Temp. Program:**

40°C (hold 2 min.) to 240°C  
@ 8°C/min. (hold 5 min.)

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


FID

**Split Vent:**

40 ml/min

**Inj. Vol**

1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Stacey Wanner  
Stacey Wanner - Operations Technician |

Date Mixed: 08-Aug-2024      Balance Serial #: 1127510105

Jennifer Pollino  
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 14-Aug-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

$k$  is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

See: 12/09/24

## Certificate of Analysis

chromatographic plus

V14667+  
V14676



ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30225

Lot No.: A0214960

Description : Bromochloromethane Standard

Bromochloromethane 2000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL

Pkg Amt: > 1 mL

Expiration Date : August 31, 2029

Storage: 0°C or colder

Ship: Ambient

### C E R T I F I E D V A L U E S

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty* (95% C.L.; K=2)
1	Bromochloromethane	74-97-5	SYN240416CTH	99%	2,012.0 µg/mL	+/- 113.0519

\* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol

CAS # 67-56-1

Purity 99%

# Quality Confirmation Test

**Column:**

105m x 0.53mm x 3.0 $\mu$ m  
Rtx-502.2 (cat.#10910)

**Carrier Gas:**

hydrogen-constant pressure 11.0 psi.

**Temp. Program:**

40°C (hold 2 min.) to 240°C  
@ 8°C/min. (hold 5 min.)

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


FID

**Split Vent:**


40 ml/min

**Inj. Vol**

1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

  
Stacey Wanner - Operations Technician |

Date Mixed: 08-Aug-2024      Balance Serial #: 1127510105

  
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 14-Aug-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

$k$  is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

See: 12/09/24

## Certificate of Analysis

chromatographic plus

V14667+  
V14676



ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.

Catalog No. : 30225

Lot No.: A0214960

Description : Bromochloromethane Standard

Bromochloromethane 2000µg/mL, P&T Methanol, 1mL/ampul

Container Size : 2 mL

Pkg Amt: > 1 mL

Expiration Date : August 31, 2029

Storage: 0°C or colder

Ship: Ambient

### C E R T I F I E D V A L U E S

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty* (95% C.L.; K=2)
1	Bromochloromethane	74-97-5	SYN240416CTH	99%	2,012.0 µg/mL	+/- 113.0519

\* Expanded Uncertainty displayed in same units as Grav. Conc.

Solvent: P&T Methanol

CAS # 67-56-1

Purity 99%

# Quality Confirmation Test

**Column:**

105m x 0.53mm x 3.0 $\mu$ m  
Rtx-502.2 (cat.#10910)

**Carrier Gas:**

hydrogen-constant pressure 11.0 psi.

**Temp. Program:**

40°C (hold 2 min.) to 240°C  
@ 8°C/min. (hold 5 min.)

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


FID

**Split Vent:**


40 ml/min

**Inj. Vol**

1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

  
Stacey Wanner - Operations Technician |

Date Mixed: 08-Aug-2024      Balance Serial #: 1127510105

  
Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 14-Aug-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

$k$  is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

*Rev 12/17/24*  
**CERTIFIED REFERENCE MATERIAL**  
*30 μL*

**Certificate of Analysis**  
*chromatographic plus*

*V14727 +  
V14756*



**ILAC-MRA**  
ACCREDITED  
ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222-01



**ILAC-MRA**  
ACCREDITED  
ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222-02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No.:** 30042

**Lot No.:** A0216826

**Description :** 502.2 Calibration Mix #1

502.2 Calibration Mix #1 2,000μg/mL, P&T Methanol, 1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2031

**Storage:** 0°C or colder

**Ship:** Ambient

**C E R T I F I E D V A L U E S**

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dichlorodifluoromethane (CFC-12)	75-71-8	00022922	99%	2,000.9 μg/mL	+/- 112.4144
2	Chloromethane (methyl chloride)	74-87-3	00022694	99%	2,000.7 μg/mL	+/- 112.3998
3	Vinyl chloride	75-01-4	00015559	99%	2,000.3 μg/mL	+/- 112.3779
4	Bromomethane (methyl bromide)	74-83-9	00017022	99%	2,001.8 μg/mL	+/- 112.4650
5	Chloroethane (ethyl chloride)	75-00-3	107-401039114-1	99%	2,000.1 μg/mL	+/- 112.3700
6	Trichlorofluoromethane (CFC-11)	75-69-4	MKCJ8658	99%	2,000.7 μg/mL	+/- 112.3992

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** P&T Methanol

**CAS #** 67-56-1

**Purity** 99%

# Quality Confirmation Test

**Column:**

60m x 0.25mm x 1.4 $\mu$ m  
Rtx-502.2 (cat.#10916)

**Carrier Gas:**

helium-constant flow 2.0 mL/min.

**Temp. Program:**

40°C (hold 6 min.) to 100°C  
@ 6°C/min.

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


MSD

**Split Vent:**

Split ratio 10:1

**Inj. Vol**

1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Tom Suckar Mix Technician

Date Mixed: 23-Sep-2024      Balance Serial #: B707717271

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 04-Oct-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

*Rev 12/17/24*  
**CERTIFIED REFERENCE MATERIAL**  
*30 μL*

**Certificate of Analysis**  
*chromatographic plus*

*V14727 +  
V14756*



**ILAC-MRA**  
ACCREDITED  
ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222-01



**ILAC-MRA**  
ACCREDITED  
ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222-02

**FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.**

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No.:** 30042

**Lot No.:** A0216826

**Description :** 502.2 Calibration Mix #1

502.2 Calibration Mix #1 2,000μg/mL, P&T Methanol, 1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** May 31, 2031

**Storage:** 0°C or colder

**Ship:** Ambient

**C E R T I F I E D V A L U E S**

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Dichlorodifluoromethane (CFC-12)	75-71-8	00022922	99%	2,000.9 μg/mL	+/- 112.4144
2	Chloromethane (methyl chloride)	74-87-3	00022694	99%	2,000.7 μg/mL	+/- 112.3998
3	Vinyl chloride	75-01-4	00015559	99%	2,000.3 μg/mL	+/- 112.3779
4	Bromomethane (methyl bromide)	74-83-9	00017022	99%	2,001.8 μg/mL	+/- 112.4650
5	Chloroethane (ethyl chloride)	75-00-3	107-401039114-1	99%	2,000.1 μg/mL	+/- 112.3700
6	Trichlorofluoromethane (CFC-11)	75-69-4	MKCJ8658	99%	2,000.7 μg/mL	+/- 112.3992

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** P&T Methanol

**CAS #** 67-56-1

**Purity** 99%

# Quality Confirmation Test

**Column:**

60m x 0.25mm x 1.4 $\mu$ m  
Rtx-502.2 (cat.#10916)

**Carrier Gas:**

helium-constant flow 2.0 mL/min.

**Temp. Program:**

40°C (hold 6 min.) to 100°C  
@ 6°C/min.

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


MSD

**Split Vent:**

Split ratio 10:1

**Inj. Vol**

1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

Tom Suckar Mix Technician

Date Mixed: 23-Sep-2024      Balance Serial #: B707717271

Jennifer Pollino - Operations Tech III - ARM QC

Date Passed: 04-Oct-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/μECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

www.restek.com

## CERTIFIED REFERENCE MATERIAL

# Certificate of Analysis

*chromatographic plus*

✓ 14842 to 14846



ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No.:** 30470

**Lot No.:** A0217535

**Description :** tert-Butanol Standard

tert-Butanol Std 50,000 $\mu$ g/mL, P&T Methanol, 1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** October 31, 2027

**Storage:** 0°C or colder

**Ship:** Ambient

### C E R T I F I E D V A L U E S

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	tert-Butanol (TBA)	75-65-0	SHBQ8002-1	99%	50,007.5 $\mu$ g/mL	+/- 717.6137

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** P&T Methanol  
**CAS #** 67-56-1  
**Purity** 99%

# Quality Confirmation Test

**Column:**

105m x 0.53mm x 3.0 $\mu$ m  
Rtx-502.2 (cat.#10910)

**Carrier Gas:**

hydrogen-constant pressure 11.0 psi.

**Temp. Program:**

40°C (hold 2 min.) to 240°C  
@ 8°C/min. (hold 5 min.)

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


FID

**Split Vent:**

40 ml/min

**Inj. Vol**

1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

*Aaron Enyart*  
Aaron Enyart - Operations Tech I

Date Mixed: 07-Oct-2024      Balance Serial #: B251644995

*Brittany Federinko*  
Brittany Federinko - Operations Tech I

Date Passed: 09-Oct-2024

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{combined\ uncertainty} = k \sqrt{u_{gravimetric}^2 + u_{homogeneity}^2 + u_{storage\ stability}^2 + u_{shipping\ stability}^2}$$

$k$  is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

2014 Dec 01 (08/21)



**ILAC**  
ACCREDITED  
ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



**ILAC**  
ACCREDITED  
ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

## Certificate of Analysis

chromatographic

J14803 - J14822

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No.:** 555408-SL

**Lot No.:** A0220471

**Description :** Custom Vinyl Acetate Standard

Custom Vinyl Acetate Standard 8,000 $\mu$ g/mL, P&T Methanol, 1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** June 30, 2026

**Storage:** -20°C or colder

**Handling:** This product is photosensitive.

**Ship:** On Ice

### C E R T I F I E D V A L U E S

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Vinyl acetate	108-05-4	RD240423RSR	99%	8,066.0 $\mu$ g/mL	+/- 278.7979

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** P&T Methanol

**CAS #** 67-56-1

**Purity** 99%

### Tech Tips:

Vinyl acetate is a volatile organic ester included in the target lists of several US EPA and other methods. Under acidic conditions, esters react with alcohols to form new esters (transesterification). Methanol-based mixes containing halogenated compounds are slightly acidic, so it is important to minimize exposure of vinyl acetate to mixes of halogenated compounds in methanol. For this reason, we offer vinyl acetate in individual solution, and suggest that it be introduced into the working level calibration solution immediately before use. This will minimize problems and ensure more consistent results.

# Quality Confirmation Test

**Column:**

105m x 0.53mm x 3.0 $\mu$ m  
Rtx-502.2 (cat.#10910)

**Carrier Gas:**

hydrogen-constant pressure 11.0 psi.

**Temp. Program:**

40°C (hold 2 min.) to 240°C  
@ 8°C/min. (hold 5 min.)

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


FID

**Split Vent:**

40 ml/min

**Inj. Vol**

1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

*Ethan Winiarski*  
Ethan Winiarski - Operations Tech I

Date Mixed: 24-Dec-2024      Balance Serial #: 1127510105

*Dillan Murphy*  
Dillan Murphy - Operations Technician I

Date Passed: 02-Jan-2025

REVIEWED  
By Jennifer Polson at 7:17 am, Jun 05, 2021

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

2014 Dec 01 (08/21)



ILAC  
ACCREDITED  
ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



ILAC  
ACCREDITED  
ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

## Certificate of Analysis

chromatographic

J14803 - J14822

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No.:** 555408-SL

**Lot No.:** A0220471

**Description :** Custom Vinyl Acetate Standard

Custom Vinyl Acetate Standard 8,000 $\mu$ g/mL, P&T Methanol, 1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** June 30, 2026

**Storage:** -20°C or colder

**Handling:** This product is photosensitive.

**Ship:** On Ice

### C E R T I F I E D V A L U E S

Elution Order	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	Vinyl acetate	108-05-4	RD240423RSR	99%	8,066.0 $\mu$ g/mL	+/- 278.7979

\* Expanded Uncertainty displayed in same units as Grav. Conc.

**Solvent:** P&T Methanol

**CAS #** 67-56-1

**Purity** 99%

### Tech Tips:

Vinyl acetate is a volatile organic ester included in the target lists of several US EPA and other methods. Under acidic conditions, esters react with alcohols to form new esters (transesterification). Methanol-based mixes containing halogenated compounds are slightly acidic, so it is important to minimize exposure of vinyl acetate to mixes of halogenated compounds in methanol. For this reason, we offer vinyl acetate in individual solution, and suggest that it be introduced into the working level calibration solution immediately before use. This will minimize problems and ensure more consistent results.

# Quality Confirmation Test

**Column:**

105m x 0.53mm x 3.0 $\mu$ m  
Rtx-502.2 (cat.#10910)

**Carrier Gas:**

hydrogen-constant pressure 11.0 psi.

**Temp. Program:**

40°C (hold 2 min.) to 240°C  
@ 8°C/min. (hold 5 min.)

**Inj. Temp:**

200°C

**Det. Temp:**

250°C

**Det. Type:**


FID

**Split Vent:**

40 ml/min

**Inj. Vol**

1 $\mu$ l



This chromatogram represents a general set of testing conditions chosen for product acceptance. For optimal results in your lab, conditions should be adjusted for your specific instrument, method, and application.

*Ethan Winiarski*  
Ethan Winiarski - Operations Tech I

Date Mixed: 24-Dec-2024      Balance Serial #: 1127510105

*Dillan Murphy*  
Dillan Murphy - Operations Technician I

Date Passed: 02-Jan-2025

REVIEWED  
By Jennifer Polson at 7:17 am, Jan 05, 2025

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.



110 Benner Circle  
Bellefonte, PA 16823-8812  
Tel: 1-814-353-1300  
Fax: 1-814-353-1309

[www.restek.com](http://www.restek.com)

## CERTIFIED REFERENCE MATERIAL

*Received  
Date 03/31/25*

## Certificate of Analysis

*gravimetric*

*V14904 to V14913*



**ILAC**  
**ACCREDITED**  
ISO 17034 Accredited  
Reference Material Producer  
Certificate #3222.01



**ILAC**  
**ACCREDITED**  
ISO/IEC 17025 Accredited  
Testing Laboratory  
Certificate #3222.02

### FOR LABORATORY USE ONLY-READ SDS PRIOR TO USE.

*This Reference Material is intended for Laboratory Use Only as a standard for the qualitative and/or quantitative determination of the analyte(s) listed.*

**Catalog No. :** 555582

**Lot No.:** A0223904

**Description :** Custom 8260A/B Surrogate Mix

Custom 8260A/B Surrogate Mix 25,000 $\mu$ g/mL, P&T Methanol,  
1mL/ampul

**Container Size :** 2 mL

**Pkg Amt:** > 1 mL

**Expiration Date :** March 31, 2028

**Storage:** 10°C or colder

**Ship:** Ambient

### C E R T I F I E D   V A L U E S

Component #	Compound	CAS #	Lot #	Purity	Grav. Conc. (weight/volume)	Expanded Uncertainty * (95% C.L.; K=2)
1	1,2-Dichloroethane-d4	17060-07-0	PR-33313	99%	25,108.0 $\mu$ g/mL	+/- 1,421.9957
2	1-Bromo-4-fluorobenzene (BFB)	460-00-4	0000268853	99%	25,108.0 $\mu$ g/mL	+/- 1,421.9957
3	Dibromofluoromethane	1868-53-7	VENKAT02	99%	25,232.0 $\mu$ g/mL	+/- 1,429.0184
4	Toluene-d8	2037-26-5	PR-34141	99%	25,156.0 $\mu$ g/mL	+/- 1,424.7141

**Solvent:** P&T Methanol  
**CAS #** 67-56-1  
**Purity** 99%

*Brittany Federlko*  
Brittany Federlko - Operations Tech I

Date Mixed: 27-Mar-2025 Balance: B251644995

Manufactured under Restek's ISO 9001:2015  
Registered Quality System  
Certificate #FM 80397

# General Certified Reference Material Notes

## Expiration Notes:

- Expiration date valid for unopened ampul stored in compliance with the recommended conditions.
- Uncertainty, concentration, and expiration of the CRM are based on the unopened product being stored according to the recommended condition found in the storage field.

## Purity Notes:

- Purity and/or chemical identity are determined by one or more of the following techniques: GC/FID, HPLC, GC/ $\mu$ ECD, GC/MS, LC/MS, RI, and/or melting point.
- Compounds with a listed purity of less than 99% have been weight corrected to compensate for impurities and/or salts. A correction factor is used to calculate the amount of compound necessary to achieve the desired concentration of the parent compound in solution.
- Purity of isomeric compounds is reported as the sum of the isomers.
- Purity values are rounded to the nearest whole number.

## Certified Uncertainty Value Notes:

- The uncertainties are determined in accordance with ISO 17034 and Guide 35. The certified expanded uncertainty value includes gravimetric uncertainty, homogeneity between-ampul uncertainty, storage stability uncertainty and shipping stability uncertainty and were combined using the following formula:

$$U_{\text{combined uncertainty}} = k \sqrt{u_{\text{gravimetric}}^2 + u_{\text{homogeneity}}^2 + u_{\text{storage stability}}^2 + u_{\text{shipping stability}}^2}$$

*k* is a coverage factor of 2, which gives a level of confidence of approximately 95%.

- The packaged amount is the minimum sample size for which uncertainty is valid. The ampuls are over-filled to ensure that the minimum packaged amount can be sufficiently transferred.

## Manufacturing Notes:

- Concentration is based upon gravimetric preparation using either a balance whose calibration has been verified daily using NIST traceable weights, and/or dilutions with Class A glassware.

## Handling Notes:

- Stability of the unopened product, when stored in compliance with the recommended conditions, is guaranteed through the expiration displayed on the product label and certificate. Contact Restek for additional opened product stability information, with the knowledge/understanding that open product stability is subject to the specific handling and environmental conditions to which the product is exposed. For your convenience Restek supplies deactivated vials with most standards packed in 2mL ampuls. Larger volume deactivated vials are available through Restek as a custom ordered item. Additionally, Restek sells DMDCS for the purpose of glassware deactivation as catalog number 31861, which includes complete instructions.
- If any undissolved material is visible inside the ampul, sonicate the unopened ampul until the material is completely dissolved.

*James Crook*

Packaging Site: Phillipburg Mfg Ctr & DC  
Country of Origin: USA

846 for Solid Waste  
600 Series for Drinking Water  
500 Series for EPA Methods  
Performance Tested for Use in EPA Methods  
For Laboratory, Research, or Manufacturing Use

Test	Specification	Result
Assay ( $\text{CH}_3\text{OH}$ ) (by GC, corrected for water)	$\geq 99.9 \%$	100.0 %
Residue after Evaporation	$\leq 1.0 \text{ ppm}$	0.3 ppm
Titrable Acid (μeq/g)	$\leq 0.3$	0.3
Titrable Base (μeq/g)	$\leq 0.10$	0.03
Water (by KF, coulometric)	$\leq 0.08 \%$	0.03
Volatile Organic Trace Analysis - Below EPA 8260B CRRL	$< 0.01 \%$	$< 0.01 \%$
Conforms	Conforms	Conforms

## Certificate of Analysis

Revision No.: 0  
Expiration Date: 2027-05-14  
Manufacturer Date: 2024-05-14  
Batch No.: 24G0262002  
Material No.: 9077-02

✓ 14938  
✓ 14921 to



ULTRA RESI-ANALYZED  
Methanol  
Date 05/09/24  
AVANTOR™

For Purge and Trap Analysis  
ULTRA RESI-ANALYZED  
Methanol



Rec 07/17/25 5 vial



CERTIFIED WEIGHT REPORT

Part Number: 91980  
Lot Number: 071625  
Description: Acrolein

Solvent(s): Water Lot# 041725Q

Expiration Date: 081625  
Recommended Storage: Refrigerate (2°C to 8°C)  
Nominal Concentration ( $\mu\text{g/mL}$ ): 5000  
NIST Test ID#: 6UTB

Weight(s) shown below were combined and diluted to (mL): 10.0


5E-05 Balance Uncertainty  
0.001 Flask Uncertainty

N15050 to  
N15054 w  
N15054

<i>Gabriel Helland</i>		071625
Formulated By:	Gabriel Helland	DATE
<i>Pedro Rentas</i>		071625
Reviewed By:	Pedro L. Rentas	DATE

Compound	RM#	Lot Number	Nominal Conc ( $\mu\text{g/mL}$ )	Purity (%)	Uncertainty Purity	Target Weight(g)	Actual Weight(g)	Actual Conc ( $\mu\text{g/mL}$ )	Expanded Uncertainty (+/-) ( $\mu\text{g/mL}$ )	SDS Information			
										(Solvent Safety Info. On Attached pg.)	CAS#	OSHA PEL (TWA)	LD50
1. Acrolein	5	103755V10F	5000	97	0.5	0.05166	0.05181	5014.7	52.6	107-02-8	0.1 ppm	orl-rat 46mg/kg	

Method: GC6MSD-1. Detector: Mass Selective Detector (Scan mode). Column: Vocol (60m X 0.25mm ID X 1.5 $\mu\text{m}$  film thickness). Oven Profile: Temp. 1 = 35°C (Time 1 = 10min.), Temp. 2=200°C ( Time 2 = 8.75 min.) Rate = 4°C/min., Injector Temp. = 200°C, Detector Temp. = 220°C. Analyst: Pedro Rentas. NOTE: Due to the instability of acrolein in solution, all solutions of acrolein, and any dilutions thereof, should be used immediately Long term storage is not recommended. Please contact our technical department if further information is required.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
  - Standards are prepared gravimetrically using balances that are calibrated by an ISO 17025 certified organization with weights traceable through NIST to the SI kilogram (see above).
  - Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
  - All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
  - Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).
- Rev 1.0, 2/25/2025



Rec 07/17/25 5 vial



CERTIFIED WEIGHT REPORT

Part Number: 91980  
Lot Number: 071625  
Description: Acrolein

Solvent(s): Water Lot# 041725Q

Expiration Date: 08/16/25  
Recommended Storage: Refrigerate (2°C to 8°C)  
Nominal Concentration ( $\mu\text{g/mL}$ ): 5000  
NIST Test ID#: 6UTB

Weight(s) shown below were combined and diluted to (mL): 10.0


5E-05 Balance Uncertainty  
0.001 Flask Uncertainty

N15050 to  
N15054 w  
N15054

<i>Gabriel Helland</i>		071625
Formulated By:	Gabriel Helland	DATE
<i>Pedro Rentas</i>		071625
Reviewed By:	Pedro L. Rentas	DATE

Compound	RM#	Lot Number	Nominal Conc ( $\mu\text{g/mL}$ )	Purity (%)	Uncertainty Purity	Target Weight(g)	Actual Weight(g)	Actual Conc ( $\mu\text{g/mL}$ )	Expanded Uncertainty (+/-) ( $\mu\text{g/mL}$ )	SDS Information			
										(Solvent Safety Info. On Attached pg.)	CAS#	OSHA PEL (TWA)	LD50
1. Acrolein	5	103755V10F	5000	97	0.5	0.05166	0.05181	5014.7	52.6	107-02-8	0.1 ppm	orl-rat 46mg/kg	

Method: GC6MSD-1. Detector: Mass Selective Detector (Scan mode). Column: Vocol (60m X 0.25mm ID X 1.5 $\mu\text{m}$  film thickness). Oven Profile: Temp. 1 = 35°C (Time 1 = 10min.), Temp. 2=200°C ( Time 2 = 8.75 min.) Rate = 4°C/min., Injector Temp. = 200°C, Detector Temp. = 220°C. Analyst: Pedro Rentas. NOTE: Due to the instability of acrolein in solution, all solutions of acrolein, and any dilutions thereof, should be used immediately Long term storage is not recommended. Please contact our technical department if further information is required.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
  - Standards are prepared gravimetrically using balances that are calibrated by an ISO 17025 certified organization with weights traceable through NIST to the SI kilogram (see above).
  - Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
  - All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
  - Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).
- Rev 1.0, 2/25/2025



Rec 07/17/25 5 vial



CERTIFIED WEIGHT REPORT

Part Number: 91980  
Lot Number: 071625  
Description: Acrolein

Solvent(s): Water Lot# 041725Q

Expiration Date: 081625  
Recommended Storage: Refrigerate (2°C to 8°C)  
Nominal Concentration ( $\mu\text{g/mL}$ ): 5000  
NIST Test ID#: 6UTB

Weight(s) shown below were combined and diluted to (mL): 10.0


5E-05 Balance Uncertainty  
0.001 Flask Uncertainty

N15050 to  
N15054 w  
N15054

<i>Gabriel Helland</i>		071625
Formulated By:	Gabriel Helland	DATE
<i>Pedro Rentas</i>		071625
Reviewed By:	Pedro L. Rentas	DATE

Compound	RM#	Lot Number	Nominal Conc ( $\mu\text{g/mL}$ )	Purity (%)	Uncertainty Purity	Target Weight(g)	Actual Weight(g)	Actual Conc ( $\mu\text{g/mL}$ )	Expanded Uncertainty (+/-) ( $\mu\text{g/mL}$ )	SDS Information			
										(Solvent Safety Info. On Attached pg.)	CAS#	OSHA PEL (TWA)	LD50
1. Acrolein	5	103755V10F	5000	97	0.5	0.05166	0.05181	5014.7	52.6	107-02-8	0.1 ppm	orl-rat 46mg/kg	

Method: GC6MSD-1. Detector: Mass Selective Detector (Scan mode). Column: Vocol (60m X 0.25mm ID X 1.5 $\mu\text{m}$  film thickness). Oven Profile: Temp. 1 = 35°C (Time 1 = 10min.), Temp. 2=200°C ( Time 2 = 8.75 min.) Rate = 4°C/min., Injector Temp. = 200°C, Detector Temp. = 220°C. Analyst: Pedro Rentas. NOTE: Due to the instability of acrolein in solution, all solutions of acrolein, and any dilutions thereof, should be used immediately Long term storage is not recommended. Please contact our technical department if further information is required.



- The certified value is the concentration calculated from gravimetric and volumetric measurements unless otherwise stated.
  - Standards are prepared gravimetrically using balances that are calibrated by an ISO 17025 certified organization with weights traceable through NIST to the SI kilogram (see above).
  - Standards are certified (+/-) 0.5% of the stated value, unless otherwise stated.
  - All Standards, after opening ampule, should be stored with caps tight and under appropriate laboratory conditions.
  - Uncertainty Reference: Taylor, B.N. and Kuyat, C.E., "Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Result," NIST Technical Note 1297, U.S. Government Printing Office, Washington, DC, (1994).
- Rev 1.0, 2/25/2025



# SHIPPING DOCUMENTS

CLIENT INFORMATION		CLIENT PROJECT INFORMATION				CLIENT BILLING INFORMATION																									
REPORT TO BE SENT TO:																															
COMPANY: Day Environmental, Inc.		PROJECT NAME: Andrews St. Site				BILL TO: Day Environmental, Inc. PO#: 53345-17																									
ADDRESS: 1563 Lyell Avenue		PROJECT NO.: 53345-17 LOCATION: Rochester, NY				ADDRESS: 1563 Lyell Avenue																									
CITY Rochester STATE: NY ZIP: 14606		PROJECT MANAGER: Jeff Danzinger				CITY Rochester STATE: NY ZIP: 14606																									
ATTENTION: Jeff Danzinger		e-mail: j.danzinger@daymail.net				ATTENTION: Jeff Danzinger PHONE: 585-454-6210																									
PHONE: 585-454-6210 FAX: -		PHONE: 585-454-6210 FAX: -				ANALYSIS																									
DATA TURNAROUND INFORMATION								DATA DELIVERABLE INFORMATION																							
FAX (RUSH)		5 DAYS*		Level 1 (Results Only)		Level 4 (QC + Full Raw Data)		EDD FORMAT		1		2		3.		4		5		6		7		8		9					
HARDCOPY (DATA PACKAGE):		15 DAYS*		Level 2 (Results + QC)		NJ Reduced		NYS ASP A		X		NYS ASP B		+ Raw Data)		Other		15/DEL Equity EXCEL		15/DEL Equity EXCEL		15/DEL Equity EXCEL		15/DEL Equity EXCEL		15/DEL Equity EXCEL		15/DEL Equity EXCEL			
EDD:		15 DAYS*		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input checked="" type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>											
*TO BE APPROVED BY CHEMTECH								STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS								PRESERVATIVES								COMMENTS							
ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION		SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS													
				CMP	GRAB	DATE	TIME		A	E	1	2	3	4	5	6	7	8	9	D-HCl	D-NaOH	B-HN03	E-ICE	C-H2SO4	F-OTHER						
1.	1055-MW-01 (23)		GW	X	B/7/25	1310	2	X																							
2.	1056-MW-02 (23, E)		GW	X	—	1313	6	X																							
3.	1057-MW-03A (17)		GW	X	—	1316	2	X																							
4.	1058-MW-11 (15)		GW	X	—	1329	2	X																							
5.	1059-MW-17A (15,5)		GW	X	—	1320	2	X																							
6.	1060-FB 080725		AQ	X	—	1325	2	X																							
7.	1061-TB 080725		AQ	X	N	—	2	X																							
8.																															
9.																															
10.																															

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: <i>John T. Z.</i>	DATE/TIME: 8-7-25/1530	RECEIVED BY: 1. FedEx - EX	Conditions of bottles or coolers at receipt: Comments: * ICE MELTED	21.6°C
RELINQUISHED BY SAMPLER: <i>FedEx</i>	DATE/TIME: 8-11-25 1008	RECEIVED BY: <i>John</i>		°C
RELINQUISHED BY SAMPLER: 3.	DATE/TIME:	RECEIVED BY: 3.	Page <u>1</u> of <u>1</u> CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Other	Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO

**Laboratory Certification**

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

## LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q2816	DAYE01	Order Date : 8/11/2025 10:53:00 AM	Project Mgr :
Client Name : Day Environmental, Inc.		Project Name : NYSDEC Andrews St Site #	Report Type : NYS ASP B
Client Contact : Jeff Danzinger		Receive DateTime : 8/11/2025 10:08:00 AM	EDD Type : Equis_EQNYDEC/Excel
Invoice Name : Day Environmental, Inc.		Purchase Order :	Hard Copy Date :
Invoice Contact : Jeff Danzinger			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q2816-01	1055-MW-01(23)	Water	08/07/2025	13:10	VOC-TCLVOA-10		8260-Low		5 Bus. Days
Q2816-02	1056-MW-02(23) <i>8/11</i>	Water	08/07/2025	13:13	VOC-TCLVOA-10		8260-Low		5 Bus. Days
Q2816-03	Q2816-02MS	Water	08/07/2025	13:13	VOC-TCLVOA-10		8260-Low		5 Bus. Days
Q2816-04	Q2816-02MSD	Water	08/07/2025	13:13	VOC-TCLVOA-10		8260-Low		5 Bus. Days
Q2816-05	1057-MW-03A(17)	Water	08/07/2025	13:16	VOC-TCLVOA-10		8260-Low		5 Bus. Days
Q2816-06	1058-MW-11(15)	Water	08/07/2025	13:29	VOC-TCLVOA-10		8260-Low		5 Bus. Days
Q2816-07	1059-MW-17A(15.5)	Water	08/07/2025	13:20	VOC-TCLVOA-10		8260-Low		5 Bus. Days
Q2816-08	1060-FB080725	Water	08/07/2025	13:25	VOC-TCLVOA-10		8260-Low		5 Bus. Days

## LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q2816	DAYE01	Order Date : 8/11/2025 10:53:00 AM	Project Mgr :
Client Name : Day Environmental, Inc.		Project Name : NYSDEC Andrews St Site /	Report Type : NYS ASP B
Client Contact : Jeff Danzinger		Receive DateTime : 8/11/2025 10:08:00 AM	EDD Type : Equis_EQNYDEC/Excel
Invoice Name : Day Environmental, Inc.		Purchase Order :	Hard Copy Date :
Invoice Contact : Jeff Danzinger			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q2816-09	1061-TB080725	Water	08/07/2025	13:25	VOC-TCLVOA-10		8260-Low	5 Bus. Days	
					VOC-TCLVOA-10		8260-Low	5 Bus. Days	

*Shred mvr A  
ref# 04*

Relinquished By : CP  
 Date / Time : 8/11/25 11:56

Received By : W.M. Murdoch  
 Date / Time : 8/11/25 12:05 pm  
 Storage Area : VOA Refrigerator Room