

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-21

SDG No : N/A

Start Digest Date: 08/11/2025 Time : 12:45 Temp : 123 °C

Matrix : SOIL

End Digest Date: 08/11/2025 Time : 14:15 Temp : 126 °C

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : WC CYANIDE

Block ID : MC-1

Filter paper ID : N/A

Prep Technician Signature: *JP*

Weigh By : JP

pH Meter ID : N/A

Supervisor Signature: *12*

Standardized Name	MLS USED	STD REF. # FROM LOG
LCSS	1.0ML	WP113838
MS/MSD SPIKE SOL.	0.40ML	WP113837
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP113836
50% v/v H2SO4	5.0ML	WP112826
51% w/v MgCL2	2.0ML	WP112827
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
S0	S0	N/A	N/A
S5.0	S5.0	N/A	N/A
S10.0	S10.0	N/A	N/A
S100.0	S100.0	N/A	N/A
S250.0	S250.0	N/A	N/A
S500.0	S500.0	N/A	N/A
ICV	ICV	N/A	AS PER PB169168
ICB	ICB	N/A	N/A
CCV	CCV	N/A	N/A
CCB	CCB	N/A	N/A
Midrange	Midrange	N/A	N/A
HIGHSTD	HIGHSTD	N/A	AS PER PB169168
LOWSTD	LOWSTD	N/A	AS PER PB169168

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
08/11/2025 14:25	<i>JP / WC</i>	<i>RM (WC)</i>
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB169197BL	PBS197	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
PB169197BS	LCS197	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2818-01DUP	B-2-5-1DUP	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2818-01MS	B-2-5-1MS	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2818-01MSD	B-2-5-1MSD	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2818-01	B-2-5-1	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2818-02	B-3-5-2	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A