

Metals

- 2b -

CRDL STANDARD FOR AA & ICP

Client: Earth Engineering Inc.

SDG No.: Q2818

Contract: EARTH03

Lab Code: ACE

Initial Calibration Source: _____

Continuing Calibration Source: _____

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Acceptance Window (%R)	M	Analysis Date	Analysis Time	Run Number
CRA	Mercury	0.23	0.2	113	70 - 130	CV	08/12/2025	10:34	LB136782
CRI01	Aluminum	92.9	100	93	65 - 135	P	08/13/2025	12:37	LB136801
	Antimony	50.2	50.0	100	65 - 135	P	08/13/2025	12:37	LB136801
	Arsenic	20.6	20.0	103	65 - 135	P	08/13/2025	12:37	LB136801
	Barium	93.9	100	94	65 - 135	P	08/13/2025	12:37	LB136801
	Beryllium	6.01	6.0	100	65 - 135	P	08/13/2025	12:37	LB136801
	Cadmium	5.49	6.0	92	65 - 135	P	08/13/2025	12:37	LB136801
	Calcium	2010	2000	100	65 - 135	P	08/13/2025	12:37	LB136801
	Chromium	10.00	10.0	100	65 - 135	P	08/13/2025	12:37	LB136801
	Cobalt	29.0	30.0	97	65 - 135	P	08/13/2025	12:37	LB136801
	Copper	20.9	20.0	104	65 - 135	P	08/13/2025	12:37	LB136801
	Iron	95.9	100	96	65 - 135	P	08/13/2025	12:37	LB136801
	Lead	10.0	12.0	83	65 - 135	P	08/13/2025	12:37	LB136801
	Magnesium	2120	2000	106	65 - 135	P	08/13/2025	12:37	LB136801
	Manganese	20.8	20.0	104	65 - 135	P	08/13/2025	12:37	LB136801
	Nickel	38.7	40.0	97	65 - 135	P	08/13/2025	12:37	LB136801
	Potassium	1930	2000	97	65 - 135	P	08/13/2025	12:37	LB136801
	Selenium	21.1	20.0	106	65 - 135	P	08/13/2025	12:37	LB136801
	Silver	10.3	10.0	103	65 - 135	P	08/13/2025	12:37	LB136801
	Sodium	1810	2000	91	65 - 135	P	08/13/2025	12:37	LB136801
	Thallium	40.7	40.0	102	65 - 135	P	08/13/2025	12:37	LB136801
	Vanadium	42.3	40.0	106	65 - 135	P	08/13/2025	12:37	LB136801
	Zinc	41.0	40.0	102	65 - 135	P	08/13/2025	12:37	LB136801