

Surrogate Summary

SDG No.: **Q2819**

Client: **First Environment, Inc.**

Analytical Method: **8081B**

Lab Sample ID	Client ID	Parameter	Column	Spike	Result	Recovery(%)	Qual	Limits(%)	
								Low	High
I.BLK-PD089685.D	PIBLK-PD089685.D	Decachlorobiphen	1	20	20.9	104		30	135
		Tetrachloro-m-xyl	1	20	19.6	98		44	124
		Decachlorobiphen	2	20	20.9	104		30	135
		Tetrachloro-m-xyl	2	20	20.4	102		44	124
I.BLK-PD089862.D	PIBLK-PD089862.D	Decachlorobiphen	1	20	20.3	101		30	135
		Tetrachloro-m-xyl	1	20	20.0	100		44	124
		Decachlorobiphen	2	20	23.5	117		30	135
		Tetrachloro-m-xyl	2	20	25.1	125	*	44	124
PB169206BL	PB169206BL	Decachlorobiphen	1	20	19.4	97		55	130
		Tetrachloro-m-xyl	1	20	18.8	94		42	129
		Decachlorobiphen	2	20	22.7	113		55	130
		Tetrachloro-m-xyl	2	20	24.0	120		42	129
PB169206BS	PB169206BS	Decachlorobiphen	1	20	19.0	95		55	130
		Tetrachloro-m-xyl	1	20	18.1	91		42	129
		Decachlorobiphen	2	20	22.3	112		55	130
		Tetrachloro-m-xyl	2	20	23.2	116		42	129
I.BLK-PD089875.D	PIBLK-PD089875.D	Decachlorobiphen	1	20	20.0	100		30	135
		Tetrachloro-m-xyl	1	20	20.0	100		44	124
		Decachlorobiphen	2	20	21.9	110		30	135
		Tetrachloro-m-xyl	2	20	25.0	125	*	44	124
I.BLK-PD089888.D	PIBLK-PD089888.D	Decachlorobiphen	1	20	19.4	97		30	135
		Tetrachloro-m-xyl	1	20	19.3	96		44	124
		Decachlorobiphen	2	20	23.5	117		30	135
		Tetrachloro-m-xyl	2	20	25.4	127	*	44	124
Q2819-06	11M-S	Decachlorobiphen	1	20	15.7	78		55	130
		Tetrachloro-m-xyl	1	20	19.3	97		42	129
		Decachlorobiphen	2	20	18.3	91		55	130
		Tetrachloro-m-xyl	2	20	23.5	118		42	129
Q2819-11	84SB-W	Decachlorobiphen	1	20	9.66	48	*	55	130
		Tetrachloro-m-xyl	1	20	13.1	65		42	129
		Decachlorobiphen	2	20	11.9	60		55	130
		Tetrachloro-m-xyl	2	20	16.4	82		42	129
Q2819-14	17M-W	Decachlorobiphen	1	20	13.0	65		55	130
		Tetrachloro-m-xyl	1	20	19.1	96		42	129
		Decachlorobiphen	2	20	19.2	96		55	130
		Tetrachloro-m-xyl	2	20	23.7	119		42	129
Q2819-14MS	17M-WMS	Decachlorobiphen	1	20	12.3	62		55	130
		Tetrachloro-m-xyl	1	20	17.3	86		42	129
		Decachlorobiphen	2	20	17.7	88		55	130
		Tetrachloro-m-xyl	2	20	21.3	107		42	129
Q2819-14MSD	17M-WMSD	Decachlorobiphen	1	20	12.2	61		55	130

Surrogate Summary

SDG No.: **Q2819**

Client: **First Environment, Inc.**

Analytical Method: **8081B**

Lab Sample ID	Client ID	Parameter	Column	Spike	Result	Recovery(%)	Qual	Limits(%)	
								Low	High
Q2819-14MSD	17M-WMSD	Tetrachloro-m-xyl	1	20	17.1	85		42	129
		Decachlorobiphen	2	20	17.9	89		55	130
I.BLK-PD089901.D	PIBLK-PD089901.D	Tetrachloro-m-xyl	2	20	21.6	108		42	129
		Decachlorobiphen	1	20	19.2	96		30	135
		Tetrachloro-m-xyl	1	20	19.2	96		44	124
		Decachlorobiphen	2	20	23.4	117		30	135
I.BLK-PD089904.D	PIBLK-PD089904.D	Tetrachloro-m-xyl	2	20	24.5	123		44	124
		Decachlorobiphen	1	20	19.6	98		30	135
		Tetrachloro-m-xyl	1	20	19.6	98		44	124
		Decachlorobiphen	2	20	24.1	120		30	135
Q2819-06DL	11M-SDL	Tetrachloro-m-xyl	2	20	25.3	127	*	44	124
		Decachlorobiphen	1	20	15.6	78		55	130
		Tetrachloro-m-xyl	1	20	19.7	99		42	129
		Decachlorobiphen	2	20	20.1	101		55	130
Q2819-14DL	17M-WDL	Tetrachloro-m-xyl	2	20	24.3	121		42	129
		Decachlorobiphen	1	20	13.9	70		55	130
		Tetrachloro-m-xyl	1	20	19.6	98		42	129
		Decachlorobiphen	2	20	20.8	104		55	130
Q2819-14DL2	17M-WDL2	Tetrachloro-m-xyl	2	20	24.6	123		42	129
		Decachlorobiphen	1	20	15.2	76		55	130
		Tetrachloro-m-xyl	1	20	19.4	97		42	129
		Decachlorobiphen	2	20	18.8	94		55	130
I.BLK-PD089913.D	PIBLK-PD089913.D	Tetrachloro-m-xyl	2	20	26.4	132	*	42	129
		Decachlorobiphen	1	20	19.6	98		30	135
		Tetrachloro-m-xyl	1	20	19.3	96		44	124
		Decachlorobiphen	2	20	23.1	116		30	135
		Tetrachloro-m-xyl	2	20	24.5	123		44	124