

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081125\
 Data File : VW032078.D
 Acq On : 11 Aug 2025 19:31
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 12 04:30:35 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W081125S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 12 04:04:48 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	101	0.00
2 T	Dichlorodifluoromethane	0.358	0.297	17.0	89	0.00
3 P	Chloromethane	0.482	0.408	15.4	94	0.00
4 C	Vinyl Chloride	0.583	0.499	14.4#	95	0.00
5 T	Bromomethane	0.437	0.376	14.0	92	0.00
6 T	Chloroethane	0.386	0.340	11.9	93	0.00
7 T	Trichlorofluoromethane	0.467	0.408	12.6	88	0.00
8 T	Diethyl Ether	0.382	0.348	8.9	92	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.551	0.478	13.2	93	0.00
10 T	Methyl Iodide	0.781	0.702	10.1	94	0.00
11 T	Tert butyl alcohol	0.047	0.043	8.5	86	0.00
12 CM	1,1-Dichloroethene	0.606	0.534	11.9#	94	0.00
13 T	Acrolein	0.075	0.058	22.7	83	0.00
14 T	Allyl chloride	0.883	0.785	11.1	92	0.00
15 T	Acrylonitrile	0.182	0.174	4.4	91	0.00
16 T	Acetone	0.167	0.136	18.6	84	0.00
17 T	Carbon Disulfide	1.628	1.406	13.6	91	0.00
18 T	Methyl Acetate	0.530	0.584	-10.2	106	0.00
19 T	Methyl tert-butyl Ether	1.068	1.029	3.7	94	0.00
20 T	Methylene Chloride	0.774	0.639	17.4	94	0.00
21 T	trans-1,2-Dichloroethene	0.644	0.595	7.6	96	0.00
22 T	Diisopropyl ether	1.860	1.784	4.1	95	0.00
23 T	Vinyl Acetate	1.222	1.141	6.6	88	0.00
24 P	1,1-Dichloroethane	1.189	1.078	9.3	94	0.00
25 T	2-Butanone	0.238	0.227	4.6	90	0.00
26 T	2,2-Dichloropropane	0.596	0.505	15.3	88	0.00
27 T	cis-1,2-Dichloroethene	0.752	0.723	3.9	97	0.00
28 T	Bromochloromethane	0.541	0.530	2.0	98	0.00
29 T	Tetrahydrofuran	0.157	0.154	1.9	91	0.00
30 C	Chloroform	1.260	1.191	5.5#	97	0.00
31 T	Cyclohexane	1.031	0.892	13.5	93	0.00
32 T	1,1,1-Trichloroethane	0.915	0.823	10.1	95	0.00
33 S	1,2-Dichloroethane-d4	0.723	0.712	1.5	100	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	102	0.00
35 S	Dibromofluoromethane	0.323	0.320	0.9	100	0.00
36 T	1,1-Dichloropropene	0.455	0.436	4.2	95	0.00
37 T	Ethyl Acetate	0.268	0.266	0.7	92	0.00
38 T	Carbon Tetrachloride	0.439	0.405	7.7	92	0.00
39 T	Methylcyclohexane	0.555	0.536	3.4	94	0.00
40 TM	Benzene	1.415	1.355	4.2	94	0.00
41 T	Methacrylonitrile	0.152	0.150	1.3	91	0.00
42 TM	1,2-Dichloroethane	0.453	0.436	3.8	95	0.00
43 T	Isopropyl Acetate	0.493	0.485	1.6	92	0.00
44 TM	Trichloroethene	0.337	0.314	6.8	94	0.00
45 C	1,2-Dichloropropane	0.342	0.335	2.0#	97	0.00
46 T	Dibromomethane	0.221	0.216	2.3	96	0.00
47 T	Bromodichloromethane	0.509	0.497	2.4	95	0.00
48 T	Methyl methacrylate	0.238	0.245	-2.9	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081125\
 Data File : VW032078.D
 Acq On : 11 Aug 2025 19:31
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 12 04:30:35 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W081125S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 12 04:04:48 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	89	0.00
50 S	Toluene-d8	1.195	1.199	-0.3	98	0.00
51 T	4-Methyl-2-Pentanone	0.279	0.281	-0.7	92	0.00
52 CM	Toluene	0.892	0.879	1.5#	96	0.00
53 T	t-1,3-Dichloropropene	0.476	0.456	4.2	90	0.00
54 T	cis-1,3-Dichloropropene	0.541	0.524	3.1	92	0.00
55 T	1,1,2-Trichloroethane	0.293	0.288	1.7	96	0.00
56 T	Ethyl methacrylate	0.392	0.403	-2.8	93	0.00
57 T	1,3-Dichloropropane	0.511	0.494	3.3	94	0.00
58 T	2-Chloroethyl Vinyl ether	0.217	0.230	-6.0	97	0.00
59 T	2-Hexanone	0.193	0.196	-1.6	90	0.00
60 T	Dibromochloromethane	0.335	0.325	3.0	95	0.00
61 T	1,2-Dibromoethane	0.285	0.280	1.8	95	0.00
62 S	4-Bromofluorobenzene	0.440	0.437	0.7	97	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	106	0.00
64 T	Tetrachloroethene	0.289	0.259	10.4	98	0.00
65 PM	Chlorobenzene	1.088	0.977	10.2	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.340	0.314	7.6	98	0.00
67 C	Ethyl Benzene	1.843	1.690	8.3#	95	0.00
68 T	m/p-Xylenes	0.711	0.638	10.3	92	0.00
69 T	o-Xylene	0.657	0.626	4.7	97	0.00
70 T	Styrene	1.168	1.112	4.8	97	0.00
71 P	Bromoform	0.194	0.187	3.6	96	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	102	0.00
73 T	Isopropylbenzene	3.494	3.384	3.1	94	0.00
74 T	N-amyl acetate	1.003	0.961	4.2	88	0.00
75 P	1,1,2,2-Tetrachloroethane	0.830	0.788	5.1	92	0.00
76 T	1,2,3-Trichloropropane	0.679	0.730	-7.5	96	0.00
77 T	Bromobenzene	0.835	0.799	4.3	93	0.00
78 T	n-propylbenzene	4.302	4.157	3.4	94	0.00
79 T	2-Chlorotoluene	2.655	2.580	2.8	96	0.00
80 T	1,3,5-Trimethylbenzene	2.967	2.936	1.0	96	0.00
81 T	trans-1,4-Dichloro-2-butene	0.262	0.241	8.0	85	0.00
82 T	4-Chlorotoluene	2.821	2.678	5.1	94	0.00
83 T	tert-Butylbenzene	2.462	2.384	3.2	94	0.00
84 T	1,2,4-Trimethylbenzene	3.020	2.988	1.1	95	0.00
85 T	sec-Butylbenzene	3.722	3.535	5.0	93	0.00
86 T	p-Isopropyltoluene	3.103	3.023	2.6	93	0.00
87 T	1,3-Dichlorobenzene	1.661	1.530	7.9	89	0.00
88 T	1,4-Dichlorobenzene	1.678	1.525	9.1	93	0.00
89 T	n-Butylbenzene	3.015	2.919	3.2	93	0.00
90 T	Hexachloroethane	0.568	0.520	8.5	93	0.00
91 T	1,2-Dichlorobenzene	1.504	1.482	1.5	99	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.147	0.138	6.1	88	0.00
93 T	1,2,4-Trichlorobenzene	0.900	0.856	4.9	95	0.00
94 T	Hexachlorobutadiene	0.402	0.361	10.2	95	0.00
95 T	Naphthalene	2.205	2.185	0.9	91	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081125\
Data File : VW032078.D
Acq On : 11 Aug 2025 19:31
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5mL/MSVOA_W/SOIL
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Aug 12 04:30:35 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W081125S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 12 04:04:48 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.819	0.841	-2.7	102	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6