

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081325\
 Data File : VY023059.D
 Acq On : 13 Aug 2025 09:37
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 14 01:19:16 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	99	0.00
2 T	Dichlorodifluoromethane	0.408	0.335	17.9	95	0.00
3 P	Chloromethane	0.661	0.620	6.2	101	0.00
4 C	Vinyl Chloride	0.817	0.788	3.5#	102	0.00
5 T	Bromomethane	0.610	0.575	5.7	106	0.00
6 T	Chloroethane	0.543	0.535	1.5	103	0.00
7 T	Trichlorofluoromethane	0.994	0.944	5.0	100	0.00
8 T	Diethyl Ether	0.263	0.239	9.1	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.490	0.465	5.1	100	0.00
10 T	Methyl Iodide	0.529	0.532	-0.6	96	0.00
11 T	Tert butyl alcohol	0.033	0.027	18.2	86	0.00
12 CM	1,1-Dichloroethene	0.482	0.459	4.8#	99	0.00
13 T	Acrolein	0.048	0.040	16.7	88	0.00
14 T	Allyl chloride	0.709	0.686	3.2	99	0.00
15 T	Acrylonitrile	0.107	0.097	9.3	91	0.00
16 T	Acetone	0.103	0.105	-1.9	101	0.00
17 T	Carbon Disulfide	1.571	1.497	4.7	100	0.00
18 T	Methyl Acetate	0.307	0.256	16.6	79	0.00
19 T	Methyl tert-butyl Ether	1.249	1.158	7.3	93	0.00
20 T	Methylene Chloride	0.620	0.519	16.3	101	0.00
21 T	trans-1,2-Dichloroethene	0.541	0.526	2.8	100	0.00
22 T	Diisopropyl ether	1.541	1.501	2.6	99	0.00
23 T	Vinyl Acetate	0.852	0.823	3.4	97	0.00
24 P	1,1-Dichloroethane	0.942	0.913	3.1	99	0.00
25 T	2-Butanone	0.140	0.129	7.9	90	0.00
26 T	2,2-Dichloropropane	0.813	0.812	0.1	102	0.00
27 T	cis-1,2-Dichloroethene	0.626	0.597	4.6	98	0.00
28 T	Bromochloromethane	0.374	0.368	1.6	100	0.00
29 T	Tetrahydrofuran	0.087	0.078	10.3	89	0.00
30 C	Chloroform	0.971	0.932	4.0#	98	0.00
31 T	Cyclohexane	0.888	0.821	7.5	100	0.00
32 T	1,1,1-Trichloroethane	0.862	0.841	2.4	100	0.00
33 S	1,2-Dichloroethane-d4	0.477	0.476	0.2	102	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	99	0.00
35 S	Dibromofluoromethane	0.299	0.301	-0.7	101	0.00
36 T	1,1-Dichloropropene	0.445	0.432	2.9	98	0.00
37 T	Ethyl Acetate	0.187	0.169	9.6	89	0.00
38 T	Carbon Tetrachloride	0.483	0.472	2.3	100	0.00
39 T	Methylcyclohexane	0.586	0.575	1.9	100	0.00
40 TM	Benzene	1.370	1.334	2.6	99	0.00
41 T	Methacrylonitrile	0.108	0.098	9.3	88	0.00
42 TM	1,2-Dichloroethane	0.356	0.340	4.5	97	0.00
43 T	Isopropyl Acetate	0.378	0.349	7.7	92	0.00
44 TM	Trichloroethene	0.354	0.344	2.8	99	0.00
45 C	1,2-Dichloropropane	0.315	0.306	2.9#	98	0.00
46 T	Dibromomethane	0.181	0.175	3.3	97	0.00
47 T	Bromodichloromethane	0.466	0.450	3.4	97	0.00
48 T	Methyl methacrylate	0.181	0.165	8.8	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081325\
 Data File : VY023059.D
 Acq On : 13 Aug 2025 09:37
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_Y
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 14 01:19:16 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 13 02:10:11 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	90	0.00
50 S	Toluene-d8	1.169	1.200	-2.7	104	0.00
51 T	4-Methyl-2-Pentanone	0.195	0.181	7.2	90	0.00
52 CM	Toluene	0.870	0.864	0.7#	99	0.00
53 T	t-1,3-Dichloropropene	0.422	0.410	2.8	96	0.00
54 T	cis-1,3-Dichloropropene	0.499	0.485	2.8	97	0.00
55 T	1,1,2-Trichloroethane	0.242	0.224	7.4	93	0.00
56 T	Ethyl methacrylate	0.310	0.299	3.5	92	0.00
57 T	1,3-Dichloropropane	0.411	0.389	5.4	95	0.00
58 T	2-Chloroethyl Vinyl ether	0.146	0.144	1.4	92	0.00
59 T	2-Hexanone	0.133	0.129	3.0	93	0.00
60 T	Dibromochloromethane	0.320	0.300	6.3	93	0.00
61 T	1,2-Dibromoethane	0.228	0.213	6.6	93	0.00
62 S	4-Bromofluorobenzene	0.376	0.376	0.0	100	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	99	0.00
64 T	Tetrachloroethene	0.446	0.447	-0.2	101	0.00
65 PM	Chlorobenzene	1.079	1.043	3.3	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.366	0.352	3.8	96	0.00
67 C	Ethyl Benzene	1.856	1.856	0.0	98	0.00
68 T	m/p-Xylenes	0.725	0.725	0.0	100	0.00
69 T	o-Xylene	0.679	0.681	-0.3	98	0.00
70 T	Styrene	1.110	1.123	-1.2	99	0.00
71 P	Bromoform	0.214	0.195	8.9	90	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	96	0.00
73 T	Isopropylbenzene	3.529	3.623	-2.7	99	0.00
74 T	N-amyl acetate	0.748	0.747	0.1	93	0.00
75 P	1,1,2,2-Tetrachloroethane	0.603	0.553	8.3	90	0.00
76 T	1,2,3-Trichloropropane	0.483	0.470	2.7	84	0.00
77 T	Bromobenzene	0.842	0.822	2.4	95	0.00
78 T	n-propylbenzene	4.201	4.375	-4.1	99	0.00
79 T	2-Chlorotoluene	2.407	2.441	-1.4	98	0.00
80 T	1,3,5-Trimethylbenzene	2.852	2.941	-3.1	98	0.00
81 T	trans-1,4-Dichloro-2-butene	0.199	0.193	3.0	93	0.00
82 T	4-Chlorotoluene	2.497	2.530	-1.3	98	0.00
83 T	tert-Butylbenzene	2.576	2.631	-2.1	97	0.00
84 T	1,2,4-Trimethylbenzene	2.839	2.937	-3.5	99	0.00
85 T	sec-Butylbenzene	3.784	3.916	-3.5	99	0.00
86 T	p-Isopropyltoluene	3.141	3.275	-4.3	99	0.00
87 T	1,3-Dichlorobenzene	1.660	1.656	0.2	98	0.00
88 T	1,4-Dichlorobenzene	1.647	1.613	2.1	96	0.00
89 T	n-Butylbenzene	2.885	3.043	-5.5	100	0.00
90 T	Hexachloroethane	0.643	0.649	-0.9	98	0.00
91 T	1,2-Dichlorobenzene	1.456	1.412	3.0	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.094	0.089	5.3	90	0.00
93 T	1,2,4-Trichlorobenzene	0.861	0.831	3.5	94	0.00
94 T	Hexachlorobutadiene	0.506	0.486	4.0	95	0.00
95 T	Naphthalene	1.468	1.392	5.2	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_Y\Data\VY081325\
Data File : VY023059.D
Acq On : 13 Aug 2025 09:37
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5.0mL/MSVOA_Y/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_Y
LabSampleId :
VSTDCCC050

Quant Time: Aug 14 01:19:16 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_Y\methods\82Y081225S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 13 02:10:11 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.742	0.698	5.9	93	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 5