

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
 Data File : BP025395.D
 Acq On : 14 Aug 2025 14:38
 Operator : CG/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC020

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 08/15/2025
 Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 14 17:54:49 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 14 17:44:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	141721	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	603797	20.000	ng	0.00
39) Acenaphthene-d10	14.413	164	399034	20.000	ng	0.00
64) Phenanthrene-d10	17.213	188	785736	20.000	ng	0.01
76) Chrysene-d12	21.654	240	852065	20.000	ng	0.00
86) Perylene-d12	25.036	264	958651	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	338568	39.674	ng	0.00
7) Phenol-d6	6.966	99	434388	39.702	ng	0.00
23) Nitrobenzene-d5	8.931	82	473937	39.706	ng	0.00
42) 2,4,6-Tribromophenol	15.925	330	212968	39.651	ng	0.01
45) 2-Fluorobiphenyl	13.025	172	1203064	41.205	ng	0.00
79) Terphenyl-d14	19.930	244	1869951	40.152	ng	0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.331	88	67276	20.126	ng	99
3) Pyridine	3.731	79	177948	19.450	ng	98
4) n-Nitrosodimethylamine	3.637	42	72627	19.255	ng	# 96
6) Aniline	7.125	93	287645	19.513	ng	99
8) 2-Chlorophenol	7.366	128	190858	19.819	ng	99
9) Benzaldehyde	6.937	77	135464	17.672	ng	99
10) Phenol	6.990	94	228580	19.910	ng	98
11) bis(2-Chloroethyl)ether	7.219	93	180390	20.159	ng	98
12) 1,3-Dichlorobenzene	7.684	146	213023	20.061	ng	99
13) 1,4-Dichlorobenzene	7.825	146	216400	19.938	ng	99
14) 1,2-Dichlorobenzene	8.143	146	211243	20.106	ng	99
15) Benzyl Alcohol	8.019	79	170736	19.640	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.307	45	242616	20.240	ng	99
17) 2-Methylphenol	8.225	107	159119	19.956	ng	98
18) Hexachloroethane	8.866	117	78205	19.597	ng	94
19) n-Nitroso-di-n-propyla...	8.584	70	149715	20.633	ng	97
20) 3+4-Methylphenols	8.543	107	217240	19.655	ng	98
22) Acetophenone	8.596	105	305812	20.196	ng	99
24) Nitrobenzene	8.972	77	210234	19.708	ng	100
25) Isophorone	9.496	82	422370	19.995	ng	99
26) 2-Nitrophenol	9.678	139	106805	19.509	ng	98
27) 2,4-Dimethylphenol	9.743	122	178534	18.963	ng	99
28) bis(2-Chloroethoxy)met...	9.972	93	256656	20.100	ng	99
29) 2,4-Dichlorophenol	10.207	162	186076	19.896	ng	99
30) 1,2,4-Trichlorobenzene	10.425	180	201995	19.702	ng	98
31) Naphthalene	10.613	128	625899	19.944	ng	99
32) Benzoic acid	9.843	122	124836m	18.004	ng	
33) 4-Chloroaniline	10.713	127	270158	19.489	ng	99
34) Hexachlorobutadiene	10.901	225	127593	19.983	ng	99
35) Caprolactam	11.484	113	66168	19.294	ng	95
36) 4-Chloro-3-methylphenol	11.837	107	209817	19.551	ng	97
37) 2-Methylnaphthalene	12.219	142	409613	20.057	ng	99
38) 1-Methylnaphthalene	12.443	142	430666	19.829	ng	100
40) 1,2,4,5-Tetrachloroben...	12.590	216	233523	20.263	ng	99
41) Hexachlorocyclopentadiene	12.572	237	124759	17.922	ng	98
43) 2,4,6-Trichlorophenol	12.831	196	152031	19.540	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
 Data File : BP025395.D
 Acq On : 14 Aug 2025 14:38
 Operator : CG/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC020


Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 08/15/2025
 Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 14 17:54:49 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 14 17:44:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	169197	19.842	ng	98
46) 1,1'-Biphenyl	13.237	154	581464	20.064	ng	100
47) 2-Chloronaphthalene	13.272	162	456552	20.237	ng	98
48) 2-Nitroaniline	13.478	65	126433	19.233	ng	99
49) Acenaphthylene	14.137	152	737527	19.756	ng	99
50) Dimethylphthalate	13.866	163	573661	19.632	ng	100
51) 2,6-Dinitrotoluene	13.966	165	120693	19.597	ng	96
52) Acenaphthene	14.484	154	438852m	20.027	ng	
53) 3-Nitroaniline	14.301	138	134502	19.410	ng	97
54) 2,4-Dinitrophenol	14.519	184	55713	16.939	ng	98
55) Dibenzofuran	14.819	168	692966	20.002	ng	99
56) 4-Nitrophenol	14.619	139	105787	18.578	ng	98
57) 2,4-Dinitrotoluene	14.772	165	172020	19.576	ng	96
58) Fluorene	15.478	166	554647	20.289	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.048	232	145926	19.381	ng	99
60) Diethylphthalate	15.248	149	584590	19.689	ng	99
61) 4-Chlorophenyl-phenyle...	15.472	204	270949	19.929	ng	98
62) 4-Nitroaniline	15.478	138	139202	19.595	ng	100
63) Azobenzene	15.766	77	508563	20.004	ng	100
65) 4,6-Dinitro-2-methylph...	15.548	198	88992	18.169	ng	97
66) n-Nitrosodiphenylamine	15.684	169	477080	19.911	ng	99
67) 4-Bromophenyl-phenylether	16.389	248	170738	19.758	ng	97
68) Hexachlorobenzene	16.495	284	199410	19.906	ng	99
69) Atrazine	16.666	200	179513	20.006	ng	99
70) Pentachlorophenol	16.848	266	120958	19.128	ng	99
71) Phenanthrene	17.254	178	872890	20.223	ng	99
72) Anthracene	17.342	178	890292	20.198	ng	100
73) Carbazole	17.625	167	843970	20.328	ng	99
74) Di-n-butylphthalate	18.219	149	1046709	20.491	ng	100
75) Fluoranthene	19.342	202	1058912	20.567	ng	99
77) Benzidine	19.525	184	546647	18.799	ng	99
78) Pyrene	19.713	202	1096965	19.807	ng	99
80) Butylbenzylphthalate	20.666	149	504019	20.081	ng	97
81) Benzo(a)anthracene	21.630	228	1118590	19.906	ng	100
82) 3,3'-Dichlorobenzidine	21.548	252	432075	20.399	ng	100
83) Chrysene	21.707	228	1063898	20.216	ng	99
84) Bis(2-ethylhexyl)phtha...	21.577	149	744704	20.155	ng	99
85) Di-n-octyl phthalate	22.871	149	1276798	20.091	ng	100
87) Indeno(1,2,3-cd)pyrene	28.865	276	1380331m	19.627	ng	
88) Benzo(b)fluoranthene	23.948	252	1122408	19.855	ng	100
89) Benzo(k)fluoranthene	24.018	252	1150366	20.336	ng	100
90) Benzo(a)pyrene	24.854	252	1102804	20.041	ng	100
91) Dibenzo(a,h)anthracene	28.965	278	1130209	19.672	ng	98
92) Benzo(g,h,i)perylene	30.053	276	1120307	19.840	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed







#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :
BNA_P
ClientSampleId :
SSTDICC020

Tgt Ion:152 Resp: 14172
Ion Ratio Lower Upper
152 100
150 153.0 125.9 188.9
115 60.0 48.5 72.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#2
1,4-Dioxane
Concen: 20.126 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38


Tgt Ion: 88 Resp: 67276
Ion Ratio Lower Upper
88 100
58 73.2 59.2 88.8
43 27.9 21.7 32.5





#3
Pyridine
Concen: 19.450 ng
RT: 3.731 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 79 Resp: 177948
Ion Ratio Lower Upper
79 100
52 71.9 55.5 83.3
51 36.1 28.3 42.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#4
n-Nitrosodimethylamine
Concen: 19.255 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion: 42 Resp: 72627
Ion Ratio Lower Upper
42 100
74 138.9 107.0 160.4
44 9.5 6.2 9.4





#5
2-Fluorophenol
Concen: 39.674 ng
RT: 5.408 min Scan# 41
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 112 Resp: 33856
Ion Ratio Lower Upper
112 100
64 53.6 43.8 65.8
63 29.1 22.7 34.1

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#6
Aniline
Concen: 19.513 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion: 93 Resp: 287645
Ion Ratio Lower Upper
93 100
66 38.6 30.4 45.6
65 19.4 15.3 22.9





#7
Phenol-d6
Concen: 39.702 ng
RT: 6.966 min Scan# 685
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 99 Resp: 434388
Ion Ratio Lower Upper
99 100
42 16.7 13.7 20.5
71 33.7 28.2 42.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#8
2-Chlorophenol
Concen: 19.819 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion:128 Resp: 190858
Ion Ratio Lower Upper
128 100
130 31.9 12.6 52.6
64 44.0 23.4 63.4





#9
Benzaldehyde
Concen: 17.672 ng
RT: 6.937 min Scan# 681
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 77 Resp: 135464
Ion Ratio Lower Upper
77 100
105 102.7 84.8 124.8
106 100.6 80.5 120.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#10
Phenol
Concen: 19.910 ng
RT: 6.990 min Scan# 689
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion: 94 Resp: 228580
Ion Ratio Lower Upper
94 100
65 28.1 6.8 46.8
66 37.7 18.2 58.2





#11
bis(2-Chloroethyl)ether
Concen: 20.159 ng
RT: 7.219 min Scan# 728
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 93 Resp: 180390
Ion Ratio Lower Upper
93 100
63 71.2 52.6 92.6
95 31.6 12.7 52.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#12
1,3-Dichlorobenzene
Concen: 20.061 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion:146 Resp: 213023
Ion Ratio Lower Upper
146 100
148 64.4 51.9 77.9
75 28.9 23.7 35.5





#13
1,4-Dichlorobenzene
Concen: 19.938 ng
RT: 7.825 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:146 Resp: 216400
Ion Ratio Lower Upper
146 100
148 66.2 51.6 77.4
111 41.6 33.4 50.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#14
1,2-Dichlorobenzene
Concen: 20.106 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion:146 Resp: 211243
Ion Ratio Lower Upper
146 100
148 64.0 50.4 75.6
111 42.4 34.5 51.7





#15
Benzyl Alcohol
Concen: 19.640 ng
RT: 8.019 min Scan# 864
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 79 Resp: 170730
Ion Ratio Lower Upper
79 100
108 77.1 63.8 95.6
77 60.3 49.0 73.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#16
2,2'-oxybis(1-Chloropropane)
Concen: 20.240 ng
RT: 8.307 min Scan# 913
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38



Tgt Ion: 45 Resp: 242616
Ion Ratio Lower Upper
45 100
77 14.7 0.0 35.3
79 12.2 0.0 31.8





#17
2-Methylphenol
Concen: 19.956 ng
RT: 8.225 min Scan# 899
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020





Tgt Ion:107 Resp: 159119
Ion Ratio Lower Upper
107 100
108 109.2 89.4 134.0
77 43.2 36.3 54.5
79 45.6 36.6 54.8

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 08/15/2025


Supervised By :Jagrut Upadhyay 08/15/2025



#18
Hexachloroethane
Concen: 19.597 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38


Tgt Ion:117 Resp: 78205
Ion Ratio Lower Upper
117 100
119 98.8 75.1 112.7
201 107.5 80.1 120.1





#19
n-Nitroso-di-n-propylamine
Concen: 20.633 ng
RT: 8.584 min Scan# 90
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 70 Resp: 14971
Ion Ratio Lower Upper
70 100
42 52.0 43.8 65.6
101 11.3 8.5 12.7
130 23.8 19.4 29.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#20
3+4-Methylphenols
Concen: 19.655 ng
RT: 8.543 min Scan# 953
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion:107 Resp: 217240
Ion Ratio Lower Upper
107 100
108 89.1 66.3 106.3
77 31.8 12.3 52.3
79 26.9 7.8 47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1296
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:136 Resp: 60379
Ion Ratio Lower Upper
136 100
137 11.6 9.2 13.8
54 7.7 6.0 9.0
68 5.3 4.3 6.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#22
Acetophenone
Concen: 20.196 ng
RT: 8.596 min Scan# 962
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38


Tgt Ion:105 Resp: 305812
Ion Ratio Lower Upper
105 100
71 2.8 2.6 4.0
51 25.0 20.6 30.8
120 22.8 18.6 27.8





#23
Nitrobenzene-d5
Concen: 39.706 ng
RT: 8.931 min Scan# 1019
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 82 Resp: 47393
Ion Ratio Lower Upper
82 100
128 46.3 37.7 56.5
54 50.8 39.8 59.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#24
Nitrobenzene
Concen: 19.708 ng
RT: 8.972 min Scan# 1026
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion: 77 Resp: 210234
Ion Ratio Lower Upper
77 100
123 48.3 38.6 58.0
65 13.3 10.6 15.8





#25
Isophorone
Concen: 19.995 ng
RT: 9.496 min Scan# 1115
Delta R.T. -0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion: 82 Resp: 422370
Ion Ratio Lower Upper
82 100
95 7.6 6.4 9.6
138 18.9 15.4 23.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#26
2-Nitrophenol
Concen: 19.509 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:139 Resp: 106805
Ion Ratio Lower Upper
139 100
109 31.5 26.9 40.3
65 46.9 38.3 57.5





#27

2,4-Dimethylphenol

Concen: 18.963 ng

RT: 9.743 min Scan# 1157

Delta R.T. 0.000 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:122 Resp: 178534

Ion Ratio Lower Upper

122 100

107 116.5 93.7 140.5





121 58.8 46.6 69.8

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#28

bis(2-Chloroethoxy)methane

Concen: 20.100 ng

RT: 9.972 min Scan# 1196

Delta R.T. 0.000 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38




Tgt Ion: 93 Resp: 256656


Ion Ratio Lower Upper

93 100

95 32.5 25.4 38.0

123 11.9 9.4 14.0





#29

2,4-Dichlorophenol

Concen: 19.896 ng

RT: 10.207 min Scan# 1236

Delta R.T. -0.006 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:162 Resp: 186070

Ion Ratio Lower Upper

162 100

164 64.9 44.4 84.4





98 35.7 14.9 54.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#30

1,2,4-Trichlorobenzene

Concen: 19.702 ng

RT: 10.425 min Scan# 1273

Delta R.T. 0.000 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38




Tgt Ion:180 Resp: 201995


Ion Ratio Lower Upper

180 100

182 95.6 78.0 117.0


145 30.7 25.9 38.9





#31
Naphthalene
Concen: 19.944 ng
RT: 10.613 min Scan# 1179
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:128 Resp: 62589
Ion Ratio Lower Upper
128 100
129 11.0 8.6 13.0
127 13.7 10.7 16.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#32
Benzoic acid
Concen: 18.004 ng m
RT: 9.843 min Scan# 1174
Delta R.T. -0.029 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:122 Resp: 124836
Ion Ratio Lower Upper
122 100
105 122.9 100.6 140.6
77 88.5 71.5 111.5






#33
4-Chloroaniline
Concen: 19.489 ng
RT: 10.713 min Scan# 1322
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020






Tgt Ion:127 Resp: 270158
Ion Ratio Lower Upper
127 100
129 32.5 25.4 38.2
65 29.4 23.8 35.6
92 19.5 15.8 23.8

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 08/15/2025


Supervised By :Jagrut Upadhyay 08/15/2025



#34
Hexachlorobutadiene
Concen: 19.983 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38


Tgt Ion:225 Resp: 127593
Ion Ratio Lower Upper
225 100
223 64.0 50.0 75.0
227 62.5 49.7 74.5





#35
Caprolactam
Concen: 19.294 ng
RT: 11.484 min Scan# 1455
Delta R.T. -0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:113 Resp: 66168
Ion Ratio Lower Upper
113 100
55 151.5 140.0 180.0
56 117.4 100.0 140.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#36
4-Chloro-3-methylphenol
Concen: 19.551 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38



Tgt Ion:107 Resp: 209817
Ion Ratio Lower Upper
107 100
144 25.5 21.0 31.4
142 77.1 64.6 97.0





#37
2-Methylnaphthalene
Concen: 20.057 ng
RT: 12.219 min Scan# 1578
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :





SSTDICC020

Tgt Ion:142 Resp: 409611
Ion Ratio Lower Upper
142 100
141 88.7 70.3 105.5
115 35.0 28.9 43.3

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#38
1-Methylnaphthalene
Concen: 19.829 ng
RT: 12.443 min Scan# 1616
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:142 Resp: 430666
Ion Ratio Lower Upper
142 100
141 91.1 73.1 109.7
116 3.9 3.2 4.8





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.413 min Scan# 1951

Delta R.T. 0.006 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Instrument :

BNP_P

ClientSampleId :

SSTDICC020





Tgt Ion:164	Resp:	399034
Ion Ratio	Lower	Upper
164	100	
162	101.6	81.0 121.6
160	44.6	35.4 53.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 20.263 ng




RT: 12.590 min Scan# 1641


Delta R.T. 0.000 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38


Tgt Ion:216	Resp:	233523
Ion Ratio	Lower	Upper
216	100	
214	78.0	63.0 94.4
179	21.6	17.1 25.7
108	18.5	14.9 22.3





#41
Hexachlorocyclopentadiene
Concen: 17.922 ng
RT: 12.572 min Scan# 10
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 237 Resp: 124759
Ion Ratio Lower Upper
237 100
235 64.0 42.7 82.7
272 13.1 0.0 34.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#42
2,4,6-Tribromophenol
Concen: 39.651 ng
RT: 15.925 min Scan# 2208
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38



Tgt Ion: 330 Resp: 212968
Ion Ratio Lower Upper
330 100
332 97.8 77.3 115.9
141 32.8 26.6 39.8





#43

2,4,6-Trichlorophenol

Concen: 19.540 ng

RT: 12.831 min Scan# 1681

Delta R.T. 0.006 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:196 Resp: 15203

Ion Ratio Lower Upper

196 100

198 96.3 77.2 115.8





200 31.8 23.9 35.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#44

2,4,5-Trichlorophenol

Concen: 19.842 ng

RT: 12.901 min Scan# 1694

Delta R.T. 0.006 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Tgt Ion:196 Resp: 169197




Ion Ratio Lower Upper


196 100

198 96.2 76.2 114.2

97 48.1 41.2 61.8

132 28.5 22.6 34.0





#45

2-Fluorobiphenyl

Concen: 41.205 ng

RT: 13.025 min Scan# 1714

Delta R.T. 0.006 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:172 Resp: 1203064

Ion Ratio Lower Upper

172 100

171 34.9 28.1 42.1





170 22.7 18.6 28.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#46

1,1'-Biphenyl

Concen: 20.064 ng

RT: 13.237 min Scan# 1751

Delta R.T. 0.006 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38




Tgt Ion:154 Resp: 581464


Ion Ratio Lower Upper

154 100

153 39.5 19.5 59.5

76 11.5 0.0 31.1






#47
2-Chloronaphthalene
Concen: 20.237 ng
RT: 13.272 min Scan# 1757
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020






Tgt Ion:162 Resp: 456552
Ion Ratio Lower Upper
162 100
127 40.9 33.4 50.2
164 31.2 26.2 39.2

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 08/15/2025



Supervised By :Jagrut Upadhyay 08/15/2025




#48
2-Nitroaniline
Concen: 19.233 ng
RT: 13.478 min Scan# 1792
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion: 65 Resp: 126433
Ion Ratio Lower Upper
65 100
92 72.0 57.6 86.4
138 115.1 91.0 136.6





#49
Acenaphthylene
Concen: 19.756 ng
RT: 14.137 min Scan# 1904
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:152 Resp: 73752
Ion Ratio Lower Upper
152 100
151 19.8 16.0 24.0
153 12.8 10.6 15.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#50
Dimethylphthalate
Concen: 19.632 ng
RT: 13.866 min Scan# 1858
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion:163 Resp: 573661
Ion Ratio Lower Upper
163 100
194 4.1 3.4 5.0
164 10.1 7.9 11.9





#51
2,6-Dinitrotoluene
Concen: 19.597 ng
RT: 13.966 min Scan# 1875
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:165 Resp: 12069
Ion Ratio Lower Upper
165 100
63 52.9 40.9 61.3
89 55.7 42.1 63.1

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#52
Acenaphthene
Concen: 20.027 ng m
RT: 14.484 min Scan# 1963
Delta R.T. 0.018 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion:154 Resp: 438852
Ion Ratio Lower Upper
154 100
153 111.2 90.2 135.2
152 52.7 42.1 63.1





#53
3-Nitroaniline
Concen: 19.410 ng
RT: 14.301 min Scan# 1932
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:138 Resp: 134502
Ion Ratio Lower Upper
138 100
108 11.3 8.3 12.5
92 111.4 86.2 129.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#54
2,4-Dinitrophenol
Concen: 16.939 ng
RT: 14.519 min Scan# 1969
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38



Tgt Ion:184 Resp: 55713
Ion Ratio Lower Upper
184 100
63 60.4 49.4 74.2
154 70.4 54.6 82.0





#55

Dibenzenofuran

Concen: 20.002 ng

RT: 14.819 min Scan# 2018

Delta R.T. 0.012 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:168 Resp: 692960

Ion Ratio Lower Upper

168 100

139 38.6 31.5 47.3





169 13.1 10.9 16.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#56

4-Nitrophenol

Concen: 18.578 ng

RT: 14.619 min Scan# 1986

Delta R.T. 0.006 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38




Tgt Ion:139 Resp: 105787


Ion Ratio Lower Upper

139 100

109 75.0 56.6 96.6


65 89.8 68.2 108.2





#57
2,4-Dinitrotoluene
Concen: 19.576 ng
RT: 14.772 min Scan# 2011
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:165 Resp: 172020
Ion Ratio Lower Upper
165 100
63 37.8 31.4 47.2
89 62.8 53.3 79.9
182 2.8 2.3 3.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#58
Fluorene
Concen: 20.289 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion:166 Resp: 554647
Ion Ratio Lower Upper
166 100
165 98.8 78.8 118.2
167 13.3 11.0 16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 19.381 ng
RT: 15.048 min Scan# 2059
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:232 Resp: 145920
Ion Ratio Lower Upper
232 100
131 45.5 37.0 55.6
130 2.7 1.9 2.9
166 31.3 25.4 38.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#60
Diethylphthalate
Concen: 19.689 ng
RT: 15.248 min Scan# 2093
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38


Tgt Ion:149 Resp: 584590
Ion Ratio Lower Upper
149 100
177 21.1 17.3 25.9
150 12.4 10.3 15.5





#61
4-Chlorophenyl-phenylether
Concen: 19.929 ng
RT: 15.472 min Scan# 211
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:204 Resp: 270949
Ion Ratio Lower Upper
204 100
206 33.6 25.8 38.8
141 60.5 49.4 74.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#62
4-Nitroaniline
Concen: 19.595 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion:138 Resp: 139202
Ion Ratio Lower Upper
138 100
92 48.4 29.1 69.1
108 81.6 61.5 101.5





#63
Azobenzene
Concen: 20.004 ng
RT: 15.766 min Scan# 2179
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion: 77 Resp: 50856
Ion Ratio Lower Upper
77 100
182 27.7 7.5 47.5
105 21.9 2.1 42.1
51 29.4 9.6 49.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.213 min Scan# 2427
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Tgt Ion:188 Resp: 785736
Ion Ratio Lower Upper
188 100
94 9.1 6.6 10.0
80 9.9 6.7 10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 18.169 ng
RT: 15.548 min Scan# 2143
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:198 Resp: 88992
Ion Ratio Lower Upper
198 100
51 42.6 19.6 59.6
105 42.2 20.9 60.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#66
n-Nitrosodiphenylamine
Concen: 19.911 ng
RT: 15.684 min Scan# 2167
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38


Tgt Ion:169 Resp: 477080
Ion Ratio Lower Upper
169 100
168 67.5 53.2 79.8
167 36.8 28.7 43.1





#67
4-Bromophenyl-phenylether
Concen: 19.758 ng
RT: 16.389 min Scan# 21
Delta R.T. 0.018 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020



Tgt Ion:248 Resp: 170738
Ion Ratio Lower Upper
248 100
250 101.4 78.2 117.2
141 75.7 59.6 89.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#68
Hexachlorobenzene
Concen: 19.906 ng
RT: 16.495 min Scan# 2305
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38

Tgt Ion:284 Resp: 199410
Ion Ratio Lower Upper
284 100
142 35.2 29.1 43.7
249 31.0 25.0 37.4





#69

Atrazine

Concen: 20.006 ng

RT: 16.666 min Scan# 21

Delta R.T. 0.012 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020





Tgt Ion:	200	Resp:	17951
Ion Ratio	Lower	Upper	
200	100		
173	26.4	6.7	46.7
215	50.3	29.7	69.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#70

Pentachlorophenol

Concen: 19.128 ng




RT: 16.848 min Scan# 2365


Delta R.T. 0.006 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Tgt Ion:	266	Resp:	120958
Ion Ratio	Lower	Upper	
266	100		
268	65.1	52.6	79.0
264	63.6	52.0	78.0





#71

Phenanthrene

Concen: 20.223 ng

RT: 17.254 min Scan# 2432

Delta R.T. 0.012 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:178 Resp: 872890

Ion Ratio Lower Upper

178 100

176 18.7 15.5 23.3





179 15.2 12.2 18.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#72

Anthracene

Concen: 20.198 ng

RT: 17.342 min Scan# 2449

Delta R.T. 0.006 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38




Tgt Ion:178 Resp: 890292


Ion Ratio Lower Upper

178 100

176 18.3 14.7 22.1


179 15.2 12.2 18.2





#73
 Carbazole
 Concen: 20.328 ng
 RT: 17.625 min Scan# 2495
 Delta R.T. 0.012 min
 Lab File: BP025395.D
 Acq: 14 Aug 2025 14:38




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC020




Tgt Ion:167 Resp: 843970
 Ion Ratio Lower Upper
 167 100
 166 21.4 17.5 26.3
 139 13.4 10.6 16.0

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 08/15/2025
 Supervised By :Jagrut Upadhyay 08/15/2025




#74
 Di-n-butylphthalate
 Concen: 20.491 ng
 RT: 18.219 min Scan# 2598
 Delta R.T. 0.012 min
 Lab File: BP025395.D
 Acq: 14 Aug 2025 14:38



Tgt Ion:149 Resp: 1046709
 Ion Ratio Lower Upper
 149 100
 150 9.2 7.4 11.0
 104 5.1 4.2 6.2





#75

Fluoranthene

Concen: 20.567 ng

RT: 19.342 min Scan# 21

Delta R.T. 0.018 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:202 Resp: 105891

Ion Ratio Lower Upper

202 100

101 10.5 0.0 31.1





203 17.3 0.0 37.3

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.654 min Scan# 3182

Delta R.T. 0.006 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38




Tgt Ion:240 Resp: 852065


Ion Ratio Lower Upper

240 100

120 11.2 8.9 13.3


236 25.6 19.8 29.8





#77
Benzidine
Concen: 18.799 ng
RT: 19.525 min Scan# 2818
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:184 Resp: 54664
Ion Ratio Lower Upper
184 100
185 13.9 11.5 17.3
183 11.9 9.4 14.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#78
Pyrene
Concen: 19.807 ng
RT: 19.713 min Scan# 2852
Delta R.T. 0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38



Tgt Ion:202 Resp: 1096965
Ion Ratio Lower Upper
202 100
200 21.0 16.9 25.3
203 17.3 14.2 21.2





#79

Terphenyl-d14

Concen: 40.152 ng

RT: 19.930 min Scan# 21

Delta R.T. 0.012 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:244 Resp: 186995

Ion Ratio Lower Upper

244 100

212 7.1 5.8 8.6





122 9.9 7.4 11.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#80

Butylbenzylphthalate

Concen: 20.081 ng

RT: 20.666 min Scan# 3014

Delta R.T. 0.018 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38




Tgt Ion:149 Resp: 504019


Ion Ratio Lower Upper

149 100

91 64.4 54.2 81.2


206 20.9 16.6 24.8





#81
Benzo(a)anthracene
Concen: 19.906 ng
RT: 21.630 min Scan# 3178
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:228 Resp: 1118590
Ion Ratio Lower Upper
228 100
226 27.1 21.7 32.5
229 19.9 15.6 23.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#82
3,3'-Dichlorobenzidine
Concen: 20.399 ng
RT: 21.548 min Scan# 3164
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38



Tgt Ion:252 Resp: 432075
Ion Ratio Lower Upper
252 100
254 65.0 51.8 77.6
126 10.9 9.1 13.7





#83

Chrysene

Concen: 20.216 ng

RT: 21.707 min Scan# 3189

Delta R.T. 0.012 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:228 Resp: 106389

Ion Ratio Lower Upper

228 100

226 29.4 23.2 34.8





229 19.4 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 20.155 ng

RT: 21.577 min Scan# 3169

Delta R.T. -0.006 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38




Tgt Ion:149 Resp: 744704


Ion Ratio Lower Upper

149 100

167 27.3 22.1 33.1


279 4.6 3.8 5.6





#85
Di-n-octyl phthalate
Concen: 20.091 ng
RT: 22.871 min Scan# 3389
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:149 Resp: 1276798
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 7.9 6.3 9.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#86
Perylene-d12
Concen: 20.000 ng
RT: 25.036 min Scan# 3757
Delta R.T. 0.006 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38



Tgt Ion:264 Resp: 958651
Ion Ratio Lower Upper
264 100
260 23.8 19.3 28.9
265 22.2 17.4 26.0





#87

Indeno(1,2,3-cd)pyrene

Concen: 19.627 ng m

RT: 28.865 min Scan# 4408

Delta R.T. 0.000 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:276 Resp: 138033

Ion Ratio Lower Upper

276 100

138 16.2 12.9 19.3





277 20.1 17.0 25.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#88

Benzo(b)fluoranthene

Concen: 19.855 ng

RT: 23.948 min Scan# 3572

Delta R.T. -0.006 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38




Tgt Ion:252 Resp: 1122408


Ion Ratio Lower Upper

252 100

253 21.8 17.7 26.5


125 9.9 7.9 11.9





#89
Benzo(k)fluoranthene
Concen: 20.336 ng
RT: 24.018 min Scan# 3584
Delta R.T. -0.012 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38




Instrument :
BNA_P
ClientSampleId :
SSTDICC020




Tgt Ion:252 Resp: 1150360
Ion Ratio Lower Upper
252 100
253 21.6 17.1 25.7
125 9.6 7.8 11.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#90
Benzo(a)pyrene
Concen: 20.041 ng
RT: 24.854 min Scan# 3726
Delta R.T. 0.000 min
Lab File: BP025395.D
Acq: 14 Aug 2025 14:38



Tgt Ion:252 Resp: 1102804
Ion Ratio Lower Upper
252 100
253 21.9 17.5 26.3
125 10.9 8.7 13.1





#91

Dibenzo(a,h)anthracene

Concen: 19.672 ng

RT: 28.965 min Scan# 4423

Delta R.T. 0.012 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Instrument :

BNA_P

ClientSampleId :

SSTDICC020

Tgt Ion:278 Resp: 1130209

Ion Ratio Lower Upper

278 100

139 14.6 13.0 19.4





279 24.1 19.4 29.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#92

Benzo(g,h,i)perylene

Concen: 19.840 ng

RT: 30.053 min Scan# 4610

Delta R.T. -0.006 min

Lab File: BP025395.D

Acq: 14 Aug 2025 14:38

Tgt Ion:276 Resp: 1120307

Ion Ratio Lower Upper

276 100

277 23.5 19.4 29.0

138 20.4 16.7 25.1

