

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
 Data File : BP025400.D
 Acq On : 14 Aug 2025 18:05
 Operator : CG/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 ICVBP081425

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 08/15/2025
 Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 14 18:24:25 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 14 18:14:31 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	174007	20.000	ng	0.00
21) Naphthalene-d8	10.566	136	750079	20.000	ng	0.00
39) Acenaphthene-d10	14.407	164	503239	20.000	ng	0.00
64) Phenanthrene-d10	17.213	188	1034378	20.000	ng	0.01
76) Chrysene-d12	21.654	240	1060337	20.000	ng	0.00
86) Perylene-d12	25.024	264	1200519	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	727486	69.430	ng	0.00
7) Phenol-d6	6.966	99	962695	71.663	ng	0.00
23) Nitrobenzene-d5	8.937	82	984441	66.391	ng	0.00
42) 2,4,6-Tribromophenol	15.919	330	484870	71.582	ng	0.00
45) 2-Fluorobiphenyl	13.025	172	2430828	66.016	ng	0.00
79) Terphenyl-d14	19.936	244	3848160	66.399	ng	0.02
Target Compounds						Qvalue
2) 1,4-Dioxane	3.331	88	138687	33.792	ng	99
3) Pyridine	3.731	79	403298	35.901	ng	98
4) n-Nitrosodimethylamine	3.631	42	176521	38.115	ng	98
6) Aniline	7.125	93	690437	38.147	ng	99
8) 2-Chlorophenol	7.366	128	455230	38.501	ng	99
9) Benzaldehyde	6.943	77	321335	34.142	ng	96
10) Phenol	6.996	94	541123	38.388	ng	99
11) bis(2-Chloroethyl)ether	7.219	93	421318	38.348	ng	99
12) 1,3-Dichlorobenzene	7.684	146	492014	37.738	ng	100
13) 1,4-Dichlorobenzene	7.825	146	504919	37.890	ng	97
14) 1,2-Dichlorobenzene	8.143	146	487845	37.818	ng	99
15) Benzyl Alcohol	8.025	79	416544	39.025	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.319	45	563276	38.271	ng	99
17) 2-Methylphenol	8.225	107	380608	38.877	ng	100
18) Hexachloroethane	8.866	117	186691	38.103	ng	97
19) n-Nitroso-di-n-propyla...	8.590	70	340533	38.270	ng	99
20) 3+4-Methylphenols	8.549	107	524095	38.620	ng	99
22) Acetophenone	8.602	105	718869	38.216	ng	# 99
24) Nitrobenzene	8.978	77	494466	37.313	ng	98
25) Isophorone	9.501	82	993378	37.855	ng	99
26) 2-Nitrophenol	9.678	139	263348	38.722	ng	97
27) 2,4-Dimethylphenol	9.743	122	455078	38.910	ng	99
28) bis(2-Chloroethoxy)met...	9.972	93	599862	37.816	ng	99
29) 2,4-Dichlorophenol	10.213	162	449034	38.649	ng	98
30) 1,2,4-Trichlorobenzene	10.431	180	474183	37.231	ng	98
31) Naphthalene	10.613	128	1459279	37.431	ng	99
32) Benzoic acid	9.884	122	330207	38.242	ng	96
33) 4-Chloroaniline	10.713	127	655135	38.043	ng	99
34) Hexachlorobutadiene	10.901	225	293728	37.031	ng	98
35) Caprolactam	11.501	113	163211	38.310	ng	98
36) 4-Chloro-3-methylphenol	11.837	107	517126	38.789	ng	98
37) 2-Methylnaphthalene	12.219	142	960146	37.845	ng	99
38) 1-Methylnaphthalene	12.443	142	1012844	37.539	ng	99
40) 1,2,4,5-Tetrachloroben...	12.590	216	550777	37.895	ng	100
41) Hexachlorocyclopentadiene	12.572	237	351819	40.074	ng	100
43) 2,4,6-Trichlorophenol	12.831	196	382393	38.972	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
 Data File : BP025400.D
 Acq On : 14 Aug 2025 18:05
 Operator : CG/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 ICVP081425

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 08/15/2025
 Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 14 18:24:25 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 14 18:14:31 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	420565	39.108	ng	99
46) 1,1'-Biphenyl	13.237	154	1376834	37.672	ng	99
47) 2-Chloronaphthalene	13.272	162	1072147	37.682	ng	99
48) 2-Nitroaniline	13.472	65	323995	39.081	ng	99
49) Acenaphthylene	14.125	152	1775899	37.720	ng	100
50) Dimethylphthalate	13.860	163	1406620	38.170	ng	100
51) 2,6-Dinitrotoluene	13.972	165	304562	39.211	ng	98
52) Acenaphthene	14.472	154	1018011m	36.837	ng	
53) 3-Nitroaniline	14.301	138	349791	40.027	ng	98
54) 2,4-Dinitrophenol	14.507	184	172743	41.646	ng	100
55) Dibenzofuran	14.813	168	1630744	37.324	ng	100
56) 4-Nitrophenol	14.619	139	284585	39.630	ng	99
57) 2,4-Dinitrotoluene	14.772	165	448143	40.439	ng	98
58) Fluorene	15.478	166	1275341	36.992	ng	98
59) 2,3,4,6-Tetrachlorophenol	15.036	232	371715	39.147	ng	99
60) Diethylphthalate	15.242	149	1415787	37.810	ng	99
61) 4-Chlorophenyl-phenyle...	15.472	204	627477	36.596	ng	99
62) 4-Nitroaniline	15.484	138	346865	38.717	ng	99
63) Azobenzene	15.766	77	1235242	38.526	ng	99
65) 4,6-Dinitro-2-methylph...	15.548	198	256111	39.721	ng	99
66) n-Nitrosodiphenylamine	15.684	169	1174244	37.227	ng	100
67) 4-Bromophenyl-phenylether	16.378	248	422072	37.101	ng	96
68) Hexachlorobenzene	16.501	284	488749	37.062	ng	98
69) Atrazine	16.660	200	449555	38.057	ng	100
70) Pentachlorophenol	16.854	266	322435	38.733	ng	98
71) Phenanthrene	17.254	178	2070873	36.445	ng	99
72) Anthracene	17.342	178	2179669	37.563	ng	100
73) Carbazole	17.619	167	2028595	37.116	ng	100
74) Di-n-butylphthalate	18.225	149	2528547	37.602	ng	100
75) Fluoranthene	19.342	202	2540417	37.481	ng	99
77) Benzidine	19.519	184	1529656	42.271	ng	99
78) Pyrene	19.713	202	2577810	37.404	ng	99
80) Butylbenzylphthalate	20.660	149	1199445	38.401	ng	98
81) Benzo(a)anthracene	21.636	228	2583866	36.950	ng	99
82) 3,3'-Dichlorobenzidine	21.554	252	1002597	38.038	ng	99
83) Chrysene	21.701	228	2446197	37.353	ng	99
84) Bis(2-ethylhexyl)phtha...	21.583	149	1780746	38.729	ng	100
85) Di-n-octyl phthalate	22.877	149	2998528	37.915	ng	100
87) Indeno(1,2,3-cd)pyrene	28.877	276	3267965	37.119	ng	94
88) Benzo(b)fluoranthene	23.971	252	2616701	36.964	ng	100
89) Benzo(k)fluoranthene	24.042	252	2653905	37.464	ng	99
90) Benzo(a)pyrene	24.871	252	2560692	37.160	ng	100
91) Dibenzo(a,h)anthracene	28.948	278	2697336	37.490	ng	99
92) Benzo(g,h,i)perylene	30.089	276	2632085	37.216	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
 Data File : BP025400.D
 Acq On : 14 Aug 2025 18:05
 Operator : CG/JU
 Sample : SSTDICV040
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :

BNA_P

ClientSampleId :

ICVBP081425

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025


Quant Time: Aug 14 18:24:25 2025


Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Thu Aug 14 18:14:31 2025


Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425



Tgt Ion:152 Resp: 17400
Ion Ratio Lower Upper
152 100
150 157.6 125.9 188.9
115 62.0 48.5 72.7




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#2
1,4-Dioxane
Concen: 33.792 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion: 88 Resp: 138687
Ion Ratio Lower Upper
88 100
58 73.7 59.2 88.8
43 27.9 21.7 32.5






#3
Pyridine
Concen: 35.901 ng
RT: 3.731 min Scan# 118
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425






Tgt Ion: 79 Resp: 403298
Ion Ratio Lower Upper
79 100
52 70.8 55.5 83.3
51 34.7 28.3 42.5

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 08/15/2025



Supervised By :Jagrut Upadhyay 08/15/2025




#4
n-Nitrosodimethylamine
Concen: 38.115 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Tgt Ion: 42 Resp: 176521
Ion Ratio Lower Upper
42 100
74 130.8 107.0 160.4
44 7.7 6.2 9.4





#5
2-Fluorophenol
Concen: 69.430 ng
RT: 5.408 min Scan# 41
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion: 112 Resp: 727480
Ion Ratio Lower Upper
112 100
64 54.2 43.8 65.8
63 28.8 22.7 34.1

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#6
Aniline
Concen: 38.147 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Tgt Ion: 93 Resp: 690437
Ion Ratio Lower Upper
93 100
66 37.3 30.4 45.6
65 18.7 15.3 22.9





#7
Phenol-d6
Concen: 71.663 ng
RT: 6.966 min Scan# 685
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425



Tgt Ion: 99 Resp: 96269
Ion Ratio Lower Upper
99 100
42 16.6 13.7 20.5
71 33.7 28.2 42.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#8
2-Chlorophenol
Concen: 38.501 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05


Tgt Ion:128 Resp: 455230
Ion Ratio Lower Upper
128 100
130 31.6 12.6 52.6
64 43.2 23.4 63.4





#9
Benzaldehyde
Concen: 34.142 ng
RT: 6.943 min Scan# 681
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425



Tgt Ion: 77 Resp: 32133
Ion Ratio Lower Upper
77 100
105 100.9 84.8 124.8
106 96.6 80.5 120.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#10
Phenol
Concen: 38.388 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05


Tgt Ion: 94 Resp: 541123
Ion Ratio Lower Upper
94 100
65 27.1 6.8 46.8
66 37.5 18.2 58.2





#11
bis(2-Chloroethyl)ether
Concen: 38.348 ng
RT: 7.219 min Scan# 728
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion: 93 Resp: 421318
Ion Ratio Lower Upper
93 100
63 73.1 52.6 92.6
95 33.6 12.7 52.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#12
1,3-Dichlorobenzene
Concen: 37.738 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05



Tgt Ion:146 Resp: 492014
Ion Ratio Lower Upper
146 100
148 64.8 51.9 77.9
75 30.1 23.7 35.5





#13
1,4-Dichlorobenzene
Concen: 37.890 ng
RT: 7.825 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :





ICVBP081425

Tgt Ion:146 Resp: 504919
Ion Ratio Lower Upper
146 100
148 62.3 51.6 77.4
111 39.8 33.4 50.0

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#14
1,2-Dichlorobenzene
Concen: 37.818 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05


Tgt Ion:146 Resp: 487845
Ion Ratio Lower Upper
146 100
148 63.7 50.4 75.6
111 42.1 34.5 51.7





#15
Benzyl Alcohol
Concen: 39.025 ng
RT: 8.025 min Scan# 80
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion: 79 Resp: 416544
Ion Ratio Lower Upper
79 100
108 78.5 63.8 95.6
77 62.8 49.0 73.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#16
2,2'-oxybis(1-Chloropropane)
Concen: 38.271 ng
RT: 8.319 min Scan# 915
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05



Tgt Ion: 45 Resp: 563276
Ion Ratio Lower Upper
45 100
77 14.8 0.0 35.3
79 11.7 0.0 31.8





#17
2-Methylphenol
Concen: 38.877 ng
RT: 8.225 min Scan# 899
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425





Tgt Ion:107 Resp: 380608
Ion Ratio Lower Upper
107 100
108 111.0 89.4 134.0
77 45.3 36.3 54.5
79 45.7 36.6 54.8

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 08/15/2025


Supervised By :Jagrut Upadhyay 08/15/2025



#18
Hexachloroethane
Concen: 38.103 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05


Tgt Ion:117 Resp: 186691
Ion Ratio Lower Upper
117 100
119 95.0 75.1 112.7
201 105.6 80.1 120.1





#19
n-Nitroso-di-n-propylamine
Concen: 38.270 ng
RT: 8.590 min Scan# 961
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion: 70 Resp: 34053
Ion Ratio Lower Upper
70 100
42 55.7 43.8 65.6
101 10.7 8.5 12.7
130 24.6 19.4 29.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#20
3+4-Methylphenols
Concen: 38.620 ng
RT: 8.549 min Scan# 954
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05



Tgt Ion:107 Resp: 524095
Ion Ratio Lower Upper
107 100
108 88.0 66.3 106.3
77 32.5 12.3 52.3
79 28.3 7.8 47.8






#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.566 min Scan# 1296
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425






Tgt Ion:136 Resp: 750079
Ion Ratio Lower Upper
136 100
137 10.6 9.2 13.8
54 7.3 6.0 9.0
68 5.6 4.3 6.5

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 08/15/2025


Supervised By :Jagrut Upadhyay 08/15/2025



#22
Acetophenone
Concen: 38.216 ng
RT: 8.602 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05


Tgt Ion:105 Resp: 718869
Ion Ratio Lower Upper
105 100
71 4.2 2.6 4.0#
51 26.2 20.6 30.8
120 23.1 18.6 27.8





#23
Nitrobenzene-d5
Concen: 66.391 ng
RT: 8.937 min Scan# 1020
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion: 82 Resp: 98444
Ion Ratio Lower Upper
82 100
128 47.3 37.7 56.5
54 49.6 39.8 59.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#24
Nitrobenzene
Concen: 37.313 ng
RT: 8.978 min Scan# 1027
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Tgt Ion: 77 Resp: 494466
Ion Ratio Lower Upper
77 100
123 50.3 38.6 58.0
65 12.9 10.6 15.8





#25
Isophorone
Concen: 37.855 ng
RT: 9.501 min Scan# 1116
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425



Tgt Ion: 82 Resp: 993378
Ion Ratio Lower Upper
82 100
95 7.7 6.4 9.6
138 18.9 15.4 23.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#26
2-Nitrophenol
Concen: 38.722 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:139 Resp: 263348
Ion Ratio Lower Upper
139 100
109 31.7 26.9 40.3
65 46.4 38.3 57.5





#27

2,4-Dimethylphenol

Concen: 38.910 ng

RT: 9.743 min Scan# 1157

Delta R.T. 0.000 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425





Tgt Ion:122 Resp: 455078
 Ion Ratio Lower Upper
 122 100
 107 115.6 93.7 140.5
 121 59.1 46.6 69.8

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#28

bis(2-Chloroethoxy)methane

Concen: 37.816 ng




RT: 9.972 min Scan# 1196


Delta R.T. 0.000 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05


Tgt Ion: 93 Resp: 599862
 Ion Ratio Lower Upper
 93 100
 95 32.7 25.4 38.0
 123 11.9 9.4 14.0





#29
2,4-Dichlorophenol
Concen: 38.649 ng
RT: 10.213 min Scan# 1237
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion:162 Resp: 449034
Ion Ratio Lower Upper
162 100
164 63.3 44.4 84.4
98 36.9 14.9 54.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#30
1,2,4-Trichlorobenzene
Concen: 37.231 ng
RT: 10.431 min Scan# 1274
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Tgt Ion:180 Resp: 474183
Ion Ratio Lower Upper
180 100
182 95.9 78.0 117.0
145 31.7 25.9 38.9





#31
Naphthalene
Concen: 37.431 ng
RT: 10.613 min Scan# 1180
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425



Tgt Ion:128 Resp: 1459279
Ion Ratio Lower Upper
128 100
129 10.9 8.6 13.0
127 12.8 10.7 16.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#32
Benzoic acid
Concen: 38.242 ng
RT: 9.884 min Scan# 1181
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:122 Resp: 330207
Ion Ratio Lower Upper
122 100
105 126.0 100.6 140.6
77 88.0 71.5 111.5






#33
4-Chloroaniline
Concen: 38.043 ng
RT: 10.713 min Scan# 1322
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425






Tgt Ion:127 Resp: 65513
Ion Ratio Lower Upper
127 100
129 31.7 25.4 38.2
65 28.7 23.8 35.6
92 19.3 15.8 23.8

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 08/15/2025


Supervised By :Jagrut Upadhyay 08/15/2025



#34
Hexachlorobutadiene
Concen: 37.031 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05


Tgt Ion:225 Resp: 293728
Ion Ratio Lower Upper
225 100
223 61.5 50.0 75.0
227 63.6 49.7 74.5





#35
Caprolactam
Concen: 38.310 ng
RT: 11.501 min Scan# 1455
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion:113 Resp: 16321
Ion Ratio Lower Upper
113 100
55 156.9 140.0 180.0
56 121.2 100.0 140.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#36
4-Chloro-3-methylphenol
Concen: 38.789 ng
RT: 11.837 min Scan# 1513
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Tgt Ion:107 Resp: 517126
Ion Ratio Lower Upper
107 100
144 25.4 21.0 31.4
142 79.2 64.6 97.0





#37
2-Methylnaphthalene
Concen: 37.845 ng
RT: 12.219 min Scan# 1578
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion:142 Resp: 960140
Ion Ratio Lower Upper
142 100
141 89.0 70.3 105.5
115 37.2 28.9 43.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#38
1-Methylnaphthalene
Concen: 37.539 ng
RT: 12.443 min Scan# 1616
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05



Tgt Ion:142 Resp: 1012844
Ion Ratio Lower Upper
142 100
141 90.0 73.1 109.7
116 3.9 3.2 4.8






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.407 min Scan# 1950
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425






Tgt Ion:164 Resp: 503239
Ion Ratio Lower Upper
164 100
162 99.1 81.0 121.6
160 44.5 35.4 53.2

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 08/15/2025



Supervised By :Jagrut Upadhyay 08/15/2025




#40
1,2,4,5-Tetrachlorobenzene
Concen: 37.895 ng
RT: 12.590 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05



Tgt Ion:216 Resp: 550777
Ion Ratio Lower Upper
216 100
214 78.8 63.0 94.4
179 21.4 17.1 25.7
108 18.9 14.9 22.3





#41

Hexachlorocyclopentadiene

Concen: 40.074 ng

RT: 12.572 min Scan# 1

Delta R.T. 0.000 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425

Tgt Ion:237 Resp: 351819

Ion Ratio Lower Upper

237 100

235 62.7 42.7 82.7





272 13.0 0.0 34.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#42

2,4,6-Tribromophenol

Concen: 71.582 ng

RT: 15.919 min Scan# 2207

Delta R.T. 0.006 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05




Tgt Ion:330 Resp: 484870


Ion Ratio Lower Upper

330 100

332 96.4 77.3 115.9

141 33.4 26.6 39.8





#43

2,4,6-Trichlorophenol

Concen: 38.972 ng

RT: 12.831 min Scan# 1682

Delta R.T. 0.006 min

Lab File: BP025400.D


Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425



Tgt Ion:196 Resp: 38239

Ion Ratio Lower Upper

196 100

198 94.8 77.2 115.8




200 31.1 23.9 35.9

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#44

2,4,5-Trichlorophenol

Concen: 39.108 ng

RT: 12.901 min Scan# 1694

Delta R.T. 0.006 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05

Tgt Ion:196 Resp: 420565




Ion Ratio Lower Upper


196 100

198 94.5 76.2 114.2

97 50.2 41.2 61.8

132 27.4 22.6 34.0





#45
2-Fluorobiphenyl
Concen: 66.016 ng
RT: 13.025 min Scan# 1715
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425





Tgt Ion:172 Resp: 2430828
Ion Ratio Lower Upper
172 100
171 35.3 28.1 42.1
170 23.1 18.6 28.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 08/15/2025


Supervised By :Jagrut Upadhyay 08/15/2025



#46
1,1'-Biphenyl
Concen: 37.672 ng
RT: 13.237 min Scan# 1751
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05


Tgt Ion:154 Resp: 1376834
Ion Ratio Lower Upper
154 100
153 40.2 19.5 59.5
76 11.4 0.0 31.1





#47
2-Chloronaphthalene
Concen: 37.682 ng
RT: 13.272 min Scan# 1757
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion:162 Resp: 107214
Ion Ratio Lower Upper
162 100
127 40.5 33.4 50.2
164 32.8 26.2 39.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#48
2-Nitroaniline
Concen: 39.081 ng
RT: 13.472 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Tgt Ion: 65 Resp: 323995
Ion Ratio Lower Upper
65 100
92 72.2 57.6 86.4
138 114.9 91.0 136.6





#49
Acenaphthylene
Concen: 37.720 ng
RT: 14.125 min Scan# 1902
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion:152 Resp: 177589
Ion Ratio Lower Upper
152 100
151 19.8 16.0 24.0
153 13.1 10.6 15.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#50
Dimethylphthalate
Concen: 38.170 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Tgt Ion:163 Resp: 1406620
Ion Ratio Lower Upper
163 100
194 4.2 3.4 5.0
164 10.1 7.9 11.9





#51
2,6-Dinitrotoluene
Concen: 39.211 ng
RT: 13.972 min Scan# 1875
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425



Tgt Ion:165 Resp: 304562
Ion Ratio Lower Upper
165 100
63 52.1 40.9 61.3
89 54.2 42.1 63.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#52
Acenaphthene
Concen: 36.837 ng m
RT: 14.472 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05


Tgt Ion:154 Resp: 1018011
Ion Ratio Lower Upper
154 100
153 110.9 90.2 135.2
152 52.6 42.1 63.1





#53
3-Nitroaniline
Concen: 40.027 ng
RT: 14.301 min Scan# 1932
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425



Tgt Ion:138 Resp: 34979
Ion Ratio Lower Upper
138 100
108 10.6 8.3 12.5
92 110.0 86.2 129.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#54
2,4-Dinitrophenol
Concen: 41.646 ng
RT: 14.507 min Scan# 1967
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05


Tgt Ion:184 Resp: 172743
Ion Ratio Lower Upper
184 100
63 61.3 49.4 74.2
154 68.1 54.6 82.0





#55
Dibenzenofuran
Concen: 37.324 ng
RT: 14.813 min Scan# 2018
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion:168 Resp: 1630744
Ion Ratio Lower Upper
168 100
139 39.8 31.5 47.3
169 13.5 10.9 16.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#56
4-Nitrophenol
Concen: 39.630 ng
RT: 14.619 min Scan# 1986
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05



Tgt Ion:139 Resp: 284585
Ion Ratio Lower Upper
139 100
109 77.1 56.6 96.6
65 90.2 68.2 108.2






#57
2,4-Dinitrotoluene
Concen: 40.439 ng
RT: 14.772 min Scan# 2011
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425






Tgt Ion:165 Resp: 44814
Ion Ratio Lower Upper
165 100
63 37.5 31.4 47.2
89 65.6 53.3 79.9
182 2.8 2.3 3.5

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 08/15/2025



Supervised By :Jagrut Upadhyay 08/15/2025




#58
Fluorene
Concen: 36.992 ng
RT: 15.478 min Scan# 2132
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05



Tgt Ion:166 Resp: 1275341
Ion Ratio Lower Upper
166 100
165 97.0 78.8 118.2
167 13.2 11.0 16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 39.147 ng
RT: 15.036 min Scan# 2057
Delta R.T. 0.000 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425





Tgt Ion:232 Resp: 37171
Ion Ratio Lower Upper
232 100
131 45.3 37.0 55.6
130 2.6 1.9 2.9
166 31.4 25.4 38.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 08/15/2025


Supervised By :Jagrut Upadhyay 08/15/2025



#60
Diethylphthalate
Concen: 37.810 ng
RT: 15.242 min Scan# 2092
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05


Tgt Ion:149 Resp: 1415787
Ion Ratio Lower Upper
149 100
177 22.0 17.3 25.9
150 12.7 10.3 15.5





#61
4-Chlorophenyl-phenylether
Concen: 36.596 ng
RT: 15.472 min Scan# 2112
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion:204 Resp: 62747
Ion Ratio Lower Upper
204 100
206 32.7 25.8 38.8
141 62.9 49.4 74.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#62
4-Nitroaniline
Concen: 38.717 ng
RT: 15.484 min Scan# 2133
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05



Tgt Ion:138 Resp: 346865
Ion Ratio Lower Upper
138 100
92 48.5 29.1 69.1
108 82.4 61.5 101.5






#63
Azobenzene
Concen: 38.526 ng
RT: 15.766 min Scan# 2179
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425






Tgt Ion: 77 Resp: 123524
Ion Ratio Lower Upper
77 100
182 26.8 7.5 47.5
105 22.8 2.1 42.1
51 29.9 9.6 49.6

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 08/15/2025



Supervised By :Jagrut Upadhyay 08/15/2025




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.213 min Scan# 2427
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Tgt Ion:188 Resp: 1034378
Ion Ratio Lower Upper
188 100
94 8.8 6.6 10.0
80 9.4 6.7 10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 39.721 ng
RT: 15.548 min Scan# 2143
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425



Tgt Ion:198 Resp: 25611
Ion Ratio Lower Upper
198 100
51 40.6 19.6 59.6
105 40.7 20.9 60.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#66
n-Nitrosodiphenylamine
Concen: 37.227 ng
RT: 15.684 min Scan# 2167
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05


Tgt Ion:169 Resp: 1174244
Ion Ratio Lower Upper
169 100
168 66.0 53.2 79.8
167 35.7 28.7 43.1





#67
4-Bromophenyl-phenylether
Concen: 37.101 ng
RT: 16.378 min Scan# 2100
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion:248 Resp: 422072
Ion Ratio Lower Upper
248 100
250 99.4 78.2 117.2
141 81.1 59.6 89.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#68
Hexachlorobenzene
Concen: 37.062 ng
RT: 16.501 min Scan# 2306
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05



Tgt Ion:284 Resp: 488749
Ion Ratio Lower Upper
284 100
142 35.3 29.1 43.7
249 32.1 25.0 37.4





#69

Atrazine

Concen: 38.057 ng

RT: 16.660 min Scan# 21

Delta R.T. 0.006 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425

Tgt Ion:200 Resp: 44955

Ion Ratio Lower Upper

200 100

173 26.7 6.7 46.7





215 49.7 29.7 69.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#70

Pentachlorophenol

Concen: 38.733 ng

RT: 16.854 min Scan# 2366

Delta R.T. 0.012 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05




Tgt Ion:266 Resp: 322435


Ion Ratio Lower Upper

266 100

268 66.4 52.6 79.0

264 63.2 52.0 78.0





#71

Phenanthrene

Concen: 36.445 ng

RT: 17.254 min Scan# 2432

Delta R.T. 0.012 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425

Tgt Ion:178 Resp: 207087

Ion Ratio Lower Upper

178 100

176 19.0 15.5 23.3





179 15.3 12.2 18.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#72

Anthracene

Concen: 37.563 ng

RT: 17.342 min Scan# 2449

Delta R.T. 0.006 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05




Tgt Ion:178 Resp: 2179669


Ion Ratio Lower Upper

178 100

176 18.5 14.7 22.1


179 15.1 12.2 18.2





#73
 Carbazole
 Concen: 37.116 ng
 RT: 17.619 min Scan# 2495
 Delta R.T. 0.006 min
 Lab File: BP025400.D
 Acq: 14 Aug 2025 18:05




Instrument :
 BNA_P
 ClientSampleId :
 ICVBP081425




Tgt Ion:167 Resp: 202859
 Ion Ratio Lower Upper
 167 100
 166 21.8 17.5 26.3
 139 13.3 10.6 16.0

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 08/15/2025
 Supervised By :Jagrut Upadhyay 08/15/2025




#74
 Di-n-butylphthalate
 Concen: 37.602 ng
 RT: 18.225 min Scan# 2599
 Delta R.T. 0.018 min
 Lab File: BP025400.D
 Acq: 14 Aug 2025 18:05




Tgt Ion:149 Resp: 2528547
 Ion Ratio Lower Upper
 149 100
 150 9.4 7.4 11.0
 104 5.1 4.2 6.2





#75
Fluoranthene
Concen: 37.481 ng
RT: 19.342 min Scan# 21
Delta R.T. 0.018 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425



Tgt Ion:202 Resp: 254041
Ion Ratio Lower Upper
202 100
101 9.9 0.0 31.1
203 17.4 0.0 37.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.654 min Scan# 3182
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05

Tgt Ion:240 Resp: 1060337
Ion Ratio Lower Upper
240 100
120 10.3 8.9 13.3
236 25.7 19.8 29.8





#77

Benzidine

Concen: 42.271 ng

RT: 19.519 min Scan# 2819

Delta R.T. 0.006 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425

Tgt Ion:184 Resp: 152965

Ion Ratio Lower Upper

184 100

185 13.9 11.5 17.3





183 12.1 9.4 14.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#78

Pyrene

Concen: 37.404 ng

RT: 19.713 min Scan# 2852

Delta R.T. 0.012 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05




Tgt Ion:202 Resp: 2577810


Ion Ratio Lower Upper

202 100

200 20.8 16.9 25.3

203 17.5 14.2 21.2






#79
 Terphenyl-d14
 Concen: 66.399 ng
 RT: 19.936 min Scan# 2887
 Delta R.T. 0.018 min
 Lab File: BP025400.D
 Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425






Tgt Ion:244 Resp: 3848160
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.8 8.6
 122 9.9 7.4 11.2

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 08/15/2025



Supervised By :Jagrut Upadhyay 08/15/2025




#80
 Butylbenzylphthalate
 Concen: 38.401 ng
 RT: 20.660 min Scan# 3013
 Delta R.T. 0.012 min
 Lab File: BP025400.D
 Acq: 14 Aug 2025 18:05



Tgt Ion:149 Resp: 1199445
 Ion Ratio Lower Upper
 149 100
 91 65.6 54.2 81.2
 206 21.1 16.6 24.8





#81

Benzo(a)anthracene

Concen: 36.950 ng

RT: 21.636 min Scan# 3178

Delta R.T. 0.006 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425

Tgt Ion:228 Resp: 258386

Ion Ratio Lower Upper

228 100

226 26.6 21.7 32.5





229 19.5 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#82

3,3'-Dichlorobenzidine

Concen: 38.038 ng

RT: 21.554 min Scan# 3165

Delta R.T. 0.012 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05




Tgt Ion:252 Resp: 1002597


Ion Ratio Lower Upper

252 100

254 64.1 51.8 77.6

126 10.7 9.1 13.7





#83

Chrysene

Concen: 37.353 ng

RT: 21.701 min Scan# 31

Delta R.T. 0.006 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425

Tgt Ion:228 Resp: 244619





Ion	Ratio	Lower	Upper
228	100		
226	29.7	23.2	34.8
229	19.7	15.6	23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 38.729 ng

RT: 21.583 min Scan# 3170




Delta R.T. 0.000 min


Lab File: BP025400.D

Acq: 14 Aug 2025 18:05

Tgt Ion:149 Resp: 1780746


Ion	Ratio	Lower	Upper
149	100		
167	27.8	22.1	33.1
279	4.5	3.8	5.6





#85
Di-n-octyl phthalate
Concen: 37.915 ng
RT: 22.877 min Scan# 31
Delta R.T. 0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion:149 Resp: 2998528
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 8.0 6.3 9.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#86
Perylene-d12
Concen: 20.000 ng
RT: 25.024 min Scan# 3755
Delta R.T. -0.006 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05



Tgt Ion:264 Resp: 1200519
Ion Ratio Lower Upper
264 100
260 23.4 19.3 28.9
265 21.6 17.4 26.0





#87

Indeno(1,2,3-cd)pyrene

Concen: 37.119 ng

RT: 28.877 min Scan# 4408

Delta R.T. 0.012 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425

Tgt Ion:276 Resp: 326796

Ion Ratio Lower Upper

276 100

138 17.0 12.9 19.3





277 25.5 17.0 25.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#88

Benzo(b)fluoranthene

Concen: 36.964 ng

RT: 23.971 min Scan# 3576

Delta R.T. 0.018 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05




Tgt Ion:252 Resp: 2616701


Ion Ratio Lower Upper

252 100

253 22.1 17.7 26.5


125 10.2 7.9 11.9





#89
Benzo(k)fluoranthene
Concen: 37.464 ng
RT: 24.042 min Scan# 31
Delta R.T. 0.012 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05




Instrument :
BNA_P
ClientSampleId :
ICVBP081425




Tgt Ion:252 Resp: 265390
Ion Ratio Lower Upper
252 100
253 21.8 17.1 25.7
125 10.4 7.8 11.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#90
Benzo(a)pyrene
Concen: 37.160 ng
RT: 24.871 min Scan# 3729
Delta R.T. 0.018 min
Lab File: BP025400.D
Acq: 14 Aug 2025 18:05



Tgt Ion:252 Resp: 2560692
Ion Ratio Lower Upper
252 100
253 22.1 17.5 26.3
125 10.7 8.7 13.1





#91

Dibenzo(a,h)anthracene

Concen: 37.490 ng

RT: 28.948 min Scan# 4423

Delta R.T. -0.006 min

Lab File: BP025400.D


Acq: 14 Aug 2025 18:05

Instrument :

BNA_P

ClientSampleId :

ICVBP081425



Tgt Ion:278 Resp: 2697330

Ion Ratio Lower Upper

278 100

139 15.4 13.0 19.4




279 24.4 19.4 29.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#92

Benzo(g,h,i)perylene

Concen: 37.216 ng

RT: 30.089 min Scan# 4616

Delta R.T. 0.029 min

Lab File: BP025400.D

Acq: 14 Aug 2025 18:05

Tgt Ion:276 Resp: 2632085

Ion Ratio Lower Upper

276 100

277 24.0 19.4 29.0

138 19.6 16.7 25.1

