

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
 Data File : BP025398.D
 Acq On : 14 Aug 2025 16:42
 Operator : CG/JU
 Sample : SSTDICC060
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC060

Quant Time: Aug 14 17:58:29 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 14 17:44:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	162248	20.000	ng	0.00
21) Naphthalene-d8	10.566	136	693237	20.000	ng	0.00
39) Acenaphthene-d10	14.413	164	460439	20.000	ng	0.00
64) Phenanthrene-d10	17.213	188	923402	20.000	ng	0.01
76) Chrysene-d12	21.666	240	926019	20.000	ng	0.02
86) Perylene-d12	25.042	264	1081163	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	1193329	122.144	ng	0.00
7) Phenol-d6	6.972	99	1566626	125.072	ng	0.00
23) Nitrobenzene-d5	8.931	82	1698557	123.944	ng	0.00
42) 2,4,6-Tribromophenol	15.925	330	760738	122.748	ng	0.01
45) 2-Fluorobiphenyl	13.025	172	3963871	117.656	ng	0.00
79) Terphenyl-d14	19.930	244	5896004	116.490	ng	0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.337	88	225015	58.799	ng	99
3) Pyridine	3.731	79	623639	59.539	ng	97
4) n-Nitrosodimethylamine	3.637	42	269971	62.518	ng	100
6) Aniline	7.125	93	1053232	62.408	ng	99
8) 2-Chlorophenol	7.366	128	688094	62.413	ng	100
9) Benzaldehyde	6.943	77	489205	55.745	ng	97
10) Phenol	7.002	94	821863	62.530	ng	98
11) bis(2-Chloroethyl)ether	7.219	93	634374	61.925	ng	99
12) 1,3-Dichlorobenzene	7.684	146	744884	61.273	ng	99
13) 1,4-Dichlorobenzene	7.825	146	751354	60.469	ng	100
14) 1,2-Dichlorobenzene	8.143	146	723663	60.165	ng	99
15) Benzyl Alcohol	8.025	79	627198	63.019	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.313	45	846896	61.712	ng	99
17) 2-Methylphenol	8.225	107	579471	63.480	ng	99
18) Hexachloroethane	8.866	117	281129	61.535	ng	95
19) n-Nitroso-di-n-propyla...	8.590	70	507223	61.060	ng	98
20) 3+4-Methylphenols	8.555	107	798107	63.075	ng	96
22) Acetophenone	8.602	105	1051848	60.503	ng	# 99
24) Nitrobenzene	8.978	77	752762	61.461	ng	98
25) Isophorone	9.502	82	1475193	60.825	ng	99
26) 2-Nitrophenol	9.678	139	405821	64.564	ng	98
27) 2,4-Dimethylphenol	9.743	122	675186	62.463	ng	100
28) bis(2-Chloroethoxy)met...	9.972	93	894872	61.040	ng	99
29) 2,4-Dichlorophenol	10.213	162	673952	62.764	ng	99
30) 1,2,4-Trichlorobenzene	10.425	180	715954	60.823	ng	98
31) Naphthalene	10.613	128	2187912	60.722	ng	100
32) Benzoic acid	9.907	122	530609	66.651	ng	98
33) 4-Chloroaniline	10.713	127	993155	62.401	ng	99
34) Hexachlorobutadiene	10.901	225	442929	60.421	ng	100
35) Caprolactam	11.513	113	241521	61.340	ng	95
36) 4-Chloro-3-methylphenol	11.843	107	764338	62.033	ng	98
37) 2-Methylnaphthalene	12.219	142	1418882	60.511	ng	99
38) 1-Methylnaphthalene	12.437	142	1494304	59.925	ng	100
40) 1,2,4,5-Tetrachloroben...	12.590	216	802737	60.365	ng	100
41) Hexachlorocyclopentadiene	12.572	237	536440	66.784	ng	99
43) 2,4,6-Trichlorophenol	12.831	196	564165	62.841	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
 Data File : BP025398.D
 Acq On : 14 Aug 2025 16:42
 Operator : CG/JU
 Sample : SSTDICC060
 Misc :
 ALS Vial : 9 Sample Multiplier: 1


Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC060


Quant Time: Aug 14 17:58:29 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 14 17:44:43 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	619246	62.937	ng	97
46) 1,1'-Biphenyl	13.237	154	1996186	59.695	ng	99
47) 2-Chloronaphthalene	13.272	162	1577577	60.600	ng	99
48) 2-Nitroaniline	13.472	65	485429	63.996	ng	100
49) Acenaphthylene	14.131	152	2634005	61.147	ng	99
50) Dimethylphthalate	13.866	163	2042324	60.572	ng	99
51) 2,6-Dinitrotoluene	13.972	165	446520	62.831	ng	100
52) Acenaphthene	14.478	154	1527191	60.399	ng	100
53) 3-Nitroaniline	14.301	138	506373	63.331	ng	96
54) 2,4-Dinitrophenol	14.519	184	265089	69.849	ng	98
55) Dibenzofuran	14.819	168	2387933	59.734	ng	100
56) 4-Nitrophenol	14.625	139	419801	63.893	ng	99
57) 2,4-Dinitrotoluene	14.778	165	650054	64.112	ng	96
58) Fluorene	15.478	166	1836972	58.236	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.042	232	541317	62.307	ng	100
60) Diethylphthalate	15.254	149	2015888	58.840	ng	99
61) 4-Chlorophenyl-phenyle...	15.472	204	926280	59.044	ng	99
62) 4-Nitroaniline	15.489	138	510438	62.272	ng	99
63) Azobenzene	15.766	77	1796580	61.242	ng	99
65) 4,6-Dinitro-2-methylph...	15.554	198	385873	67.038	ng	98
66) n-Nitrosodiphenylamine	15.684	169	1674806	59.478	ng	99
67) 4-Bromophenyl-phenylether	16.378	248	616767	60.731	ng	97
68) Hexachlorobenzene	16.501	284	711778	60.461	ng	100
69) Atrazine	16.666	200	633381	60.063	ng	99
70) Pentachlorophenol	16.854	266	474276	63.820	ng	97
71) Phenanthrene	17.260	178	3006132	59.263	ng	100
72) Anthracene	17.342	178	3050794	58.895	ng	99
73) Carbazole	17.625	167	2916606	59.776	ng	99
74) Di-n-butylphthalate	18.219	149	3560427	59.310	ng	100
75) Fluoranthene	19.342	202	3563798	58.899	ng	99
77) Benzidine	19.525	184	1690432	53.489	ng	99
78) Pyrene	19.713	202	3664453	60.883	ng	100
80) Butylbenzylphthalate	20.660	149	1710246	62.697	ng	99
81) Benzo(a)anthracene	21.648	228	3702064	60.619	ng	99
82) 3,3'-Dichlorobenzidine	21.554	252	1405597	61.062	ng	100
83) Chrysene	21.707	228	3453736	60.387	ng	99
84) Bis(2-ethylhexyl)phtha...	21.583	149	2450963	61.038	ng	100
85) Di-n-octyl phthalate	22.883	149	4342211	62.869	ng	100
87) Indeno(1,2,3-cd)pyrene	28.901	276	4937235	62.248	ng	96
88) Benzo(b)fluoranthene	23.960	252	3883465	60.914	ng	99
89) Benzo(k)fluoranthene	24.036	252	3912900	61.334	ng	99
90) Benzo(a)pyrene	24.883	252	3845093	61.959	ng	99
91) Dibenzo(a,h)anthracene	28.977	278	4035414	62.280	ng	98
92) Benzo(g,h,i)perylene	30.083	276	3958545	62.159	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Aug 14 17:58:29 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 17:44:43 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.790 min Scan# 81
 Delta R.T. -0.006 min
 Lab File: BP025398.D
 Acq: 14 Aug 2025 16:42




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC060


Tgt Ion:152 Resp: 162248
 Ion Ratio Lower Upper
 152 100
 150 156.4 125.9 188.9
 115 60.5 48.5 72.7



#2
 1,4-Dioxane
 Concen: 58.799 ng
 RT: 3.337 min Scan# 68
 Delta R.T. 0.000 min
 Lab File: BP025398.D
 Acq: 14 Aug 2025 16:42

Tgt Ion: 88 Resp: 225015
 Ion Ratio Lower Upper
 88 100
 58 73.0 59.2 88.8
 43 27.9 21.7 32.5









#3
Pyridine
Concen: 59.539 ng
RT: 3.731 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion: 79 Resp: 623639
Ion Ratio Lower Upper
79 100
52 72.1 55.5 83.3
51 36.5 28.3 42.5



#4
n-Nitrosodimethylamine
Concen: 62.518 ng
RT: 3.637 min Scan# 119
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 42 Resp: 269971
Ion Ratio Lower Upper
42 100
74 133.4 107.0 160.4
44 7.2 6.2 9.4









#5
2-Fluorophenol
Concen: 122.144 ng
RT: 5.408 min Scan# 41
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:112 Resp: 1193329
Ion Ratio Lower Upper
112 100
64 56.0 43.8 65.8
63 29.0 22.7 34.1



#6
Aniline
Concen: 62.408 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 93 Resp: 1053232
Ion Ratio Lower Upper
93 100
66 37.5 30.4 45.6
65 18.9 15.3 22.9









#7
Phenol-d6
Concen: 125.072 ng
RT: 6.972 min Scan# 686
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion: 99 Resp: 1566626
Ion Ratio Lower Upper
99 100
42 17.0 13.7 20.5
71 34.8 28.2 42.4



#8
2-Chlorophenol
Concen: 62.413 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:128 Resp: 688094
Ion Ratio Lower Upper
128 100
130 32.3 12.6 52.6
64 43.7 23.4 63.4









#9
Benzaldehyde
Concen: 55.745 ng
RT: 6.943 min Scan# 681
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion: 77 Resp: 489205
Ion Ratio Lower Upper
77 100
105 101.4 84.8 124.8
106 97.4 80.5 120.5



#10
Phenol
Concen: 62.530 ng
RT: 7.002 min Scan# 691
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 94 Resp: 821863
Ion Ratio Lower Upper
94 100
65 26.9 6.8 46.8
66 36.8 18.2 58.2









#11
bis(2-Chloroethyl)ether
Concen: 61.925 ng
RT: 7.219 min Scan# 728
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion: 93 Resp: 634374
Ion Ratio Lower Upper
93 100
63 73.6 52.6 92.6
95 32.0 12.7 52.7



#12
1,3-Dichlorobenzene
Concen: 61.273 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 146 Resp: 744884
Ion Ratio Lower Upper
146 100
148 64.8 51.9 77.9
75 28.2 23.7 35.5









#13
1,4-Dichlorobenzene
Concen: 60.469 ng
RT: 7.825 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:146 Resp: 751354
Ion Ratio Lower Upper
146 100
148 64.5 51.6 77.4
111 42.0 33.4 50.0



#14
1,2-Dichlorobenzene
Concen: 60.165 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:146 Resp: 723663
Ion Ratio Lower Upper
146 100
148 63.6 50.4 75.6
111 43.0 34.5 51.7









#15
Benzyl Alcohol
Concen: 63.019 ng
RT: 8.025 min Scan# 80
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion: 79 Resp: 627198
Ion Ratio Lower Upper
79 100
108 77.2 63.8 95.6
77 62.3 49.0 73.4



#16
2,2'-oxybis(1-Chloropropane)
Concen: 61.712 ng
RT: 8.313 min Scan# 914
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 45 Resp: 846896
Ion Ratio Lower Upper
45 100
77 14.9 0.0 35.3
79 11.0 0.0 31.8









#17
2-Methylphenol
Concen: 63.480 ng
RT: 8.225 min Scan# 899
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:	107	Resp:	579471
Ion	Ratio	Lower	Upper
107	100		
108	110.9	89.4	134.0
77	45.5	36.3	54.5
79	45.3	36.6	54.8



#18
Hexachloroethane
Concen: 61.535 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:	117	Resp:	281129
Ion	Ratio	Lower	Upper
117	100		
119	95.7	75.1	112.7
201	108.4	80.1	120.1









#19
n-Nitroso-di-n-propylamine
Concen: 61.060 ng
RT: 8.590 min Scan# 961
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion: 70 Resp: 507223
Ion Ratio Lower Upper
70 100
42 56.5 43.8 65.6
101 11.1 8.5 12.7
130 24.8 19.4 29.0



#20
3+4-Methylphenols
Concen: 63.075 ng
RT: 8.555 min Scan# 955
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 107 Resp: 798107
Ion Ratio Lower Upper
107 100
108 91.0 66.3 106.3
77 33.1 12.3 52.3
79 29.9 7.8 47.8









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.566 min Scan# 1296
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:136 Resp: 693237
Ion Ratio Lower Upper
136 100
137 10.9 9.2 13.8
54 7.6 6.0 9.0
68 5.7 4.3 6.5



#22
Acetophenone
Concen: 60.503 ng
RT: 8.602 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:105 Resp: 1051848
Ion Ratio Lower Upper
105 100
71 4.2 2.6 4.0#
51 25.5 20.6 30.8
120 22.6 18.6 27.8









#23
Nitrobenzene-d5
Concen: 123.944 ng
RT: 8.931 min Scan# 1019
Delta R.T. -0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion: 82 Resp: 1698557
Ion Ratio Lower Upper
82 100
128 45.7 37.7 56.5
54 48.6 39.8 59.6



#24
Nitrobenzene
Concen: 61.461 ng
RT: 8.978 min Scan# 1027
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 77 Resp: 752762
Ion Ratio Lower Upper
77 100
123 50.3 38.6 58.0
65 13.4 10.6 15.8









#25
Isophorone
Concen: 60.825 ng
RT: 9.502 min Scan# 1116
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion: 82 Resp: 1475193
Ion Ratio Lower Upper
82 100
95 7.6 6.4 9.6
138 19.0 15.4 23.0



#26
2-Nitrophenol
Concen: 64.564 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 139 Resp: 405821
Ion Ratio Lower Upper
139 100
109 32.7 26.9 40.3
65 48.9 38.3 57.5





#27

2,4-Dimethylphenol

Concen: 62.463 ng

RT: 9.743 min Scan# 1157

Delta R.T. 0.000 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:122 Resp: 675186

Ion Ratio Lower Upper

122 100

107 116.7 93.7 140.5

121 58.6 46.6 69.8



#28

bis(2-Chloroethoxy)methane

Concen: 61.040 ng

RT: 9.972 min Scan# 1196

Delta R.T. 0.000 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion: 93 Resp: 894872


Ion Ratio Lower Upper

93 100

95 32.6 25.4 38.0

123 11.9 9.4 14.0









#29
2,4-Dichlorophenol
Concen: 62.764 ng
RT: 10.213 min Scan# 1237
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:162 Resp: 673952
Ion Ratio Lower Upper
162 100
164 63.3 44.4 84.4
98 35.8 14.9 54.9



#30
1,2,4-Trichlorobenzene
Concen: 60.823 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:180 Resp: 715954
Ion Ratio Lower Upper
180 100
182 95.0 78.0 117.0
145 31.2 25.9 38.9









#31
Naphthalene
Concen: 60.722 ng
RT: 10.613 min Scan# 1185
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:128 Resp: 2187912
Ion Ratio Lower Upper
128 100
129 10.8 8.6 13.0
127 13.2 10.7 16.1



#32
Benzoic acid
Concen: 66.651 ng
RT: 9.907 min Scan# 1185
Delta R.T. 0.035 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:122 Resp: 530609
Ion Ratio Lower Upper
122 100
105 121.0 100.6 140.6
77 88.6 71.5 111.5









#33
4-Chloroaniline
Concen: 62.401 ng
RT: 10.713 min Scan# 1322
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:	127	Resp:	993155
Ion	Ratio	Lower	Upper
127	100		
129	32.0	25.4	38.2
65	28.5	23.8	35.6
92	19.6	15.8	23.8



#34
Hexachlorobutadiene
Concen: 60.421 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:	225	Resp:	442929
Ion	Ratio	Lower	Upper
225	100		
223	62.4	50.0	75.0
227	62.1	49.7	74.5





#35

Caprolactam

Concen: 61.340 ng

RT: 11.513 min Scan# 1455

Delta R.T. 0.018 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:113 Resp: 241521

Ion Ratio Lower Upper

113 100

55 151.8 140.0 180.0

56 117.0 100.0 140.0



#36

4-Chloro-3-methylphenol

Concen: 62.033 ng

RT: 11.843 min Scan# 1514

Delta R.T. 0.006 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:107 Resp: 764338


Ion Ratio Lower Upper

107 100

144 25.7 21.0 31.4

142 79.2 64.6 97.0









#37
2-Methylnaphthalene
Concen: 60.511 ng
RT: 12.219 min Scan# 11
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:142 Resp: 1418882
Ion Ratio Lower Upper
142 100
141 87.1 70.3 105.5
115 36.5 28.9 43.3



#38
1-Methylnaphthalene
Concen: 59.925 ng
RT: 12.437 min Scan# 1615
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:142 Resp: 1494304
Ion Ratio Lower Upper
142 100
141 91.7 73.1 109.7
116 4.1 3.2 4.8





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.413 min Scan# 1951

Delta R.T. 0.006 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:164 Resp: 460439

Ion Ratio Lower Upper

164 100

162 99.0 81.0 121.6

160 43.6 35.4 53.2



#40

1,2,4,5-Tetrachlorobenzene

Concen: 60.365 ng

RT: 12.590 min Scan# 1641

Delta R.T. 0.000 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Tgt Ion:216 Resp: 802737




Ion Ratio Lower Upper


216 100

214 78.3 63.0 94.4

179 21.6 17.1 25.7

108 18.7 14.9 22.3





#41

Hexachlorocyclopentadiene

Concen: 66.784 ng

RT: 12.572 min Scan# 1

Delta R.T. 0.000 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:237 Resp: 536440

Ion Ratio Lower Upper

237 100

235 61.9 42.7 82.7

272 13.0 0.0 34.0



#42

2,4,6-Tribromophenol

Concen: 122.748 ng

RT: 15.925 min Scan# 2208

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:330 Resp: 760738


Ion Ratio Lower Upper

330 100

332 97.5 77.3 115.9

141 33.3 26.6 39.8









#43
2,4,6-Trichlorophenol
Concen: 62.841 ng
RT: 12.831 min Scan# 1681
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:196 Resp: 564165
Ion Ratio Lower Upper
196 100
198 96.9 77.2 115.8
200 31.5 23.9 35.9



#44
2,4,5-Trichlorophenol
Concen: 62.937 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:196 Resp: 619246
Ion Ratio Lower Upper
196 100
198 93.8 76.2 114.2
97 47.7 41.2 61.8
132 27.4 22.6 34.0





#45

2-Fluorobiphenyl

Concen: 117.656 ng

RT: 13.025 min Scan# 1715

Delta R.T. 0.006 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:172 Resp: 3963871

Ion Ratio Lower Upper

172 100

171 35.3 28.1 42.1

170 23.5 18.6 28.0



#46

1,1'-Biphenyl

Concen: 59.695 ng

RT: 13.237 min Scan# 1751

Delta R.T. 0.006 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:154 Resp: 1996186


Ion Ratio Lower Upper

154 100

153 39.8 19.5 59.5

76 11.6 0.0 31.1









#47
2-Chloronaphthalene
Concen: 60.600 ng
RT: 13.272 min Scan# 1757
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:162 Resp: 1577577
Ion Ratio Lower Upper
162 100
127 40.7 33.4 50.2
164 32.2 26.2 39.2



#48
2-Nitroaniline
Concen: 63.996 ng
RT: 13.472 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion: 65 Resp: 485429
Ion Ratio Lower Upper
65 100
92 72.4 57.6 86.4
138 113.7 91.0 136.6









#49
Acenaphthylene
Concen: 61.147 ng
RT: 14.131 min Scan# 1903
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:152 Resp: 2634005
Ion Ratio Lower Upper
152 100
151 19.7 16.0 24.0
153 13.0 10.6 15.8



#50
Dimethylphthalate
Concen: 60.572 ng
RT: 13.866 min Scan# 1858
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:163 Resp: 2042324
Ion Ratio Lower Upper
163 100
194 4.2 3.4 5.0
164 10.3 7.9 11.9





#51

2,6-Dinitrotoluene

Concen: 62.831 ng

RT: 13.972 min Scan# 1875

Delta R.T. 0.006 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:165 Resp: 446520

Ion Ratio Lower Upper

165 100

63 51.6 40.9 61.3

89 52.5 42.1 63.1



#52

Acenaphthene

Concen: 60.399 ng

RT: 14.478 min Scan# 1962

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:154 Resp: 1527191


Ion Ratio Lower Upper

154 100

153 112.7 90.2 135.2

152 52.8 42.1 63.1









#53
3-Nitroaniline
Concen: 63.331 ng
RT: 14.301 min Scan# 1932
Delta R.T. 0.000 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:138 Resp: 506373
Ion Ratio Lower Upper
138 100
108 11.1 8.3 12.5
92 111.9 86.2 129.2



#54
2,4-Dinitrophenol
Concen: 69.849 ng
RT: 14.519 min Scan# 1969
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:184 Resp: 265089
Ion Ratio Lower Upper
184 100
63 60.1 49.4 74.2
154 67.3 54.6 82.0





#55

Dibenzenofuran

Concen: 59.734 ng

RT: 14.819 min Scan# 20

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:168 Resp: 2387933

Ion Ratio Lower Upper

168 100

139 39.5 31.5 47.3

169 13.4 10.9 16.3



#56

4-Nitrophenol

Concen: 63.893 ng

RT: 14.625 min Scan# 1987

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:139 Resp: 419801


Ion Ratio Lower Upper

139 100

109 77.0 56.6 96.6

65 87.6 68.2 108.2





#57

2,4-Dinitrotoluene

Concen: 64.112 ng

RT: 14.778 min Scan# 2011

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060

Tgt Ion:165 Resp: 650054





Ion Ratio Lower Upper

165 100

63 37.0 31.4 47.2

89 63.3 53.3 79.9

182 2.9 2.3 3.5



#58

Fluorene

Concen: 58.236 ng

RT: 15.478 min Scan# 2132

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:166 Resp: 1836972


Ion Ratio Lower Upper

166 100

165 97.8 78.8 118.2

167 13.6 11.0 16.4





#59

2,3,4,6-Tetrachlorophenol

Concen: 62.307 ng

RT: 15.042 min Scan# 2058

Delta R.T. 0.006 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060

Tgt Ion:232 Resp: 541317





Ion Ratio Lower Upper

232 100

131 46.2 37.0 55.6

130 2.4 1.9 2.9

166 32.0 25.4 38.0



#60

Diethylphthalate

Concen: 58.840 ng

RT: 15.254 min Scan# 2094

Delta R.T. 0.018 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:149 Resp: 2015888


Ion Ratio Lower Upper

149 100

177 22.0 17.3 25.9

150 12.6 10.3 15.5









#61
4-Chlorophenyl-phenylether
Concen: 59.044 ng
RT: 15.472 min Scan# 2131
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:204 Resp: 926280
Ion Ratio Lower Upper
204 100
206 32.4 25.8 38.8
141 63.3 49.4 74.2



#62
4-Nitroaniline
Concen: 62.272 ng
RT: 15.489 min Scan# 2134
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:138 Resp: 510438
Ion Ratio Lower Upper
138 100
92 47.7 29.1 69.1
108 81.8 61.5 101.5





#63

Azobenzene

Concen: 61.242 ng

RT: 15.766 min Scan# 2179

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060

Tgt Ion: 77 Resp: 1796580





Ion Ratio Lower Upper

77 100

182 26.7 7.5 47.5

105 22.1 2.1 42.1

51 30.6 9.6 49.6



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.213 min Scan# 2427

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:188 Resp: 923402


Ion Ratio Lower Upper

188 100

94 8.5 6.6 10.0

80 9.3 6.7 10.1









#65
4,6-Dinitro-2-methylphenol
Concen: 67.038 ng
RT: 15.554 min Scan# 2145
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:198 Resp: 385873
Ion Ratio Lower Upper
198 100
51 38.9 19.6 59.6
105 39.4 20.9 60.9



#66
n-Nitrosodiphenylamine
Concen: 59.478 ng
RT: 15.684 min Scan# 2167
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:169 Resp: 1674806
Ion Ratio Lower Upper
169 100
168 66.1 53.2 79.8
167 36.3 28.7 43.1









#67
4-Bromophenyl-phenylether
Concen: 60.731 ng
RT: 16.378 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:248 Resp: 616767
Ion Ratio Lower Upper
248 100
250 98.4 78.2 117.2
141 78.7 59.6 89.4



#68
Hexachlorobenzene
Concen: 60.461 ng
RT: 16.501 min Scan# 2306
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:284 Resp: 711778
Ion Ratio Lower Upper
284 100
142 36.1 29.1 43.7
249 31.3 25.0 37.4





#69

Atrazine

Concen: 60.063 ng

RT: 16.666 min Scan# 21

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:200 Resp: 633381

Ion Ratio Lower Upper

200 100

173 26.0 6.7 46.7

215 49.4 29.7 69.7



#70

Pentachlorophenol

Concen: 63.820 ng

RT: 16.854 min Scan# 2366

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:266 Resp: 474276


Ion Ratio Lower Upper

266 100

268 63.5 52.6 79.0

264 62.4 52.0 78.0





#71

Phenanthrene

Concen: 59.263 ng

RT: 17.260 min Scan# 2435

Delta R.T. 0.018 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:178 Resp: 3006132

Ion Ratio Lower Upper

178 100

176 19.4 15.5 23.3

179 15.4 12.2 18.4



#72

Anthracene

Concen: 58.895 ng

RT: 17.342 min Scan# 2449

Delta R.T. 0.006 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:178 Resp: 3050794


Ion Ratio Lower Upper

178 100

176 18.6 14.7 22.1

179 15.9 12.2 18.2





#73

Carbazole

Concen: 59.776 ng

RT: 17.625 min Scan# 2495

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:167 Resp: 2916606

Ion Ratio Lower Upper

167 100

166 21.4 17.5 26.3

139 13.4 10.6 16.0



#74

Di-n-butylphthalate

Concen: 59.310 ng

RT: 18.219 min Scan# 2598

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:149 Resp: 3560427


Ion Ratio Lower Upper

149 100

150 9.1 7.4 11.0

104 5.1 4.2 6.2





#75

Fluoranthene

Concen: 58.899 ng

RT: 19.342 min Scan# 21

Delta R.T. 0.018 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:202 Resp: 3563798

Ion Ratio Lower Upper

202 100

101 10.3 0.0 31.1

203 17.3 0.0 37.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.666 min Scan# 3184

Delta R.T. 0.018 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:240 Resp: 926019


Ion Ratio Lower Upper

240 100

120 10.5 8.9 13.3

236 25.3 19.8 29.8









#77
Benzidine
Concen: 53.489 ng
RT: 19.525 min Scan# 2818
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:184 Resp: 1690432
Ion Ratio Lower Upper
184 100
185 13.8 11.5 17.3
183 11.7 9.4 14.2



#78
Pyrene
Concen: 60.883 ng
RT: 19.713 min Scan# 2852
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:202 Resp: 3664453
Ion Ratio Lower Upper
202 100
200 20.9 16.9 25.3
203 17.7 14.2 21.2









#79
 Terphenyl-d14
 Concen: 116.490 ng
 RT: 19.930 min Scan# 21
 Delta R.T. 0.012 min
 Lab File: BP025398.D
 Acq: 14 Aug 2025 16:42




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC060


Tgt Ion:244 Resp: 5896004
 Ion Ratio Lower Upper
 244 100
 212 7.5 5.8 8.6
 122 9.0 7.4 11.2



#80
 Butylbenzylphthalate
 Concen: 62.697 ng
 RT: 20.660 min Scan# 3013
 Delta R.T. 0.012 min
 Lab File: BP025398.D
 Acq: 14 Aug 2025 16:42

Tgt Ion:149 Resp: 1710246
 Ion Ratio Lower Upper
 149 100
 91 66.9 54.2 81.2
 206 20.9 16.6 24.8





#81

Benzo(a)anthracene

Concen: 60.619 ng

RT: 21.648 min Scan# 3181

Delta R.T. 0.018 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:228 Resp: 3702064

Ion Ratio Lower Upper

228 100

226 26.8 21.7 32.5

229 19.2 15.6 23.4



#82

3,3'-Dichlorobenzidine

Concen: 61.062 ng

RT: 21.554 min Scan# 3165

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:252 Resp: 1405597


Ion Ratio Lower Upper

252 100

254 64.4 51.8 77.6

126 11.2 9.1 13.7





#83

Chrysene

Concen: 60.387 ng

RT: 21.707 min Scan# 31

Delta R.T. 0.012 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:228 Resp: 3453736

Ion Ratio Lower Upper

228 100

226 29.7 23.2 34.8

229 19.6 15.6 23.4



#84

Bis(2-ethylhexyl)phthalate

Concen: 61.038 ng

RT: 21.583 min Scan# 3170

Delta R.T. 0.000 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:149 Resp: 2450963


Ion Ratio Lower Upper

149 100

167 27.6 22.1 33.1

279 4.6 3.8 5.6









#85
Di-n-octyl phthalate
Concen: 62.869 ng
RT: 22.883 min Scan# 31
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42




Instrument :
BNA_P
ClientSampleId :
SSTDICC060


Tgt Ion:149 Resp: 4342211
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 7.8 6.3 9.5



#86
Perylene-d12
Concen: 20.000 ng
RT: 25.042 min Scan# 3758
Delta R.T. 0.012 min
Lab File: BP025398.D
Acq: 14 Aug 2025 16:42

Tgt Ion:264 Resp: 1081163
Ion Ratio Lower Upper
264 100
260 24.6 19.3 28.9
265 22.5 17.4 26.0





#87

Indeno(1,2,3-cd)pyrene

Concen: 62.248 ng

RT: 28.901 min Scan# 4408

Delta R.T. 0.035 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:276 Resp: 4937235

Ion Ratio Lower Upper

276 100

138 18.5 12.9 19.3

277 22.4 17.0 25.6



#88

Benzo(b)fluoranthene

Concen: 60.914 ng

RT: 23.960 min Scan# 3574

Delta R.T. 0.006 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:252 Resp: 3883465


Ion Ratio Lower Upper

252 100

253 22.0 17.7 26.5

125 9.4 7.9 11.9





#89

Benzo(k)fluoranthene

Concen: 61.334 ng

RT: 24.036 min Scan# 31

Delta R.T. 0.006 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:252 Resp: 3912900

Ion Ratio Lower Upper

252 100

253 22.1 17.1 25.7

125 10.1 7.8 11.6



#90

Benzo(a)pyrene

Concen: 61.959 ng

RT: 24.883 min Scan# 3731

Delta R.T. 0.030 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42




Tgt Ion:252 Resp: 3845093


Ion Ratio Lower Upper

252 100

253 22.0 17.5 26.3

125 10.3 8.7 13.1





#91

Dibenzo(a,h)anthracene

Concen: 62.280 ng

RT: 28.977 min Scan# 4423

Delta R.T. 0.024 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Instrument :

BNA_P

ClientSampleId :

SSTDICC060





Tgt Ion:278 Resp: 4035414

Ion Ratio Lower Upper

278 100

139 15.1 13.0 19.4

279 23.5 19.4 29.2



#92

Benzo(g,h,i)perylene

Concen: 62.159 ng

RT: 30.083 min Scan# 4615

Delta R.T. 0.024 min

Lab File: BP025398.D

Acq: 14 Aug 2025 16:42

Tgt Ion:276 Resp: 3958545

Ion Ratio Lower Upper

276 100

277 24.0 19.4 29.0

138 20.8 16.7 25.1

