

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
 Data File : BP025402.D
 Acq On : 14 Aug 2025 20:10
 Operator : CG/JU
 Sample : PB169210BS
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB169210BS

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 08/15/2025
 Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 15 01:37:43 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 14 18:14:31 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	156059	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	650560	20.000	ng	0.00
39) Acenaphthene-d10	14.413	164	435539	20.000	ng	0.00
64) Phenanthrene-d10	17.201	188	895607	20.000	ng	0.00
76) Chrysene-d12	21.648	240	937531	20.000	ng	0.00
86) Perylene-d12	25.018	264	1016818	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	1280798	136.296	ng	0.00
7) Phenol-d6	6.972	99	1664968	138.195	ng	0.00
23) Nitrobenzene-d5	8.937	82	1023164	79.558	ng	0.00
42) 2,4,6-Tribromophenol	15.919	330	807504	137.743	ng	0.00
45) 2-Fluorobiphenyl	13.025	172	2538853	79.667	ng	0.00
79) Terphenyl-d14	19.942	244	4256352	83.062	ng	0.02
Target Compounds						Qvalue
2) 1,4-Dioxane	3.331	88	150326	40.840	ng	99
3) Pyridine	3.725	79	377128	37.433	ng	98
4) n-Nitrosodimethylamine	3.631	42	183326	44.137	ng	97
6) Aniline	7.125	93	680651	41.931	ng	98
8) 2-Chlorophenol	7.366	128	518221	48.869	ng	99
9) Benzaldehyde	6.937	77	256830	30.427	ng	98
10) Phenol	6.996	94	629374	49.784	ng	98
11) bis(2-Chloroethyl)ether	7.219	93	437105	44.360	ng	100
12) 1,3-Dichlorobenzene	7.684	146	509681	43.589	ng	100
13) 1,4-Dichlorobenzene	7.825	146	520662	43.564	ng	99
14) 1,2-Dichlorobenzene	8.143	146	502978	43.476	ng	97
15) Benzyl Alcohol	8.025	79	446566	46.649	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.313	45	580366	43.968	ng	98
17) 2-Methylphenol	8.225	107	435851	49.640	ng	99
18) Hexachloroethane	8.866	117	192819	43.879	ng	96
19) n-Nitroso-di-n-propyla...	8.584	70	349179	43.755	ng	97
20) 3+4-Methylphenols	8.549	107	601995	49.463	ng	98
22) Acetophenone	8.602	105	715431	43.852	ng	99
24) Nitrobenzene	8.978	77	512825	44.618	ng	99
25) Isophorone	9.502	82	1003541	44.092	ng	99
26) 2-Nitrophenol	9.678	139	274616	46.556	ng	99
27) 2,4-Dimethylphenol	9.743	122	502601	49.547	ng	99
28) bis(2-Chloroethoxy)met...	9.978	93	622573	45.252	ng	98
29) 2,4-Dichlorophenol	10.213	162	505992	50.213	ng	99
30) 1,2,4-Trichlorobenzene	10.425	180	484724	43.881	ng	99
31) Naphthalene	10.613	128	1505392	44.521	ng	99
32) Benzoic acid	9.884	122	383103	51.155	ng	97
33) 4-Chloroaniline	10.713	127	624236	41.794	ng	99
34) Hexachlorobutadiene	10.901	225	298042	43.323	ng	98
35) Caprolactam	11.496	113	181569	49.139	ng	99
36) 4-Chloro-3-methylphenol	11.831	107	582706	50.394	ng	98
37) 2-Methylnaphthalene	12.219	142	1004265	45.639	ng	99
38) 1-Methylnaphthalene	12.443	142	1051392	44.929	ng	99
40) 1,2,4,5-Tetrachloroben...	12.590	216	564099	44.845	ng	99
41) Hexachlorocyclopentadiene	12.578	237	716635	94.317	ng	99
43) 2,4,6-Trichlorophenol	12.825	196	420901	49.564	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
 Data File : BP025402.D
 Acq On : 14 Aug 2025 20:10
 Operator : CG/JU
 Sample : PB169210BS
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB169210BS

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 08/15/2025
 Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 15 01:37:43 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 14 18:14:31 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.901	196	468666	50.356	ng	98
46) 1,1'-Biphenyl	13.231	154	1476847	46.689	ng	100
47) 2-Chloronaphthalene	13.272	162	1146132	46.544	ng	99
48) 2-Nitroaniline	13.472	65	355089	49.489	ng	96
49) Acenaphthylene	14.131	152	1910326	46.883	ng	100
50) Dimethylphthalate	13.860	163	1540919	48.314	ng	99
51) 2,6-Dinitrotoluene	13.978	165	335519	49.911	ng	98
52) Acenaphthene	14.478	154	1132105	47.334	ng	100
53) 3-Nitroaniline	14.307	138	331713	43.858	ng	97
54) 2,4-Dinitrophenol	14.513	184	401585	111.865	ng	97
55) Dibenzofuran	14.813	168	1757203	46.470	ng	100
56) 4-Nitrophenol	14.625	139	648186	104.294	ng	98
57) 2,4-Dinitrotoluene	14.766	165	491249	51.219	ng	100
58) Fluorene	15.472	166	1388189	46.525	ng	98
59) 2,3,4,6-Tetrachlorophenol	15.042	232	408762	49.740	ng	99
60) Diethylphthalate	15.248	149	1563135	48.233	ng	99
61) 4-Chlorophenyl-phenyle...	15.472	204	683735	46.075	ng	98
62) 4-Nitroaniline	15.489	138	380486	49.072	ng	99
63) Azobenzene	15.772	77	1343333	48.409	ng	99
65) 4,6-Dinitro-2-methylph...	15.548	198	277954	49.788	ng	95
66) n-Nitrosodiphenylamine	15.689	169	1290834	47.265	ng	99
67) 4-Bromophenyl-phenylether	16.384	248	460600	46.761	ng	96
68) Hexachlorobenzene	16.501	284	531682	46.564	ng	98
69) Atrazine	16.660	200	492822	48.184	ng	97
70) Pentachlorophenol	16.848	266	700841	97.234	ng	99
71) Phenanthrene	17.248	178	2335980	47.481	ng	100
72) Anthracene	17.348	178	2338590	46.547	ng	99
73) Carbazole	17.619	167	2254500	47.640	ng	99
74) Di-n-butylphthalate	18.219	149	2850461	48.957	ng	100
75) Fluoranthene	19.336	202	2769236	47.188	ng	99
77) Benzidine	19.525	184	2034719	63.593	ng	99
78) Pyrene	19.713	202	2848697	46.748	ng	99
80) Butylbenzylphthalate	20.666	149	1350312	48.894	ng	99
81) Benzo(a)anthracene	21.630	228	2905027	46.984	ng	100
82) 3,3'-Dichlorobenzidine	21.548	252	936735	40.194	ng	99
83) Chrysene	21.695	228	2733737	47.211	ng	99
84) Bis(2-ethylhexyl)phtha...	21.583	149	1973001	48.532	ng	100
85) Di-n-octyl phthalate	22.877	149	3308927	47.320	ng	100
87) Indeno(1,2,3-cd)pyrene	28.848	276	3596116m	48.225	ng	
88) Benzo(b)fluoranthene	23.971	252	2918542	48.676	ng	99
89) Benzo(k)fluoranthene	24.042	252	2967349	49.456	ng	100
90) Benzo(a)pyrene	24.871	252	2854031	48.899	ng	99
91) Dibenzo(a,h)anthracene	28.942	278	2946612	48.354	ng	98
92) Benzo(g,h,i)perylene	30.053	276	2879368	48.068	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081425\
 Data File : BP025402.D
 Acq On : 14 Aug 2025 20:10
 Operator : CG/JU
 Sample : PB169210BS
 Misc :
 ALS Vial : 14 Sample Multiplier: 1


Instrument :
 BNA_P
 ClientSampleId :
 PB169210BS

Manual Integrations APPROVED

Reviewed By :Rahul Chavli 08/15/2025
 Supervised By :Jagrut Upadhyay 08/15/2025

Quant Time: Aug 15 01:37:43 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 14 18:14:31 2025
 Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.790 min Scan# 81
Delta R.T. -0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :





PB169210BS

Tgt Ion:152 Resp: 156059
Ion Ratio Lower Upper
152 100
150 156.7 125.9 188.9
115 60.9 48.5 72.7

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#2
1,4-Dioxane
Concen: 40.840 ng
RT: 3.331 min Scan# 67
Delta R.T. -0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10


Tgt Ion: 88 Resp: 150326
Ion Ratio Lower Upper
88 100
58 73.0 59.2 88.8
43 28.2 21.7 32.5





#3
Pyridine
Concen: 37.433 ng
RT: 3.725 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion: 79 Resp: 377128
Ion Ratio Lower Upper
79 100
52 71.5 55.5 83.3
51 35.7 28.3 42.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#4
n-Nitrosodimethylamine
Concen: 44.137 ng
RT: 3.631 min Scan# 118
Delta R.T. -0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10



Tgt Ion: 42 Resp: 183326
Ion Ratio Lower Upper
42 100
74 130.0 107.0 160.4
44 8.3 6.2 9.4









#5
2-Fluorophenol
Concen: 136.296 ng
RT: 5.408 min Scan# 41
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10

Instrument :
BNA_P
ClientSampleId :
PB169210BS

Tgt Ion:112 Resp: 1280798
Ion Ratio Lower Upper
112 100
64 56.0 43.8 65.8
63 29.9 22.7 34.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#6
Aniline
Concen: 41.931 ng
RT: 7.125 min Scan# 712
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10


Tgt Ion: 93 Resp: 680651
Ion Ratio Lower Upper
93 100
66 39.2 30.4 45.6
65 19.4 15.3 22.9





#7
Phenol-d6
Concen: 138.195 ng
RT: 6.972 min Scan# 685
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion: 99 Resp: 166496
Ion Ratio Lower Upper
99 100
42 16.7 13.7 20.5
71 34.1 28.2 42.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#8
2-Chlorophenol
Concen: 48.869 ng
RT: 7.366 min Scan# 753
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion:128 Resp: 518221
Ion Ratio Lower Upper
128 100
130 32.0 12.6 52.6
64 43.1 23.4 63.4





#9
Benzaldehyde
Concen: 30.427 ng
RT: 6.937 min Scan# 681
Delta R.T. -0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS



Tgt Ion: 77 Resp: 256830
Ion Ratio Lower Upper
77 100
105 102.4 84.8 124.8
106 99.4 80.5 120.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#10
Phenol
Concen: 49.784 ng
RT: 6.996 min Scan# 690
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10


Tgt Ion: 94 Resp: 629374
Ion Ratio Lower Upper
94 100
65 27.3 6.8 46.8
66 39.6 18.2 58.2





#11
bis(2-Chloroethyl)ether
Concen: 44.360 ng
RT: 7.219 min Scan# 728
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion: 93 Resp: 43710
Ion Ratio Lower Upper
93 100
63 72.8 52.6 92.6
95 32.2 12.7 52.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#12
1,3-Dichlorobenzene
Concen: 43.589 ng
RT: 7.684 min Scan# 807
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion:146 Resp: 509681
Ion Ratio Lower Upper
146 100
148 65.0 51.9 77.9
75 29.9 23.7 35.5





#13
1,4-Dichlorobenzene
Concen: 43.564 ng
RT: 7.825 min Scan# 811
Delta R.T. -0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion:146 Resp: 520662
Ion Ratio Lower Upper
146 100
148 64.3 51.6 77.4
111 40.2 33.4 50.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#14
1,2-Dichlorobenzene
Concen: 43.476 ng
RT: 8.143 min Scan# 885
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion:146 Resp: 502978
Ion Ratio Lower Upper
146 100
148 66.1 50.4 75.6
111 43.6 34.5 51.7





#15
Benzyl Alcohol
Concen: 46.649 ng
RT: 8.025 min Scan# 80
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion: 79 Resp: 446560
Ion Ratio Lower Upper
79 100
108 76.5 63.8 95.6
77 61.7 49.0 73.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#16
2,2'-oxybis(1-Chloropropane)
Concen: 43.968 ng
RT: 8.313 min Scan# 914
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion: 45 Resp: 580366
Ion Ratio Lower Upper
45 100
77 14.5 0.0 35.3
79 11.3 0.0 31.8





#17
2-Methylphenol
Concen: 49.640 ng
RT: 8.225 min Scan# 899
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10

Instrument :
BNA_P
ClientSampleId :
PB169210BS






Tgt Ion:107 Resp: 43585


Ion	Ratio	Lower	Upper
107	100		
108	111.1	89.4	134.0
77	46.1	36.3	54.5
79	44.9	36.6	54.8

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025






#18
Hexachloroethane
Concen: 43.879 ng
RT: 8.866 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10



Tgt Ion:117 Resp: 192819

Ion	Ratio	Lower	Upper
117	100		
119	97.1	75.1	112.7
201	105.6	80.1	120.1





#19

n-Nitroso-di-n-propylamine

Concen: 43.755 ng

RT: 8.584 min Scan# 90

Delta R.T. -0.006 min

Lab File: BP025402.D


Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS



Tgt Ion: 70 Resp: 349179

Ion Ratio Lower Upper

70 100

42 56.6 43.8 65.6

101 10.1 8.5 12.7




130 22.7 19.4 29.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#20

3+4-Methylphenols

Concen: 49.463 ng

RT: 8.549 min Scan# 954

Delta R.T. 0.000 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10

Tgt Ion:107 Resp: 601995




Ion Ratio Lower Upper


107 100

108 88.2 66.3 106.3

77 32.6 12.3 52.3


79 29.5 7.8 47.8





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1296
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS



Tgt Ion:136 Resp: 650560
Ion Ratio Lower Upper
136 100
137 11.4 9.2 13.8
54 7.8 6.0 9.0
68 5.5 4.3 6.5




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#22
Acetophenone
Concen: 43.852 ng
RT: 8.602 min Scan# 963
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10


Tgt Ion:105 Resp: 715431
Ion Ratio Lower Upper
105 100
71 3.1 2.6 4.0
51 25.5 20.6 30.8
120 22.3 18.6 27.8





#23
Nitrobenzene-d5
Concen: 79.558 ng
RT: 8.937 min Scan# 1020
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion: 82 Resp: 1023164
Ion Ratio Lower Upper
82 100
128 46.3 37.7 56.5
54 49.6 39.8 59.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#24
Nitrobenzene
Concen: 44.618 ng
RT: 8.978 min Scan# 1027
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion: 77 Resp: 512825
Ion Ratio Lower Upper
77 100
123 49.0 38.6 58.0
65 13.5 10.6 15.8





#25
Isophorone
Concen: 44.092 ng
RT: 9.502 min Scan# 1116
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS



Tgt Ion: 82 Resp: 100354
Ion Ratio Lower Upper
82 100
95 7.7 6.4 9.6
138 18.9 15.4 23.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#26
2-Nitrophenol
Concen: 46.556 ng
RT: 9.678 min Scan# 1146
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10

Tgt Ion:139 Resp: 274616
Ion Ratio Lower Upper
139 100
109 33.7 26.9 40.3
65 47.1 38.3 57.5






#27
2,4-Dimethylphenol
Concen: 49.547 ng
RT: 9.743 min Scan# 1157
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS






Tgt Ion:122 Resp: 50260
Ion Ratio Lower Upper
122 100
107 115.8 93.7 140.5
121 57.7 46.6 69.8

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 08/15/2025



Supervised By :Jagrut Upadhyay 08/15/2025




#28
bis(2-Chloroethoxy)methane
Concen: 45.252 ng
RT: 9.978 min Scan# 1197
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion: 93 Resp: 622573
Ion Ratio Lower Upper
93 100
95 32.9 25.4 38.0
123 12.1 9.4 14.0





#29
2,4-Dichlorophenol
Concen: 50.213 ng
RT: 10.213 min Scan# 1237
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion:162 Resp: 505992
Ion Ratio Lower Upper
162 100
164 63.6 44.4 84.4
98 35.0 14.9 54.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#30
1,2,4-Trichlorobenzene
Concen: 43.881 ng
RT: 10.425 min Scan# 1273
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion:180 Resp: 484724
Ion Ratio Lower Upper
180 100
182 97.4 78.0 117.0
145 31.4 25.9 38.9





#31
Naphthalene
Concen: 44.521 ng
RT: 10.613 min Scan# 1105
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion:128 Resp: 1505392
Ion Ratio Lower Upper
128 100
129 11.1 8.6 13.0
127 13.1 10.7 16.1

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#32
Benzoic acid
Concen: 51.155 ng
RT: 9.884 min Scan# 1181
Delta R.T. 0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion:122 Resp: 383103
Ion Ratio Lower Upper
122 100
105 122.6 100.6 140.6
77 86.7 71.5 111.5





#33
4-Chloroaniline
Concen: 41.794 ng
RT: 10.713 min Scan# 1322
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion:127 Resp: 624230
Ion Ratio Lower Upper
127 100
129 31.7 25.4 38.2
65 29.1 23.8 35.6
92 19.1 15.8 23.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#34
Hexachlorobutadiene
Concen: 43.323 ng
RT: 10.901 min Scan# 1354
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion:225 Resp: 298042
Ion Ratio Lower Upper
225 100
223 63.7 50.0 75.0
227 64.1 49.7 74.5





#35
Caprolactam
Concen: 49.139 ng
RT: 11.496 min Scan# 1455
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion:113 Resp: 181569
Ion Ratio Lower Upper
113 100
55 158.2 140.0 180.0
56 119.2 100.0 140.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#36
4-Chloro-3-methylphenol
Concen: 50.394 ng
RT: 11.831 min Scan# 1512
Delta R.T. -0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion:107 Resp: 582706
Ion Ratio Lower Upper
107 100
144 25.4 21.0 31.4
142 78.6 64.6 97.0





#37
2-Methylnaphthalene
Concen: 45.639 ng
RT: 12.219 min Scan# 1578
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion:142 Resp: 100426
Ion Ratio Lower Upper
142 100
141 88.8 70.3 105.5
115 36.2 28.9 43.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#38
1-Methylnaphthalene
Concen: 44.929 ng
RT: 12.443 min Scan# 1616
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10



Tgt Ion:142 Resp: 1051392
Ion Ratio Lower Upper
142 100
141 92.1 73.1 109.7
116 3.9 3.2 4.8





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.413 min Scan# 1951

Delta R.T. 0.006 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS

Tgt Ion:164 Resp: 435539

Ion Ratio Lower Upper

164 100

162 100.3 81.0 121.6





160 44.7 35.4 53.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#40

1,2,4,5-Tetrachlorobenzene

Concen: 44.845 ng

RT: 12.590 min Scan# 1641

Delta R.T. 0.000 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10

Tgt Ion:216 Resp: 564099




Ion Ratio Lower Upper


216 100

214 78.3 63.0 94.4

179 21.7 17.1 25.7


108 21.4 14.9 22.3





#41
Hexachlorocyclopentadiene
Concen: 94.317 ng
RT: 12.578 min Scan# 10
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion: 237 Resp: 71663
Ion Ratio Lower Upper
237 100
235 63.1 42.7 82.7
272 12.9 0.0 34.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#42
2,4,6-Tribromophenol
Concen: 137.743 ng
RT: 15.919 min Scan# 2207
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion: 330 Resp: 807504
Ion Ratio Lower Upper
330 100
332 97.0 77.3 115.9
141 33.6 26.6 39.8





#43
2,4,6-Trichlorophenol
Concen: 49.564 ng
RT: 12.825 min Scan# 1681
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion:196 Resp: 42090
Ion Ratio Lower Upper
196 100
198 95.0 77.2 115.8
200 30.8 23.9 35.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#44
2,4,5-Trichlorophenol
Concen: 50.356 ng
RT: 12.901 min Scan# 1694
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10



Tgt Ion:196 Resp: 468666
Ion Ratio Lower Upper
196 100
198 97.2 76.2 114.2
97 49.1 41.2 61.8
132 28.9 22.6 34.0





#45
2-Fluorobiphenyl
Concen: 79.667 ng
RT: 13.025 min Scan# 1715
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS





Tgt Ion:172 Resp: 253885
Ion Ratio Lower Upper
172 100
171 34.6 28.1 42.1
170 23.3 18.6 28.0

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 08/15/2025


Supervised By :Jagrut Upadhyay 08/15/2025



#46
1,1'-Biphenyl
Concen: 46.689 ng
RT: 13.231 min Scan# 1750
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10

Tgt Ion:154 Resp: 1476847
Ion Ratio Lower Upper
154 100
153 39.7 19.5 59.5
76 11.5 0.0 31.1





#47
2-Chloronaphthalene
Concen: 46.544 ng
RT: 13.272 min Scan# 1757
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS





Tgt Ion:162 Resp: 114613
Ion Ratio Lower Upper
162 100
127 40.6 33.4 50.2
164 32.7 26.2 39.2

Manual Integrations

APPROVED




Reviewed By :Rahul Chavli 08/15/2025


Supervised By :Jagrut Upadhyay 08/15/2025



#48
2-Nitroaniline
Concen: 49.489 ng
RT: 13.472 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10


Tgt Ion: 65 Resp: 355089
Ion Ratio Lower Upper
65 100
92 73.7 57.6 86.4
138 120.3 91.0 136.6





#49
Acenaphthylene
Concen: 46.883 ng
RT: 14.131 min Scan# 1903
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion:152 Resp: 1910320
Ion Ratio Lower Upper
152 100
151 19.8 16.0 24.0
153 13.1 10.6 15.8

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#50
Dimethylphthalate
Concen: 48.314 ng
RT: 13.860 min Scan# 1857
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion:163 Resp: 1540919
Ion Ratio Lower Upper
163 100
194 4.2 3.4 5.0
164 10.4 7.9 11.9





#51
2,6-Dinitrotoluene
Concen: 49.911 ng
RT: 13.978 min Scan# 1875
Delta R.T. 0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS



Tgt Ion:165 Resp: 335519
Ion Ratio Lower Upper
165 100
63 53.0 40.9 61.3
89 54.0 42.1 63.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#52
Acenaphthene
Concen: 47.334 ng
RT: 14.478 min Scan# 1962
Delta R.T. 0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10


Tgt Ion:154 Resp: 1132105
Ion Ratio Lower Upper
154 100
153 112.4 90.2 135.2
152 53.1 42.1 63.1





#53
3-Nitroaniline
Concen: 43.858 ng
RT: 14.307 min Scan# 1932
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion:138 Resp: 33171
Ion Ratio Lower Upper
138 100
108 10.9 8.3 12.5
92 111.1 86.2 129.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#54
2,4-Dinitrophenol
Concen: 111.865 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion:184 Resp: 401585
Ion Ratio Lower Upper
184 100
63 58.4 49.4 74.2
154 69.4 54.6 82.0





#55
Dibenzenofuran
Concen: 46.470 ng
RT: 14.813 min Scan# 2018
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion:168 Resp: 175720
Ion Ratio Lower Upper
168 100
139 39.5 31.5 47.3
169 13.1 10.9 16.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#56
4-Nitrophenol
Concen: 104.294 ng
RT: 14.625 min Scan# 1987
Delta R.T. 0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10



Tgt Ion:139 Resp: 648186
Ion Ratio Lower Upper
139 100
109 78.9 56.6 96.6
65 89.2 68.2 108.2






#57
2,4-Dinitrotoluene
Concen: 51.219 ng
RT: 14.766 min Scan# 2011
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS






Tgt Ion:165 Resp: 491249
Ion Ratio Lower Upper
165 100
63 39.4 31.4 47.2
89 66.3 53.3 79.9
182 2.9 2.3 3.5

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 08/15/2025



Supervised By :Jagrut Upadhyay 08/15/2025




#58
Fluorene
Concen: 46.525 ng
RT: 15.472 min Scan# 2131
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion:166 Resp: 1388189
Ion Ratio Lower Upper
166 100
165 96.2 78.8 118.2
167 13.4 11.0 16.4





#59
2,3,4,6-Tetrachlorophenol
Concen: 49.740 ng
RT: 15.042 min Scan# 2058
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS



Tgt Ion:232 Resp: 408761
Ion Ratio Lower Upper
232 100
131 46.7 37.0 55.6
130 2.5 1.9 2.9
166 31.4 25.4 38.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#60
Diethylphthalate
Concen: 48.233 ng
RT: 15.248 min Scan# 2093
Delta R.T. 0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10


Tgt Ion:149 Resp: 1563135
Ion Ratio Lower Upper
149 100
177 22.1 17.3 25.9
150 12.4 10.3 15.5





#61
4-Chlorophenyl-phenylether
Concen: 46.075 ng
RT: 15.472 min Scan# 2113
Delta R.T. 0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion:204 Resp: 68373
Ion Ratio Lower Upper
204 100
206 32.9 25.8 38.8
141 63.7 49.4 74.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#62
4-Nitroaniline
Concen: 49.072 ng
RT: 15.489 min Scan# 2134
Delta R.T. 0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion:138 Resp: 380486
Ion Ratio Lower Upper
138 100
92 49.0 29.1 69.1
108 82.2 61.5 101.5





#63
Azobenzene
Concen: 48.409 ng
RT: 15.772 min Scan# 2179
Delta R.T. 0.018 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion: 77 Resp: 134333
Ion Ratio Lower Upper
77 100
182 28.1 7.5 47.5
105 22.8 2.1 42.1
51 30.1 9.6 49.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.201 min Scan# 2425
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Tgt Ion:188 Resp: 895607
Ion Ratio Lower Upper
188 100
94 9.2 6.6 10.0
80 9.8 6.7 10.1





#65
4,6-Dinitro-2-methylphenol
Concen: 49.788 ng
RT: 15.548 min Scan# 2143
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS



Tgt Ion:198 Resp: 277954
Ion Ratio Lower Upper
198 100
51 42.8 19.6 59.6
105 43.3 20.9 60.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#66
n-Nitrosodiphenylamine
Concen: 47.265 ng
RT: 15.689 min Scan# 2168
Delta R.T. 0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10

Tgt Ion:169 Resp: 1290834
Ion Ratio Lower Upper
169 100
168 65.6 53.2 79.8
167 35.0 28.7 43.1





#67
4-Bromophenyl-phenylether
Concen: 46.761 ng
RT: 16.384 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :





PB169210BS

Tgt Ion:248 Resp: 460600
Ion Ratio Lower Upper
248 100
250 97.2 78.2 117.2
141 82.2 59.6 89.4

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#68
Hexachlorobenzene
Concen: 46.564 ng
RT: 16.501 min Scan# 2306
Delta R.T. 0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10

Tgt Ion:284 Resp: 531682
Ion Ratio Lower Upper
284 100
142 34.4 29.1 43.7
249 31.5 25.0 37.4





#69

Atrazine

Concen: 48.184 ng

RT: 16.660 min Scan# 21

Delta R.T. 0.006 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS

Tgt Ion:200 Resp: 49282

Ion Ratio Lower Upper

200 100

173 27.1 6.7 46.7





215 47.3 29.7 69.7

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#70

Pentachlorophenol

Concen: 97.234 ng

RT: 16.848 min Scan# 2365

Delta R.T. 0.006 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10




Tgt Ion:266 Resp: 700841


Ion Ratio Lower Upper

266 100

268 65.2 52.6 79.0

264 64.0 52.0 78.0





#71

Phenanthrene

Concen: 47.481 ng

RT: 17.248 min Scan# 2432

Delta R.T. 0.006 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS

Tgt Ion:178 Resp: 2335980

Ion Ratio Lower Upper

178 100

176 19.2 15.5 23.3





179 15.5 12.2 18.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#72

Anthracene

Concen: 46.547 ng

RT: 17.348 min Scan# 2450

Delta R.T. 0.012 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10




Tgt Ion:178 Resp: 2338590


Ion Ratio Lower Upper

178 100

176 18.6 14.7 22.1


179 15.7 12.2 18.2





#73
 Carbazole
 Concen: 47.640 ng
 RT: 17.619 min Scan# 2495
 Delta R.T. 0.006 min
 Lab File: BP025402.D
 Acq: 14 Aug 2025 20:10




Instrument :
 BNA_P
 ClientSampleId :
 PB169210BS




Tgt Ion:167 Resp: 2254500
 Ion Ratio Lower Upper
 167 100
 166 21.4 17.5 26.3
 139 13.3 10.6 16.0

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 08/15/2025
 Supervised By :Jagrut Upadhyay 08/15/2025




#74
 Di-n-butylphthalate
 Concen: 48.957 ng
 RT: 18.219 min Scan# 2598
 Delta R.T. 0.012 min
 Lab File: BP025402.D
 Acq: 14 Aug 2025 20:10




Tgt Ion:149 Resp: 2850461
 Ion Ratio Lower Upper
 149 100
 150 9.3 7.4 11.0
 104 5.2 4.2 6.2





#75
Fluoranthene
Concen: 47.188 ng
RT: 19.336 min Scan# 21
Delta R.T. 0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS



Tgt Ion:202 Resp: 2769230
Ion Ratio Lower Upper
202 100
101 10.4 0.0 31.1
203 17.6 0.0 37.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.648 min Scan# 3181
Delta R.T. 0.000 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10


Tgt Ion:240 Resp: 937531
Ion Ratio Lower Upper
240 100
120 10.1 8.9 13.3
236 25.7 19.8 29.8





#77
Benzidine
Concen: 63.593 ng
RT: 19.525 min Scan# 2818
Delta R.T. 0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion:184 Resp: 2034719
Ion Ratio Lower Upper
184 100
185 14.0 11.5 17.3
183 11.5 9.4 14.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#78
Pyrene
Concen: 46.748 ng
RT: 19.713 min Scan# 2852
Delta R.T. 0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10



Tgt Ion:202 Resp: 2848697
Ion Ratio Lower Upper
202 100
200 21.2 16.9 25.3
203 17.2 14.2 21.2






#79
Terphenyl-d14
Concen: 83.062 ng
RT: 19.942 min Scan# 2887
Delta R.T. 0.024 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS






Tgt Ion:244 Resp: 4256352
Ion Ratio Lower Upper
244 100
212 7.3 5.8 8.6
122 9.2 7.4 11.2

Manual Integrations


APPROVED

Reviewed By :Rahul Chavli 08/15/2025



Supervised By :Jagrut Upadhyay 08/15/2025




#80
Butylbenzylphthalate
Concen: 48.894 ng
RT: 20.666 min Scan# 3014
Delta R.T. 0.018 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10



Tgt Ion:149 Resp: 1350312
Ion Ratio Lower Upper
149 100
91 66.6 54.2 81.2
206 21.3 16.6 24.8





#81

Benzo(a)anthracene

Concen: 46.984 ng

RT: 21.630 min Scan# 3178

Delta R.T. 0.000 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS

Tgt Ion:228 Resp: 290502

Ion Ratio Lower Upper

228 100

226 27.0 21.7 32.5





229 19.5 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#82

3,3'-Dichlorobenzidine

Concen: 40.194 ng

RT: 21.548 min Scan# 3164

Delta R.T. 0.006 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10




Tgt Ion:252 Resp: 936735


Ion Ratio Lower Upper

252 100

254 64.1 51.8 77.6

126 10.9 9.1 13.7





#83

Chrysene

Concen: 47.211 ng

RT: 21.695 min Scan# 3189

Delta R.T. 0.000 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS

Tgt Ion:228 Resp: 273373

Ion Ratio Lower Upper

228 100

226 29.9 23.2 34.8





229 19.9 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#84

Bis(2-ethylhexyl)phthalate

Concen: 48.532 ng

RT: 21.583 min Scan# 3170

Delta R.T. 0.000 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10




Tgt Ion:149 Resp: 1973001


Ion Ratio Lower Upper

149 100

167 27.4 22.1 33.1


279 4.7 3.8 5.6





#85
Di-n-octyl phthalate
Concen: 47.320 ng
RT: 22.877 min Scan# 31
Delta R.T. 0.006 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10




Instrument :
BNA_P
ClientSampleId :
PB169210BS




Tgt Ion:149 Resp: 330892
Ion Ratio Lower Upper
149 100
167 1.6 1.3 1.9
43 7.9 6.3 9.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 08/15/2025
Supervised By :Jagrut Upadhyay 08/15/2025




#86
Perylene-d12
Concen: 20.000 ng
RT: 25.018 min Scan# 3754
Delta R.T. -0.012 min
Lab File: BP025402.D
Acq: 14 Aug 2025 20:10



Tgt Ion:264 Resp: 1016818
Ion Ratio Lower Upper
264 100
260 23.1 19.3 28.9
265 21.3 17.4 26.0





#87

Indeno(1,2,3-cd)pyrene

Concen: 48.225 ng m

RT: 28.848 min Scan# 4408

Delta R.T. -0.018 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS

Tgt Ion:276 Resp: 3596110

Ion Ratio Lower Upper

276 100

138 16.3 12.9 19.3





277 20.3 17.0 25.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#88

Benzo(b)fluoranthene

Concen: 48.676 ng

RT: 23.971 min Scan# 3576

Delta R.T. 0.018 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10




Tgt Ion:252 Resp: 2918542


Ion Ratio Lower Upper

252 100

253 21.5 17.7 26.5

125 9.7 7.9 11.9





#89

Benzo(k)fluoranthene

Concen: 49.456 ng

RT: 24.042 min Scan# 3588

Delta R.T. 0.012 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS

Tgt Ion:252 Resp: 2967349

Ion Ratio Lower Upper

252 100

253 21.5 17.1 25.7





125 9.5 7.8 11.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#90

Benzo(a)pyrene

Concen: 48.899 ng

RT: 24.871 min Scan# 3729

Delta R.T. 0.018 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10




Tgt Ion:252 Resp: 2854031


Ion Ratio Lower Upper

252 100

253 21.8 17.5 26.3

125 10.1 8.7 13.1





#91

Dibenzo(a,h)anthracene

Concen: 48.354 ng

RT: 28.942 min Scan# 4423

Delta R.T. -0.012 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10

Instrument :

BNA_P

ClientSampleId :

PB169210BS

Tgt Ion:278 Resp: 294661

Ion Ratio Lower Upper

278 100

139 15.1 13.0 19.4





279 23.7 19.4 29.2

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 08/15/2025

Supervised By :Jagrut Upadhyay 08/15/2025



#92

Benzo(g,h,i)perylene

Concen: 48.068 ng

RT: 30.053 min Scan# 4610

Delta R.T. -0.006 min

Lab File: BP025402.D

Acq: 14 Aug 2025 20:10

Tgt Ion:276 Resp: 2879368

Ion Ratio Lower Upper

276 100

277 23.7 19.4 29.0

138 21.1 16.7 25.1

